# CHROMTECH PRODUCT LISTS 2014










Tel : +61 3 9762 2034 . . . in AUSTRALIA

HROM ECH

www.chromalytic.net.au

Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




use Cat#s from
PRODUCT LISTS
in NEW Shop Cart
www.chromalytic.net.au
for Current Prices

## Chromalytic FERRULES

## HPLC UV Lamps

## some Filtration Products / Hints

## some Vial Products

Tel : +61 3 9762 2034 . . . in AUSTRALIA

HROM ECH

www.chromalytic.net.au

Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS SimplePure Syringe Filter

Membrane Solutions

| Item# | Description | /Pkt |
|---|---|---|
| **Nylon66 Syringe Filter (Polyamide-66, 13mm/25mm)** | | |
| SFNY013022N | Nonsterile Nylon Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFNY013045N | Nonsterile Nylon Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFNY025022N | Nonsterile Nylon Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFNY025045N | Nonsterile Nylon Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **PTFE Syringe Filter (Polytetrafluoroethylene, Hydrophobic,13mm/25mm)** | | |
| SFPTFE013022NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFPTFE013045NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFPTFE025022NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFPTFE025045NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **PTFE Syringe Filter (Polytetrafluoroethylene, Hydrophilic,13mm/25mm)** | | |
| SFPTFE013022NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFPTFE013045NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFPTFE025022NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFPTFE025045NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **PES Syringe Filter (13mm/25mm)** | | |
| SFPES013022N | Nonsterile PES Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFPES013045N | Nonsterile PES Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFPES025022N | Nonsterile PES Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFPES025045N | Nonsterile PES Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **PVDF Syringe Filter (Polyvinylidene Fluoride, 13mm/25mm)** | | |
| SFPVDF013022N | Nonsterile Hydrophobic PVDF Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFPVDF013045N | Nonsterile Hydrophobic PVDF Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFPVDF025022N | Nonsterile Hydrophobic PVDF Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFPVDF025045N | Nonsterile Hydrophobic PVDF Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **GF Syringe Filter (Glass Fiber, 13mm/25mm)** | | |
| SFGF013070N | Nonsterile GF Syringe Filters, Pore:0.7(μm), Housing Diameter:13(mm) | 100 |
| SFGF013100N | Nonsterile GF Syringe Filters, Pore:1.0(μm), Housing Diameter:13(mm) | 100 |
| SFGF025070N | Nonsterile GF Syringe Filters, Pore:0.7(μm), Housing Diameter:25(mm) | 100 |
| SFGF025100N | Nonsterile GF Syringe Filters, Pore:1.0(μm), Housing Diameter:25(mm) | 100 |
| **CA Syringe Filter (Cellulose Acetate, 13mm/25mm)** | | |
| SFCA013022N | Nonsterile CA Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFCA013045N | Nonsterile CA Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFCA025022N | Nonsterile CA Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFCA025045N | Nonsterile CA Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **MCE Syringe Filter (Mixed Cellulose Ester, 13mm/25mm)** | | |
| SFMCE013022N | Nonsterile MCE Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFMCE013045N | Nonsterile MCE Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFMCE025022N | Nonsterile MCE Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFMCE025045N | Nonsterile MCE Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| **PP Syringe Filter (Polypropylene, 13mm/25mm)** | | |
| SFPP013022N | Nonsterile PP Syringe Filters, Pore:0.22(μm), Housing Diameter:13(mm) | 100 |
| SFPP013045N | Nonsterile PP Syringe Filters, Pore:0.45(μm), Housing Diameter:13(mm) | 100 |
| SFPP025022N | Nonsterile PP Syringe Filters, Pore:0.22(μm), Housing Diameter:25(mm) | 100 |
| SFPP025045N | Nonsterile PP Syringe Filters, Pore:0.45(μm), Housing Diameter:25(mm) | 100 |
| | | |
| | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014

Membrane Solutions

| PTFE Syringe Filters : ALL Sizes | | |
|---|---|---|
| SFPTFE013022NG | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | |
| SFPTFE013045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE025022NG | Nonsterile PTFE Syringe Filters,Pore: 0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPTFE025045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE030045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:30(mm), GF Prefilter | 100 |
| SFPTFE050022NG | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPTFE050045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF prefilter | 12 |
| SFPTFE013022SG | Sterile PTFE Syringe Filters, Pore:0.22(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPTFE013045SG | Sterile PTFE Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE025022SG | Sterile PTFE Syringe Filters, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE025045SG | Sterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE013022NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 500 |
| SFPTFE013045NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 500 |
| SFPTFE025010NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFPTFE025022NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFPTFE025045NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 200 |
| SFPTFE025500NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:5.0(µm),Diameter:25(mm) | 200 |
| SFPTFE033022NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm), Diameter:33(mm) | 200 |
| SFPTFE033045NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.45(µm), Diameter:33(mm) | 200 |
| SFPTFE050022NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm) | 12 |
| SFPTFE050045NL | Nonsterile Hydrophilic PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm) | 12 |
| SFPTFE013010NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.1(µm),Diameter:13(mm) | 500 |
| SFPTFE013022NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 500 |
| SFPTFE013045NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm),Diameter:13(mm) | 500 |
| SFPTFE013100NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:1.0(µm), Diameter:13(mm) | 500 |
| SFPTFE013500NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:5.0(µm),Diameter:13(mm) | 500 |
| SFPTFE017022NB | Nonsterile Hydrophobic PTFE Syringe Filter, Pore:0.22(µm), Diameter:17(mm) | 500 |
| SFPTFE017045NB | Non-sterile Hydrophobic PTFE Syringe Filter, Pore:0.45(µm), Diameter:17(mm) | 500 |
| SFPTFE025010NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.1(µm), Diameter:25(mm) | 200 |
| SFPTFE025022NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm), Diameter:25(mm) | 200 |
| SFPTFE025045NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm),Diameter:25(mm) | 200 |
| SFPTFE025100NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:1.0(µm),Diameter:25(mm) | 200 |
| SFPTFE025200NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:2.0(µm),Diameter:25(mm) | 200 |
| SFPTFE025300NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:3.0(µm),Diameter:25(mm) | 200 |
| SFPTFE025500NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:5.0(µm),Diameter:25(mm) | 200 |
| SFPTFE030022NB | Nonsterile Hydrophobic PTFE Syringe Filter, Pore:0.22(µm), Diameter:30(mm) | 200 |
| SFPTFE030045NB | Nonsterile Hydrophobic PTFE Syringe Filter, Pore:0.45(µm), Diameter:30(mm) | 200 |
| SFPTFE030100NB | Nonsterile Hydrophibic PTFE Syringe Filter, Pore:0.45(µm), Diameter:30(mm) | 200 |
| SFPTFE033022NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm),Diameter:33(mm) | 200 |
| SFPTFE033045NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm),Diameter:33(mm) | 200 |
| SFPTFE033100NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:1.0(µm),Diameter:33(mm) | 200 |
| SFPTFE050022NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm),Diameter:50(mm) | 12 |
| SFPTFE050045NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm) | 12 |
| SFPTFE050100NB | Nonsterile Hydrophobic PTFE Syringe Filters, Pore:1.0(µm), Diameter:50(mm) | 12 |
| SFPTFE013022SL | Sterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 200 |
| SFPTFE013045SL | Sterile Hydrophilic PTFE Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 200 |
| SFPTFE025022SL | Sterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm), Diameter:25(mm) | 200 |
| SFPTFE025045SL | Sterile Hydrophilic PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 200 |
| SFPTFE033022SL | Sterile Hydrophilic PTFE Syringe Filters, Pore:0.22(µm),Diameter:33(mm) | 200 |
| SFPTFE033045SL | | 200 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014

Membrane Solutions

| | | |
|---|---|---|
| SFPTFE013022SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | |
| SFPTFE013045SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | |
| SFPTFE025022SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFPTFE025045SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 200 |
| SFPTFE033022SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm), Diameter:33(mm) | 200 |
| SFPTFE033045SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.45(µm),Diameter:33(mm) | 200 |
| SFPTFE050022SB | Sterile Hydrophobic PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm) | 10 |
| SFPTFE013022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013045NP | Nonsterile PTFE Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE025022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025045NP | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE050022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPTFE050045NP | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPTFE013022SP | Sterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013045SP | Sterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), PP prefilter | 100 |
| SFPTFE025022SP | Sterile PTFE Syringe Filters,Pore: 0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025045SP | Sterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| | | |

## PVDF Syringe Filters :: ALL Sizes

| | | |
|---|---|---|
| SFPVDF013022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPVDF013045NG | Nonsterile PVDF Syringe Filter,Pore: 0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPVDF025022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPVDF025045NG | Nonsterile PVDF Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPVDF050022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPVDF050045NG | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPVDF013022SG | Sterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPVDF013045SG | Sterile PVDF Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPVDF025022SG | Sterile PVDF Syringe Filter,Pore: 0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPVDF025045SG | Sterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPVDF013010N | Nonsterile PVDF Syringe Filter, Pore:0.1(µm),Diameter:13(mm) | 500 |
| SFPVDF013022N | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:13(mm) | 500 |
| SFPVDF013045N | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm) | 500 |
| SFPVDF017022N | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:17(mm) | 500 |
| SFPVDF017045N | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:17(mm) | 500 |
| SFPVDF025010N | Nonsterile PVDF Syringe Filter, Pore:0.1(µm), Diameter:25(mm) | 200 |
| SFPVDF025022N | Nonsterile PVDF Syringe Filter, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFPVDF025045N | Nonsterile PVDF Syring Filter, Pore:0.45(µm),Diameter:25(mm) | 200 |
| SFPVDF025200N | Nonsterile PVDF Syring Filter, Pore:2.0(µm),Diameter:25(mm) | 200 |
| SFPVDF025300N | Nonsterile PVDF Syring Filter, Pore:3.0(µm),Diameter:25(mm) | 200 |
| SFPVDF030010N | Nonsterile PVDF Syringe Filter, Pore:0.1(µm), Diameter:30(mm) | 100 |
| SFPVDF030022N | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:30(mm) | 200 |
| SFPVDF030045N | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:30(mm) | 200 |
| SFPVDF033022N | Nonsterile PVDF Syringe Filter, Pore:0.22(µm),Diameter:33(mm) | 200 |
| SFPVDF033045N | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:33(mm) | 200 |
| SFPVDF050022N | Nonsterile PVDF Syringe Filter, Pore:0.22(µm),Diameter:50(mm) | 12 |
| SFPVDF050045N | Nonsterile PVDF Syringe Filter, Pore:0.45(µm),Diameter:50(mm) | 12 |
| SFPVDF013022S | Sterile PVDF Syringe Filter, Pore:0.22(µm),Diameter:13(mm) | 200 |
| SFPVDF013045S | Sterile PVDF Syringe Filter, Pore:0.45(µm),Diameter:13(mm) | 200 |
| SFPVDF025022S | Sterile PVDF Syringe Filter, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFPVDF025045S | Sterile PVDF Syringe Filter, Pore:0.45(µm),Diameter:25(mm) | 200 |
| SFPVDF033022S | | 200 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014

| | | |
|---|---|---|
| SFPVDF033045S | Sterile PVDF Syringe Filter, Pore:0.45(µm),Diameter:33(mm) | |
| SFPVDF013022NP | Nonsterile PVDF Syringe Filter,Pore:0.22(µm), Diameter:13(mm), PP Prefilter | |
| SFPVDF013045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF025022NP | Nonsterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF025045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFPVDF050022NP | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPVDF050045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPVDF013022SP | Sterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013045SP | Sterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF025022SP | Sterile PVDF Syringe Filter,Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF025045SP | Sterile PVDF Syringe Filter,Pore: 0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| | | |
| **PES Syringe Filters : : ALL Sizes** | | |
| SFPES013002NG | Nonsterile PES Syring Filters,Pore: 0.02(um), Diamter:13(mm), GF Prefilter | 100 |
| SFPES013022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF prefilter | 100 |
| SFPES013045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPES025002NG | Nonsterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES050022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPES050045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF prefilter | 12 |
| SFPES013022SG | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPES013045SG | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPES025022SG | Sterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025045SG | Sterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES013010N | Nonsterile PES Syringe Filters, Pore:0.1(µm), Diameter:13(mm) | 500 |
| SFPES013022N | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 500 |
| SFPES013045N | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 500 |
| SFPES017022N | Nonsterile PES Syringe Filter, Pore:0.22(µm), Diameter:17(mm) | 500 |
| SFPES017045N | Nonsterile PES Syringe Filter, Pore:0.45(µm), Diameter:17(mm) | 500 |
| SFPES025010N | Nonsterile PES Syringe Filters, Pore:0.1(µm), Diameter:25(mm) | 200 |
| SFPES025022N | Nonsterile PES Syringe Filters, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFPES025045N | Nonsterile PES Syringe Filters, Pore:0.45(µm),Diameter:25(mm) | 200 |
| SFPES025200N | Nonsterile PES Syringe Filters, Pore:2.0(µm), Diameter:25(mm) | 200 |
| SFPES030022N | Nonsterile PES Syringe Filter, Pore:0.22(µm), Diameter:30(mm) | 200 |
| SFPES030045N | Nonsterile PES Syringe Filter, Pore:0.45(µm), Diameter:30(mm) | 200 |
| SFPES030200N | Nonsterile PES Syringe Filter, Pore:2.0(µm), Diameter:30(mm) | 200 |
| SFPES033022N | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:33(mm) | 200 |
| SFPES033045N | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:33(mm) | 200 |
| SFPES050022N | Nonsterile PES Syringe Filters, Pore:0.22(µm),Diameter:50(mm) | 12 |
| SFPES050045N | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm) | 12 |
| SFPES013022S | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 200 |
| SFPES013045S | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 200 |
| SFPES025010S | Sterile PES Syringe Filters, Pore:0.1(µm), Diameter:25(mm) | 100 |
| SFPES025022S | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm) | 200 |
| SFPES025045S | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 100 |
| SFPES030022S | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:30(mm) | 100 |
| SFPES033022S | Sterile PES Syringe Filters, Pore:0.22(µm),Diameter:33(mm) | 200 |
| SFPES033045S | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:33(mm) | 200 |
| SFPES013022NP | | 100 |

Membrane Solutions
Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014



| | | |
|---|---|---|
| SFPES013045NP | Nonsterile PES Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), PP Prefilter | |
| SFPES025022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | |
| SFPES025045NP | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES050022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPES050045NP | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPES013022SP | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013045SP | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP prefilter | 100 |
| SFPES025022SP | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES025045SP | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP prefilter | 100 |
| | | |

## Nylon Syringe Filters : : ALL Sizes

| | | |
|---|---|---|
| SFNY013010NG | Nonsterile Nylon Syringe Filters, Pore:0.10(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013022NG | Nonsterile Nylon Syringe Filters,Pore: 0.22(µm), Diameter: 13(mm), GF Prefilter | 100 |
| SFNY013045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY025022NG | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025500NG | Nonsterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY030045NG | Nonsterile Nylon Syringe Filter, Pore:0.45(µm), Diameter:30(mm),GF Prefilter | 100 |
| SFNY050022NG | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFNY050045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFNY013022SG | Sterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013045SG | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY025022SG | Sterile Nylon Syringe Filters, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFNY025045SG | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SF1322N1000 | Non-sterile Nylon Syringe Filter, Pore:0.22(µm),Diameter:13(mm) | 1000 |
| SF1345N1000 | Non-sterile Nylon Syringe Filter, Pore:0.45(µm),Diameter:13(mm) | 1000 |
| SFNY004020N | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:4(mm) | 100 |
| SFNY013010N | Nonsterile Nylon Syringe Filters, Pore:0.1(µm), Diameter:13(mm) | 500 |
| SFNY013022N | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 500 |
| SFNY013045N | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 500 |
| SFNY013080N | Nonsterile Nylon Syringe Filters, Pore:0.8(µm), Diameter:13(mm) | 500 |
| SFNY013100N | Nonsterile Nylon Syringe Filters, Pore:1.0(µm), Diameter:13(mm) | 500 |
| SFNY013300N | Nonsterile Nylon Syringe Filters, Pore:3.0(µm), Diameter:13(mm) | 500 |
| SFNY013500N | Nonsterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:13(mm) | 500 |
| SFNY017022N | Nonsterile Nylon Syringe Filter, Pore:0.22(µm), Diameter:17(mm) | 500 |
| SFNY017045N | Nonsterile Nylon Syringe Filter, Pore:0.45(µm), Diameter:17(mm) | 500 |
| SFNY025022N | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm) | 200 |
| SFNY025045N | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 200 |
| SFNY025080N | Nonsterile Nylon Syringe Filters, Pore:0.8(µm), Diameter:25(mm) | 200 |
| SFNY025100N | Nonsterile Nylon Syringe Filters, Pore:1.0(µm), Diameter:25(mm) | 200 |
| SFNY025200N | Non-sterile Nylon Syringe Filters, Pore:2.0(µm), Diameter:25(mm) | 200 |
| SFNY025300N | Nonsterile Nylon Syringe Filters, Pore:3.0(µm), Diameter:25(mm) | 200 |
| SFNY025500N | Nonsterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:25(mm) | 200 |
| SFNY030022N | Nonsterile Nylon Syringe Filter, Pore:0.22(µm), Diameter:30(mm) | 200 |
| SFNY030045N | | 200 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014



| | | |
|---|---|---|
| SFNY033022N | Nonsterile Nylon Syringe Filters, Pore:0.22(µm),Diameter:33(mm) | |
| SFNY033045N | Nonsterile Nylon Syringe Filters, Pore:0.45(µm),Diameter:33(mm) | |
| SFNY050022N | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm) | 12 |
| SFNY050045N | Nonsterile Nylon Syringe Filters, Pore:0.45µm), Diameter:50(mm) | 12 |
| SFNY013010S | Sterile Nylon Syringe Filters, Pore:0.1(µm), Diameter:13(mm) | 200 |
| SFNY013022S | Sterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 200 |
| SFNY013045S | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 200 |
| SFNY013080S | Sterile Nylon Syringe Filters, Pore:0.8(µm), Diameter:13(mm) | 200 |
| SFNY013100S | Sterile Nylon Syringe Filters, Pore:1.0(µm), Diameter:13(mm) | 200 |
| SFNY013300S | Sterile Nylon Syringe Filters, Pore:3.0(µm), Diameter:13(mm) | 200 |
| SFNY013500S | Sterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:13(mm) | 200 |
| SFNY025010S | Sterile Nylon Syringe Filters, Pore:0.1(µm), Diameter:25(mm) | 200 |
| SFNY025022S | Sterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm) | 200 |
| SFNY025045S | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 200 |
| SFNY025080S | Sterile Nylon Syringe Filters, Pore:0.8(µm), Diameter:25(mm) | 200 |
| SFNY025100S | Sterile Nylon Syringe Filters, Pore:1.0(µm), Diameter:25(mm) | 200 |
| SFNY025200S | Sterile Nylon Syringe Filters, Pore:2.0(µm), Diameter:25(mm) | 200 |
| SFNY025300S | Sterile Nylon Syringe Filters, Pore:3.0(µm), Diameter:25(mm) | 200 |
| SFNY025500S | Sterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:25(mm) | 200 |
| SFNY033022S | Sterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:33(mm) | 200 |
| SFNY033045S | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:33(mm) | 200 |
| SFNY013022NP | Nonsterile Nylon Syringe Filters,Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY013045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY025022NP | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFNY025045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFNY050022NP | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFNY050045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFNY013022SP | Sterile Nylon Syringe Filters, Pore:0.22(µm),Diameter: 13(mm), PP Prefilter | 100 |
| SFNY013045SP | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY025022SP | Sterile Nylon Syringe Filters,Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFNY025045SP | Sterile Nylon Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| | | |

## Pre Filter Syringe Filters : ALL Sizes

| | | |
|---|---|---|
| SFCA025045NG | Nonsterile CA Syringe Filter, Pore:0.45(µm), Diameter:25(mm), GF prefilter | 200 |
| SFNY013010NG | Nonsterile Nylon Syringe Filters, Pore:0.10(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013022NG | Nonsterile Nylon Syringe Filters,Pore: 0.22(µm), Diameter: 13(mm), GF Prefilter | 100 |
| SFNY013022NP | Nonsterile Nylon Syringe Filters,Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY013022SG | Sterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013022SP | Sterile Nylon Syringe Filters, Pore:0.22(µm),Diameter: 13(mm), PP Prefilter | 100 |
| SFNY013045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY013045SG | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013045SP | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY025022NG | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025022NP | | 100 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014

Membrane Solutions

| | | |
|---|---|---|
| SFNY025022SG | Sterile Nylon Syringe Filters, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | |
| SFNY025022SP | Sterile Nylon Syringe Filters,Pore:0.22(µm), Diameter:25(mm), PP Prefilter | |
| SFNY025045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFNY025045SG | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025045SP | Sterile Nylon Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFNY025500NG | Nonsterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY030045NG | Nonsterile Nylon Syringe Filter, Pore:0.45(µm), Diameter:30(mm),GF Prefilter | 100 |
| SFNY050022NG | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFNY050022NP | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFNY050045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFNY050045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPES013022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF prefilter | 100 |
| SFPES013022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013022SG | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPES013022SP | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPES013045NP | Nonsterile PES Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013045SG | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPES013045SP | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP prefilter | 100 |
| SFPES025022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPES025022SG | Sterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025022SP | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES025045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025045NP | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES025045SG | Sterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025045SP | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES050022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPES050022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPES050045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF prefilter | 12 |
| SFPES050045NP | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPTFE013022NG | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE013022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013022SG | Sterile PTFE Syringe Filters, Pore:0.22(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPTFE013022SP | Sterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE013045NP | Nonsterile PTFE Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013045SG | Sterile PTFE Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE013045SP | Sterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), PP prefilter | 100 |
| SFPTFE025022NG | Nonsterile PTFE Syringe Filters,Pore: 0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPTFE025022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025022SG | Sterile PTFE Syringe Filters, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE025022SP | Sterile PTFE Syringe Filters,Pore: 0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter: 25(mm), GF Prefilter | 100 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014



| | | |
|---|---|---|
| SFPTFE025045NP | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP Prefilter | |
| SFPTFE025045SG | Sterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), GF Prefilter | |
| SFPTFE025045SP | Sterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE050022NG | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPTFE050022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPTFE050045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF prefilter | 12 |
| SFPTFE050045NP | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPVDF013022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPVDF013022NP | Nonsterile PVDF Syringe Filter,Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013022SG | Sterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPVDF013022SP | Sterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013045NG | Nonsterile PVDF Syringe Filter,Pore: 0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPVDF013045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013045SG | Sterile PVDF Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPVDF013045SP | Sterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF025022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPVDF025022NP | Nonsterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF025022SG | Sterile PVDF Syringe Filter,Pore: 0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPVDF025022SP | Sterile PVDF Syringe Filter,Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF025045NG | Nonsterile PVDF Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPVDF025045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFPVDF025045SG | Sterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPVDF025045SP | Sterile PVDF Syringe Filter,Pore: 0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF050022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPVDF050022NP | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPVDF050045NG | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPVDF050045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFCA025045NG | Nonsterile CA Syringe Filter, Pore:0.45(µm), Diameter:25(mm), GF prefilter | 200 |
| SFNY013010NG | Nonsterile Nylon Syringe Filters, Pore:0.10(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013022NG | Nonsterile Nylon Syringe Filters,Pore: 0.22(µm), Diameter: 13(mm), GF Prefilter | 100 |
| SFNY013022NP | Nonsterile Nylon Syringe Filters,Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY013022SG | Sterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013022SP | Sterile Nylon Syringe Filters, Pore:0.22(µm),Diameter: 13(mm), PP Prefilter | 100 |
| SFNY013045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY013045SG | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFNY013045SP | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFNY025022NG | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025022NP | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFNY025022SG | Sterile Nylon Syringe Filters, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFNY025022SP | Sterile Nylon Syringe Filters,Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFNY025045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFNY025045SG | Sterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFNY025045SP | | 100 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Membrane Filters Product List 2014

Membrane Solutions

| | | |
|---|---|---|
| SFNY025500NG | Nonsterile Nylon Syringe Filters, Pore:5.0(µm), Diameter:25(mm), GF Prefilter | |
| SFNY030045NG | Nonsterile Nylon Syringe Filter, Pore:0.45(µm), Diameter:30(mm),GF Prefilter | |
| SFNY050022NG | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFNY050022NP | Nonsterile Nylon Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFNY050045NG | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFNY050045NP | Nonsterile Nylon Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPES013022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF prefilter | 100 |
| SFPES013022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013022SG | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPES013022SP | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPES013045NP | Nonsterile PES Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPES013045SG | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPES013045SP | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm), PP prefilter | 100 |
| SFPES025022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPES025022SG | Sterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025022SP | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES025045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025045NP | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES025045SG | Sterile PES Syringe Filters, Pore:0.02(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPES025045SP | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP prefilter | 100 |
| SFPES050022NG | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPES050022NP | Nonsterile PES Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPES050045NG | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm), GF prefilter | 12 |
| SFPES050045NP | Nonsterile PES Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPTFE013022NG | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE013022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013022SG | Sterile PTFE Syringe Filters, Pore:0.22(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPTFE013022SP | Sterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE013045NP | Nonsterile PTFE Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPTFE013045SG | Sterile PTFE Syringe Filters,Pore: 0.45(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPTFE013045SP | Sterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), PP prefilter | 100 |
| SFPTFE025022NG | Nonsterile PTFE Syringe Filters,Pore: 0.22(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPTFE025022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025022SG | Sterile PTFE Syringe Filters, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE025022SP | Sterile PTFE Syringe Filters,Pore: 0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025045NG | Nonsterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE025045NP | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE025045SG | Sterile PTFE Syringe Filters, Pore:0.45(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPTFE025045SP | Sterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPTFE050022NG | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPTFE050022NP | Nonsterile PTFE Syringe Filters, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPTFE050045NG | | 12 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014



| | | |
|---|---|---|
| SFPTFE050045NP | Nonsterile PTFE Syringe Filters, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | |
| SFPVDF013022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPVDF013022NP | Nonsterile PVDF Syringe Filter,Pore:0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013022SG | Sterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:13(mm), GF Prefilter | 100 |
| SFPVDF013022SP | Sterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013045NG | Nonsterile PVDF Syringe Filter,Pore: 0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPVDF013045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF013045SG | Sterile PVDF Syringe Filters, Pore:0.45(µm),Diameter: 13(mm), GF Prefilter | 100 |
| SFPVDF013045SP | Sterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:13(mm), PP Prefilter | 100 |
| SFPVDF025022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPVDF025022NP | Nonsterile PVDF Syringe Filter,Pore: 0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF025022SG | Sterile PVDF Syringe Filter,Pore: 0.22(µm),Diameter: 25(mm), GF Prefilter | 100 |
| SFPVDF025022SP | Sterile PVDF Syringe Filter,Pore:0.22(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF025045NG | Nonsterile PVDF Syringe Filters, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPVDF025045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm),Diameter: 25(mm), PP Prefilter | 100 |
| SFPVDF025045SG | Sterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:25(mm), GF Prefilter | 100 |
| SFPVDF025045SP | Sterile PVDF Syringe Filter,Pore: 0.45(µm), Diameter:25(mm), PP Prefilter | 100 |
| SFPVDF050022NG | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPVDF050022NP | Nonsterile PVDF Syringe Filter, Pore:0.22(µm), Diameter:50(mm), PP Prefilter | 12 |
| SFPVDF050045NG | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:50(mm), GF Prefilter | 12 |
| SFPVDF050045NP | Nonsterile PVDF Syringe Filter, Pore:0.45(µm), Diameter:50(mm), PP Prefilter | 12 |
| | | |

## SuperPure HPLC Syringe Filters : All Sizes - All Materials

| | | |
|---|---|---|
| SFNY017022N | SuperPure HPLC, Nylon66, 0.22um,17mm | 100/pk |
| SFNY017045N | SuperPure HPLC, Nylon66, 0.45um,17mm | 100/pk |
| SFNY030022N | SuperPure HPLC, Nylon66, 0.22um,30mm | 100/pk |
| SFNY030045N | SuperPure HPLC, Nylon66, 0.45um,30mm | 100/pk |
| SFPES017022N | SuperPure HPLC, PES, 0.22um,17mm | 100/pk |
| SFPES017045N | SuperPure HPLC, PES, 0.45um,17mm | 100/pk |
| SFPES030022N | SuperPure HPLC, PES, 0.22um,30mm | 100/pk |
| SFPES030045N | SuperPure HPLC, PES, 0.45um,30mm | 100/pk |
| SFMCE017022N | SuperPure HPLC, MCE, 0.22um,17mm | 100/pk |
| SFMCE017045N | SuperPure HPLC, MCE , 0.45um,17mm | 100/pk |
| SFMCE030022N | SuperPure HPLC, MCE, 0.22um,30mm | 100/pk |
| SFMCE030045N | SuperPure HPLC, MCE , 0.45um,30mm | 100/pk |
| SFPTFE017022NB | SuperPure HPLC, PTFE, 0.22um,17mm | 100/pk |
| SFPTFE017045NB | SuperPure HPLC, PTFE , 0.45um,17mm | 100/pk |
| SFPTFE030022NB | SuperPure HPLC, PTFE, 0.22um,30mm | 100/pk |
| SFPTFE030045NB | SuperPure HPLC, PTFE, 0.45um,30mm | 100/pk |
| SFPVDF017022N | SuperPure HPLC, PVDF, 0.22um,17mm | 100/pk |
| SFPVDF017045N | SuperPure HPLC, PVDF, 0.45um,17mm | 100/pk |
| SFPVDF030022N | SuperPure HPLC, PVDF, 0.22um,30mm | 100/pk |
| SFPVDF030045N | SuperPure HPLC, PVDF, 0.45um,30mm | 100/pk |
| | | |
| | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Syringe Filters Product List 2014

Membrane Solutions

| | | |
|---|---|---|
| **SteriBio Syringe Filters : All Sizes - All Material** | | |
| SFCA013022S | Sterile CA Syringe Filter, Pore:0.22(µm), Diameter:13(mm) | 200 |
| SFCA013045S | Sterile CA Syringe Filter, Pore:0.45(µm), Diameter:13(mm) | 200 |
| SFCA025022S | Sterile CA Syringe Filter, Pore:0.22(µm),Diameter:25(mm) | 200 |
| SFCA025045S | Sterile CA Syringe Filter, Pore:0.45(µm), Diameter:25(mm) | 200 |
| SFCA025500S | Sterile CA Syringe Filter, Pore:5.0(µm), Diameter:25(mm) | 100 |
| SFCA033022S | Sterile CA Syringe Filter, Pore:0.22(µm), Diameter:33(mm) | 200 |
| SFCA033045S | Sterile CA Syringe Filter, Pore:0.45(µm), Diameter:33(mm) | 200 |
| SFCA033500S | Sterile CA Syringe Filter, Pore:5.0(µm),Diameter:33(mm) | 200 |
| SFPES013022S | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:13(mm) | 200 |
| SFPES013045S | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:13(mm) | 200 |
| SFPES025010S | Sterile PES Syringe Filters, Pore:0.1(µm), Diameter:25(mm) | 100 |
| SFPES025022S | Sterile PES Syringe Filters, Pore:0.22(µm), Diameter:25(mm) | 200 |
| SFPES025045S | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:25(mm) | 100 |
| SFPES033022S | Sterile PES Syringe Filters, Pore:0.22(µm),Diameter:33(mm) | 200 |
| SFPES033045S | Sterile PES Syringe Filters, Pore:0.45(µm), Diameter:33(mm) | 200 |
| | | |
| **MS G-MP MultiLayer Syringe Filter : 25mm Diam; 75psi max, PP Body** | | |
| **10um Glass Fibre; 1.0um PP; 0.7um Glass Fibre / media layer** | | |
| SFNY025022NM | Nylon, 0.22um | 100 |
| SFNY025045NM | Nylon, 0.45um | 100 |
| SFPVDF025022NM | PVDF, 0.22um | 100 |
| SFPVDF025045NM | PVDF, 0.45um | 100 |
| SFPTFE025022NM | PTFE, 0.22um | 100 |
| SFPTFE025045NM | PTFE, 0.45um | 100 |
| SFPES025022NM | PES, 0.22um | 100 |
| SFPES025045NM | PES, 0.45 um | 100 |
| SFPP025022NM | PP, 0.22um | 100 |
| SFPP025045NM | PP, 0.45um | 100 |
| SFCA025022NM | CA, 0.22um | 100 |
| SFCA025045NM | CA, 0.45um | 100 |
| | | |
| **Reusable Syringe Filter Holder** | | |
| SFRPP13 | Reusable Syringe Filter, Polypropylene Housing,Diameter:13(mm) | 10 |
| SFRSS13 | Reusable Syringe Filter, Stainless Steel Housing,Diameter:13(mm) | 10 |
| SFRPP25 | Reusable Syringe Filter, Polypropylene Housing,Diameter:25(mm) | 10 |
| SFRSS25 | Reusable Syringe Filter, Stainless Steel Housing,Diameter:25(mm) | 10 |
| SFRPP35 | Reusable Syringe Filter, Polypropylene Housing,Diameter:35(mm) | 10 |
| SFRPP50 | Reusable Syringe Filter, Polypropylene Housing,Diameter:50(mm) | 10 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Membrane Filters Product List 2014

Membrane Solutions

| Item# | Type | Description | Packaging |
|---|---|---|---|
| **Nylon Membrane Filter** | | | |
| MFNY013022 | **Pore size: 0.22um** | Nylon Membrane Filter, Pore:0.22(μm), Diameter:13(mm) | 400 |
| MFNY025022 | | Nylon Membrane Filter, Pore:0.22(μm), Diameter:25(mm) | 200 |
| MFNY047022 | | Nylon Membrane Filter, Pore:0.22(μm), Diameter:47(mm) | 200 |
| MFNY090022 | | Nylon Membrane Filter, Pore:0.22(μm), Diameter:90(mm) | 100 |
| MFNY142022 | | Nylon Membrane Filter, Pore:0.22(μm), Diameter:142(mm) | 50 |
| MFNY293022 | | Nylon Membrane Filter, Pore:0.22(μm), Diameter:293(mm) | 25 |
| MFNY013045 | **Pore size: 0.45um** | Nylon Membrane Filter, Pore:0.45(μm), Diameter:13(mm) | 400 |
| MFNY025045 | | Nylon Membrane Filter, Pore:0.45(μm), Diameter:25(mm) | 200 |
| MFNY047045 | | Nylon Membrane Filter, Pore:0.45(μm), Diameter:47(mm) | 200 |
| MFNY090045 | | Nylon Membrane Filter, Pore:0.45(μm), Diameter:90(mm) | 100 |
| MFNY142045 | | Nylon Membrane Filter, Pore:0.45(μm), Diameter:142(mm) | 50 |
| MFNY293045 | | Nylon Membrane Filter, Pore:0.45(μm), Diameter:293(mm) | 25 |
| MFNY013080 | **Pore size: 0.8um** | Nylon Membrane Filter, Pore:0.8(μm), Diameter:13(mm) | 400 |
| MFNY025080 | | Nylon Membrane Filter, Pore:0.8(μm), Diameter:25(mm) | 200 |
| MFNY047080 | | Nylon Membrane Filter, Pore:0.8(μm), Diameter:47(mm) | 200 |
| MFNY090080 | | Nylon Membrane Filter, Pore:0.8(μm), Diameter:90(mm) | 200 |
| MFNY142080 | | Nylon Membrane Filter, Pore:0.8(μm), Diameter:142(mm) | 200 |
| MFNY293080 | | Nylon Membrane Filter, Pore:0.8(μm), Diameter:293(mm) | 200 |
| MFNY013100 | **Pore size: 1.2um** | Nylon Membrane Filter, Pore:1.2(μm), Diameter:13(mm) | 400 |
| MFNY025100 | | Nylon Membrane Filter, Pore:1.2(μm), Diameter:25(mm) | 200 |
| MFNY047100 | | Nylon Membrane Filter, Pore:1.2(μm), Diameter:47(mm) | 200 |
| MFNY090100 | | Nylon Membrane Filter, Pore:1.2(μm), Diameter:90(mm) | 100 |
| MFNY142100 | | Nylon Membrane Filter, Pore:1.2(μm), Diameter:142(mm) | 50 |
| MFNY293100 | | Nylon Membrane Filter, Pore:1.2(μm), Diameter:293(mm) | 25 |
| MFNY013300 | **Pore size: 3.0um** | Nylon Membrane Filter, Pore:3.0(μm), Diameter:13(mm) | 400 |
| MFNY025300 | | Nylon Membrane Filter, Pore:3.0(μm), Diameter:25(mm) | 200 |
| MFNY047300 | | Nylon Membrane Filter, Pore:3.0(μm), Diameter:47(mm) | 200 |
| MFNY090300 | | Nylon Membrane Filter, Pore:3.0(μm), Diameter:90(mm) | 100 |
| MFNY142300 | | Nylon Membrane Filter, Pore:3.0(μm), Diameter:142(mm) | 50 |
| MFNY293300 | | Nylon Membrane Filter, Pore:3.0(μm), Diameter:293(mm) | 25 |
| MFNY013500 | **Pore size: 5.0um** | Nylon Membrane Filter, Pore:5.0(μm), Diameter:13(mm) | 400 |
| MFNY025500 | | Nylon Membrane Filter, Pore:5.0(μm), Diameter:25(mm) | 200 |
| MFNY047500 | | Nylon Membrane Filter, Pore:5.0(μm), Diameter:47(mm) | 200 |
| MFNY090500 | | Nylon Membrane Filter, Pore:5.0(μm), Diameter:90(mm) | 100 |
| MFNY142500 | | Nylon Membrane Filter, Pore:5.0(μm), Diameter:142(mm) | 50 |
| MFNY293500 | | Nylon Membrane Filter, Pore:5.0(μm), Diameter:293(mm) | 25 |
| **Hydrophobic PTFE Membrane Filter** | | | |
| MFPTFE013022B | **Pore size: 0.22um** | Hydrophobic PTFE Membrane Filter, Pore:0.22(μm), Diameter:13(mm) | 400 |
| MFPTFE025022B | | Hydrophobic PTFE Membrane Filter, Pore:0.22(μm), Diameter:25(mm) | 200 |
| MFPTFE047022B | | Hydrophobic PTFE Membrane Filter, Pore:0.22(μm), Diameter:47(mm) | 200 |
| MFPTFE090022B | | Hydrophobic PTFE Membrane Filter, Pore:0.22(μm), Diameter:90(mm) | 100 |
| MFPTFE142022B | | Hydrophobic PTFE Membrane Filter, Pore:0.22(μm), Diameter:142(mm) | 50 |
| MFPTFE013045B | **Pore size: 0.45um** | Hydrophobic PTFE Membrane Filter, Pore:0.45(μm), Diameter:13(mm) | 400 |
| MFPTFE025045B | | Hydrophobic PTFE Membrane Filter, Pore:0.45(μm), Diameter:25(mm) | 200 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | | |
|---|---|---|---|
| MFPTFE047045B | | Hydrophobic PTFE Membrane Filter, Pore:0.45(µm), Diameter:47(mm) | 200 |
| MFPTFE090045B | | Hydrophobic PTFE Membrane Filter, Pore:0.45(µm), Diameter:90(mm) | 100 |
| MFPTFE142045B | | Hydrophobic PTFE Membrane Filter, Pore:0.45(µm), Diameter:142(mm) | 50 |
| MFPTFE025010B | **Pore size: 0.1um** | Hydrophobic PTFE Membrane Filter, Pore:0.1(µm), Diameter:25(mm) | 200 |
| MFPTFE047010B | | Hydrophobic PTFE Membrane Filter, Pore:0.1(µm), Diameter:47(mm) | 200 |
| MFPTFE090010B | | Hydrophobic PTFE Membrane Filter, Pore:0.1(µm), Diameter:90(mm) | 100 |
| MFPTFE142010B | | Hydrophobic PTFE Membrane Filter, Pore:0.1(µm), Diameter:142(mm) | 50 |
| MFPTFE025100B | **Pore size: 1.2um** | Hydrophobic PTFE Membrane Filter, Pore:1.2(µm), Diameter:25(mm) | 200 |
| MFPTFE047100B | | Hydrophobic PTFE Membrane Filter, Pore:1.2(µm), Diameter:47(mm) | 200 |
| MFPTFE090100B | | Hydrophobic PTFE Membrane Filter, Pore:1.2(µm), Diameter:90(mm) | 100 |
| MFPTFE142100B | | Hydrophobic PTFE Membrane Filter, Pore:1.2(µm), Diameter:142(mm) | 50 |
| MFPTFE025300B | **Pore size: 3.0um** | Hydrophobic PTFE Membrane Filter, Pore:3.0(µm), Diameter:25(mm) | 200 |
| MFPTFE047300B | | Hydrophobic PTFE Membrane Filter, Pore:3.0(µm), Diameter:47(mm) | 200 |
| MFPTFE090300B | | Hydrophobic PTFE Membrane Filter, Pore:3.0(µm), Diameter:90(mm) | 100 |
| MFPTFE142300B | | Hydrophobic PTFE Membrane Filter, Pore:3.0(µm), Diameter:142(mm) | 50 |
| MFPTFE025300B | **Pore size: 5.0um** | Hydrophobic PTFE Membrane Filter, Pore:3.0(µm), Diameter:25(mm) | 200 |
| MFPTFE047500B | | Hydrophobic PTFE Membrane Filter, Pore:5.0(µm), Diameter:47(mm) | 200 |
| MFPTFE090500B | | Hydrophobic PTFE Membrane Filter, Pore:5.0(µm), Diameter:90(mm) | 100 |
| MFPTFE142500B | | Hydrophobic PTFE Membrane Filter, Pore:5.0(µm), Diameter:142(mm) | 50 |
| **Hydrophilic PTFE Membrane Filter** | | | |
| MFPTFE013022L | **Pore size: 0.22um** | Hydrophilic PTFE Membrane Filter, Pore:0.22(µm), Diameter:13(mm) | 400 |
| MFPTFE025022L | | Hydrophilic PTFE Membrane Filter, Pore:0.22(µm), Diameter:25(mm) | 200 |
| MFPTFE047022L | | Hydrophilic PTFE Membrane Filter, Pore:0.22(µm), Diameter:47(mm) | 200 |
| MFPTFE090022L | | Hydrophilic PTFE Membrane Filter, Pore:0.22(µm), Diameter:90(mm) | 100 |
| | | | |
| MFPTFE013045L | **Pore size: 0.45um** | Hydrophilic PTFE Membrane Filter, Pore:0.45(µm), Diameter:13(mm) | 400 |
| MFPTFE025045L | | Hydrophilic PTFE Membrane Filter, Pore:0.45(µm), Diameter:25(mm) | 200 |
| MFPTFE047045L | | Hydrophilic PTFE Membrane Filter, Pore:0.45(µm), Diameter:47(mm) | 200 |
| MFPTFE090045L | | Hydrophilic PTFE Membrane Filter, Pore:0.45(µm), Diameter:90(mm) | 100 |
| **CA Membrane Filter** | | | |
| MFCA013022 | **Pore size: 0.22um** | CA Membrane Filter, Pore:0.22(µm), Diameter:13(mm) | 400 |
| MFCA025022 | | CA Membrane Filter, Pore:0.22(µm), Diameter:25(mm) | 200 |
| MFCA047022 | | CA Membrane Filter, Pore:0.22(µm), Diameter:47(mm) | 200 |
| MFCA090022 | | CA Membrane Filter, Pore:0.22(µm), Diameter:90(mm) | 100 |
| MFCA142022 | | CA Membrane Filter, Pore:0.22(µm), Diameter:142(mm) | 50 |
| MFCA013045 | **Pore size: 0.45um** | CA Membrane Filter, Pore:0.45(µm), Diameter:13(mm) | 400 |
| MFCA025045 | | CA Membrane Filter, Pore:0.45(µm), Diameter:25(mm) | 200 |
| MFCA047045 | | CA Membrane Filter, Pore:0.45(µm), Diameter:47(mm) | 200 |
| MFCA090045 | | CA Membrane Filter, Pore:0.45(µm), Diameter:90(mm) | 100 |
| MFCA142045 | | CA Membrane Filter, Pore:0.45(µm), Diameter:142(mm) | 50 |
| MFCA013080 | **Pore size: 0.8um** | CA Membrane Filter, Pore:0.8(µm), Diameter:13(mm) | 400 |
| MFCA025080 | | CA Membrane Filter, Pore:0.8(µm), Diameter:25(mm) | 200 |
| MFCA047080 | | CA Membrane Filter, Pore:0.8(µm), Diameter:47(mm) | 200 |
| MFCA090080 | | CA Membrane Filter, Pore:0.8(µm), Diameter:90(mm) | 100 |
| MFCA142080 | | CA Membrane Filter, Pore:0.8(µm), Diameter:142(mm) | 50 |
| **CN Membrane Filter** | | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | | |
|---|---|---|---|
| MFCN047022 | **Pore size: 0.22um** | CN Membrane Filter, Pore:0.22(µm), Diameter:47(mm) | 200 |
| MFCN047045 | | CN Membrane Filter, Pore:0.45(µm), Diameter:47(mm) | 200 |
| MFCN047080 | | CN Membrane Filter, Pore:0.8(µm), Diameter:47(mm) | 200 |
| **MCE Membrane Filter** | | | |
| MFMCE013022 | **Pore size: 0.22um** | MCE Membrane Filter, Pore:0.22(µm), Diameter:13(mm) | 400 |
| MFMCE025022 | | MCE Membrane Filter, Pore:0.22(µm), Diameter:25(mm) | 200 |
| MFMCE037022 | | MCE Membrane Filter, Pore:0.22(µm), Diameter:37(mm) | 200 |
| MFMCE047022 | | MCE Membrane Filter, Pore:0.22(µm), Diameter47(mm) | 200 |
| MFMCE090022 | | MCE Membrane Filter, Pore:0.22(µm), Diameter:90(mm) | 100 |
| MFMCE142022 | | MCE Membrane Filter,Pore:0.22(µm), Diameter:142(mm) | 50 |
| MFMCE013045 | **Pore size: 0.45um** | MCE Membrane Filter, Pore:0.45(µm), Diameter:13(mm) | 400 |
| MFMCE025045 | | MCE Membrane Filter, Pore:0.45(µm), Diameter:25(mm) | 200 |
| MFMCE037045 | | MCE Membrane Filter, Pore:0.45(µm), Diameter:37(mm) | 200 |
| MFMCE047045 | | MCE Membrane Filter, Pore:0.45(µm), Diameter47(mm) | 200 |
| MFMCE090045 | | MCE Membrane Filter, Pore:0.45(µm), Diameter:90(mm) | 100 |
| MFMCE142045 | | MCE Membrane Filter,Pore:0.45(µm), Diameter:142(mm) | 50 |
| MFMCE013080 | **Pore size: 0.8um** | MCE Membrane Filter, Pore:0.8(µm), Diameter:13(mm) | 400 |
| MFMCE025080 | | MCE Membrane Filter, Pore:0.8(µm), Diameter:25(mm) | 200 |
| MFMCE037080 | | MCE Membrane Filter, Pore:0.8(µm), Diameter:37(mm) | 200 |
| MFMCE047080 | | MCE Membrane Filter, Pore:0.8(µm), Diameter:47(mm) | 200 |
| MFMCE090080 | | MCE Membrane Filter,Pore:0.8(µm), Diameter:90(mm) | 100 |
| MFMCE142080 | | MCE Membrane Filter, Pore:0.8(µm), Diameter:142(mm) | 50 |
| MFMCE013100 | **Pore size: 1.2um** | MCE Membrane Filter, Pore:1.2(µm), Diameter:13(mm) | 400 |
| MFMCE025100 | | MCE Membrane Filter, Pore:1.2(µm), Diameter:25(mm) | 200 |
| MFMCE037100 | | MCE Membrane Filter, Pore:1.2(µm), Diameter:37(mm) | 200 |
| MFMCE047100 | | MCE Membrane Filter, Pore:1.2(µm), Diameter47(mm) | 200 |
| MFMCE090100 | | MCE Membrane Filter, Pore:1.2(µm), Diameter:90(mm) | 100 |
| MFMCE142100 | | MCE Membrane Filter, Pore:1.2(µm), Diameter:142(mm) | 50 |
| MFMCE013300 | **Pore size: 3.0um** | MCE Membrane Filter, Pore:3.0(µm), Diameter:13(mm) | 400 |
| MFMCE025300 | | MCE Membrane Filter, Pore:3.0(µm), Diameter:25(mm) | 200 |
| MFMCE037300 | | MCE Membrane Filter, Pore:3.0(µm), Diameter:37(mm) | 200 |
| MFMCE047300 | | MCE Membrane Filter, Pore:3.0(µm), Diameter47(mm) | 200 |
| MFMCE090300 | | MCE Membrane Filter, Pore:3.0(µm), Diameter:90(mm) | 100 |
| MFMCE142300 | | MCE Membrane Filter, Pore:3.0(µm), Diameter:142(mm) | 50 |
| **MCE Membrane Filter, White, Gridded, Non-sterile** | | | |
| MFMCE047022GWN | **Pore size: 0.22m** | MCE Gridded Membrane Filter, White, 0.22(µm), 47(mm) | 200 |
| MFMCE047045GWN | **Pore size: 0.45um** | MCE Gridded Membrane Filter, White, 0.45(µm), 47(mm) | 200 |
| MFMCE047080GWN | **Pore size: 0.80um** | MCE Gridded Membrane Filter, White, 0.80(µm), 47(mm) | 200 |
| **MCE Membrane Filter, Black, Gridded, Non-sterile** | | | |
| MFMCE047022GBN | **Pore size: 0.22m** | MCE Gridded Membrane Filter, Black, 0.22(µm), 47(mm) | 200 |
| MFMCE047045GBN | **Pore size: 0.45um** | MCE Gridded Membrane Filter, Black, 0.45(µm), 47(mm) | 200 |
| MFMCE047080GBN | **Pore size: 0.80um** | MCE Gridded Membrane Filter, Black, 0.80(µm), 47(mm) | 200 |
| **PES Membrane Filter** | | | |
| MFPES013022 | **Pore size: 0.22m** | PES Membrane Filter, Pore:0.22(µm), Diameter:13(mm) | 400 |
| MFPES025022 | **Pore size: 0.22um** | PES Membrane Filter, Pore:0.22(µm), Diameter:25(mm) | 200 |
| MFPES04702 | | | 200 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | | |
|---|---|---|---|
| MFPES090022 | **Pore size: 0.22m** | PES Membrane Filter, Pore:0.22(µm), Diameter:90(mm) | 100 |
| MFPES142022 | **Pore size: 0.22m** | PES Membrane Filter, Pore:0.22(µm), Diameter:142(mm) | 50 |
| MFPES013045 | **Pore size: 0.45m** | PES Membrane Filter, Pore:0.45(µm), Diameter:13(mm) | 400 |
| MFPES025045 | | PES Membrane Filter, Pore:0.45(µm), Diameter:25(mm) | 200 |
| MFPES047045 | | PES Membrane Filter, Pore:0.45(µm), Diameter:47(mm) | 200 |
| MFPES090045 | | PES Membrane Filter, Pore:0.45(µm), Diameter:90(mm) | 100 |
| MFPES142045 | | PES Membrane Filter, Pore:0.45(µm), Diameter:142(mm) | 50 |
| MFPES013010 | **Pore size: 0.1m** | PES Membrane Filter, Pore:0.1(µm), Diameter:13(mm) | 400 |
| MFPES025010 | | PES Membrane Filter, Pore:0.1(µm), Diameter:25(mm) | 200 |
| MFPES047010 | | PES Membrane Filter, Pore: 0.1(µm), Diameter: 47(mm) | 200 |
| MFPES090010 | | PES Membrane Filter, Pore:0.1(µm), Diameter:90(mm) | 100 |
| **PVDF Membrane Filter** | | | |
| MFPVDF013022 | **Pore size: 0.22m** | PVDF Membrane Filter, Pore: 0.22(µm), Diameter: 13(mm) | 400 |
| MFPVDF025022 | | PVDF Membrane Filter, Pore: 0.22(µm), Diameter: 25(mm) | 200 |
| MFPVDF047022 | | PVDF Membrane Filter, Pore: 0.22(µm), Diameter: 47(mm) | 200 |
| MFPVDF090022 | | PVDF Membrane Filter, Pore: 0.22(µm), Diameter: 90(mm) | 100 |
| MFPVDF142022 | | PVDF Membrane Filter, Pore: 0.22(µm), Diameter: 142(mm) | 50 |
| MFPVDF013045 | **Pore size: 0.45m** | PVDF Membrane Filter, Pore: 0.45(µm), Diameter: 13(mm) | 400 |
| MFPVDF025045 | | PVDF Membrane Filter, Pore: 0.45(µm), Diameter: 25(mm) | 200 |
| MFPVDF047045 | | PVDF Membrane Filter,Pore: 0.45(µm), Diameter: 47(mm) | 200 |
| MFPVDF090045 | | PVDF Membrane Filter, Pore: 0.45(µm), Diameter: 90(mm) | 100 |
| MFPVDF142045 | | PVDF Membrane Filter, Pore: 0.45(µm), Diameter: 142(mm) | 50 |
| **PP Membrane Filter** | | | |
| MFPP025022 | **Pore size: 0.22m** | PP Membrane Filter, Pore:0.22(µm), Diameter:25(mm) | 200 |
| MFPP047022 | | PP Membrane Filter, Pore:0.22(µm), Diameter:47(mm) | 200 |
| MFPP090022 | | PP Membrane Filter, Pore:0.22(µm), Diameter:90(mm) | 100 |
| MFPP142022 | | PP Membrane Filter, Pore:0.22(µm), Diameter:142(mm) | 50 |
| MFPP250022 | | PP Membrane Filter, Pore:0.22(µm), Diameter:250(mm) | 50 |
| MFPP293022 | | PP Membrane Filter, Pore:0.22(µm), Diameter:293(mm) | 25 |
| MFPP025045 | **Pore size: 0.45m** | PP Membrane Filter, Pore:0.45(µm), Diameter:25(mm) | 200 |
| MFPP047045 | | PP Membrane Filter, Pore:0.45(µm), Diameter:47(mm) | 200 |
| MFPP090045 | | PP Membrane Filter, Pore:0.45(µm), Diameter:90(mm) | 100 |
| MFPP142045 | | PP Membrane Filter, Pore:0.45(µm), Diameter:142(mm) | 50 |
| MFPP250045 | | PP Membrane Filter, Pore:0.45(µm), Diameter:250(mm) | 50 |
| MFPP293045 | | PP Membrane Filter, Pore:0.45(µm), Diameter:293(mm) | 25 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Nylon Mesh Filters Product List 2014

Membrane Solutions

| Nylon Mesh Filters | | | |
|---|---|---|---|
| MENY090041 | 41um mesh | Nylon mesh filter,90mm, 41µm,100Pcs/pack | 100 |
| MENY303041 | 41um mesh | Nylon mesh filter, 30cm×3m,41µm, 1Pc/Pack | 1 |
| MENY025060 | 60um mesh | Nylon mesh filter,25mm,60µm,100Pcs/pack | 100 |
| MENY047060 | 60um mesh | Nylon mesh filter,47mm,60µm,100Pcs/pack | 100 |
| MENY090060 | 60um mesh | Nylon mesh filter,90mm, 60µm,100Pcs/pack | 100 |
| MENY303060 | 60um mesh | Nylon mesh filter, 30cm×3m,60µm, 1Pc/Pack | 1 |
| MENY025080 | 80um mesh | Nylon mesh filter,25mm,80µm,100Pcs/pack | 100 |
| MENY047080 | 80um mesh | Nylon mesh filter,47mm,80µm,100Pcs/pack | 100 |
| MENY090080 | 80um mesh | Nylon mesh filter,90mm, 80µm,100Pcs/pack | 100 |
| MENY303080 | 80um mesh | Nylon mesh filter, 30cm×3m,80µm, 1Pc/Pack | 1 |
| MENY025100 | 100um mesh | Nylon mesh filter,25mm,100µm,100Pcs/pack | 100 |
| MENY047100 | 100um mesh | Nylon mesh filter,47mm,100µm,100Pcs/pack | 100 |
| MENY090100 | 100um mesh | Nylon mesh filter,90mm, 100µm,100Pcs/pack | 100 |
| MENY303100 | 100um mesh | Nylon mesh filter, 30cm×3m,100µm, 1Pc/Pack | 1 |
| MENY025120 | 120um mesh | Nylon mesh filter,25mm,120µm,100Pcs/pack | 100 |
| MENY047120 | 120um mesh | Nylon mesh filter,47mm,120µm,100Pcs/pack | 100 |
| MENY090120 | 120um mesh | Nylon mesh filter,90mm, 120µm,100Pcs/pack | 100 |
| MENY303120 | 120um mesh | Nylon mesh filter, 30cm×3m,120µm, 1Pc/Pack | 1 |
| MENY025140 | 140um mesh | Nylon mesh filter,25mm,140µm,100Pcs/pack | 100 |
| MENY047140 | 140um mesh | Nylon mesh filter,47mm,140µm,100Pcs/pack | 100 |
| MENY090140 | 140um mesh | Nylon mesh filter,90mm, 140µm,100Pcs/pack | 100 |
| MENY303140 | 140um mesh | Nylon mesh filter, 30cm×3m,140µm, 1Pc/Pack | 1 |
| MENY025160 | 160um mesh | Nylon mesh filter,25mm,160µm,100Pcs/pack | 100 |
| MENY047160 | 160um mesh | Nylon mesh filter,47mm,160µm,100Pcs/pack | 100 |
| MENY090160 | 160um mesh | Nylon mesh filter,90mm,160µm,100Pcs/pack | 100 |
| MENY303160 | 160um mesh | Nylon mesh filter, 30cm×3m,160µm,100Pcs/pack | 100 |
| MENY025180 | 180um mesh | Nylon mesh filter,25mm,180µm,100Pcs/pack | 100 |
| MENY047180 | 180um mesh | Nylon mesh filter,47mm,180µm,100Pcs/pack | 100 |
| MENY090180 | 180um mesh | Nylon mesh filter,90mm,180µm,100Pcs/pack | 100 |
| MENY303180 | 180um mesh | Nylon mesh filter, 30cm×3m,180µm,100Pcs/pack | 100 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

Note: 1) All of the price listed below are Ex.work price.

4) Membrane Solutions reserves itself the right to modify prices and content of this document without previous notice.

| Cat.No. | Membrane Material | Filter Pore Size(μm) | Qty(pcs/cs) | Case Size(cm) |
|---|---|---|---|---|
| **Filter System (Membrane Diameter: 50mm, Funnel Capacity : 250ml, Receiver Bottle Capacity : 250ml)** | | | | |
| VFPPES122250 | PES | 0.22 | 12 | 33*33*30 |
| VFPPES145250 | | 0.45 | 12 | |
| VFPMCE122250 | MCE | 0.22 | 12 | |
| VFPMCE145250 | | 0.45 | 12 | |
| VFPCA122250 | CA | 0.22 | 12 | |
| VFPCA145250 | | 0.45 | 12 | |
| VFPNY122250 | Nylon | 0.22 | 12 | |
| VFPNY145250 | | 0.45 | 12 | |
| VFPPVDF122250 | PVDF | 0.22 | 12 | |
| VFPPVDF145250 | | 0.45 | 12 | |
| **Filter System ( Membrane Diameter : 50mm, Funnel Capacity : 250ml, Receiver Bottle Capacity : 500ml )** | | | | |
| VFPPES122500 | PES | 0.22 | 12 | 33*33*30 |
| VFPPES145500 | | 0.45 | 12 | |
| VFPMCE122500 | MCE | 0.22 | 12 | |
| VFPMCE145500 | | 0.45 | 12 | |
| VFPCA122500 | CA | 0.22 | 12 | |
| VFPCA145500 | | 0.45 | 12 | |
| VFPNY122500 | Nylon | 0.22 | 12 | |
| VFPNY145500 | | 0.45 | 12 | |
| VFPPVDF122500 | PVDF | 0.22 | 12 | |
| VFPPVDF145500 | | 0.45 | 12 | |
| **Cat.No.** | **Membrane Material** | **Filter Pore Size(μm)** | **Qty (pcs/cs)** | **Case Size(cm)** |
| **Filter System ( Membrane Diameter : 90mm, Funnel Capacity : 500ml, Receiver Bottle Capacity : 500ml )** | | | | |
| VFPPES222500 | PES | 0.22 | 12 | 52.5*38.5*29.5 |
| VFPPES245500 | | 0.45 | 12 | |
| VFPMCE222500 | MCE | 0.22 | 12 | |
| VFPMCE245500 | | 0.45 | 12 | |
| VFPCA222500 | CA | 0.22 | 12 | |
| VFPCA245500 | | 0.45 | 12 | |
| VFPNY222500 | Nylon | 0.22 | 12 | |
| VFPNY245500 | | 0.45 | 12 | |
| VFPPVDF222500 | PVDF | 0.22 | 12 | |
| VFPPVDF245500 | | 0.45 | 12 | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | | | | |
|---|---|---|---|---|---|
| | **Filter System ( Membrane Diameter : 90mm, Funnel Capacity : 500ml, Receiver Bottle Capacity:1000ml )** | | | | |
| | VFPPES2221000 | **PES** | 0.22 | 12 | 52.5*38.5*29.5 |
| | VFPPES2451000 | | 0.45 | 12 | |
| | VFPMCE2221000 | **MCE** | 0.22 | 12 | |
| | VFPMCE2451000 | | 0.45 | 12 | |
| | VFPCA2221000 | **CA** | 0.22 | 12 | |
| | VFPCA2451000 | | 0.45 | 12 | |
| | VFPNY2221000 | **Nylon** | 0.22 | 12 | |
| | VFPNY2451000 | | 0.45 | 12 | |
| | VFPPVDF2221000 | **PVDF** | 0.22 | 12 | |
| | VFPPVDF2451000 | | 0.45 | 12 | |
| | **Cat.No.** | **Membrane Material** | **Filter Pore Size(μm)** | **Qty (pcs/cs)** | **Case Size(cm)** |
| | **Funnel Capacity : 250ml, Membrane Diameter : 50mm** | | | | |
| | | | | | |
| | VFPPES122250F | **PES** | 0.22 | 24 | 33*33*30 |
| | VFPPES145250F | | 0.45 | 24 | |
| | VFPMCE122250F | **MCE** | 0.22 | 24 | |
| | VFPMCE145250F | | 0.45 | 24 | |
| | VFPCA122250F | **CA** | 0.22 | 24 | |
| | VFPCA145250F | | 0.45 | 24 | |
| | VFPNY122250F | **Nylon** | 0.22 | 24 | |
| | VFPNY145250F | | 0.45 | 24 | |
| | VFPPVDF122250F | **PVDF** | 0.22 | 24 | |
| | VFPPVDF145250F | | 0.45 | 24 | |
| | **Funnel Capacity : 500ml, Membrane Diameter : 90mm** | | | | |
| | VFPPES222500F | **PES** | 0.22 | 24 | 52.5*38.5*29.5 |
| | VFPPES245500F | | 0.45 | 24 | |
| | VFPMCE222500F | **MCE** | 0.22 | 24 | |
| | VFPMCE245500F | | 0.45 | 24 | |
| | VFPCA222500F | **CA** | 0.22 | 24 | |
| | VFPCA245500F | | 0.45 | 24 | |
| | VFPNY222500F | **Nylon** | 0.22 | 24 | |
| | VFPNY245500F | | 0.45 | 24 | |
| | VFPPVDF222500F | **PVDF** | 0.22 | 24 | |
| | VFPPVDF245500F | | 0.45 | 24 | |
| | **Cat.No.** | **Description** | | **Qty(pcs/cs)** | **Case Size(cm)** |
| | **Receiver Bottle** | | | | |
| | VFP250B | 250ml polystyrene receiver bottle, sterile | | 24 | 33*33*30 |
| | VFP500B | 500ml polystyrene receiver bottle, sterile | | 24 | 52.5*38.5*29.5 |
| | VFP1000B | 1000ml polystyrene receiver bottle, sterile | | 24 | 52.5*38.5*29.5 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

Note: 1) All of the price listed below are Ex work price below are Ex work price.

2) All the price listed below are for Membrane Solutions' Brand label.

3) Order Qty means total items in one order.

4) Membrane Solutions reserves itself the right to modify prices and content of this document without previous notice.

| | Item# | Description | Packaging |
|---|---|---|---|
| **Glass Vacuum Filter** | VFG030010 | 1) 300ml Glass Funnel with cover<br>2) 1000ml Glass Solvent Collection<br>3) Stainless Steel Clamp<br>4) Solid Glass Frit<br>Packaging: 30cmX30cmX25cm | 1set |
| | | | |
| **Glass Vacuum Filter** | VFG030020 | 1) 300ml Glass Funnel with cover<br>2) 2000ml Glass Solvent Collection<br>3) Stainless Steel Clamp<br>4) Solid Glass Frit<br>Packaging: 30cmX30cmX25cm | 1set |
| | | | |
| **Glass Vacuum Filter** | VFG050020 | 1) 500ml Glass Funnel with cover<br>2) 2000ml Glass Solvent Collection<br>3) Stainless Steel Clamp<br>4) Solid Glass Frit<br>Packaging: 30cmX30cmX25cm | 1set |
| | | | |
| **Support Screen** | VFG147SS | Pyrex glass support screen (1000ML) | 1pcs |
| | | | |
| | VFG047SS | Pyrex glass support screen（2000Ml） | 1pcs |
| | | | |
| | VFG010RB | Solvent Collection Bottle, 1000ml | 1pcs |
| | | | |
| | VFG020RB | Solvent Collection Bottle, 2000ml | 1pcs |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# Vacuum Pump list 2013

| | Item# | Description | Packaging |
|---|---|---|---|
| **Vacuun Pump** | VPJ0201 | Vacuum Pump, 300mbar, 12L/min GM-0.20((Oil free)) | 1set |
| | | | |
| **Vacuun Pump** | VPJ0332 | Vacuum Pump, 250mbar, 20L/min GM-0.33A(Oil free), | 1set |
| | | | |
| **Vacuun Pump** | VPJ0333 | Vacuum Pump, 50mbar, 20L/min | 1set |
| | | | |
| **Vacuun Pump** | VPJ0501 | Vacuum Pump, 250mbar, 30L/min | 1set |
| | | | |
| **Vacuun Pump** | VPJ0502 | Vacuum Pump ,50mbar 30L/min | 1set |
| | | | |
| **Vacuun Pump** | VPJ1001 | Vacuum Pump, 250mbar, 60L/min GM-1.0A(Oil free), | 1set |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# MS Glass Chromatography Vials Product List 2014

Membrane Solutions

| MS Items | Type | Products Name/Size | Pcs/pk |
|---|---|---|---|
| LBSV012C | 8-425 & 9-425 2ml Clear Vial 12x32mm | 2ml Clear vial, 8-425 screw top | 100pcs |
| LBSV032C | | 2ml Clear vial, 8-425 screw top, graduated with writing area | 100pcs |
| LBSV002C | | 2ml Clear vial, 9-425 screw top | 100pcs |
| LBSV022C | | 2ml Clear vial, 9-425 screw top, graduated with writing area | 100pcs |
| LBSV042C | | 2ml Clear vial, crimp top | 100pcs |
| LBSV062C | | 2ml Clear vial, crimp top, graduated with writing area | 100pcs |
| LBSV052C | | 2ml Clear vial, snap top | 100pcs |
| LBSV072C | | 2ml Clear vial, snap top, graduated with writing area | 100pcs |
| LBSV012A | 8-425 & 9-425 2ml Amber Vial 12x32mm | 2ml Amber vial, 8-425 screw top | 100pcs |
| LBSV032A | | 2ml Amber vial, 8-425 screw top, graduated with writing area | 100pcs |
| LBSV002A | | 2ml Amber vial, 9-425 screw top | 100pcs |
| LBSV022A | | 2ml Amber vial, 9-425 screw top, graduated with writing area | 100pcs |
| LBSV042A | | 2ml Amber vial, crimp top | 100pcs |
| LBSV062A | | 2ml Amber vial, crimp top, graduated with writing area | 100pcs |
| LBSV052A | | 2ml Amber vial, snap top | 100pcs |
| LBSV072A | | 2ml Amber vial, snap top, graduated with writing area | 100pcs |
| LBSV102CSS | Cap & Septa for 2ml Sample Vials 12x32mm | Red PTFE/white silicone septa + Blue screw cap with hole, for 2ml 9-425 screw top vial | 100pcs |
| LBSV002CRS | | White PTFE/red silicone septa + Blue screw cap with hole, for 2ml 9-425 screw top vial | 100pcs |
| LBSV012CSS | | Red PTFE/white silicone septa + Black screw cap with hole, for 2ml 8-425 screw top vial | 100pcs |
| LBSV012CRS | | White PTFE/red silicone septa + Black screw cap with hole, for 2ml 8-425 screw top vial | 100pcs |
| LBSV222CSS | | Blue PTFE/white silicone septa, Pre-slit + Blue screw cap with hole, 2ml 9-425 screw top vial | 100pcs |
| LBSV221CSS | | Pre-slit, Blue PTFE/White silicone septa+ Black screw cap with hole, for 8-425 screw top vial | 100pcs |
| LBSV122CRS | | Red PTFE/white silicone septa + Aluminium cap, for 2ml crimp top vial | 100pcs |
| LBSV112CRS | | White PTFE/red silicone septa+ Aluminium cap, for 2ml crimp top vial | 100pcs |
| LBSV212CRS | | Pre-silt, White PTFE/red silicone septa+ Aluminium cap, for 2ml crimp top vial | 100pcs |
| LBSV222CRS | | Pre-silt, Red PTFE/white silicone septa + Aluminium cap, for 2ml crimp top vial | 100pcs |
| LBSV202CSS | | White PTFE/Red silicone septa + snap cap with hole, for 2ml snap top vial | 100pcs |
| LBSV302CSS | | Red PTFE/White silicone septa + snap cap with hole, for 2ml snap top vial | 100pcs |
| LBSV212CSS | | Pre-slit, White PTFE/Red silicone septa + snap cap with hole, for 2ml snap top vial | 100pcs |
| LBSV242CSS | | Pre-slit, Red PTFE/white silicone septa + snap cap with hole, for 2ml snap top vial | 100pcs |
| LBSV004C | 4ml, 13-425 Sample Vials | 4ml Clear vial, 15×45mm, screw top | 100pcs |
| LBSV004A | | 4ml Amber vial, 15×45mm, screw top | 100pcs |
| LBSV014CRS | Caps & Septa for 13-425 Sample Vials | Red PTFE/White silicone septa + Black cap with hole, for 4ml screw top vial | 100pcs |
| LBSV104CSS | | Red PTFE/White silicone septa + Black cap without hole, for 4ml screw top vial | 100pcs |
| LBSV210C | Headspace Vials | 10ml Clear vial, 22.5×46mm, crimp top, flat bottom | 100pcs |
| LBSV220C | | 20ml Clear vial, 22.5×75mm, crimp top, flat bottom | 100pcs |
| LBSV320C | | 20ml Clear vial, 22.5×75mm, crimp top, round bottom | 100pcs |
| LBSV010C | | 10ml Clear vial, 18mm screw top, round bottom | 100pcs |
| LBSV120C | | 20ml Clear vial, 18mm screw top, round bottom | 100pcs |
| ~~LBSV220CSS~~ | Caps & Septa for Headspace Vials | ~~White PTFE/White Silicone + Aluminium cap with hole, for 10ml/20ml crimp top vial~~ | ~~100pcs~~ |
| ~~LBSV322CRS~~ | | ~~Red PTFE/White Silicone + Aluminium cap with hole, for 10ml/20ml crimp top vial~~ | ~~100pcs~~ |
| ~~LBSV120CSS~~ | | ~~Blue PTFE/ White silicone septa + Silver screw cap with hole, 18mm screw top vial~~ | ~~100pcs~~ |
| ~~LBSV020C~~ | 24-400 Vials | ~~20ml Clear vial, 24-400 screw top~~ | ~~100pcs~~ |
| ~~LBSV020A~~ | | ~~20ml Amber vial, 24-400 screw top~~ | ~~100pcs~~ |
| ~~LBSV040C~~ | | ~~40ml Clear vial, 24-400 screw top~~ | ~~100pcs~~ |
| ~~LBSV040A~~ | | ~~40ml Amber vial, 24-400 screw top~~ | ~~100pcs~~ |
| ~~LBSV040CSS~~ | Caps & Septa for | ~~Nature PTFE/Nature silicone septa + Black screw cap without hole,24-400 screw top vial~~ | ~~100pcs~~ |
| ~~LBSV140CSS~~ | | | ~~100pcs~~ |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
ECHnology Pty Ltd
www.chromtech.net.au

# VICIValco-Cheminert PRODUCT LIST 2012




| Part No. | Description 1 | Specs |
|---|---|---|
| .2FR.5-5 | Frit 1/32in 0.2 micron | .25mm thick 316SS 5/pkg |
| .5FR.5-5 | Frit 1/32in 0.5 micron | .25mm thick 316SS 5/pkg |
| .5FR1-10 | Frit 1/16in 0.5 micron | .75mm thick 316SS 10/pkg |
| .5FR1HC-10 | Frit 1/16in 0.5 micron | .75mm thick HC 10/pkg |
| .5FR2-10 | Frit 1/8in 0.5 micron | 1mm thick 316SS 10/pkg |
| .5FR4-10 | Frit 1/4in 0.5 micron | 1mm thick 316SS 10/pkg |
| .5SR.5-10 | Screen 1/32in OD 0.5 micron 316SS 10/pkg | |
| .5SR1-10 | Screen 1/16in OD 0.5 micron 316SS 10/pkg | |
| .5SR2-10 | Screen 1/8in OD 0.5 micron 316SS 10/pkg | |
| .5SR4-10 | Screen 1/4in 0.5 micron 316SS 10/pkg | |
| 10FR1-10 | Frit 1/16in 10 micron | .75mm thick 316SS 10/pkg |
| 10FR2-10 | Frit 1/8in 10 micron | 1mm thick 316SS 10/pkg |
| 10FR4-10 | Frit 1/4in 10 micron | 1mm thick 316SS 10/pkg |
| 10FR4HC-10 | Frit 1/4in 10 micron | 1mm thick HC 10/pkg |
| 10SR.5-10 | Screen 1/32in 10 micron 316SS 10/pkg | |
| 10SR1-10 | Screen 1/16in 10 micron 316SS 10/pkg | |
| 10SR2-10 | Screen 1/8in 10 micron 316SS 10/pkg | |
| 10SR4-10 | Screen 1/4in 10 micron 316SS 10/pkg | |
| 1SR.5-10 | Screen 1/32in OD 1 micron 316SS 10/pkg | |
| 1SR1-10 | Screen 1/16in OD 1 micron 316SS 10/pkg | |
| 1SR2-10 | Screen 1/8in OD 1 micron 316SS 10/pkg | |
| 1SR4-10 | Screen 1/4in 1 micron 316SS 10/pkg | |
| 210UW | 10 port 2-pos valve manual/2in so | 1/8 x .75mm 75C/5000psi liq N60/H |
| 24UW | 4 port 2-pos valve manual/2in so | 1/8 x .75mm 75C/5000psi liq N60/H |
| 26UW | 6 port 2-pos valve manual/2in so | 1/8 x .75mm 75C/5000psi liq N60/H |
| 28UW | 8 port 2-pos valve manual/2in so | 1/8 x .75mm 75C/5000psi liq N60/H |
| 2C10UW | 10 port 2-pos valve manual/2in so | 1/16 x .75mm 75C/5000psi liq N60/H |
| 2C4UW | 4 port 2-pos valve manual/2in so | 1/16 x .75mm 75C/5000psi liq N60/H |
| 2C6UW | 6 port 2-pos valve manual/2in so | 1/16 x .75mm 75C/5000psi liq N60/H |
| 2C8UW | 8 port 2-pos valve manual/2in so | 1/16 x .75mm 75C/5000psi liq N60/H |
| 2CI4UW.2 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 75C/5000psi liq .2ul N60/H |
| 2CI4UW.5 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 75C/5000psi liq .5ul N60/H |
| 2CI4UW1 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 75C/5000psi liq 1ul N60/H |
| 2CI4UW2 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 75C/5000psi liq 2ul N60/H |
| 2CI4UWE.2 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 175C/1000psi liq .2ul N60/E |
| 2CI4UWE.5 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 175C/1000psi liq .5ul N60/E |
| 2CI4UWE1 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 175C/1000psi liq 1ul N60/E |
| 2CI4UWE2 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .75mm 175C/1000psi liq 2ul N60/E |
| 2CI4WE.06 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .4mm 175C/1000psi liq .06ul N60/E |
| 2CI4WE.1 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .4mm 175C/1000psi liq .1ul N60/E |
| 2CI4WE.2 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .4mm 175C/1000psi liq .2ul N60/E |
| 2CI4WE.5 | 4 port 2-pos int vol valve manual/2in so | 1/16 x .4mm 175C/1000psi liq .5ul N60/E |
| 2CSC10MWE | 10 mpos common outlet path MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CSC12MWE | 12 mpos common outlet path MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CSC16MWE | 16 mpos common outlet path MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CSC6MWE | 6 mpos common outlet path MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CSD10MWE | 10 mpos dead-end path MW manual/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| 2CSD12MWE | 12 mpos dead-end path MW manual/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| 2CSD16MWE | 16 mpos dead-end path MW manual/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| 2CSD6MWE | 6 mpos dead-end path MW manual/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| 2CSF10MWE | 10 mpos flow-through MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CSF12MWE | 12 mpos flow-through MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CSF16MWE | 16 mpos flow-through MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| 2CSF6MWE | 6 mpos flow-through MW manual/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| 2CST10MWE | 10 mpos trapping path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CST12MWE | 12 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CST16MWE | 16 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CST6MWE | 6 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CSTF10MWE | 10 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CSTF12MWE | 12 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CSTF16MWE | 16 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2CSTF6MWE | 6 mpos trap/flow path MW manual/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| 2FR1-10 | Frit 1/16in 2 micron | .75mm thick 316SS 10/pkg |
| 2FR1HC-10 | Frit 1/16in 2 micron | .75mm thick HC 10/pkg |
| 2FR1K | Frit 1in 2 micron | 1.5mm thick 316SS |
| 2FR1KHC | Frit 1in 2 micron | 1.5mm thick HC |
| 2FR1KTI | Frit 1in 2 micron | 1.5mm thick Titanium |
| 2FR1TI-10 | Frit 1/16in 2 micron | .75mm thick Titanium 10/pkg |
| 2FR2-10 | Frit 1/8in 2 micron | 1mm thick 316SS 10/pkg |
| 2FR2HC-10 | Frit 1/8in 2 micron | 1mm thick HC 10/pkg |
| 2FR2TI-10 | Frit 1/8in 2 micron | 1mm thick Titanium 10/pkg |
| 2FR4-10 | Frit 1/4in 2 micron | 1mm thick 316SS 10/pkg |
| 2FR4HC-10 | Frit 1/4in 2 micron | 1mm thick HC 10/pkg |
| 2FR4TI-10 | Frit 1/4in 2 micron | 1mm thick Titanium 10/pkg |
| 2FR6 | Frit 3/8in 2 micron | 1mm thick 316SS |
| 2FR6HC | Frit 3/8in 2 micron | 1mm thick HC |
| 2FR6TI | Frit 3/8in 2 micron | 1mm thick Titanium |
| 2FR8 | Frit 1/2in 2 micron | 1mm thick 316SS |
| 2FR8HC | Frit 1/2in 2 micron | 1mm thick HC |
| 2FR8TI | Frit 1/2in 2 micron | 1mm thick Titanium |
| 2I4UWE.2 | 4 port 2-pos int vol valve manual/2in so | 1/8 x .75mm 175C/1000psi liq .2ul N60/E |
| 2I4UWE.5 | 4 port 2-pos int vol valve manual/2in so | 1/8 x .75mm 175C/1000psi liq .5ul N60/E |
| 2I4UWE1 | 4 port 2-pos int vol valve manual/2in so | 1/8 x .75mm 175C/1000psi liq 1ul N60/E |
| 2I4UWE2 | 4 port 2-pos int vol valve manual/2in so | 1/8 x .75mm 175C/1000psi liq 2ul N60/E |
| 2L10UW | 10 port 2-pos valve manual/2in so | 1/8 x 1.0mm 75C/5000psi liq N60/H |
| 2L4UW | 4 port 2-pos valve manual/2in so | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| 2L6UW | 6 port 2-pos valve manual/2in so | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| 2L8UW | 8 port 2-pos valve manual/2in so | 1/8 x 1.3mm 75C/5000psi liq N60/H |
| 2NI4WE.06 | 4 port 2-pos int vol valve manual/2in so | 1/32 x .25mm 175C/1000psi liq .06ulN60/E |
| 2NI4WE.1 | 4 port 2-pos int vol valve manual/2in so | 1/32 x .25mm 175C/1000psi liq .1ulN60/E |
| 2NI4WE.2 | 4 port 2-pos int vol valve manual/2in so | 1/32 x .25mm 175C/1000psi liq .2ulN60/E |
| 2NI4WE.5 | 4 port 2-pos int vol valve manual/2in so | 1/32 x .25mm 175C/1000psi liq .5ulN60/E |
| 2RAD | Right angle drive 2in standoff | |
| 2SC10MWE | 10 mpos common outlet pathMWmanual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SC12MWE | 12 mpos common outlet pathMWmanual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SC16MWE | 16 mpos common outlet pathMWmanual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SC6MWE | 6 mpos common outlet pathMWmanual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SD10MWE | 10 mpos dead-end path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SD12MWE | 12 mpos dead-end path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SD16MWE | 16 mpos dead-end path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SD6MWE | 6 mpos dead-end path MW manual/2in so | 1/8 x 1mm 200C/400psi gas N60/E |
| 2SF10MWE | 10 mpos flow-through MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SF12MWE | 12 mpos flow-through MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SF16MWE | 16 mpos flow-through MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SF6MWE | 6 mpos flow-through MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2SOA | Standoff assembly 2in | for 2 pos actuator |
| 2SOAMMP | Standoff assembly 2in keyed | for m-electric actuator |
| 2SOAMP | Standoff assembly 2in | for mpos actuator |
| 2SR.5-10 | Screen 1/32in 2 micron 316SS 10/pkg | |
| 2SR1-10 | Screen 1/16in 2 micron 316SS 10/pkg | |
| 2SR2-10 | Screen 1/8in 2 micron 316SS 10/pkg | |
| 2SR4-10 | Screen 1/4in 2 micron 316SS 10/pkg | |
| 2ST10MWE | 10 mpos trapping path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2ST12MWE | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| 2ST16MWE | 16 mpos trapping path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2ST6MWE | 6 mpos trapping path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2STF10MWE | 10 mpos trap/flow path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2STF12MWE | 12 mpos trap/flow path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2STF16MWE | 16 mpos trap/flow path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 2STF6MWE | 6 mpos trap/flow path MW manual/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| 410UWE | 10 port 2-pos valve manual/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| 410UWT | 10 port 2-pos valve manual/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| 41E1-120VAC | 4-way solenoid air valve 120Vac | Non-CE !!! |
| 41E1-12VDC | 4-way solenoid air valve 12Vdc | Non-CE !!! |
| 41E1-220VAC | 4-way solenoid air valve 220Vac | Non-CE !!! |
| 41E1-24VAC | 4-way solenoid air valve 24Vac | Non-CE !!! |
| 41E1-24VDC | 4-way solenoid air valve 24Vdc | Non-CE !!! |
| 44UWE | 4 port 2-pos valve manual/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| 44UWT | 4 port 2-pos valve manual/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| 46UWE | 6 port 2-pos valve manual/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| 46UWT | 6 port 2-pos valve manual/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| 48UWE | 8 port 2-pos valve manual/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| 48UWT | 8 port 2-pos valve manual/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| 4C10UWE | 10 port 2-pos valve manual/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| 4C10UWT | 10 port 2-pos valve manual/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| 4C10WE | 10 port 2-pos valve manual/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| 4C10WT | 10 port 2-pos valve manual/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| 4C4UWE | 4 port 2-pos valve manual/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| 4C4UWT | 4 port 2-pos valve manual/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| 4C4WE | 4 port 2-pos valve manual/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| 4C4WT | 4 port 2-pos valve manual/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| 4C6UWE | 6 port 2-pos valve manual/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| 4C6UWT | 6 port 2-pos valve manual/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| 4C6WE | 6 port 2-pos valve manual/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| 4C6WT | 6 port 2-pos valve manual/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| 4C8UWE | 8 port 2-pos valve manual/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| 4C8UWT | 8 port 2-pos valve manual/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| 4C8WE | 8 port 2-pos valve manual/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| 4C8WT | 8 port 2-pos valve manual/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| 4N10WE | 10 port 2-pos valve manual/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| 4N10WT | 10 port 2-pos valve manual/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| 4N4WE | 4 port 2-pos valve manual/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| 4N4WT | 4 port 2-pos valve manual/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| 4N6WE | 6 port 2-pos valve manual/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| 4N6WT | 6 port 2-pos valve manual/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| 4N8WE | 8 port 2-pos valve manual/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| 4N8WT | 8 port 2-pos valve manual/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| 4SOA | Standoff assembly 4in | for 2 pos actuator |
| 4SOAMP | Standoff assembly 4in | for mpos actuator |
| 4SOUTH | Handle with 4in standoff Valco UW-type | 2-pos valve with 1 or 2 mounting holes |
| 4SOUTHMP | Handle with 4in standoff Valco UW-type | 2-pos valve with no mounting holes |
| 4SOWK | 4in standoff assy for 2 pos vlv W/WK | with 1 or 2 mounting holes |
| 4SOWKMP | 4in Standoff assy for 2 pos vlv W/WK | with no mounting holesand Cheminert vlv |
| 4UW | !!! RECOMMEND 24UW | SUPPLIED WITH LARGER HANDLE |
| 4UWE | 4 port 2-pos valve manual | 1/8 x .75mm 225C/400psi gas N60/E |
| 4VL4MWE2 | 4 port 2-pos valve MW manual/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| 4VL6MWE2 | 6 port 2-pos valve MW manual/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| 4VL8MWE2 | 8 port 2-pos valve MW manual/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| 6UW | !!! RECOMMEND 26UW | SUPPLIED WITH LARGER HANDLE |
| 6UWE | 6 port 2-pos valve manual | 1/8 x .75mm 225C/400psi gas N60/E |
| 8UW | !!! RECOMMEND 28UW | SUPPLIED WITH LARGER HANDLE |
| 8UWE | 8 port 2-pos valve manual | 1/8 x .75mm 225C/400psi gas N60/E |
| A10 | Air actuator 10 mpos close mount | 36 deg rotation |
| A102 | Air actuator 10 mpos 2in standoff | 36 deg rotation |
| A10S | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| A10UW | 10 port 2-pos valve air actuated | 1/8 x .75mm 75C/5000psi liq N60/H |
| A12 | Air actuator 12 mpos close mount | 30 deg rotation |
| A122 | Air actuator 12 mpos 2in standoff | 30 deg rotation |
| A12S | Air actuator 12 mpos for standoff | 30 deg rotation |
| A16 | Air actuator 16 mpos close mount | 22.5 deg rotation |
| A162 | Air actuator 16 mpos 2in standoff | 22.5 deg rotation |
| A16S | Air actuator 16 mpos for standoff | 22.5 deg rotation |
| A2CI4UWE.2 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .75mm 175C/1000psi liq .2ul N60/E |
| A2CI4UWE.5 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .75mm 175C/1000psi liq .5ul N60/E |
| A2CI4UWE1 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .75mm 175C/1000psi liq 1ul N60/E |
| A2CI4UWE2 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .75mm 175C/1000psi liq 2ul N60/E |
| A2CI4WE.06 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .4mm 175C/1000psi liq .06ul N60/E |
| A2CI4WE.1 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .4mm 175C/1000psi liq .1ul N60/E |
| A2CI4WE.2 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .4mm 175C/1000psi liq .2ul N60/E |
| A2CI4WE.5 | 4 port 2-pos int vol valve air act/2in so | 1/16 x .4mm 175C/1000psi liq .5ul N60/E |
| A2CSC10MWE | 10 mpos common outlet path MWair act/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| A2CSC12MWE | 12 mpos common outlet path MWair act/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| A2CSC16MWE | 16 mpos common outlet path MWair act/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| A2CSC6MWE | OBSOLETE USE AH2CSC6MWE | |
| A2CSD10MWE | 10 mpos dead-end path MW air act/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| A2CSD12MWE | 12 mpos dead-end path MW air act/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| A2CSD16MWE | 16 mpos dead-end path MW air act/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| A2CSD6MWE | 6 mpos dead-end path MW air act/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| A2CSF10MWE | 10 mpos flow-through MW air act/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| A2CSF12MWE | 12 mpos flow-through MW air act/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| A2CSF16MWE | 16 mpos flow-through MW air act/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| A2CSF6MWE | OBSOLETE USE AH2CSF6MWE | |
| A2CST10MWE | 10 mpos trapping path MW air act high torq./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| A2CST12MWE | 12 mpos trapping path MW air act high torq./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| A2CST16MWE | 16 mpos trapping path MW air act high torq./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| A2CST6MWE | OBSOLETE USE AH2CST6MWE | |
| A2CSTF10MWE | 10 mpos trap/flow path MW air act high t./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| A2CSTF12MWE | 12 mpos trap/flow path MW air act high t./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| A2CSTF16MWE | 16 mpos trap/flow path MW air act high t./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| A2CSTF6MWE | OBSOLETE USE AH2CSTF6MWE | |
| A2I4UWE.2 | 4 port 2-pos int vol valve air act/2in so | 1/8 x .75mm 175C/1000psi liq .2ul N60/E |
| A2I4UWE.5 | 4 port 2-pos int vol valve air act/2in so | 1/8 x .75mm 175C/1000psi liq .5ul N60/E |
| A2I4UWE1 | 4 port 2-pos int vol valve air act/2in so | 1/8 x .75mm 175C/1000psi liq 1ul N60/E |
| A2I4UWE2 | 4 port 2-pos int vol valve air act/2in so | 1/8 x .75mm 175C/1000psi liq 2ul N60/E |
| A2NI4WE.06 | 4 port 2-pos int vol valve air act/2in so | 1/32 x .25mm 175C/1000psi liq .06ulN60/E |
| A2NI4WE.1 | 4 port 2-pos int vol valve air act/2in so | 1/32 x .25mm 175C/1000psi liq .1ulN60/E |
| A2NI4WE.2 | 4 port 2-pos int vol valve air act/2in so | 1/32 x .25mm 175C/1000psi liq .2ulN60/E |
| A2NI4WE.5 | 4 port 2-pos int vol valve air act/2in so | 1/32 x .25mm 175C/1000psi liq .5ulN60/E |
| A2SC10MWE | 10 mpos common outlet path MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SC12MWE | 12 mpos common outlet path MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SC16MWE | 16 mpos common outlet path MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SC6MWE | OBSOLETE USE AH2SC6MWE | |
| A2SD10MWE | 10 mpos dead-end path MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SD12MWE | 12 mpos dead-end path MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SD16MWE | 16 mpos dead-end path MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SD6MWE | 6 mpos dead-end path MW air act/2in so | 1/8 x 1mm 200C/400psi gas N60/E |
| A2SF10MWE | 10 mpos flow-through MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SF12MWE | 12 mpos flow-through MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SF16MWE | 16 mpos flow-through MW air act/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2SF6MWE | OBSOLETE USE AH2SF6MWE | |
| A2ST10MWE | 10 mpos trapping path MW air act high torq./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2ST12MWE | 12 mpos trapping path MW air act high torq./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2ST16MWE | 16 mpos trapping path MW air act high torq./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2ST6MWE | OBSOLETE USE AH2ST6MWE | |
| A2STF10MWE | 10 mpos trap/flow path MW air act high t./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2STF12MWE | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| A2STF16MWE | 16 mpos trap/flow path MW air act high t./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| A2STF6MWE | OBSOLETE USE AH2STF6MWE | |
| A2VLSC8MWE2 | OBSOLETE USE AH2VLSC8MWE2 | |
| A30 | Air actuator 2-pos close mount | 30 deg rotation |
| A304 | Air actuator 2-pos 4in standoff | 30 deg rotation |
| A30S | Air actuator 2-pos for standoff | 30 deg rotation |
| A36 | Air actuator 2-pos close mount | 36 deg rotation |
| A364 | Air actuator 2-pos 4in standoff | 36 deg rotation |
| A36S | Air actuator 2-pos for standoff | 36 deg rotation |
| A4 | Air actuator 4 mpos close mount | 90 deg rotation |
| A410UWE | 10 port 2-pos valve air actuated/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| A410UWT | 10 port 2-pos valve air actuated/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| A42 | Air actuator 4 mpos 2in standoff | 90 deg rotation |
| A44UWE | 4 port 2-pos valve air actuated/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| A44UWT | 4 port 2-pos valve air actuated/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| A45 | Air actuator 2-pos close mount | 45 deg rotation |
| A454 | Air actuator 2-pos 4in standoff | 45 deg rotation |
| A45S | Air actuator 2-pos for standoff | 45 deg rotation |
| A46UWE | 6 port 2-pos valve air actuated/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| A46UWT | 6 port 2-pos valve air actuated/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| A48UWE | 8 port 2-pos valve air actuated/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| A48UWT | 8 port 2-pos valve air actuated/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| A4C10UWE | 10 port 2-pos valve air actuated/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| A4C10UWT | 10 port 2-pos valve air actuated/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| A4C10WE | 10 port 2-pos valve air actuated/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| A4C10WT | 10 port 2-pos valve air actuated/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| A4C4UWE | 4 port 2-pos valve air actuated/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| A4C4UWT | 4 port 2-pos valve air actuated/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| A4C4WE | 4 port 2-pos valve air actuated/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| A4C4WT | 4 port 2-pos valve air actuated/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| A4C6UWE | 6 port 2-pos valve air actuated/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| A4C6UWT | 6 port 2-pos valve air actuated/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| A4C6WE | 6 port 2-pos valve air actuated/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| A4C6WT | 6 port 2-pos valve air actuated/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| A4C8UWE | 8 port 2-pos valve air actuated/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| A4C8UWT | 8 port 2-pos valve air actuated/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| A4C8WE | 8 port 2-pos valve air actuated/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| A4C8WT | 8 port 2-pos valve air actuated/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| A4N10WE | 10 port 2-pos valve air actuated/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| A4N10WT | 10 port 2-pos valve air actuated/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| A4N4WE | 4 port 2-pos valve air actuated/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| A4N4WT | 4 port 2-pos valve air actuated/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| A4N6WE | 6 port 2-pos valve air actuated/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| A4N6WT | 6 port 2-pos valve air actuated/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| A4N8WE | 8 port 2-pos valve air actuated/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| A4N8WT | 8 port 2-pos valve air actuated/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| A4S | Air actuator 4 mpos for standoff | 90 deg rotation |
| A4UW | 4 port 2-pos valve air actuated | 1/8 x .75mm 75C/5000psi liq N60/H |
| A4VL4MWE2 | 4 port 2-pos valve MW air act/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| A4VL6MWE2 | 6 port 2-pos valve MW air act/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| A4VL8MWE2 | 8 port 2-pos valve MW air act/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| A6 | Air actuator 6 mpos close mount | 60 deg rotation |
| A60 | Air actuator 2-pos close mount | 60 deg rotation |
| A604 | Air actuator 2-pos 4in standoff | 60 deg rotation |
| A60S | Air actuator 2-pos for standoff | 60 deg rotation |
| A62 | Air actuator 6 mpos 2in standoff | 60 deg rotation |
| A6S | Air actuator 6 mpos for standoff | 60 deg rotation |
| A6UW | 6 port 2-pos valve air actuated | 1/8 x .75mm 75C/5000psi liq N60/H |
| A8 | Air actuator 8 mpos close mount | 45 deg rotation |
| A82 | Air actuator 8 mpos 2in standoff | 45 deg rotation |
| A8S | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| A8UW | 8 port 2-pos valve air actuated | 1/8 x .75mm 75C/5000psi liq N60/H |
| A90 | Air actuator 2-pos close mount | 90 deg rotation |
| A904 | Air actuator 2-pos 4in standoff | 90 deg rotation |
| A90S | Air actuator 2-pos for standoff | 90 deg rotation |
| AC10UW | 10 port 2-pos valve air actuated | 1/16 x .75mm 75C/5000psi liq N60/H |
| AC10W | 10 port 2-pos valve air actuated | 1/16 x .4mm 75C/5000psi liq N60/H |
| AC4UW | 4 port 2-pos valve air actuated | 1/16 x .75mm 75C/5000psi liq N60/H |
| AC4W | 4 port 2-pos valve air actuated | 1/16 x .4mm 75C/5000psi liq N60/H |
| AC6UW | 6 port 2-pos valve air actuated | 1/16 x .75mm 75C/5000psi liq N60/H |
| AC6W | 6 port 2-pos valve air actuated | 1/16 x .4mm 75C/5000psi liq N60/H |
| AC8UW | 8 port 2-pos valve air actuated | 1/16 x .75mm 75C/5000psi liq N60/H |
| AC8W | 8 port 2-pos valve air actuated | 1/16 x .4mm 75C/5000psi liq N60/H |
| ACI4UW.2 | 4 port 2-pos int vol valve air actuated | 1/16 x .75mm 75C/5000psi liq .2ul N60/H |
| ACI4UW.5 | 4 port 2-pos int vol valve air actuated | 1/16 x .75mm 75C/5000psi liq .5ul N60/H |
| ACI4UW1 | 4 port 2-pos int vol valve air actuated | 1/16 x .75mm 75C/5000psi liq 1ul N60/H |
| ACI4UW2 | 4 port 2-pos int vol valve air actuated | 1/16 x .75mm 75C/5000psi liq 2ul N60/H |
| ACI4W.06 | 4 port 2-pos int vol valve air actuated | 1/16 x .4mm 75C/5000psi liq .06ul N60/H |
| ACI4W.1 | 4 port 2-pos int vol valve air actuated | 1/16 x .4mm 75C/5000psi liq .1ul N60/H |
| ACI4W.2 | 4 port 2-pos int vol valve air actuated | 1/16 x .4mm 75C/5000psi liq .2ul N60/H |
| ACI4W.5 | 4 port 2-pos int vol valve air actuated | 1/16 x .4mm 75C/5000psi liq .5ul N60/H |
| ACSD10UW | 10 mpos dead-end path air actuated | 1/16 x .4mm 75C/5000psi liq N60/E |
| ACSD4UW | OBSOLETE USE AHCSD4UW | |
| ACSD6UW | OBSOLETE USE AHCSD6UW | |
| ACST4UW | 4 mpos trapping path air actuated | 1/16 x .4mm 75C/5000psi liq N60/E |
| ACST6UW | 6 mpos trapping path air actuated | 1/16 x .4mm 75C/5000psi liq N60/E |
| AH2CSC6MWE | 6 mpos common outlet pathMW/air act.high tor/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| AH2CSF6MWE | 6 mpos flow-through MW air act high torq./2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| AH2CST6MWE | 6 mpos trapping path MW air act high torq./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| AH2CSTF6MWE | 6 mpos trap/flow path MW air act high t./2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| AH2SC6MWE | 6 mpos common outlet pathMWair act high tor/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| AH2SF6MWE | 6 mpos flow-through MW air act high torq./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| AH2ST6MWE | 6 mpos trapping path MW air act high torq./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| AH2STF6MWE | 6 mpos trap/flow path MW air act high t./2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| AH2VLSC4MWE2 | 4 mpos common outlet path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSC6MWE2 | 6 mpos common outlet path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSC8MWE2 | 8 mpos common outlet path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSD10MWE2 | 10 mpos dead-end path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSD4MWE2 | 4 mpos dead-end path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSD6MWE2 | 6 mpos dead-end path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSD8MWE2 | 8 mpos dead-end path MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSF4MWE2 | 4 mpos flow-through MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSF6MWE2 | 6 mpos flow-through MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AH2VLSF8MWE2 | 8 mpos flow-through MW air act/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| AHCSD4UW | 4 mpos dead-end path air actuated high torque | 1/16 x .4mm 75C/5000psi liq N60/E |
| AHCSD6UW | 6 mpos dead-end path air actuated hi torque | 1/16 x .4mm 75C/5000psi liq N60/E |
| AHSD4UW | 4 mpos dead-end path air actuated high torque | 1/8 x .75mm 75C/5000psi liq N60/E |
| AHSD6UW | 6 mpos dead-end path air actuated high torque | 1/8 x .75mm 75C/5000psi liq N60/E |
| AL10UW | 10 port 2-pos valve air actuated | 1/8 x 1.0mm 75C/5000psi liq N60/H |
| AL4UW | 4 port 2-pos valve air actuated | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| AL6UW | 6 port 2-pos valve air actuated | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| AL8UW | 8 port 2-pos valve air actuated | 1/8 x 1.3mm 75C/5000psi liq N60/H |
| ASD4UW | OBSOLETE USE AHSD4UW | |
| ASD6UW | OBSOLETE USE AHSD6UW | |
| ASD8UW | 8 mpos dead-end path air actuated | 1/8 x .75mm 75C/5000psi liq N60/E |
| ASFV | Prime/Purge valve air actuated/1in so | 3 x 1/16in .50 mm 100C/10'000psi SS |
| ASFV2HT | Prime/Purge valve air actuated/1in so | 3 x 1/8in 1.50 mm 300C/2'000psi SS |
| ASFV2HT4 | Prime/Purge valve air actuated/4in so | 3 x 1/8in 1.50 mm 300C/2'000psi SS |
| ASFV40K.5 | Prime/purge valve air actuated/1.625in so | 3 x 1/32in .15 mm bore 50C/40'000 psi SS |
| ASFV40K1 | Prime/purge valve air actuated/1.625in so | 3 x 1/16" .15 mm bore 50C/40'000 psi SS |
| ASFV40K360 | Prime/purge valve air actuated/1.625in so | 3 x 360um .15 mm bore 50C/40'000 psi SS |
| ASFVHT | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| ASFVHT4 | Prime/Purge valve air actuated/4in so | 3 x 1/16in .50 mm 300C/6'000psi SS |
| ASFVL | Prime/Purge valve air actuated/1in so | 3 x 1/16in .75 mm 100C/10'000psi SS |
| ASFVLHT | Prime/Purge valve air actuated/1in so | 3 x 1/16in .75 mm 300C/6'000psi SS |
| ASFVLHT4 | Prime/Purge valve air actuated/4in so | 3 x 1/16in .75 mm 300C/6'000psi SS |
| ASFVO | On/Off valve air actuated/1in so | 2 x 1/16in .50 mm bore 100C/10'000 psi SS |
| ASFVO2HT | On/Off valve air actuated/1in so | 2 x 1/8in 1.50 mm bore 300C/2'000 psi SS |
| ASFVO2HT4 | On/Off valve air actuated 4in so | 2 x 1/8in 1.50 mm bore 300C/2'000 psi SS |
| ASFVO40K.5 | On/Off valve air actuated/1.625in so | 2 x 1/32in .15 mm bore 50C/40'000 psi SS |
| ASFVO40K1 | On/Off valve air actuated/1.625in so | 2 x 1/16" .15 mm bore 50C/40'000 psi SS |
| ASFVO40K360 | On/Off valve air actuated/1.625in so | 2 x 360um .15 mm bore 50C/40'000 psi SS |
| ASFVOD40K.5 | Dual On/Off valve air actuated/1.625in so | 3 x 1/32in .15 mm bore 50C/40'000 psi SS |
| ASFVOD40K1 | Dual On/Off valve air actuated/1.625in so | 3 x 1/16in .15 mm bore 50C/40'000 psi SS |
| ASFVOD40K360 | Dual On/Off valve air actuated/1.625in so | 3 x 360um .15 mm bore 50C/40'000 psi SS |
| ASFVOHT | On/Off valve air actuated/1in so | 2 x 1/16in .50 mm bore 300C/6'000 psi SS |
| ASFVOHT4 | On/Off valve air actuated 4in so | 2 x 1/16in .50 mm bore 300C/6'000psi SS |
| ASFVOL | On/Off valve air actuated/1in so | 2 x 1/16in .75 mm bore 100C/10'000 psi SS |
| ASFVOLHT | On/Off valve air actuated/1in so | 2 x 1/16in .75 mm bore 300C/6'000 psi SS |
| ASFVOLHT4 | On/Off valve air actuated 4in so | 2 x 1/16in .75 mm bore 300C/6'000 psi SS |
| AT10 | Air actuator 10 mpos high T close mount | 36 deg rotation |
| AT104 | Air actuator 10 mpos high T 4in standoff | 36 deg rotation |
| AT10S | Air actuator 10 mpos high T for standoff | 36 deg rotation |
| AT12 | Air actuator 12 mpos high T close mount | 30 deg rotation |
| AT124 | Air actuator 12 mpos high T 4in standoff | 30 deg rotation |
| AT12S | Air actuator 12 mpos high T for standoff | 30 deg rotation |
| AT16 | Air actuator 16 mpos high T close mount | 22.5 deg rotation |
| AT164 | Air actuator 16 mpos high T 4in standoff | 22.5 deg rotation |
| AT16S | Air actuator 16 mpos high T for standoff | 22.5 deg rotation |
| AT30 | Air actuator 2-pos high T close mount | 30 deg rotation |
| AT302 | Air actuator 2-pos high T 2in standoff | 30 deg rotation |
| AT30S | Air actuator 2-pos high T for standoff | 30 deg rotation |
| AT36 | Air actuator 2-pos high T close mount | 36 deg rotation |
| AT362 | Air actuator 2-pos high T 2in standoff | 36 deg rotation |
| AT36S | Air actuator 2-pos high T for standoff | 36 deg rotation |
| AT4 | Air actuator 4 mpos high T close mount | 90 deg rotation |
| AT44 | Air actuator 4 mpos high T 4in standoff | 90 deg rotation |
| AT45 | Air actuator 2-pos high T close mount | 45 deg rotation |
| AT452 | Air actuator 2-pos high T 2in standoff | 45 deg rotation |
| AT45S | Air actuator 2-pos high T for standoff | 45 deg rotation |
| AT4S | Air actuator 4 mpos high T for standoff | 90 deg rotation |
| AT6 | Air actuator 6 mpos high T close mount | 60 deg rotation |
| AT60 | Air actuator 2-pos high T close mount | 60 deg rotation |
| AT602 | Air actuator 2-pos high T 2in standoff | 60 deg rotation |
| AT60S | Air actuator 2-pos high T for standoff | 60 deg rotation |
| AT64 | Air actuator 6 mpos high T 4in standoff | 60 deg rotation |
| AT6S | Air actuator 6 mpos high T for standoff | 60 deg rotation |
| AT8 | Air actuator 8 mpos high T close mount | 45 deg rotation |
| AT84 | Air actuator 8 mpos high T 4in standoff | 45 deg rotation |
| AT8S | Air actuator 8 mpos high T for standoff | 45 deg rotation |
| AT90 | Air actuator 2-pos high T close mount | 90 deg rotation |
| AT902 | Air actuator 2-pos high T 2in standoff | 90 deg rotation |
| AT90S | Air actuator 2-pos high T for standoff | 90 deg rotation |
| BNV1 | Micrometering needle valve bulkhead 2-225 ml/min | 1/16in tube18in /45cm2um frit 225Clubr. SS/Viton |
| BNV1-D | Micrometering needle valve bulkhead 2-225 ml/min | 1/16in tube18in /45cmnon-lubricated225C SS/Viton |
| BNV1-KZ | Micrometering needle valve bulkhead 2-225 ml/min | 1/16in tube 18in /45cmnon-lubricated315CSS/Kalrez |
| BNV1LF | Micrometering needle valve bulkhead 2-90 ml/min | 1/16in tube18in /45cm2um frit225Clubr. SS/Viton |
| BNV1LF-D | Micrometering needle valve bulkhead 2-90 ml/min | 1/16in tube18in /45cm2um frit225Cnon-lubr.SS/Viton |
| BNV1LF-KZ | Micrometering needle valve bulkhead 2-90 ml/min | 1/16in tube18in /45cm2um frit315Cnon-lub.SS/Kalrez |
| C10UW | !!! RECOMMEND 2C10UW | SUPPLIED WITH LARGER HANDLE |
| C10UWE | 10 port 2-pos valve manual | 1/16 x .75mm 225C/400psi gas N60/E |
| C10W | 10 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C10WE | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C1-1006 | 6 port 2-pos vlv man/front loading+PFC | 1/16 x .25mm 75C/5000psi liq N60/H |
| C1-10R6 | Rotor seal 6 port 2-pos valve | 1/16 x .25mm 75C/5000psi liq H |
| C1-1346 | 6 port 2-pos vlv man/front loading+PFC | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C1-13R6 | Rotor seal 6 port 2-pos valve | 1/16 x .25mm 75C/5000psi liq E |
| C1-2006 | 6 port 2-pos vlv man/front loading+PFC | 1/16 x .4mm 75C/5000psi liq N60/H |
| C12-310 | Rotor seal 10 port 2-pos C22/C22Z-valve | 1/16 x .75mm tube 75C/250psi liq E2 |
| C12-314 | Rotor seal 4 port 2-pos C22/C22Z-valve | 1/16 x .75mm tube 75C/250psi liq E2 |
| C12-316 | Rotor seal 6 port 2-pos C22/C22Z-valve | 1/16 x .75mm tube 75C/250psi liq E2 |
| C12-318 | Rotor seal 8 port 2-pos C22/C22Z-valve | 1/16 x .75mm tube 75C/250psi liq E2 |
| C1-2346 | 6 port 2-pos vlv man/front loading+PFC | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C1-23R6 | Rotor seal 6 port 2-pos valve PAEK | 1/16 x .4mm 50C/5000psi liq E |
| C15-310 | Rotor seal mpos dead-end path C15/C25Z-v | 1/16 x .75mm 75C/250psi liq E2 |
| C-1C00H | Stator 10 port 2-pos (.180BC) C2-valve | 1/16 x .25mm N60 |
| C-1C04 | Stator 4 port 2-pos C2-valve | 1/16 x .25mm N60 |
| C-1C06 | Stator 6 port 2-pos C2-valve | 1/16 x .25mm N60 |
| C-1C08H | Stator 8 port 2-pos (.180BC) C2-valve | 1/16 x .25mm N60 |
| C-1C30H | Stator 10 port 2-pos (.180BC) C2-valve | 1/16 x .25mm Ti |
| C-1C34 | Stator 4 port 2-pos C2-valve | 1/16 x .25mm Ti |
| C-1C36 | Stator 6 port 2-pos C1/C2-valve | 1/16 x .25mm Ti |
| C-1C38H | Stator 8 port 2-pos (.180BC) C2-valve | 1/16 x .25mm Ti |
| C-1C40H | Stator 10 port 2-pos (.180BC) C2-valve | 1/16 x .25mm PAEK |
| C-1C44 | Stator 4 port 2-pos C2-valve | 1/16 x .25mm PAEK |
| C-1C46 | Stator 6 port 2-pos C1/C2-valve | 1/16 x .25mm PAEK |
| C-1C48H | Stator 8 port 2-pos (.180) C2-valve | 1/16 x .25mm PAEK |
| C1CF-1006 | 6 port 2-pos vlv man/front loading cont flow+PFC | 1/16 x .25mm 75C/5000psi liq N60/H |
| C1CF-1346 | 6 port 2-pos vlv man/front loading cont flow+PFC | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C1CF-2006 | 6 port 2-pos vlv man/front loading cont flow+PFC | 1/16 x .4mm 75C/5000psi liq N60/H |
| C1CF-2346 | 6 port 2-pos vlv man/front loading cont flow+PFC | 1/16 x .4mm 75C/5000psi liqPEAK/E |
| C2-1004 | 4 port 2-pos valve manual | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1004A | 4 port 2-pos valve air actuated | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1004D | 4 port 2-pos valve replacement | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1004E | 4 port 2-pos valve std-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1004EH | 4 port 2-pos valve m-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1006 | 6 port 2-pos valve manual | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1006A | 6 port 2-pos valve air actuated | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1006D | 6 port 2-pos valve replacement | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1006E | 6 port 2-pos valve std-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1006EH | 6 port 2-pos valve m-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2-1034 | 4 port 2-pos valve manual | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1034A | 4 port 2-pos valve air actuated | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1034D | 4 port 2-pos valve replacement | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1034E | 4 port 2-pos valve std-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1034EH | 4 port 2-pos valve m-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1036 | 6 port 2-pos valve manual | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1036A | 6 port 2-pos valve air actuated | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1036D | 6 port 2-pos valve replacement | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1036E | 6 port 2-pos valve std-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-1036EH | 6 port 2-pos valve m-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2-10R0H | Rotor seal 10 port 2-pos (.180BC) C2-valve | 1/16 x .25mm 75C/5000psi liq H |
| C2-10R4 | Rotor seal 4 port 2-pos C2-valve | 1/16 x .25mm 75C/5000psi liq H |
| C2-10R6 | Rotor seal 6 port 2-pos C2/C3-valve | 1/16 x .25mm 75C/5000psi liq H |
| C2-10R8H | Rotor seal 8 port 2-pos (.180BC) C2-valve | 1/16 x .25mm 75C/5000psi liq H |
| C2-1344 | 4 port 2-pos valve manual | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1344A | 4 port 2-pos valve air actuated | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1344D | 4 port 2-pos valve replacement | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1344E | 4 port 2-pos valve std-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1344EH | 4 port 2-pos valve m-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1346 | 6 port 2-pos valve manual | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1346A | 6 port 2-pos valve air actuated | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1346D | 6 port 2-pos valve replacement | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-1346E | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| C2-1346EH | 6 port 2-pos valve m-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2-13R0H | Rotor seal 10 port 2-pos C2-valve (B.C.180) | 1/16 x .25mm 50C/5000psi liq E |
| C2-13R4 | Rotor seal 4 port 2-pos C2-valve | 1/16 x .25mm 50C/5000psi liq E |
| C2-13R6 | Rotor seal 6 port 2-pos C2/C3-valve | 1/16 x .25mm 50C/5000psi liq E |
| C2-13R8H | Rotor seal 8 port 2-pos (.180BC) C2-valve | 1/16 x .25mm 50C/5000psi liq E |
| C2-2004 | 4 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2004A | 4 port 2-pos valve air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2004D | 4 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2004E | 4 port 2-pos valve std-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2004EH | 4 port 2-pos valve m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2006 | 6 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2006A | 6 port 2-pos valve air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2006D | 6 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2006E | 6 port 2-pos valve std-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2006EH | 6 port 2-pos valve m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2-2034 | 4 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2034A | 4 port 2-pos valve air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2034D | 4 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2034E | 4 port 2-pos valve std-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2034EH | 4 port 2-pos valve m-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2036 | 6 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2036A | 6 port 2-pos valve air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2036D | 6 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2036E | 6 port 2-pos valve std-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-2036EH | 6 port 2-pos valve m-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2-20R0H | Rotor seal 10 port 2-pos (.180BC) C2-valve | 1/16 x .4mm 75C/5000psi liq H |
| C2-20R4 | Rotor seal 4 port 2-pos C2-valve | 1/16 x .4mm 75C/5000psi liq H |
| C2-20R6 | Rotor seal 6 port 2-pos C2/C3-valve | 1/16 x .4mm 75C/5000psi liq H |
| C2-20R8H | Rotor seal 8 port 2-pos (.180BC) C2-valve | 1/16 x .4mm (.180 BC) 75C/5000psi liq H |
| C22-310 | Rotor seal 10 port 2-pos C12/C22Z-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C22-314 | Rotor seal 4 port 2-pos C22-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C22-316 | Rotor seal 6 port 2-pos C22-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C22-318 | Rotor seal 8 port 2-pos C12/C22Z-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C22-3180 | 10 port 2-pos valve manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3180A | 10 port 2-pos valve air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3180D | 10 port 2-pos valve replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3180E | 10 port 2-pos valve std-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3180EH | 10 port 2-pos valve m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3184 | 4 port 2-pos valve manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3184A | 4 port 2-pos valve air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3184D | 4 port 2-pos valve replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3184E | 4 port 2-pos valve std-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3184EH | 4 port 2-pos valve m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3186 | 6 port 2-pos valve manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3186A | 6 port 2-pos valve air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3186D | 6 port 2-pos valve replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3186E | 6 port 2-pos valve std-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3186EH | 6 port 2-pos valve m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3188 | 8 port 2-pos valve manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E24 |
| C22-3188A | 8 port 2-pos valve air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3188D | 8 port 2-pos valve replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3188E | 8 port 2-pos valve std-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C22-3188EH | 8 port 2-pos valve m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C2-2344 | 4 port 2-pos valve manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2344A | 4 port 2-pos valve air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2344D | 4 port 2-pos valve replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2344E | 4 port 2-pos valve std-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2344EH | 4 port 2-pos valve m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2346 | 6 port 2-pos valve manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2346A | 6 port 2-pos valve air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2346D | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| C2-2346E | 6 port 2-pos valve std-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2-2346EH | 6 port 2-pos valve m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C22-380 | Stator 10 port 2-pos C22-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C22-384 | Stator 4 port 2-pos C22-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C22-386 | Stator 6 port 2-pos C22-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C22-388 | Stator 8 port 2-pos C22-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C2-23R0H | Rotor seal 10 port 2-pos (.180BC) C2-valve | 1/16 x .4mm 50C/5000psi liq E |
| C2-23R4 | Rotor seal 4 port 2-pos C2-valve | 1/16 x .4mm 50C/5000psi liq E |
| C2-23R6 | Rotor seal 6 port 2-pos C2/C3-valve | 1/16 x .4mm 50C/5000psi liq E |
| C2-23R8H | Rotor seal 8 port 2-pos (.180BC) C2-valve | 1/16 x .4mm(.180 BC) 50C/5000psi liq E |
| C22-610 | Rotor seal 10 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C22-614 | Rotor seal 4 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C22-616 | Rotor seal 6 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C22-618 | Rotor seal 8 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C22-6180 | 10 port 2-pos valve manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6180A | 10 port 2-pos valve air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6180D | 10 port 2-pos valve replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6180E | 10 port 2-pos valve std-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6180EH | 10 port 2-pos valve m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6184 | 4 port 2-pos valve manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6184A | 4 port 2-pos valve air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6184D | 4 port 2-pos valve replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6184E | 4 port 2-pos valve std-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6184EH | 4 port 2-pos valve m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6186 | 6 port 2-pos valve manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6186A | 6 port 2-pos valve air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6186D | 6 port 2-pos valve replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6186E | 6 port 2-pos valve std-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6186EH | 6 port 2-pos valve m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6188 | 8 port 2-pos valve manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6188A | 8 port 2-pos valve air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6188D | 8 port 2-pos valve replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6188E | 8 port 2-pos valve std-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-6188EH | 8 port 2-pos valve m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C22-680 | Stator 10 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C22-684 | Stator 4 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C22-686 | Stator 6 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C22-688 | Stator 8 port 2-pos C22-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C22Z-3180 | 10 port 2-pos valve manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3180A | 10 port 2-pos valve air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3180D | 10 port 2-pos valve replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3180E | 10 port 2-pos valve std-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3180EH | 10 port 2-pos valve m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3184 | 4 port 2-pos valve manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3184A | 4 port 2-pos valve air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3184D | 4 port 2-pos valve replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3184E | 4 port 2-pos valve std-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3184EH | 4 port 2-pos valve m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3186 | 6 port 2-pos valve manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3186A | 6 port 2-pos valve air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3186D | 6 port 2-pos valve replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3186E | 6 port 2-pos valve std-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3186EH | 6 port 2-pos valve m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3188 | 8 port 2-pos valve manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3188A | 8 port 2-pos valve air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3188D | 8 port 2-pos valve replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3188E | 8 port 2-pos valve std-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-3188EH | 8 port 2-pos valve m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C22Z-380 | Stator 10 port 2-pos C22Z-valve | 1/16 x .75mm 75C/250psi liq PPS |
| C22Z-384 | Stator 4 port 2-pos C22Z-valve | 1/16 x .75mm 75C/250psi liq PPS |
| C22Z-386 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| C22Z-388 | Stator 8 port 2-pos C22Z-valve | 1/16 x .75mm 75C/250psi liq PPS |
| C24-10R-.2 | Rotor seal 4port 2-pos int vol C24-valve | 1/4in -28 x .5mm 75C/250psi liq .2ul E2 |
| C24-10R-.5 | Rotor seal 4port 2-pos int vol C24-valve | 1/4in -28 x .5mm 75C/250psi liq .5ul E2 |
| C24-10R-1 | Rotor seal 4port 2-pos int vol C24-valve | 1/4in -28 x .5mm 75C/250psi liq 1ul E2 |
| C24-10R-2 | Rotor seal 4port 2-pos int vol C24-valve | 1/4in -28 x .5mm 75C/250psi liq 2ul E2 |
| C24-1C8 | Stator 4 port 2-pos int vol C24-valve | 1/4in -28 x .5mm 75C/250psi liq PPS |
| C24-2184-.5 | 4 port 2-pos int vol valve manual | 1/4in -28 x .5mm 75C/250psi liq.5ulPPS/E2 |
| C24-2184-.5A | 4 port 2-pos int vol valve air act | 1/4in -28 x .5mm 75C/250psi liq.5ulPPS/E2 |
| C24-2184-.5D | 4 port 2-pos int vol valve replacement | 1/4in -28 x .5mm 75C/250psi liq.5ulPPS/E2 |
| C24-2184-.5E | 4 port 2-pos int vol valve std-elect | 1/4in -28 x .5mm 75C/250psi liq.5ulPPS/E2 |
| C24-2184-.5EH | 4 port 2-pos int vol valve m-elect | 1/4in -28 x .5mm 75C/250psi liq.5ulPPS/E2 |
| C24-2184-1 | 4 port 2-pos int vol valve manual | 1/4in -28 x .5mm 75C/250psi liq 1ulPPS/E2 |
| C24-2184-1A | 4 port 2-pos int vol valve air act | 1/4in -28 x .5mm 75C/250psi liq 1ulPPS/E2 |
| C24-2184-1D | 4 port 2-pos int vol valve replacement | 1/4in -28 x .5mm 75C/250psi liq 1ulPPS/E2 |
| C24-2184-1E | 4 port 2-pos int vol valve std-elect | 1/4in -28 x .5mm 75C/250psi liq 1ulPPS/E2 |
| C24-2184-1EH | 4 port 2-pos int vol valve m-elect | 1/4in -28 x .5mm 75C/250psi liq 1ulPPS/E2 |
| C24-2184-2 | 4 port 2-pos int vol valve manual | 1/4in -28 x .5mm 75C/250psi liq 2ulPPS/E2 |
| C24-2184-2A | 4 port 2-pos int vol valve air act | 1/4in -28 x .5mm 75C/250psi liq 2ulPPS/E2 |
| C24-2184-2D | 4 port 2-pos int vol valve replacement | 1/4in -28 x .5mm 75C/250psi liq 2ulPPS/E2 |
| C24-2184-2E | 4 port 2-pos int vol valve std-elect | 1/4in -28 x .5mm 75C/250psi liq 2ulPPS/E2 |
| C24-2184-2EH | 4 port 2-pos int vol valve m-elect | 1/4in -28 x .5mm 75C/250psi liq 2ulPPS/E2 |
| C24Z-1C8 | Stator 4 port 2-pos int vol C24Z-valve | 1/16 x .4mm 75C/250psi liq PPS |
| C24Z-2184-.2 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 75C/250psi liq .2ul PPS/E2 |
| C24Z-2184-.2A | 4 port 2-pos int vol valve air act | 1/16 x .4mm 75C/250psi liq .2ul PPS/E2 |
| C24Z-2184-.2D | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/250psi liq .2ul PPS/E2 |
| C24Z-2184-.2E | 4 port 2-pos int vol valve std-elect | 1/16 x .4mm 75C/250psi liq .2ul PPS/E2 |
| C24Z-2184-.2EH | 4 port 2-pos int vol valve m-elect | 1/16 x .4mm 75C/250psi liq .2ul PPS/E2 |
| C24Z-2184-.5 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 75C/250psi liq .5ul PPS/E2 |
| C24Z-2184-.5A | 4 port 2-pos int vol valve air act | 1/16 x .4mm 75C/250psi liq .5ul PPS/E2 |
| C24Z-2184-.5D | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/250psi liq .5ul PPS/E2 |
| C24Z-2184-.5E | 4 port 2-pos int vol valve std-elect | 1/16 x .4mm 75C/250psi liq .5ul PPS/E2 |
| C24Z-2184-.5EH | 4 port 2-pos int vol valve m-elect | 1/16 x .4mm 75C/250psi liq .5ul PPS/E2 |
| C24Z-2184-1 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 75C/250psi liq 1ul PPS/E2 |
| C24Z-2184-1A | 4 port 2-pos int vol valve air act | 1/16 x .4mm 75C/250psi liq 1ul PPS/E2 |
| C24Z-2184-1D | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/250psi liq 1ul PPS/E2 |
| C24Z-2184-1E | 4 port 2-pos int vol valve std-elect | 1/16 x .4mm 75C/250psi liq 1ul PPS/E2 |
| C24Z-2184-1EH | 4 port 2-pos int vol valve m-elect | 1/16 x .4mm 75C/250psi liq 1ul PPS/E2 |
| C25-310 | Rotor seal 8/10 mpos dead-end path C25-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C25-314 | Rotor seal 4 mpos dead-end path C25-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C25-316 | Rotor seal 6 mpos dead-end path C25-valve | 1/4in -28 x .75mm 75C/250psi liq E2 |
| C25-318 | OBSOLETE USE PART-NO. C25-310 | |
| C25-3180 | 10 mpos dead-end path manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3180A | 10 mpos dead-end path air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3180D | 10 mpos dead-end path replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3180EMH | 10 mpos dead-end path m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3184 | 4 mpos dead-end path manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3184A | 4 mpos dead-end path air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3184D | 4 mpos dead-end path replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3184E | OBSOLETE USE C25-3184EMH | |
| C25-3184EMH | 4 mpos dead-end path m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3186 | 6 mpos dead-end path manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3186A | 6 mpos dead-end path air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3186D | 6 mpos dead-end path replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3186E | OBSOLETE USE C25-3186EMH | |
| C25-3186EMH | 6 mpos dead-end path m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3188 | 8 mpos dead-end path manual | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3188A | 8 mpos dead-end path air actuated | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3188D | 8 mpos dead-end path replacement | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-3188E | OBSOLETE USE C25-3188EMH | |
| C25-3188EMH | 8 mpos dead-end path m-electric | 1/4in -28 x .75mm 75C/250psi liq PPS/E2 |
| C25-380 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| C25-384 | Stator 4 mpos dead-end path C25-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C25-386 | Stator 6 mpos dead-end path C25-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C25-388 | Stator 8 mpos dead-end path C25-valve | 1/4in -28 x .75mm 75C/250psi liq PPS |
| C25-610 | Rotor seal 10 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C25-614 | Rotor seal 4 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C25-616 | Rotor seal 6 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C25-618 | Rotor seal 8 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq E2 |
| C25-6180 | 10 mpos dead-end path manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6180A | 10 mpos dead-end path air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6180D | 10 mpos dead-end path replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6180E | OBSOLETE USE C25-6180EMH | |
| C25-6180EMH | 10 mpos dead-end path m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6184 | 4 mpos dead-end path manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6184A | 4 mpos dead-end path air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6184D | 4 mpos dead-end path replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6184E | OBSOLETE USE C25-6184EMH | |
| C25-6184EMH | 4 mpos dead-end path m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6186 | 6 mpos dead-end path manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6186A | 6 mpos dead-end path air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6186D | 6 mpos dead-end path replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6186E | OBSOLETE USE C25-6186EMH | |
| C25-6186EMH | 6 mpos dead-end path m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6188 | 8 mpos dead-end path manual | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6188A | 8 mpos dead-end path air actuated | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6188D | 8 mpos dead-end path replacement | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-6188E | OBSOLETE USE C25-6188EMH | |
| C25-6188EMH | 8 mpos dead-end path m-electric | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C25-680 | Stator 10 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C25-684 | Stator 4 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C25-686 | Stator 6 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C25-688 | Stator 8 mpos dead-end path C25-valve | 1/4in -28 x 1.5mm 75C/250psi liq PPS |
| C25Z-3180 | 10 mpos dead-end path manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3180A | 10 mpos dead-end path air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3180D | 10 mpos dead-end path replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3180E | OBSOLETE USE C25Z-3180EMH | |
| C25Z-3180EMH | 10 mpos dead-end path m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-31814 | 14 mpos dead-end path manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-31814A | OBSOLETE | |
| C25Z-31814D | 14 mpos dead-end path replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-31814E | OBSOLETE USE C25Z-31814EMH | |
| C25Z-31814EMH | 14 mpos dead-end path m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3186 | 6 mpos dead-end path manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3186A | 6 mpos dead-end path air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3186D | 6 mpos dead-end path replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3186E | OBSOLETE USE C25Z-3186EMH | |
| C25Z-3186EMH | 6 mpos dead-end path m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3188 | 8 mpos dead-end path manual | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3188A | 8 mpos dead-end path air actuated | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3188D | 8 mpos dead-end path replacement | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-3188E | OBSOLETE USE C25Z-3188EMH | |
| C25Z-3188EMH | 8 mpos dead-end path m-electric | 1/16 x .75mm 75C/250psi liq PPS/E2 |
| C25Z-380 | Stator 10 mpos dead-end path valve | 1/16 x .75mm 75C/250psi liq PPS |
| C25Z-3814 | Stator 14 mpos dead-end path valve | 1/16 x .75mm 75C/250psi liq PPS |
| C25Z-38-14 | Stator 14 mpos dead-end path valve | 1/16 x .75mm 75C/250psi liq PPS |
| C25Z-386 | Stator 6 mpos dead-end path valve | 1/16 x .75mm 75C/250psi liq PPS |
| C25Z-388 | Stator 8 mpos dead-end path valve | 1/16 x .75mm 75C/250psi liq PPS |
| C-261 | Syringe fitting assy. head knurled | C1 PEEK/TFE |
| C-2C00H | Stator 10 port 2-pos (.180BC) C2-valve | 1/16 x .4mm N60 |
| C-2C04 | Stator 4 port 2-pos C2-valve | 1/16 x .4mm N60 |
| C-2C06 | Stator 6 port 2-pos C2-valve | 1/16 x .4mm N60 |
| C-2C08H | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C-2C30H | Stator 10 port 2-pos (.180BC) C2-valve | 1/16 x .4mm Titanium |
| C-2C34 | Stator 4 port 2-pos C2-valve | 1/16 x .4mm Titanium |
| C-2C36 | Stator 6 port 2-pos C1/C2-valve | 1/16 x .4mm Titanium |
| C-2C38H | Stator 8 port 2-pos (.180BC) C2-valve | 1/16 x .4mm (.180 BC) Titanium |
| C-2C40H | Stator 10 port 2-pos (.180BC) C2-valve | 1/16 x .4mm PAEK |
| C-2C44 | Stator 4 port 2-pos C2-valve | 1/16 x .4mm PAEK |
| C-2C46 | Stator 6 port 2-pos C1/C2-valve | 1/16 x .4mm PAEK |
| C-2C48H | Stator 8 port 2-pos (.180BC) C2-valve | 1/16 x .4mm (.180 BC) PAEK |
| C2H-1000 | 10 port 2-pos valve (.180BC) manual | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1000A | 10 port 2-pos valve (.180BC) air actuated | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1000D | 10 port 2-pos valve (.180BC) replacement | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1000E | 10 port 2-pos valve (.180BC) std-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1000EH | 10 port 2-pos valve (.180BC) m-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1008 | 8 port 2-pos valve (.180BC) manual | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1008A | 8 port 2-pos valve (.180BC) air actuated | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1008D | 8 port 2-pos valve (.180BC) replacement | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1008E | 8 port 2-pos valve (.180BC) std-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1008EH | 8 port 2-pos valve (.180BC) m-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2H-1030 | 10 port 2-pos valve (.180BC) manual | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1030A | 10 port 2-pos valve (.180BC) air actuated | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1030D | 10 port 2-pos valve (.180BC) replacement | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1030E | 10 port 2-pos valve (.180BC) std-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1030EH | 10 port 2-pos valve (.180BC) m-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1038 | 8 port 2-pos valve (.180BC) manual | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1038A | 8 port 2-pos valve (.180BC) air actuated | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1038D | 8 port 2-pos valve (.180BC) replacement | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1038E | 8 port 2-pos valve (.180BC) std-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1038EH | 8 port 2-pos valve (.180BC) m-electric | 1/16 x .25mm 75C/5000psi liq Ti/H |
| C2H-1340 | 10 port 2-pos valve (.180BC) manual | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1340A | 10 port 2-pos valve (.180BC) air actuator | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1340D | 10 port 2-pos valve (.180BC) replacement | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1340E | 10 port 2-pos valve (.180BC) std-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1340EH | 10 port 2-pos valve (.180BC) m-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1348 | 8 port 2-pos valve (.180BC) manual | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1348A | 8 port 2-pos valve (.180BC) air actuated | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1348D | 8 port 2-pos valve (.180BC) replacement | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1348E | 8 port 2-pos valve (.180BC) std-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-1348EH | 8 port 2-pos valve (.180BC) m-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2H-2000 | 10 port 2-pos valve (.180BC) manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2000A | 10 port 2-pos valve (.180BC) air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2000D | 10 port 2-pos valve (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2000E | 10 port 2-pos valve (.180BC) std-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2000EH | 10 port 2-pos valve (.180BC) m-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2008 | 8 port 2-pos valve (.180BC) manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2008A | 8 port 2-pos valve (.180BC) air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2008D | 8 port 2-pos valve (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2008E | 8 port 2-pos valve (.180BC) std-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2008EH | 8 port 2-pos valve (.180BC) m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2H-2030 | 10 port 2-pos valve (.180BC) manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2030A | 10 port 2-pos valve (.180BC) air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2030D | 10 port 2-pos valve (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2030E | 10 port 2-pos valve (.180BC) std-electric | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2030EH | 10 port 2-pos valve (.180BC) m-electric | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2038 | 8 port 2-pos valve (.180BC) manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2038A | 8 port 2-pos valve (.180BC) air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2038D | 8 port 2-pos valve (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2038E | 8 port 2-pos valve (.180BC) std-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2038EH | 8 port 2-pos valve (.180BC) m-electric | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C2H-2340 | 10 port 2-pos valve (.180BC) manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2340A | 10 port 2-pos valve (.180BC) air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2340D | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C2H-2340E | 10 port 2-pos valve (.180BC) std-electric | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2340EH | 10 port 2-pos valve (.180BC) m-electric | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2348 | 8 port 2-pos valve (.180BC) manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2348A | 8 port 2-pos valve (.180BC) air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2348D | 8 port 2-pos valve (.180BC) replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2348E | 8 port 2-pos valve (.180BC) std-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2H-2348EH | 8 port 2-pos valve (.180BC) m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2V-1006 | 6 port 2-pos vlv manual vert. port injection | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2V-1006A | 6 port 2-pos vlv air act. vert. port injection | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2V-1006D | 6 port 2-pos vlv replacement vert. port injection | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2V-1006E | 6 port 2-pos vlv std-act. vert. port injection | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2V-1006EH | 6 port 2-pos vlv m-elect vert. port injection | 1/16 x .25mm 75C/5000psi liq N60/H |
| C2V-1346 | 6 port 2-pos vlv manual vert. port injector | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2V-1346A | 6 port 2-pos vlv air act vert. port injector | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2V-1346D | 6 port 2-pos vlv replacement vert. port injector | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2V-1346E | 6 port 2-pos vlv std-elect vert. port injector | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2V-1346EH | 6 port 2-pos vlv m-elect vert. port injector | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C2V-1C06 | Stator 6 port 2-pos C2-valve vertical | 1/16 x .25mm N60 |
| C2V-1C46 | Stator 6 port 2-pos C2-valve vertical | 1/16 x .25mm PAEK |
| C2V-2006 | 6 port 2-pos vlv manual vert. port injector | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2V-2006A | 6 port 2-pos vlv air. act. vert. port injector | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2V-2006D | 6 port 2-pos vlv replacement vert. port injector | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2V-2006E | 6 port 2-pos vlv std-elect vert. port injector | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2V-2006EH | 6 port 2-pos vlv m-elect vert. port injector | 1/16 x .4mm 75C/5000psi liq N60/H |
| C2V-2346 | 6 port 2-pos vlv manual vert. port injector | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2V-2346A | 6 port 2-pos vlv air act. vert. port injector | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2V-2346D | 6 port 2-pos vlv replacement vert. port injector | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2V-2346E | 6 port 2-pos vlv std-elect vert. port injector | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2V-2346EH | 6 port 2-pos vlv m-elect vert. port injector | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C2V-2C06 | Stator 6 port 2-pos C2-valve vertical | 1/16 x .4mm N60 |
| C2V-2C46 | Stator 6 port 2-pos C2-valve vertical | 1/16 x .4mm PAEK |
| C3-1006 | 6 port 2-pos valve manual | 1/16 x .25mm 75C/5000psi liq N60/H |
| C3-1006A | 6 port 2-pos valve air act | 1/16 x .25mm 75C/5000psi liq N60/H |
| C3-1006D | 6 port 2-pos valve replacement | 1/16 x .25mm 75C/5000psi liq N60/H |
| C3-1006E | 6 port 2-pos valve std-elect | 1/16 x .25mm 75C/5000psi liq N60/H |
| C3-1006EH | 6 port 2-pos valve m-elect | 1/16 x .25mm 75C/5000psi liq N60/H |
| C3-1346 | 6 port 2-pos valve manual | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C3-1346A | 6 port 2-pos valve air act | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C3-1346D | 6 port 2-pos valve replacement | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C3-1346E | 6 port 2-pos valve std-elect | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C3-1346EH | 6 port 2-pos valve m-elect | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C3-1C06 | Stator 6 port 2-pos C3-valve | 1/16 x .25mm N60 |
| C3-1C46 | Stator 6 port 2-pos C3-valve | 1/16 x .25mm PAEK |
| C3-2006 | 6 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C3-2006A | 6 port 2-pos valve air actuated | 1/16 x .4mm 75C/5000psi liq N60/H |
| C3-2006D | 6 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C3-2006E | 6 port 2-pos valve std-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C3-2006EH | 6 port 2-pos valve m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C3-2346 | 6 port 2-pos valve manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C3-2346A | 6 port 2-pos valve air actuated | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C3-2346D | 6 port 2-pos valve replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C3-2346E | 6 port 2-pos valve std-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C3-2346EH | 6 port 2-pos valve m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C3-2C06 | Stator 6 port 2-pos C3-valve | 1/16 x .4mm N60 |
| C3-2C46 | Stator 6 port 2-pos C3-valve | 1/16 x .4mm PAEK |
| C35Z-31820D | 20 mpos dead-end path replacement | 1/16 x .75mm 50C/100psi liq PPS/E2 |
| C35Z-31820EMH | !!! RECOMMEND C35Z-31820EMT | |
| C35Z-31820EMT | 20 mpos dead-end path m-electric | 1/16 x .75mm 50C/100psi liq PPS/E2 |
| C35Z-31824D | 24 mpos dead-end path replacement | 1/16 x .75mm 50C/100psi liq PPS/E2 |
| C35Z-31824EMH | !!! RECOMMEND C35Z-31824EMT | |
| C35Z-31824EMT | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C35Z-31826D | 26 mpos dead-end path replacement | 1/16 x .75mm 50C/100psi liq PPS/E2 |
| C35Z-31826EMH | !!! RECOMMEND C35Z-31826EMT | |
| C35Z-31826EMT | 26 mpos dead-end path m-electric | 1/16 x .75mm 50C/100psi liq PPS/E2 |
| C35Z-31R20 | Rotor seal 20mpos dead-end path C35-vlv | 1/16 x .75mm 50C/100psi liq E2 |
| C360C | Cap 360um for metal tubing | SS nut included |
| C360CFS | Cap 360um for fused silica tubing | SS nut included |
| C360CPK | Cap 360um | PEEK |
| C360CPKG | OBSOLETE replaced by C360CPK | |
| C360ET | Make up extender tool | for 360um nuts |
| C360IZR.5S6 | Internal reducer 1/32in x 360um | .38mm bore SS w/o frit |
| C360IZR.5S6PKG | Internal reducer 1/32in x 360um | .38mm bore SS with PEEK nut w/o frit |
| C360NFFS | Nut 360um No Twist | for FS tubing (for> 10 kpsi) |
| C360NFPKG | Nut 360um No Twist PEEK | with glass-filled PEEK ferrule |
| C360NFS6 | Nut 360um No Twist SS | with 316 ferrule |
| C360PPK | Plug 360um | |
| C360QTPK2 | Tee 360um quick mount 50um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QTPK4 | Tee 360um quick mount 100um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QTPK6 | Tee 360um quick mount 150um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QTPKG2 | OBSOLETE replaced by C360QTPK2 | |
| C360QTPKG4 | OBSOLETE replaced by C360QTPK4 | |
| C360QTPKG6 | OBSOLETE replaced by C360QTPK6 | |
| C360QUPK2 | Union 360um quick mount 50um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QUPK4 | Union 360um quick mount 100um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QUPK6 | Union 360um quick mount 150um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QUPKG2 | OBSOLETE replaced by C360QUPK2 | |
| C360QUPKG4 | OBSOLETE replaced by C360QUPK4 | |
| C360QUPKG6 | OBSOLETE replaced by C360QUPK6 | |
| C360QXPK2 | Cross 360um quick mount 50um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QXPK4 | Cross 360um quick mount 100um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QXPK6 | Cross 360um quick mount 150um bore | for PEEK and FS Tubing (for < 10 kpsi) |
| C360QXPKG2 | OBSOLETE replaced by C360QXPK2 | |
| C360QXPKG4 | OBSOLETE replaced by C360QXPK4 | |
| C360QXPKG6 | OBSOLETE replaced by C360QXPK6 | |
| C360RU.5FS2 | Reducing union 1/32in to 360um | 50um bore for FS tubing (for > 10 kpsi) |
| C360RU.5FS4 | Reducing union 1/32in to 360um | 100um bore for FS tubing (for > 10 kpsi) |
| C360RU.5FS6 | Reducing union 1/32in to 360um | 150um bore for FS tubing (for > 10 kpsi) |
| C360RU.5S62 | Reducing union 1/32in to 360um | 50um bore for metal tubing (up to 20 kpsi) |
| C360RU.5S64 | Reducing union 1/32in to 360um | 100um bore for metal tubing (up to 20 kpsi) |
| C360RU.5S66 | Reducing union 1/32in to 360um | 150um bore for metal tubing (up to 20 kpsi) |
| C360RU1FS6 | Reducing union 1/16in to 360um | 150um bore for FS tubing (for > 10 kpsi) |
| C360RU1S66 | Reducing union 1/16in to 360um | 150um bore for metal tubing (up to 20 kpsi) |
| C360UFS2 | Union 360um 50um bore | for FS tubing (for > 10 kpsi) |
| C360UFS4 | Union 360um 100um bore | for FS tubing (for > 10 kpsi) |
| C360UFS6 | Union 360um 150um bore | for FS tubing (for > 10 kpsi) |
| C360UPK2 | Union 360um 50um bore | for PEEK and FS tubing (for < 10 kpsi) |
| C360UPK4 | Union 360um 100um bore | for PEEK and FS tubing (for < 10 kpsi) |
| C360UPK6 | Union 360um 150um bore | for PEEK and FS tubing (for < 10 kpsi) |
| C360UPKG2 | OBSOLETE replaced by C360UPK2 | |
| C360UPKG4 | OBSOLETE replaced by C360UPK4 | |
| C360UPKG6 | OBSOLETE replaced by C360UPK6 | |
| C360US62 | Union 360um 50um bore | for metal tubing (up to 20 kpsi) |
| C360US64 | Union 360um 100um bore | for metal tubing (up to 20 kpsi) |
| C360US66 | Union 360um 150um bore | for metal tubing (up to 20 kpsi) |
| C4-0004-.01 | 4 port 2-pos int vol valve manual | 1/16 x .15mm 75C/5000psi liq .01ul N60/H |
| C4-0004-.01A | 4 port 2-pos int vol valve air actuated | 1/16 x .15mm 75C/5000psi liq .01ul N60/H |
| C4-0004-.01D | 4 port 2-pos int vol valve replacement | 1/16 x .15mm 75C/5000psi liq .01ul N60/H |
| C4-0004-.01E | 4 port 2-pos int vol valve std-electric | 1/16 x .15mm 75C/5000psi liq .01ul N60/H |
| C4-0004-.01EH | 4 port 2-pos int vol valve m-electric | 1/16 x .15mm 75C/5000psi liq .01ul N60/H |
| C4-0004-.02 | 4 port 2-pos int vol valve manual | 1/16 x .15mm 75C/5000psi liq .02ul N60/H |
| C4-0004-.02A | 4 port 2-pos int vol valve air actuated | 1/16 x .15mm 75C/5000psi liq .02ul N60/H |
| C4-0004-.02D | | 0/H |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| C4-0004-.02E | 4 port 2-pos int vol valve std-electric | 1/16 x .15mm 75C/5000psi liq .02ul N60/H |
| C4-0004-.02EH | 4 port 2-pos int vol valve m-electric | 1/16 x .15mm 75C/5000psi liq .02ul N60/H |
| C4-0004-.05 | 4 port 2-pos int vol valve manual | 1/16 x .15mm 75C/5000psi liq .05ul N60/H |
| C4-0004-.05A | 4 port 2-pos int vol valve air actuated | 1/16 x .15mm 75C/5000psi liq .05ul N60/H |
| C4-0004-.05D | 4 port 2-pos int vol valve replacement | 1/16 x .15mm 75C/5000psi liq .05ul N60/H |
| C4-0004-.05E | 4 port 2-pos int vol valve std-electric | 1/16 x .15mm 75C/5000psi liq .05ul N60/H |
| C4-0004-.05EH | 4 port 2-pos int vol valve m-electric | 1/16 x .15mm 75C/5000psi liq .05ul N60/H |
| C4-00R-.01 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .15mm 75C/5000psi liq .01ul H |
| C4-00R-.02 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .15mm 75C/5000psi liq .02ul H |
| C4-00R-.05 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .15mm 75C/5000psi liq .05ul H |
| C4-0344-.01 | 4 port 2-pos int vol valve manual | 1/16 x .15mm 50C/5000psi liq .01ul PAEK/E |
| C4-0344-.01A | 4 port 2-pos int vol valve air actuated | 1/16 x .15mm 50C/5000psi liq .01ul PAEK/E |
| C4-0344-.01D | 4 port 2-pos int vol valve replacement | 1/16 x .15mm 50C/5000psi liq .01ul PAEK/E |
| C4-0344-.01E | 4 port 2-pos int vol valve std-electric | 1/16 x .15mm 50C/5000psi liq .01ul PAEK/E |
| C4-0344-.01EH | 4 port 2-pos int vol valve m-electric | 1/16 x .15mm 50C/5000psi liq .01ul PAEK/E |
| C4-0344-.02 | 4 port 2-pos int vol valve manual | 1/16 x .15mm 50C/5000psi liq .02ul PAEK/E |
| C4-0344-.02A | 4 port 2-pos int vol valve air actuated | 1/16 x .15mm 50C/5000psi liq .02ul PAEK/E |
| C4-0344-.02D | 4 port 2-pos int vol valve replacement | 1/16 x .15mm 50C/5000psi liq .02ul PAEK/E |
| C4-0344-.02E | 4 port 2-pos int vol valve std-electric | 1/16 x .15mm 50C/5000psi liq .02ul PAEK/E |
| C4-0344-.02EH | 4 port 2-pos int vol valve m-electric | 1/16 x .15mm 50C/5000psi liq .02ul PAEK/E |
| C4-0344-.05 | 4 port 2-pos int vol valve manual | 1/16 x .15mm 50C/5000psi liq .05ul PAEK/E |
| C4-0344-.05A | 4 port 2-pos int vol valve air actuated | 1/16 x .15mm 50C/5000psi liq .05ul PAEK/E |
| C4-0344-.05D | 4 port 2-pos int vol valve replacement | 1/16 x .15mm 50C/5000psi liq .05ul PAEK/E |
| C4-0344-.05E | 4 port 2-pos int vol valve std-electric | 1/16 x .15mm 50C/5000psi liq .05ul PAEK/E |
| C4-0344-.05EH | 4 port 2-pos int vol valve m-electric | 1/16 x .15mm 50C/5000psi liq .05ul PAEK/E |
| C4-03R-.01 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .15mm 50C/5000psi liq .01ul E |
| C4-03R-.02 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .15mm 50C/5000psi liq .02ul E |
| C4-03R-.05 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .15mm 50C/5000psi liq .05ul E |
| C4-0C0 | Stator 4 port 2-pos int vol C4-valve | 1/16 x .15mm N60 |
| C4-0C4 | Stator 4 port 2-pos int vol C4-valve | 1/16 x .15mm PAEK |
| C4-1004-.1 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 75C/5000psi liq .1ul N60/H |
| C4-1004-.1A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 75C/5000psi liq .1ul N60/H |
| C4-1004-.1D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 75C/5000psi liq .1ul N60/H |
| C4-1004-.1E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 75C/5000psi liq .1ul N60/H |
| C4-1004-.1EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 75C/5000psi liq .1ul N60/H |
| C4-1004-.2 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 75C/5000psi liq .2ul N60/H |
| C4-1004-.2A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 75C/5000psi liq .2ul N60/H |
| C4-1004-.2D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 75C/5000psi liq .2ul N60/H |
| C4-1004-.2E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 75C/5000psi liq .2ul N60/H |
| C4-1004-.2EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 75C/5000psi liq .2ul N60/H |
| C4-1004-.5 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 75C/5000psi liq .5ul N60/H |
| C4-1004-.5A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 75C/5000psi liq .5ul N60/H |
| C4-1004-.5D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 75C/5000psi liq .5ul N60/H |
| C4-1004-.5E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 75C/5000psi liq .5ul N60/H |
| C4-1004-.5EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 75C/5000psi liq .5ul N60/H |
| C4-1034-.1 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 75C/5000psi liq .1ul Ti/H |
| C4-1034-.1A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 75C/5000psi liq .1ul Ti/H |
| C4-1034-.1D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 75C/5000psi liq .1ul Ti/H |
| C4-1034-.1E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 75C/5000psi liq .1ul Ti/H |
| C4-1034-.1EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 75C/5000psi liq .1ul Ti/H |
| C4-1034-.2 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 75C/5000psi liq .2ul Ti/H |
| C4-1034-.2A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 75C/5000psi liq .2ul Ti/H |
| C4-1034-.2D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 75C/5000psi liq .2ul Ti/H |
| C4-1034-.2E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 75C/5000psi liq .2ul Ti/H |
| C4-1034-.2EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 75C/5000psi liq .2ul Ti/H |
| C4-1034-.5 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 75C/5000psi liq .5ul Ti/H |
| C4-1034-.5A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 75C/5000psi liq .5ul Ti/H |
| C4-1034-.5D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 75C/5000psi liq .5ul Ti/H |
| C4-1034-.5E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 75C/5000psi liq .5ul Ti/H |
| C4-1034-.5EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 75C/5000psi liq .5ul Ti/H |
| C4-10R-.1 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| C4-10R-.2 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .25mm 75C/5000psi liq .2ul H |
| C4-10R-.5 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .25mm 75C/5000psi liq .5ul H |
| C4-1344-.1 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/5000psi liq.1ul PAEK/E |
| C4-1344-.1A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 50C/5000psi liq.1ul PAEK/E |
| C4-1344-.1D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/5000psi liq.1ul PAEK/E |
| C4-1344-.1E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 50C/5000psi liq.1ul PAEK/E |
| C4-1344-.1EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 50C/5000psi liq.1ul PAEK/E |
| C4-1344-.2 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/5000psi liq.2ul PAEK/E |
| C4-1344-.2A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 50C/5000psi liq.2ul PAEK/E |
| C4-1344-.2D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/5000psi liq.2ul PAEK/E |
| C4-1344-.2E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 50C/5000psi liq.2ul PAEK/E |
| C4-1344-.2EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 50C/5000psi liq.2ul PAEK/E |
| C4-1344-.5 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/5000psi liq.5ul PAEK/E |
| C4-1344-.5A | 4 port 2-pos int vol valve air act | 1/16 x .25mm 50C/5000psi liq.5ul PAEK/E |
| C4-1344-.5D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/5000psi liq.5ul PAEK/E |
| C4-1344-.5E | 4 port 2-pos int vol valve std-elect | 1/16 x .25mm 50C/5000psi liq.5ul PAEK/E |
| C4-1344-.5EH | 4 port 2-pos int vol valve m-elect | 1/16 x .25mm 50C/5000psi liq.5ul PAEK/E |
| C4-13R-.1 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .25mm 50C/5000psi liq .1ul E |
| C4-13R-.2 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .25mm 50C/5000psi liq .2ul E |
| C4-13R-.5 | Rotor seal 4 port 2-pos int vol valve | 1/16 x .25mm 50C/5000psi liq .5ul E |
| C4-1C0 | Stator 4 port 2-pos int vol C4-valve | 1/16 x .25mm N60 |
| C4-1C3 | Stator 4 port 2-pos int vol C4-valve | 1/16 x .25mm Titanium |
| C4-1C4 | Stator 4 port 2-pos int vol C4-valve | 1/16 x .25mm PAEK |
| C45-9784A | 4 mpos dead-end path air act | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-9784D | 4 mpos dead-end path replacement | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-9784E | 4 mpos dead-end path m-elect | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-9784EMT | 4 mpos dead-end path m-elect | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-9786A | OBSOLETE USE C45-9786AH | |
| C45-9786D | 6 mpos dead-end path replacement | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-9786E | 6 mpos dead-end path m-elect | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-9786EMT | 6 mpos dead-end path m-elect | 1/2in -20 x 4.6mm 50C/100psi liq PPS/PTFE |
| C45-97R4 | Rotor 4 mpos C45-valve | 1/2in -20 x 4.6mm 50C/100psi liq E2 |
| C45-97R6 | OBSOLETE USE C-316 | |
| C4UW | !!! RECOMMEND 2C4UW | SUPPLIED WITH LARGER HANDLE |
| C4UWE | 4 port 2-pos valve manual | 1/16 x .75mm 225C/400psi gas N60/E |
| C4W | 4 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C4WE | 4 port 2-pos valve manual | 1/16 x .4mm 225C/400psi gas N60/E |
| C5-2004 | 4 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2004A | 4 mpos dead-end path air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2004D | 4 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2004E | OBSOLETE USE C5-2004EMH | |
| C5-2004EMH | 4 mpos dead-end path m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2006 | 6 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2006A | 6 mpos dead-end path air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2006D | 6 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2006E | OBSOLETE USE C5-2006EMH | |
| C5-2006EMH | 6 mpos dead-end path m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2006EMTD | 6 mpos dead-end path m-elect dual drive | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5-2034 | 4 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2034A | 4 mpos dead-end path air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2034D | 4 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2034E | OBSOLETE USE C5-2034EMH | |
| C5-2034EMH | 4 mpos dead-end path m-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2036 | 6 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2036A | 6 mpos dead-end path air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2036D | 6 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-2036E | OBSOLETE USE C5-2036EMH | |
| C5-2036EMH | 6 mpos dead-end path m-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5-20R0H | Rotor seal 10 mpos (.180BC) dead-end path valve | 1/16 x .4mm 75C/5000psi liq H |
| C5-20R4 | Rotor seal 4 mpos dead-end path valve | 1/16 x .4mm 75C/5000psi liq H |
| C5-20R6 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C5-20R8H | Rotor seal 8 mpos (.180BC) dead-end path valve | 1/16 x .4mm 75C/5000psi liq H |
| C52-1000I | 10 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1000I-S | 10 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1000IX | 10 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1004I | 4 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1004I-S | 4 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1004IX | 4 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1006I | 6 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1006I-S | 6 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1006IX | 6 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1008I | 8 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1008I-S | 8 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1008IX | 8 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq N60/H |
| C52-1340I | 10 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1340I-S | 10 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1340IX | 10 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1344I | 4 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1344I-S | 4 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1344IX | 4 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1346I | 6 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1346I-S | 6 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1346IX | 6 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1348I | 8 port 2-pos valve motor sensor controller | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1348I-S | 8 port 2-pos valve motor sensor | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1348IX | 8 port 2-pos valve motor only | 1/16 x .25mm 40C/5000psi liq PAEK/E |
| C52-1C00 | Stator 10 port 2-pos C52-valve | 1/16 x .25mm (.180) N60 |
| C52-1C04 | Stator 4 port 2-pos C52-valve | 1/16 x .25mm (.180) N60 |
| C52-1C06 | Stator 6 port 2-pos C52-valve | 1/16 x .25mm N60 |
| C52-1C08 | Stator 8 port 2-pos C52-valve | 1/16 x .25mm (.180) N60 |
| C52-1C40 | Stator 10 port 2-pos C52-valve | 1/16 x .25mm (.100) E3 |
| C52-1C44 | Stator 4 port 2-pos C52-valve | 1/16 x .25mm (.100) E3 |
| C52-1C46 | Stator 6 port 2-pos C52-valve | 1/16 x .25mm (.100) E3 |
| C52-1C48 | Stator 8 port 2-pos C52-valve | 1/16 x .25mm (.100) E3 |
| C52-2000I | 10 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2000I-S | 10 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2000IX | 10 port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2004I | 4 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2004I-S | 4port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2004IX | 4port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2006I | 6 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2006I-S | 6 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2006IX | 6port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2008I | 8 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2008I-S | 8 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2008IX | 8port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq N60/H |
| C52-2340I | 10 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2340I-S | 10 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2340IX | 10 port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2344I | 4 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2344I-S | 4 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2344IX | 4 port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2346I | 6 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2346I-S | 6 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2346IX | 6 port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2348I | 8 port 2-pos valve motor sensor controller | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2348I-S | 6 port 2-pos valve motor sensor | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2348IX | 8 port 2-pos valve motor only | 1/16 x .4mm 40C/5000psi liq PAEK/E |
| C52-2C00 | Stator 10 port 2-pos C52-valve | 1/16 x .4mm N60 |
| C52-2C04 | Stator 4 port 2-pos C52-valve | 1/16 x .4mm N60 |
| C52-2C06 | Stator 6 port 2-pos C52-valve | 1/16 x .4mm N60 |
| C52-2C08 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C52-2C40 | Stator 10 port 2-pos C52-valve | 1/16 x .4mm PAEK |
| C52-2C44 | Stator 4 port 2-pos C52-valve | 1/16 x .4mm PAEK |
| C52-2C46 | Stator 6 port 2-pos C52-valve | 1/16 x .4mm PAEK |
| C52-2C48 | Stator 8 port 2-pos C52-valve | 1/16 x .4mm PAEK |
| C5-2344 | 4 mpos dead-end path manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2344A | 4 mpos dead-end path air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2344D | 4 mpos dead-end path replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2344E | OBSOLETE USE C5-2344EMH | |
| C5-2344EMH | 4 mpos dead-end path m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2346 | 6 mpos dead-end path manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2346A | 6 mpos dead-end path air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2346D | 6 mpos dead-end path replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2346E | OBSOLETE USE C5-2346EMH | |
| C5-2346EMH | 6 mpos dead-end path m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-2346EMHD | !!! RECOMMEND C5-2346EMTD | |
| C5-2346EMTD | 6 mpos dead-end path m-elect dual drive | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5-23R0H | Rotor seal 10 mpos (.180BC) dead-end path valve | 1/16 x .4mm 50C/5000psi liq E |
| C5-23R4 | Rotor seal 4 mpos dead-end path valve | 1/16 x .4mm 50C/5000psi liq E |
| C5-23R6 | Rotor seal 6 mpos dead-end path valve | 1/16 x .4mm 50C/5000psi liq E |
| C5-23R8H | Rotor seal 8 mpos (.180BC) dead-end path valve | 1/16 x .4mm 50C/5000psi liq E |
| C5-2C00H | Stator 10 mpos (.180BC) dead-end path C5-valve | 1/16 x .4mm N60 |
| C5-2C04 | Stator 4 mpos dead-end path C5-valve | 1/16 x .4mm N60 |
| C5-2C06 | Stator 6 mpos dead-end path C5-valve | 1/16 x .4mm N60 |
| C5-2C08H | Stator 8 mpos (.180BC) dead-end path C5-valve | 1/16 x .4mm N60 |
| C5-2C30H | Stator 10 mpos (.180BC) dead-end path C5-valve | 1/16 x .4mm Titanium |
| C5-2C34 | Stator 4 mpos dead-end path C5-valve | 1/16 x .4mm Titanium |
| C5-2C36 | Stator 6 mpos dead-end path C5-valve | 1/16 x .4mm Titanium |
| C5-2C38H | Stator 8 mpos (.180BC) dead-end path C5-valve | 1/16 x .4mm Titanium |
| C5-2C40H | Stator 10 mpos (.180BC) dead-end path C5-valve | 1/16 x .4mm PEAK |
| C5-2C44 | Stator 4 mpos dead-end path C5-valve | 1/16 x .4mm PAEK |
| C5-2C46 | Stator 6 mpos dead-end path C5-valve | 1/16 x .4mm PAEK |
| C5-2C48H | Stator 8 mpos (.180BC) dead-end path C5-valve | 1/16 x .4mm PAEK |
| C55-2000I | 10 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2000I-S | 10 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2000IX | 10 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2004I | 4 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2004I-S | 4 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2004IX | 4 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2006I | 6 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2006I-S | 6 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2006IX | 6 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2008I | 8 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2008I-S | 8 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2008IX | 8 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq N60/H |
| C55-2340I | 10 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2340I-S | 10 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2340IX | 10 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2344I | 4 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2344I-S | 4 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2344IX | 4 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2346I | 6 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2346I-S | 6 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2346IX | 6 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2348I | 8 mpos valve motor sensor controller | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2348I-S | 8 mpos valve motor sensor | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2348IX | 8 mpos valve motor only | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C55-2C00 | Stator 10 mpos dead-end path C55-valve | 1/16 x .4mm N60 |
| C55-2C04 | Stator 4 mpos dead-end path C55-valve | 1/16 x .4mm N60 |
| C55-2C06 | Stator 6 mpos dead-end path C55-valve | 1/16 x .4mm N60 |
| C55-2C08 | Stator 8 mpos dead-end path C55-valve | 1/16 x .4mm N60 |
| C55-2C40 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C55-2C44 | Stator 4 mpos dead-end path C55-valve | 1/16 x .4mm PAEK |
| C55-2C46 | Stator 6 mpos dead-end path C55-valve | 1/16 x .4mm PAEK |
| C55-2C48 | Stator 8 mpos dead-end path C55-valve | 1/16 x .4mm PAEK |
| C5H-2000 | 10 mpos dead-end path (.180BC) manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2000A | 10 mpos dead-end path (.180BC) air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2000D | 10 mpos dead-end path (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2000E | OBSOLETE USE C5H-2000EMT | |
| C5H-2000EMT | 10 mpos dead-end path (.180BC) m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2000EMTD | 10 mpos dead-end path(.180BC) m-elect dual drive | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2008 | 8 mpos dead-end path (.180BC) manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2008A | 8 mpos dead-end path (.180BC) air act | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2008D | 8 mpos dead-end path (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2008E | OBSOLETE USE C5H-2008EMT | |
| C5H-2008EMT | 8 mpos dead-end path (.180BC) m-elect | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2008EMTD | 8 mpos dead-end path (.180BC) m-elect dual drive | 1/16 x .4mm 75C/5000psi liq N60/H |
| C5H-2030 | 10 mpos dead-end path (.180BC) manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2030A | 10 mpos dead-end path (.180BC) air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2030D | 10 mpos dead-end path (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2030E | OBSOLETE USE C5H-2030EMT | |
| C5H-2030EMT | 10 mpos dead-end path (.180BC) m-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2038 | 8 mpos dead-end path (.180BC) manual | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2038A | 8 mpos dead-end path (.180BC) air act | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2038D | 8 mpos dead-end path (.180BC) replacement | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2038E | OBSOLETE USE C5H-2038EMT | |
| C5H-2038EMT | 8 mpos dead-end path (.180BC) m-elect | 1/16 x .4mm 75C/5000psi liq Ti/H |
| C5H-2340 | 10 mpos dead-end path (.180BC) manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2340A | 10 mpos dead-end path (.180BC) air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2340D | 10 mpos dead-end path (.180BC) replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2340E | OBSOLETE USE C5H-2340EMT | |
| C5H-2340EMT | 10 mpos dead-end path (.180BC) m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2340EMTD | 10 mpos dead-end path(.180BC) m-elect dual drive | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2348 | 8 mpos dead-end path (.180BC) manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2348A | 8 mpos dead-end path (.180BC) air act | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2348D | 8 mpos dead-end path (.180BC) replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2348E | OBSOLETE USE C5H-2348EMT | |
| C5H-2348EMT | 8 mpos dead-end path (.180BC) m-elect | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5H-2348EMTD | 8 mpos dead-end path (.180BC) m-elect dual drive | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C5M1KF | Cheminert manifold 1/4in -28 1/16in OD tubing | 4 inlets 1 outlet .75mm bore CTFE |
| C5M1PK | Cheminert manifold 1/4in -28 1/16in OD tubing | 4 inlets 1 outlet .75mm bore PEEK |
| C5M2KF | Cheminert manifold 1/4in -28 1/8in OD tubing | 4 inlets 1 outlet 1.5mm bore CTFE |
| C5M2PK | Cheminert manifold 1/4in -28 1/8in OD tubing | 4 inlets 1 outlet 1.5mm bore PEEK |
| C6-1006 | 6 port 2-pos valve cont. flow manual | 1/16 x .25mm 75C/5000psi liq N60/H |
| C6-1006A | 6 port 2-pos valve cont. flow air actuator | 1/16 x .25mm 75C/5000psi liq N60/H |
| C6-1006D | 6 port 2-pos valve cont. flow replacement | 1/16 x .25mm 75C/5000psi liq N60/H |
| C6-1006E | 6 port 2-pos valve cont. flow std. electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C6-1006EH | 6 port 2-pos valve cont. flow m-electric | 1/16 x .25mm 75C/5000psi liq N60/H |
| C6-1346 | 6 port 2-pos valve cont. flow manual | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C6-1346A | 6 port 2-pos valve cont. flow air actuator | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C6-1346D | 6 port 2-pos valve cont. flow replacement | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C6-1346E | 6 port 2-pos valve cont. flow std. electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C6-1346EH | 6 port 2-pos valve cont. flow m-electric | 1/16 x .25mm 50C/5000psi liq PAEK/E |
| C6-1C06 | Stator 6 port 2-pos C6-valve | 1/16 x .25mm N60 |
| C6-1C46 | Stator 6 port 2-pos cont. flow valve | 1/16 x .25mm PAEK |
| C6-2006 | 6 port 2-pos valve cont. flow manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C6-2006A | 6 port 2-pos valve cont. flow air actuator | 1/16 x .4mm 75C/5000psi liq N60/H |
| C6-2006D | 6 port 2-pos valve cont. flow replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| C6-2006E | 6 port 2-pos valve cont. flow std. electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| C6-2006EH | 6 port 2-pos valve cont. flow m-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| C62-3180I | 10 port 2-pos valve motor sensor controller | 1/4in -28 x 0.75mm 75C/250psi liq PPS/E2 |
| C62-3180I-S | 10 port 2-pos valve motor sensor | 1/4in -28 x 0.75mm 75C/250psi liq PPS/E2 |
| C62-3184I | | S/E2 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| C62-3184I-S | 4 port 2-pos valve motor sensor | 1/4in -28 x 0.75mm 75C/250psi liq PPS/E2 |
| C62-3186I | 6 port 2-pos valve motor sensor controller | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C62-3186I-S | 6 port 2-pos valve motor sensor | 1/4in -28 x 0.75mm 75C/250psi liq PPS/E2 |
| C62-3188I | 8 port 2-pos valve motor sensor controller | 1/4in -28 x 0.75mm 75C/250psi liq PPS/E2 |
| C62-3188I-S | 8 port 2-pos valve motor sensor | 1/4in -28 x 0.75mm 75C/250psi liq PPS/E2 |
| C6-2346 | 6 port 2-pos valve cont. flow manual | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C6-2346A | 6 port 2-pos valve cont. flow air actuator | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C6-2346D | 6 port 2-pos valve cont. flow replacement | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C6-2346E | 6 port 2-pos valve cont. flow std. electric | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C6-2346EH | 6 port 2-pos valve cont. flow m-electric | 1/16 x .4mm 50C/5000psi liq PAEK/E |
| C62-6180I | 10 port 2-pos valve motor sensor controller | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C62-6180I-S | 10 port 2-pos valve motor sensor | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C62-6184I | 4 port 2-pos valve motor sensor controller | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C62-6184I-S | 4 port 2-pos valve motor sensor | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C62-6186I | 6 port 2-pos valve motor sensor controller | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C62-6186I-S | 6 port 2-pos valve motor sensor | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C62-6188I | 8 port 2-pos valve motor sensor controller | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C62-6188I-S | 6 port 2-pos valve motor sensor | 1/4in -28 x 1.5mm 75C/250psi liq PPS/E2 |
| C6-2C06 | Stator 6 port 2-pos cont. flow valve | 1/16 x .4mm N60 |
| C6-2C46 | Stator 6 port 2-pos cont. flow valve | 1/16 x .4mm PAEK |
| C62Z-3180I | 10 port 2-pos valve motor sensor controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3180I-S | 10 port 2-pos valve motor sensor | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3184I | 4 port 2-pos valve motor sensor controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3184I-S | 4 port 2-pos valve motor sensor | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3186I | 6 port 2-pos valve motor sensor controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3186I-S | 6 port 2-pos valve motor sensor | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3188I | 8 port 2-pos valve motor sensor controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C62Z-3188I-S | 8 port 2-pos valve motor sensor | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65-3180I | 10 mpos dead-end path motor sensor controller | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3180I-S | 10 mpos dead-end path motor sensor | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3184I | 4 mpos dead-end path motor sensor controller | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3184I-S | 4 mpos dead-end path motor sensor | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3186I | 6 mpos dead-end path motor sensor controller | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3186I-S | 6 mpos dead-end path motor sensor | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3188I | 8 mpos dead-end path motor sensor controller | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-3188I-S | 8 mpos dead-end path motor sensor | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-6180I | 10 mpos dead-end path motor sensor controller | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-6180I-S | 10 mpos dead-end path motor sensor | 1/4in -28 x 0.75mm 50C/250psi liq PPS/E2 |
| C65-6184I | 4 mpos dead-end path motor sensor controller | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C65-6184I-S | 4 mpos dead-end path motor sensor | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C65-6186I | 6 mpos dead-end path motor sensor controller | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C65-6186I-S | 6 mpos dead-end path motor sensor | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C65-6188I | 8 mpos dead-end path motor sensor controller | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C65-6188I-S | 8 mpos dead-end path motor sensor | 1/4in -28 x 1.5mm 50C/250psi liq PPS/E2 |
| C65Z-3180I | 10 mpos dead-end path motorsensorw/o controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3180I-S | 10 mpos dead-end pathmotor sensorw/o controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3184I | 4 mpos dead-end path integrated actuator | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3184I-S | 4 mpos dead-end path motor sensorw/o controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3186I | 6 mpos dead-end path integrated actuator | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3186I-S | 6 mpos dead-end path motor sensorw/o controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3188I | 8 mpos dead-end path integrated actuator | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C65Z-3188I-S | 8 mpos dead-end path motor sensorw/o controller | 1/16in x .75mm 50C/250psi liq PPS/E2 |
| C6UW | !!! RECOMMEND 2C6UW | SUPPLIED WITH LARGER HANDLE |
| C6UWE | 6 port 2-pos valve manual | 1/16 x .75mm 225C/400psi gas N60/E |
| C6W | 6 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C6WE | 6 port 2-pos valve manual | 1/16 x .4mm 225C/400psi gas N60/E |
| C72-16R0 | Rotor seal 10 port 2-pos C72-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C72-16R4 | Rotor seal 4 port 2-pos C72-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C72-16R6 | Rotor seal 6 port 2-pos C72-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C72-16R8 | Rotor seal 8 port 2-pos C72-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C72-1C90 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| C72-1C94 | Stator 4 port 2-pos C72-valve | 1/16 x .25mmN60C |
| C72-1C96 | Stator 6 port 2-pos C72-valve | 1/16 x .25mm N60C |
| C72-1C98 | Stator 8 port 2-pos C72-valve | 1/16 x .25mm N60C |
| C72H-1690 | 10 port 2-pos valve | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1690A | 10 port 2-pos valve air actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1690D | 10 port 2-pos valve replacement | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1690E | 10 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1690ED | 10 port 2-pos valve m-electric | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1694 | 4 port 2-pos valve | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1694A | 4 port 2-pos valve air actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1694D | 4 port 2-pos valve replacement | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1694E | 4 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1694EH | 4 port 2-pos valve m-electric | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1696 | 6 port 2-pos valve manual | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1696A | 6 port 2-pos valve air actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1696D | 6 port 2-pos valve replacement | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1696E | 6 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1696EH | 6 port 2-pos valve m-electric | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1698 | 8 port 2-pos valve manual | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1698A | 8 port 2-pos valve air actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1698D | 8 port 2-pos valve replacement | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1698E | 8 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72H-1698ED | 8 port 2-pos valve m-electric | 1/16 x .25mm 50C/10000psi liq N60C/E3 |
| C72M-46R6 | Rotor seal 6 port 2-pos C72M-valve | 360µm .10mm 50C/all pressures liqE3 |
| C72M-4C94 | Stator 4 port 2-pos C72M-valve | 360um .10mm N60C |
| C72M-4C96 | Stator 6 port 2-pos C72M-valve | 360um .10mm N60C |
| C72M-66R0 | Rotor seal 10 port 2-pos C72M-valve | 360µm .15mm 50C/all pressures liqE3 |
| C72M-66R6 | Rotor seal 6 port 2-pos C72M-valve | 360µm .15mm 50C/all pressures liqE3 |
| C72M-6C90 | Stator 10 port 2-pos C72M-valve | 360um .15mm N60C |
| C72M-6C96 | Stator 6 port 2-pos C72M-valve | 360um .15mm N60C |
| C72MH-4696D | 6 port 2-pos valve replacement | 360um x .10mm 50C/10000psi liq N60C/E3 |
| C72MH-4696EH | 6 port 2-pos valve m-electric | 360um x .10mm 50C/10000psi liq N60C/E3 |
| C72MU-4694 | 4 port 2-pos valve manual | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4694A | 4 port 2-pos valve air act | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4694D | 4 port 2-pos valve replacement | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4694E | 4 port 2-pos valve std-elect | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4694EH | 4 port 2-pos valve m-elect | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4696 | 6 port 2-pos valve manual | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4696A | 6 port 2-pos valve air act | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4696D | 6 port 2-pos valve replacement | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4696E | 6 port 2-pos valve std-elect | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MU-4696EH | 6 port 2-pos valve m-elect | 360um x .10mm 50C/20000psi liq N60C/E3 |
| C72MX-6690 | 10 port 2-pos valve manual | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6690A | 10 port 2-pos valve air act. | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6690D | 10 port 2-pos valve replacement | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6690E | 10 port 2-pos valve std-elect. | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6690ED | 10 port 2-pos valve m-elect. | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6696 | 6 port 2-pos valve manual | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6696A | 6 port 2-pos valve air act. | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6696D | 6 port 2-pos valve replacement | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6696E | 6 port 2-pos valve std-elect. | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72MX-6696EH | 6 port 2-pos valve m-elect. | 360um x .15mm 50C/15000psi liq N60C/E3 |
| C72N-66R0 | Rotor seal 10 port 2-pos C72N-valve | 1/32 x .15mm 50C/all pressures liqE3 |
| C72N-66R6 | Rotor seal 6 port 2-pos C72N-valve | 1/32 x .15mm 50C/all pressures liqE3 |
| C72N-6C90 | Stator 10 port 2-pos C2N-valve | 1/32 x .15mm N60C |
| C72N-6C96 | Stator 6 port 2-pos C2N-valve | 1/32 x .15mm N60C |
| C72NX-6690 | 10 port 2-pos valve manual | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6690A | 10 port 2-pos valve air actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6690D | 10 port 2-pos valve replacement | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6690E | 10 port 2-pos valve standard electric actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6690ED | | E3 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| C72NX-6696 | 6 port 2-pos valve manual | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6696A | 6 port 2-pos valve air actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6696D | 6 port 2-pos valve replacement | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6696E | 6 port 2-pos valve standard electric actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72NX-6696EH | 6 port 2-pos valve m-electric | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C72X-1690 | 10 port 2-pos valvemanual | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1690A | 10 port 2-pos valve air actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1690D | 10 port 2-pos valve replacement | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1690E | 10 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1690ED | 10 port 2-pos valve m-electric | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1694 | 4 port 2-pos valvemanual | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1694A | 4 port 2-pos valve air actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1694D | 4 port 2-pos valve replacement | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1694E | 4 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1694EH | 4 port 2-pos valve m-electric | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1696 | 6 port 2-pos valve manual | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1696A | 6 port 2-pos valve air actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1696D | 6 port 2-pos valve replacement | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1696E | 6 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1696EH | 6 port 2-pos valve m-electric | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1698 | 8 port 2-pos valvemanual | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1698A | 8 port 2-pos valve air actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1698D | 8 port 2-pos valve replacement | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1698E | 8 port 2-pos valve standard electric actuator | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C72X-1698ED | 8 port 2-pos valve m-electric | 1/16 x .25mm 50C/15000psi liq N60C/E3 |
| C74-16R-.01 | Rotor seal 4 port 2-pos int vol valve C74-valve | 1/16 x .25mm 50C/all pressures liq .01ul E3 |
| C74-16R-.02 | Rotor seal 4 port 2-pos int vol valve C74-valve | 1/16 x .25mm 50C/all pressures liq .02ul E3 |
| C74-16R-.05 | Rotor seal 4 port 2-pos int vol valve C74-valve | 1/16 x .25mm 50C/all pressures liq .05ul E3 |
| C74-1C9 | Stator 4 port 2-pos int vol C74-valve | 1/16 x .25mm N60C |
| C74H-1694-.01 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/10000psi liq .01ul N60C/E3 |
| C74H-1694-.01A | 4 port 2-pos int vol valve air actuator | 1/16 x .25mm 50C/10000psi liq .01ul N60C/E3 |
| C74H-1694-.01D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/10000psi liq .01ul N60C/E3 |
| C74H-1694-.01E | 4 port 2-pos int vol valve std-electric | 1/16 x .25mm 50C/10000psi liq .01ul N60C/E3 |
| C74H-1694-.01EH | 4 port 2-pos int vol valve m-electric | 1/16 x .25mm 50C/10000psi liq .01ul N60C/E3 |
| C74H-1694-.02 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/10000psi liq .02ul N60C/E3 |
| C74H-1694-.02A | 4 port 2-pos int vol valve air actuator | 1/16 x .25mm 50C/10000psi liq .02ul N60C/E3 |
| C74H-1694-.02D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/10000psi liq .02ul N60C/E3 |
| C74H-1694-.02E | 4 port 2-pos int vol valve std-electric | 1/16 x .25mm 50C/10000psi liq .02ul N60C/E3 |
| C74H-1694-.02EH | 4 port 2-pos int vol valve m-electric | 1/16 x .25mm 50C/10000psi liq .02ul N60C/E3 |
| C74H-1694-.05 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/10000psi liq .05ul N60C/E3 |
| C74H-1694-.05A | 4 port 2-pos int vol valve air actuator | 1/16 x .25mm 50C/10000psi liq .05ul N60C/E3 |
| C74H-1694-.05D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/10000psi liq .05ul N60C/E3 |
| C74H-1694-.05E | 4 port 2-pos int vol valve std-electric | 1/16 x .25mm 50C/10000psi liq .05ul N60C/E3 |
| C74H-1694-.05EH | 4 port 2-pos int vol valve m-electric | 1/16 x .25mm 50C/10000psi liq .05ul N60C/E3 |
| C74N-66R-.004 | Rotor seal 4 port 2-pos int vol valve C74N-valve | 1/32 x .15mm 50C/all pressures liq .004ul E3 |
| C74N-66R-.01 | Rotor seal 4 port 2-pos int vol valve C74N-valve | 1/32 x .15mm 50C/all pressures liq .01ul E3 |
| C74N-66R-.02 | Rotor seal 4 port 2-pos int vol valve C74N-valve | 1/32 x .15mm 50C/all pressures liq .02ul E3 |
| C74N-6C9 | Stator 4 port 2-pos int vol C74N-valve | 1/32 x .15mm N60C |
| C74NX-4694-.01 | 4 port 2-pos int vol valve manual | 1/32 x .10mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.004 | 4 port 2-pos int vol valve manual | 1/32 x .15mm 50C/15000psi liq .004ul N60C/E3 |
| C74NX-6694-.004A | 4 port 2-pos int vol valve air actuator | 1/32 x .15mm 50C/15000psi liq .004ul N60C/E3 |
| C74NX-6694-.004D | 4 port 2-pos int vol valve replacement valve | 1/32 x .15mm 50C/15000psi liq .004ul N60C/E3 |
| C74NX-6694-.004E | 4 port 2-pos int vol valve std. electric actuator | 1/32 x .15mm 50C/15000psi liq .004ul N60C/E3 |
| C74NX-6694-.004EH | 4 port 2-pos int vol valve microelectric actuator | 1/32 x .15mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.01 | 4 port 2-pos int vol valve manual | 1/32 x .15mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.01A | 4 port 2-pos int vol valve air actuator | 1/32 x .15mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.01D | 4 port 2-pos int vol valve replacement valve | 1/32 x .15mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.01E | 4 port 2-pos int vol valve std. electric actuator | 1/32 x .15mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.01EH | 4 port 2-pos int vol valve microelectric actuator | 1/32 x .15mm 50C/15000psi liq .01ul N60C/E3 |
| C74NX-6694-.02 | 4 port 2-pos int vol valve manual | 1/32 x .15mm 50C/15000psi liq .02ul N60C/E3 |
| C74NX-6694-.02A | | 60C/E3 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| C74NX-6694-.02D | 4 port 2-pos int vol valve replacement valve | 1/32 x .15mm 50C/15000psi liq .02ul N60C |
| C74NX-6694-.02E | 4 port 2-pos int vol valve std. electric actuator | 1/32 x .15mm 50C/15000psi liq .02ul N60C |
| C74NX-6694-.02EH | 4 port 2-pos int vol valve microelectric actuator | 1/32 x .15mm 50C/15000psi liq .02ul N60C |
| C74X-1694-.01 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/15000psi liq .01ul N60C |
| C74X-1694-.01A | 4 port 2-pos int vol valve air actuator | 1/16 x .25mm 50C/15000psi liq .01ul N60C |
| C74X-1694-.01D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/15000psi liq .01ul N60C |
| C74X-1694-.01E | 4 port 2-pos int vol valve std-electric | 1/16 x .25mm 50C/15000psi liq .01ul N60C |
| C74X-1694-.01EH | 4 port 2-pos int vol valve m-electric | 1/16 x .25mm 50C/15000psi liq .01ul N60C/E3 |
| C74X-1694-.02 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/15000psi liq .02ul N60C/E3 |
| C74X-1694-.02A | 4 port 2-pos int vol valve air actuator | 1/16 x .25mm 50C/15000psi liq .02ul N60C/E3 |
| C74X-1694-.02D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/15000psi liq .02ul N60C/E3 |
| C74X-1694-.02E | 4 port 2-pos int vol valve std-electric | 1/16 x .25mm 50C/15000psi liq .02ul N60C/E3 |
| C74X-1694-.02EH | 4 port 2-pos int vol valve m-electric | 1/16 x .25mm 50C/15000psi liq .02ul N60C/E3 |
| C74X-1694-.05 | 4 port 2-pos int vol valve manual | 1/16 x .25mm 50C/15000psi liq .05ul N60C/E3 |
| C74X-1694-.05A | 4 port 2-pos int vol valve air actuator | 1/16 x .25mm 50C/15000psi liq .05ul N60C/E3 |
| C74X-1694-.05D | 4 port 2-pos int vol valve replacement | 1/16 x .25mm 50C/15000psi liq .05ul N60C/E3 |
| C74X-1694-.05E | 4 port 2-pos int vol valve std-electric | 1/16 x .25mm 50C/15000psi liq .05ul N60C/E3 |
| C74X-1694-.05EH | 4 port 2-pos int vol valve m-electric | 1/16 x .25mm 50C/15000psi liq .05ul N60C/E3 |
| C75-16R0 | Rotor seal 11 port 10-pos C75-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C75-16R6 | Rotor seal 7 port 6-pos C75-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C75-16R8 | Rotor seal 9 port 8-pos C75-valve | 1/16 x .25mm 50C/all pressures liqE3 |
| C75-1C90 | Stator 11 port 10-pos C75-valve | 1/16 x .25mm N60C |
| C75-1C96 | Stator 7 port 6-pos C75-valve | 1/16 x .25mm N60C |
| C75-1C98 | Stator 7 port 6-pos C75-valve | 1/16 x .25mm N60C |
| C75H-1690A | 10 mpos dead-end path air actuator | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1690D | 10 mpos dead-end path replacement | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1690E | 10 mpos dead-end path standard electric actuator | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1690EMT | 10 mpos dead-end path m-electric | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1696A | 6 mpos dead-end path air actuator | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1696D | 6 mpos dead-end path replacement | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1696E | 6 mpos dead-end path standard electric actuator | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1696EMH | 6 mpos dead-end path m-electric | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1698A | 8 mpos dead-end path air actuator | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1698D | 8 mpos dead-end path replacement | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1698E | 8 mpos dead-end path standard electric actuator | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75H-1698EMT | 8 mpos dead-end path m-electric | 1/16 x .25mm 50C/10'000psi liq N60C/E3 |
| C75N-66R0 | Rotor seal 10 mpos C75N-valve dead-end path | 1/32 x .15mm 50C/all pressures liqE3 |
| C75N-66R6 | Rotor seal 6 mpos C75N-valve dead-end path | 1/32 x .15mm 50C/all pressures liqE3 |
| C75N-66R8 | Rotor seal 8 mpos C75N-valve dead-end path | 1/32 x .15mm 50C/all pressures liqE3 |
| C75N-6C90 | Stator 10 mpos dead-end path C75N-valve | 1/32 x .15mm N60C |
| C75N-6C96 | Stator 6 mpos dead-end path C75N-valve | 1/32 x .15mm N60C |
| C75N-6C98 | Stator 8 mpos dead-end path C75N-valve | 1/32 x .15mm N60C |
| C75NX-6690A | 10 mpos dead-end path air actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6690D | 10 mpos dead-end path replacement | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6690E | 10 mpos dead-end path standard electric actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6690EMT | 10 mpos dead-end path m-electric | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6696A | 6 mpos dead-end path air actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6696D | 6 mpos dead-end path replacement | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6696E | 6 mpos dead-end path standard electric actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6696EMH | 6 mpos dead-end path m-electric | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6698A | 8 mpos dead-end path air actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6698D | 8 mpos dead-end path replacement | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6698E | 8 mpos dead-end path standard electric actuator | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C75NX-6698EMT | 8 mpos dead-end path m-electric | 1/32 x .15mm 50C/15000psi liq N60C/E3 |
| C8UW | !!! RECOMMEND 2C8UW | SUPPLIED WITH LARGER HANDLE |
| C8UWE | 8 port 2-pos valve manual | 1/16 x .75mm 225C/400psi gas N60/E |
| C8W | 8 port 2-pos valve manual | 1/16 x .4mm 75C/5000psi liq N60/H |
| C8WE | 8 port 2-pos valve manual | 1/16 x .4mm 225C/400psi gas N60/E |
| C9M1KF | Cheminert manifold 1/4in -28 1/16in OD tubing | 8 inlets 1 outlet .75mm bore CTFE |
| C9M1PK | Cheminert manifold 1/4in -28 1/16in OD tubing | 8 inlets 1 outlet .75mm bore PEEK |
| C9M2KF | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C9M2PK | Cheminert manifold 1/4in -28 1/8in OD tubing | 8 inlets 1 outlet 1.5mm bore PEEK |
| C-BOT16 | Cheminert solvent bottle 500ml | with plain cap PE |
| C-BOT32 | Cheminert solvent bottle 1000ml | with plain cap PE |
| CBUCKF | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .25mm bore CTFE |
| CBUCPK | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .25mm bore PEEK |
| CBUCS6 | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .25mm bore 316SS |
| CBUFLKF | Cheminert luer adapter bulkhead union | female luer to 1/4-28 1.5mm bore CTFE |
| CBUFLPK | Cheminert luer adapter bulkhead union | female luer to 1/4-28 1.5mm bore PEEK |
| CBUKF | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .5mm bore CTFE |
| CBULKF | Cheminert bulkhead union 1/4in -28 1/8in OD tubing | 1.5mm bore CTFE |
| CBULPK | Cheminert bulkhead union 1/4in -28 1/8in OD tubing | 1.5mm bore PEEK |
| CBULS6 | Cheminert bulkhead union 1/4in -28 1/8in OD tubing | 1.5mm bore 316SS |
| CBUMKF | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .75mm bore CTFE |
| CBUMPK | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .75mm bore PEEK |
| CBUMS6 | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .75mm bore 316SS |
| CBUPK | Cheminert bulkhead union 1/4in -28 1/16in OD tuging | .5mm bore PEEK |
| CBUS6 | Cheminert bulkhead union 1/4in -28 1/16in OD tubing | .5mm bore 316SS |
| CCKF-5 | Cheminert cap 1/4in -28 | CTFE 5/pkg |
| CCPK-5 | Cheminert cap 1/4in -28 | PEEK 5/pkg |
| CD10-4841-M1A | M10 diluter/dispenser | 10 nl - 10 ml |
| CD50-8572-M2A | M50 diluter/dispenser | 50 ul - 50 ml |
| CEF1 | Column end fitting 1/16in | .25mm bore 1mm cone without frit 316SS |
| CEF1.5 | Column end fitting 1/16in x 1/32in | .25mm bore 1mm cone without frit 316SS |
| CEF1.5F | Column end fitting 1/16in x 1/32in | .25mm bore 1mm cone removable 2um frit 316SS |
| CEF1F | Column end fitting 1/16in | .25mm bore 1mm cone removable 2um frit 316SS |
| CEF2.51.0 | Column end fitting 1/8in x 1/32in | .25mm bore 1mm cone without frit 316SS |
| CEF2.51.0F | Column end fitting 1/8in x 1/32in | .25mm bore 1mm cone removable 2um frit 316SS |
| CEF211.0 | Column end fitting 1/8in x 1/16in | .25mm bore 1mm cone without frit 316SS |
| CEF211.0F | Column end fitting 1/8in x 1/16in | .25mm bore 1mm cone removable 2um frit 316SS |
| CEF212.0 | Column end fitting 1/8in x 1/16in | .25mm bore 2mm cone without frit 316SS |
| CEF212.0F | Column end fitting 1/8in x 1/16in | .25mm bore 2mm cone removable 2um frit 316SS |
| CEF412.1 | Column end fitting 1/4in x 1/16in | .4mm bore 2.1mm cone without frit 316SS |
| CEF412.1F | Column end fitting 1/4in x 1/16in | .4mm bore 2.1mm cone removable 2um frit 316SS |
| CEF413.0 | Column end fitting 1/4in x 1/16in | .4mm bore 3mm cone without frit 316SS |
| CEF413.0F | Column end fitting 1/4in x 1/16in | .4mm bore 3mm cone removable 2um frit 316SS |
| CEF414.0 | Column end fitting 1/4in x 1/16in | .4mm bore 4mm cone without frit 316SS |
| CEF414.0F | Column end fitting 1/4in x 1/16in | .4mm bore 4mm cone removable 2um frit 316SS |
| CEF414.6 | Column end fitting 1/4in x 1/16in | .4mm bore 4.6mm cone without frit 316SS |
| CEF414.6F | Column end fitting 1/4in x 1/16in | .4mm bore 4.6mm cone removable 2um frit 316SS |
| C-EN.5FPKB | Nut External 1/32in Cheminert | PEEK black |
| CEN1KF | Cheminert external nut 1/4in -28 tube OD 1/16in | CTFE 5/pkg |
| CEN1PK | Cheminert external nut 1/4in -28 tube OD 1/16in | PEEK 5/pkg |
| CEN2KF | Cheminert external nut 1/4in -28 tube OD 1/8in | CTFE 5/pkg |
| CEN2PK | Cheminert external nut 1/4in -28 tube OD 1/8in | PEEK 5/pkg |
| CEPA2KF | Cheminert pipe connector 1/8in NPT | 1/4in -28male x M-NPT 1.5mm bore CTFE |
| CEPA2PK | Cheminert pipe connector 1/8in NPT | 1/4in -28male x M-NPT 1.5mm bore PEEK |
| CEPA4KF | Cheminert pipe connector 1/4in NPT | 1/4in -28male x M-NPT 1.5mm bore CTFE |
| CEPA4PK | Cheminert pipe connector 1/4in NPT | 1/4in -28male x M-NPT 1.5mm bore PEEK |
| C-F1.5TI | Frit Titanium PEEK-encapsulated | 0.5 micron |
| CF-1A | Cheminert nut 1/4in -28 for 1/16in OD tubing | Assorted incl. washer for flange 12/pkg |
| CF-1BE | Cheminert nut 1/4in -28 for 1/16in OD tubing | Blue incl. washer for flange 10/pkg |
| CF-1BK | Cheminert nut 1/4in -28 for 1/16in OD tubing | Black incl. washer for flange 10/pkg |
| CF-1BR | Cheminert nut 1/4in -28 for 1/16in OD tubing | Brown incl. washer for flange 10/pkg |
| CF-1DG | Cheminert nut 1/4in -28 for 1/16in OD tubing | Dark gray incl. washer for flange 10/pkg |
| CF-1E | Cheminert nut 1/4in -28 for 1/16in OD tubing | Orange incl. washer for flange 10/pkg |
| CF-1G | Cheminert nut 1/4in -28 for 1/16in OD tubing | Green incl. washer for flange 10/pkg |
| CF-1L | Cheminert nut 1/4in -28 for 1/16in OD tubing | Lavender incl. washer for flange10/pkg |
| CF-1N | Cheminert nut 1/4in -28 for 1/16in OD tubing | Natural incl. washer for flange 10/pkg |
| CF-1P | Cheminert nut 1/4in -28 for 1/16in OD tubing | Purple incl. washer for flange 10/pkg |
| CF-1R | Cheminert nut 1/4in -28 for 1/16in OD tubing | Red incl. washer for flange 10/pkg |
| CF-1W | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| CF-1Y | Cheminert nut 1/4in -28 for 1/16in OD tubing | Yellow incl. washer for flange 10/pkg |
| CF-2A | Cheminert nut 1/4in -28 for 1/8in OD tubing | Assorted incl. washer for flange 12/pkg |
| CF-2BE | Cheminert nut 1/4in -28 for 1/8in OD tubing | Blue incl. washer for flange 10/pkg |
| CF-2BK | Cheminert nut 1/4in -28 for 1/8in OD tubing | Black incl. washer for flange 10/pkg |
| CF-2BR | Cheminert nut 1/4in -28 for 1/8in OD tubing | Brown incl. washer for flange 10/pkg |
| CF-2DG | Cheminert nut 1/4in -28 for 1/8in OD tubing | Dark gray incl. washer for flange 10/pkg |
| CF-2E | Cheminert nut 1/4in -28 for 1/8in OD tubing | Orange incl. washer for flange 10/pkg |
| CF-2G | Cheminert nut 1/4in -28 for 1/8in OD tubing | Green incl. washer for flange 10/pkg |
| CF-2L | Cheminert nut 1/4in -28 for 1/8in OD tubing | Lavender incl. washer for flange 10/pkg |
| CF-2N | Cheminert nut 1/4in -28 for 1/8in OD tubing | Natural incl. washer for flange 10/pkg |
| CF-2P | Cheminert nut 1/4in -28 for 1/8in OD tubing | Purple incl. washer for flange 10/pkg |
| CF-2R | Cheminert nut 1/4in -28 for 1/8in OD tubing | Red incl. washer for flange 10/pkg |
| CF-2W | Cheminert nut 1/4in -28 for 1/8in OD tubing | White incl. washer for flange 10/pkg |
| CF-2Y | Cheminert nut 1/4in -28 for 1/8in OD tubing | Yellow incl. washer for flange 10/pkg |
| CFE-S10 | Cheminert in-line filter | 1/4in -28 10um screen SS316 PTFE/CTFE |
| CFE-S2 | Cheminert in-line filter | 1/4in -28 2um screen SS316 PTFE/CTFE |
| CFE-S75 | Cheminert in-line filter | 1/4in -28 75um screen SS316 PTFE/CTFE |
| CFL-1A | Cheminert nut 1/4in -28 for 1/16in OD tubing | Assort collapsible ferrule CTFE 12/pkg |
| CFL-1A-PK | Cheminert nut 1/4in -28 for 1/16in OD tubing | Assort collapsible ferrule PEEK 12/pkg |
| CFL-1BE | Cheminert nut 1/4in -28 for 1/16in OD tubing | Blue collapsible ferrule 5/pkg |
| CFL-1BK | Cheminert nut 1/4in -28 for 1/16in OD tubing | Black collapsible ferrule 5/pkg |
| CFL-1BR | Cheminert nut 1/4in -28 for 1/16in OD tubing | Brown collapsible ferrule 5/pkg |
| CFL-1DG | Cheminert nut 1/4in -28 for 1/16in OD tubing | Dark gray collapsible ferrule 5/pkg |
| CFL-1E | Cheminert nut 1/4in -28 for 1/16in OD tubing | Orange collapsible ferrule 5/pkg |
| CFL-1G | Cheminert nut 1/4in -28 for 1/16in OD tubing | Green collapsible ferrule 5/pkg |
| CFL-1L | Cheminert nut 1/4in -28 for 1/16in OD tubing | Lavender collapsible ferrule 5/pkg |
| CFL-1N | Cheminert nut 1/4in -28 for 1/16in OD tubing | Natural collapsible ferrule 5/pkg |
| CFL-1P | Cheminert nut 1/4in -28 for 1/16in OD tubing | Purple collapsible ferrule 5/pkg |
| CFL-1PK | Cheminert nut 1/4in -28 for 1/16in OD tubing | collapsible ferrule PEEK 5/pkg |
| CFL-1R | Cheminert nut 1/4in -28 for 1/16in OD tubing | Red collapsible ferrule 5/pkg |
| CFL-1W | Cheminert nut 1/4in -28 for 1/16in OD tubing | White collapsible ferrule 5/pkg |
| CFL-1Y | Cheminert nut 1/4in -28 for 1/16in OD tubing | Yellow collapsible ferrule 5/pkg |
| CFL-2A | Cheminert nut 1/4in -28 for 1/8in OD tubing | Assort collapsible ferrule CTFE 12/pkg |
| CFL-2A-PK | Cheminert nut 1/4in -28 for 1/8in OD tubing | Assort collapsible ferrule PEEK 12/pkg |
| CFL-2BE | Cheminert nut 1/4in -28 for 1/8in OD tubing | Blue collapsible ferrule 5/pkg |
| CFL-2BK | Cheminert nut 1/4in -28 for 1/8in OD tubing | Black collapsible ferrule 5/pkg |
| CFL-2BR | Cheminert nut 1/4in -28 for 1/8in OD tubing | Brown collapsible ferrule 5/pkg |
| CFL-2DG | Cheminert nut 1/4in -28 for 1/8in OD tubing | Dark gray collapsible ferrule 5/pkg |
| CFL-2E | Cheminert nut 1/4in -28 for 1/8in OD tubing | Orange collapsible ferrule 5/pkg |
| CFL-2G | Cheminert nut 1/4in -28 for 1/8in OD tubing | Green collapsible ferrule 5/pkg |
| CFL-2L | Cheminert nut 1/4in -28 for 1/8in OD tubing | Lavender collapsible ferrule 5/pkg |
| CFL-2N | Cheminert nut 1/4in -28 for 1/8in OD tubing | Natural collapsible ferrule 5/pkg |
| CFL-2P | Cheminert nut 1/4in -28 for 1/8in OD tubing | Purple collapsible ferrule 5/pkg |
| CFL-2PK | Cheminert nut 1/4in -28 for 1/8in OD tubing | collapsible ferrule PEEK 5/pkg |
| CFL-2R | Cheminert nut 1/4in -28 for 1/8in OD tubing | Red collapsible ferrule 5/pkg |
| CFL-2W | Cheminert nut 1/4in -28 for 1/8in OD tubing | White collapsible ferrule 5/pkg |
| CFL-2Y | Cheminert nut 1/4in -28 for 1/8in OD tubing | Yellow collapsible ferrule 5/pkg |
| CFL-4D | Cheminert nut 1/2in -20 for 1/4in OD tubing | Delrin |
| CFL-4KF | Cheminert nut 1/2in -20 for 1/4in OD tubing | CTFE |
| CFL-4PPS | Cheminert nut 1/2in -20 for 1/4in OD tubing | PPS |
| CFLAKF | Cheminert female luer adapter to 1/4-28 | 1.5mm bore CTFE |
| CFLAPFA | Cheminert female luer adapter to 1/4-28 | 1.5mm bore PFA |
| CFLAPK | Cheminert female luer adapter to 1/4-28 | 1.5mm bore PEEK |
| CFL-CB1KF | Cheminert ferrule collapsible for 1/16in OD tubing | CTFE 10/pkg |
| CFL-CB1PK | Cheminert ferrule collapsible for 1/16in OD tubing | PEEK 10/pkg |
| CFL-CB2KF | Cheminert ferrule collapsible for 1/8in OD tubing | CTFE 10/pkg |
| CFL-CB2PK | Cheminert ferrule collapsible for 1/8in OD tubing | PEEK 10/pkg |
| CFL-CB4KF-S | Cheminert bushing collapsible 1/4in OD tubing | CTFE |
| CFPA2KF | Cheminert pipe connector 1/8in NPT | 1/4in -28female x F-NPT 1.5mm bore CTFE |
| CFPA2PK | Cheminert pipe connector 1/8in NPT | 1/4in -28female x F-NPT 1.5mm bore PEEK |
| CFPA4KF | | CTFE |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| CFPA4PK | Cheminert pipe connector 1/4in NPT | 1/4in -28female x F-NPT 1.5mm bore PEE |
| CFS-A01010-010B | GC-Column FS ValcoBond VB-1 | 10m length ID 0.10mm df 0.10um |
| CFS-A01010-020B | GC-Column FS ValcoBond VB-1 | 10m length ID 0.10mm df 0.20um |
| CFS-A01018-010B | GC-Column FS ValcoBond VB-1 | 10m length ID 0.18mm df 0.10um |
| CFS-A01018-018B | GC-Column FS ValcoBond VB-1 | 10m length ID 0.18mm df 0.18um |
| CFS-A01018-040B | GC-Column FS ValcoBond VB-1 | 10m length ID 0.18mm df 0.40um |
| CFS-A01525-010B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.25mm df 0.10um |
| CFS-A01525-025B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.25mm df 0.25um |
| CFS-A01525-050B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.25mm df 0.50um |
| CFS-A01525-100B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.25mm df 1.00um |
| CFS-A01525-150B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.25mm df 1.50um |
| CFS-A01532-010B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 0.10um |
| CFS-A01532-025B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 0.25um |
| CFS-A01532-032B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 0.32um |
| CFS-A01532-050B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 0.50um |
| CFS-A01532-100B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 1.00um |
| CFS-A01532-200B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 2.00um |
| CFS-A01532-300B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 3.00um |
| CFS-A01532-400B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 4.00um |
| CFS-A01532-500B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.32mm df 5.00um |
| CFS-A01553-015B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.53mm df 0.15um |
| CFS-A01553-050B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.53mm df 0.50um |
| CFS-A01553-100B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.53mm df 1.00um |
| CFS-A01553-150B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.53mm df 1.50um |
| CFS-A01553-300B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.53mm df 3.00um |
| CFS-A01553-500B | GC-Column FS ValcoBond VB-1 | 15m length ID 0.53mm df 5.00um |
| CFS-A02010-010B | GC-Column FS ValcoBond VB-1 | 20m length ID 0.10mm df 0.10um |
| CFS-A02010-020B | GC-Column FS ValcoBond VB-1 | 20m length ID 0.10mm df 0.20um |
| CFS-A02010-040B | GC-Column FS ValcoBond VB-1 | 20m length ID 0.10mm df 0.40um |
| CFS-A03018-010B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.18mm df 0.10um |
| CFS-A03018-018B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.18mm df 0.18um |
| CFS-A03018-040B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.18mm df 0.40um |
| CFS-A03018-100B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.18mm df 1.00um |
| CFS-A03025-010B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.25mm df 0.10um |
| CFS-A03025-025B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.25mm df 0.25um |
| CFS-A03025-050B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.25mm df 0.50um |
| CFS-A03025-100B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.25mm df 1.00um |
| CFS-A03025-150B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.25mm df 1.50um |
| CFS-A03032-010B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 0.10um |
| CFS-A03032-025B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 0.25um |
| CFS-A03032-032B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 0.32um |
| CFS-A03032-050B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 0.50um |
| CFS-A03032-100B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 1.00um |
| CFS-A03032-200B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 2.00um |
| CFS-A03032-300B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 3.00um |
| CFS-A03032-400B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 4.00um |
| CFS-A03032-500B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.32mm df 5.00um |
| CFS-A03053-015B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.53mm df 0.15um |
| CFS-A03053-050B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.53mm df 0.50um |
| CFS-A03053-100B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.53mm df 1.00um |
| CFS-A03053-150B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.53mm df 1.50um |
| CFS-A03053-300B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.53mm df 3.00um |
| CFS-A03053-500B | GC-Column FS ValcoBond VB-1 | 30m length ID 0.53mm df 5.00um |
| CFS-A04018-018B | GC-Column FS ValcoBond VB-1 | 40m length ID 0.18mm df 0.18um |
| CFS-A04018-040B | GC-Column FS ValcoBond VB-1 | 40m length ID 0.18mm df 0.40um |
| CFS-A06025-010B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.25mm df 0.10um |
| CFS-A06025-025B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.25mm df 0.25um |
| CFS-A06025-050B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.25mm df 0.50um |
| CFS-A06025-100B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.25mm df 1.00um |
| CFS-A06025-150B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.25mm df 1.50um |
| CFS-A06032-010B | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| CFS-A06032-032B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 0.32um |
| CFS-A06032-050B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 0.50um |
| CFS-A06032-100B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 1.00um |
| CFS-A06032-200B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 2.00um |
| CFS-A06032-300B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 3.00um |
| CFS-A06032-400B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 4.00um |
| CFS-A06032-500B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.32mm df 5.00um |
| CFS-A06053-100B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.53mm df 1.00um |
| CFS-A06053-150B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.53mm df 1.50um |
| CFS-A06053-300B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.53mm df 3.00um |
| CFS-A06053-500B | GC-Column FS ValcoBond VB-1 | 60m length ID 0.53mm df 5.00um |
| CFS-B01010-010B | GC-Column FS ValcoBond VB-5 | 10m length ID 0.10mm df 0.10um |
| CFS-B01010-020B | GC-Column FS ValcoBond VB-5 | 10m length ID 0.10mm df 0.20um |
| CFS-B01018-018B | GC-Column FS ValcoBond VB-5 | 10m length ID 0.18mm df 0.18um |
| CFS-B01018-040B | GC-Column FS ValcoBond VB-5 | 10m length ID 0.18mm df 0.40um |
| CFS-B01525-010B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.25mm df 0.10um |
| CFS-B01525-025B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.25mm df 0.25um |
| CFS-B01525-050B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.25mm df 0.50um |
| CFS-B01525-100B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.25mm df 1.00um |
| CFS-B01532-010B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 0.10um |
| CFS-B01532-025B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 0.25um |
| CFS-B01532-050B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 0.50um |
| CFS-B01532-100B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 1.00um |
| CFS-B01532-200B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 2.00um |
| CFS-B01532-300B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 3.00um |
| CFS-B01532-500B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.32mm df 5.00um |
| CFS-B01553-050B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 0.50um |
| CFS-B01553-100B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 1.00um |
| CFS-B01553-150B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 1.50um |
| CFS-B01553-200B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 2.00um |
| CFS-B01553-265B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 2.65um |
| CFS-B01553-300B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 3.00um |
| CFS-B01553-500B | GC-Column FS ValcoBond VB-5 | 15m length ID 0.53mm df 5.00um |
| CFS-B02010-010B | GC-Column FS ValcoBond VB-5 | 20m length ID 0.10mm df 0.10um |
| CFS-B02010-020B | GC-Column FS ValcoBond VB-5 | 20m length ID 0.10mm df 0.20um |
| CFS-B02018-018B | GC-Column FS ValcoBond VB-5 | 20m length ID 0.18mm df 0.18um |
| CFS-B02018-040B | GC-Column FS ValcoBond VB-5 | 20m length ID 0.18mm df 0.40um |
| CFS-B03018-018B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.18mm df 0.18um |
| CFS-B03018-040B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.18mm df 0.40um |
| CFS-B03025-010B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.25mm df 0.25um |
| CFS-B03025-025B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.25mm df 0.25um |
| CFS-B03025-050B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.25mm df 0.50um |
| CFS-B03025-100B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.25mm df 1.00um |
| CFS-B03032-010B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 0.10um |
| CFS-B03032-025B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 0.25um |
| CFS-B03032-050B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 0.50um |
| CFS-B03032-100B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 1um |
| CFS-B03032-200B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 2.00um |
| CFS-B03032-300B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 3.00um |
| CFS-B03032-500B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.32mm df 5.00um |
| CFS-B03053-050B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.53mm df .50um |
| CFS-B03053-100B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.53mm df 1.00um |
| CFS-B03053-150B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.53mm df 1.50um |
| CFS-B03053-265B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.53mm df 2.65um |
| CFS-B03053-300B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.53mm df 3.00um |
| CFS-B03053-500B | GC-Column FS ValcoBond VB-5 | 30m length ID 0.53mm df 5.00um |
| CFS-B04018-018B | GC-Column FS ValcoBond VB-5 | 40m length ID 0.18mm df 0.18um |
| CFS-B04018-040B | GC-Column FS ValcoBond VB-5 | 40m length ID 0.18mm df 0.40um |
| CFS-B06025-010B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.25mm df 0.10um |
| CFS-B06025-025B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.25mm df 0.25um |
| CFS-B06025-050B | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| CFS-B06025-100B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.25mm df 1.00um |
| CFS-B06032-010B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.32mm df 0.10um |
| CFS-B06032-025B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.32mm df 0.25um |
| CFS-B06032-050B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.32mm df 0.50um |
| CFS-B06032-100B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.32mm df 1.00um |
| CFS-B06032-200B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.32mm df 2.00um |
| CFS-B06032-300B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.32mm df 3.00um |
| CFS-B06032-500B | GC-Column FS ValcoBond VB-7 | 60m x 0.32mm ID x 5.00df |
| CFS-B06053-100B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.53mm df 1.00um |
| CFS-B06053-150B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.53mm df 1.00um |
| CFS-B06053-200B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.53mm df 2.00um |
| CFS-B06053-265B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.53mm df 2.65um |
| CFS-B06053-300B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.53mm df 3.00um |
| CFS-B06053-500B | GC-Column FS ValcoBond VB-5 | 60m length ID 0.53mm df 5.00um |
| CFS-C01525-025B | GC-Column FS ValcoBond VB-35 | 15m length ID 0.25mm df 0.25um |
| CFS-C01525-050B | GC-Column FS ValcoBond VB-35 | 15m length ID 0.25mm df 0.50um |
| CFS-C01532-025B | GC-Column FS ValcoBond VB-35 | 15m length ID 0.32mm df 0.25um |
| CFS-C01532-050B | GC-Column FS ValcoBond VB-35 | 15m length ID 0.32mm df 0.50um |
| CFS-C01553-050B | GC-Column FS ValcoBond VB-35 | 15m length ID 0.53mm df 0.50um |
| CFS-C01553-100B | GC-Column FS ValcoBond VB-35 | 15m length ID 0.53mm df 1.00um |
| CFS-C03025-025B | GC-Column FS ValcoBond VB-35 | 30m length ID 0.25mm df 0.25um |
| CFS-C03025-050B | GC-Column FS ValcoBond VB-35 | 30m length ID 0.25mm df 0.50um |
| CFS-C03032-025B | GC-Column FS ValcoBond VB-35 | 30m length ID 0.32mm df 0.25um |
| CFS-C03032-050B | GC-Column FS ValcoBond VB-35 | 30m length ID 0.32mm df 0.50um |
| CFS-C03053-050B | GC-Column FS ValcoBond VB-35 | 30m length ID 0.53mm df 0.50um |
| CFS-C03053-100B | GC-Column FS ValcoBond VB-35 | 30m length ID 0.53mm df 1.00um |
| CFS-C06025-025B | GC-Column FS ValcoBond VB-35 | 60m length ID 0.25mm df 0.25um |
| CFS-C06025-050B | GC-Column FS ValcoBond VB-35 | 60m length ID 0.25mm df 0.50um |
| CFS-C06032-025B | GC-Column FS ValcoBond VB-35 | 60m length ID 0.32mm df 0.25um |
| CFS-C06032-050B | GC-Column FS ValcoBond VB-35 | 60m length ID 0.32mm df 0.50um |
| CFS-C06053-050B | GC-Column FS ValcoBond VB-35 | 60m length ID 0.53mm df 0.50um |
| CFS-C06053-100B | GC-Column FS ValcoBond VB-35 | 60m length ID 0.53mm df 1.00um |
| CFS-D01525-025B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.25mm df 0.25um |
| CFS-D01525-050B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.25mm df 0.50um |
| CFS-D01532-025B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.32mm df 0.25um |
| CFS-D01532-050B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.32mm df 0.50um |
| CFS-D01532-100B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.32mm df 1.0um |
| CFS-D01553-050B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.53mm df 0.50um |
| CFS-D01553-083B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.53mm df 0.83um |
| CFS-D01553-100B | GC-Column FS ValcoBond VB-50/608 | 15m length ID 0.53mm df 1.00um |
| CFS-D03025-025B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.25mm df 0.25um |
| CFS-D03025-050B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.25mm df 0.50um |
| CFS-D03032-025B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.32mm df 0.25um |
| CFS-D03032-050B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.32mm df 0.50um |
| CFS-D03032-100B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.32mm df 1.00um |
| CFS-D03053-050B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.53mm df 0.50um |
| CFS-D03053-083B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.53mm df 0.83um |
| CFS-D03053-100B | GC-Column FS ValcoBond VB-50/608 | 30m length ID 0.53mm df 1.00um |
| CFS-D06025-025B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.25mm df 0.25um |
| CFS-D06025-050B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.25mm df 0.50um |
| CFS-D06032-025B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.32mm df 0.25um |
| CFS-D06032-050B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.32mm df 0.50um |
| CFS-D06032-100B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.32mm df 1.00um |
| CFS-D06053-050B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.53mm df 0.50um |
| CFS-D06053-100B | GC-Column FS ValcoBond VB-50/608 | 60m length ID 0.53mm df 1.00um |
| CFS-E01018-100A | GC-Column FS ValcoBond VB-624 | 10m length ID 0.18mm df 1.00um |
| CFS-E01525-140A | GC-Column FS ValcoBond VB-624 | 15m length ID 0.25mm df 1.40um |
| CFS-E01532-180A | GC-Column FS ValcoBond VB-624 | 15m length ID 0.32mm df 1.80um |
| CFS-E01553-300A | GC-Column FS ValcoBond VB-624 | 15m length ID 0.53mm df 3.00um |
| CFS-E02018-100A | GC-Column FS ValcoBond VB-624 | 20m length ID 0.18mm df 1.00um |
| CFS-E02520-112A | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| CFS-E03018-100A | GC-Column FS ValcoBond VB-624 | 30m length ID 0.18mm df 1.00um |
| CFS-E03025-140A | GC-Column FS ValcoBond VB-624 | 30m length ID 0.25mm df 1.40um |
| CFS-E03032-180A | GC-Column FS ValcoBond VB-624 | 30m length ID 0.32mm df 1.80um |
| CFS-E03053-300A | GC-Column FS ValcoBond VB-624 | 30m length ID 0.53mm df 3.00um |
| CFS-E04018-100A | GC-Column FS ValcoBond VB-624 | 40m length ID 0.18mm df 1.00um |
| CFS-E06025-140A | GC-Column FS ValcoBond VB-624 | 60m length ID 0.25mm df 1.40um |
| CFS-E06032-180A | GC-Column FS ValcoBond VB-624 | 60m length ID 0.32mm df 1.80um |
| CFS-E06053-300A | GC-Column FS ValcoBond VB-624 | 60m length ID 0.53mm df 3.00um |
| CFS-E07553-300A | GC-Column FS ValcoBond VB-624 | 75m length ID 0.53mm df 3.00um |
| CFS-F01525-025A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.25mm df 0.25um |
| CFS-F01525-050A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.25mm df 0.50um |
| CFS-F01532-025A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.32mm df 0.25um |
| CFS-F01532-050A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.32mm df 0.50um |
| CFS-F01532-100A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.32mm df 1.00um |
| CFS-F01553-050A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.53mm df 0.50um |
| CFS-F01553-100A | GC-Column FS ValcoBond VB-1701 | 15m length ID 0.53mm df 1.00um |
| CFS-F03025-025A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.25mm df 0.25um |
| CFS-F03025-050A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.25mm df 0.50um |
| CFS-F03032-025A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.32mm df 0.25um |
| CFS-F03032-050A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.32mm df 0.50um |
| CFS-F03032-100A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.32mm df 1.00um |
| CFS-F03053-050A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.53mm df 0.50um |
| CFS-F03053-100A | GC-Column FS ValcoBond VB-1701 | 30m length ID 0.53mm df 1.00um |
| CFS-F06025-025A | GC-Column FS ValcoBond VB-1701 | 60m length ID 0.25mm df 0.25um |
| CFS-F06025-050A | GC-Column FS ValcoBond VB-1701 | 60m length ID 0.25mm df 0.50um |
| CFS-F06032-025A | GC-Column FS ValcoBond VB-1701 | 60m length ID 0.32mm df 0.25um |
| CFS-F06032-050A | GC-Column FS ValcoBond VB-1701 | 60m length ID 0.32mm df 0.50um |
| CFS-F06032-100A | GC-Column FS ValcoBond VB-1701 | 60 length ID 0.32mm df 1.00um |
| CFS-F06053-050A | GC-Column FS ValcoBond VB-1701 | 60m length ID 0.53mm df 0.50um |
| CFS-F06053-100A | GC-Column FS ValcoBond VB-1701 | 60 length ID 0.53mm df 1.00um |
| CFS-G01010-010A | GC-Column FS ValcoBond VB-Wax | 10m length ID 0.10mm df 0.10um |
| CFS-G01018-018A | GC-Column FS ValcoBond VB-WAX | 10m length ID 0.18mm df 0.18um |
| CFS-G01525-025A | GC-Column FS ValcoBond VB-Wax | VB-Wax column 15m x 0.25mm ID x 0.25df |
| CFS-G01532-025A | GC-Column FS ValcoBond VB-WAX | 15m length ID 0.32mm df 0.25um |
| CFS-G01532-050A | GC-Column FS ValcoBond VB-WAX | 15m length ID 0.32mm df 0.50um |
| CFS-G01532-100A | GC-Column FS ValcoBond VB-WAX | 15m length ID 0.32mm df 1.00um |
| CFS-G01553-050A | GC-Column FS ValcoBond VB-WAX | 15m length ID 0.53mm df 0.50um |
| CFS-G01553-100A | GC-Column FS ValcoBond VB-Wax | VB-Wax column 15m x 0.53mm ID x 1.00df |
| CFS-G02010-010A | GC-Column FS ValcoBond VB-WAX | 20m length ID 0.10mm df 0.10um |
| CFS-G02018-018A | GC-Column FS ValcoBond VB-WAX | 20m length ID 0.18mm df 0.18um |
| CFS-G03025-025A | GC-Column FS ValcoBond VB-Wax | 30m length ID 0.25mm df 0.25um |
| CFS-G03032-025A | GC-Column FS ValcoBond VB-Wax | 30m length ID 0.32mm df 0.25um |
| CFS-G03032-050A | GC-Column FS ValcoBond VB-Wax | 30m length ID 0.32mm df 0.50um |
| CFS-G03032-100A | GC-Column FS ValcoBond VB-Wax | 30m length ID 0.32mm df 1.00um |
| CFS-G03053-050A | GC-Column FS ValcoBond VB-Wax | 30m length ID 0.53mm df 0.50um |
| CFS-G03053-100A | GC-Column FS ValcoBond VB-Wax | 30m length ID 0.53mm df 1.00um |
| CFS-G06025-025A | GC-Column FS ValcoBond VB-Wax | 60m length ID 0.25mm df 0.25um |
| CFS-G06032-025A | GC-Column FS ValcoBond VB-Wax | 60m length ID 0.32mm df 0.25um |
| CFS-G06032-050A | GC-Column FS ValcoBond VB-Wax | 60m length ID 0.32mm df 0.50um |
| CFS-G06053-100A | GC-Column FS ValcoBond VB-Wax | 60m length ID 0.53mm df 1um |
| CFSL100FEP | Cheminert sample loop 100ul | flangeless connections 1/4in -28 FEP |
| CFSL100PK | Cheminert sample loop 100ul | flangeless connections 1/4in -28 PEEK |
| CFSL100TF | Cheminert sample loop 100ul | flangeless connections 1/4in -28 PTFE |
| CFSL1KFEP | Cheminert sample loop 1ml | flangeless connections 1/4in -28 FEP |
| CFSL1KPK | Cheminert sample loop 1ml | flangeless connections 1/4in -28 PEEK |
| CFSL1KTF | Cheminert sample loop 1ml | flangeless connections 1/4in -28 PTFE |
| CFSL20FEP | Cheminert sample loop 20ul | flangeless connections 1/4in -28 FEP |
| CFSL20PK | Cheminert sample loop 20ul | flangeless connections 1/4in -28 PEEK |
| CFSL20TF | Cheminert sample loop 20ul | flangeless connections 1/4in -28 PTFE |
| CFSL250FEP | Cheminert sample loop 250ul | flangeless connections 1/4in -28 FEP |
| CFSL250PK | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| CFSL250TF | Cheminert sample loop 250ul | flangeless connections 1/4in -28 PTFE |
| CFSL2KFEP | Cheminert sample loop 2ml | flangeless connections 1/4in -28 FEP |
| CFSL2KPK | Cheminert sample loop 2ml | flangeless connections 1/4in -28 PEEK |
| CFSL2KTF | Cheminert sample loop 2ml | flangeless connections 1/4in -28 PTFE |
| CFSL500FEP | Cheminert sample loop 500ul | flangeless connections 1/4in -28 FEP |
| CFSL500PK | Cheminert sample loop 500ul | flangeless connections 1/4in -28 PEEK |
| CFSL500TF | Cheminert sample loop 500ul | flangeless connections 1/4in -28 PTFE |
| CFSL50FEP | Cheminert sample loop 50ul | flangeless connections 1/4in -28 FEP |
| CFSL50PK | Cheminert sample loop 50ul | flangeless connections 1/4in -28 PEEK |
| CFSL50TF | Cheminert sample loop 50ul | flangeless connections 1/4in -28 PTFE |
| CFS-N03025-025 | GC-Column FS ValcoBond VB-Fluoro | 30m length ID 0.25mm df 0.25um |
| CFS-N03053-100 | GC-Column FS ValcoBond VB-Fluoro | 30m length ID 0.53mm ID df 1.00um |
| CFS-PA1532-100 | GC-Column FS ValcoPLOT HayeSep A | 15m length ID 0.32mm df 10um |
| CFS-PA1553-200 | GC-Column FS ValcoPLOT HayeSep A | 15m length ID 0.53mm df 20um |
| CFS-PA3032-100 | GC-Column FS ValcoPLOT HayeSep A | 30m length ID 0.32mm df 10um |
| CFS-PA3053-200 | GC-Column FS ValcoPLOT HayeSep A | 30m length ID 0.53mm df 20um |
| CFS-PB1532-100 | VPHS-B Column FS ValcoBond HayeSep B | 15m length ID 0.32mm df 0.10um |
| CFS-PB1553-200 | VPHS-B Column FS ValcoBond HayeSep B | 15m length ID 0.53mm df 0.20um |
| CFS-PB3032-100 | VPHS-B Column FS ValcoBond HayeSep B | 30m length ID 0.32mm df 0.10um |
| CFS-PB3053-200 | GC-Column FS ValcoPLOT HayeSep B | 30m length ID 0.53mm df 20um |
| CFS-PC1532-100 | VPHS-C Column FS ValcoBond HayeSep C | 15m length ID 0.32mm df 0.10um |
| CFS-PC1553-200 | GC-Column FS ValcoPLOT HayeSep C | 15m length ID 0.53mm df 20um |
| CFS-PC3032-100 | VPHS-C Column FS ValcoBond HayeSep C | 30m length ID 0.32mm df 0.10um |
| CFS-PC3053-200 | GC-Column FS ValcoPLOT HayeSep C | 30m length ID 0.53mm df 20um |
| CFS-PD1532-100 | GC-Column FS ValcoPLOT HayeSep D | 15m length ID 0.32mm df 10um |
| CFS-PD1553-200 | GC-Column FS ValcoPLOT HayeSep D | 15m length ID 0.53mm df 20um |
| CFS-PD3032-100 | GC-Column FS ValcoPLOT HayeSep D | 30m length ID 0.32mm df 10um |
| CFS-PD3053-200 | GC-Column FS ValcoPLOT HayeSep D | 30m length ID 0.53mm df 20um |
| CFS-PN1532-100 | VPHS-N Column FS ValcoBond HayeSep N | 15m length ID 0.32mm df 0.10um |
| CFS-PN1553-200 | VPHS-N Column FS ValcoBond HayeSep N | 15m length ID 0.53mm df 0.20um |
| CFS-PN3032-100 | VPHS-N Column FS ValcoBond HayeSep N | 30m length ID 0.32mm df 0.10um |
| CFS-PN3053-200 | GC-Column FS ValcoPLOT HayeSep N | 30m length ID 0.53mm df 20um |
| CFS-PP1532-100 | VPHS-P Column FS ValcoBond HayeSep P | 15m length ID 0.32mm df 0.10um |
| CFS-PP1553-200 | VPHS-P Column FS ValcoBond HayeSep P | 15m length ID 0.53mm df 0.20um |
| CFS-PP3032-100 | VPHS-P Column FS ValcoBond HayeSep P | 30m length ID 0.32mm df 0.10um |
| CFS-PP3053-200 | GC-Column FS ValcoPLOT HayeSep P | 30m length ID 0.53mm df 20um |
| CFS-PQ1532-100 | GC-Column FS ValcoPLOT HayeSep Q | 15m length ID 0.32mm df 10um |
| CFS-PQ1553-200 | GC-Column FS ValcoPLOT HayeSep Q | 15m length ID 0.53mm df 20um |
| CFS-PQ3032-100 | VPHS-Q Column FS ValcoBond HayeSep Q | 30m length ID 0.32mm df 0.10um |
| CFS-PQ3053-200 | GC-Column FS ValcoPLOT HayeSep Q | 30m length ID 0.53mm df 20um |
| CFS-PR1532-100 | VPHS-R Column FS ValcoBond HayeSep R | 15m length ID 0.32mm df 0.10um |
| CFS-PR1553-200 | VPHS-R Column FS ValcoBond HayeSep R | 15m length ID 0.53mm df 0.20um |
| CFS-PR3032-100 | VPHS-R Column FS ValcoBond HayeSep R | 30m length ID 0.32mm df 0.10um |
| CFS-PR3053-200 | GC-Column FS ValcoPLOT HayeSep R | 30m length ID 0.53mm df 20um |
| CFS-PS1532-100 | VPHS-S Column FS ValcoBond HayeSep S | 15m length ID 0.32mm df 0.10um |
| CFS-PS1553-200 | VPHS-S Column FS ValcoBond HayeSep S | 15m length ID 0.53mm df 0.20um |
| CFS-PS3032-100 | GC-Column FS ValcoPLOT HayeSep S | 30m length ID 0.32mm df 10um |
| CFS-PS3053-200 | VPHS-S Column FS ValcoBond HayeSep S | 30m length ID 0.53mm df 0.20um |
| CFS-X1553-200 | VP-Molesieve ColumnFS ValcoBond 5A Fused Silica | 15m length ID 0.53mm df 0.20um |
| CFS-X1553-500 | VP-Molesieve ColumnFS ValcoBond 5A Fused Silica | 15m length ID 0.53mm df 0.50um |
| CFS-X3053-200 | GC-Column FS ValcoPLOT Molesieve 5A | 30m length ID 0.53mm df 20um |
| CFS-X3053-500 | GC-Column FS ValcoPLOT Molesieve 5A | 30m length ID 0.53mm df 50um |
| CFS-Y3053-100 | GC-Column FS ValcoPlot Alumina | 30m length ID 0.53mm df 10um |
| CFS-Y5053-100 | GC-Column FS ValcoPlot Alumina | 50m length ID 0.53mm df 10um |
| CFS-Z1553-100 | VP-Alumina ColumnFS ValcoBond VP-Alumina Na2SO4 | 15m length ID 0.53mm df 0.10um |
| CFS-Z3053-100 | GC-Column FS ValcoPlot Alumina | 30m length ID 0.53mm df 10um |
| CFS-Z5053-100 | GC-Column FS ValcoPlot Alumina | 50m length ID 0.53mm df 10um |
| CFT-110 | Cheminert flanging tool | 110Vac non CE !!! |
| CFT1K-110 | Cheminert starter kit for 1/16in tubing | 110Vac non CE !!! |
| CFT1K-220 | Cheminert starter kit for 1/16in tubing | 220Vac non CE !!! |
| CFT-220 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| CFT2K-110 | Cheminert starter kit for 1/8in tubing | 110Vac non CE !!! |
| CFT2K-220 | Cheminert starter kit for 1/8in tubing | 220Vac non CE !!! |
| CFT-H | Cheminert holder flanging tool | |
| CFT-R | Cheminert razor blade 10/pkg | |
| CFT-TC | Cheminert tip flanging tool | for tubing ID <075 mm |
| CFT-TL | Cheminert tip flanging tool | for tubing ID <150 mm |
| CFT-TM | Cheminert tip flanging tool | for tubing ID <100 mm |
| CFT-TXC | Cheminert tip flanging tool | for tubing ID <0.25 mm |
| CFT-TXL | Cheminert tip flanging tool | for tubing ID <200 mm |
| CF-W1 | Cheminert washers for 1/16in OD tubing | 10/pkg |
| CF-W2 | Cheminert washers for 1/8in OD tubing | 10/pkg |
| CGC41 | Cheminert glass connector | 1mm bore Acetal |
| CGC41KF | Cheminert glass connector | 1mm bore CTFE |
| CGC42 | Cheminert glass connector | 2mm bore Acetal |
| CGC42KF | Cheminert glass connector | 2mm bore CTFE |
| CGCB | Cheminert glass bushing | Acetal |
| CGCBKF | Cheminert glass bushing | CTFE |
| CGCG41 | Cheminert glass rod 3-1/4in long | 1mm bore Acetal |
| CGCG42 | Cheminert glass rod 3-1/4in long | 2mm bore Acetal |
| CGCN | Cheminert nut glass connector | Acetal |
| CGCNKF | Cheminert nut glass connector | CTFE |
| CGCR | Cheminert split ring | Acetal 5/pkg |
| CGCRKF | Cheminert split ring | CTFE 5/pkg |
| CI4UW.2 | !!! RECOMMEND 2CI4UW.2 | SUPPLIED WITH LARGER HANDLE |
| CI4UW.5 | !!! RECOMMEND 2CI4UW.5 | SUPPLIED WITH LARGER HANDLE |
| CI4UW1 | !!! RECOMMEND 2CI4UW1 | SUPPLIED WITH LARGER HANDLE |
| CI4UW2 | !!! RECOMMEND 2CI4UW2 | SUPPLIED WITH LARGER HANDLE |
| CI4UWE.2 | 4 port 2-pos int vol valve manual | 1/16 x .75mm 175C/1000psi liq .2ul N60/E |
| CI4UWE.5 | 4 port 2-pos int vol valve manual | 1/16 x .75mm 175C/1000psi liq .5ul N60/E |
| CI4UWE1 | 4 port 2-pos int vol valve manual | 1/16 x .75mm 175C/1000psi liq 1ul N60/E |
| CI4UWE2 | 4 port 2-pos int vol valve manual | 1/16 x .75mm 175C/1000psi liq 2ul N60/E |
| CI4W.06 | 4 port 2-pos int/vol valve manual | 1/16 x .4mm 75C/5000psi liq .06ul N60/H |
| CI4W.1 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 75C/5000psi liq .1ul N60/H |
| CI4W.2 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 75C/5000psi liq .2ul N60/H |
| CI4W.5 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 75C/5000psi liq .5ul N60/H |
| CI4WE.06 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 175C/1000psi liq .06ulN60/E |
| CI4WE.1 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 175C/1000psi liq .1ul N60/E |
| CI4WE.2 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 175C/1000psi liq .2ulN60/E |
| CI4WE.5 | 4 port 2-pos int vol valve manual | 1/16 x .4mm 175C/1000psi liq .5ul N60/E |
| C-LFP | Loop fill port assy. | |
| C-LZP1PK | Plug 1/16in long hex high pressure | Cheminert Polymeric vlv series C1-C5 PEEK |
| CM | Column mandrel | |
| CM1XKF | Cheminert mixing tee 1/4in -28 | for 1/16in tubing 0.75mm bore CTFE |
| CM1XPK | Cheminert mixing tee 1/4in -28 | for 1/16in tubing 0.75mm bore PEEK |
| CM2XKF | Cheminert mixing tee 1/4in -28 | for 1/8in tubing 1.5mm bore CTFE |
| CM2XPK | Cheminert mixing tee 1/4in -28 | for 1/8in tubing 1.5mm bore PEEK |
| CMH | Close mount hardware 2-pos valve | 1 or 2 holes air or elec. act. |
| CMH11H | Close mount hardware | Cheminert h/p air or elec. act. |
| CMH11L | Close mount hardware | Cheminert l/p air or elec. act. |
| CMH12H | Close mount hardware 2-pos. valve | m-electric actuator |
| CMH12L | Close mount hardware 2-pos. valve | Cheminert l/p m-electric actuator |
| CMH13 | OBSOLETE USE CMH13H | |
| CMH13H | Close mount hardware m-pos. valve | Cheminert h/p m-electric actuator |
| CMH13L | Close mount hardware m-pos. valve | Cheminert l/p m-electric actuator |
| CMHMP | Close mount hardware 2-pos/m-pos valve | no mounting holes air or elec. actuator |
| CMLAKF | Cheminert male luer adapter to 1/4-28 | 1.5mm bore CTFE |
| CMLAPFA | Cheminert male luer adapter to 1/4-28 | 1.5mm bore PFA |
| CMLAPK | Cheminert male luer adapter to 1/4-28 | 1.5mm bore PEEK |
| C-MPFTI10 | Cheminert mobile phase filter | for 1/8in OD tubing 10um Titanium frit PTFE |
| C-MPFTI2 | Cheminert mobile phase filter | for 1/8in OD tubing 2um Titanium frit PTFE |
| C-MPR2 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| C-MPR3 | Cheminert solvent reservoir 500ml | with 3-hole cap 1/4in -28 fittings PE |
| C-MZP1PK | Plug 1/16in hex high pressure | Cheminert Polymeric vlv series C1-C5 PEE |
| CN2-4340 | 10 port 2-pos valve manual | 1/32 x .10mm 50C/5000psi liq PAEK/E |
| CN2-4340D | 10 port 2-pos valve replacement | 1/32 x .10mm 50C/5000psi liq PAEK/E |
| CN2-4340EH | 10 port 2-pos valve m-electric | 1/32 x .10mm 50C/5000psi liq PAEK/E |
| CN2-4346 | 6 port 2-pos valve manual | 1/32 x .10mm 50C/5000psi liq PAEK/E |
| CN2-4346D | 6 port 2-pos valve replacement | 1/32 x .10mm 50C/5000psi liq PAEK/E |
| CN2-4346EH | 6 port 2-pos valve m-elect | 1/32 x .10mm 50C/5000psi liq PAEK/E |
| CN2-43R0 | Rotor seal 10 port CN2-valve | 1/32 x .10mm 50C/5000psi liq E |
| CN2-43R6 | Rotor seal 6 port CN2-valve | 1/32 x .10mm 50C/5000psi liq E |
| CN2-4C40I | Stator/Insert 10 port CN2-valve | 0.10mm bore (.004in ) .080in bolt circle E3 |
| CN2-4C46I | Stator/Insert 6 port CN2-valve | 0.10mm bore (.004in ) .080in bolt circle E3 |
| CN4-4344-.004 | 4 port 2-pos int vol valve manual | 1/32 x .10mm 50C/5000psi liq .004ul PAEK/E |
| CN4-4344-.004D | 4 port 2-pos int vol valve replacement | 1/32 x .10mm 50C/5000psi liq .004ul PAEK/E |
| CN4-4344-.004EH | 4 port 2-pos int vol valve m-elect | 1/32 x .10mm 50C/5000psi liq .004ul PAEK/E |
| CN4-4344-.01 | 4 port 2-pos int vol valve manual | 1/32 x .10mm 50C/5000psi liq .01ul PAEK/E |
| CN4-4344-.01D | 4 port 2-pos int vol valve replacement | 1/32 x .10mm 50C/5000psi liq .01ul PAEK/E |
| CN4-4344-.01EH | 4 port 2-pos int vol valve m-elect | 1/32 x .10mm 50C/5000psi liq .01ul PAEK/E |
| CN4-4344-.02 | 4 port 2-pos int vol valve manual | 1/32 x .10mm 50C/5000psi liq .02ul PAEK/E |
| CN4-4344-.02D | 4 port 2-pos int vol valve replacement | 1/32 x .10mm 50C/5000psi liq .02ul PAEK/E |
| CN4-4344-.02EH | 4 port 2-pos int vol valve m-elect | 1/32 x .10mm 50C/5000psi liq .02ul PAEK/E |
| CN4-43R-.004 | Rotor seal 4 port CN4-valve int .004ul | 1/32 x .10mm 50C/5000psi liq E |
| CN4-43R-.01 | Rotor seal 4 port CN4-valve int .01ul | 1/32 x .10mm 50C/5000psi liq E |
| CN4-43R-.02 | Rotor seal 4 port CN4-valve int .02ul | 1/32 x .10mm 50C/5000psi liq E |
| CN4-4C4I | Stator/Insert 4 port CN4-valve | 0.10mm bore (.004in ) .080in int. E3 |
| C-NEF.5FPK.15S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 150um PEEK with liners for FS 125-175um |
| C-NEF.5FPK.20S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 150um PEEK with liners for FS 175-225um |
| C-NEF.5FPK.25S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 150um PEEK with liners for FS 225-275um |
| C-NEF.5FPK.30S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 150um PEEK with liners for FS 275-325um |
| C-NEF.5FPK.35S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 150um PEEK with liners for FS 325-375um |
| C-NEF.5XFPK.15S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 100um PEEK with liners for FS 125-175um |
| C-NEF.5XFPK.20S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 100um PEEK with liners for FS 175-225um |
| C-NEF.5XFPK.25S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 100um PEEK with liners for FS 225-275um |
| C-NEF.5XFPK.30S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 100um PEEK with liners for FS 275-325um |
| C-NEF.5XFPK.35S1 | Column end fitting Nano 1/32in Cheminert 1um scr | 100um PEEK with liners for FS 325-375um |
| C-NEU.5FPK | Union Int/Ext 1/32in Cheminert | 150um PEEK without liners |
| C-NEU.5FPK.15 | Union Int/Ext Nano 1/32in Cheminert | 150um PEEK with liners for FS 125-175um |
| C-NEU.5FPK.20 | Union Int/Ext Nano 1/32in Cheminert | 150um PEEK with liners for FS 175-225um |
| C-NEU.5FPK.25 | Union Int/Ext Nano 1/32in Cheminert | 150um PEEK with liners for FS 225-275um |
| C-NEU.5FPK.30 | Union Int/Ext Nano 1/32in Cheminert | 150um PEEK with liners for FS 275-325um |
| C-NEU.5FPK.35 | Union Int/Ext Nano 1/32in Cheminert | 150um PEEK with liners for FS 325-375um |
| C-NEU.5XFPK | Union Int/Ext Nano 1/32in Cheminert | 100um PEEK without liners |
| C-NEU.5XFPK.15 | Union Int/Ext Nano 1/32in Cheminert | 100um PEEK with liners for FS 125-175um |
| C-NEU.5XFPK.20 | Union Int/Ext Nano 1/32in Cheminert | 100um PEEK with liners for FS 175-225um |
| C-NEU.5XFPK.25 | Union Int/Ext Nano 1/32in Cheminert | 100um PEEK with liners for FS 225-275um |
| C-NEU.5XFPK.30 | Union Int/Ext Nano 1/32in Cheminert | 100um PEEK with liners for FS 275-325um |
| C-NEU.5XFPK.35 | Union Int/Ext Nano 1/32in Cheminert | 100um PEEK with liners for FS 325-375um |
| CNFT | Tightening Tool for PEEK hex-head | 1/32 nuts green |
| C-NL.15L-5 | Liner long Nano 1/32in Cheminert 27 mm | PEEK for FS OD 125 - 175um 5/pkg |
| C-NL.15S-5 | Liner short Nano 1/32in Cheminert 10 mm | PEEK for FS OD 125 -175um 5/pkg |
| C-NL.20L-5 | Liner long Nano 1/32in Cheminert 27 mm | PEEK for FS OD 175 - 225um 5/pkg |
| C-NL.20S-5 | Liner long Nano 1/32in Cheminert 10 mm | PEEK for FS OD 175 - 225um 5/pkg |
| C-NL.25L-5 | Liner long Nano 1/32in Cheminert 27 mm | PEEK for FS OD 225 - 275 um 5/pkg |
| C-NL.25S-5 | Liner short Nano 1/32in Cheminert 10 mm | PEEK for FS OD 225 - 275um 5/pkg |
| C-NL.30L-5 | Liner long Nano 1/32in Cheminert 27 mm | PEEK for FS OD 275 - 325um 5/pkg |
| C-NL.30S-5 | Liner short Nano 1/32in Cheminert 10 mm | PEEK for FS OD 275 - 325um 5/pkg |
| C-NL.35L-5 | Liner long Nano 1/32in Cheminert 27 mm | PEEK for FS OD 325 - 375um 5/pkg |
| C-NL.35S-5 | Liner short Nano 1/32in Cheminert 10 mm | PEEK for FS OD 325 - 375um 5/pkg |
| C-NLS1.15 | Liner Nano 1/32in Cheminert screen 1um 27 mm | PEEK for FS OD 125-175um |
| C-NLS1.20 | Liner Nano 1/32in Cheminert screen 1um 27 mm | PEEK for FS OD 175 - 225 um |
| C-NLS1.25 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| C-NLS1.30 | Liner Nano 1/32in Cheminert screen 1um 27 mm | PEEK for FS OD 275-325um |
| C-NLS1.35 | Liner Nano 1/32in Cheminert screen 1um 27 mm | PEEK for FS OD 325-375um |
| C-NNFFPK | Nut/Ferrule One-piece 1/32in Cheminert | |
| C-NNFLFPK | Nut/Ferrule One-piece 1/32in Cheminert | long |
| C-NPFPK | Plug 1/32 Cheminert | |
| CNSL1KPK | Cheminert sample loop 1ul (1000nl) | 1/32in ends with nuts PEEK |
| CNSL250PK | Cheminert sample loop 250nl | 1/32in ends with nuts PEEK |
| CNSL2KPK | Cheminert sample loop 2ul (2000nl) | 1/32in ends with nuts PEEK |
| CNSL500PK | Cheminert sample loop 500nl | 1/32in ends with nuts PEEK |
| CNSL5KPK | Cheminert sample loop 5ul (5000nl) | 1/32in ends with nuts PEEK |
| C-NTFPK | Tee Nano 1/32in Cheminert | 150um PEEK |
| C-NTXFPK | Tee Nano 1/32in Cheminert | 100um PEEK |
| CNV1A10S1 | Combo needle valve silver colored knob | 0-10ml N2 at 40psi 1/16in int Al/Viton |
| CNV1A150S1 | Combo needle valve silver colored knob | 150ml N2 at 40psi 1/16in int Al/Viton |
| CNV1A250S1 | Combo needle valve silver colored knob | 250ml N2 at 40psi 1/16in int Al/Viton |
| CNV1A500S1 | Combo needle valve silver colored knob | 500ml N2 at 40psi 1/16in int Al/Viton |
| CNV1A50S1 | Combo needle valve silver colored knob | 50ml N2 at 40psi 1/16in int Al/Viton |
| CNV1S10S1 | Combo needle valve silver colored knob | 0-10ml N2 at 40psi 1/16in int SS/Viton |
| CNV1S150S1 | Combo needle valve silver colored knob | 150ml N2 at 40psi 1/16in int SS/Viton |
| CNV1S250S1 | Combo needle valve silver colored knob | 250ml N2 at 40psi 1/16in int SS/Viton |
| CNV1S500S1 | Combo needle valve silver colored knob | 500ml N2 at 40psi 1/16in int SS/Viton |
| CNV1S50S1 | Combo needle valve silver colored knob | 50ml N2 at 40psi 1/16in int SS/Viton |
| CNVEKB | Combo needle valve standard knob black | length .62in /16mm long |
| CNVEKG | Combo needle valve standard knob green | length .62in /16mm long |
| CNVEKLB | Combo needle valve long knob black | length 1.25in /32mm long |
| CNVEKLG | Combo needle valve long knob green | length 1.25in /32mm long |
| CNVEKLR | Combo needle valve long long knob red | length 1.25in /32mm long |
| CNVEKLS | Combo needle valve long knob silver | length 1.25in /32mm long |
| CNVEKLU | Combo needle valve long knob blue | length 1.25in /32mm long |
| CNVEKR | Combo needle valve standard knob red | length .62in /16mm long |
| CNVEKS | Combo needle valve standard knob silver | length .62in /16mm long |
| CNVEKU | Combo needle valve standard knob blue | length .62in /16mm long |
| C-NVISF | Syringe Fill Port 1/32in Cheminert | for 0.85in /22mm long needle 26 Gauge OD |
| C-NXFPK | Cross Nano 1/32in Cheminert | 150um PEEK |
| C-NXXFPK | Cross Nano 1/32in Cheminert | 100um PEEK |
| C-NYFPK | Y-assy Nano 1/32in Cheminert | 150um PEEK |
| C-NYXFPK | Y-assy Nano 1/32in Cheminert | 100um PEEK |
| CP2-4841-100D | M6 Pump only replacement | vol. 100ul Sapphire/TF E3/P VICI Logo |
| CP2-4841-100M1 | M6 Pump with controller and stepper motor | vol. 100ul Sapphire/TF E3/P Viton VICI Logo |
| CP2-4841-100SM | M6 Pump with stepper motor (no controller) | vol. 100ul Sapphire/TF E3/P VICI Logo |
| CP3-8182-625D | M50 Pump only | vol. 625ul Sapphire/TF ceramic rotor VICI Logo |
| CP3-8182-625M2 | M50 Pump with controller and stepper motor | vol. 625ul Sapphire/TF ceramic rotor VICI Logo |
| CP3-8182-625SM2 | M50 Pump and stepper motor | vol. 625ul Sapphire/TF ceramic rotor VICI Logo |
| CPA2KF | Cheminert pipe connector 1/8in NPT | 1/4in -28female x M-NPT 1.5mm bore CTFE |
| CPA2PK | Cheminert pipe connector 1/8in NPT | 1/4in -28female x M-NPT 1.5mm bore PEEK |
| CPA4KF | Cheminert pipe connector 1/4in NPT | 1/4in -28female x M-NPT 1.5mm bore CTFE |
| CPA4PK | Cheminert pipe connector 1/4in NPT | 1/4in -28female x M-NPT 1.5mm bore PEEK |
| CP-CM1-P | Controller MicroLynx-4 | |
| CP-DSM | Driver Pump M6 | |
| CP-DSM2 | Driver Pump M50 | |
| C-PF | Cheminert perifit 1/4in -28 kit of 6 pcs | for peristaltic tubing .5 to 2.29mm ID |
| C-PFL | Cheminert perifit 1/4in -28 | for peristaltic tubing 1.85 to 2.29mm ID |
| C-PFM | Cheminert perifit 1/4in -28 | for peristaltic tubing 1.12 to 1.65mm ID |
| C-PFS | Cheminert perifit 1/4in -28 | for peristaltic tubing .5 to 1.02mm ID |
| CPKF | Cheminert plug 1/4in -28 | CTFE 5/pkg |
| CPPK | Cheminert plug 1/4in -28 | PEEK 5/pkg |
| CR10 | Clamp ring for standoff assembly | x SOAMMP m-pos m-electric actuator |
| CR11 | Clamp ring closemount 2-pos/m-pos vlv. | 2-pos/m-pos std. electric/air actuator |
| CR3 | Clamp ring for standoff assembly | x SOA/ x SOAMP |
| CR4 | Clamp ring for close mount assembly | 2-pos air/electric actuator and DV valve |
| CR8 | | uator |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| CSD10UW | 10 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq N60/E |
| CSD4UW | 4 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq N60/E |
| CSD6UW | 6 mpos dead-end path manual | 1/16 x .4mm 75C/5000psi liq N60/E |
| CSL10 | Cheminert sample loop 10ul | 1/16in ends with nuts & ferrules 316SS |
| CSL100 | Cheminert sample loop 100ul | 1/16in ends with nuts & ferrules 316SS |
| CSL100TI | Cheminert sample loop 100ul | 1/16in ends with nuts & ferrules Ti |
| CSL10K | Cheminert sample loop 10ml | 1/16in ends with nuts & ferrules 316SS |
| CSL10TI | Cheminert sample loop 10ul | 1/16in ends with nuts & ferrules Ti |
| CSL1K | Cheminert sample loop 1ml | 1/16in ends with nuts & ferrules 316SS |
| CSL1KTI | Cheminert sample loop 1ml | 1/16in ends with nuts & ferrules Ti |
| CSL2 | Cheminert sample loop 2ul | 1/16in ends with nuts & ferrules 316SS |
| CSL20 | Cheminert sample loop 20ul | 1/16in ends with nuts & ferrules 316SS |
| CSL20TI | Cheminert sample loop 20ul | 1/16in ends with nuts & ferrules Ti |
| CSL250 | Cheminert sample loop 250ul | 1/16in ends with nuts & ferrules 316SS |
| CSL250TI | Cheminert sample loop 250ul | 1/16in ends with nuts & ferrules Ti |
| CSL2K | Cheminert sample loop 2ml | 1/16in ends with nuts & ferrules 316SS |
| CSL5 | Cheminert sample loop 5ul | 1/16in ends with nuts & ferrules 316SS |
| CSL50 | Cheminert sample loop 50ul | 1/16in ends with nuts & ferrules 316SS |
| CSL500 | Cheminert sample loop 500ul | 1/16in ends with nuts & ferrules 316SS |
| CSL500TI | Cheminert sample loop 500ul | 1/16in ends with nuts & ferrules Ti |
| CSL50TI | Cheminert sample loop 50ul | 1/16in ends with nuts & ferrules Ti |
| CSL5K | Cheminert sample loop 5ml | 1/16in ends with nuts & ferrules 316SS |
| CSLN1K | Cheminert sample loop 1ul (1000nl) | 1/32in ends with nuts SS |
| CSLN2K | Cheminert sample loop 2ul (2000nl) | 1/32in ends with nuts SS |
| CSLN5K | Cheminert sample loop 5ul (5000nl) | 1/32in ends with nuts SS |
| CSS-X1553-200 | GC-Column SS ValcoPLOT Molesieve 5A | 15m length ID 0.53mm df 20um |
| CSS-X3053-200 | GC-Column SS ValcoPLOT Molesieve 5A | 30m length ID 0.53mm df 20um |
| CST | Cheminert setting tool | for 1/4in -28 flangeless fitting |
| CTA2KF | Cheminert adapter for tubing 1/8in OD | 1.5mm bore CTFE |
| CTA2PK | Cheminert adapter for tubing 1/8in OD | 1.5mm bore PEEK |
| CTA2S6 | Cheminert adapter for tubing 1/8in OD | 1.5mm bore 316SS |
| CTA4KF | Cheminert adapter for tubing 1/4in OD | 1.5mm bore CTFE |
| CTA4PK | Cheminert adapter for tubing 1/4in OD | 1.5mm bore PEEK |
| CTA4S6 | Cheminert adapter for tubing 1/4in OD | 1.5mm bore 316SS |
| CTCKF | Cheminert tee 1/4in -28 1/16in OD tubing | .25mm bore CTFE |
| CTCPK | Cheminert tee 1/4in -28 1/16in OD tubing | .25mm bore PEEK |
| CTKF | Cheminert tee 1/4in -28 1/16in OD tubing | .5mm bore CTFE |
| CTLKF | Cheminert tee 1/4in -28 1/8in OD tubing | 1.5mm bore CTFE |
| CTLPK | Cheminert tee 1/4in -28 1/8in OD tubing | 1.5mm bore PEEK |
| CTMKF | Cheminert tee 1/4in -28 1/16in OD tubing | .75mm bore CTFE |
| CTMPK | Cheminert tee 1/4in -28 1/16in OD tubing | .75mm bore PEEK |
| CTPK | Cheminert tee 1/4in -28 1/16in OD tubing | .5mm bore PEEK |
| CU4LKF | Cheminert union 1/4in -28 to 1/2-20 | 1.5mm bore 1/8in to 1/4in tube CTFE |
| CU4LPK | Cheminert union 1/4in -28 to 1/2-20 | 1.6mm bore 1/8in to 1/4in tube PEEK |
| CUCKF | Cheminert union 1/4in -28 1/16in OD tubing | .25mm bore CTFE |
| CUCPK | Cheminert union 1/4in -28 1/16in OD tubing | .25mm bore PEEK |
| CUKF | Cheminert union 1/4in -28 1/16in OD tubing | .5mm bore CTFE |
| CULKF | Cheminert union 1/4in -28 1/8in OD tubing | 1.5mm bore CTFE |
| CULPK | Cheminert union 1/4in -28 1/8in OD tubing | 1.5mm bore PEEK |
| CUMKF | Cheminert union 1/4in -28 1/16 OD tubing | .75mm bore CTFE |
| CUMPK | Cheminert union 1/4in -28 1/16in OD tubing | .75mm bore PEEK |
| CUPK | Cheminert union 1/4in -28 1/16in OD tubing | .5mm bore PEEK |
| CUTKF | Cheminert union 1/4in -28 1/8in OD tubing | butt connection CTFE |
| CUTPK | Cheminert union 1/4in -28 OD 1/8in tubing | butt connection PEEK |
| CUTPP | Cheminert union 1/4in -28 w/o fitting | butt connection Polypropylene 5/pkg |
| CVA10GS1 | Combo needle valve short green knob | 10ml/min 40psi He/N2 1/16in int Al/Viton |
| CVA10GS2 | Combo needle valve short green knob | 10ml/min 40psi He/N2 1/8in int Al/Viton |
| CVA150US1 | Combo needle valve short blue knob | 150ml/min 40psi He/N2 1/16in int Al/Viton |
| CVA150US2 | Combo needle valve short blue knob | 150ml/min 40psi He/N2 1/8in int Al/Viton |
| CVA1KYS1 | Combo needle valve short yellow knob | 1 liter/min 40psi He/N2 1/16in int Al/Viton |
| CVA1KYS2 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| CVA500BS1 | Combo needle valve short black knob | 500ml/min 40psi He/N2 1/16in int Al/Viton |
| CVA500BS2 | Combo needle valve short black knob | 500ml/min 40psi He/N2 1/8in int Al/Viton |
| CVA50RS1 | Combo needle valve short red knob | 50ml/min 40psi He/N2 1/16in int Al/Viton |
| CVA50RS2 | Combo needle valve short red knob | 50ml/min 40psi He/N2 1/8in int Al/Viton |
| C-VISF-1 | Syringe fillport Cheminert C22Z polymeric valve | for .75in /19mm long needle 22Gauge OD |
| C-VISF-1H | Syringe fillport Cheminert C2/C3/C4 polymeric vlv | for .75in /19mm long needle 22Gauge OD |
| CXCKF | Cheminert cross 1/4in -28 1/16in OD tubing | .25mm bore CTFE |
| CXCPK | Cheminert cross 1/4in -28 1/16in OD tubing | .25mm bore PEEK |
| CXKF | Cheminert cross 1/4in -28 1/16in OD tubing | .5mm bore CTFE |
| CXLKF | Cheminert cross 1/4in -28 1/8in OD tubing | 1.5mm bore CTFE |
| CXLPK | Cheminert cross 1/4in -28 1/8in OD tubing | 1.5mm bore PEEK |
| CXMKF | Cheminert cross 1/4in -28 1/16in OD tubing | .75 mm bore CTFE |
| CXMPK | Cheminert cross 1/4in -28 1/16in OD tubing | .75mm bore PEEK |
| CXPK | Cheminert cross 1/4in -28 1/16in OD tubing | .5mm bore PEEK |
| CZBUCKF | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .25mm bore CTFE |
| CZBUCPK | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .25mm bore PEEK |
| CZBUCS6 | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .25mm bore 316SS |
| CZBUKF | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .5mm bore CTFE |
| CZBUMKF | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .75mm bore CTFE |
| CZBUMPK | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .75mm bore PEEK |
| CZBUMS6 | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .75mm bore 316SS |
| CZBUPK | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .5mm bore PEEK |
| CZBUS6 | Cheminert bulkhead union 1/4in -28 x 1/16in OD tubing | .5mm bore 316SS |
| C-ZP1FPK | Plug 1/16in fingertight high pressure | Cheminert Polymeric vlv series C1-C5 PEEK |
| CZSL100FEP | Cheminert sample loop 100ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL100PK | Cheminert sample loop 100ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL100TF | Cheminert sample loop 100ul | 1/16in PEEK nuts & ferrules PTFE |
| CZSL10FEP | Cheminert sample loop 10ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL10PK | Cheminert sample loop 10ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL10TF | Cheminert sample loop 10ul | 1/16in PEEK nuts & ferrules PTFE |
| CZSL1KFEP | Cheminert sample loop 1ml | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL1KPK | Cheminert sample loop 1ml | 1/16in PEEK nuts & ferrules PEEK |
| CZSL1KTF | Cheminert sample loop 1ml | 1/16in PEEK nuts & ferrules PTFE |
| CZSL20FEP | Cheminert sample loop 20ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL20PK | Cheminert sample loop 20ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL20TF | Cheminert sample loop 20ul | 1/16in PEEK nuts & ferrules PTFE |
| CZSL250FEP | Cheminert sample loop 250ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL250PK | Cheminert sample loop 250ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL250TF | Cheminert sample loop 250ul | 1/16in PEEK nuts & ferrules PTFE |
| CZSL2KFEP | Cheminert sample loop 2ml | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL2KPK | Cheminert sample loop 2ml | 1/16in PEEK nuts & ferrules PEEK |
| CZSL2KTF | Cheminert sample loop 2ml | 1/16in PEEK nuts & ferrules PTFE |
| CZSL2PK | Cheminert sample loop 2ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL500FEP | Cheminert sample loop 500ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL500PK | Cheminert sample loop 500ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL500TF | Cheminert sample loop 500ul | 1/16in PEEK nuts & ferrules PTFE |
| CZSL50FEP | Cheminert sample loop 50ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL50PK | Cheminert sample loop 50ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL50TF | Cheminert sample loop 50ul | 1/16in PEEK nuts & ferrules PTFE |
| CZSL5FEP | Cheminert sample loop 5ul | 1/16in PEEK nuts & CTFE ferrules FEP |
| CZSL5KPK | Cheminert sample loop 5ml | 1/16in PEEK nuts & ferrules PEEK |
| CZSL5PK | Cheminert sample loop 5ul | 1/16in PEEK nuts & ferrules PEEK |
| CZSL5TF | Cheminert sample loop 5ul | 1/16in PEEK nuts & ferrules PTFE |
| CZUCKF | Cheminert union 1/4in -28 x 1/16in OD tubing | .25mm bore CTFE |
| CZUCPK | Cheminert union 1/4in -28 x 1/16in OD tubing | .25mm bore PEEK |
| CZUCS6 | Cheminert union 1/4in -28 x 1/16in OD tubing | .25mm bore 316SS |
| CZUKF | Cheminert union 1/4in -28 x 1/16in OD tubing | .5mm bore CTFE |
| CZUMKF | Cheminert union 1/4in -28 x 1/16in OD tubing | .75mm bore CTFE |
| CZUMPK | Cheminert union 1/4in -28 x 1/16in OD tubing | .75mm bore PEEK |
| CZUMS6 | Cheminert union 1/4in -28 x 1/16in OD tubing | .75mm bore 316SS |
| CZUPK | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| CZUS6 | Cheminert union 1/4in -28 x 1/16in OD tubing | .5mm bore 316SS |
| D10UW | 10 port 2-pos valve replacement | 1/8 x .75mm 75C/5000psi liq N60/H |
| D10UWE | 10 port 2-pos valve replacement | 1/8 x .75mm 225C/400psi gas N60/E |
| D10UWT | 10 port 2-pos valve replacement | 1/8 x .75mm 330C/300psi gas N60/T |
| D-2-110 | Pulsed discharge detector PDECD/HID/PID | 48V detector controller HP2 110Vac CE |
| D-2-220 | Pulsed discharge detector PDECD/HID/PID | 48V detector controller HP2 220Vac CE |
| D-2-I-110 | Pulsed discharge detector optimized HID | 48V detector controller HP2 110Vac CE |
| D-2-I-220 | Pulsed discharge detector optimized HID | 48V detector controller HP2 220Vac CE |
| D-3-I-7890-110 | Pulsed discharge detector HID/PID HP7890 | pulser HP electrometer HP2-110 HPM-110 |
| D-3-I-7890-220 | Pulsed discharge detector HID/PID HP7890 | pulser HP electrometer HP2-220 HPM-220 |
| D-3-I-HP-110 | Pulsed discharge detector HID/PID HP6890 | pulser HP electrometer HP2-110 HPM-110 |
| D-3-I-HP-220 | Pulsed discharge detector HID/PID HP6890 | pulser HP electrometer HP2-220 HPM-220 |
| D-4-I-110 | Pulsed discharge detector HeID/PID | 48V detector controller HP2 110Vac CE |
| D-4-I-220 | Pulsed discharge detector HeID/PID | 48V detector controller HP2 220Vac CE |
| D-4-I-HP58-110 | Pulsed discharge detector HeID/PID HP5890 | 48V detector controller HP2 110Vac CE |
| D-4-I-HP58-220 | Pulsed discharge detector HeID/PID HP5890 | 48V detector controller HP2 220Vac CE |
| D-4-I-SH14-R-110 | Pulsed discharge detector HeID/PID Shimadzu 14 | w/o controller HP2-110 |
| D-4-I-SH14-R-220 | Pulsed discharge detector HeID/PID Shimadzu 14 | w/o controller HP2-220 |
| D-4-I-SH17-R-110 | Pulsed discharge detector HeID/PID Shimadzu 17 | w/o controller HP2-110 suitable for 2010 & 2014 |
| D-4-I-SH17-R-220 | Pulsed discharge detector HeID/PID Shimadzu 17 | w/o controller HP2-220 suitable for 2010 & 2014 |
| D-4-I-TQ-R-110 | Pulsed discharge detector HeID/PID for Trace GC | pulser HP2-110 ThermoQuest |
| D-4-I-TQ-R-220 | Pulsed discharge detector HeID/PID for Trace GC | pulser HP2-220 ThermoQuest |
| D-4-I-VA38-R-110 | Pulsed discharge detector HeID/PID Varian 3800 | w/o controller with HP2-110 |
| D-4-I-VA38-R-220 | Pulsed discharge detector HeID/PID Varian 3800 | w/o controller with HP2-220 |
| D4UW | 4 port 2-pos valve replacement | 1/8 x .75mm 75C/5000psi liq N60/H |
| D4UWE | 4 port 2-pos valve replacement | 1/8 x .75mm 225C/400psi gas N60/E |
| D4UWT | 4 port 2-pos valve replacement | 1/8 x .75mm 330C/300psi gas N60/T |
| D-5-6890-110 | Pulsed discharge detector PDECD mode HP 6890 | pulser HP electrometer HP2-110 HPM-110 |
| D-5-6890-220 | Pulsed discharge detector PDECD mode HP 6890 | pulser HP electrometer HP2-220 HPM-220 |
| D6UW | 6 port 2-pos valve replacement | 1/8 x .75mm 75C/5000psi liq N60/H |
| D6UWE | 6 port 2-pos valve replacement | 1/8 x .75mm 225C/400psi gas N60/E |
| D6UWT | 6 port 2-pos valve replacement | 1/8 x .75mm 330C/300psi gas N60/T |
| D8UW | 8 port 2-pos valve replacement | 1/8 x .75mm 75C/5000psi liq N60/H |
| D8UWE | 8 port 2-pos valve replacement | 1/8 x .75mm 225C/400psi gas N60/E |
| D8UWT | 8 port 2-pos valve replacement | 1/8 x .75mm 330C/300psi gas N60/T |
| DC10UW | 10 port 2-pos valve replacement | 1/16 x .75mm 75C/5000psi liq N60/H |
| DC10UWE | 10 port 2-pos valve replacement | 1/16 x .75mm 225C/400psi gas N60/E |
| DC10UWT | 10 port 2-pos valve replacement | 1/16 x .75mm 330C/300psi gas N60/T |
| DC10W | 10 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| DC10WE | 10 port 2-pos valve replacement | 1/16 x .4mm 225C/400psi gas N60/E |
| DC10WT | 10 port 2-pos valve replacement | 1/16 x .4mm 350C/300psi gas N60/T |
| DC4UW | 4 port 2-pos valve replacement | 1/16 x .75mm 75C/5000psi liq N60/H |
| DC4UWE | 4 port 2-pos valve replacement | 1/16 x .75mm 225C/400psi gas N60/E |
| DC4UWT | 4 port 2-pos valve replacement | 1/16 x .75mm 330C/300psi gas N60/T |
| DC4W | 4 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| DC4WE | 4 port 2-pos valve replacement | 1/16 x .4mm 225C/400psi gas N60/E |
| DC4WT | 4 port 2-pos valve replacement | 1/16 x .4mm 350C/300psi gas N60/T |
| DC6UW | 6 port 2-pos valve replacement | 1/16 x .75mm 75C/5000psi liq N60/H |
| DC6UWE | 6 port 2-pos valve replacement | 1/16 x .75mm 225C/400psi gas N60/E |
| DC6UWT | 6 port 2-pos valve replacement | 1/16 x .75mm 330C/300psi gas N60/T |
| DC6W | 6 port 2-pos valve K-hole replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| DC6WE | 6 port 2-pos valve replacement | 1/16 x .4mm 225C/400psi gas N60/E |
| DC6WT | 6 port 2-pos valve replacement | 1/16 x .4mm 350C/300psi gas N60/T |
| DC8UW | 8 port 2-pos valve replacement | 1/16 x .75mm 75C/5000psi liq N60/H |
| DC8UWE | 8 port 2-pos valve replacement | 1/16 x .75mm 225C/400psi gas N60/E |
| DC8UWT | 8 port 2-pos valve replacement | 1/16 x .75mm 330C/300psi gas N60/T |
| DC8W | 8 port 2-pos valve replacement | 1/16 x .4mm 75C/5000psi liq N60/H |
| DC8WE | 8 port 2-pos valve replacement | 1/16 x .4mm 225C/400psi gas N60/E |
| DC8WT | 8 port 2-pos valve replacement | 1/16 x .4mm 350C/300psi gas N60/T |
| DCI4UW.2 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 75C/5000psi liq .2ul N60/H |
| DCI4UW.5 | | /H |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| DCI4UW1 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 75C/5000psi liq 1ul N60/H |
| DCI4UW2 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 75C/5000psi liq 2ul N60/H |
| DCI4UWE.2 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 175C/1000psi liq .2ul N60/E |
| DCI4UWE.5 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 175C/1000psi liq .5ul N60/E |
| DCI4UWE1 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 175C/1000psi liq 1ul N60/E |
| DCI4UWE2 | 4 port 2-pos int vol valve replacement | 1/16 x .75mm 175C/1000psi liq 2ul N60/E |
| DCI4W.06 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/5000psi liq .06ul N60/H |
| DCI4W.1 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/5000psi liq .1ul N60/H |
| DCI4W.2 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/5000psi liq .2ul N60/H |
| DCI4W.5 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 75C/5000psi liq .5ul N60/H |
| DCI4WE.06 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 175C/1000psi liq .06ulN60/E |
| DCI4WE.1 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 175C/1000psi liq .1ul N60/E |
| DCI4WE.2 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 175C/1000psi liq .2ul N60/E |
| DCI4WE.5 | 4 port 2-pos int vol valve replacement | 1/16 x .4mm 175C/1000psi liq .5ul N60/E |
| DCSC10MWE | 10 mpos common outlet path MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSC12MWE | 12 mpos common outlet path MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSC16MWE | 16 mpos common outlet path MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSC6MWE | 6 mpos common outlet path MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSD10MWE | 10 mpos dead-end path MW replacement | 1/16 x .75mm 200C/400psi gas N60/E |
| DCSD10UW | 10 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq N60/E |
| DCSD12MWE | 12 mpos dead-end path MW replacement | 1/16 x .75mm 200C/400psi gas N60/E |
| DCSD16MWE | 16 mpos dead-end path MW replacement | 1/16 x .75mm 200C/400psi gas N60/E |
| DCSD4UW | 4 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq N60/E |
| DCSD6MWE | 6 mpos dead-end path MW replacement | 1/16 x .75mm 200C/400psi gas N60/E |
| DCSD6UW | 6 mpos dead-end path replacement | 1/16 x .4mm 75C/5000psi liq N60/E |
| DCSF10MWE | 10 mpos flow-through MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSF12MWE | 12 mpos flow-through MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSF16MWE | 16 mpos flow-through MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCSF6MWE | 6 mpos flow-through MW replacement | 1/16 x 1mm 200C/200psi gas N60/E |
| DCST10MWE | 10 mpos trapping path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCST12MWE | 12 mpos trapping path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCST16MWE | 16 mpos trapping path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCST4UW | 4 mpos trapping path replacement | 1/16 x .4mm 75C/5000psi liq N60/E |
| DCST6MWE | 6 mpos trapping path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCST6UW | 6 mpos trapping path replacement | 1/16 x .4mm 75C/5000psi liq N60/E |
| DCSTF10MWE | 10 mpos trap/flow path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCSTF12MWE | 12 mpos trap/flow path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCSTF16MWE | 16 mpos trap/flow path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DCSTF6MWE | 6 mpos trap/flow path MW replacement | 1/16 x .75mm 200C/200psi gas N60/E |
| DI4UWE.2 | 4 port 2-pos int vol valve replacement | 1/8 x .75mm 175C/1000psi liq .2ul N60/E |
| DI4UWE.5 | 4 port 2-pos int vol valve replacement | 1/8 x .75mm 175C/1000psi liq .5ul N60/E |
| DI4UWE1 | 4 port 2-pos int vol valve replacement | 1/8 x .75mm 175C/1000psi liq 1ul N60/E |
| DI4UWE2 | 4 port 2-pos int vol valve replacement | 1/8 x .75mm 175C/1000psi liq 2ul N60/E |
| DL10UW | 10 port 2-pos valve replacement | 1/8 x 1.0mm 75C/5000psi liq N60/H |
| DL4UW | 4 port 2-pos valve replacement | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| DL6UW | 6 port 2-pos valve replacement | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| DL8UW | 8 port 2-pos valve replacement | 1/8 x 1.3mm 75C/5000psi liq N60/H |
| DN10WE | 10 port 2-pos valve replacement | 1/32 x .25mm 225C/400psi gas N60/E |
| DN10WT | 10 port 2-pos valve replacement | 1/32 x .25mm 350C/300psi gas N60/T |
| DN4WE | 4 port 2-pos valve replacement | 1/32 x .25mm 225C/400psi gas N60/E |
| DN4WT | 4 port 2-pos valve replacement | 1/32 x .25mm 350C/300psi gas N60/T |
| DN6WE | 6 port 2-pos valve replacement | 1/32 x .25mm 225C/400psi gas N60/E |
| DN6WT | 6 port 2-pos valve replacement | 1/32 x .25mm 350C/300psi gas N60/T |
| DN8WE | 8 port 2-pos valve replacement | 1/32 x .25mm 225C/400psi gas N60/E |
| DN8WT | 8 port 2-pos valve replacement | 1/32 x .25mm 350C/300psi gas N60/T |
| DNI4WE.06 | 4 port 2-pos int vol valve replacement | 1/32 x .25mm 175C/1000psi liq .06ulN60/E |
| DNI4WE.1 | 4 port 2-pos int vol valve replacement | 1/32 x .25mm 175C/1000psi liq .1ulN60/E |
| DNI4WE.2 | 4 port 2-pos int vol valve replacement | 1/32 x .25mm 175C/1000psi liq .2ulN60/E |
| DNI4WE.5 | 4 port 2-pos int vol valve replacement | 1/32 x .25mm 175C/1000psi liq .5ulN60/E |
| DSC10MWE | 10 mpos common outlet path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSC12MWE | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| DSC16MWE | 16 mpos common outlet path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSC6MWE | 6 mpos common outlet path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSD10MWE | 10 mpos dead-end path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSD12MWE | 12 mpos dead-end path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSD16MWE | 16 mpos dead-end path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSD4UW | 4 mpos dead-end path replacement | 1/8 x .75mm 75C/5000psi liq N60/E |
| DSD6MWE | 6 mpos dead-end path MW replacement | 1/8 x 1mm 200C/400psi gas N60/E |
| DSD6UW | 6 mpos dead-end path replacement | 1/8 x .75mm 75C/5000psi liq N60/E |
| DSD8UW | 8 mpos dead-end path replacement | 1/8 x .75mm 75C/5000psi liq N60/E |
| DSF10MWE | 10 mpos flow-through MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSF12MWE | 12 mpos flow-through MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSF16MWE | 16 mpos flow-through MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSF6MWE | 6 mpos flow-through MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DST10MWE | 10 mpos trapping path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DST12MWE | 12 mpos trapping path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DST16MWE | 16 mpos trapping path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DST6MWE | 6 mpos trapping path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSTF10MWE | 10 mpos trap/flow path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSTF12MWE | 12 mpos trap/flow path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSTF16MWE | 16 mpos trap/flow path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DSTF6MWE | 6 mpos trap/flow path MW replacement | 1/8 x 1mm 200C/200psi gas N60/E |
| DV12-1110 | Mini diaphragm 10 port 2-pos valve | 1/32 x .25mm 200C/300psi liq N60/Polyimide |
| DV12-1114-.5 | Mini diaphragm 4 port 2-pos int/vol valve | 1/32 x .25mm 50C/750psi liq. N60/Polyimide .5ul |
| DV12-1114-1 | Mini diaphragm 4 port 2-pos int/vol valve | 1/32 x .25mm 50C/750psi liq. N60/Polyimide 1ul |
| DV12-1116 | Mini diaphragm 6 port 2-pos valve | 1/32 x .25mm 200C/300psi liq N60/Polyimide |
| DV22-2110 | Mini diaphragm 10 port 2-pos valve | 1/16 x .4mm 200C/300psi liq N60/Polyimide |
| DV22-2114-.5 | Mini diaphragm 4 port 2-pos int/vol valve | 1/16 x .4mm 50C/750psi liq N60/Polyimide .5ul |
| DV22-2114-1 | Mini diaphragm 4 port 2-pos int/vol valve | 1/16 x .4mm 50C/750psi liq N60/Polyimide 1ul |
| DV22-2116 | Mini diaphragm 6 port 2-pos valve | 1/16 x .4mm 200C/300psi liq N60/Polyimide |
| DV22-21D | Diaphragm replacement 6/10 port Polyimide | for valve bore 0.25 and 0.40 mm |
| DV22-22D | Diaphragm replacement 6/10 port Teflon | |
| DV22-3110 | Mini diaphragm 10 port 2-pos valve | 1/16 x .75mm 200C/300psi liq N60/Polyimide |
| DV22-3114-.5 | Mini diaphragm 4 port 2-pos int/vol valve | 1/16 x .75mm 50C/750psi liq N60/Polyimide .5ul |
| DV22-3114-1 | Mini diaphragm 4 port 2-pos int/vol valve | 1/16 x .75mm 50C/750psi liq N60/Polyimide 1ul |
| DV22-3116 | Mini diaphragm 6 port 2-pos valve | 1/16 x .75mm 200C/300psi liq N60/Polyimide |
| DV22-31D | Diaphragm replacement 6/10 port Polyimide | for valve bore 0.75 mm |
| DV22-PURGE | Purge ring for DV22 | |
| DVI-110 | Digital valve interface 110Vac | Non-CE !!! |
| DVI-220 | Digital valve interface 220Vac | Non-CE !!! |
| DVL4MWE2 | 4 port 2-pos valve MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVL6MWE2 | 6 port 2-pos valve MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVL8MWE2 | 8 port 2-pos valve MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSC4MWE2 | 4 mpos common outlet path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSC6MWE2 | 6 mpos common outlet path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSC8MWE2 | 8 mpos common outlet path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSD10MWE2 | 10 mpos dead-end path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSD4MWE2 | 4 mpos dead-end path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSD6MWE2 | 6 mpos dead-end path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSD8MWE2 | 8 mpos dead-end path MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSF4MWE2 | 4 mpos flow-through MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSF6MWE2 | 6 mpos flow-through MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVLSF8MWE2 | 8 mpos flow-through MW replacement | 1/4 x 4mm 75C/100psi gas N60/E2 |
| DVSP4-220 | Digital valve sequence programmer | 4 intervals 220Vac Non-CE !!! |
| E10-110 | Electric actuator mpos close mount | 10 position 110Vac |
| E102-110 | Electric actuator mpos 2in standoff | 10 position 110Vac |
| E10S-110 | Electric actuator mpos for standoff | 10 position 110Vac |
| E10UW | 10 port 2-pos valve std-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| E12-110 | Electric actuator mpos close mount | 12 position 110Vac |
| E122-110 | Electric actuator mpos 2in standoff | 12 position 110 Vac |
| E12S-110 | Electric actuator mpos for standoff | 12 position 110Vac |
| E16-110 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| E162-110 | Electric actuator mpos 2in standoff | 16 position 110Vac |
| E16S-110 | Electric actuator mpos for standoff | 16 position 110Vac |
| E2CI4UWE.2 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .75mm175C/1000psi liq .2ul N60/E |
| E2CI4UWE.5 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .75mm175C/1000psi liq .5ul N60/E |
| E2CI4UWE1 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .75mm 175C/1000psi liq 1ul N60/E |
| E2CI4UWE2 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .75mm 175C/1000psi liq 2ul N60/E |
| E2CI4WE.06 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .4mm 175C/1000psi liq .06ul N60/E |
| E2CI4WE.1 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .4mm 175C/1000psi liq .1ul N60/E |
| E2CI4WE.2 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .4mm 175C/1000psi liq .2ul N60/E |
| E2CI4WE.5 | 4 port 2-pos int vol valve std-elect/2in so | 1/16 x .4mm 175C/1000psi liq .5ul N60/E |
| E2CSC10MWE | 10 mpos common outlet path MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSC12MWE | 12 mpos common outlet path MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSC16MWE | 16 mpos common outlet path MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSC6MWE | 6 mpos common outlet path MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSD10MWE | 10 mpos dead-end path MW std-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| E2CSD12MWE | 12 mpos dead-end path MW std-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| E2CSD16MWE | 16 mpos dead-end path MW std-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| E2CSD6MWE | 6 mpos dead-end path MW std-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| E2CSF10MWE | 10 mpos flow-through MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSF12MWE | 12 mpos flow-through MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSF16MWE | 16 mpos flow-through MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CSF6MWE | 6 mpos flow-through MW std-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| E2CST10MWE | 10 mpos trapping path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CST12MWE | 12 mpos trapping path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CST16MWE | 16 mpos trapping path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CST6MWE | 6 mpos trapping path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CSTF10MWE | 10 mpos trap/flow path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CSTF12MWE | 12 mpos trap/flow path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CSTF16MWE | 16 mpos trap/flow path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2CSTF6MWE | 6 mpos trap/flow path MW std-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| E2I4UWE.2 | 4 port 2-pos int vol valve std-elect/2in so | 1/8 x .75mm 175C/1000psi liq .2ul N60/E |
| E2I4UWE.5 | 4 port 2-pos int vol valve std-elect/2in so | 1/8 x .75mm 175C/1000psi liq .5ul N60/E |
| E2I4UWE1 | 4 port 2-pos int vol valve std-elect/2in so | 1/8 x .75mm 175C/1000psi liq 1ul N60/E |
| E2I4UWE2 | 4 port 2-pos int vol valve std-elect/2in so | 1/8 x .75mm 175C/1000psi liq 2ul N60/E |
| E2NI4WE.06 | 4 port 2-pos int vol valve std-elect/2in so | 1/32 x .25mm 175C/1000psi liq .06ulN60/E |
| E2NI4WE.1 | 4 port 2-pos int vol valve std-elect/2in so | 1/32 x .25mm 175C/1000psi liq .1ulN60/E |
| E2NI4WE.2 | 4 port 2-pos int vol valve std-elect/2in so | 1/32 x .25mm 175C/1000psi liq .2ulN60/E |
| E2NI4WE.5 | 4 port 2-pos int vol valve std-elect/2in so | 1/32 x .25mm 175C/1000psi liq .5ulN60/E |
| E2SC10MWE | 10 mpos common outlet path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SC12MWE | 12 mpos common outlet path MW std-elect/4in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SC16MWE | 16 mpos common outlet path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SC6MWE | 6 mpos common outlet path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SD10MWE | 10 mpos dead-end path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SD12MWE | 12 mpos dead-end path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SD16MWE | 16 mpos dead-end path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SD6MWE | 6 mpos dead-end path MW std-elect/2in so | 1/8 x 1mm 200C/400psi gas N60/E |
| E2SF10MWE | 10 mpos flow-through MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SF12MWE | 12 mpos flow-through MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SF16MWE | 16 mpos flow-through MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2SF6MWE | 6 mpos flow-through MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2ST10MWE | 10 mpos trapping path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2ST12MWE | 12 mpos trapping path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2ST16MWE | 16 mpos trapping path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2ST6MWE | 6 mpos trapping path MW std-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2STF10MWE | 10 mpos trap/flow path MW std-elec/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2STF12MWE | 12 mpos trap/flow path MW std-elec/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2STF16MWE | 16 mpos trap/flow path MW std-elec/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2STF6MWE | 6 mpos trap/flow path MW std-elec/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| E2VLSC4MWE2 | 4 mpos common outlet path MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSC6MWE2 | 6 mpos common outlet path MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSC8MWE2 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| E2VLSD10MWE2 | 10 mpos dead-end path MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSD4MWE2 | 4 mpos dead-end path MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSD6MWE2 | 6 mpos dead-end path MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSD8MWE2 | 8 mpos dead-end path MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSF4MWE2 | 4 mpos flow-through MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSF6MWE2 | 6 mpos flow-through MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E2VLSF8MWE2 | 8 mpos flow-through MW std-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E30-110 | Electric actuator 2-pos close mount | 30 deg rotation 110Vac |
| E302-110 | Electric actuator 2-pos 2in standoff | 30 deg rotation 110Vac |
| E302-CE | Electric actuator 2-pos 2in standoff | 30 deg rot. 24Vdcw.110/220Vac p.supply |
| E30-CE | Electric actuator 2-pos close mount | 30 deg rot. 24Vdcw.110/220Vac p.supply |
| E30S-110 | Electric actuator 2-pos for standoff | 30 deg rotation 110Vac |
| E30S-CE | Electric actuator 2-pos for standoff | 30 deg rot. 24Vdcw.110/220Vac p.supply |
| E36-110 | Electric actuator 2-pos close mount | 36 deg rotation 110Vac |
| E362-110 | Electric actuator 2-pos 2in standoff | 36 deg rotation 110Vac |
| E362-CE | Electric actuator 2-pos 2in standoff | 36 deg rot. 24Vdcw.110/220Vac p.supply |
| E36-CE | Electric actuator 2-pos close mount | 36 deg rot. 24Vdcw.110/220Vac p.supply |
| E36S-110 | Electric actuator 2-pos for standoff | 36 deg rotation 110Vac |
| E36S-CE | Electric actuator 2-pos for standoff | 36 deg rot. 24Vdcw.110/220Vac p.supply |
| E410UWE | 10 port 2-pos valve std-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| E410UWT | 10 port 2-pos valve std-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| E4-110 | Electric actuator mpos close mount | 4 position 110Vac |
| E42-110 | Electric actuator mpos 2in standoff | 4 position 110Vac |
| E44UWE | 4 port 2-pos valve std-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| E44UWT | 4 port 2-pos valve std-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| E45-110 | Electric actuator 2-pos close mount | 45 deg rotation 110Vac |
| E452-110 | Electric actuator 2-pos 2in standoff | 45 deg rotation 110Vac |
| E452-CE | Electric actuator 2-pos 2in standoff | 45 deg rot. 24Vdcw.110/220Vac p.supply |
| E45-CE | Electric actuator 2-pos close mount | 45 deg rot.24Vdcw. 110/220Vac p.supply |
| E45S-110 | Electric actuator 2-pos for standoff | 45 deg rotation 110Vac |
| E45S-CE | Electric actuator 2-pos for standoff | 45 deg rot. 24Vdcw.110/220Vac p.supply |
| E46UWE | 6 port 2-pos valve std-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| E46UWT | 6 port 2-pos valve std-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| E48UWE | 8 port 2-pos valve std-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| E48UWT | 8 port 2-pos valve std-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| E4C10UWE | 10 port 2-pos valve std-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| E4C10UWT | 10 port 2-pos valve std-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| E4C10WE | 10 port 2-pos valve std-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| E4C10WT | 10 port 2-pos valve std-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| E4C4UWE | 4 port 2-pos valve std-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| E4C4UWT | 4 port 2-pos valve std-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| E4C4WE | 4 port 2-pos valve std-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| E4C4WT | 4 port 2-pos valve std-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| E4C6UWE | 6 port 2-pos valve std-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| E4C6UWT | 6 port 2-pos valve std-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| E4C6WE | 6 port 2-pos valve std-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| E4C6WT | 6 port 2-pos valve std-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| E4C8UWE | 8 port 2-pos valve std-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| E4C8UWT | 8 port 2-pos valve std-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| E4C8WE | 8 port 2-pos valve std-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| E4C8WT | 8 port 2-pos valve std-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| E4N10WE | 10 port 2-pos valve std-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| E4N10WT | 10 port 2-pos valve std-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| E4N4WE | 4 port 2-pos valve std-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| E4N4WT | 4 port 2-pos valve std-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| E4N6WE | 6 port 2-pos valve std-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| E4N6WT | 6 port 2-pos valve std-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| E4N8WE | 8 port 2-pos valve std-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| E4N8WT | 8 port 2-pos valve std-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| E4S-110 | Electric actuator mpos for standoff | 4 position 110Vac |
| E4UW | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| E4VL4MWE2 | 4 port 2-pos valve MW std-elect/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E4VL6MWE2 | 6 port 2-pos valve MW std-elect/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| E4VL8MWE2 | 8 port 2-pos valve MW std-elect/4in so | 1/4 x 4mm 75C/100psi gas N60/E |
| E4X2-110 | Electric actuator mpos close mount | 4x2 position 110Vac |
| E4X22-110 | Electric actuator mpos 2in standoff | 4x2 position 110Vac |
| E4X2S-110 | Electric actuator mpos for standoff | 4x2 position 110Vac |
| E60-110 | Electric actuator 2-pos close mount | 60 deg rotation 110Vac |
| E602-110 | Electric actuator 2-pos 2in standoff | 60 deg rotation 110Vac |
| E602-CE | Electric actuator 2-pos 2in standoff | 60 deg rot. 24Vdcw.110/220Vac p.supply |
| E60-CE | Electric actuator 2-pos close mount | 60 deg rot. 24Vdcw.110/220Vac p.supply |
| E60S-110 | Electric actuator 2-pos for standoff | 60 deg rotation 110Vac |
| E60S-CE | Electric actuator 2-pos for standoff | 60 deg rot. 24Vdcw.110/220Vac p.supply |
| E6-110 | Electric actuator mpos close mount | 6 position 110Vac |
| E62-110 | Electric actuator mpos 2in standoff | 6 position 110Vac |
| E6S-110 | Electric actuator mpos for standoff | 6 position 110Vac |
| E6UW | 6 port 2-pos valve std-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| E6X2-110 | Electric actuator mpos close mount | 6x2 position 110Vac |
| E6X22-110 | Electric actuator mpos 2in standoff | 6x2 position 110Vac |
| E6X2S-110 | Electric actuator mpos for standoff | 6x2 position 110Vac |
| E8-110 | Electric actuator mpos close mount | 8 position 110Vac |
| E82-110 | Electric actuator mpos 2in standoff | 8 position 110Vac |
| E8S-110 | Electric actuator mpos for standoff | 8 position 110Vac |
| E8UW | 8 port 2-pos valve std-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| E90-110 | Electric actuator 2-pos close mount | 90 deg rotation 110Vac |
| E902-110 | Electric actuator 2-pos 2in standoff | 90 deg rotation 110Vac |
| E902-CE | Electric actuator 2-pos 2in standoff | 90 deg rot. 24Vdcw.110/220Vac p.supply |
| E90-CE | Electric actuator 2-pos close mount | 90 deg rot. 24Vdcw.110/220Vac p.supply |
| E90S-110 | Electric actuator 2-pos for standoff | 90 deg rotation 110Vac |
| E90S-CE | Electric actuator 2-pos for standoff | 90 deg rot. 24Vdcw.110/220Vac p.supply |
| EAOR21 | External adaptor 1/8in to 10-32 thread | O-ring seal SS |
| EAOR22 | External adaptor 1/8in to 5/16-24 thread | O-ring seal SS |
| EBRU12L | Bulkhead external red. union 1/8in x 1/16in | 1mm bore SS |
| EBRU12T | Bulkhead external red. union 1/8in x 1/16in | 1/16in trough bore SS |
| EBRU14L | Bulkhead external red. union 1/4in x 1/16in | 1mm bore SS |
| EBRU14T | Bulkhead external red. union 1/4in x 1/16in | 1/16in trough bore SS |
| EBRU24L | Bulkhead external red. union 1/4in x 1/8in | 2mm bore SS |
| EBU2L | Bulkhead external union 1/8in | 2mm bore SS |
| EBU2T | Bulkhead external union 1/8in | 1/8in through bore SS |
| EBU4 | Bulkhead external union 1/4in | 2mm bore SS |
| EBU4L | Bulkhead external union 1/4in | 4.6mm bore SS |
| EBU4T | Bulkhead external union 1/4in | 1/4in through bore SS |
| EC10UW | 10 port 2-pos valve std-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EC10W | 10 port 2-pos valve std-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| EC4UW | 4 port 2-pos valve std-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EC4W | 4 port 2-pos valve std-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| EC6UW | 6 port 2-pos valve std-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EC6W | 6 port 2-pos valve std-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| EC8UW | 8 port 2-pos valve std-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EC8W | 8 port 2-pos valve std-electric | 1/16 x .4mm 75C/5000psi liq N60/H |
| ECEF111.0 | External column end fitting 1/16in | .25mm bore 1mm cone without frit 316SS |
| ECEF111.0F | External column end fitting 1/16in | .25mm bore 1mm cone removable 2um frit 316SS |
| ECEF1K1 | External column end fitting 1in x 1/16in | .75mm bore 20mm cone without frit 316SS |
| ECEF1K1F | External column end fitting 1in x 1/16in | .75mm bore 20mm cone removable 2um frit 316SS |
| ECEF211.0 | External column end fitting 1/8in x 1/16in | .25mm bore 1mm cone without frit 316SS |
| ECEF211.0F | External column end fitting 1/8in x 1/16in | .25mm bore 1mm cone removable 2um frit 316SS |
| ECEF412.1 | External column end fitting 1/4in x 1/16in | .4mm bore 2.1mm conewithout frit 316SS |
| ECEF412.1F | External column end fitting 1/4in x 1/16in | .4mm bore 2.1mm coneremovable 2um frit 316SS |
| ECEF413.0 | External column end fitting 1/4in x 1/16in | .4mm bore 3mm cone without frit 316SS |
| ECEF413.0F | External column end fitting 1/4in x 1/16in | .4mm bore 3mm cone removable 2um frit 316SS |
| ECEF414.0 | External column end fitting 1/4in x 1/16in | .4mm bore 4mm cone without frit 316SS |
| ECEF414.0F | External column end fitting 1/4in x 1/16in | .4mm bore 4mm cone removable 2um frit 316SS |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ECEF414.6 | External column end fitting 1/4in x 1/16in | .4mm bore 4.6mm conewithout frit 316SS |
| ECEF414.6F | External column end fitting 1/4in x 1/16in | .4mm bore 4.6mm coneremovable 2um frit |
| ECEF616.0 | External column end fitting 3/8in x 1/16in | .35mm bore 6mm cone without frit 316SS |
| ECEF616.0F | External column end fitting 3/8in x 1/16in | .35mm bore 6mm cone removable 2um frit |
| ECEF617.0 | External column end fitting 3/8in x 1/16in | .4mm bore 7mm cone without frit 316SS |
| ECEF617.0F | External column end fitting 3/8in x 1/16in | .4mm bore 7mm cone removable 2um frit |
| ECEF8110.0 | External column end fitting 1/2in x 1/16in | .75mm bore 10mm cone without frit 316SS |
| ECEF8110.0F | External column end fitting 1/2in x 1/16in | .75mm bore 10mm cone removable 2um frit 316SS |
| ECEF819.0 | External column end fitting 1/2in x 1/16in | .75mm bore 9mm cone without frit 316SS |
| ECEF819.0F | External column end fitting 1/2in x 1/16in | .75mm bore 9mm cone removable 2um frit 316SS |
| ECI4UW.2 | 4 port 2-pos int vol valve std-electric | 1/16 x .75mm 75C/5000psi liq .2ul N60/H |
| ECI4UW.5 | 4 port 2-pos int vol valve std-electric | 1/16 x .75mm 75C/5000psi liq .5ul N60/H |
| ECI4UW1 | 4 port 2-pos int vol valve std-electric | 1/16 x .75mm 75C/5000psi liq 1ul N60/H |
| ECI4UW2 | 4 port 2-pos int vol valve std-electric | 1/16 x .75mm 75C/5000psi liq 2ul N60/H |
| ECI4W.06 | 4 port 2-pos int vol valve std-electric | 1/16 x .4mm 75C/5000psi liq .06ul N60/H |
| ECI4W.1 | 4 port 2-pos int vol valve std-electric | 1/16 x .4mm 75C/5000psi liq .1ul N60/H |
| ECI4W.2 | 4 port 2-pos int vol valve std-electric | 1/16 x .4mm 75C/5000psi liq .2ul N60/H |
| ECI4W.5 | 4 port 2-pos int vol valve std-electric | 1/16 x .4mm 75C/5000psi liq .5ul N60/H |
| ECMH | OBSOLETE! Please ask for alternatives! | |
| ECMH2 | OBSOLETE! Please ask for alternatives! | |
| ECMH2-CE | OBSOLETE! Please ask for alternatives! | |
| ECMH-CE | OBSOLETE! Please ask for alternatives! | |
| ECMHS | OBSOLETE! Please ask for alternatives! | |
| ECMHS-CE | OBSOLETE! Please ask for alternatives! | |
| ECMT | OBSOLETE! Please ask for alternatives! | |
| ECMT2 | OBSOLETE! Please ask for alternatives! | |
| ECMT2-CE | OBSOLETE! Please ask for alternatives! | |
| ECMT-CE | OBSOLETE! Please ask for alternatives! | |
| ECMTS | OBSOLETE! Please ask for alternatives! | |
| ECMTS-CE | OBSOLETE! Please ask for alternatives! | |
| ECSD10UW | 10 mpos dead-end path std-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| ECSD4UW | 4 mpos dead-end path std-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| ECSD6UW | 6 mpos dead-end path std-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| ECST4UW | 4 mpos trapping path std-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| ECST6UW | 6 mpos trapping path std-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| ED | Micro electric actuator 2-pos closemount | medium torque 24Vdc w.110/220Vac p-supply |
| ED10UW | 10 port 2-pos valve m-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| ED2 | Micro electric actuator 2-pos/2in so | high torque 24Vdc w.110/220Vac p-supply |
| ED2CI4UWE.2 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .75mm175C/1000psi liq .2ul N60/E |
| ED2CI4UWE.5 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .75mm175C/1000psi liq .5ul N60/E |
| ED2CI4UWE1 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .75mm 175C/1000psi liq 1ul N60/E |
| ED2CI4UWE2 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .75mm175C/1000psi liq 2ul N60/E |
| ED2I4UWE.2 | 4 port 2-pos int vol valve m-elect/2in so | 1/8 x .75mm 175C/1000psi liq .2ul N60/E |
| ED2I4UWE.5 | 4 port 2-pos int vol valve m-elect/2in so | 1/8 x .75mm 175C/1000psi liq .5ul N60/E |
| ED2I4UWE1 | 4 port 2-pos int vol valve m-elect/2in so | 1/8 x .75mm 175C/1000psi liq 1ul N60/E |
| ED2I4UWE2 | 4 port 2-pos int vol valve m-elect/2in so | 1/8 x .75mm 175C/1000psi liq 2ul N60/E |
| ED410UWE | 10 port 2-pos valve m-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| ED410UWT | 10 port 2-pos valve m-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| ED44UWE | 4 port 2-pos valve m-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| ED44UWT | 4 port 2-pos valve m-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| ED46UWE | 6 port 2-pos valve m-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| ED46UWT | 6 port 2-pos valve m-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| ED48UWE | 8 port 2-pos valve m-electric/4in so | 1/8 x .75mm 225C/400psi gas N60/E |
| ED48UWT | 8 port 2-pos valve m-electric/4in so | 1/8 x .75mm 330C/300psi gas N60/T |
| ED4C10UWE | 10 port 2-pos valve m-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| ED4C10UWT | 10 port 2-pos valve m-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| ED4C4UWE | 4 port 2-pos valve m-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| ED4C4UWT | 4 port 2-pos valve m-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| ED4C6UWE | 6 port 2-pos valve m-electric/4in so | 1/16 x .75mm 225C/400psi gas N60/E |
| ED4C6UWT | 6 port 2-pos valve m-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| ED4C8UWE | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ED4C8UWT | 8 port 2-pos valve m-electric/4in so | 1/16 x .75mm 330C/300psi gas N60/T |
| ED4UW | 4 port 2-pos valve m-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| ED6UW | 6 port 2-pos valve m-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| ED8UW | 8 port 2-pos valve m-electric | 1/8 x .75mm 75C/5000psi liq N60/H |
| EDC10UW | 10 port 2-pos valve m-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EDC4UW | 4 port 2-pos valve m-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EDC6UW | 6 port 2-pos valve m-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EDC8UW | 8 port 2-pos valve m-electric | 1/16 x .75mm 75C/5000psi liq N60/H |
| EDCI4UW.2 | 4 port 2-pos int vol valve m-electric | 1/16 x .75mm 75C/5000psi liq .2ul N60/H |
| EDCI4UW.5 | 4 port 2-pos int vol valve m-electric | 1/16 x .75mm 75C/5000psi liq .5ul N60/H |
| EDCI4UW1 | 4 port 2-pos int vol valve m-electric | 1/16 x .75mm 75C/5000psi liq 1ul N60/H |
| EDCI4UW2 | 4 port 2-pos int vol valve m-electric | 1/16 x .75mm 75C/5000psi liq 2ul N60/H |
| EDL10UW | 10 port 2-pos valve m-electric | 1/8 x 1.0mm 75C/5000psi liq N60/H |
| EDL4UW | 4 port 2-pos valve m-electric | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| EDL6UW | 6 port 2-pos valve m-electric | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| EDL8UW | 8 port 2-pos valve m-electric | 1/8 x 1.3mm 75C/5000psi liq N60/H |
| EDS | Micro electric actuator 2-pos for so | high torque 24Vdc w.110/220Vac p-supply |
| EH | Micro electric actuator 2-pos closemount | high speed 24Vdc w.110/220Vac p-supply |
| EH2 | Micro electric actuator 2-pos/2in so | high speed 24Vdc w.110/220Vac p-supply |
| EH4C10WE | 10 port 2-pos valve m-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| EH4C10WT | 10 port 2-pos valve m-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| EH4C4WE | 4 port 2-pos valve m-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| EH4C4WT | 4 port 2-pos valve m-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| EH4C6WE | 6 port 2-pos valve m-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| EH4C6WT | 6 port 2-pos valve m-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| EH4C8WE | 8 port 2-pos valve m-electric/4in so | 1/16 x .4mm 225C/400psi gas N60/E |
| EH4C8WT | 8 port 2-pos valve m-electric/4in so | 1/16 x .4mm 350C/300psi gas N60/T |
| EH4N10WE | 10 port 2-pos valve m-electric act/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| EH4N10WT | 10 port 2-pos valve m-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| EH4N4WE | 4 port 2-pos valve m-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| EH4N4WT | 4 port 2-pos valve m-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| EH4N6WE | 6 port 2-pos valve m-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| EH4N6WT | 6 port 2-pos valve m-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| EH4N8WE | 8 port 2-pos valve m-electric/4in so | 1/32 x .25mm 225C/400psi gas N60/E |
| EH4N8WT | 8 port 2-pos valve m-electric/4in so | 1/32 x .25mm 350C/300psi gas N60/T |
| EHS | Micro electric actuator 2-pos for so | high speed 24Vdc w.110/220Vac p-supply |
| EL10UW | 10 port 2-pos valve std-electric | 1/8 x 1.0mm 75C/5000psi liq N60/H |
| EL4UW | 4 port 2-pos valve std-electric | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| EL6UW | 6 port 2-pos valve std-electric | 1/8 x 1.7mm 75C/5000psi liq N60/H |
| EL8UW | 8 port 2-pos valve std-electric | 1/8 x 1.3mm 75C/5000psi liq N60/H |
| EMH | !!!RECOMMENDED EMH-CE | |
| EMH2 | !!!RECOMMENDED EMH2-CE | |
| EMH2-CE | Micro electric actuator mpos 2in so | high speed 24Vdc w. 110/220Vac p-supply |
| EMH-CE | Micro electric actuator mpos closemount | high speed 24Vdc w. 110/220Vac p-supply |
| EMHS | !!!RECOMMENDED EMHS-CE | |
| EMHS-CE | Micro electric actuator mpos for so | high speed 24Vdc w. 110/220Vac p-supply |
| EMT | !!!RECOMMENDED EMT-CE | |
| EMT2 | !!!RECOMMENDED EMT2-CE | |
| EMT2-CE | Micro electric actuator mpos 2in so | high torque 24Vdc w.110/220Vac p-supply |
| EMT2CSC10MWE | 10 mpos common outlet path MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSC12MWE | 12 mpos common outlet path MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSC16MWE | 16 mpos common outlet path MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSC6MWE | 6 mpos common outlet path MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSD10MWE | 10 mpos dead-end path MW m-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| EMT2CSD12MWE | 12 mpos dead-end path MW m-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| EMT2CSD16MWE | 16 mpos dead-end path MW m-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| EMT2CSD6MWE | 6 mpos dead-end path MW m-elect/2in so | 1/16 x .75mm 200C/400psi gas N60/E |
| EMT2CSF10MWE | 10 mpos flow-through MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSF12MWE | 12 mpos flow-through MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSF16MWE | 16 mpos flow-through MW m-elect/2in so | 1/16 x 1mm 200C/200psi gas N60/E |
| EMT2CSF6MWE | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| EMT2CST10MWE | 10 mpos trapping path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CST12MWE | 12 mpos trapping path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CST16MWE | 16 mpos trapping path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CST6MWE | 6 mpos trapping path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CSTF10MWE | 10 mpos trap/flow path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CSTF12MWE | 12 mpos trap/flow path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CSTF16MWE | 16 mpos trap/flow path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2CSTF6MWE | 6 mpos trap/flow path MW m-elect/2in so | 1/16 x .75mm 200C/200psi gas N60/E |
| EMT2SC10MWE | 10 mpos common outlet path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SC12MWE | 12 mpos common outlet path MWm-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SC16MWE | 16 mpos common outlet path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SC6MWE | 6 mpos common outlet path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SD10MWE | 10 mpos dead-end path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SD12MWE | 12 mpos dead-end path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SD16MWE | 16 mpos dead-end path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SD6MWE | 6 mpos dead-end path MW m-elect/2in so | 1/8 x 1mm 200C/400psi gas N60/E |
| EMT2SF10MWE | 10 mpos flow-through MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SF12MWE | 12 mpos flow-through MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SF16MWE | 16 mpos flow-through MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2SF6MWE | 6 mpos flow-through MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2ST10MWE | 10 mpos trapping path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2ST12MWE | 12 mpos trapping path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2ST16MWE | 16 mpos trapping path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2ST6MWE | 6 mpos trapping path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2STF10MWE | 10 mpos trap/flow path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2STF12MWE | 12 mpos trap/flow path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2STF16MWE | 16 mpos trap/flow path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2STF6MWE | 6 mpos trap/flow path MW m-elect/2in so | 1/8 x 1mm 200C/200psi gas N60/E |
| EMT2VLSC4MWE2 | 4 mpos common outlet path MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSC6MWE2 | 6 mpos common outlet path MW m-elect/2in s | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSC8MWE2 | 8 mpos common outlet path MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSD10MWE2 | 10 mpos dead-end path MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSD4MWE2 | 4 mpos dead-end path MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSD6MWE2 | 6 mpos dead-end path MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSD8MWE2 | 8 mpos dead-end path MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSF4MWE2 | 4 mpos flow-through MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSF6MWE2 | 6 mpos flow-through MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT2VLSF8MWE2 | 8 mpos flow-through MW m-elect/2in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| EMT-CE | Micro electric actuator mpos closemount | high torque 24Vdc w.110/220Vac p-supply |
| EMTCSD10UW | 10 mpos dead-end path m-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| EMTCSD4UW | 4 mpos dead-end path m-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| EMTCSD6UW | 6 mpos dead-end path m-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| EMTCST4UW | 4 mpos trapping path m-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| EMTCST6UW | 6 mpos trapping path m-electric | 1/16 x .4mm 75C/5000psi liq N60/E |
| EMTS | RECOMMENDED EMTS-CE | |
| EMTS-CE | Micro electric actuator mpos for so | high torque 24Vdc w.110/220Vac p-supply |
| EMTSD4UW | 4 mpos dead-end path m-electric | 1/8 x .75mm 75C/5000psi liq N60/E |
| EMTSD6UW | 6 mpos dead-end path m-electric | 1/8 x .75mm 75C/5000psi liq N60/E |
| EMTSD8UW | 8 mpos dead-end path m-electric | 1/8 x .75mm 75C/5000psi liq N60/E |
| EN.5 | External nut 1/32in hex | SS |
| EN.5KN | External nut 1/32in knurled | SS |
| EN1 | External nut 1/16in hex | SS |
| EN1K | External nut 1in hex | SS |
| EN2 | External nut 1/8in hex | SS |
| EN2SI | Septum injector nut 1/8in connection | with polyimide support and 1/4in septum |
| EN4 | External nut 1/4in hex | SS |
| EN6 | External nut 3/8in hex | SS |
| EN8 | External nut 1/2in hex | SS |
| EP | Micro electric actuator 2-pos closemount | medium torque 24Vdc w.110/220Vac p-supply |
| EP2 | Micro electric actuator 2-pos/2in so | medium torque 24Vdc w.110/220Vac p-supply |
| EP2CI4WE.06 | | 0/E |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| EP2CI4WE.1 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .4mm 175C/1000psi liq .1ul N60/E |
| EP2CI4WE.2 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .4mm 175C/1000psi liq .2ul N60/E |
| EP2CI4WE.5 | 4 port 2-pos int vol valve m-elect/2in so | 1/16 x .4mm 175C/1000psi liq .5ul N60/E |
| EP2NI4WE.06 | 4 port 2-pos int vol valve m-elect/2in so | 1/32 x .25mm 175C/1000psi liq .06ulN60/E |
| EP2NI4WE.1 | 4 port 2-pos int vol valve m-elect/2in so | 1/32 x .25mm 175C/1000psi liq .1ulN60/E |
| EP2NI4WE.2 | 4 port 2-pos int vol valve m-elect/2in so | 1/32 x .25mm 175C/1000psi liq .2ulN60/E |
| EP2NI4WE.5 | 4 port 2-pos int vol valve m-elect/2in so | 1/32 x .25mm 175C/1000psi liq .5ulN60/E |
| EPC10W | 10 port 2-pos valve m-electric hi-psi | 1/16 x .4mm 75C/5000psi liq N60/H |
| EPC4W | 4 port 2-pos valve m-electric hi-psi | 1/16 x .4mm 75C/5000psi liq N60/H |
| EPC6W | 6 port 2-pos valve m-electric hi-psi | 1/16 x .4mm 75C/5000psi liq N60/H |
| EPC8W | 8 port 2-pos valve m-electric hi-psi | 1/16 x .4mm 75C/5000psi liq N60/H |
| EPCI4W.06 | 4 port 2-pos int vol valve m-elect hi-psi | 1/16 x .4mm 75C/5000psi liq .06ul N60/H |
| EPCI4W.1 | 4 port 2-pos int vol valve m-elect hi-psi | 1/16 x .4mm 75C/5000psi liq .1ul N60/H |
| EPCI4W.2 | 4 port 2-pos int vol valve m-elect hi-psi | 1/16 x .4mm 75C/5000psi liq .2ul N60/H |
| EPCI4W.5 | 4 port 2-pos int vol valve m-elect hi-psi | 1/16 x .4mm 75C/5000psi liq .5ul N60/H |
| EPS | Micro electric actuator 2-pos for so | medium torque 24Vdc w.110/220Vac p-supply |
| EQ | Micro electric actuator 2-pos closemount | highest speed 24Vdc w.110/220Vac p-supply |
| EQ2 | Micro electric actuator 2-pos/2in so | highest speed 24Vdc w.110/220Vac p-supply |
| EQS | Micro electric actuator 2-pos for so | highest speed 24Vdc w.110/220Vac p-supply |
| ERU21 | External reducing union 1/8in x 1/16in | .75mm bore SS |
| ERU21L | External reducing union 1/8in x 1/16in | 1mm bore SS |
| ERU21T | External reducing union 1/8in x 1/16in | 1/16in through bore SS |
| ERU41 | External reducing union 1/4in x 1/16in | .75mm bore SS |
| ERU41T | External reducing union 1/4in x 1/16in | 1/16in through bore SS |
| ERU42 | External reducing union 1/4in x 1/8in | 0.75mm bore SS |
| ERU42L | External reducing union 1/4in x 1/8in | 2mm bore SS |
| ERU42T | External reducing union 1/4in x 1/8in | 1/8in through bore SS |
| ESD4UW | 4 mpos dead-end path std-electric | 1/8 x .75mm 75C/5000psi liq N60/E |
| ESD6UW | 6 mpos dead-end path std-electric | 1/8 x .75mm 75C/5000psi liq N60/E |
| ESD8UW | 8 mpos dead-end path std-electric | 1/8 x .75mm 75C/5000psi liq N60/E |
| ET | Micro electric actuator 2-pos closemount | highest torque 24Vdc w.110/220Vac p-supply |
| ET2 | Micro electric actuator 2-pos/2in so | highest torque 24Vdc w.110/220Vac p-supply |
| ET4VL4MWE2 | 4 port 2-pos valve MW m-electric/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| ET4VL6MWE2 | 6 port 2-pos valve MW m-electric/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| ET4VL8MWE2 | 8 port 2-pos valve MW m-electric/4in so | 1/4 x 4mm 75C/100psi gas N60/E2 |
| ETS | Micro electric actuator 2-pos for so | highest torque 24Vdc w.110/220Vac p-supply |
| EU.5 | External union 1/32in | .25mm bore SS |
| EU.5L | External union 1/32in | .50mm bore SS |
| EU.5T | External union 1/32in | 1/32in through bore SS |
| EU2 | External union 1/8in | 1mm bore SS |
| EU2L | External union 1/8in | 2mm bore SS |
| EU2T | External union 1/8in | 1/8in through bore SS |
| EU4 | External union 1/4in | 2mm bore SS |
| EU4L | External union 1/4in | 4.6mm bore SS |
| EU4T | External union 1/4in | 1/4in through bore SS |
| EUD | Universal actuator no interface no clamp ring | medium torque 24Vdc w.110/220Vac p-supply |
| EUDA | Universal actuator RS-232/485 no clamp ring | medium torque 24Vdc w.110/220Vac p-supply |
| EUDB | Universal actuator USB no clamp ring | medium torque 24Vdc w.110/220Vac p-supply |
| EUDC | Universal actuator BCD no clamp ring | medium torque 24Vdc w.110/220Vac p-supply |
| EUH | Universal actuator no interface no clamp ring | high speed 24Vdc w.110/220Vac p-supply |
| EUHA | Universal actuator RS-232/485 no clamp ring | high speed 24Vdc w.110/220Vac p-supply |
| EUHB | Universal actuator USB no clamp ring | high speed 24Vdc w.110/220Vac p-supply |
| EUHC | Universal actuator BCD no clamp ring | high speed 24Vdc w.110/220Vac p-supply |
| EUT | Universal actuator no interface no clamp ring | high torque 24Vdc w.110/220Vac p-supply |
| EUTA | Universal actuator RS-232/485 no clamp ring | high torque 24Vdc w.110/220Vac p-supply |
| EUTB | Universal actuator USB no clamp ring | high torque 24Vdc w.110/220Vac p-supply |
| EUTC | Universal actuator BCD no clamp ring | high torque 24Vdc w.110/220Vac p-supply |
| EZA1 | Ext./int. adapter 1/16in x 1/16in SS | |
| EZA2 | Ext./int. adapter 1/8in x 1/8in SS | |
| EZBRU.51 | Bulkhead ext/int red. union 1/16in x 1/32in | .25mm bore SS |
| EZBRU.51L | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| EZBRU.51T | Bulkhead ext/int red. union 1/16in x 1/32in | 1/32in through bore SS |
| EZBRU1.5L | Bulkhead ext/int red. union 1/16in x 1/32in | .5mm bore SS |
| EZBRU1.5T | Bulkhead ext/int red. union 1/16in x 1/32 | 1/32in through bore SS |
| EZBRU2.5L | Bulkhead ext/int red. union 1/8in x 1/32in | .5mm bore SS |
| EZBRU2.5T | Bulkhead ext/int red. union 1/8in x 1/32in | 1/32in through bore SS |
| EZBRU21 | Bulkhead ext/int red. union 1/8in x 1/16in | .75mm bore SS |
| EZBRU21T | Bulkhead ext/int red. union 1/8in x 1/16in | 1/16in through bore SS |
| EZBRU41 | Bulkhead ext/int red. union 1/4in x 1/16in | .75mm bore SS |
| EZBRU41T | Bulkhead ext/int red. union 1/4in x 1/16in | 1/16in through bore SS |
| EZBRU42 | Bulkhead ext/int red. union 1/4in x 1/8in | 1mm bore SS |
| EZBRU42L | Bulkhead ext/int red. union 1/4in x 1/8in | 2mm bore SS |
| EZBRU42T | Bulkhead ext/int red. union 1/4in x 1/8in | 1/8in through bore SS |
| EZBU1 | Bulkhead ext./int union 1/16in | .75mm bore SS |
| EZBU1C | Bulkhead ext./int union 1/16in | .25mm bore SS |
| EZBU1M | Bulkhead ext./int union 1/16in | .5mm bore SS |
| EZBU1T | Bulkhead ext./int union 1/16in | 1/16in through bore SS |
| EZBU2 | Bulkhead ext./int union 1/8in | 1mm bore SS |
| EZBU2L | Bulkhead ext./int union 1/8in | 2mm bore SS |
| EZBU2T | Bulkhead ext./int union 1/8in | 1/8in through bore SS |
| EZR1.5 | Ext./int. reducing union 1/16in x 1/32in | .25mm bore SS |
| EZR1.5T | Ext./int. reducing union 1/16in x 1/32in | 1/32in through bore SS |
| EZR2.5 | Ext./int. reducing union 1/8in x 1/32in | .25mm bore SS |
| EZR21 | Ext./int. reducing union 1/8in x 1/16in | .50mm bore SS |
| EZR21T | Ext./int. reducing union 1/8in x 1/16in | 1/16in through bore SS |
| EZR41 | Ext./int. reducing union 1/4in x 1/16in | 1mm bore SS |
| EZR41T | Ext./int. reducing union 1/4in x 1/16in | 1/16in through bore SS |
| EZR42 | Ext./int. reducing union 1/4in x 1/8in | 1mm bore SS |
| EZR42T | Ext./int. reducing union 1/4in x 1/8in | 1/8in through bore SS |
| EZRF1.5KF-5 | External reducing ferrule 1/16in x 1/32in | CTFE 5/pkg |
| EZRF1.5PK-5 | External reducing ferrule 1/16in x 1/32in | PEEK 5/pkg |
| EZRF1.5TFG-5 | External reducing ferrule 1/16in x 1/32in | PTFE Glass-filled 25% 5/pkg |
| EZRF1.5V-5 | External reducing ferrule 1/16in x 1/32in | Polyimide Valcon 5/pkg |
| EZRF2.5KF-5 | External reducing ferrule 1/8in x 1/32in | CTFE 5/pkg |
| EZRF2.5PK-5 | External reducing ferrule 1/8in x 1/32in | PEEK 5/pkg |
| EZRF2.5TFG-5 | External reducing ferrule 1/8in x 1/32in | PTFE Glass-filled 25% 5/pkg |
| EZRF2.5V-5 | External reducing ferrule 1/8in x 1/32in | Polyimide Valcon 5/pkg |
| EZRF21KF-5 | External reducing ferrule 1/8in x 1/16in | CTFE 5/pkg |
| EZRF21PK-5 | External reducing ferrule 1/8in x 1/16in | PEEK 5/pkg |
| EZRF21TFG-5 | External reducing ferrule 1/8in x 1/16in | PTFE Glass-filled 25% 5/pkg |
| EZRF21V-5 | External reducing ferrule 1/8in x 1/16in | Polyimide Valcon 5/pkg |
| EZRF41KF-5 | External reducing ferrule 1/4in x 1/16in | CTFE 5/pkg |
| EZRF41PK-5 | External reducing ferrule 1/4in x 1/16in | PEEK 5/pkg |
| EZRF41TFG-5 | External reducing ferrule 1/4in x 1/16in | PTFE Glass-filled 25% 5/pkg |
| EZRF41V-5 | External reducing ferrule 1/4in x 1/16in | Poyimide Valcon 5/pkg |
| EZRF42KF-5 | External reducing ferrule 1/4in x 1/8in | CTFE 5/pkg |
| EZRF42PK-5 | External reducing ferrule 1/4in x 1/8in | PEEK 5/pkg |
| EZRF42TFG-5 | External reducing ferrule 1/4in x 1/8in | PTFE Glass-filled 25% 5/pkg |
| EZRF42V-5 | External reducing ferrule 1/4in x 1/8in | Polyimide Valcon 5/pkg |
| EZRU.51 | Int./ext. reducing union 1/16in x 1/32in | .25mm bore SS |
| EZRU.51L | Int./ext. reducing union 1/16in x 1/32in | .5mm bore SS |
| EZRU.51T | Int./ext. reducing union 1/16in x 1/32in | 1/32in through bore SS |
| EZRU1.5 | Ext./int. reducing union 1/16in x 1/32in | .25mm bore SS |
| EZRU1.5L | Ext./int. reducing union 1/16in x 1/32in | .5mm bore SS |
| EZRU1.5T | Ext./int. reducing union 1/16in x 1/32in | 1/32in through bore SS |
| EZRU2.5 | Ext./int. reducing union 1/8in x 1/32in | .25mm bore SS |
| EZRU2.5L | Ext./int. reducing union 1/8in x 1/32in | .5mm bore SS |
| EZRU2.5T | Ext./int. reducing union 1/8in x 1/32in | 1/32in through bore SS |
| EZRU21 | Ext./int. reducing union 1/8in x 1/16in | .75mm bore SS |
| EZRU21C | Ext./int. reducing union 1/8in x 1/16in | .25mm bore SS |
| EZRU21T | Ext./int. reducing union 1/8in x 1/16in | 1/16in through bore SS |
| EZRU41 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| EZRU41C | Ext./Int. reducing unions 1/4in x 1/16in | .25mm bore SS |
| EZRU41T | Ext./Int. reducing unions 1/4in x 1/16in | 1/16in through bore SS |
| EZRU42 | Ext./int. reducing union 1/4in x 1/8in | 1mm bore SS |
| EZRU42L | Ext./int. reducing union 1/4in x 1/8in | 2mm bore SS |
| EZRU42T | Ext./int. reducing union 1/4in x 1/8in | 1/8in through bore SS |
| EZU.5 | Ext./int union 1/32in | .25mm bore SS |
| EZU.5L | Ext./int union 1/32in | .5mm bore SS |
| EZU1 | Ext./int union 1/16in | .75mm bore SS |
| EZU1C | Ext./int union 1/16in | .25mm bore SS |
| EZU1M | Ext./int union 1/16in | .5mm bore SS |
| EZU1T | Ext./int union 1/16in | 1/16in through bore SS |
| EZU2 | Ext./int. union 1/8in | 1mm bore SS |
| EZU2L | Ext./int. union 1/8in | 2mm bore SS |
| EZU2T | Ext./int. union 1/8in | 1/8in through bore SS |
| FC10AS1K | Flow controller M100 standard knob | 1/8in ext 150ml N2 40psi Aluminum/SS |
| FC10AS1S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 150ml N2 40psi Aluminum/SS |
| FC10AS1S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 150ml N2 40psi Aluminum/SS |
| FC10AS2K | Flow controller M100 standard knob | 1/8in ext 250ml N2 40psi Aluminum/SS |
| FC10AS2S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 250ml N2 40psi Aluminum/SS |
| FC10AS2S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 250ml N2 40psi Aluminum/SS |
| FC10AS3K | Flow controller M100 standard knob | 1/8in ext 850ml N2 40psi Aluminum/SS |
| FC10AS3S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 850ml N2 40psi Aluminum/SS |
| FC10AS3S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 850ml N2 40psi Aluminum/SS |
| FC10AS4K | Flow controller M100 standard knob | 1/8in ext 1.2l N2 40psi Aluminum/SS |
| FC10AS4S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 1.2l N2 40psi Aluminum/SS |
| FC10AS4S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 1.2l N2 40psi Aluminum/SS |
| FC10AS5K | Flow controller M100 standard knob | 1/8in ext 4.5l N2 40psi Aluminum/SS |
| FC10AS5S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 4.5l N2 40psi Aluminum/SS |
| FC10AS5S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 4.5l N2 40psi Aluminum/SS |
| FC10AS6K | Flow controller M100 standard knob | 1/8in ext 10.0l N2 40psi Aluminum/SS |
| FC10AS6S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 10.0l N2 40psi Aluminum/SS |
| FC10AS6S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 10.0l N2 40psi Aluminum/SS |
| FC10AV1K | Flow controller M100 standard knob | 1/8in ext 150ml N2 40psi Aluminum/Viton |
| FC10AV1S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 150ml N2 40psi Aluminum/Viton |
| FC10AV1S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 150ml N2 40psi Aluminum/Viton |
| FC10AV2K | Flow controller M100 standard knob | 1/8in ext 250ml N2 40psi Aluminum/Viton |
| FC10AV2S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 250ml N2 40psi Aluminum/Viton |
| FC10AV2S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 250ml N2 40psi Aluminum/Viton |
| FC10AV3K | Flow controller M100 standard knob | 1/8in ext 850ml N2 40psi Aluminum/Viton |
| FC10AV3S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 850ml N2 40psi Aluminum/Viton |
| FC10AV3S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 850ml N2 40psi Aluminum/Viton |
| FC10AV4K | Flow controller M100 standard knob | 1/8in ext 1.2l N2 40psi Aluminum/Viton |
| FC10AV4S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 1.2l N2 40psi Aluminum/Viton |
| FC10AV4S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 1.2l N2 40psi Aluminum/Viton |
| FC10AV5K | Flow controller M100 standard knob | 1/8in ext 4.5l N2 40psi Aluminum/Viton |
| FC10AV5S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 4.5l N2 40psi Aluminum/Viton |
| FC10AV5S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 4.5l N2 40psi Aluminum/Viton |
| FC10AV6K | Flow controller M100 standard knob | 1/8in ext 10.0l N2 40psi Aluminum/Viton |
| FC10AV6S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 10.0l N2 40psi Aluminum/Viton |
| FC10AV6S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 10.0l N2 40psi Aluminum/Viton |
| FC10SS1K | Flow controller M100 standard knob | 1/8in ext 150ml N2 40psi SS/SS |
| FC10SS1S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 150ml N2 40psi SS/SS |
| FC10SS1S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 150ml N2 40psi SS/SS |
| FC10SS2K | Flow controller M100 standard knob | 1/8in ext 250ml N2 40psi SS/SS |
| FC10SS2S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 250ml N2 40psi SS/SS |
| FC10SS2S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 250ml N2 40psi SS/SS |
| FC10SS3K | Flow controller M100 standard knob | 1/8in ext 850ml N2 40psi SS/SS |
| FC10SS3S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 850ml N2 40psi SS/SS |
| FC10SS3S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 850ml N2 40psi SS/SS |
| FC10SS4K | Flow controller M100 standard knob | 1/8in ext 1.2l N2 40psi SS/SS |
| FC10SS4S3 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| FC10SS4S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 1.2l N2 40psi SS/SS |
| FC10SS5K | Flow controller M100 standard knob | 1/8in ext 4.5l N2 40psi SS/SS |
| FC10SS5S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 4.5l N2 40psi SS/SS |
| FC10SS5S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 4.5l N2 40psi SS/SS |
| FC10SS6K | Flow controller M100 standard knob | 1/8in ext 10.0l N2 40psi SS/SS |
| FC10SS6S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 10.0l N2 40psi SS/SS |
| FC10SS6S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 10.0l N2 40psi SS/SS |
| FC10SV1K | Flow controller M100 standard knob | 1/8in ext 150ml N2 40psi SS/Viton |
| FC10SV1S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 150ml N2 40psi SS/Viton |
| FC10SV1S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 150ml N2 40psi SS/Viton |
| FC10SV2K | Flow controller M100 standard knob | 1/8in ext 250ml N2 40psi SS/Viton |
| FC10SV2S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 250ml N2 40psi SS/Viton |
| FC10SV2S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 250ml N2 40psi SS/Viton |
| FC10SV3K | Flow controller M100 standard knob | 1/8in ext 850ml N2 40psi SS/Viton |
| FC10SV3S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 850ml N2 40psi SS/Viton |
| FC10SV3S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 850ml N2 40psi SS/Viton |
| FC10SV4K | Flow controller M100 standard knob | 1/8in ext 1.2l N2 40psi SS/Viton |
| FC10SV4S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 1.2l N2 40psi SS/Viton |
| FC10SV4S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 1.2l N2 40psi SS/Viton |
| FC10SV5K | Flow controller M100 standard knob | 1/8in ext 4.5l N2 40psi SS/Viton |
| FC10SV5S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 4.5l N2 40psi SS/Viton |
| FC10SV5S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 4.5l N2 40psi SS/Viton |
| FC10SV6K | Flow controller M100 standard knob | 1/8in ext 10.0l N2 40psi SS/Viton |
| FC10SV6S3 | Flow controller M100 Spectrol 3-dial | 1/8in ext 10.0l N2 40psi SS/Viton |
| FC10SV6S4 | Flow controller M100 Spectrol 4-dial | 1/8in ext 10.0l N2 40psi SS/Viton |
| FC22AS1K | Flow controller M202 standard knob | 1/8in NPT adjustable span Aluminum/SS |
| FC22AS1S3 | Flow controller M202 Spectrol 3-dial | 1/8in NPT adjustable span Aluminum/SS |
| FC22AS1S4 | Flow controller M202 Spectrol 4-dial | 1/8in NPT adjustable span Aluminum/SS |
| FC22AV1K | Flow controller M202 standard knob | 1/8in NPT adjustable span Aluminum/Viton |
| FC22AV1S3 | Flow controller M202 Spectrol 3-dial | 1/8in NPT adjustable span Aluminum/Viton |
| FC22AV1S4 | Flow controller M202 Spectrol 4-dial | 1/8in NPT adjustable span Aluminum/Viton |
| FC22SS1K | Flow controller M202 standard knob | 1/8in NPT adjustable span SS/SS |
| FC22SS1S3 | Flow controller M202 Spectrol 3-dial | 1/8in NPT adjustable span SS/SS |
| FC22SS1S4 | Flow controller M202 Spectrol 4-dial | 1/8in NPT adjustable span SS/SS |
| FC22SV1K | Flow controller M202 standard knob | 1/8in NPT adjustable span SS/Viton |
| FC22SV1S3 | Flow controller M202 Spectrol 3-dial | 1/8in NPT adjustable span SS/Viton |
| FC22SV1S4 | Flow controller M202 Spectrol 4-dial | 1/8in NPT adjustable span SS/Viton |
| FC30AS1K | Flow controller M300 standard knob | 1/8in ext 200ml N2 40psi Aluminum/SS |
| FC30AS1S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 200ml N2 40psi Aluminum/SS |
| FC30AS1S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 200ml N2 40psi Aluminum/SS |
| FC30AS2K | Flow controller M300 standard knob | 1/8in ext 300ml N2 40psi Aluminum/SS |
| FC30AS2S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 300ml N2 40psi Aluminum/SS |
| FC30AS2S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 300ml N2 40psi Aluminum/SS |
| FC30AS3K | Flow controller M300 standard knob | 1/8in ext 800ml N2 40psi Aluminum/SS |
| FC30AS3S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 800ml N2 40psi Aluminum/SS |
| FC30AS3S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 800ml N2 40psi Aluminum/SS |
| FC30AS4K | Flow controller M300 standard knob | 1/8in ext 1.6l N2 40psi Aluminum/SS |
| FC30AS4S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 1.6l N2 40psi Aluminum/SS |
| FC30AS4S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 1.6l N2 40psi Aluminum/SS |
| FC30AV1K | Flow controller M300 standard knob | 1/8in ext 200ml N2 40psi Aluminum/Viton |
| FC30AV1S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 200ml N2 40psi Aluminum/Viton |
| FC30AV1S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 200ml N2 40psi Aluminum/Viton |
| FC30AV2K | Flow controller M300 standard knob | 1/8in ext 300ml N2 40psi Aluminum/Viton |
| FC30AV2S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 300ml N2 40psi Aluminum/Viton |
| FC30AV2S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 300ml N2 40psi Aluminum/Viton |
| FC30AV3K | Flow controller M300 standard knob | 1/8in ext 800ml N2 40psi Aluminum/Viton |
| FC30AV3S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 800ml N2 40psi Aluminum/Viton |
| FC30AV3S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 800ml N2 40psi Aluminum/Viton |
| FC30AV4K | Flow controller M300 standard knob | 1/8in ext 1.6l N2 40psi Aluminum/Viton |
| FC30AV4S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 1.6l N2 40psi Aluminum/Viton |
| FC30AV4S4 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| FC30SS1K | Flow controller M300 standard knob | 1/8in ext 200ml N2 40psi SS/SS |
| FC30SS1S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 200ml N2 40psi SS/SS |
| FC30SS1S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 200ml N2 40psi SS/SS |
| FC30SS2K | Flow controller M300 standard knob | 1/8in ext 300ml N2 40psi SS/SS |
| FC30SS2S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 300ml N2 40psi SS/SS |
| FC30SS2S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 300ml N2 40psi SS/SS |
| FC30SS3K | Flow controller M300 standard knob | 1/8in ext 800ml N2 40psi SS/SS |
| FC30SS3S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 800ml N2 40psi SS/SS |
| FC30SS3S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 800ml N2 40psi SS/SS |
| FC30SS4K | Flow controller M300 standard knob | 1/8in ext 1.6l N2 40psi SS/SS |
| FC30SS4S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 1.6l N2 40psi SS/SS |
| FC30SS4S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 1.6l N2 40psi SS/SS |
| FC30SV1K | Flow controller M300 standard knob | 1/8in ext 200ml N2 40psi SS/Viton |
| FC30SV1S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 200ml N2 40psi SS/Viton |
| FC30SV1S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 200ml N2 40psi SS/Viton |
| FC30SV2K | Flow controller M300 standard knob | 1/8in ext 300ml N2 40psi SS/Viton |
| FC30SV2S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 300ml N2 40psi SS/Viton |
| FC30SV2S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 300ml N2 40psi SS/Viton |
| FC30SV3K | Flow controller M300 standard knob | 1/8in ext 800ml N2 40psi SS/Viton |
| FC30SV3S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 800ml N2 40psi SS/Viton |
| FC30SV3S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 800ml N2 40psi SS/Viton |
| FC30SV4K | Flow controller M300 standard knob | 1/8in ext 1.6l N2 40psi SS/Viton |
| FC30SV4S3 | Flow controller M300 Spectrol 3-dial | 1/8in ext 1.6l N2 40psi SS/Viton |
| FC30SV4S4 | Flow controller M300 Spectrol 4-dial | 1/8in ext 1.6l N2 40psi SS/Viton |
| FC31AV1 | Flow controller M300 screwdriver adjustment | 1/8in ext 750ml N2 40psi Aluminium/Viton |
| FP1Z3M21 | Manifold pipe adaptor | one 1/8in F-NPT/three 1/16in 1mm bore SS |
| FP1Z3M22 | Manifold pipe adaptor | one 1/8in F-NPT/three 1/8in 2mm bore SS |
| FP1Z3M24 | Manifold pipe adaptor | one 1/8in F-NPT/three 1/4in 4.6mm bore SS |
| FP1Z3M41 | Manifold pipe adaptor | one 1/4in F-NPT/three 1/16in 1mm bore SS |
| FP1Z3M42 | Manifold pipe adaptor | one 1/4in F-NPT/three 1/8in 2mm bore SS |
| FP1Z3M44 | Manifold pipe adaptor | one 1/4in F-NPT/three 1/4in 4.6mm bore SS |
| FP2Z3M21 | Manifold pipe adaptor | two 1/8in F-NPT/three 1/16in 1mm bore SS |
| FP2Z3M22 | Manifold pipe adaptor | two 1/8in F-NPT/three 1/8in 2mm bore SS |
| FP2Z3M24 | Manifold pipe adaptor | two 1/8in F-NPT/three 1/4in 4.6mm bore SS |
| FP2Z3M41 | Manifold pipe adaptor | two 1/4in F-NPT/three 1/16in 1mm bore SS |
| FP2Z3M42 | Manifold pipe adaptor | two 1/4in F-NPT/three 1/8in 2mm bore SS |
| FP2Z3M44 | Manifold pipe adaptor | two 1/4in F-NPT/three 1/4in 4.6mm bore SS |
| FPEA22 | Female pipe adaptor 1/8in F-NPT x 1/8in ext | 2mm bore SS |
| FPEA24 | Female pipe adaptor 1/8in F-NPT x 1/4in ext | 4.6mm bore SS |
| FPEA42 | Female pipe adaptor 1/4in F-NPT x 1/8in ext | 2mm bore SS |
| FPEA44 | Female pipe adaptor 1/4in F-NPT x 1/4in ext | 4.6mm bore SS |
| FPEA82 | Female pipe adaptor 1/2in F-NPT x 1/8in ext | 2mm bore SS |
| FPEA84 | Female pipe adaptor 1/2in F-NPT x 1/4in ext | 4.6mm bore SS |
| FPZA21 | Female pipe adaptor 1/8in F-NPT x 1/16in int | 1mm bore SS |
| FPZA22 | Female pipe adaptor 1/8in F-NPT x 1/8in int | 1mm bore SS |
| FPZA22L | Female pipe adaptor 1/8in F-NPT x 1/8in int | 2mm bore SS |
| FPZA41 | Female pipe adaptor 1/4in F-NPT x 1/16in int | 1mm bore SS |
| FPZA42 | Female pipe adaptor 1/4in F-NPT x 1/8in int | 1mm bore SS |
| FPZA42L | Female pipe adaptor 1/4in F-NPT x 1/8in int | 2mm bore SS |
| FPZA44L | Female pipe adaptor 1/4in F-NPT x 1/4in int | 4.6mm bore SS |
| FPZA81 | Female pipe adaptor 1/2in F-NPT x 1/16in int | 1mm bore SS |
| FPZA82 | Female pipe adaptor 1/2in F-NPT x 1/8in int | 1mm bore SS |
| FPZA82L | Female pipe adaptor 1/2in F-NPT x 1/8in int | 2mm bore SS |
| FPZA84L | Female pipe adaptor 1/2in F-NPT x 1/4in int | 4.6mm bore SS |
| FRK1 | Ferrule removal kit | |
| FS.25-5 | Fused silica adaptor 1/32in | for tubing .25mm OD Valcon T 5/pkg |
| FS.25PK-5 | Fused silica adaptor 1/32in | for tubing .25mm OD PEEK 5/pkg |
| FS.25V1-5 | Fused silica adaptor 1/32in | for tubing .25mm OD Polymide Virgin 5/pkg |
| FS.4-5 | Fused silica adaptor 1/32in | for tubing .4mm OD Valcon T 5/pkg |
| FS.4PK-5 | Fused silica adaptor 1/32in | for tubing .4mm OD PEEK 5/pkg |
| FS.4V1-5 | | pkg |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| FS.5-5 | Fused silica adaptor 1/32in | for tubing .5mm OD Valcon T 5/pkg |
| FS.5PK-5 | Fused silica adaptor 1/32in | for tubing .5mm OD PEEK 5/pkg |
| FS.5V1-5 | Fused silica adaptor 1/32in | for tubing .5mm OD Polymide Virgin 5/pkg |
| FS1.2-5 | Fused silica adaptor 1/16in | for tubing .2mm OD Valcon T 5/pkg |
| FS1.25-5 | Fused silica adaptor 1/16in | for tubing .25mm OD Valcon T 5/pkg |
| FS1.25PK-5 | Fused silica adaptor 1/16in | for tubing .25mm OD PEEK 5/pkg |
| FS1.25V1-5 | Fused silica adaptor 1/16in | for tubing .25mm OD Polymide Virgin 5/pkg |
| FS1.2PK-5 | Fused silica adaptor 1/16in | for tubing .2mm OD PEEK 5/pkg |
| FS1.2V1-5 | Fused silica adaptor 1/16in | for tubing .2mm OD Polyimide Virgin 5/pkg |
| FS1.3-5 | Fused silica adaptor 1/16in | for tubing .3mm OD Valcon T 5/pkg |
| FS1.35-R10 | Ferrule for fused silica union | for .25mm ID tubing Valcon T 10/pkg |
| FS1.3PK-5 | Fused silica adaptor 1/16in | for tubing .3mm OD PEEK 5/pkg |
| FS1.3V1-5 | Fused silica adaptor 1/16in | for tubing .3mm OD Polyimide Virgin 5/pkg |
| FS1.4-5 | Fused silica adaptor 1/16in | for tubing .4mm OD Valcon T 5/pkg |
| FS1.45-R10 | Ferrule for fused silica union | for .32mm ID tubing Valcon T 10/pkg |
| FS1.4PK-5 | Fused silica adaptor 1/16in | for tubing .4mm OD PEEK 5/pkg |
| FS1.4V1-5 | Fused silica adaptor 1/16in | for tubing .4mm OD Polyimide Virgin 5/pkg |
| FS1.5-5 | Fused silica adaptor 1/16in | for tubing .5mm OD Valcon T 5/pkg |
| FS1.5PK-5 | Fused silica adaptor 1/16in | for tubing .5mm OD PEEK 5/pkg |
| FS1.5V1-5 | Fused silica adaptor 1/16in | for tubing .5mm OD Polyimide Virgin 5/pkg |
| FS1.75-R10 | Ferrule for fused silica union | for .53mm ID tubing Valcon T 10/pkg |
| FS1.8-5 | Fused silica adaptor 1/16in | for tubing .8mm OD Valcon T 5/pkg |
| FS1.8PK-5 | Fused silica adaptor 1/16in | for tubing .8mm OD PEEK 5/pkg |
| FS1.8V1-5 | Fused silica adaptor 1/16in | for tubing .8mm OD Polyimide Virgin 5/pkg |
| FS1.9-5 | Fused silica adaptor 1/16in | for tubing .9mm OD Valcon T 5/pkg |
| FS1.9PK-5 | Fused silica adaptor 1/16in | for tubing .9mm OD PEEK 5/pkg |
| FS1.9V1-5 | Fused silica adaptor 1/16in | for tubing .9mm OD Polyimide Virgin 5/pkg |
| FS11.0-5 | Fused silica adaptor 1/16in | for tubing 1mm OD Valcon T 5/pkg |
| FS11.0PK-5 | Fused silica adaptor 1/16in | for tubing 1mm OD PEEK 5/pkg |
| FS11.0V1-5 | Fused silica adaptor 1/16in | for tubing 1mm OD Polyimide Virgin 5/pkg |
| FS1L.15PK-5 | Liner fused silica adaptor 1/16in | for tubing .15mm OD PEEK 5/pkg |
| FS1L.2-5 | Liner fused silica adaptor 1/16in | for tubing .2mm OD Polyimide Valcon 5/pkg |
| FS1L.2PK-5 | Liner fused silica adaptor 1/16in | for tubing .2mm OD PEEK 5/pkg |
| FS1L.4-5 | Liner fused silica adaptor 1/16in | for tubing .4mm OD Polyimide Valcon 5/pkg |
| FS1L.4PK-5 | Liner fused silica adaptor 1/16in | for tubing .4mm OD PEEK 5/pkg |
| FS1L.5-5 | Liner fused silica adaptor 1/16in | for tubing .5mm OD Polyimide Valcon 5/pkg |
| FS1L.5PK-5 | Liner fused silica adaptor 1/16in | for tubing .5mm OD PEEK 5/pkg |
| FS1L.8-5 | Liner fused silica adaptor 1/16in | for tubing .8mm OD Polyimide Valcon 5/pkg |
| FS1L.8PK-5 | Liner fused silica adaptor 1/16in | for tubing .8mm OD PEEK 5/pkg |
| FS1L1.0-5 | Liner fused silica adaptor 1/16in | for tubing 1mm OD Polyimide Valcon 5/pkg |
| FS1L1.0PK-5 | Liner fused silica adaptor 1/16in | for tubing 1mm OD PEEK 5/pkg |
| FS1R.15PK-5 | Fused silica adaptor 1/16in removable | for tubing .15mm OD PEEK 5/pkg |
| FS1R.2-5 | Fused silica adaptor 1/16in removable | for tubing .2mm OD Polyimide Valcon 5/pkg |
| FS1R.2PK-5 | Fused silica adaptor 1/16in removable | for tubing .2mm OD PEEK 5/pkg |
| FS1R.4-5 | Fused silica adaptor 1/16in removable | for tubing .4mm OD Polyimide Valcon 5/pkg |
| FS1R.4PK-5 | Fused silica adaptor 1/16in removable | for tubing .4mm OD PEEK 5/pkg |
| FS1R.5-5 | Fused silica adaptor 1/16in removable | for tubing .5mm OD Polyimide Valcon 5/pkg |
| FS1R.5PK-5 | Fused silica adaptor 1/16in removable | for tubing .5mm OD PEEK 5/pkg |
| FS1R.8-5 | Fused silica adaptor 1/16in removable | for tubing .8mm OD Polyimide Valcon 5/pkg |
| FS1R.8PK-5 | Fused silica adaptor 1/16in removable | for tubing .8mm OD PEEK 5/pkg |
| FS1R1.0-5 | Fused silica adaptor 1/16in removable | for tubing 1mm OD Polyimide Valcon 5/pkg |
| FS1R1.0PK-5 | Fused silica adaptor 1/16in removable | for tubing 1mm OD PEEK 5/pkg |
| FSKZU1 | Fused silica union 1/16in fingertight | .5mm ID quartz liner |
| FSL.25-5 | Liner fused silica adaptor 1/32in | for tubing .25mm OD Polyimide Valcon 5/pkg |
| FSL.4-5 | Liner fused silica adaptor 1/32in | for tubing .4mm OD Polyimide Valcon 5/pkg |
| FSL.5-5 | Liner fused silica adaptor 1/32in | for tubing .5mm OD Polyimide Valcon 5/pkg |
| FSMUA1.5 | Fused silica make-up adapter 1/16in x 1/32in | 89mm long .75mm bore SS |
| FSMUAS1.5 | Fused silica make-up adapter 1/16in x 1/32in | 38mm long .75mm bore SS |
| FSMUAS1.5L | Fused silica make-up adapter 1/16in x 1/32in | 38mm long 1.0mm bore SS |
| FSMUAS1.5M | Fused silica make-up adapter 1/16in x 1/32in | 38mm long .5mm bore SS |
| FSQ1 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| FSR.25-5 | Fused silica adaptor 1/32in | for tubing .25mm OD Polyimide Valcon 5/p |
| FSR.3-5 | Fused silica adaptor 1/32in removable | for tubing .3mm OD PolyimideValcon 5/pk |
| FSR.4-5 | Fused silica adaptor 1/32in | for tubing .4mm OD Polyimide Valcon 5/pk |
| FSR.5-5 | Fused silica adaptor 1/32in | for tubing .5mm OD Polyimide Valcon 5/pk |
| FSZA-HP | Nut self compensating for HP5890/6890 | with split/splitless seal disk |
| FSZN1 | Replacement nut for fused silica union | self compensating SS |
| FSZNA-HP | Nut self compensating for HP5890/6890 | SS |
| F-TCF | Tube connector for air actuator | compressed fitting 1/8 ftg to 10-32 thread |
| GH-LNR-CIS4-B-5 | Reduced breakdown liner Gerstel CIS-4/PTV | Baffled 5/pkg |
| GH-LNR-DGS4-5 | Reduced breakdown liner Agilent/Finnigan | 4mm double gooseneck 5/pkg |
| GH-LNR-GS2-5 | Reduced breakdown liner Agilent/Finnigan/Varian CP-1177 | 2mm gooseneck 5/pkg |
| GH-LNR-GS4-5 | Reduced breakdown liner Agilent/Finnigan/Varian CP-1177 | 4mm gooseneck 5/pkg |
| GH-LNR-HP2-5 | Reduced breakdown liner Agilent/Finnigan | 2mm straight splitless 5/pkg |
| GH-LNR-HP4-5 | Reduced breakdown liner Agilent/Finnigan | 4mm straight splitless 5/pkg |
| GH-LNR-VAR2-5 | replaced by GH-LNR-GS2-5 | |
| GH-LNR-VAR3.4-5 | Reduced breakdown liner Varian 1078/9 | 3.4mm gooseneck 5/pkg |
| GH-LNR-VAR4-5 | replaced by GH-LNR-GS4-5 | |
| GH-LNR-VARGS2-5 | Reduced breakdown liner Varian 1078/9 | 2mm gooseneck 5/pkg |
| HA1-110 | Heater assembly for single valve | 65W/110Vac |
| HA1-220 | Heater assembly for single valve | 65W/220Vac |
| HA1T-110 | Heater assembly for single valve | 100W/110Vac |
| HA1T-220 | Heater assembly for single valve | 100W/220Vac |
| HA2-110 | Heater assembly for two valves | 125W/110Vac |
| HA2-220 | Heater assembly for two valves | 125W/220Vac |
| HA3-110 | Heater assembly for three valves | 150W/110Vac |
| HA3-220 | Heater assembly for three valves | 150W/220Vac |
| HA6-110 | Heater assembly for six valves | 300W/110Vac |
| HA6-220 | Heater assembly for six valves | 300W/220Vac |
| HB | Heater block standard for single valve | w/o heater cartridge |
| HB1N | Heater block for single NW type valve | w/o heater cartridge |
| HBS | Heater block low mass for single valve | w/o heater cartridge |
| HCE1-110 | Heated column enclosure 1 col. mandrel | 4in x4.25in x3.63in d 65W/110Vac |
| HCE1-220 | Heated column enclosure 1 col. mandrel | 4in x4.25in x3.63in d 65W/220Vac |
| HCE2-110 | Heated column enclosure 1 col. mandrel | 8in x5.25in x4in d 65W/110Vac |
| HCE2-220 | Heated column enclosure 1 col. mandrel | 8in x5.25in x4in d 65W/220Vac |
| HCEB-110 | Heated column enclosure 1 col. mandrel | 4.25in x5.13in x3.63in d 65W/110Vac |
| HCEB-220 | Heated column enclosure 1 col. mandrel | 4.25in x5.13in x3.63in d 65W/220Vac |
| HCEC-110 | Heated column enclosure 1 col. mandrel | 8in x8in x6in d 65W/110Vac |
| HCEC-220 | Heated column enclosure 1 col. mandrel | 8in x8in x6in d 65W/220Vac |
| HKS | Hex key set | |
| HP2-110 | Helium purifier Model 2 | 24VDC input 110/230Vac US power cable |
| HP2-220 | Helium purifier Model 2 | 24VDC input 110/230Vac EUR power cable |
| HPM-110 | Helium purifier Mini version | 24VDC input 110/230Vac US power cable |
| HPM-220 | Helium purifier Mini version | 24VDC input 110/230Vac EUR power cable |
| HSSA | High speed switching assembly for DVI | |
| HVE2-110 | Heated valve enclosure for 2 valves | 8in x5.25in x4in 125W/110Vac; Non-CE !!! |
| HVE2-220 | Heated valve enclosure for 2 valves | 8in x5.25in x4in 125W/220Vac; Non-CE !!! |
| HVE3-110 | Heated valve enclosure for 3 valves | 13.5in x5.75in x4in 150W/110Vac; Non-CE !!! |
| HVE3-220 | Heated valve enclosure for 3 valves | 13.5in x5.75in x4in 150W/220Vac; Non-CE !!! |
| HVE6-110 | Heated valve enclosure for 6 valves | 13.75in x8in x6in 300W/110Vac; Non-CE !!! |
| HVE6-220 | Heated valve enclosure for 6 valves | 13.75in x8in x6in 300W/220Vac; Non-CE !!! |
| HVEA-110 | Heated valve enclosure for 1 valve | 4in x4.25in x3.63in 65W/110Vac; Non-CE !!! |
| HVEA-220 | Heated valve enclosure for 1 valve | 4in x4.25in x3.63in 65W/220Vac; Non-CE !!! |
| HVEAN-110 | Heated valve enclosure for NW valve | 4in x4.25in x3.63in 65W/110Vac Non-CE !!! |
| HVEAN-220 | Heated valve enclosure for NW valve | 4in x4.25in x3.63in 65W/220Vac; Non-CE !!! |
| HVEB-110 | Heated valve enclosure for 1 valve | 4.25in x5.13in x3.63in 65W/110Vac; Non-CE !!! |
| HVEB-220 | Heated valve enclosure for 1 valve | 4.25in x5.13in x3.63in 65W/220Vac; Non-CE !!! |
| HVEBN-110 | Heated valve enclosure for NW valve | 4.25in x5.13in x3.63in 65W/110Vac Non-CE !!! |
| HVEBN-220 | Heated valve enclosure for NW valve | 4.25in x5.13in x3.63in 65W/220Vac; Non-CE !!! |
| HVEC-110 | Heated valve enclosure for 1 valve | 8in x8in x6in 100W/110Vac; Non-CE !!! |
| HVEC-220 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| HWSC-SC8-6 | Screw 8-32 x 3/8in long | counter sunk SS |
| HWSC-SC8-8B | Screw 8-32 x 1/2in long | counter sunk black oxide SS. |
| HWSC-SC8-8TDH | Screw 8-32 x 1/2in long | counter sunk turned down head SS |
| I-21014-01 | Thermocouple wire assy | ITC typ in Kin |
| I-21208-05 | Heater cartridge repl. for HVEC | 100W/110Vac |
| I-21208-06 | Heater cartridge repl. for HVEC | 100W/220Vac |
| I-21208-32 | Heater cartridge for HVEA/HVEB | 65W/120Vac |
| I-21208-33 | Heater cartridge repl. for HVEA/HVEB | 65W/220Vac |
| I-22239 | Interface cable DVI/SVI | |
| I-22697 | Interface cable RS-232 6 feet | for 2-pos/mpos micro electric actuator |
| I-22897-02 | Interface cable RS-232 2 output | for 2-pos/mpos micro electric actuator |
| I-22897-03 | Interface cable RS-232 3 output | for 2-pos/mpos micro electric actuator |
| I-22897-04 | Interface cable RS-232 4 output | for 2-pos/mpos micro electric actuator |
| I-22897-05 | Interface cable RS-232 5 output | for 2-pos/mpos micro electric actuator |
| I-22897-06 | Interface cable RS-232 6 output | for 2-pos/mpos micro electric actuator |
| I-22897-08 | Interface cable RS-232 8 output | for 2-pos/mpos micro electric actuator |
| I-23572HP2 | Getter assembly replacement for HP2 | helium purifier |
| I-23572NP2 | Getter assembly replacement for NP2 | nitrogen purifier |
| I4UWE.2 | 4 port 2-pos int vol valve manual | 1/8 x .75mm 175C/1000psi liq .2ul N60/E |
| I4UWE.5 | 4 port 2-pos int vol valve manual | 1/8 x .75mm 175C/1000psi liq .5ul N60/E |
| I4UWE1 | 4 port 2-pos int vol valve manual | 1/8 x .75mm 175C/1000psi liq 1ul N60/E |
| I4UWE2 | 4 port 2-pos int vol valve manual | 1/8 x .75mm 175C/1000psi liq 2ul N60/E |
| ITC10399-110 | Instrumentation temperature controller | 0-399 deg. C 10A/110Vac |
| ITC10399-220 | Instrumentation temperature controller | 0-399 deg. C 10A/220Vac |
| IZERA1.5 | Int./Ext. reducer/adapter 1/16in x 1/32in | 1mm bore SS |
| IZERA1.5C | Int./Ext. reducer/adapter 1/16in x 1/32in | .25mm bore SS |
| IZERA1.5M | Int./Ext. reducer/adapter 1/16in x 1/32in | .5mm bore SS |
| IZR1.5 | Internal reducer 1/16in x 1/32in | .25mm bore SS |
| IZR1.5F | Internal reducer 1/16in x 1/32in | .25mm bore 2 um frit SS |
| IZR1.5L | Internal reducer 1/16in x 1/32in | .50mm bore SS |
| IZR1.5LF | Internal reducer 1/16in x 1/32in | .50mm bore 2 um frit SS |
| IZR1.5T | Internal reducer 1/16in x 1/32in | 1/32in through bore SS |
| IZR21 | Internal reducer 1/8in x 1/16in | .50mm bore SS |
| IZR21C | Internal reducer 1/8in x 1/16in | .25mm bore SS |
| IZR21CF | Internal reducer 1/8in x 1/16in | .25mm bore 2 um frit SS |
| IZR21F | Internal reducer 1/8in x 1/16in | .50mm bore 2 um frit SS |
| IZR21L | Internal reducer 1/8in x 1/16in | 1mm bore SS |
| IZR21LF | Internal reducer 1/8in x 1/16in | 1mm bore 2 um frit SS |
| IZR21T | Internal reducer 1/8in x 1/16in | 1/16 trough bore SS |
| IZR41 | Internal reducer 1/4in x 1/16in | 1mm bore SS |
| IZR41F | Internal reducer 1/4in x 1/16in | 1mm bore 2 um frit SS |
| IZR42 | Internal reducer 1/4in x 1/8in | 1mm bore SS |
| IZR42F | Internal reducer 1/4in x 1/8in | 1mm bore 2 um frit SS |
| IZR42L | Internal reducer 1/4in x 1/8in | 2mm bore SS |
| IZR42LF | Internal reducer 1/4in x 1/8in | 2mm bore 2 um frit SS |
| JR-201540 | Easy-Flange kit in plastic case | |
| JR-26501 | Coupler PEEK universal 0.13 mm ID red | |
| JR-26502 | Coupler PEEK universal 0.17 mm ID yellow | |
| JR-26503 | Coupler PEEK universal 0.25 mm ID blue | |
| JR-26504 | Coupler PEEK universal 0.50 mm ID orange | |
| JR-32178 | Filter PE mobile phase No-Met 20 um 1/8" | |
| JR-32179 | Filter PE mobile phase replacement No-Met 20 um | |
| JR-357090-5 | Tubing Elbow 90° 5/pkg | |
| JR-357180-5 | Tubing Elbow 180° 5/pkg | |
| JR-35P | PEEK Starter Kit | |
| JR-367008-10 | Filter SS mobile phase 10 um | fittings for 1/8" tubing |
| JR-367008-2 | Filter SS mobile phase 2 um | fittings for 1/8" tubing |
| JR-367008-20 | Filter SS mobile phase 20 um | fittings for 1/8" tubing |
| JR-367016-10 | Filter SS mobile phase 10 um | fittings for 1/16" tubing |
| JR-367016-2 | Filter SS mobile phase 2 um | fittings for 1/16" tubing |
| JR-367016-20 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| JR-55010-5 | Color-It fingertight adapter blue | 5/pkg |
| JR-55011-5 | Color-It fingertight adapter yellow | 5/pkg |
| JR-55012-5 | Color-It fingertight adapter green | 5/pkg |
| JR-55013-5 | Color-It fingertight adapter black | 5/pkg |
| JR-55014-5 | Color-It fingertight adapter white | 5/pkg |
| JR-55015-5 | Color-It fingertight adapter red | 5/pkg |
| JR-55016-12 | Color-It fingertight adapter multi-color | assorted 2 pcs. each color 12/pkg |
| JR-55020-5 | Fitting PEEK one-piece natural 10-32 | 5/pkg |
| JR-55021-5 | Fitting PEEK one-piece black 10-32 | 5/pkg |
| JR-55022-5 | Fitting PEEK one-piece red 10-32 | 5/pkg |
| JR-55023-5 | Fitting PEEK one-piece yellow 10-32 | 5/pkg |
| JR-55024-5 | Fitting PEEK one-piece blue 10-32 | 5/pkg |
| JR-55025-5 | Fitting PEEK one-piece green 10-32 | 5/pkg |
| JR-5508-5 | Fitting PEEK 1/16in OD tubing | one-piece fingertight hex-head 10-32 5/pkg |
| JR-797 | Tool Clean-Cut Tubing Cutter | |
| JR-798 | Tool replacement blade for JR-797 | |
| JR-9000-0001 | Cap PTFE VICI-Cap GL-45 | |
| JR-9000-0006 | Cap PTFE VICI-Cap S40 | |
| JR-9000-0520 | Filter PTFE Last Drop 2.5 um | tripod stepped tubing connector |
| JR-9000-0530 | Filter SS Last Drop 2 um | tripod stepped tubing connector |
| JR-9000-0602 | Filter/Sparger PTFE Last Drop 2.5 um filter | 10 um sparger |
| JR-9000-0640 | Filter/Sparger SS Last Drop 2 um filter | 10 um sparger |
| JR-9001-5 | Tubing Clip 5/pkg | |
| JR-T-5804-M10 | Tubing PEEK 1/16" x 0.100 mm IDblack striped | 10 m/pkg |
| JR-T-5804-M25 | Tubing PEEK 1/16" x 0.100 mm IDblack striped | 25 m/pkg |
| JR-T-5804-M3 | Tubing PEEK 1/16" x 0.100 mm IDblack striped | 3 m/pkg |
| JR-T-5804-M5 | Tubing PEEK 1/16" x 0.100 mm IDblack striped | 5 m/pkg |
| JR-T-5999-M10 | Tubing PEEK 1/16" x 0.13 mm ID red striped | 10m/pkg |
| JR-T-5999-M25 | Tubing PEEK 1/16" x 0.13 mm ID red stripe | 25m/pkg |
| JR-T-5999-M3 | Tubing PEEK 1/16" x 0.13 mm ID red striped | 3m/pkg |
| JR-T-5999-M5 | Tubing PEEK 1/16" x 013 mm ID red stripe | 5m/pkg |
| JR-T-6000-M10 | Tubing PEEK 1/16" x 0.18 mm ID yellow striped | 10m/pkg |
| JR-T-6000-M25 | Tubing PEEK 1/16" x 0.18 mm ID yellow striped | 25 m/pkg |
| JR-T-6000-M3 | Tubing PEEK 1/16" x 0.18 mm ID yellow striped | 3m/pkg |
| JR-T-6000-M5 | Tubing PEEK 1/16" x 0.18 mm ID yellow striped | 5 m/pkg |
| JR-T-6001-M10 | Tubing PEEK 1/16" x 0.25 mm ID blue striped | 10m/pkg |
| JR-T-6001-M25 | Tubing PEEK 1/16" x 025 mm ID blue striped | 25m/pkg |
| JR-T-6001-M3 | Tubing PEEK 1/16" x 0.25 mm ID blue striped | 3m/pkg |
| JR-T-6001-M5 | Tubing PEEK 1/16" x 0.25 mm ID blue stripe | 5m/pkg |
| JR-T-6002-M10 | Tubing PEEK 1/16" x 0.50 mm ID orange striped | 10m/pkg |
| JR-T-6002-M25 | Tubing PEEK 1/16" x 0.50 mm ID orange stripe | 25m/pkg |
| JR-T-6002-M3 | Tubing PEEK 1/16" x 0.50 mm ID orange striped | 3m/pkg |
| JR-T-6002-M5 | Tubing PEEK 1/16" x 0.50 mm ID orange stripe | 5m/pkg |
| JR-T-60031-M10 | Tubing PEEK 1/16" x 1.00 mm ID grey striped | 10m/pkg |
| JR-T-60031-M25 | Tubing PEEK 1/16" x 1.00 mm ID grey striped | 25 m/pkg |
| JR-T-60031-M3 | Tubing PEEK 1/16" x 1.00 mm ID grey striped | 3m/pkg |
| JR-T-60031-M5 | Tubing PEEK 1/16" x 1.00 mm ID grey striped | 5 m/pkg |
| JR-T-6003-M10 | Tubing PEEK 1/16" x 0.75 mm ID green striped | 10m/pkg |
| JR-T-6003-M25 | Tubing PEEK 1/16" x 075 mm ID green stripe | 25m/pkg |
| JR-T-6003-M3 | Tubing PEEK 1/16" x 0.75 mm ID green striped | 3m/pkg |
| JR-T-6003-M5 | Tubing PEEK 1/16" x 0.75 mm ID green stripe | 5m/pkg |
| JR-T-98013 | Tubing PEEK precut kit 1/16" x 0.13 mm | |
| JR-T-98017 | Tubing PEEK precut kit 1/16" x 0.18 mm | |
| JR-T-98025 | Tubing PEEK precut kit 1/16" x 0.25 mm | |
| JR-T-98050 | Tubing PEEK precut kit 1/16" x 0.50 mm | |
| JR-T-98075 | Tubing PEEK precut kit 1/16" x 0.75 mm | |
| JR-T-98200 | Tubing PEEK precut super kit 1/16" | |
| JR-TD-5804-M10 | Tubing Dual Layer PEEK 1/16" x 100 um ID | solid black outside natural inside 10m/pkg |
| JR-TD-5804-M25 | Tubing Dual Layer PEEK 1/16" x 100 um ID | solid black outside natural inside 25m/pkg |
| JR-TD-5804-M3 | Tubing Dual Layer PEEK 1/16" x 100 um ID | solid black outside natural inside 3m/pkg |
| JR-TD-6007-M10 | | g |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| JR-TD-6007-M25 | Tubing Dual Layer PEEK 1/16" x 0.13 mm ID | solid red outside natural inside 25m/pkg |
| JR-TD-6007-M3 | Tubing Dual Layer PEEK 1/16" x 0.13 mm ID | solid red outside natural inside 3m/pkg |
| JR-TD-6008-M10 | Tubing Dual Layer PEEK 1/16" x 0.18 mm ID | solid yellow outside natural inside 10m/pkg |
| JR-TD-6008-M25 | Tubing Dual Layer PEEK 1/16" x 0.18 mm ID | solid yellow outside natural inside 25m/pkg |
| JR-TD-6008-M3 | Tubing Dual Layer PEEK 1/16" x 0.18 mm ID | solid yellow outside natural inside 3m/pkg |
| JR-TD-6009-M10 | Tubing Dual Layer PEEK 1/16" x 0.25 mm ID | solid blue outside natural inside 10m/pkg |
| JR-TD-6009-M25 | Tubing Dual Layer PEEK 1/16" x 0.25 mm ID | solid blue outside natural inside 25m/pkg |
| JR-TD-6009-M3 | Tubing Dual Layer PEEK 1/16" x 0.25 mm ID | solid blue outside natural inside 3m/pkg |
| JR-TD-6010-M10 | Tubing Dual Layer PEEK 1/16" x 0.50 mm ID | solid orange outside natural inside 10m/pkg |
| JR-TD-6010-M25 | Tubing Dual Layer PEEK 1/16" x 0.50 mm ID | solid orange outside natural inside 25m/pkg |
| JR-TD-6010-M3 | Tubing Dual Layer PEEK 1/16" x 0.50 mm ID | solid orange outside natural inside 3m/pkg |
| JR-TD-6011-M10 | Tubing Dual Layer PEEK 1/16" x 0.75 mm ID | solid green outside natural inside 10m/pkg |
| JR-TD-6011-M25 | Tubing Dual Layer PEEK 1/16" x 0.75 mm ID | solid green outside natural inside 25m/pkg |
| JR-TD-6011-M3 | Tubing Dual Layer PEEK 1/16" x 0.75 mm ID | solid green outside natural inside 3m/pkg |
| L4UW | !!! RECOMMEND 2L4UW | SUPPLIED WITH LARGER HANDLE |
| L6UW | !!! RECOMMEND 2L6UW | SUPPLIED WITH LARGER HANDLE |
| L8UW | !!! RECOMMEND 2L8UW | SUPPLIED WITH LARGER HANDLE |
| LZCN1-10 | Counter bored nut 1/16in long | SS 10/pkg |
| LZN.5-10 | Nut 1/32in 11mm long SS 10/pkg | |
| LZN.5FPK-10 | Nut 1/32in fingertight 13.7mm long | PEEK 10/pkg |
| LZN1-10 | Nut 1/16in 19mm long SS 10/pkg | |
| LZN1PK-10 | Nut 1/16in hex 22mm long | PEEK 10/pkg |
| LZN2-10 | Nut 1/8in 21mm long SS 10/pkg | |
| LZN4-10 | Nut 1/4in 28mm long SS 10/pkg | |
| LZNF1KF-5 | Nut 1/16in No Twist hex long PEEK | with CTFE ferrule 5/pkg |
| LZNF1PK-5 | Nut 1/16in No Twist hex long PEEK | with PEEK ferrule 5/pkg |
| LZNF1PKG-5 | Nut 1/16in No Twist hex long PEEK | with glass-filled PEEK ferrule 5/pkg |
| LZP.5FPK | Plug 1/32in fingertight PEEK | |
| LZP1 | Plug 1/16in 19mm long | SS |
| LZP1H | Plug 1/16in 19mm long high pressure | SS |
| LZP1PK | Plug 1/16in long hex PEEK | |
| LZP2 | Plug 1/8in 21mm long | SS |
| LZP2H | Plug 1/8in 21mm long high pressure | SS |
| MRX.5PK | Micro volume replacement ring 1/32in | for union tee cross PEEK |
| MRX.5S6 | Micro volume replacement ring 1/32in | for union tee cross 316SS |
| MRX1PK | Micro volume replacement ring 1/16in | for union tee cross PEEK |
| MRX1S6 | Micro volume replacement ring 1/16in | for union tee cross 316SS |
| MRY.5PK | Micro volume replacement ring 1/32in | for Y PEEK |
| MRY.5S6 | Micro volume replacement ring 1/32in | for Y 316SS |
| MRY1PK | Micro volume replacement ring 1/16in | for Y PEEK |
| MRY1S6 | Micro volume replacement ring 1/16in | for Y 316SS |
| MS-P100-1 | Helium Purifier | 1/8in brass caps |
| MS-P100-2 | Helium Purifier | 1/4in brass caps |
| MS-P200-1 | Hydrogen Purifier | 1/8in brass caps |
| MS-P200-2 | Hydrogen Purifier | 1/4in brass caps |
| MS-P300-1 | Nitrogen Purifier | 1/8in brass caps |
| MS-P300-2 | Nitrogen Purifier | 1/4in brass caps |
| MS-P310-1 | Nitrogen Purifier for LC/MS applications | 1/8in brass caps |
| MS-P310-2 | Nitrogen Purifier for LC/MS applications | 1/4in brass caps |
| MS-P350-1 | Nitrogen Purifier for nitrogen generators | 1/8in brass caps |
| MS-P350-2 | Nitrogen Purifier for nitrogen generators | 1/4in brass caps |
| MS-P400-1 | Air Purifier | 1/8in brass caps |
| MS-P400-2 | Air Purifier | 1/4in brass caps |
| MS-P500-1 | Methane Purifier/CI | 1/8in brass caps |
| MS-P500-2 | Methane Purifier/CI | 1/4in brass caps |
| MS-P600-1 | Carbon dioxide | 1/8in brass caps |
| MS-P600-2 | Carbon dioxide | 1/4in brass caps |
| MS-P700-1 | CO2 Purifier | 1/8in brass caps |
| MS-P700-2 | CO2 Purifier | 1/4in brass caps |
| MS-T100-1 | Moisture Trap | 1/8in brass caps |
| MS-T100-2 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| MS-T200-1 | Hydrocarbon Trap | 1/8in brass caps |
| MS-T200-2 | Hydrocarbon Trap | 1/4in brass caps |
| MS-T300-1 | Oxygen Trap | 1/8in brass caps |
| MS-T300-2 | Oxygen Trap | 1/4in brass caps |
| MS-T400-1 | Sulfur/Halocarbon Trap | 1/8in brass caps |
| MS-T400-2 | Sulfur/Halocarbon Trap | 1/4in brass caps |
| MS-T401-1 | Sulfur/Halocarbon Trap | 1/8in brass caps |
| MS-T401-2 | Sulfur/Halocarbon Trap | 1/4in brass caps |
| MS-T700-1 | Mercury Trap | 1/8in brass caps |
| MS-T700-2 | Mercury Trap | 1/4in brass caps |
| MSVA-110VAC | 3-way manifold solenoid valve assy. 110Vac | Non-CE !!! |
| MSVA-12VDC | 3-way manifold solenoid valve assy. 12Vdc | Non-CE !!! |
| MSVA-220VAC | 3-way manifold solenoid valve assy. 220Vac | Non-CE !!! |
| MSVA-24VAC | 3-way manifold solenoid valve assy. 24Vac | Non-CE !!! |
| MSVA-24VDC | 3-way manifold solenoid valve assy. 24Vdc | Non-CE !!! |
| MT.5CHC | Micro volume tee-assy 1/32in | .25mm bore HC |
| MT.5CKF | Micro volume tee-assy 1/32in | .25mm bore CTFE |
| MT.5CPK | Micro volume tee-assy 1/32in | .25mm bore PEEK |
| MT.5CS6 | Micro volume tee-assy 1/32in | .25mm bore 316SS |
| MT.5CTI | Micro volume tee-assy 1/32in | .25mm bore Titanium |
| MT.5XCHC | Micro volume tee-assy 1/32in | .15mm bore HC |
| MT.5XCKF | Micro volume tee-assy 1/32in | .15mm bore CTFE |
| MT.5XCPK | Micro volume tee-assy 1/32in | .15mm bore PEEK |
| MT.5XCS6 | Micro volume tee-assy 1/32in | .15mm bore 316SS |
| MT.5XCTI | Micro volume tee-assy 1/32in | .15mm bore Titanium |
| MT1CHC | Micro volume tee-assy 1/16in | .25mm bore HC |
| MT1CKF | Micro volume tee-assy 1/16in | .25mm bore CTFE |
| MT1CPK | Micro volume tee-assy 1/16in | .25mm bore PEEK |
| MT1CS6 | Micro volume tee-assy 1/16in | .25mm bore 316SS |
| MT1CTI | Micro volume tee-assy 1/16in | .25mm bore Titanium |
| MT1XCHC | Micro volume tee-assy 1/16in | .15mm bore HC |
| MT1XCKF | Micro volume tee-assy 1/16in | .15mm bore CTFE |
| MT1XCPK | Micro volume tee-assy 1/16in | .15mm bore PEEK |
| MT1XCS6 | Micro volume tee-assy 1/16in | .15mm bore 316SS |
| MT1XCTI | Micro volume tee-assy 1/16in | .15mm bore Titanium |
| MU.5CHC | Micro volume union-assy 1/32in | .25mm bore HC |
| MU.5CKF | Micro volume union-assy 1/32in | .25mm bore CTFE |
| MU.5CPK | Micro volume union-assy 1/32in | .25mm bore PEEK |
| MU.5CS6 | Micro volume union-assy 1/32in | .25mm bore 316SS |
| MU.5CTI | Micro volume union-assy 1/32in | .25mm bore Titanium |
| MU.5XCHC | Micro volume union-assy 1/32in | .15mm bore HC |
| MU.5XCKF | Micro volume union-assy 1/32in | .15mm bore CTFE |
| MU.5XCPK | Micro volume union-assy 1/32in | .15mm bore PEEK |
| MU.5XCS6 | Micro volume union-assy 1/32in | .15mm bore 316SS |
| MU.5XCTI | Micro volume union-assy 1/32in | .15mm bore Titanium |
| MU1CHC | Micro volume union-assy 1/16in | .25mm bore HC |
| MU1CKF | Micro volume union-assy 1/16in | .25mm bore CTFE |
| MU1CPK | Micro volume union-assy 1/16in | .25mm bore PEEK |
| MU1CS6 | Micro volume union-assy 1/16in | .25mm bore 316SS |
| MU1CTI | Micro volume union-assy 1/16in | .25mm bore Titanium |
| MU1XCHC | Micro volume union-assy 1/16in | .15mm bore HC |
| MU1XCKF | Micro volume union-assy 1/16in | .15mm bore CTFE |
| MU1XCPK | Micro volume union-assy 1/16in | .15mm bore PEEK |
| MU1XCS6 | Micro volume union-assy 1/16in | .15mm bore 316SS |
| MU1XCTI | Micro volume union-assy 1/16in | .15mm bore Titanium |
| MX.5CHC | Micro volume cross-assy 1/32in | .25mm bore HC |
| MX.5CKF | Micro volume cross-assy 1/32in | .25mm bore CTFE |
| MX.5CPK | Micro volume cross-assy 1/32in | .25mm bore PEEK |
| MX.5CS6 | Micro volume cross-assy 1/32in | .25mm bore 316SS |
| MX.5CTI | Micro volume cross-assy 1/32in | .25mm bore Titanium |
| MX.5XCHC | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| MX.5XCKF | Micro volume cross-assy 1/32in | .15mm bore CTFE |
| MX.5XCPK | Micro volume cross-assy 1/32in | .15mm bore PEEK |
| MX.5XCS6 | Micro volume cross-assy 1/32in | .15mm bore 316SS |
| MX.5XCTI | Micro volume cross-assy 1/32in | .15mm bore Titanium |
| MX1CHC | Micro volume cross-assy 1/16in | .25mm bore HC |
| MX1CKF | Micro volume cross-assy 1/16in | .25mm bore CTFE |
| MX1CPK | Micro volume cross-assy 1/16in | .25mm bore PEEK |
| MX1CS6 | Micro volume cross-assy 1/16in | .25mm bore 316SS |
| MX1CTI | Micro volume cross-assy 1/16in | .25mm bore Titanium |
| MX1XCHC | Micro volume cross-assy 1/16in | .15mm bore HC |
| MX1XCKF | Micro volume cross-assy 1/16in | .15mm bore CTFE |
| MX1XCPK | Micro volume cross-assy 1/16in | .15mm bore PEEK |
| MX1XCS6 | Micro volume cross-assy 1/16in | .15mm bore 316SS |
| MX1XCTI | Micro volume cross-assy 1/16in | .15mm bore Titanium |
| MY.5CHC | Micro volume Y-assy 1/32in | .25mm bore HC |
| MY.5CKF | Micro volume Y-assy 1/32in | .25mm bore CTFE |
| MY.5CPK | Micro volume Y-assy 1/32in | .25mm bore PEEK |
| MY.5CS6 | Micro volume Y-assy 1/32in | .25mm bore 316SS |
| MY.5CTI | Micro volume Y-assy 1/32in | .25mm bore Titanium |
| MY.5XCHC | Micro volume Y-assy 1/32in | .15mm bore HC |
| MY.5XCKF | Micro volume Y-assy 1/32in | .15mm bore CTFE |
| MY.5XCPK | Micro volume Y-assy 1/32in | .15mm bore PEEK |
| MY.5XCS6 | Micro volume Y-assy 1/32in | .15mm bore 316SS |
| MY.5XCTI | Micro volume Y-assy 1/32in | .15mm bore Titanium |
| MY1CHC | Micro volume Y-assy 1/16in | .25mm bore HC |
| MY1CKF | Micro volume Y-assy 1/16in | .25mm bore CTFE |
| MY1CPK | Micro volume Y-assy 1/16in | .25mm bore PEEK |
| MY1CS6 | Micro volume Y-assy 1/16in | .25mm bore 316SS |
| MY1CTI | Micro volume Y-assy 1/16in | .25mm bore Titanium |
| MY1XCHC | Micro volume Y-assy 1/16in | .15mm bore HC |
| MY1XCKF | Micro volume Y-assy 1/16in | .15mm bore CTFE |
| MY1XCPK | Micro volume Y-assy 1/16in | .15mm bore PEEK |
| MY1XCS6 | Micro volume Y-assy 1/16in | .15mm bore 316SS |
| MY1XCTI | Micro volume Y-assy 1/16in | .15mm bore Titanium |
| MZN1-10 | Nut 1/16in 13mm long SS 10/pkg | |
| MZN1PK-10 | Nut 1/16in hex 15.7mm long | PEEK 10/pkg |
| MZNF1KF-5 | Nut 1/16in No Twist hexmedium PEEK | with CTFE ferrule 5/pkg |
| MZNF1PK-5 | Nut 1/16in No Twist hex medium PEEK | with PEEK ferrule 5/pkg |
| MZNF1PKG-5 | Nut 1/16in No Twist hex medium PEEK | with glass-filled PEEK ferrule 5/pkg |
| MZP1PK | Plug 1/16in hex PEEK | |
| NP2-110 | Nitrogen purifier Model 2 | 24VDC input 110/230Vac US power cable |
| NP2-220 | Nitrogen purifier Model 2 | 24VDC input 110/230Vac EUR power cable |
| NPM-110 | Nitrogen purifier Mini version | 24VDC input 110/230Vac US power cable |
| NPM-220 | Nitrogen purifier Mini version | 24VDC input 110/230Vac EUR power cable |
| OEW-1 | Open end wrench 3/16in x1/4in | for 1/32in and 1/16in fittings |
| OEW-2 | Open end wrench 3/8in x7/16in | for 1/8in fittings |
| OEW-3 | Open end wrench 1/2in x9/16in | for 1/4in fittings |
| OR | O-ring set incl. lubricant | standard 2-pos air actuator |
| ORMP | O-ring set incl. lubricant | standard mpos air actuator |
| ORT | O-ring set incl. lubricant | high temperature 2-pos air actuator |
| ORTMP | O-ring set incl. lubricant | high temperature mpos air actuator |
| PCL412 | Precolumn 1/4in x 2cm 4.6mm ID | incl. insert nut and ferrule 2um frit SS |
| PCL415 | Precolumn 1/4in x 5cm 4.6mm ID | incl. insert nut and ferrule 2um frit SS |
| PCS412F | Precolumn system 1/4in x 2cm | incl. insert body and 2um frit SS |
| PCS415F | Precolumn system 1/4in x 5cm | incl. insert body and 2um frit SS |
| PEA22 | Male pipe adaptor 1/8in M-NPT x 1/8in ext | 2mm bore SS |
| PEA24 | Male pipe adaptor 1/8in M-NPT x 1/4in ext | 4.6mm bore SS |
| PEA42 | Male pipe adaptor 1/4in M-NPT x 1/8in ext | 2mm bore SS |
| PEA44 | Male pipe adaptor 1/4in M-NPT x 1/4in ext | 4.6mm bore SS |
| PEA82 | Male pipe adaptor 1/2in M-NPT x 1/8in ext | 2mm bore SS |
| PEA84 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| PFAF | Position feedback adapter | for air actuator |
| PFC2 | Position feedback | Cheminert C2 and C3 series 6/10 port |
| PFC4 | Position feedback | to flat plate valve C4 |
| PFW36 | Position feedback for 2-pos manual valve | W type 8 and 10 port 36 deg |
| PFW60 | Position feedback for 2-pos manual valve | W type 6 port and int. 4 port 60 deg |
| PFW90 | Position feedback for 2-pos manual valve | W type 4 port 90 deg |
| PM | Pencil magnet | for W and UW rotor seals |
| PR50A15E2 | Combo pressure regulator 0-15psi | 1/8in ext Aluminum/SS |
| PR50A15Z1 | Combo pressure regulator 0-15psi | 1/16in int Aluminum/SS |
| PR50A15Z2 | Combo pressure regulator 0-15psi | 1/8in int Aluminum/SS |
| PR50A30E2 | Combo pressure regulator 0-30psi | 1/8in ext Aluminum/SS |
| PR50A30Z1 | Combo pressure regulator 0-30psi | 1/16in int Aluminum/SS |
| PR50A30Z2 | Combo pressure regulator 0-30psi | 1/8in int Aluminium/SS |
| PR50A60E2 | Combo pressure regulator 0-60psi | 1/8in ext Aluminum/SS |
| PR50A60Z1 | Combo pressure regulator 0-60psi | 1/16in int Aluminum/SS |
| PR50A60Z2 | Combo pressure regulator 0-60psi | 1/8in int Aluminium/SS |
| PS-050023 | Gas syringe A-2 25 ul | RN .028in x.005in x2in bevel open end |
| PS-050024 | Gas syringe A-2 50 ul | RN .029in x.005in x2in bevel open end |
| PS-050025 | Gas syringe A-2 100 ul | RN .028in x.005in x2in bevel open end |
| PS-050031 | Gas syringe A-2 250 ul | RN .029in x.012in x2in bevel open end |
| PS-050032 | Gas syringe A-2 500 ul | RN .029in x.012in x2in bevel open end |
| PS-050033 | Gas syringe A-2 1 ml | RN .029in x.012in x2in bevel open end |
| PS-050034 | Gas syringe A-2 2 ml | RN .029in x.012in x2in bevel open end |
| PS-050035 | Gas syringe A-2 5 ml | RN .029in x.012in x2in bevel open end |
| PS-050036 | Gas syringe A-2 10 ml | RN .029in x.012in x2in bevel open end |
| PS-050043 | Gas syringe A-2 25 ul | RN .028in x.005in x2in bevel open end Luer |
| PS-050044 | Gas syringe A-2 50 ul | RN .028in x.005in x2in bevel open end Luer |
| PS-050045 | Gas syringe A-2 100 ul | RN .028in x.005in x2in bevel open end Luer |
| PS-050051 | Gas syringe A-2 250 ul | RN .029in x.012in x2in bevel open end Luer |
| PS-050052 | Gas syringe A-2 500 ul | RN .029in x.012in x2in bevel open end Luer |
| PS-050053 | Gas syringe A-2 1 ml | RN .029in x.012in x2in bevel open end Luer |
| PS-050054 | Gas syringe A-2 2 ml | RN .029in x.012in x2in bevel open end Luer |
| PS-050055 | Gas syringe A-2 5 ml | RN .029in x.012in x2in bevel open end Luer |
| PS-050056 | Gas syringe A-2 10 ml | RN .029in x.012in x2in bevel open end Luer |
| PS-123050 | Needles removable C-160 CG-130 | .019in x.005in x2.25in bevel open end 3/pkg |
| PS-123050R | Needles removable C-160 | 22GAx2in blunt tip open end V/C/Rh 3/pkg |
| PS-160021 | Liquid syringe C-160 5 ul | FN .019in x.005in x2in bevel open end |
| PS-160021R | Liquid syringe C-160 5 ul | FN 22GAx2in blunt tip open end V/C/Rh |
| PS-160022 | Liquid syringe C-160 10 ul | FN .019in x.005in x2in bevel open end |
| PS-160022R | Liquid syringe C-160 10 ul | FN 22GAx2in blunt tip open end V/C/Rh |
| PS-160023 | Liquid syringe C-160 25 ul | FN .019in x.005in x2in bevel open end |
| PS-160023R | Liquid syringe C-160 25 ul | FN 22GAx2in blunt tip open end V/C/Rh |
| PS-160024 | Liquid syringe C-160 50 ul | FN .019in x.005in x2in bevel open end |
| PS-160024R | Liquid syringe C-160 50 ul | FN 22GAx2in blunt tip open end V/C/Rh |
| PS-160025 | Liquid syringe C-160 100 ul | FN 019in x.005in x2in bevel open end |
| PS-160025R | Liquid syringe C-160 100 ul | FN 22GAx2in blunt tip open end V/C/Rh |
| PS-160221 | Liquid syringe C-160 5 ul | RN .019in x.005in x2.25in bevel open end |
| PS-160221R | Liquid syringe C-160 5 ul | RN 22GAx2in blunt tip open end V/C/Rh |
| PS-160222 | Liquid syringe C-160 10 ul | RN .019in x.005in x2.25in bevel open end |
| PS-160222R | Liquid syringe C-160 10 ul | RN 22GAx2in blunt tip open end V/C/Rh |
| PS-160223 | Liquid syringe C-160 25 ul | RN .019in x.005in x2.25in bevel open end |
| PS-160223R | Liquid syringe C-160 25 ul | RN 22GAx2in blunt tip open end V/C/Rh |
| PS-160224 | Liquid syringe C-160 50 ul | RN .019in x.005in x2.25in bevel open end |
| PS-160224R | Liquid syringe C-160 50 ul | RN 22GAx2in blunt tip open end V/C/Rh |
| PS-160225 | Liquid syringe C-160 100 ul | RN .019in x.005in x2.25in bevel open end |
| PS-160225R | Liquid syringe C-160 100 ul | RN 22GAx2in blunt tip open end V/C/Rh |
| PS-614158 | Mininert valve 13mm-425 12/pkg | |
| PS-614160 | Mininert valve 15mm-425 12/pkg | |
| PS-614161 | Mininert valve 18mm-400 12/pkg | |
| PS-614163 | Mininert valve 24mm-400 12/pkg | |
| PS-614170 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| PS-614250 | Mininert valve crimp-top 12/pkg | for 13 mm ID glassware |
| PS-631201 | Mininert valve termination | 1/4in -28 male to Mininert |
| PS-631202 | Mininert valve termination | 1/8in male NPT to Mininert |
| PS-631203 | Mininert valve termination | 1/4in -28 female to Mininert |
| PS-631204 | Mininert valve termination | 1/8in female NPT to Mininert |
| PS-631205 | Mininert valve in-line | 1/4in -28 male to 1/4in -28 male |
| PS-644350 | Mininert needle seal septa 50/pkg | |
| PS-644850 | Septum installation tool | |
| PS-654050 | Mininert syringe valve | for C or D syringe |
| PS-654051 | Mininert syringe valve | for luer-tip |
| PS-660100 | Valve 3-port manual T-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-660110 | Valve 4-port manual T-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-660200 | Valve 2-port manual 180-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-660210 | Valve 4-port manual 180-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-660300 | Valve 2-port manual 90-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-660310 | Valve 3-port manual 90-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-660320 | Valve 4-port manual 90-flow w/o nutsferrules | 200psi .06" bore 1/4-28 fitting detail |
| PS-943050 | Needles RN p-lok A-2 C | .028in x.005in x2in bevel open end 3/pkg |
| PS-943051 | Needles RN p-lok A-2 C D | .029in x.012in x2in bevel open end 3/pkg |
| PS-943052 | Needles RN p-lok A-2 C D | .029in x.012in x2in side-port taper 3/pkg |
| PS-943060 | Needles RN luer A-2 C Magnum | .028in x.006in x2in bevel open end 3/pkg |
| PS-943061 | Needles RN luer A-2 D | .028in x.012in x2in bevel open end 3/pkg |
| PS-943062 | Needles RN luer A-2 C D Magnum | .028in x.012in x2in side port taper 3/pkg |
| PV | Pin vise and drill index .34-1mm | |
| PZA21 | Male pipe adaptor 1/8in M-NPT x 1/16in int | 1mm bore SS |
| PZA21T | Male pipe adaptor 1/8in M-NPT x 1/16in int | 1/16in trough bore SS |
| PZA22 | Male pipe adaptor 1/8in M-NPT x 1/8in int | 1mm bore SS |
| PZA41 | Male pipe adaptor 1/4in M-NPT x 1/16in int | 1mm bore SS |
| PZA42 | Male pipe adaptor 1/4in M-NPT x 1/8in int | 1mm bore SS |
| PZA42L | Male pipe adaptor 1/4in M-NPT x 1/8in int | 2mm bore SS |
| PZA44L | Male pipe adaptor 1/4in M-NPT x 1/4in int | 4.6mm bore SS |
| PZA81 | Male pipe adaptor 1/2in M-NPT x 1/16in int | 1mm bore SS |
| PZA82 | Male pipe adaptor 1/2in M-NPT x 1/8in int | 1mm bore SS |
| PZA82L | Male pipe adaptor 1/2in M-NPT x 1/8in int | 2mm bore SS |
| PZA84L | Male pipe adaptor 1/2in M-NPT x 1/4in int | 4.6mm bore SS |
| RAD | Right angle drive close mount | |
| RF1.5KF-5 | Standard reducing ferrule 1/16in x 1/32in | CTFE 5/pkg |
| RF1.5PK-5 | Standard reducing ferrule 1/16in x 1/32in | PEEK 5/pkg |
| RF1.5TFG-5 | Standard reducing ferrule 1/16in x 1/32in | PTFE Glass-filled 25% 5/pkg |
| RF1.5V-5 | Standard reducing ferrule 1/16in x 1/32in | Polyimide Valcon 5/pkg |
| RF2.5KF-5 | Standard reducing ferrule 1/8in x 1/32in | CTFE 5/pkg |
| RF2.5PK-5 | Standard reducing ferrule 1/8in x 1/32in | PEEK 5/pkg |
| RF2.5TFG-5 | Standard reducing ferrule 1/8in x 1/32in | PTFE Glass-filled 25% 5/pkg |
| RF2.5V-5 | Standard reducing ferrule 1/8in x 1/32in | Polyimide Valcon 5/pkg |
| RF21KF-5 | Standard reducing ferrule 1/8in x 1/16in | CTFE 5/pkg |
| RF21PK-5 | Standard reducing ferrule 1/8in x 1/16in | PEEK 5/pkg |
| RF21TFG-5 | Standard reducing ferrule 1/8in x 1/16in | PTFE Glass-filled 25% 5/pkg |
| RF21V-5 | Standard reducing ferrule 1/8in x 1/16in | Polyimide Valcon 5/pkg |
| RF41KF-5 | Standard reducing ferrule 1/4in x 1/16in | CTFE 5/pkg |
| RF41PK-5 | Standard reducing ferrule 1/4in x 1/16in | PEEK 5/pkg |
| RF41TFG-5 | Standard reducing ferrule 1/4in x 1/16in | PTFE Glass-filled 25% 5/pkg |
| RF41V-5 | Standard reducing ferrule 1/4in x 1/16in | Polyimide Valcon 5/pkg |
| RF42KF-5 | Standard reducing ferrule 1/4in x 1/8in | CTFE 5/pkg |
| RF42PK-5 | Standard reducing ferrule 1/4in x 1/8in | PEEK 5/pkg |
| RF42TFG-5 | Standard reducing ferrule 1/4in x 1/8in | PTFE Glass-filled 25% 5/pkg |
| RF42V-5 | Standard reducing ferrule 1/4in x 1/8in | Polyimide Valcon 5/pkg |
| SD4UW | 4 mpos dead-end path manual | 1/8 x .75mm 75C/5000psi liq N60/E |
| SD6UW | 6 mpos dead-end path manual | 1/8 x .75mm 75C/5000psi liq N60/E |
| SD8UW | 8 mpos dead-end path manual | 1/8 x .75mm 75C/5000psi liq N60/E |
| SEAL1-HP | Seal disk split/splitless for HP5890 | SS |
| SFV | | i SS |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| SFVL | Prime/Purge valve manual | 3 x 1/16in .75 mm bore 100C/10'000psi SS |
| SFVO | On/Off valve manual | 2 x 1/16in .50 mm bore 100C/10'000psi SS |
| SFVOHT | On/Off valve manual high temperature/pressure | 2 x 1/16in .50 mm bore 300C/6000psi SS |
| SFVOHT4 | On/Off valve manual high temp/pressure/4in so | 2 x 1/16in .50 mm bore 100C/10'000psi SS |
| SFVOL | On/Off valve manual | 2 x 1/16in .75 mm bore 100C/10'000psi SS |
| SI4G | Replacement septa for septum injector 350C | 1/4in OD low bleed 10/pkg |
| SL100CSTP | Sample loop 100ul mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL100CSTUW | Sample loop 100ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL100CUW | Sample loop 100ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL100CW | Sample loop 100ul W type valve | 1/16in ends with nuts & ferrules SS |
| SL100NW | Sample loop 100ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL100STP | Sample loop 100ul mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL100UW | Sample loop 100ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL10CSTUW | Sample loop 10ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10CUW | Sample loop 10ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10CW | Sample loop 10ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10KCSTP | Sample loop 10ml mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10KCSTUW | Sample loop 10ml mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10KCUW | Sample loop 10ml UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10KCW | Sample loop 10ml W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL10KSTP | Sample loop 10ml mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL10KUW | Sample loop 10ml UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL10NW | Sample loop 10ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL10UW | Sample loop 10ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL15CSTUW | Sample loop 15ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL15CUW | Sample loop 15ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL15CW | Sample loop 15ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL15NW | Sample loop 15ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL15UW | Sample loop 15ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL1KCSTP | Sample loop 1ml mpos ST/MT P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL1KCSTUW | Sample loop 1ml mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL1KCUW | Sample loop 1ml UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL1KCW | Sample loop 1ml W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL1KSTP | Sample loop 1ml mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL1KUW | Sample loop 1ml UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL20CSTUW | Sample loop 20ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL20CUW | Sample loop 20ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL20CW | Sample loop 20ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL20KUW | Sample loop 20 ml UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL20NW | Sample loop 20ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL20UW | Sample loop 20ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL250CSTP | Sample loop 250ul mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL250CSTUW | Sample loop 250ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL250CUW | Sample loop 250ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL250CW | Sample loop 250ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL250NW | Sample loop 250ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL250STP | Sample loop 250ul mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL250UW | Sample loop 250ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL25CSTUW | Sample loop 25ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL25CUW | Sample loop 25ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL25CW | Sample loop 25ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL25NW | Sample loop 25ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL25UW | Sample loop 25ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL2CW | Sample loop 2ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL2KCSTP | Sample loop 2ml mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL2KCSTUW | Sample loop 2ml mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL2KCUW | Sample loop 2ml UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL2KCW | Sample loop 2ml W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL2KSTP | Sample loop 2ml mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL2KUW | Sample loop 2ml UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL2NW | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| SL3CUW | Sample loop 3ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL500CSTP | Sample loop 500ul mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL500CSTUW | Sample loop 500ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL500CUW | Sample loop 500ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL500CW | Sample loop 500ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL500NW | Sample loop 500ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL500STP | Sample loop 500ul mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL500UW | Sample loop 500ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL50CSTP | Sample loop 50ul mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL50CSTUW | Sample loop 50ul mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL50CUW | Sample loop 50ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL50CW | Sample loop 50ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL50NW | Sample loop 50ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SL50UW | Sample loop 50ul UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL5CUW | Sample loop 5ul UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL5CW | Sample loop 5ul W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL5KCSTP | Sample loop 5ml mpos ST/MW P-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL5KCSTUW | Sample loop 5ml mpos ST UW-type valve | 1/16in ends with nuts & ferrules 316SS |
| SL5KCUW | Sample loop 5ml UW type valve | 1/16in ends with nuts & ferrules 316SS |
| SL5KCW | Sample loop 5ml W type valve | 1/16in ends with nuts & ferrules 316SS |
| SL5KSTP | Sample loop 5ml mpos ST/MW P-type valve | 1/8in ends with nuts & ferrules 316SS |
| SL5KUW | Sample loop 5ml UW type valve | 1/8in ends with nuts & ferrules 316SS |
| SL5NW | Sample loop 5ul W type valve | 1/32in ends with nuts & ferrules 316SS |
| SOMAP | Manual adaptor for standoff | incl. MHA and SVH |
| SOMAPPF | Manual adaptor with Position feedback | for standoff incl. MHA and SVH |
| SOMAW | Manual adaptor for standoff | incl. MHA and WK |
| SOUTH | Handle for use with standoff | 2-pos. UW-type valve |
| SPSS40 | Ultra High Pressure Injection System | 40K psi liq |
| SSA10UW | Rotor seal 10 port 2-pos UW-valve | 1/8 x .75mm 75C/5000psi liq H |
| SSA10UWE | Rotor seal 10 port 2-pos UW-valve | 1/8 x .75mm 225C/400psi gas E |
| SSA10UWT | Rotor seal 10 port 2-pos UW-valve | 1/8 x .75mm 330C/300psi gas T |
| SSA4UW | Rotor seal 4 port 2-pos UW-valve | 1/8 x .75mm 75C/5000psi liq H |
| SSA4UWE | Rotor seal 4 port 2-pos UW-valve | 1/8 x .75mm 225C/400psi gas E |
| SSA4UWT | Rotor seal 4 port 2-pos UW-valve | 1/8 x .75mm 330C/300psi gas T |
| SSA6UW | Rotor seal 6 port 2-pos UW-valve | 1/8 x .75mm 75C/5000psi liq H |
| SSA6UWE | Rotor seal 6 port 2-pos UW-valve | 1/8 x .75mm 225C/400psi gas E |
| SSA6UWT | Rotor seal 6 port 2-pos UW-valve | 1/8 x .75mm 330C/300psi gas T |
| SSA8UW | Rotor seal 8 port 2-pos UW-valve | 1/8 x .75mm 75C/5000psi liq H |
| SSA8UWE | Rotor seal 8 port 2-pos UW-valve | 1/8 x .75mm 225C/400psi gas E |
| SSA8UWT | Rotor seal 8 port 2-pos UW-valve | 1/8 x .75mm 330C/300psi gas T |
| SSAC10UW | Rotor seal 10 port 2-pos UW-valve | 1/16 x .75mm 75C/5000psi liq H |
| SSAC10UWE | Rotor seal 10 port 2-pos UW-valve | 1/16 x .75mm 200C/400psi gas E |
| SSAC10UWT | Rotor seal 10 port 2-pos UW-valve | 1/16 x .75mm 330C/300psi gas T |
| SSAC10W | Rotor seal 10 port 2-pos W-valve | 1/16 x .4mm 75C/5000psi liq H |
| SSAC10WE | Rotor seal 10 port 2-pos W-valve | 1/16 x .4mm 225C/400psi gas E |
| SSAC10WT | Rotor seal 10 port 2-pos W-valve | 1/16 x .4mm 350C/300psi gas T |
| SSAC4UW | Rotor seal 4 port 2-pos UW-valve | 1/16 x .75mm 75C/5000psi liq H |
| SSAC4UWE | Rotor seal 4 port 2-pos UW-valve | 1/16 x .75mm 225C/400psi gas E |
| SSAC4UWT | Rotor seal 4 port 2-pos UW-valve | 1/16 x .75mm 330C/300psi gas T |
| SSAC4W | Rotor seal 4 port 2-pos W-valve | 1/16 x .4mm 75C/5000psi liq H |
| SSAC4WE | Rotor seal 4 port 2-pos W-valve | 1/16 x .4mm 225C/400psi gas E |
| SSAC4WT | Rotor seal 4 port 2-pos W-valve | 1/16 x .4mm 350C/300psi gas T |
| SSAC6UW | Rotor seal 6 port 2-pos UW-valve | 1/16 x .75mm 75C/5000psi liq H |
| SSAC6UWE | Rotor seal 6 port 2-pos UW-valve | 1/16 x .75mm 225C/400psi gas E |
| SSAC6UWT | Rotor seal 6 port 2-pos UW-valve | 1/16 x .75mm 330C/300psi gas T |
| SSAC6W | Rotor seal 6 port 2-pos W-valve | 1/16 x .4mm 75C/5000psi liq H |
| SSAC6WE | Rotor seal 6 port 2-pos W-valve | 1/16 x .4mm 225C/400psi gas E |
| SSAC6WT | Rotor seal 6 port 2-pos W-valve | 1/16 x .4mm 350C/300psi gas T |
| SSAC8UW | Rotor seal 8 port 2-pos UW-valve | 1/16 x .75mm 75C/5000psi liq H |
| SSAC8UWE | Rotor seal 8 port 2-pos UW-valve | 1/16 x .75mm 225C/400psi gas E |
| SSAC8UWT | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| SSAC8W | Rotor seal 8 port 2-pos W-valve | 1/16 x .4mm 75C/5000psi liq H |
| SSAC8WE | Rotor seal 8 port 2-pos W-valve | 1/16 x .4mm 225C/400psi gas E |
| SSAC8WT | Rotor seal 8 port 2-pos valve | 1/16 x .4mm 350C/300psi gas T |
| SSACI4UW.2 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 75C/5000psi liq .2ul H |
| SSACI4UW.5 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 75C/5000psi liq .5ul H |
| SSACI4UW1 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 75C/5000psi liq 1ul H |
| SSACI4UW2 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 75C/5000psi liq 2ul H |
| SSACI4UWE.2 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 175C/1000psi liq .2ul E |
| SSACI4UWE.5 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 175C/1000psi liq .5ul E |
| SSACI4UWE1 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 175C/1000psi liq 1ul E |
| SSACI4UWE2 | Rotor seal 4 port 2-pos int vol UW-valve | 1/16 x .75mm 175C/1000psi liq 2ul N60/E |
| SSACI4W.06 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 75C/5000psi liq .06ul H |
| SSACI4W.1 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 75C/5000psi liq .1ul H |
| SSACI4W.2 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 75C/5000psi liq .2ul H |
| SSACI4W.5 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 75C/5000psi liq .5ul H |
| SSACI4WE.06 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 175C/1000psi liq .06ul E |
| SSACI4WE.1 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 175C/1000psi liq .1ul E |
| SSACI4WE.2 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 175C/1000psi liq .2ul E |
| SSACI4WE.5 | Rotor seal 4 port 2-pos int vol W-valve | 1/16 x .4mm 175C/1000psi liq .5ul E |
| SSACSC10MWE | Rotor seal 10 mpos common outlet MW valve | 1/16 x 1mm 200C/200psi gas N60/E |
| SSACSC12MWE | Rotor seal 12 mpos common outlet MW valve | 1/16 x 1mm 200C/200psi gas N60/E |
| SSACSC16MWE | Rotor seal 16 mpos common outlet MW valve | 1/16 x 1mm 200C/200psi gas N60/E |
| SSACSC6MWE | Rotor seal 6 mpos common outlet MW valve | 1/16 x 1mm 200C/200psi gas N60/E |
| SSACSD10MWE | Rotor seal 10 mpos dead-end path MW-valve | 1/16 x .75mm 200C/400psi gas E |
| SSACSD10UW | Rotor seal 10 mpos dead-end path UW-valve | 1/16 x .4mm 75C/5000psi liq E |
| SSACSD12MWE | Rotor seal 12 mpos dead-end path MW-valve | 1/16 x .75mm 200C/400psi gas E |
| SSACSD16MWE | Rotor seal 16 mpos dead-end path MW-valve | 1/16 x .75mm 200C/400psi gas E |
| SSACSD4UW | Rotor seal 4 mpos dead-end path UW-valve | 1/16 x .4mm 75C/5000psi liq E |
| SSACSD6MWE | Rotor seal 6 mpos dead-end path MW-valve | 1/16 x .75mm 200C/400psi gas E |
| SSACSD6UW | Rotor seal 6 mpos dead-end path UW-valve | 1/16 x .4mm 75C/5000psi liq E |
| SSACSF10MWE | Rotor seal 10 mpos flow-through MW-valve | 1/16 x 1mm 200C/200psi gas E |
| SSACSF12MWE | Rotor seal 12 mpos flow-through MW-valve | 1/16 x 1mm 200C/200psi gas E |
| SSACSF16MWE | Rotor seal 16 mpos flow-through MW-valve | 1/16 x 1mm 200C/200psi gas E |
| SSACSF6MWE | Rotor seal 6 mpos flow-through MW-valve | 1/16 x 1mm 200C/200psi gas E |
| SSACST10MWE | Rotor seal 10 mpos trapping path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACST12MWE | Rotor seal 12 mpos trapping path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACST16MWE | Rotor seal 16 mpos trapping path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACST4UW | Rotor seal 4 mpos trapping-path UW-valve | 1/16 x .4mm 75C/5000psi liq E |
| SSACST6MWE | Rotor seal 6 mpos trapping path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACST6UW | Rotor seal 6 mpos trapping-path UW-valve | 1/16 x .4mm 75C/5000psi liq E |
| SSACSTF10MWE | Rotor seal 10 mpos trap/flow path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACSTF12MWE | Rotor seal 12 mpos trap/flow path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACSTF16MWE | Rotor seal 16 mpos trap/flow path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSACSTF6MWE | Rotor seal 6 mpos trap/flow path MW-valve | 1/16 x .75mm 200C/200psi gas E |
| SSAI4UWE.2 | Rotor seal 4 port 2-pos int vol UW-valve | 1/8 x .75mm 175C/1000psi liq .2ul E |
| SSAI4UWE.5 | Rotor seal 4 port 2-pos int vol UW-valve | 1/8 x .75mm 175C/1000psi liq .5ul E |
| SSAI4UWE1 | Rotor seal 4 port 2-pos int vol UW-valve | 1/8 x .75mm 175C/1000psi liq 1ul E |
| SSAI4UWE2 | Rotor seal 4 port 2-pos int vol UW-valve | 1/8 x .75mm 175C/1000psi liq 2ul E |
| SSAL10UW | Rotor seal 10 port 2-pos UW-valve | 1/8 x 1.0mm 75C/5000psi liq H |
| SSAL4UW | Rotor seal 4 port 2-pos UW-valve | 1/8 x 1.7mm 75C/5000psi liq H |
| SSAL6UW | Rotor seal 6 port 2-pos UW-valve | 1/8 x 1.7mm 75C/5000psi liq H |
| SSAL8UW | Rotor seal 8 port 2-pos UW-valve | 1/8 x 1.3mm 75C/5000psi liq H |
| SSAN10WE | Rotor seal 10 port 2-pos W-valve | 1/32 x .25mm 225C/400psi gas E |
| SSAN10WT | Rotor seal 10 port 2-pos W-valve | 1/32 x .25mm 300C/300psi gas T |
| SSAN4WE | Rotor seal 4 port 2-pos W-valve | 1/32 x .25mm 225C/400psi gas E |
| SSAN4WT | Rotor seal 4 port 2-pos W-valve | 1/32 x .25mm 350C/300psi gas T |
| SSAN6WE | Rotor seal 6 port 2-pos W-valve | 1/32 x .25mm 250C/400psi gas E |
| SSAN6WT | Rotor seal 6 port 2-pos W-valve | 1/32 x .25mm 350C/300psi gas T |
| SSAN8WE | Rotor seal 8 port 2-pos W-valve | 1/32 x .25mm 225C/400psi gas E |
| SSAN8WT | Rotor seal 8 port 2-pos W-valve | 1/32 x .25mm 350C/300psi gas T |
| SSANI4WE.06 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| SSANI4WE.1 | Rotor seal 4 port 2-pos int vol W-valve | 1/32 x .25mm 175C/1000psi liq .1ul E |
| SSANI4WE.2 | Rotor seal 4 port 2-pos int vol W-valve | 1/32 x .25mm 175C/1000psi liq .2ul E |
| SSANI4WE.5 | Rotor seal 4 port 2-pos int vol W-valve | 1/32 x .25mm 175C/1000psi liq .5 ul E |
| SSASC10MWE | Rotor seal 10 mpos common outlet MW valve | 1/8 x 1mm 200C/200psi gas E |
| SSASC12MWE | Rotor seal 12 mpos common outlet MW valve | 1/8 x 1mm 200C/200psi gas E |
| SSASC16MWE | Rotor seal 16 mpos common outlet MW valve | 1/8 x 1mm 200C/200psi gas E |
| SSASC6MWE | Rotor seal 6 mpos common outlet MW valve | 1/8 x 1mm 200C/200psi gas E |
| SSASD10MWE | Rotor seal 10 mpos dead-end path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASD12MWE | Rotor seal 12 mpos dead-end path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASD16MWE | Rotor seal 16 mpos dead-end path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASD4UW | Rotor seal 4 mpos dead-end path UW-valve | 1/8 x .75mm 75C/5000psi liq E |
| SSASD6MWE | Rotor seal 6 mpos dead-end path MW-valve | 1/8 x 1mm 200C/400psi gas E |
| SSASD6UW | Rotor seal 6 mpos dead-end path UW-valve | 1/8 x .75mm 75C/5000psi liq E |
| SSASD8UW | Rotor seal 8 mpos dead-end path UW-valve | 1/8 x .75mm 75C/5000psi liq E |
| SSASF10MWE | Rotor seal 10 mpos flow-through MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASF12MWE | Rotor seal 12 mpos flow-through MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASF16MWE | Rotor seal 16 mpos flow-through MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASF6MWE | Rotor seal 6 mpos flow-through MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSAST10MWE | Rotor seal 10 mpos trapping path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSAST12MWE | Rotor seal 12 mpos trapping path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSAST16MWE | Rotor seal 16 mpos trapping path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSAST6MWE | Rotor seal 6 mpos trapping path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSASTF10MWE | Rotor seal 10 mpos trap/flow path MWvalve | 1/8 x 1mm 200C/200psi gas E |
| SSASTF12MWE | Rotor seal 12 mpos trap/flow path MWvalve | 1/8 x 1mm 200C/200psi gas E |
| SSASTF16MWE | Rotor seal 16 mpos trap/flow path MWvalve | 1/8 x 1mm 200C/200psi gas E |
| SSASTF6MWE | Rotor seal 6 mpos trap/flow path MW-valve | 1/8 x 1mm 200C/200psi gas E |
| SSAVL4MWE2 | Rotor seal 4 port 2 pos MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVL6MWE2 | Rotor seal 6 port 2 pos MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVL8MWE2 | Rotor seal 8 port 2 pos MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSC4MWE2 | Rotor seal 4 mpos common outlet MW valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSC6MWE2 | Rotor seal 6 mpos common outlet MW valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSC8MWE2 | Rotor seal 8 mpos common outlet MW valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSD10MWE2 | Rotor seal 10 mpos dead-end path MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSD4MWE2 | Rotor seal 4 mpos dead-end path MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSD6MWE2 | Rotor seal 6 mpos dead-end path MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSD8MWE2 | Rotor seal 8 mpos dead-end path MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSF4MWE2 | Rotor seal 4 mpos flow-through MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSF6MWE2 | Rotor seal 6 mpos flow-through MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SSAVLSF8MWE2 | Rotor seal 8 mpos flow-through MW-valve | 1/4 x 4mm 75C/100psi gas E2 |
| SVI-110 | Serial valve interface 110Vac | Non-CE !!! |
| SVI-220 | Serial valve interface 220Vac | Non-CE !!! |
| SWH4 | Socket wrench handle 1/4in | for 1/16in nuts |
| T100C10-10 | Tube-kit 1/16in .010in /.25mm | 100 cm long 316SS 10/pkg |
| T100C10-100 | Tube-kit 1/16in .010in /.25mm | 100 cm long 316SS 100/pkg |
| T100C10-50 | Tube-kit 1/16in .010in /.25mm | 100 cm long 316SS 50/pkg |
| T100C10D | Tube-kit 1/16in .010in /.25mm | 100 cm long 316SS 2/pkg |
| T100C20-10 | Tube-kit 1/16in .020in /.50mm | 100 cm long 316SS 10/pkg |
| T100C20-100 | Tube-kit 1/16in .020in /.50mm | 100 cm long 316SS 100/pkg |
| T100C20-50 | Tube-kit 1/16in .020in /.50mm | 100 cm long 316SS 50/pkg |
| T100C20D | Tube-kit 1/16in .020in /.50mm | 100 cm long 316SS 2/pkg |
| T100C30-10 | Tube-kit 1/16in .030in /.75mm | 100 cm long 316SS 10/pkg |
| T100C30-100 | Tube-kit 1/16in .030in /.75mm | 100 cm long 316SS 100/pkg |
| T100C30-50 | Tube-kit 1/16in .030in /.75mm | 100 cm long 316SS 50/pkg |
| T100C30D | Tube-kit 1/16in .030in /.75mm | 100 cm long 316SS 2/pkg |
| T100C40-10 | Tube-kit 1/16in .040in /1.0mm | 100 cm long 316SS 10/pkg |
| T100C40-100 | Tube-kit 1/16in .040in /1.0mm | 100 cm long 316SS 100/pkg |
| T100C40-50 | Tube-kit 1/16in .040in /1.0mm | 100 cm long 316SS 50/pkg |
| T100C40D | Tube-kit 1/16in .040in /1.0mm | 100 cm long 316SS 2/pkg |
| T100N10-10 | Tube-kit 1/32in .010in /.25mm | 100 cm long 316SS 10/pkg |
| T100N10-100 | Tube-kit 1/32in .010in /.25mm | 100 cm long 316SS 100/pkg |
| T100N10-50 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| T100N10D | Tube-kit 1/32in .010in /.25mm | 100 cm long 316SS 2/pkg |
| T100N20-10 | Tube-kit 1/32in .020in /.50mm | 100 cm long 316SS 10/pkg |
| T100N20-100 | Tube-kit 1/32in .020in /.50mm | 100 cm long 316SS 100/pkg |
| T100N20-50 | Tube-kit 1/32in .020in /.50mm | 100 cm long 316SS 50/pkg |
| T100N20D | Tube-kit 1/32in .020in /.50mm | 100 cm long 316SS 2/pkg |
| T10C10-10 | Tube-kit 1/16in .010in /.25mm | 10 cm long 316SS 10/pkg |
| T10C10-100 | Tube-kit 1/16in .010in /.25mm | 10 cm long 316SS 100/pkg |
| T10C10-50 | Tube-kit 1/16in .010in /.25mm | 10 cm long 316SS 50/pkg |
| T10C10D | Tube-kit 1/16in .010in /.25mm | 10 cm long 316SS 2/pkg |
| T10C20-10 | Tube-kit 1/16in .020in /.50mm | 10 cm long 316SS 10/pkg |
| T10C20-100 | Tube-kit 1/16in .020in /.50mm | 10 cm long 316SS 100/pkg |
| T10C20-50 | Tube-kit 1/16in .020in /.50mm | 10 cm long 316SS 50/pkg |
| T10C20D | Tube-kit 1/16in .020in /.50mm | 10 cm long 316SS 2/pkg |
| T10C30-10 | Tube-kit 1/16in .030in /.75mm | 10 cm long 316SS 10/pkg |
| T10C30-100 | Tube-kit 1/16in .030in /.75mm | 10 cm long 316SS 100/pkg |
| T10C30-50 | Tube-kit 1/16in .030in /.75mm | 10 cm long 316SS 50/pkg |
| T10C30D | Tube-kit 1/16in .030in /.75mm | 10 cm long 316SS 2/pkg |
| T10C40-10 | Tube-kit 1/16in .040in /1.0mm | 10 cm long 316SS 10/pkg |
| T10C40-100 | Tube-kit 1/16in .040in /1.0mm | 10 cm long 316SS 100/pkg |
| T10C40-50 | Tube-kit 1/16in .040in /1.0mm | 10 cm long 316SS 50/pkg |
| T10C40D | Tube-kit 1/16in .040in /1.0mm | 10 cm long 316SS 2/pkg |
| T10C5-10 | Tube-kit 1/16in .005in /.12mm | 10 cm long 316SS 10/pkg |
| T10C5-100 | Tube-kit 1/16in .005in /.12mm | 10 cm long 316SS 100/pkg |
| T10C5-50 | Tube-kit 1/16in .005in /.12mm | 10 cm long 316SS 50/pkg |
| T10C5D | Tube-kit 1/16in .005in /.12mm | 10 cm long 316SS 2/pkg |
| T10N10-10 | Tube-kit 1/32in .010in /.25mm | 10 cm long 316SS 10/pkg |
| T10N10-100 | Tube-kit 1/32in .010in /.25mm | 10 cm long 316SS 100/pkg |
| T10N10-50 | Tube-kit 1/32in .010in /.25mm | 10 cm long 316SS 50/pkg |
| T10N10D | Tube-kit 1/32in .010in /.25mm | 10 cm long 316SS 2/pkg |
| T10N20-10 | Tube-kit 1/32in .020in /.50mm | 10 cm long 316SS 10/pkg |
| T10N20-100 | Tube-kit 1/32in .020in /.50mm | 10 cm long 316SS 100/pkg |
| T10N20-50 | Tube-kit 1/32in .020in /.50mm | 10 cm long 316SS 50/pkg |
| T10N20D | Tube-kit 1/32in .020in /.50mm | 10 cm long 316SS 2/pkg |
| T10N5-10 | Tube-kit 1/32in .005in /.12mm | 10 cm long 316SS 10/pkg |
| T10N5-100 | Tube-kit 1/32in .005in /.12mm | 10 cm long 316SS 100/pkg |
| T10N5-50 | Tube-kit 1/32in .005in /.12mm | 10 cm long 316SS 50/pkg |
| T10N5D | Tube-kit 1/32in .005in /.12mm | 10 cm long 316SS 2/pkg |
| T20C10-10 | Tube-kit 1/16in .010in /.25mm | 20 cm long 316SS 10/pkg |
| T20C10-100 | Tube-kit 1/16in .010in /.25mm | 20 cm long 316SS 100/pkg |
| T20C10-50 | Tube-kit 1/16in .010in /.25mm | 20 cm long 316SS 50/pkg |
| T20C10D | Tube-kit 1/16in .010in /.25mm | 20 cm long 316SS 2/pkg |
| T20C20-10 | Tube-kit 1/16in .020in /.50mm | 20 cm long 316SS 10/pkg |
| T20C20-100 | Tube-kit 1/16in .020in /.50mm | 20 cm long 316SS 100/pkg |
| T20C20-50 | Tube-kit 1/16in .020in /.50mm | 20 cm long 316SS 50/pkg |
| T20C20D | Tube-kit 1/16in .020in /.50mm | 20 cm long 316SS 2/pkg |
| T20C30-10 | Tube-kit 1/16in .030in /.75mm | 20 cm long 316SS 10/pkg |
| T20C30-100 | Tube-kit 1/16in .030in /.75mm | 20 cm long 316SS 100/pkg |
| T20C30-50 | Tube-kit 1/16in .030in /.75mm | 20 cm long 316SS 50/pkg |
| T20C30D | Tube-kit 1/16in .030in /.75mm | 20 cm long 316SS 2/pkg |
| T20C40-10 | Tube-kit 1/16in .040in /1.0mm | 20 cm long 316SS 10/pkg |
| T20C40-100 | Tube-kit 1/16in .040in /1.0mm | 20 cm long 316SS 100/pkg |
| T20C40-50 | Tube-kit 1/16in .040in /1.0mm | 20 cm long 316SS 50/pkg |
| T20C40D | Tube-kit 1/16in .040in /1.0mm | 20 cm long 316SS 2/pkg |
| T20C5-10 | Tube-kit 1/16in .005in /.12mm | 20 cm long 316SS 10/pkg |
| T20C5-100 | Tube-kit 1/16in .005in /.12mm | 20 cm long 316SS 100/pkg |
| T20C5-50 | Tube-kit 1/16in .005in /.12mm | 20 cm long 316SS 50/pkg |
| T20C5D | Tube-kit 1/16in .005in /.12mm | 20 cm long 316SS 2/pkg |
| T20N10-10 | Tube-kit 1/32in .010in /.25mm | 20 cm long 316SS 10/pkg |
| T20N10-100 | Tube-kit 1/32in .010in /.25mm | 20 cm long 316SS 100/pkg |
| T20N10-50 | Tube-kit 1/32in .010in /.25mm | 20 cm long 316SS 50/pkg |
| T20N10D | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| T20N20-10 | Tube-kit 1/32in .020in /.50mm | 20 cm long 316SS 10/pkg |
| T20N20-100 | Tube-kit 1/32in .020in /.50mm | 20 cm long 316SS 100/pkg |
| T20N20-50 | Tube-kit 1/32in .020in /.50mm | 20 cm long 316SS 50/pkg |
| T20N20D | Tube-kit 1/32in .020in /.50mm | 20 cm long 316SS 2/pkg |
| T20N5-10 | Tube-kit 1/32in .005in /.12mm | 20 cm long 316SS 10/pkg |
| T20N5-100 | Tube-kit 1/32in .005in /.12mm | 20 cm long 316SS 100/pkg |
| T20N5-50 | Tube-kit 1/32in .005in /.12mm | 20 cm long 316SS 50/pkg |
| T20N5D | Tube-kit 1/32in .005in /.12mm | 20 cm long 316SS 2/pkg |
| T30C10-10 | Tube-kit 1/16in .010in /.25mm | 30 cm long 316SS 10/pkg |
| T30C10-100 | Tube-kit 1/16in .010in /.25mm | 30 cm long 316SS 100/pkg |
| T30C10-50 | Tube-kit 1/16in .010in /.25mm | 30 cm long 316SS 50/pkg |
| T30C10D | Tube-kit 1/16in .010in /.25mm | 30 cm long 316SS 2/pkg |
| T30C20-10 | Tube-kit 1/16in .020in /.50mm | 30 cm long 316SS 10/pkg |
| T30C20-100 | Tube-kit 1/16in .020in /.50mm | 30 cm long 316SS 100/pkg |
| T30C20-50 | Tube-kit 1/16in .020in /.50mm | 30 cm long 316SS 50/pkg |
| T30C20D | Tube-kit 1/16in .020in /.50mm | 30 cm long 316SS 2/pkg |
| T30C30-10 | Tube-kit 1/16in .030in /.75mm | 30 cm long 316SS 10/pkg |
| T30C30-100 | Tube-kit 1/16in .030in /.75mm | 30 cm long 316SS 100/pkg |
| T30C30-50 | Tube-kit 1/16in .030in /.75mm | 30 cm long 316SS 50/pkg |
| T30C30D | Tube-kit 1/16in .030in /.75mm | 30 cm long 316SS 2/pkg |
| T30C40-10 | Tube-kit 1/16in .040in /1.0mm | 30 cm long 316SS 10/pkg |
| T30C40-100 | Tube-kit 1/16in .040in /1.0mm | 30 cm long 316SS 100/pkg |
| T30C40-50 | Tube-kit 1/16in .040in /1.0mm | 30 cm long 316SS 50/pkg |
| T30C40D | Tube-kit 1/16in .040in /1.0mm | 30 cm long 316SS 2/pkg |
| T30C5-10 | Tube-kit 1/16in .005in /.12mm | 30 cm long 316SS 10/pkg |
| T30C5-100 | Tube-kit 1/16in .005in /.12mm | 30 cm long 316SS 100/pkg |
| T30C5-50 | Tube-kit 1/16in .005in /.12mm | 30 cm long 316SS 50/pkg |
| T30C5D | Tube-kit 1/16in .005in /.12mm | 30 cm long 316SS 2/pkg |
| T30N10-10 | Tube-kit 1/32in .010in /.25mm | 30 cm long 316SS 10/pkg |
| T30N10-100 | Tube-kit 1/32in .010in /.25mm | 30 cm long 316SS 100/pkg |
| T30N10-50 | Tube-kit 1/32in .010in /.25mm | 30 cm long 316SS 50/pkg |
| T30N10D | Tube-kit 1/32in .010in /.25mm | 30 cm long 316SS 2/pkg |
| T30N20-10 | Tube-kit 1/32in .020in /.50mm | 30 cm long 316SS 10/pkg |
| T30N20-100 | Tube-kit 1/32in .020in /.50mm | 30 cm long 316SS 100/pkg |
| T30N20-50 | Tube-kit 1/32in .020in /.50mm | 30 cm long 316SS 50/pkg |
| T30N20D | Tube-kit 1/32in .020in /.50mm | 30 cm long 316SS 2/pkg |
| T30N5-10 | Tube-kit 1/32in .005in /.12mm | 30 cm long 316SS 10/pkg |
| T30N5-100 | Tube-kit 1/32in .005in /.12mm | 30 cm long 316SS 100/pkg |
| T30N5-50 | Tube-kit 1/32in .005in /.12mm | 30 cm long 316SS 50/pkg |
| T30N5D | Tube-kit 1/32in .005in /.12mm | 30 cm long 316SS 2/pkg |
| T50C10-10 | Tube-kit 1/16in .010in /.25mm | 50 cm long 316SS 10/pkg |
| T50C10-100 | Tube-kit 1/16in .010in /.25mm | 50 cm long 316SS 100/pkg |
| T50C10-50 | Tube-kit 1/16in .010in /.25mm | 50 cm long 316SS 50/pkg |
| T50C10D | Tube-kit 1/16in .010in /.25mm | 50 cm long 316SS 2/pkg |
| T50C20-10 | Tube-kit 1/16in .020in /.50mm | 50 cm long 316SS 10/pkg |
| T50C20-100 | Tube-kit 1/16in .020in /.50mm | 50 cm long 316SS 100/pkg |
| T50C20-50 | Tube-kit 1/16in .020in /.50mm | 50 cm long 316SS 50/pkg |
| T50C20D | Tube-kit 1/16in .020in /.50mm | 50 cm long 316SS 2/pkg |
| T50C30-10 | Tube-kit 1/16in .030in /.75mm | 50 cm long 316SS 10/pkg |
| T50C30-100 | Tube-kit 1/16in .030in /.75mm | 50 cm long 316SS 100/pkg |
| T50C30-50 | Tube-kit 1/16in .030in /.75mm | 50 cm long 316SS 50/pkg |
| T50C30D | Tube-kit 1/16in .030in /.75mm | 50 cm long 316SS 2/pkg |
| T50C40-10 | Tube-kit 1/16in .040in /1.0mm | 50 cm long 316SS 10/pkg |
| T50C40-100 | Tube-kit 1/16in .040in /1.0mm | 50 cm long 316SS 100/pkg |
| T50C40-50 | Tube-kit 1/16in .040in /1.0mm | 50 cm long 316SS 50/pkg |
| T50C40D | Tube-kit 1/16in .040in /1.0mm | 50 cm long 316SS 2/pkg |
| T50C5-10 | Tube-kit 1/16in .005in /.12mm | 50 cm long 316SS 10/pkg |
| T50C5-100 | Tube-kit 1/16in .005in /.12mm | 50 cm long 316SS 100/pkg |
| T50C5-50 | Tube-kit 1/16in .005in /.12mm | 50 cm long 316SS 50/pkg |
| T50C5D | Tube-kit 1/16in .005in /.12mm | 50 cm long 316SS 2/pkg |
| T50N10-10 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| T50N10-100 | Tube-kit 1/32in .010in /.25mm | 50 cm long 316SS 100/pkg |
| T50N10-50 | Tube-kit 1/32in 010in /.25mm | 50 cm long 316SS 50/pkg |
| T50N10D | Tube-kit 1/32in .010in /.25mm | 50 cm long 316SS 2/pkg |
| T50N20-10 | Tube-kit 1/32in .020in /.50mm | 50 cm long 316SS 10/pkg |
| T50N20-100 | Tube-kit 1/32in .020in /.50mm | 50 cm long 316SS 100/pkg |
| T50N20-50 | Tube-kit 1/32in .020in /.50mm | 50 cm long 316SS 50/pkg |
| T50N20D | Tube-kit 1/32in .020in /.50mm | 50 cm long 316SS 2/pkg |
| T50N5-10 | Tube-kit 1/32in .005in /.12mm | 50 cm long 316SS 10/pkg |
| T50N5-100 | Tube-kit 1/32in 005in /.12mm | 50 cm long 316SS 100/pkg |
| T50N5-50 | Tube-kit 1/32in 005in /.12mm | 50 cm long 316SS 50/pkg |
| T50N5D | Tube-kit 1/32in .005in /.12mm | 50 cm long 316SS 2/pkg |
| T5C10-10 | Tube-kit 1/16in .010in /.25mm | 5 cm long 316SS 10/pkg |
| T5C10-100 | Tube-kit 1/16in .010in /.25mm | 5 cm long 316SS 100/pkg |
| T5C10-50 | Tube-kit 1/16in .010in /.25mm | 5 cm long 316SS 50/pkg |
| T5C10D | Tube-kit 1/16in .010in /.25mm | 5 cm long 316SS 2/pkg |
| T5C20-10 | Tube-kit 1/16in .020in /.50mm | 5 cm long 316SS 10/pkg |
| T5C20-100 | Tube-kit 1/16in .020in /.50mm | 5 cm long 316SS 100/pkg |
| T5C20-50 | Tube-kit 1/16in .020in /.50mm | 5 cm long 316SS 50/pkg |
| T5C20D | Tube-kit 1/16in .020in /.50mm | 5 cm long 316SS 2/pkg |
| T5C30-10 | Tube-kit 1/16in .030in /.75mm | 5cm long 316SS 10/pkg |
| T5C30-100 | Tube-kit 1/16in .030in /.75mm | 5 cm long 316SS 100/pkg |
| T5C30-50 | Tube-kit 1/16in .030in /.75mm | 5 cm long 316SS 50/pkg |
| T5C30D | Tube-kit 1/16in .030in /.75mm | 5 cm long 316SS 2/pkg |
| T5C40-10 | Tube-kit 1/16in .040in /1.0mm | 5 cm long 316SS 10/pkg |
| T5C40-100 | Tube-kit 1/16in .040in /1.0mm | 5 cm long 316SS 100/pkg |
| T5C40-50 | Tube-kit 1/16in .040in /1.0mm | 5 cm long 316SS 50/pkg |
| T5C40D | Tube-kit 1/16in .040in /1.0mm | 5 cm long 316SS 2/pkg |
| T5C5-10 | Tube-kit 1/16in .005in /.12mm | 5 cm long 316SS 10/pkg |
| T5C5-100 | Tube-kit 1/16in .005in /.12mm | 5 cm long 316SS 100/pkg |
| T5C5-50 | Tube-kit 1/16in .005in /.12mm | 5 cm long 316SS 50/pkg |
| T5C5D | Tube-kit 1/16in .005in /.12mm | 5 cm long 316SS 2/pkg |
| T5N10-10 | Tube-kit 1/32in .010in /.25mm | 5 cm long 316SS 10/pkg |
| T5N10-100 | Tube-kit 1/32in .010in /.25mm | 5 cm long 316SS 100/pkg |
| T5N10-50 | Tube-kit 1/32in .010in /.25mm | 5 cm long 316SS 50/pkg |
| T5N10D | Tube-kit 1/32in .010in /.25mm | 5 cm long 316SS 2/pkg |
| T5N20-10 | Tube-kit 1/32in .020in /.50mm | 5 cm long 316SS 10/pkg |
| T5N20-100 | Tube-kit 1/32in .020in /.50mm | 5 cm long 316SS 100/pkg |
| T5N20-50 | Tube-kit 1/32in .020in /.50mm | 5 cm long 316SS 50/pkg |
| T5N20D | Tube-kit 1/32in .020in /.50mm | 5 cm long 316SS 2/pkg |
| T5N5-10 | Tube-kit 1/32in .005in /.12mm | 5 cm long 316SS 10/pkg |
| T5N5-100 | Tube-kit 1/32in .005in /.12mm | 5 cm long 316SS 100/pkg |
| T5N5-50 | Tube-kit 1/32in .005in /.12mm | 5 cm long 316SS 50/pkg |
| T5N5D | Tube-kit 1/32in .005in /.12mm | 5 cm long 316SS 2/pkg |
| TCD2-C-110 | TCD2 controller | 110Vac |
| TCD2-C-220 | TCD2 controller | 220Vac |
| TCD2-NIFE-110 | TCD2 detector with controller | Nickel-Iron filaments 110Vac |
| TCD2-NIFE-220 | TCD2 detector with controller | Nickel-Iron filaments 220Vac |
| TCD2-NIFED-110 | TCD2 detector w/o controller | NIFE filaments 110Vac |
| TCD2-NIFED-220 | TCD2 detector w/o controller | NIFE filaments 220Vac |
| TCD2-NIFE-FA | TCD2 filament assembly set of 2 | Nickel/Iron NOT AVAILABLE see bemerkung |
| TCEF1.5.5C | Tee column end fitting 1/16in x 1/32in x 1/32in | .25mm in/out .25mm side 1mm cone SS |
| TCEF1.5.5T | Tee column end fitting 1/16in x 1/32in x 1/32in | .9mm in/out .25mm side 1mm cone SS |
| TCEF111 | Tee column end fitting 1/16in x 1/16in x 1/16in | .25mm in/out .25mm side 1mm cone SS |
| TCEF211 | Tee column end fitting 1/8in x 1/16in x 1/16in | .75mm in/out .75mm side 1mm cone SS |
| TCEF211T | Tee column end fitting 1/8in x 1/16in x 1/16in | 1.65mm in/out .4mm side 1mm cone SS |
| TCEF411 | Tee column end fitting 1/4in x 1/16in x 1/16in | .75mm in/out .75mm side 4.6mm cone SS |
| TCEF411C | Tee column end fitting 1/4in x 1/16in x 1/16in | .25mm in/out .25mm side 4.6mm cone SS |
| TCEF411T | Tee column end fitting 1/4in x 1/16in x 1/16in | 1.65mm in/out .75mm side 4.6mm cone SS |
| TCEF421 | Tee column end fitting 1/4in x 1/8in x 1/16in | .75mm in/out .75mm side 4.6mm cone SS |
| TCEF611 | Tee column end fitting 3/8in x 1/16in x 1/16in | .75mm in/out .75mm side 6mm cone SS |
| TCEF611T | | SS |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| TCEF811 | Tee column end fitting 1/2in x 1/16in x 1/16in | .75mm in/out .75mm side 9mm cone SS |
| TCEF811T | Tee column end fitting 1/2in x 1/16in x 1/16in | 1.65mm in/out .75mm side 9mm cone SS |
| TEFNI.101 | Tubing electroformed.360um OD .001in /25um ID | Nickel |
| TEFNI.102 | Tubing electroformed.360um OD | .002in /50um ID Nickel |
| TEFNI.104 | Tubing electroformed.360um OD | .004in /100um ID Nickel |
| TEFNI.105 | Tubing electroformed.360um OD | .005in /125um ID Nickel |
| TEFNI.110 | Tubing electroformed.360um OD | .007in /175um ID Nickel |
| TEFNI.502 | Tubing electroformed.1/32in OD.002in /.05mm ID | Nickel |
| TEFNI.504 | Tubing electroformed.1/32in OD.004in /.1mm ID | Nickel |
| TEFNI.505 | Tubing electroformed.1/32in OD.005in /.12mm ID | Nickel |
| TEFNI.507 | Tubing electroformed.1/32in OD.007in /.18mm ID | Nickel |
| TEFNI.510 | Tubing electroformed.1/32in OD.010in /.25mm ID | Nickel |
| TEFNI.512 | Tubing electroformed.1/32in OD | .0126in /.32mm ID Nickel |
| TEFNI.515 | Tubing electroformed.1/32in OD.015in /.38mm ID | Nickel |
| TEFNI.520 | Tubing electroformed.1/32in OD.020in /.5mm ID | Nickel |
| TEFNI120 | Tubing electroformed.1/16in OD.020in /.5mmID | Nickel |
| TEFNI130 | Tubing electroformed.1/16in OD.030in /.75mmID | Nickel |
| TEFNI140 | Tubing electroformed. 1/16in OD.040in /1mm ID | Nickel |
| TEMPLATE1 | Template for flow diagrams | |
| TFEP110-10M | Tubing 1/16in OD .010in /.25mm ID | FEP 10m/pkg |
| TFEP110-25M | Tubing 1/16in OD .010in /.25mm ID | FEP 25m/pkg |
| TFEP110-5M | Tubing 1/16in OD .010in /.25mm ID | FEP 5m/pkg |
| TFEP120-10M | Tubing 1/16in OD .020in /.5mm ID | FEP 10m/pkg |
| TFEP120-25M | Tubing 1/16in OD .020in /.5mm ID | FEP 25m/pkg |
| TFEP120-5M | Tubing 1/16in OD .020in /.5mm ID | FEP 5m/pkg |
| TFEP130-10M | Tubing 1/16in OD .030in /.75mm ID | FEP 10m/pkg |
| TFEP130-25M | Tubing 1/16in OD .030in /.75mm ID | FEP 25m/pkg |
| TFEP130-5M | Tubing 1/16in OD .030in /.75mm ID | FEP 5m/pkg |
| TFEP260-10M | Tubing 1/8in OD .060in /1.52mm ID | FEP 10m/pkg |
| TFEP260-25M | Tubing 1/8in OD .060in /1.52mm ID | FEP 25m/pkg |
| TFEP260-5M | Tubing 1/8in OD .060in /1.52mm ID | FEP 5m/pkg |
| THC130 | Tubing 1/16in OD .030in /.75mm ID HC | |
| THC270 | Tubing 1/8in OD .070in /1.77mm ID HC | |
| TINCO261 | Tubing 1/8in OD .061in /1.55mm ID | Inconel 600 |
| TINCO282 | Tubing 1/8in OD .082in /2.1mm ID | Inconel 600 |
| TNI.507 | Tubing 1/32in OD .007in /.18 mm ID Nickel | |
| TNI.510 | OBSOLETE NOT AVAILABLE ANYMORE | |
| TNI.520 | Tubing 1/32in OD .020in /.5mm ID Nickel | |
| TNI105 | Tubing 1/16in OD .005in /.12mm ID Nickel | |
| TNI110 | Tubing 1/16in OD .010in /.25mm ID Nickel | |
| TNI120 | Tubing 1/16in OD .020in /.5mm ID Nickel | |
| TNI130 | Tubing 1/16in OD .030in /.75mm ID Nickel | |
| TNI140 | Tubing 1/16in OD .040in /1mm ID Nickel | |
| TNI285 | Tubing 1/8in OD .085in /2.15mm ID Nickel | |
| TPK.102 | Tubing 360um OD .002in /50um ID | PEEK |
| TPK.104 | Tubing 360um OD .004in /100um ID | PEEK |
| TPK.105 | Tubing 360um OD .005in /125um ID | PEEK |
| TPK.106 | Tubing 360um OD .006in /150um ID | PEEK |
| TPK.502-10M | Tubing 1/32in OD .0025in /63um ID | PEEK 10m/pkg |
| TPK.502-25M | Tubing 1/32in OD .0025in /63um ID | PEEK 25m/pkg |
| TPK.502-5M | Tubing 1/32in OD .0025in /63um ID | PEEK 5m/pkg |
| TPK.505-10M | Tubing 1/32in OD .005in /125um | PEEK 10m/pkg |
| TPK.505-25M | Tubing 1/32in OD .005in /125um | PEEK 25m/pkg |
| TPK.505-5M | Tubing 1/32in OD .005in /125um | PEEK 5m/pkg |
| TPK.510-10M | Tubing 1/32in OD .010in /.25mm | PEEK 10m/pkg |
| TPK.510-25M | Tubing 1/32in OD .010in /.25mm | PEEK 25m/pkg |
| TPK.510-5M | Tubing 1/32in OD .010in /.25mm | PEEK 5m/pkg |
| TPK.515-10M | Tubing 1/32in OD .015in /.38mm | PEEK 10m/pkg |
| TPK.515-25M | Tubing 1/32in OD .015in /.38mm | PEEK 25m/pkg |
| TPK.515-5M | Tubing 1/32in OD .015in /.38mm | PEEK 5m/pkg |
| TPK106-10M | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| TPK106-25M | Tubing 1/16in OD .006in /.15mm ID | PEEK 25m/pkg |
| TPK106-5M | Tubing 1/16in OD .006in /.15mm ID | PEEK 5m/pkg |
| TPK110-10M | Tubing 1/16in OD .010in /.25mm ID | PEEK 10m/pkg |
| TPK110-25M | Tubing 1/16in OD .010in /.25mm ID | PEEK 25m/pkg |
| TPK110-5M | Tubing 1/16in OD .010in /.25mm ID | PEEK 5m/pkg |
| TPK120-10M | Tubing 1/16in OD .020in /.5mm ID | PEEK 10m/pkg |
| TPK120-25M | Tubing 1/16in OD .020in /.5mm ID | PEEK 25m/pkg |
| TPK120-5M | Tubing 1/16in OD .020in /.5mm ID | PEEK 5m/pkg |
| TPK130-10M | Tubing 1/16in OD .030in /.75mm ID | PEEK 10m/pkg |
| TPK130-25M | Tubing 1/16in OD .030in /.75mm ID | PEEK 25m/pkg |
| TPK130-5M | Tubing 1/16in OD .030in /.75mm ID | PEEK 5m/pkg |
| TPK260-10M | Tubing 1/8in OD .060in /1.52mm ID | PEEK 10m/pkg |
| TPK260-25M | Tubing 1/8in OD .060in /1.52mm ID | PEEK 25m/pkg |
| TPK260-5M | Tubing 1/8in OD .060in /1.52mm ID | PEEK 5m/pkg |
| TSS.505 | Tubing 1/32in OD .005in /.12mm 316SS | |
| TSS.507 | Tubing 1/32in OD .007in /.18mm 316SS | |
| TSS.510 | Tubing 1/32in OD .010in /.25mm 316SS | |
| TSS.520 | Tubing 1/32in OD .020in /.5mm ID 316SS | |
| TSS105 | Tubing 1/16in OD .005in /.12mm ID 316SS | |
| TSS110 | Tubing 1/16in OD .010in /.25mm ID 316SS | |
| TSS115 | Tubing 1/16in OD .015in /.38mm ID 316SS | |
| TSS120 | Tubing 1/16in OD .020in /.5mm ID 316SS | |
| TSS126 | Tubing 1/16in OD .026in /.66mm ID 316SS | |
| TSS130 | Tubing 1/16in OD .030in /.75mm ID 316SS | |
| TSS140 | Tubing 1/16in OD .040in /1mm ID 316SS | |
| TSS230 | Tubing 1/8in OD .030in /.75mm ID 316SS | |
| TSS240 | Tubing 1/8in OD .040in /1mm ID 316SS | |
| TSS260 | Tubing 1/8in OD .060in /1.50mm ID 316SS | |
| TSS267 | Tubing 1/8in OD .067in /1.7mm ID 316SS | |
| TSS285 | Tubing 1/8in OD .085in /2.15mm ID 316SS | |
| TTF106-10M | Tubing 1/16in OD .006in /.15mm ID | PTFE 10m/pkg |
| TTF106-25M | Tubing 1/16in OD .006in /.15mm ID | PTFE 25m/pkg |
| TTF106-5M | Tubing 1/16in OD .006in /.15mm ID | PTFE 5m/pkg |
| TTF110-10M | Tubing 1/16in OD .010in /.25mm ID | PTFE 10m/pkg |
| TTF110-25M | Tubing 1/16in OD .010in /.25mm ID | PTFE 25m/pkg |
| TTF110-5M | Tubing 1/16in OD .010in /.25mm ID | PTFE 5m/pkg |
| TTF115-10M | Tubing 1/16in OD .015in /.38mm ID | PTFE 10m/pkg |
| TTF115-25M | Tubing 1/16in OD .015in /.38mm ID | PTFE 25m/pkg |
| TTF115-5M | Tubing 1/16in OD .015in /.38mm ID | PTFE 5m/pkg |
| TTF120-10M | Tubing 1/16in OD .020in /.5mm ID | PTFE 10m/pkg |
| TTF120-25M | Tubing 1/16in OD .020in /.5mm ID | PTFE 25m/pkg |
| TTF120-5M | Tubing 1/16in OD .020in /.5mm ID | PTFE 5m/pkg |
| TTF130-10M | Tubing 1/16in OD .030in /.75mm ID | PTFE 10m/pkg |
| TTF130-25M | Tubing 1/16in OD .030in /.75mm ID | PTFE 25m/pkg |
| TTF130-5M | Tubing 1/16in OD .030in /.75mm ID | PTFE 5m/pkg |
| TTF230-10M | Tubing 1/8in OD .030in /.75mm ID | PTFE 10m/pkg |
| TTF230-25M | Tubing 1/8in OD .030in /.75mm ID | PTFE 25m/pkg |
| TTF230-5M | Tubing 1/8in OD .030in /.75mm ID | PTFE 5m/pkg |
| TTF260-10M | Tubing 1/8in OD .060in /1.52mm ID | PTFE 10m/pkg |
| TTF260-25M | Tubing 1/8in OD .060in /1.52mm ID | PTFE 25m/pkg |
| TTF260-5M | Tubing 1/8in OD .060in /1.52mm ID | PTFE 5m/pkg |
| TTF285-10M | Tubing 1/8in OD .085in /2.15mm ID | PTFE 10m/pkg |
| TTF285-25M | Tubing 1/8in OD .085in /2.15mm ID | PTFE 25m/pkg |
| TTF285-5M | Tubing 1/8in OD .085in /2.15mm ID | PTFE 5m/pkg |
| TTZ110-10M | Tubing 1/16in OD .010in /.25mm ID | ETFE 10m/pkg |
| TTZ110-25M | Tubing 1/16in OD .010in /.25mm ID | ETFE 25m/pkg |
| TTZ110-5M | Tubing 1/16in OD .010in /.25mm ID | ETFE 5m/pkg |
| TTZ120-10M | Tubing 1/16in OD .020in /.5mm ID | ETFE 10m/pkg |
| TTZ120-25M | Tubing 1/16in OD .020in /.5mm ID | ETFE 25m/pkg |
| TTZ120-5M | Tubing 1/16in OD .020in /.5mm ID | ETFE 5m/pkg |
| TTZ130-10M | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICIValco-Cheminert PRODUCT LIST 2012




| | | |
|---|---|---|
| TTZ130-25M | Tubing 1/16in OD .030in /.75mm ID | ETFE 25m/pkg |
| TTZ130-5M | Tubing 1/16in OD .030in /.75mm ID | ETFE 5m/pkg |
| TTZ260-10M | Tubing 1/8in OD .060in /1.52mm ID | ETFE 10m/pkg |
| TTZ260-25M | Tubing 1/8in OD .060in /1.52mm ID | ETFE 25m/pkg |
| TTZ260-5M | Tubing 1/8in OD .060in /1.52mm ID | ETFE 5m/pkg |
| V-EMPMCR-HP1100 | Remote cable VICI micro E mpos. actuator | 4/6 pos to HP1100 G1351A interface board |
| V-EMPMCR-HP1100-10 | Remote cable VICI micro E mpos. actuator | 8/10 pos to HP1100 G1351A interface board |
| V-EMPMCR-HP6890 | BCD cable VICI micro E mpos. actuator | (26 pin connector) to HP 6890/7890 |
| V-EMPMCR-HP6890N | BCD cable VICI micro E mpos. actuator | (26 pin connector) to HP 6890N/7890N |
| V-EMPMCR-WA2690 | Remote cable VICI micro E mpos. actuator | 4/6pos to Waters 2690 Separation Module |
| V-EMPMCR-WA2690-10 | Remote cable VICI micro E mpos. actuator | 10pos to Waters 2690 Separation Module |
| VISF.5FPK | Syringe fillport for 1/32in connection fingertight | for .75in /19mm long needle 26Gauge OD PEEK |
| VISF-1 | Syringe fillport for 1/16in connection | for .75in /19mm long needle 22Gauge OD |
| VISF-2 | Syringe fillport for 1/16in connection | for 2.0in /51mm long needle 22Gauge OD |
| VISF-A | Syringe fillport for 1/8in fittings | for 2.0in /51mm long needle 22Gauge OD |
| VISL-1 | Liner replacement for VISF-1 or C-VISF-1L | PTFE |
| VISL-1H | Liner replacement for C-VISF-1H | PTFE |
| VISL-2 | Liner replacement for VISF-2 or VISF-A | PTFE |
| V-RA-24VDC-HP6890 | Relay assy. for 2pos micro actuator | to HP6890/7890 24VDC |
| V-RA-24VDC-VA3800 | Relay assy. for 2pos micro actuator | to VA3800 24VDC |
| V-RA-5VDC-HP1100 | Relay assy. for 2pos micro actuator | to HP1100 external event 5VDC from micr act. |
| V-RA-5VDC-WA2690 | Relay assy. for 2pos micro actuator | to WA2690 external event 5VDC from micro act. |
| VSH | Valve spanner handle for mpos valve | |
| V-SV-D32-110VAC | 3-way manifold solenoid valve assy. | 110Va CE |
| V-SV-D32-220VAC | 3-way manifold solenoid valve assy. | 220Vac CE |
| V-SV-D32-24VUC | 3-way manifold solenoid valve assy. | 24VacVdc CE |
| V-SV-S42-120VAC | 4-way solenoid air valve | 120Vac CE |
| V-SV-S42-220VAC | 4-way solenoid air valve | 220Vac CE |
| V-SV-S42-24VUC | 4-way solenoid air valve | 24VacVdc CE |
| WMMA | Close mount hdw. manual W/UW | 2-pos 3468 port valves |
| WMMA10 | Close mount hdw. manual | valves with unthreaded mounting holes |
| WMMASO | Manual W-knob for use with standoff | 2-pos W-type valves |
| XLZN1-10 | Nut 1/16in 25mm long SS 10/pkg | |
| XLZN2-10 | Nut 1/8in 27mm long SS 10/pkg | |
| Z10M1 | Manifold 1/16in 10 inlets 1 outlet | inlet .25mm/outlet .75mm bore SS |
| Z10M1PK | Manifold 1/16in 10 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z10M2 | Manifold 1/8in 10 inlets 1 outlet | inlet 2mm/outlet 2mm bore SS |
| Z12M1 | Manifold 1/16in 12 inlets 1 outlet | inlet .25mm/outlet .75mm bore SS |
| Z12M1PK | Manifold 1/16in 12 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z12M2 | Manifold 1/8in 12 inlets 1 outlet | inlet 2mm/outlet 2mm bore SS |
| Z14M1 | Manifold 1/16in 14 inlets 1 outlet | inlet .25mm/outlet .75mm bore SS |
| Z14M1PK | Manifold 1/16in 14 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z16M1PK | Manifold 1/16in 16 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z4M1 | Manifold 1/16in 4 inlets 1 outlet | inlet .25mm/outlet .75mm bore SS |
| Z4M1PK | Manifold 1/16in 4 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z4M2 | Manifold 1/8in 4 inlets 1 outlet | inlet 2mm/outlet 2mm bore SS |
| Z6M1 | Manifold 1/16in 6 inlets 1 outlet | inlet .25mm/outlet .75mm bore SS |
| Z6M1PK | Manifold 1/16in 6 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z6M2 | Manifold 1/8in 6 inlets 1 outlet | inlet 2mm/outlet 2mm bore SS |
| Z8M1 | Manifold 1/16in 8 inlets 1 outlet | inlet .25mm/outlet .75mm bore SS |
| Z8M1PK | Manifold 1/16in 8 inlets 1 outlet | inlet .25mm/outlet .75mm bore PEEK |
| Z8M2 | Manifold 1/8in 8 inlets 1 outlet | inlet 2mm/outlet 2mm bore SS |
| ZAOR11 | Internal adaptor 1/16in to 10-32 thread | O-ring seal SS |
| ZAOR12 | Internal adaptor 1/16in to 5/16-24 thread | O-ring seal SS |
| ZAOR22 | Internal adaptor 1/8in to 5/16-24 thread | O-ring seal SS |
| ZBAA1 | Aerosol adaptor bulkhead union 1/16in SS | Bore 0.75 mm |
| ZBNV1 | Micrometering needle valve bulkhead 2-225 ml/min | 1/16in int 2um screenlubricated 225CSS/Viton |
| ZBNV1-D | Micrometering needle valve bulkhead 2-225 ml/min | 1/16in int 2um screen225Cnon-lubricatedSS/Viton |
| ZBNV1F | Micrometering needle valve bulkhead 2-175 ml/min | 1/16in int 2um screenlubricated225CSS/Viton |
| ZBNV1F-D | Micrometering needle valve bulkhead 2-175 ml/min | 1/16in int 2um screen225Cnon-lubricatedSS/Viton |
| ZBNV1F-KZ | | SS/Kalrez |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ZBNV1-KZ | Micrometering needle valve bulkhead 2-225 ml/min | 1/16in int 2um screen315Cnon-lubricat.SS |
| ZBNV1LF | Micrometering needle valve bulkhead 2-90 ml/min | 1/16in int2um screen225C lubricatedSS/Vi |
| ZBNV1LF-D | Micrometering needle valve bulkhead 2-90 ml/min | 1/16in int2um screen225Cnon-lubricatedS |
| ZBNV1LF-KZ | Micrometering needle valve bulkhead 2-90 ml/min | 1/16in int2um screen315Cnon-lubricatedS |
| ZBRU1.5 | Bulkhead reducing union 1/16in x 1/32in | .25mm bore SS |
| ZBRU1.5FPK | Bulkhead reducing union 1/16in x 1/32in | .25mm bore PEEK |
| ZBRU1.5L | Bulkhead reducing union 1/16in x 1/32in | .5mm bore SS |
| ZBRU1.5LFPK | Bulkhead reducing union 1/16in x 1/32in | .5mm bore PEEK |
| ZBRU1.5T | Bulkhead reducing union 1/16in x 1/32in | 1/32in through bore SS |
| ZBRU1.5TFPK | Bulkhead reducing union 1/16in x 1/32in | 1/32in trough bore PEEK |
| ZBRU2.5 | Bulkhead reducing union 1/8in x 1/32in | .25mm bore SS |
| ZBRU2.5FPK | Bulkhead reducing union 1/8in x 1/32in | .25mm bore PEEK |
| ZBRU2.5L | Bulkhead reducing union 1/8in x 1/32in | .5mm bore SS |
| ZBRU2.5LFPK | Bulkhead reducing union 1/8in x 1/32in | .5mm bore PEEK |
| ZBRU2.5T | Bulkhead reducing union 1/8in x 1/32in | 1/32in through bore SS |
| ZBRU2.5TFPK | Bulkhead reducing union 1/8in x 1/32in | 1/32in trough bore PEEK |
| ZBRU21 | Bulkhead reducing union 1/8in x 1/16in | .75mm bore SS |
| ZBRU21C | Bulkhead reducing union 1/8in x 1/16in | .25mm bore SS |
| ZBRU21CFPK | Bulkhead reducing union 1/8in x 1/16in | .25mm bore PEEK |
| ZBRU21FPK | Bulkhead reducing union 1/8in x 1/16in | .75mm bore PEEK |
| ZBRU21LFPK | Bulkhead reducing union 1/8in x 1/16in | 1mm bore PEEK |
| ZBRU21T | Bulkhead reducing union 1/8in x 1/16in | 1/16in through bore SS |
| ZBRU21TFPK | Bulkhead reducing union 1/8in x 1/16in | 1/16in trough bore PEEK |
| ZBRU41 | Bulkhead reducing union 1/4in x 1/16in | .75mm bore SS |
| ZBRU41C | Bulkhead reducing union 1/4in x 1/16in | .25mm bore SS |
| ZBRU41T | Bulkhead reducing union 1/4in x 1/16in | 1/16in through bore SS |
| ZBRU42 | Bulkhead reducing union 1/4in x 1/8in | 0.75mm bore SS |
| ZBRU42L | Bulkhead reducing union 1/4in x 1/8in | 2mm bore 316SS |
| ZBRU42T | Bulkhead reducing union 1/4in x 1/8in | 1/8in through bore 316SS |
| ZBRUF1.5 | Bulkhead reducing union 1/16in x 1/32in | 2 um frit pressed SS |
| ZBRUF21 | Bulkhead reducing union 1/8in x 1/16in | .75mm bore pressed 2 um frit SS |
| ZBRUF42 | Bulkhead reducing union 1/4in x 1/8in | 2mm bore pressed 2 um frit SS |
| ZBRUFR1.5 | Bulkhead reducing union 1/16in x 1/32in | .25mm bore removable 2 um screen SS |
| ZBRUFR1.5F | Bulkhead reducing union 1/16in x 1/32in | .25mm bore removable 2um frit 316SS |
| ZBRUFR21 | Bulkhead reducing union 1/8in x 1/16in | .75mm bore removable 2 um screen SS |
| ZBRUFR21F | Bulkhead reducing union 1/8in x 1/16in | .75mm bore removable 2 um frit 316SS |
| ZBRUFR41 | Bulkhead reducing union 1/4in x 1/16in | 1mm bore removable 2 um screen SS |
| ZBRUFR41F | Bulkhead reducing union 1/4in x 1/16in | 1mm bore removable 2 um frit 316SS |
| ZBRUFR42 | Bulkhead reducing union 1/4in x 1/8in | 2mm bore removable 2 um screen SS |
| ZBRUFR42F | Bulkhead reducing union 1/4in x 1/8in | 2mm bore removable 2 um frit 316SS |
| ZBU.5 | Bulkhead union 1/32in | .25mm bore SS |
| ZBU.5FPK | Bulkhead union 1/32in fingertight | .25mm bore PEEK |
| ZBU.5L | Bulkhead union 1/32in | .5mm bore SS |
| ZBU.5LFPK | Bulkhead union 1/32in fingertight | .5mm bore PEEK |
| ZBU.5T | Bulkhead union 1/32in | 1/32in through bore SS |
| ZBU.5TFPK | Bulkhead union 1/32in fingertight | 1/32in trough bore PEEK |
| ZBU.5XC | Bulkhead union 1/32in | .15mm bore SS |
| ZBU1 | Bulkhead union 1/16in | .75mm bore SS |
| ZBU1C | Bulkhead union 1/16in | .25mm bore SS |
| ZBU1CFPK | Bulkhead union 1/16in fingertight | .25mm bore PEEK |
| ZBU1CPK | Bulkhead union 1/16in hex | .25mm bore PEEK |
| ZBU1FPK | Bulkhead union 1/16in fingertight | .75mm bore PEEK |
| ZBU1L | Bulkhead union 1/16in | 1mm bore SS |
| ZBU1M | Bulkhead union 1/16in | .5mm bore SS |
| ZBU1MFPK | Bulkhead union 1/16in fingertight | .5mm bore PEEK |
| ZBU1MPK | Bulkhead union 1/16in hex | .5mm bore PEEK |
| ZBU1PK | Bulkhead union 1/16in hex | .75mm bore PEEK |
| ZBU1T | Bulkhead union 1/16in | 1/16in through bore SS |
| ZBU1TFPK | Bulkhead union 1/16in fingertight | 1/16in trough bore PEEK |
| ZBU1TPK | Bulkhead union 1/16in hex | 1/16in trough bore PEEK |
| ZBU1XC | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICIValco-Cheminert PRODUCT LIST 2012

| | | |
|---|---|---|
| ZBU2 | Bulkhead union 1/8in | .75mm bore SS |
| ZBU2L | Bulkhead union 1/8in | 2mm bore SS |
| ZBU2LPK | Bulkhead union 1/8in hex | 2mm bore PEEK |
| ZBU2PK | Bulkhead union 1/8in hex | .75mm bore PEEK |
| ZBU2T | Bulkhead union 1/8in | 1/8in through bore SS |
| ZBU2TPK | Bulkhead union 1/8in hex | 1/8in trough bore PEEK |
| ZBU4 | Bulkhead union 1/4in | .75mm bore SS |
| ZBU4L | Bulkhead union 1/4in | 4.6mm bore SS |
| ZBU4T | Bulkhead union 1/4in | 1/4in through bore SS |
| ZBUF1 | Bulkhead union 1/16in | .75mm bore pressed 2 um frit SS |
| ZBUF2 | Bulkhead union 1/8in | .75mm bore pressed 2 um frit SS |
| ZBUF4 | Bulkhead union 1/4in | 4.6mm bore pressed 2 um frit SS |
| ZBUFLKF | Cheminert luer adapter bulkhead union | female luer to 10-32 1mm bore CTFE |
| ZBUFLPK | Cheminert luer adapter bulkhead union | female luer to 10-32 1 mm bore PEEK |
| ZBUFR.5 | Bulkhead union 1/32in | .25mm bore removable 2 um screen SS |
| ZBUFR.5F | Bulkhead union 1/32in | .25mm bore removable 2 um frit 316SS |
| ZBUFR1 | Bulkhead union 1/16in | .50mm bore removable 2 um screen SS |
| ZBUFR1C | Bulkhead union 1/16in | .25mm bore removable 2 um screen SS |
| ZBUFR1CF | Bulkhead union 1/16in | .25mm bore removable 2 um frit 316SS |
| ZBUFR1F | Bulkhead union 1/16in | .5mm bore removable 2 um frit 316SS |
| ZBUFR2 | Bulkhead union 1/8in | 2mm bore removable 2 um screen SS |
| ZBUFR2F | Bulkhead union 1/8in | 2mm bore removable 2 um frit 316SS |
| ZBUMLKF | Cheminert luer adapter bulkhead union | luer male to 10-32 ZDV 1mm bore CTFE |
| ZBUMLPK | Cheminert luer adapter bulkhead union | luer male to 10-32 ZDV 1mm bore PEEK |
| ZC.5 | Cap 1/32in | SS |
| ZC.5FPK | Cap 1/32in fingertight PEEK | |
| ZC1 | Cap 1/16in | SS |
| ZC1FPK | Cap 1/16in fingertight PEEK | |
| ZC1PK | Cap 1/16in hex PEEK | |
| ZC2 | Cap 1/8in | SS |
| ZC2PK | Cap 1/8in hex PEEK | |
| ZC4 | Cap 1/4in | SS |
| ZCN1-10 | Counter bored nut 1/16in | SS 10/pkg |
| ZERU1.5FPK | Union Reducing Int/Ext 1/16in 1/32in 20mm | 200um PEEK |
| ZF.5-10 | Ferrule 1/32in 303SS 10/pkg | |
| ZF.5B-10 | Ferrule 1/32in Brass 10/pkg | |
| ZF.5FEP-10 | Ferrule 1/32in FEP 10/pkg | |
| ZF.5GP-10 | Ferrule 1/32in SS gold plated 10/pkg | |
| ZF.5GV-5 | Ferrule 1/32in | Polyimide Graphite 5/pkg |
| ZF.5HC | Ferrule 1/32in HC | |
| ZF.5KF-10 | Ferrule 1/32in CTFE 10/pkg | |
| ZF.5NI | Ferrule 1/32in Nickel | |
| ZF.5PFA-10 | Ferrule 1/32in PFA 10/pkg | |
| ZF.5PK-10 | Ferrule 1/32in PEEK 10/pkg | |
| ZF.5PK-5 | Ferrule 1/32in PEEK 5/pkg | |
| ZF.5S6-10 | Ferrule 1/32in 316SS 10/pkg | |
| ZF.5TF-10 | Ferrule 1/32in | PTFE Virgin 10/pkg |
| ZF.5TFG-10 | Ferrule 1/32in | PTFE Glass-filled 25% 10/pkg |
| ZF.5TI | Ferrule 1/32in Titanium | |
| ZF.5V1-5 | Ferrule 1/32in | Polyimide Virgin 5/pkg |
| ZF.5V-5 | Ferrule 1/32in | Polyimide Valcon 5/pkg |
| ZF1-10 | Ferrule 1/16in 303SS 10/pkg | |
| ZF1B-10 | Ferrule 1/16in Brass 10/pkg | |
| ZF1FEP-10 | Ferrule 1/16in FEP 10/pkg | |
| ZF1GP-10 | Ferrule 1/16in SS gold plated 10/pkg | |
| ZF1GV-5 | Ferrule 1/16in | Polyimide Graphite 5/pkg |
| ZF1HC | Ferrule 1/16in HC | |
| ZF1KF-10 | Ferrule 1/16in CTFE 10/pkg | |
| ZF1NI | Ferrule 1/16in Nickel | |
| ZF1PFA-10 | Ferrule 1/16in PFA 10/pkg | |
| ZF1PK-10 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ZF1S6-10 | Ferrule 1/16in 316SS 10/pkg | |
| ZF1TF-10 | Ferrule 1/16in | PTFE Virgin 10/pkg |
| ZF1TFG-10 | Ferrule 1/16in | PTFE Glass-filled 25% 10/pkg |
| ZF1TI | Ferrule 1/16in Titanium | |
| ZF1V1-5 | Ferrule 1/16in | Polyimide Virgin 5/pkg |
| ZF1V-5 | Ferrule 1/16in | Polyimide Valcon 5/pkg |
| ZF1VISF | Ferrule replacement for VISF-1 or VISF-2 | or C-VISF-1 (L or H) CTFE |
| ZF2-10 | Ferrule 1/8in 303SS 10/pkg | |
| ZF2B-10 | Ferrule 1/8in Brass 10/pkg | |
| ZF2FEP-10 | Ferrule 1/8in FEP 10/pkg | |
| ZF2GP-10 | Ferrule 1/8in SS gold plated 10/pkg | |
| ZF2GV-5 | Ferrule 1/8in | Polyimide Graphite 5/pkg |
| ZF2HC | Ferrule 1/8in HC | |
| ZF2KF-10 | Ferrule 1/8in CTFE 10/pkg | |
| ZF2NI | Ferrule 1/8in Nickel | |
| ZF2PFA-10 | Ferrule 1/8in PFA 10/pkg | |
| ZF2PK-10 | Ferrule 1/8in PEEK 10/pkg | |
| ZF2S6-10 | Ferrule 1/8in 316SS 10/pkg | |
| ZF2SI | Replacement support for septum injector | Valcon T polyimide |
| ZF2TF-10 | Ferrule 1/8in | PTFE Virgin 10/pkg |
| ZF2TFG-10 | Ferrule 1/8in | PTFE Glass-filled 25% 10/pkg |
| ZF2TI | Ferrule 1/8in Titanium | |
| ZF2V1-5 | Ferrule 1/8in | Polyimide Virgin 5/pkg |
| ZF2V-5 | Ferrule 1/8in | Polyimide Valcon 5/pkg |
| ZF4B-10 | Ferrule 1/4in Brass 10/pkg | |
| ZF4FEP-10 | Ferrule 1/4in FEP 10/pkg | |
| ZF4GP-10 | Ferrule 1/4in SS gold plated 10/pkg | |
| ZF4GV-5 | Ferrule 1/4in | Polyimide Graphite 5/pkg |
| ZF4HC | Ferrule 1/4in HC | |
| ZF4KF-10 | Ferrule 1/4in CTFE 10/pkg | |
| ZF4NI | Ferrule 1/4in Nickel | |
| ZF4PFA-10 | Ferrule 1/4in PFA 10/pkg | |
| ZF4PK-10 | Ferrule 1/4in PEEK 10/pkg | |
| ZF4S6-10 | Ferrule 1/4in 316SS 10/pkg | |
| ZF4TF-10 | Ferrule 1/4in | PTFE Virgin 10/pkg |
| ZF4TFG-10 | Ferrule 1/4in | PTFE Glass-filled 25% 10/pkg |
| ZF4TI | Ferrule 1/4in Titanium | |
| ZF4V1-5 | Ferrule 1/4in | Polyimide Virgin 5/pkg |
| ZF4V-5 | Ferrule 1/4in | Polyimide Valcon 5/pkg |
| ZF6FEP-10 | Ferrule 3/8in FEP 10/pkg | |
| ZF6GV-5 | Ferrule 3/8in | Polyimide Graphite 5/pkg |
| ZF6KF-10 | Ferrule 3/8in CTFE 10/pkg | |
| ZF6PFA-10 | Ferrule 3/8in PFA 10/pkg | |
| ZF6PK-10 | Ferrule 3/8in PEEK 10/pkg | |
| ZF6TF-10 | Ferrule 3/8in | PTFE Virgin 10/pkg |
| ZF6TFG-10 | Ferrule 3/8in | PTFE Glass-filled 25% 10/pkg |
| ZF6V1-5 | Ferrule 3/8in | Polyimide Virgin 5/pkg |
| ZF6V-5 | Ferrule 3/8in | Polyimide Valcon 5/pkg |
| ZF8FEP-10 | Ferrule 1/2in FEP 10/pkg | |
| ZF8GV-5 | Ferrule 1/2in | Polyimide Graphite 5/pkg |
| ZF8KF-10 | Ferrule 1/2in CTFE 10/pkg | |
| ZF8PFA-10 | Ferrule 1/2in PFA 10/pkg | |
| ZF8PK-10 | Ferrule 1/2in PEEK 10/pkg | |
| ZF8TF-10 | Ferrule 1/2in | PTFE Virgin 10/pkg |
| ZF8TFG-10 | Ferrule 1/2in | PTFE Glass-filled 25% 10/pkg |
| ZF8V1-5 | Ferrule 1/2in | Polyimide Virgin 5/pkg |
| ZF8V-5 | Ferrule 1/2in | Polyimide Valcon 5/pkg |
| ZGF.5PK | Ferrule double grip 1/32in | PEEK |
| ZGF.5PK-10 | Ferrule double grip 1/32in PEEK 10/pkg | |
| ZGF1PK-10 | Ferrule double grip 1/16in PEEK 10/pkg | |
| ZLA-.5 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ZLA-1 | Female luer adapter | to 1/16in fittings |
| ZLA-2 | Female luer adapter | to 1/8in fittings |
| ZLCA1PK | Cheminert adaptor 1/4-28 to 10-32 ZDV | 0.5mm bore PEEK |
| ZLTA41 | Tube adaptor 1/4in x 1/16in 2.075in (52.70 mm) long | 1/16in bore SS |
| ZN.5 | Nut 1/32in standard | SS |
| ZN.5-10 | Nut 1/32in standard SS 10/pkg | |
| ZN.5FPK | Nut 1/32 fingertight 10.7mm long | PEEK |
| ZN.5FPK-10 | Nut 1/32in fingertight 10.7 mm long | PEEK 10/pkg |
| ZN1 | Nut 1/16in standard | SS SS |
| ZN1-10 | Nut 1/16in standard SS 10/pkg | |
| ZN1FPK | Nut 1/16in fingertight 22.4mm long | PEEK |
| ZN1FPK-10 | Nut 1/16in fingertight 22.4mm long | PEEK 10/pkg |
| ZN1PK-10 | Nut 1/16in hex 11.4mm long | PEEK 10/pkg |
| ZN1Q | Nut 1/16in length .43in | SS |
| ZN2-10 | Nut 1/8in standard SS 10/pkg | |
| ZN2PK-10 | Nut 1/8in hex 15.7mm long | PEEK 10/pkg |
| ZN4-10 | Nut 1/4in standard SS 10/pkg | |
| ZNF1FKF-5 | Nut 1/16in No Twist fingertight PEEK | with CTFE ferrule 5/pkg |
| ZNF1FPK-5 | Nut 1/16in No Twist fingertight PEEK | with PEEK ferrule 5/pkg |
| ZNF1FPKG-5 | Nut 1/16in No Twist fingertight PEEK | with glass-filled PEEK ferrule 5/pkg |
| ZNF1KF-5 | Nut 1/16in No Twist hex short PEEK | with CTFE ferrule 5/pkg |
| ZNF1PK-5 | Nut 1/16in No Twist hex short PEEK | with PEEK ferrule 5/pkg |
| ZNF1PKG-5 | Nut 1/16in No Twist hex short PEEK | with glass-filled PEEK ferrule 5/pkg |
| ZNFT | Tightening Tool for PEEK hex-head | 1/16in nuts blue |
| ZP.5 | Plug 1/32in | SS |
| ZP.5FPK | Plug 1/32in fingertight PEEK | |
| ZP.5H | Plug 1/32in high pressure | SS |
| ZP1 | Plug 1/16in | SS |
| ZP1FPK | Plug 1/16in fingertight PEEK | |
| ZP1H | Plug 1/16in high pressure | SS |
| ZP2 | Plug 1/8in | SS |
| ZP2H | Plug 1/8in high pressure | SS |
| ZP2PK | Plug 1/8in hex PEEK | |
| ZP4 | Plug 1/4in | SS |
| ZRF1.5KF-5 | Internal reducing ferrule 1/16in x 1/32in | CTFE 5/pkg |
| ZRF1.5PK-5 | Internal reducing ferrule 1/16in x 1/32in | PEEK 5/pkg |
| ZRF1.5TFG-5 | Internal reducing ferrule 1/16in x 1/32in | PTFE Glass-filled 25% 5/pkg |
| ZRF1.5V1-5 | Internal reducing ferrule 1/16in x 1/32in | Polyimide Virgin 5/pkg |
| ZRF1.5V-5 | Internal reducing ferrule 1/16in x 1/32in | Polyimide Valcon 5/pkg |
| ZRF2.5KF-5 | Internal reducing ferrule 1/8in x 1/32in | CTFE 5/pkg |
| ZRF2.5PK-5 | Internal reducing ferrule 1/8in x 1/32in | PEEK 5/pkg |
| ZRF2.5TFG-5 | Internal reducing ferrule 1/8in x 1/32in | PTFE Glass-filled 25% 5/pkg |
| ZRF2.5V1-5 | Internal reducing ferrule 1/8in x 1/32in | Polyimide Virgin 5/pkg |
| ZRF2.5V-5 | Internal reducing ferrule 1/8in x 1/32in | Polyimide Valcon 5/pkg |
| ZRF21KF-5 | Internal reducing ferrule 1/8in x 1/16in | CTFE 5/pkg |
| ZRF21PK-5 | Internal reducing ferrule 1/8in x 1/16in | PEEK 5/pkg |
| ZRF21TFG-5 | Internal reducing ferrule 1/8in x 1/16in | PTFE Glass-filled 25% 5/pkg |
| ZRF21V1-5 | Internal reducing ferrule 1/8in x 1/16in | Polyimide Virgin 5/pkg |
| ZRF21V-5 | Internal reducing ferrule 1/8in x 1/16in | Polyimide Valcon 5/pkg |
| ZRF41KF-5 | Internal reducing ferrule 1/4in x 1/16in | CTFE 5/pkg |
| ZRF41PK-5 | Internal reducing ferrule 1/4in x 1/16in | PEEK 5/pkg |
| ZRF41TFG-5 | Internal reducing ferrule 1/4in x 1/16in | PTFE Glass-filled 25% 5/pkg |
| ZRF41V1-5 | Internal reducing ferrule 1/4in x 1/16in | Polyimide Virgin 5/pkg |
| ZRF41V-5 | Internal reducing ferrule 1/4in x 1/16in | Polyimide Valcon 5/pkg |
| ZRF42KF-5 | Internal reducing ferrule 1/4in x 1/8in | CTFE 5/pkg |
| ZRF42PK-5 | Internal reducing ferrule 1/4in x 1/8in | PEEK 5/pkg |
| ZRF42TFG-5 | Internal reducing ferrule 1/4in x 1/8in | PTFE Glass-filled 25% 5/pkg |
| ZRF42V1-5 | Internal reducing ferrule 1/4in x 1/8in | Polyimide Virgin 5/pkg |
| ZRF42V-5 | Internal reducing ferrule 1/4in x 1/8in | Polyimide Valcon 5/pkg |
| ZRU1.5 | Reducing union 1/16in x 1/32in | .25mm bore SS |
| ZRU1.5FPK | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ZRU1.5L | Reducing union 1/16in x 1/32in | .5mm bore SS |
| ZRU1.5LFPK | Reducing union 1/16in x 1/32in | .5mm bore PEEK |
| ZRU1.5T | Reducing union 1/16in x 1/32in | 1/32in through bore SS |
| ZRU1.5TFPK | Reducing union 1/16in x 1/32in | 1/32in trough bore PEEK |
| ZRU1.5XC | Reducing union 1/16in x 1/32in | .15mm bore SS |
| ZRU2.5 | Reducing union 1/8in x 1/32in | .25mm bore SS |
| ZRU2.5FPK | Reducing union 1/8in x 1/32in | .25mm bore PEEK |
| ZRU2.5L | Reducing union 1/8in x 1/32in | .5mm bore SS |
| ZRU2.5LFPK | Reducing union 1/8in x 1/32in | .5mm bore PEEK |
| ZRU2.5T | Reducing union 1/8in x 1/32in | 1/32in through bore SS |
| ZRU2.5TFPK | Reducing union 1/8in x 1/32in | 1/32in trough bore PEEK |
| ZRU21 | Reducing union 1/8in x 1/16in | .75mm bore SS |
| ZRU21C | Reducing union 1/8in x 1/16in | .25mm bore SS |
| ZRU21CFPK | Reducing union 1/8in x 1/16in | .25mm bore PEEK |
| ZRU21FPK | Reducing union 1/8in x 1/16in | .75mm bore PEEK |
| ZRU21LFPK | Reducing union 1/8in x 1/16in | 1mm bore PEEK |
| ZRU21T | Reducing union 1/8in x 1/16in | 1/16in through bore SS |
| ZRU21TFPK | Reducing union 1/8in x 1/16in | 1/16in trough bore PEEK |
| ZRU41 | Reducing union 1/4in x 1/16in | .75mm bore SS |
| ZRU41C | Reducing union 1/4in x 1/16in | .25mm bore SS |
| ZRU41T | Reducing union 1/4in x 1/16in | 1/16in through bore SS |
| ZRU42 | Reducing union 1/4in x 1/8in | 0.75 mm bore SS |
| ZRU42L | Reducing union 1/4in x 1/8in | 2mm bore SS |
| ZRU42T | Reducing union 1/4in x 1/8in | 1/8in through bore SS |
| ZRUF1.5 | Reducing union 1/16in x 1/32in | .25mm bore pressed 2 um frit SS |
| ZRUF21 | Reducing union 1/8in x 1/16in | .75mm bore pressed 2 um frit SS |
| ZRUF42 | Reducing union 1/4in x 1/8in | 2mm bore pressed 2 um frit SS |
| ZRUFR1.5 | Reducing filter union 1/16in x 1/32in | .25mm bore removable 2 um screen SS |
| ZRUFR1.5F | Reducing union 1/16in x 1/32in | .25mm bore removable 2 um frit 316SS |
| ZRUFR21 | Reducing filter union 1/8in x 1/16in | .75mm bore removable 2 um screen SS |
| ZRUFR21F | Reducing filter union 1/8in x 1/16in | .75mm bore removable 2 um frit 316SS |
| ZRUFR41 | Reducing filter union 1/4in x 1/16in | 1mm bore removable 2 um screen SS |
| ZRUFR41F | Reducing filter union 1/4in x 1/16in | 1mm bore removable 2 um frit 316SS |
| ZRUFR42 | Reducing filter union 1/4in x 1/8in | 2mm bore removable 2 um screen SS |
| ZRUFR42F | Reducing filter union 1/4in x 1/8in | 2mm bore removable 2 um frit 316SS |
| ZSN1 | Nut 1/16in for purge housing | SS |
| ZT.5 | Tee 1/32in .25mm bore SS | |
| ZT.5FPK | Tee 1/32in fingertight | .25mm bore PEEK |
| ZT.5L | Tee 1/32in .50mm bore SS | |
| ZT.5LFPK | Tee 1/32in fingertight | .5mm bore PEEK |
| ZT1 | Tee 1/16in .75mm bore SS | |
| ZT1C | Tee 1/16in .25mm bore SS | |
| ZT1CFPK | Tee 1/16in fingertight | .25mm bore PEEK |
| ZT1FPK | Tee 1/16in fingertight | .75mm bore PEEK |
| ZT1L | Tee 1/16in 1.0mm bore SS | |
| ZT1LFPK | Tee 1/16in fingertight | 1mm bore PEEK |
| ZT1M | Tee 1/16in .50mm bore SS | |
| ZT1MFPK | Tee 1/16in fingertight | .5mm bore PEEK |
| ZT2 | Tee 1/8in .75mm bore SS | |
| ZT2L | Tee 1/8in 2.0mm bore SS | |
| ZT2LPK | Tee 1/8in hex | 2mm bore PEEK |
| ZT2PK | Tee 1/8in hex | .75mm bore PEEK |
| ZT4 | Tee 1/4in 1.0mm bore SS | |
| ZT4L | Tee 1/4in 4.6mm bore SS | |
| ZTA41 | Tube adaptor 1/4in x 1/16in 0.975in (24.76 mm) long | 1/16in bore SS |
| ZU.5 | Union 1/32in | .25mm bore SS |
| ZU.5FPK | Union 1/32in fingertight | .25mm bore PEEK |
| ZU.5L | Union 1/32in | .5mm bore SS |
| ZU.5LFPK | Union 1/32in fingertight | .5mm bore PEEK |
| ZU.5T | Union 1/32in | 1/32in through bore SS |
| ZU.5TFPK | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




| | | |
|---|---|---|
| ZU.5XC | Union 1/32in | .15mm bore SS |
| ZU1 | Union 1/16in | .75mm bore SS |
| ZU1C | Union 1/16in | .25mm bore SS |
| ZU1CFPK | Union 1/16in fingertight | .25mm bore PEEK |
| ZU1CPK | Union 1/16in hex | .25mm bore PEEK |
| ZU1FPK | Union 1/16in fingertight | .75mm bore PEEK |
| ZU1FPK.5 | Filter 1/16in fingertight 0.5 micron filter Ti | .5mm bore PEEK |
| ZU1L | Union 1/16in | 1mm bore SS |
| ZU1M | Union 1/16in | .5mm bore SS |
| ZU1MFPK | Union 1/16in fingertight | .5mm bore PEEK |
| ZU1MPK | Union 1/16in hex | .5mm bore PEEK |
| ZU1PK | Union 1/16in hex | .75mm bore PEEK |
| ZU1T | Union 1/16in | 1/16in through bore SS |
| ZU1TFPK | Union 1/16in fingertight | 1/16in through bore PEEK |
| ZU1TPK | Union 1/16in hex | 1/16in trough bore PEEK |
| ZU1XC | Union 1/16in | .15mm bore SS |
| ZU2 | Union 1/8in | .75mm bore 316SS |
| ZU2L | Union 1/8in | 2mm bore 316SS |
| ZU2LPK | Union 1/8in hex | 2mm bore PEEK |
| ZU2PK | Union 1/8in hex | .75mm bore PEEK |
| ZU2T | Union 1/8in | 1/8in through bore SS |
| ZU2TPK | Union 1/8in hex | 1/8in trough bore PEEK |
| ZU4 | Union 1/4in | .75mm bore SS |
| ZU4L | Union 1/4in | 4.6mm bore SS |
| ZU4T | Union 1/4in | 1/4in through bore SS |
| ZUF1 | Filter union 1/16in | .75mm bore pressed 2 um frit SS |
| ZUF2 | Filter union 1/8in | .75mm bore pressed 2 um frit SS |
| ZUF4 | Filter union 1/4in | 4.6mm bore pressed 2 um frit SS |
| ZUFLKF | Cheminert female luer adapter to 10-32 | 0.75mm bore CTFE |
| ZUFLPK | Cheminert female luer adapter to 10-32 | 0.75mm bore PEEK |
| ZUFR.5 | Filter union 1/32in | .25mm bore removable 2 um screen SS |
| ZUFR.5F | Filter union 1/32in | .25mm bore removable 2 um frit 316SS |
| ZUFR1 | Filter union 1/16in | .50mm bore removable 2 um screen SS |
| ZUFR1C | Filter union 1/16in | .25mm bore removable 2 um screen SS |
| ZUFR1CF | Filter union 1/16in | .25mm bore removable 2 um frit 316SS |
| ZUFR1F | Filter union 1/16in | .5mm bore removable 2um frit 316SS |
| ZUFR2 | Filter 1/8in | 2mm bore removable 2 um screen SS |
| ZUFR2F | Filter union 1/8in | 2mm bore removable 2 um frit 316SS |
| ZVISF-1PE | Syringe fillport for 1/16in high throughput HPE | for minimum 35mm long needle 22Gauge OD |
| ZVISF-1PEH | Syringe fillport for 1/16in high throughput HPE | for minimum 35mm long needle 22Gauge OD |
| ZVISF-1PFA | Fillport ZDV for 1/16in PEEK with PFA bushing | for minimum 35mm long needle 22 Gauge |
| ZVISF-1PFAH | Fillport ZDV for 1/16in PEEK with PFA bushing HP | for minimum 35mm long needle 22 Gauge |
| ZX.5 | Cross 1/32in .25mm bore SS | |
| ZX.5FPK | Cross 1/32in fingertight | .25mm bore PEEK |
| ZX.5L | Cross 1/32in .50mm bore SS | |
| ZX.5LFPK | Cross 1/32in fingertight | .5mm bore PEEK |
| ZX1 | Cross 1/16in .75mm bore SS | |
| ZX1C | Cross 1/16in .25mm bore SS | |
| ZX1CFPK | Cross 1/16in fingertight | .25mm bore PEEK |
| ZX1FPK | Cross 1/16in fingertight | .75mm bore PEEK |
| ZX1L | Cross 1/16in 1.0mm bore SS | |
| ZX1LFPK | Cross 1/16in fingertight | 1mm bore PEEK |
| ZX1M | Cross 1/16in .50mm bore SS | |
| ZX1MFPK | Cross 1/16in fingertight | .5mm bore PEEK |
| ZX2 | Cross 1/8in .75mm bore SS | |
| ZX2L | Cross 1/8in 2.0mm bore SS | |
| ZX2LPK | Cross 1/8in hex | 2mm bore PEEK |
| ZX2PK | Cross 1/8in hex | .75mm bore PEEK |
| ZX4 | Cross 1/4in 1.0mm bore SS | |
| ZX4L | Cross 1/4in 4.6mm bore SS | |
| ZXLTA41 | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active




# VICI-Jour PRODUCT LIST 2012

| Product number | Description | Sales unit | Pack size | Pack unit |
|---|---|---|---|---|
| JR-T-5993-M10 | Tubing PEEK 1/32in x 0.13 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-5993-M3 | Tubing PEEK 1/32in x 0.13 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-5998-M10 | Tubing PEEK 1/16in x 0.064 mm ID natural 10 m/pkg tolerance OD/ID ±.001in/( | pkg | 10 | m |
| JR-T-5998-M3 | Tubing PEEK 1/16in x 0.064 mm ID natural 3 m/pkg tolerance OD/ID ±.001in/0. | pkg | 3 | m |
| JR-T-60041-M10 | Tubing PEEK 1/8in x 0.75 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-60041-M3 | Tubing PEEK 1/8in x 0.75 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-60042-M10 | Tubing PEEK 1/8in x 2.0 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-60042-M3 | Tubing PEEK 1/8in x 2.0 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6004-M10 | Tubing PEEK 1/8in x 1.59 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6004-M3 | Tubing PEEK 1/8in x 1.59 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6006 | Tubing PEEK 1/4in x 3.17 mm ID natural | m | | |
| JR-T-6060-M10 | Tubing PEEK 0.36 x 0.075 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6060-M3 | Tubing PEEK 0.36 x 0.075 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-36100-M1 | Tubing PEEK 360 um OD x 100 um ID grey solid 1 m/pkg | pkg | 1 | m |
| JR-T-36100-M3 | Tubing PEEK 360 um OD x 100 um ID grey solid 3 m/pkg | pkg | 3 | m |
| JR-T-36125-M1 | Tubing PEEK 360 um OD x 125um ID red striped 1 m/pkg | pkg | 1 | m |
| JR-T-36125-M3 | Tubing PEEK 360 um OD x 125um ID red striped 3 m/pkg | pkg | 3 | m |
| JR-T-36150-M1 | Tubing PEEK 360 um OD x 150 um ID black striped 1 m/pkg | pkg | 1 | m |
| JR-T-36150-M3 | Tubing PEEK 360 um OD x 150 um ID black striped 3 m/pkg | pkg | 3 | m |
| JR-T-3650-M1 | Tubing PEEK 360 um OD x 50 um ID orange striped 1 m/pkg | pkg | 1 | m |
| JR-T-3650-M3 | Tubing PEEK 360 um OD x 50 um ID orange striped 3 m/pkg | pkg | 3 | m |
| JR-T-3675-M1 | Tubing PEEK 360 um OD x 75um ID green striped 1 m/pkg | pkg | 1 | m |
| JR-T-3675-M3 | Tubing PEEK 360 um OD x 75um ID green striped 3 m/pkg | pkg | 3 | m |
| JR-T-5702-M1 | Tubing PEEK 1/32in x 50 um / .002in ID orange striped 1 m/pkg | pkg | 1 | m |
| JR-T-5702-M3 | Tubing PEEK 1/32in x 50 um / .002in ID orange striped 3 m/pkg | pkg | 3 | m |
| JR-T-5703-M1 | Tubing PEEK 1/32in x 75 um / .003in ID green striped 1 m/pkg | pkg | 1 | m |
| JR-T-5703-M3 | Tubing PEEK 1/32in x 75 um / .003in ID green striped 3 m/pkg | pkg | 3 | m |
| JR-T-5704-M1 | Tubing PEEK 1/32in x 100 um / .004in ID black striped 1 m/pkg | pkg | 1 | m |
| JR-T-5704-M3 | Tubing PEEK 1/32in x 100 um / .004in ID black striped 3 m/pkg | pkg | 3 | m |
| JR-T-5705-M1 | Tubing PEEK 1/32in x 0.13 mm / .005in ID red striped 1 m/pkg | pkg | 1 | m |
| JR-T-5705-M3 | Tubing PEEK 1/32in x 0.13 mm / .005in ID red striped 3 m/pkg | pkg | 3 | m |
| JR-T-5706-M1 | Tubing PEEK 1/32in x 0.15 mm/ .006in ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-5706-M3 | Tubing PEEK 1/32in x 0.15 mm/ .006in ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-5707-M1 | Tubing PEEK 1/32in x 0.18 mm / .007in ID yellow striped 1 m/pkg | pkg | 1 | m |
| JR-T-5707-M3 | Tubing PEEK 1/32in x 0.18 mm / .007in ID yellow striped 3 m/pkg | pkg | 3 | m |
| JR-T-5708-M1 | Tubing PEEK 1/32in x 0.20 mm / .008in ID orange striped 1 m/pkg | pkg | 1 | m |
| JR-T-5708-M3 | Tubing PEEK 1/32in x 0.20 mm / .008in ID orange striped 3 m/pkg | pkg | 3 | m |
| JR-T-5710-M1 | Tubing PEEK 1/32in x 0.25 mm / .010in ID blue striped 1 m/pkg | pkg | 1 | m |
| JR-T-5710-M3 | Tubing PEEK 1/32in x 0.25 mm / .010in ID blue striped 3 m/pkg | pkg | 3 | m |
| JR-T-5720-M1 | Tubing PEEK 1/32in x 0.50 mm ID orange striped 1 m/pkg | pkg | 1 | m |
| JR-T-5720-M3 | Tubing PEEK 1/32in x 0.50 mm ID orange striped 3 m/pkg | pkg | 3 | m |
| JR-T-5764-M1 | Tubing PEEK 1/32in x 64 um / .003in ID pink striped 1 m/pkg | pkg | 1 | m |
| JR-T-5764-M3 | Tubing PEEK 1/32in x 64 um / .003in ID pink striped 3 m/pkg | pkg | 3 | m |
| JR-T-5802-M10 | Tubing PEEK 1/16in x 0.050 mm ID orange striped 10 m/pkg | pkg | 10 | m |
| JR-T-5802-M25 | Tubing PEEK 1/16in x 0.050 mm ID orange striped 25 m/pkg | pkg | 25 | m |
| JR-T-5802-M3 | Tubing PEEK 1/16in x 0.050 mm ID orange striped 3 m/pkg | pkg | 3 | m |
| JR-T-5802-M5 | Tubing PEEK 1/16in x 0.050 mm ID orange striped 5 m/pkg | pkg | 5 | m |
| JR-T-5803-M10 | Tubing PEEK 1/16in x 0.075 mm ID green striped 10 m/pkg | pkg | 10 | m |
| JR-T-5803-M25 | Tubing PEEK 1/16in x 0.075 mm ID green striped 25 m/pkg | pkg | 25 | m |
| JR-T-5803-M3 | Tubing PEEK 1/16in x 0.075 mm ID green striped 3 m/pkg | pkg | 3 | m |
| JR-T-5803-M5 | Tubing PEEK 1/16in x 0.075 mm ID green striped 5 m/pkg | pkg | 5 | m |
| JR-T-5804-M10 | Tubing PEEK 1/16in x 0.100 mm ID black striped 10 m/pkg | pkg | 10 | m |
| JR-T-5804-M25 | Tubing PEEK 1/16in x 0.100 mm ID black striped 25 m/pkg | pkg | 25 | m |
| JR-T-5804-M3 | Tubing PEEK 1/16in x 0.100 mm ID black striped 3 m/pkg | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-5804-M5 | Tubing PEEK 1/16in x 0.100 mm ID black striped 5 m/pkg | pkg | 5 | m |
| JR-T-5998C-M10 | Tubing PEEK 1/16in x 0.064 mm ID pink striped 10 m/pkg | pkg | 10 | m |
| JR-T-5998C-M25 | Tubing PEEK 1/16in x 0.064 mm ID pink striped 25 m/pkg | pkg | 25 | m |
| JR-T-5998C-M3 | Tubing PEEK 1/16in x 0.064 mm ID pink striped 3 m/pkg | pkg | 3 | m |
| JR-T-5998C-M5 | Tubing PEEK 1/16in x 0.064 mm ID pink striped 5 m/pkg | pkg | 5 | m |
| JR-T-5999-M10 | Tubing PEEK 1/16in x 0.13 mm ID red striped 10 m/pkg | pkg | 10 | m |
| JR-T-5999-M25 | Tubing PEEK 1/16in x 0.13 mm ID red striped 25 m/pkg | pkg | 25 | m |
| JR-T-5999-M3 | Tubing PEEK 1/16in x 0.13 mm ID red striped 3 m/pkg | pkg | 3 | m |
| JR-T-5999-M5 | Tubing PEEK 1/16in x 0.13 mm ID red striped 5 m/pkg | pkg | 5 | m |
| JR-T-6000-M10 | Tubing PEEK 1/16in x 0.18 mm ID yellow striped 10 m/pkg | pkg | 10 | m |
| JR-T-6000-M25 | Tubing PEEK 1/16in x 0.18 mm ID yellow striped 25 m/pkg | pkg | 25 | m |
| JR-T-6000-M3 | Tubing PEEK 1/16in x 0.18 mm ID yellow striped 3 m/pkg | pkg | 5 | m |
| JR-T-6000-M5 | Tubing PEEK 1/16in x 0.18 mm ID yellow striped 5 m/pkg | pkg | 5 | m |
| JR-T-6001-M10 | Tubing PEEK 1/16in x 0.25 mm ID blue striped 10 m/pkg | pkg | 10 | m |
| JR-T-6001-M25 | Tubing PEEK 1/16in x 0.25 mm ID blue striped 25 m/pkg | pkg | 25 | m |
| JR-T-6001-M3 | Tubing PEEK 1/16in x 0.25 mm ID blue striped 3 m/pkg | pkg | 3 | m |
| JR-T-6001-M5 | Tubing PEEK 1/16in x 0.25 mm ID blue striped 5 m/pkg | pkg | 5 | m |
| JR-T-6002-M10 | Tubing PEEK 1/16in x 0.50 mm ID orange striped 10 m/pkg | pkg | 10 | m |
| JR-T-6002-M25 | Tubing PEEK 1/16in x 0.50 mm ID orange stripe 25 m/pkg | pkg | 25 | m |
| JR-T-6002-M3 | Tubing PEEK 1/16in x 0.50 mm ID orange striped 3 m/pkg | pkg | 3 | m |
| JR-T-6002-M5 | Tubing PEEK 1/16in x 0.50 mm ID orange stripe 5 m/pkg | pkg | 5 | m |
| JR-T-60031-M10 | Tubing PEEK 1/16in x 1.00 mm ID grey striped 10 m/pkg | pkg | 10 | m |
| JR-T-60031-M25 | Tubing PEEK 1/16in x 1.00 mm ID grey striped 25 m/pkg | pkg | 25 | m |
| JR-T-60031-M3 | Tubing PEEK 1/16in x 1.00 mm ID grey striped 3 m/pkg | pkg | 3 | m |
| JR-T-60031-M5 | Tubing PEEK 1/16in x 1.00 mm ID grey striped 5 m/pkg | pkg | 5 | m |
| JR-T-60032-M10 | Tubing PEEK 1/16in x 1.40 mm ID black striped 10 m/pkg | pkg | 10 | m |
| JR-T-60032-M25 | Tubing PEEK 1/16in x 1.40 mm ID black striped 25 m/pkg | pkg | 25 | m |
| JR-T-60032-M3 | Tubing PEEK 1/16in x 1.40 mm ID black striped 3 m/pkg | pkg | 3 | m |
| JR-T-60032-M5 | Tubing PEEK 1/16in x 1.40 mm ID black striped 5 m/pkg | pkg | 5 | m |
| JR-T-6003-M10 | Tubing PEEK 1/16in x 0.75 mm ID green striped 10 m/pkg | pkg | 10 | m |
| JR-T-6003-M25 | Tubing PEEK 1/16in x 0.75 mm ID green stripe 25 m/pkg | pkg | 25 | m |
| JR-T-6003-M3 | Tubing PEEK 1/16in x 0.75 mm ID green striped 3 m/pkg | pkg | 3 | m |
| JR-T-6003-M5 | Tubing PEEK 1/16in x 0.75 mm ID green stripe 5 m/pkg | pkg | 5 | m |
| JR-TD-6007-M10 | Tubing Dual Layer PEEK 1/16in x 0.13 mm IDsolid red outside natural inside 1( | pkg | 10 | m |
| JR-TD-6007-M3 | Tubing Dual Layer PEEK 1/16in x 0.13 mm IDsolid red outside natural inside 3 | pkg | 3 | m |
| JR-TD-6008-M10 | Tubing Dual Layer PEEK 1/16in x 0.18 mm IDsolid yellow outside natural inside | pkg | 10 | m |
| JR-TD-6008-M3 | Tubing Dual Layer PEEK 1/16in x 0.18 mm IDsolid yellow outside natural inside | pkg | 3 | m |
| JR-TD-6009-M10 | Tubing Dual Layer PEEK 1/16in x 0.25 mm IDsolid blue outside natural inside 1 | pkg | 10 | m |
| JR-TD-6009-M3 | Tubing Dual Layer PEEK 1/16in x 0.25 mm IDsolid blue outside natural inside 3 | pkg | 3 | m |
| JR-TD-6010-M10 | Tubing Dual Layer PEEK 1/16in x 0.50 mm IDsolid orange outside natural insid | pkg | 10 | m |
| JR-TD-6010-M3 | Tubing Dual Layer PEEK 1/16in x 0.50 mm IDsolid orange outside natural insid | pkg | 3 | m |
| JR-TD-6011-M10 | Tubing Dual Layer PEEK 1/16in x 0.75 mm IDsolid green outside natural inside | pkg | 10 | m |
| JR-TD-6011-M3 | Tubing Dual Layer PEEK 1/16in x 0.75 mm IDsolid green outside natural inside | pkg | 3 | m |
| JR-T-37100-M1 | Tubing PEEK 360 um OD x 100 um ID grey solid 1 m/pkg | pkg | 1 | m |
| JR-T-37100-M3 | Tubing PEEK 360 um OD x 100 um ID grey solid 3 m/pkg | pkg | 3 | m |
| JR-T-37125-M1 | Tubing PEEK 360 um OD x 125um ID red solid 1 m/pkg | pkg | 1 | m |
| JR-T-37125-M3 | Tubing PEEK 360 um OD x 125um ID red solid 3 m/pkg | pkg | 3 | m |
| JR-T-37150-M1 | Tubing PEEK 360 um OD x 150 um ID black solid 1 m/pkg | pkg | 1 | m |
| JR-T-37150-M3 | Tubing PEEK 360 um OD x 150 um ID black solid 3 m/pkg | pkg | 3 | m |
| JR-T-3750-M1 | Tubing PEEK 360 um OD x 50 um ID orange solid 1 m/pkg | pkg | 1 | m |
| JR-T-3750-M3 | Tubing PEEK 360 um OD x 50 um ID orange solid 3 m/pkg | pkg | 3 | m |
| JR-T-3775-M1 | Tubing PEEK 360 um OD x 75um ID green solid 1 m/pkg | pkg | 1 | m |
| JR-T-3775-M3 | Tubing PEEK 360 um OD x 75um ID green solid 3 m/pkg | pkg | 3 | m |
| JR-T-5602-M1 | Tubing PEEK 1/32in x 50 um / .002in ID orange solid 1 m/pkg | pkg | 1 | m |
| JR-T-5602-M3 | Tubing PEEK 1/32in x 50 um / .002in ID orange solid 3 m/pkg | pkg | 3 | m |
| JR-T-5603-M1 | Tubing PEEK 1/32in x 75 um / .003in ID green solid 1 m/pkg | pkg | 1 | m |
| JR-T-5603-M3 | | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-5604-M1 | Tubing PEEK 1/32in x 100 um / .004in ID black solid 1 m/pkg | pkg | 1 | m |
| JR-T-5604-M3 | Tubing PEEK 1/32in x 100 um / .004in ID black solid 3 m/pkg | pkg | 3 | m |
| JR-T-5605-M1 | Tubing PEEK 1/32in x 0.13 mm / .005in ID red solid 1 m/pkg | pkg | 1 | m |
| JR-T-5605-M3 | Tubing PEEK 1/32in x 0.13 mm / .005in ID red solid 3 m/pkg | pkg | 3 | m |
| JR-T-5607-M1 | Tubing PEEK 1/32in x 0.18 mm / .007in ID yellow solid 1 m/pkg | pkg | 1 | m |
| JR-T-5607-M3 | Tubing PEEK 1/32in x 0.18 mm / .007in ID yellow solid 3 m/pkg | pkg | 3 | m |
| JR-T-5608-M1 | Tubing PEEK 1/32in x 0.20 mm / .008in ID orange solid 1 m/pkg | pkg | 1 | m |
| JR-T-5608-M3 | Tubing PEEK 1/32in x 0.20 mm / .008in ID orange solid 3 m/pkg | pkg | 3 | m |
| JR-T-5610-M1 | Tubing PEEK 1/32in x 0.25 um / .010in ID blue solid 1 m/pkg | pkg | 1 | m |
| JR-T-5610-M3 | Tubing PEEK 1/32in x 0.25 um / .010in ID blue solid 3 m/pkg | pkg | 3 | m |
| JR-T-5620-M1 | Tubing PEEK 1/32in x 0.50 mm / .020 in ID orange solid 1 m/pkg | pkg | 1 | m |
| JR-T-5620-M3 | Tubing PEEK 1/32in x 0.50 mm / .020 in ID orange solid 3 m/pkg | pkg | 3 | m |
| JR-T-5664-M1 | Tubing PEEK 1/32in x 64 um / .0025in ID Pink solid 1 m/pkg | pkg | 1 | m |
| JR-T-5664-M3 | Tubing PEEK 1/32in x 64 um / .0025in ID Pink solid 3 m/pkg | pkg | 3 | m |
| JR-T-5715-M10 | Tubing PEEK 1/32in x 0.38 mm/ .015in ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-5715-M3 | Tubing PEEK 1/32in x 0.38 mm/ .015in ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-5994-M10 | Tubing PEEK 1/32in x 0.18 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-5994-M3 | Tubing PEEK 1/32in x 0.18 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-5995-M10 | Tubing PEEK 1/32in x 0.25 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-5995-M3 | Tubing PEEK 1/32in x 0.25 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6007-M10 | Tubing PEEK 1/16in x 0.13 mm ID solid red 10 m/pkg | pkg | 10 | m |
| JR-T-6007-M3 | Tubing PEEK 1/16in x 0.13 mm ID solid red 3 m/pkg | pkg | 3 | m |
| JR-T-6008-M10 | Tubing PEEK 1/16in x 0.18 mm ID solid yellow 10 m/pkg | pkg | 10 | m |
| JR-T-6008-M25 | Tubing PEEK 1/16in x 0.18 mm ID solid yellow 25 m/pkg | pkg | 25 | m |
| JR-T-6008-M3 | Tubing PEEK 1/16in x 0.18 mm ID solid yellow 3 m/pkg | pkg | 3 | m |
| JR-T-6009-M10 | Tubing PEEK 1/16in x 0.25 mm ID solid blue 10 m/pkg | pkg | 10 | m |
| JR-T-6009-M25 | Tubing PEEK 1/16in x 0.25 mm ID solid blue 25 m/pkg | pkg | 25 | m |
| JR-T-6009-M3 | Tubing PEEK 1/16in x 0.25 mm ID solid blue 3 m/pkg | pkg | 3 | m |
| JR-T-6010-M10 | Tubing PEEK 1/16in x 0.50 mm ID solid orange 10 m/pkg | pkg | 10 | m |
| JR-T-6010-M25 | Tubing PEEK 1/16in x 0.50 mm ID solid orange 25 m/pkg | pkg | 25 | m |
| JR-T-6010-M3 | Tubing PEEK 1/16in x 0.50 mm ID solid orange 3 m/pkg | pkg | 3 | m |
| JR-T-6011-M10 | Tubing PEEK 1/16in x 0.75 mm ID solid green 10 m/pkg | pkg | 10 | m |
| JR-T-6011-M25 | Tubing PEEK 1/16in x 0.75 mm ID solid green 25 m/pkg | pkg | 25 | m |
| JR-T-6011-M3 | Tubing PEEK 1/16in x 0.75 mm ID solid green 3 m/pkg | pkg | 3 | m |
| JR-T-6020-M10 | Tubing PEEK 1/16in x 0.10 mm ID black solid 10 m/pkg | pkg | 10 | m |
| JR-T-6020-M25 | Tubing PEEK 1/16in x 0.10 mm ID black solid 25 m/pkg | pkg | 25 | m |
| JR-T-6020-M3 | Tubing PEEK 1/16in x 0.10 mm ID black solid 3 m/pkg | pkg | 3 | m |
| JR-T-6030-M10 | Tubing PEEK 1/16in x 0.15 mm ID purple solid 10 m/pkg | pkg | 10 | m |
| JR-T-6030-M25 | Tubing PEEK 1/16in x 0.15 mm ID purple solid 10 m/pkg | pkg | 10 | m |
| JR-T-6030-M3 | Tubing PEEK 1/16in x 0.15 mm ID purple solid 3 m/pkg | pkg | 3 | m |
| JR-T-6040-M10 | Tubing PEEK 1/16in x 0.38 mm ID grey solid 10 m/pkg | pkg | 10 | m |
| JR-T-6040-M25 | Tubing PEEK 1/16in x 0.38 mm ID grey solid 25 m/pkg | pkg | 25 | m |
| JR-T-6040-M3 | Tubing PEEK 1/16in x 0.38 mm ID grey striped 3 m/pkg | pkg | 3 | m |
| JR-T-078-M10 | Tubing ETFE 1/16in x 0.17 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-078-M25 | Tubing ETFE 1/16in x 0.17 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-078-M3 | Tubing ETFE 1/16in x 0.17 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-080-M10 | Tubing ETFE 1/16in x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-080-M25 | Tubing ETFE 1/16in x 0.25 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-080-M3 | Tubing ETFE 1/16in x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-082-M10 | Tubing ETFE 1/16in x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-082-M25 | Tubing ETFE 1/16in x 0.50 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-082-M3 | Tubing ETFE 1/16in x 0.50 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-083-M10 | Tubing ETFE 1/16in x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-083-M25 | Tubing ETFE 1/16in x 0.75 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-083-M3 | Tubing ETFE 1/16in x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-084-M10 | Tubing EFTE 1/32in x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-084-M25 | | pkg | 25 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-084-M3 | Tubing EFTE 1/32in x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-085-M10 | Tubing ETFE 1/16in x 1.00 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-085-M25 | Tubing ETFE 1/16in x 1.00 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-085-M3 | Tubing ETFE 1/16in x 1.00 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-086-M10 | Tubing ETFE 1/8in x 1.59 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-086-M25 | Tubing ETFE 1/8in x 1.59 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-086-M3 | Tubing ETFE 1/8in x 1.59 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-087-M1 | Tubing ETFE 3.0 x 1.0 mm 1 m/pkg | pc | | |
| JR-T-087-M3 | Tubing ETFE 3.0 x 1.0 mm 3 m/pkg | pc | | |
| JR-T-088-M1 | Tubing ETFE 6.0 x 4.0 mm 1 m/pkg | pkg | 1 | m |
| JR-T-088-M3 | Tubing ETFE 6.0 x 4.0 mm 3 m/pkg | pkg | 3 | m |
| JR-T-4001-M10 | Tubing PFA 1/16in x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4001-M25 | Tubing PFA 1/16in x 0.50 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4001-M3 | Tubing PFA 1/16in x 0.50 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4002-M10 | Tubing PFA 1/16in x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4002-M25 | Tubing PFA 1/16in x 0.75 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4002-M3 | Tubing PFA 1/16in x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4003-M10 | Tubing PFA 1/8in x 1.59 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4003-M25 | Tubing PFA 1/8in x 1.59 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4003-M3 | Tubing PFA 1/8in x 1.59 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4004 | Tubing PFA 1/4in x 4.35 mm ID | m | | |
| JR-T-4005 | Tubing PFA 1/8in x 1.7 mm ID | m | | |
| JR-T-4007-M10 | Tubing PFA 1/16in x 1.0 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4007-M25 | Tubing PFA 1/16in x 1.0 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4007-M3 | Tubing PFA 1/16in x 1.0 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4009 | Tubing PFA 3/16in x 3.20 mm ID | m | | |
| JR-T-436100-M1 | Tubing PFA 360 um x 100 um ID 1 m/pkg | pkg | 1 | m |
| JR-T-436100-M3 | Tubing PFA 360 um x 100 um ID 3 m/pkg | pkg | 3 | m |
| JR-T-43650-M1 | Tubing PFA 360 um x 50 um ID 1 m/pkg | pkg | 1 | m |
| JR-T-43650-M3 | Tubing PFA 360 um x 50 um ID 3 m/pkg | pkg | 3 | m |
| JR-T-43675-M1 | Tubing PFA 360 um x 75 um ID 1 m/pkg | pkg | 1 | m |
| JR-T-43675-M3 | Tubing PFA 360 um x 75 um ID 3 m/pkg | pkg | 3 | m |
| JR-T-6007-M25 | Tubing PEEK 1/16in x 0.13 mm ID solid red 25 m/pkg | pkg | 25 | m |
| JR-T-6604C-M10 | Tubing FEP 1/32in x 0.10 mm ID black solid 10 m/pkg | pkg | 10 | m |
| JR-T-6604C-M25 | Tubing FEP 1/32in x 0.10 mm ID black solid 25 m/pkg | pkg | 25 | m |
| JR-T-6604C-M3 | Tubing FEP 1/32in x 0.10 mm ID black solid 3 m/pkg | pkg | 3 | m |
| JR-T-6605C-M10 | Tubing FEP 1/32in x 0.13 mm ID red solid 10 m/pkg | pkg | 10 | m |
| JR-T-6605C-M25 | Tubing FEP 1/32in x 0.13 mm ID red solid 25 m/pkg | pkg | 25 | m |
| JR-T-6605C-M3 | Tubing FEP 1/32in x 0.13 mm ID red solid 3 m/pkg | pkg | 3 | m |
| JR-T-6606C-M10 | Tubing FEP 1/32in x 0.15 mm ID Purple solid 10 m/pkg | pkg | 10 | m |
| JR-T-6606C-M25 | Tubing FEP 1/32in x 0.15 mm ID Purple solid 25 m/pkg | pkg | 25 | m |
| JR-T-6606C-M3 | Tubing FEP 1/32in x 0.15 mm ID Purple solid 3 m/pkg | pkg | 3 | m |
| JR-T-6607C-M10 | Tubing FEP 1/32in x 0.18 mm ID yellow solid 10 m/pkg | pkg | 10 | m |
| JR-T-6607C-M25 | Tubing FEP 1/32in x 0.18 mm ID yellow solid 25 m/pkg | pkg | 25 | m |
| JR-T-6607C-M3 | Tubing FEP 1/32in x 0.18 mm ID yellow solid 3 m/pkg | pkg | 3 | m |
| JR-T-6610C-M10 | Tubing FEP 1/32in x 0.25 mm ID blue solid 10 m/pkg | pkg | 10 | m |
| JR-T-6610C-M25 | Tubing FEP 1/32in x 0.25 mm ID blue solid 25 m/pkg | pkg | 25 | m |
| JR-T-6610C-M3 | Tubing FEP 1/32in x 0.25 mm ID blue solid 3 m/pkg | pkg | 3 | m |
| JR-T-6620C-M10 | Tubing FEP 1/32in x 0.50 mm ID orange solid 10 m/pkg | pkg | 10 | m |
| JR-T-6620C-M25 | Tubing FEP 1/32in x 0.50 mm ID orange solid 25 m/pkg | pkg | 25 | m |
| JR-T-6620C-M3 | Tubing FEP 1/32in x 0.50 mm ID orange solid 3 m/pkg | pkg | 3 | m |
| JR-T-6704C-M10 | Tubing FEP 1/16in x 0.10 mm ID black solid 10 m/pkg | pkg | 10 | m |
| JR-T-6704C-M25 | Tubing FEP 1/16in x 0.10 mm ID black solid 25 m/pkg | pkg | 25 | m |
| JR-T-6704C-M3 | Tubing FEP 1/16in x 0.10 mm ID black solid 3 m/pkg | pkg | 3 | m |
| JR-T-6705C-M10 | Tubing FEP 1/16in x 0.13 mm ID red solid 10 m/pkg | pkg | 10 | m |
| JR-T-6705C-M25 | Tubing FEP 1/16in x 0.13 mm ID red solid 25 m/pkg | pkg | 25 | m |
| JR-T-6705C-M | | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-6706C-M10 | Tubing FEP 1/16in x 0.15 mm ID Purple solid 10 m/pkg | pkg | 10 | m |
| JR-T-6706C-M25 | Tubing FEP 1/16in x 0.15 mm ID Purple solid 25 m/pkg | pkg | 25 | m |
| JR-T-6706C-M3 | Tubing FEP 1/16in x 0.15 mm ID Purple solid 3 m/pkg | pkg | 3 | m |
| JR-T-6707C-M10 | Tubing FEP 1/16in x 0.18 mm ID yellow solid 10 m/pkg | pkg | 10 | m |
| JR-T-6707C-M25 | Tubing FEP 1/16in x 0.18 mm ID yellow solid 25 m/pkg | pkg | 25 | m |
| JR-T-6707C-M3 | Tubing FEP 1/16in x 0.18 mm ID yellow solid 3 m/pkg | pkg | 3 | m |
| JR-T-6802C-M10 | Tubing FEP 1/16in x 0.50 mm ID orange solid 10 m/pkg | pkg | 10 | m |
| JR-T-6802C-M25 | Tubing FEP 1/16in x 0.50 mm ID orange solid 25 m/pkg | pkg | 25 | m |
| JR-T-6802C-M3 | Tubing FEP 1/16in x 0.50 mm ID orange solid 3 m/pkg | pkg | 3 | m |
| JR-T-6803C-M10 | Tubing FEP 1/16in x 0.75 mm ID green solid 10 m/pkg | pkg | 10 | m |
| JR-T-6803C-M25 | Tubing FEP 1/16in x 0.75 mm ID green solid 25 m/pkg | pkg | 25 | m |
| JR-T-6803C-M3 | Tubing FEP 1/16in x 0.75 mm ID green solid 3 m/pkg | pkg | 3 | m |
| JR-T-6806C-M10 | Tubing FEP 1/16in x 1.0 mm ID black solid 10 m/pkg | pkg | 10 | m |
| JR-T-6806C-M25 | Tubing FEP 1/16in x 1.0 mm ID black solid 25 m/pkg | pkg | 25 | m |
| JR-T-6806C-M3 | Tubing FEP 1/16in x 1.0 mm ID black solid 3 m/pkg | pkg | 3 | m |
| JR-T-6812C-M10 | Tubing FEP 1/16in x 0.25 mm ID blue solid 10 m/pkg | pkg | 10 | m |
| JR-T-6812C-M25 | Tubing FEP 1/16in x 0.25 mm ID blue solid 25 m/pkg | pkg | 25 | m |
| JR-T-6812C-M3 | Tubing FEP 1/16in x 0.25 mm ID blue solid 3 m/pkg | pkg | 3 | m |
| JR-T-6105-M10 | Tubing FEP 1.0 x 0.50 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6105-M25 | Tubing FEP 1.0 x 0.50 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6105-M3 | Tubing FEP 1.0 x 0.50 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6210-M10 | Tubing FEP 2.0 x 1.0 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6210-M25 | Tubing FEP 2.0 x 1.0 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6210-M3 | Tubing FEP 2.0 x 1.0 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6310-M10 | Tubing FEP 3.0 x 1.0 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6310-M25 | Tubing FEP 3.0 x 1.0 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6310-M3 | Tubing FEP 3.0 x 1.0 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6320-M10 | Tubing FEP 3.0 mm OD x 2.0 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6320-M25 | Tubing FEP 3.0 mm OD x 2.0 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6320-M3 | Tubing FEP 3.0 mm OD x 2.0 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6605-M1 | Tubing FEP 1/32in x 0.13 mm ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-6605-M10 | Tubing FEP 1/32in x 0.13 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6605-M3 | Tubing FEP 1/32in x 0.13 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6606-M1 | Tubing FEP 1/32in x 0.15 mm ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-6606-M10 | Tubing FEP 1/32in x 0.15 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6606-M3 | Tubing FEP 1/32in x 0.15 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6607-M1 | Tubing FEP 1/32in x 0.18 mm ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-6607-M10 | Tubing FEP 1/32in x 0.18 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6607-M3 | Tubing FEP 1/32in x 0.18 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6610-M1 | Tubing FEP 1/32in x 0.25 mm ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-6610-M10 | Tubing FEP 1/32in x 0.25 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6610-M3 | Tubing FEP 1/32in x 0.25 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6615-M1 | Tubing FEP 1/32in x 0.38 mm ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-6615-M10 | Tubing FEP 1/32in x 0.38 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6615-M3 | Tubing FEP 1/32in x 0.38 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6620-M1 | Tubing FEP 1/32in x 0.50 mm ID natural 1 m/pkg | pkg | 1 | m |
| JR-T-6620-M10 | Tubing FEP 1/32in x 0.50 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6620-M3 | Tubing FEP 1/32in x 0.50 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6702-M10 | Tubing FEP 1/16in x 0.30 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6702-M25 | Tubing FEP 1/16in x 0.30 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6702-M3 | Tubing FEP 1/16in x 0.30 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6704-M10 | Tubing FEP 1/16in x 0.10 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6704-M25 | Tubing FEP 1/16in x 0.10 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6704-M3 | Tubing FEP 1/16in x 0.10 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6705-M10 | Tubing FEP 1/16in x 0.13 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6705-M25 | Tubing FEP 1/16in x 0.13 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6705-M3 | | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-6706-M10 | Tubing FEP 1/16in x 0.15 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6706-M25 | Tubing FEP 1/16in x 0.15 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6706-M3 | Tubing FEP 1/16in x 0.15 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6707-M10 | Tubing FEP 1/16in x 0.18 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6707-M25 | Tubing FEP 1/16in x 0.18 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6707-M3 | Tubing FEP 1/16in x 0.18 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6708-M10 | Tubing FEP 1/16in x 0.20 mm ID natural 10 m/pkg | pkg | 10 | m |
| JR-T-6708-M25 | Tubing FEP 1/16in x 0.20 mm ID natural 25 m/pkg | pkg | 25 | m |
| JR-T-6708-M3 | Tubing FEP 1/16in x 0.20 mm ID natural 3 m/pkg | pkg | 3 | m |
| JR-T-6794-M1 | Tubing FEP 1/32in x 0.10 mm ID 1 m/pkg | pkg | 1 | m |
| JR-T-6794-M10 | Tubing FEP 1/32in x 0.10 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6794-M3 | Tubing FEP 1/32in x 0.10 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6802-M10 | Tubing FEP 1/16in x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6802-M25 | Tubing FEP 1/16in x 0.50 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6802-M3 | Tubing FEP 1/16in x 0.50 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6803-M10 | Tubing FEP 1/16in x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6803-M25 | Tubing FEP 1/16in x 0.75 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6803-M3 | Tubing FEP 1/16in x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6804-M10 | Tubing FEP 1/8in x 1.59 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6804-M25 | Tubing FEP 1/8in x 1.59 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6804-M3 | Tubing FEP 1/8in x 1.59 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6806-M10 | Tubing FEP 1/16in x 1.0 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6806-M25 | Tubing FEP 1/16in x 1.0 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6806-M3 | Tubing FEP 1/16in x 1.0 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6812-M10 | Tubing FEP 1/16in x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6812-M25 | Tubing FEP 1/16in x 0.25 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6812-M3 | Tubing FEP 1/16in x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6813-M10 | Tubing FEP 1/8in x 2.1 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6813-M25 | Tubing FEP 1/8in x 2.1 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6813-M3 | Tubing FEP 1/8in x 2.1 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6835-M10 | Tubing FEP 3/16in x 3.18 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6835-M25 | Tubing FEP 3/16in x 3.18 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6835-M3 | Tubing FEP 3/16in x 3.18 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4011C-M10 | Tubing PTFE 1/16in x 0.25 mm ID blue 10 m/pkg | pkg | 10 | m |
| JR-T-4011C-M25 | Tubing PTFE 1/16in x 0.25 mm ID blue 25 m/pkg | pkg | 25 | m |
| JR-T-4011C-M3 | Tubing PTFE 1/16in x 0.25 mm ID blue 3 m/pkg | pkg | 3 | m |
| JR-T-4011-M10 | Tubing PTFE 1/16in x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4011-M25 | Tubing PTFE 1/16in x 0.25 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4011-M3 | Tubing PTFE 1/16in x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4011-M5 | Tubing PTFE 1/16in x 0.25 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-4036C-M10 | Tubing PTFE 1/16in x 0.75 mm ID green 10 m/pkg | pkg | 10 | m |
| JR-T-4036C-M25 | Tubing PTFE 1/16in x 0.75 mm ID green 25 m/pkg | pkg | 25 | m |
| JR-T-4036C-M3 | Tubing PTFE 1/16in x 0.75 mm ID green 3 m/pkg | pkg | 3 | m |
| JR-T-4036-M10 | Tubing PTFE 1/16in OD x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4036-M25 | Tubing PTFE 1/16in x 0.75 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4036-M3 | Tubing PTFE 1/16in x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4036-M5 | Tubing PTFE 1/16in x 0.75 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-4037-M10 | Tubing PTFE 1/8in x 2.40 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4037-M25 | Tubing PTFE 1/8in x 2.40 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4037-M3 | Tubing PTFE 1/8in x 2.40 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4037-M5 | Tubing PTFE 1/8in x 2.40 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-4039-M3 | Tubing PTFE 4.0 x 3.0 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4039-M5 | Tubing PTFE 4.0 x 3.0 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-4041 | Tubing PTFE 4.76 x 3.76 mm ID | m | | |
| JR-T-4183C-M10 | Tubing PTFE 1/16in x 0.50 mm orange 10 m/pkg | pkg | 10 | m |
| JR-T-4183C-M25 | Tubing PTFE 1/16in x 0.50 mm orange 25 m/pkg | pkg | 25 | m |
| JR-T-4183C-M | | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-4183-M10 | Tubing PTFE 1/16in x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-4183-M25 | Tubing PTFE 1/16in x 0.50 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-4183-M3 | Tubing PTFE 1/16in x 0.50 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-4183-M5 | Tubing PTFE 1/16in x 0.50 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-6800-M10 | Tubing PTFE 1/8in x 1.59 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6800-M25 | Tubing PTFE 1/8in x 1.59 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6800-M3 | Tubing PTFE 1/8in x 1.59 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6800-M5 | Tubing PTFE 1/8in x 1.59 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-6801-M10 | Tubing PTFE 2.0 x 1.70 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6801-M25 | Tubing PTFE 2.0 x 1.70 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6801-M3 | Tubing PTFE 2.0 x 1.70 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6805-M10 | Tubing PTFE 1/16in x 0.18 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6805-M25 | Tubing PTFE 1/16in x 0.18 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6805-M3 | Tubing PTFE 1/16in x 0.18 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6805-M5 | Tubing PTFE 1/16in x 0.17 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-6807-M10 | Tubing PTFE 1/16in x 1.0 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6807-M25 | Tubing PTFE 1/16in x 1.0 mm ID 25 m/pkg | pkg | 25 | m |
| JR-T-6807-M3 | Tubing PTFE 1/16in x 1.0 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-6807-M5 | Tubing PTFE 1/16in x 1.0 mm ID 5 m/pkg | pkg | 5 | m |
| JR-T-6808-M10 | Tubing PTFE 1/16in x 0.25 mm ID black 10 m/pkg | pkg | 10 | m |
| JR-T-6808-M25 | Tubing PTFE 1/16in x 0.25 mm ID black 25 m/pkg | pkg | 25 | m |
| JR-T-6808-M3 | Tubing PTFE 1/16in x 0.25 mm ID black 3 m/pkg | pkg | 3 | m |
| JR-T-6810 | Tubing PTFE 1/4in x 4.75 mm ID | m | | |
| JR-T-6811-M10 | Tubing PTFE 1/16in x 0.50 mm ID black 10 m/pkg | pkg | 10 | m |
| JR-T-6811-M25 | Tubing PTFE 1/16in x 0.50 mm ID black 25 m/pkg | pkg | 25 | m |
| JR-T-6811-M3 | Tubing PTFE 1/16in x 0.50 mm ID black 3 m/pkg | pkg | 3 | m |
| JR-6140 | Kit PPS Impermeable fittings | pc | | |
| JR-6141-10 | Insert KEL-F for Impermeable fitting 10/pkg | pkg | 10 | pc |
| JR-T-6130-M10 | Tubing Impermeable 1/8in x 1.65 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-6130-M3 | Tubing Impermeable 1/8in x 1.65 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-96005 | Tubing SS flexible 1/32in x 0.13 mm ID length 105 mm with 1/16in ends | pc | | |
| JR-T-96010 | Tubing SS flexible 1/32in x 0.13 mm ID length 150 mm with 1/16in ends | pc | | |
| JR-T-96015 | Tubing SS flexible 1/32in x 0.13 mm ID length 200 mm with 1/16in ends | pc | | |
| JR-T-96020 | Tubing SS flexible 1/32in x 0.13 mm ID length 280 mm with 1/16in ends | pc | | |
| JR-T-96025 | Tubing SS flexible 1/32in x 0.13 mm ID length 400 mm with 1/16in ends | pc | | |
| JR-T-96030 | Tubing SS flexible 1/32in x 0.13 mm ID length 600 mm with 1/16in ends | pc | | |
| JR-T-96035 | Tubing SS flexible 1/32in x 0.13 mm ID length 700 mm with 1/16in ends | pc | | |
| JR-T-96040 | Tubing SS flexible 1/32in x 0.13 mm ID length 800 mm with 1/16in ends | pc | | |
| JR-T-96105 | Tubing SS flexible 1/32in x 0.18 mm ID length 105 mm with 1/16in ends | pc | | |
| JR-T-96110 | Tubing SS flexible 1/32in x 0.18 mm ID length 150 mm with 1/16in ends | pc | | |
| JR-T-96115 | Tubing SS flexible 1/32in x 0.18 mm ID length 200 mm with 1/16in ends | pc | | |
| JR-T-96120 | Tubing SS flexible 1/32in x 0.18 mm ID length 280 mm with 1/16in ends | pc | | |
| JR-T-96125 | Tubing SS flexible 1/32in x 0.18 mm ID length 400 mm with 1/16in ends | pc | | |
| JR-T-96130 | Tubing SS flexible 1/32in x 0.18 mm ID length 600 mm with 1/16in ends | pc | | |
| JR-T-96135 | Tubing SS flexible 1/32in x 0.18 mm ID length 700 mm with 1/16in ends | pc | | |
| JR-T-96140 | Tubing SS flexible 1/32in x 0.18 mm ID length 800 mm with 1/16in ends | pc | | |
| JR-T-96145 | Tubing SS flexible 1/32in x 0.18 mm ID length 900 mm with 1/16in ends | pc | | |
| JR-T-96205 | Tubing SS flexible 1/32in x 0.25 mm ID length 105 mm with 1/16in ends | pc | | |
| JR-T-96210 | Tubing SS flexible 1/32in x 0.25 mm ID length 150 mm with 1/16in ends | pc | | |
| JR-T-96215 | Tubing SS flexible 1/32in x 0.25 mm ID length 200 mm with 1/16in ends | pc | | |
| JR-T-96220 | Tubing SS flexible 1/32in x 0.25 mm ID length 280 mm with 1/16in ends | pc | | |
| JR-T-96225 | Tubing SS flexible 1/32in x 0.25 mm ID length 400 mm with 1/16in ends | pc | | |
| JR-T-96230 | Tubing SS flexible 1/32in x 0.25 mm ID length 600 mm with 1/16in ends | pc | | |
| JR-T-96235 | Tubing SS flexible 1/32in x 0.25 mm ID length 700 mm with 1/16in ends | pc | | |
| JR-T-96240 | Tubing SS flexible 1/32in x 0.25 mm ID length 800 mm with 1/16in ends | pc | | |
| JR-T-96305 | Tubing SS flexible 1/32in x 0.50 mm ID length 105 mm with 1/16in ends | pc | | |
| JR-T-96310 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-96315 | Tubing SS flexible 1/32in x 0.50 mm ID length 200 mm with 1/16in ends | pc | | |
| JR-T-96320 | Tubing SS flexible 1/32in x 0.50 mm ID length 280 mm with 1/16in ends | pc | | |
| JR-T-96325 | Tubing SS flexible 1/32in x 0.50 mm ID length 400 mm with 1/16in ends | pc | | |
| JR-T-96330 | Tubing SS flexible 1/32in x 0.50 mm ID length 600 mm with 1/16in ends | pc | | |
| JR-T-96335 | Tubing SS flexible 1/32in x 0.50 mm ID length 700 mm with 1/16in ends | pc | | |
| JR-T-96340 | Tubing SS flexible 1/32in x 0.50 mm ID length 800 mm with 1/16in ends | pc | | |
| JR-T-97005 | Tubing SS precut 1/16in OD x 0.13 mm ID length 50 mm | pc | | |
| JR-T-97010 | Tubing SS precut 1/16in OD x 0.13 mm ID length 100 mm | pc | | |
| JR-T-97015 | Tubing SS precut 1/16in OD x 0.13 mm ID length 200 mm | pc | | |
| JR-T-97020 | Tubing SS precut 1/16in OD x 0.13 mm ID length 300 mm | pc | | |
| JR-T-97025 | Tubing SS precut 1/16in OD x 0.18 mm ID length 50 mm | pc | | |
| JR-T-97030 | Tubing SS precut 1/16in OD x 0.18 mm ID length 100 mm | pc | | |
| JR-T-97035 | Tubing SS precut 1/16in OD x 0.18 mm ID length 200 mm | pc | | |
| JR-T-97040 | Tubing SS precut 1/16in OD x 0.18 mm ID length 300 mm | pc | | |
| JR-T-97045 | Tubing SS precut 1/16in OD x 0.25 mm ID length 50 mm | pc | | |
| JR-T-97055 | Tubing SS precut 1/16in OD x 0.25 mm ID length 100 mm | pc | | |
| JR-T-97060 | Tubing SS precut 1/16in OD x 0.25 mm ID length 200 mm | pc | | |
| JR-T-97065 | Tubing SS precut 1/16in OD x 0.25 mm ID length 300 mm | pc | | |
| JR-T-97075 | Tubing SS precut 1/16in OD x 0.50 mm ID length 50 mm | pc | | |
| JR-T-97080 | Tubing SS precut 1/16in OD x 0.50 mm ID length 100 mm | pc | | |
| JR-T-97085 | Tubing SS precut 1/16in OD x 0.50 mm ID length 200 mm | pc | | |
| JR-T-97090 | Tubing SS precut 1/16in OD x 0.50 mm ID length 300 mm | pc | | |
| JR-T-97095 | Tubing SS precut 1/16in OD x 0.75 mm ID length 50 mm | pc | | |
| JR-T-97100 | Tubing SS precut 1/16in OD x 0.75 mm ID length 100 mm | pc | | |
| JR-T-97105 | Tubing SS precut 1/16in OD x 0.75 mm ID length 200 mm | pc | | |
| JR-T-97110 | Tubing SS precut 1/16in OD x 0.75 mm ID length 300 mm | pc | | |
| JR-T-625-04-M10 | Tubing SS 1/16in x 0.13 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-625-04-M3 | Tubing SS 1/16in x 0.13 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-625-05-M10 | Tubing SS 1/16in x 0.18 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-625-05-M3 | Tubing SS 1/16in x 0.18 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-625-10-M10 | Tubing SS 1/16in x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-625-10-M3 | Tubing SS 1/16in x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-625-20-M10 | Tubing SS 1/16in x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-625-20-M3 | Tubing SS 1/16in x 0.50 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-625-30-M10 | Tubing SS 1/16in x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-625-30-M3 | Tubing SS 1/16in x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-625-40-M10 | Tubing SS 1/16in x 1.0 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-625-40-M3 | Tubing SS 1/16in x 1.0 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-626-00-M10 | Tubing SS 1/8in x 2.1 mm ID 10 m/pkg | pkg | 10 | m |
| JR-T-626-00-M3 | Tubing SS 1/8in x 2.1 mm ID 3 m/pkg | pkg | 3 | m |
| JR-T-628-00 | Tubing SS 1/4in x 4.65 mm | m | | |
| JR-TSS.505-M10 | Tubing Premium SS 1/32in OD x 0.13 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS.505-M3 | Tubing Premium SS 1/32in OD x 0.13 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS.507-M10 | Tubing Premium SS 1/32in OD x 0.18 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS.507-M3 | Tubing Premium SS 1/32in OD x 0.18 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS.510-M10 | Tubing Premium SS 1/32in OD x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS.510-M3 | Tubing Premium SS 1/32in OD x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS.520-M10 | Tubing Premium SS 1/32in OD x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS.520-M3 | Tubing Premium SS 1/32in OD x 0.50 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS105-M10 | Tubing Premium SS 1/16in OD x 0.13 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS105-M3 | Tubing Premium SS 1/16in OD x 0.13 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS110-M10 | Tubing Premium SS 1/16in OD x 0.25 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS110-M3 | Tubing Premium SS 1/16in OD x 0.25 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS115-M10 | Tubing Premium SS 1/16in OD x 0.38 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS115-M3 | Tubing Premium SS 1/16in OD x 0.38 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS120-M10 | Tubing Premium SS 1/16in OD x 0.50 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS120-M3 | | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-TSS130-M10 | Tubing Premium SS 1/16in OD x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS130-M3 | Tubing Premium SS 1/16in OD x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS140-M10 | Tubing Premium SS 1/16in OD x 1.00 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS140-M3 | Tubing Premium SS 1/16in OD x 1.00 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS230-M10 | Tubing Premium SS 1/8in OD x 0.75 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS230-M3 | Tubing Premium SS 1/8in OD x 0.75 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS240-M10 | Tubing Premium SS 1/8in OD x 1.00 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS240-M3 | Tubing Premium SS 1/8in OD x 1.00 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS260-M10 | Tubing Premium SS 1/8in OD x 1.52 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS260-M3 | Tubing Premium SS 1/8in OD x 1.52 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS267-M10 | Tubing Premium SS 1/8in OD x 1.70 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS267-M3 | Tubing Premium SS 1/8in OD x 1.70 mm ID 3 m/pkg | pkg | 3 | m |
| JR-TSS285-M10 | Tubing Premium SS 1/8in OD x 2.16 mm ID 10 m/pkg | pkg | 10 | m |
| JR-TSS285-M3 | Tubing Premium SS 1/8in OD x 2.16 mm ID 3 m/pkg | pkg | 3 | m |
| JR-55010-5 | Color-It fingertight adapter blue 5/pkg | pkg | 5 | pc |
| JR-55011-5 | Color-It fingertight adapter yellow 5/pkg | pkg | 5 | pc |
| JR-55012-5 | Color-It fingertight adapter green 5/pkg | pkg | 5 | pc |
| JR-55013-5 | Color-It fingertight adapter black 5/pkg | pkg | 5 | pc |
| JR-55014-5 | Color-It fingertight adapter white 5/pkg | pkg | 5 | pc |
| JR-55015-5 | Color-It fingertight adapter red 5/pkg | pkg | 5 | pc |
| JR-55016-12 | Color-It fingertight adapter multi-color assorted 2 pcs. each color 12/pkg | pkg | 12 | pc |
| JR-5502-5 | Fitting PEEK one-piece 10-32 5/pkg | pkg | 5 | pc |
| JR-55080-10 | Adapter PP fingertight sleeve natural 10/pkg | pkg | 10 | pc |
| JR-55080-5 | Adapter PP fingertight sleeve natural 5/pkg | pkg | 5 | pc |
| JR-55081-10 | Adapter PP fingertight sleeve white 10/pkg | pkg | 10 | pc |
| JR-55081-5 | Adapter PP fingertight sleeve white 5/pkg | pkg | 5 | pc |
| JR-55082-10 | Adapter PP fingertight sleeve dark grey 10/pkg | pkg | 10 | pc |
| JR-55082-5 | Adapter PP fingertight sleeve dark grey 5/pkg | pkg | 5 | pc |
| JR-55083-10 | Adapter PP fingertight sleeve black 10/pkg | pkg | 10 | pc |
| JR-55083-5 | Adapter PP fingertight sleeve black 5/pkg | pkg | 5 | pc |
| JR-55084-10 | Adapter PP fingertight sleeve lavender 10/pkg | pkg | 10 | pc |
| JR-55084-5 | Adapter PP fingertight sleeve lavender 5/pkg | pkg | 5 | pc |
| JR-55085-10 | Adapter PP fingertight sleeve red 10/pkg | pkg | 10 | pc |
| JR-55085-5 | Adapter PP fingertight sleeve red 5/pkg | pkg | 5 | pc |
| JR-55086-10 | Adapter PP fingertight sleeve yellow 10/pkg | pkg | 10 | pc |
| JR-55086-5 | Adapter PP fingertight sleeve yellow 5/pkg | pkg | 5 | pc |
| JR-55087-10 | Adapter PP fingertight sleeve orange 10/pkg | pkg | 10 | pc |
| JR-55087-5 | Adapter PP fingertight sleeve orange 5/pkg | pkg | 5 | pc |
| JR-55088-10 | Adapter PP fingertight sleeve brown 10/pkg | pkg | 10 | pc |
| JR-55088-5 | Adapter PP fingertight sleeve brown 5/pkg | pkg | 5 | pc |
| JR-55089-10 | Adapter PP fingertight sleeve green 10/pkg | pkg | 10 | pc |
| JR-55089-5 | Adapter PP fingertight sleeve green 5/pkg | pkg | 5 | pc |
| JR-5508X-12 | Adapter PP fingertight sleeve 6 colors assorted 2 pcs. each 12/pkg | pkg | 12 | pc |
| JR-5508X-24 | Adapter PP fingertight sleeve assorted 2 pcs. per color 24/pkg | pkg | 24 | pc |
| JR-55090-10 | Adapter PP fingertight sleeve blue 10/pkg | pkg | 10 | pc |
| JR-55090-5 | Adapter PP fingertight sleeve blue 5/pkg | pkg | 5 | pc |
| JR-55091-10 | Adapter PP fingertight sleeve purple 10/pkg | pkg | 10 | pc |
| JR-55091-5 | Adapter PP fingertight sleeve purple 5/pkg | pkg | 5 | pc |
| JR-55100-5 | Fitting PEEK one-piece hex-head short 10-32 5/pkg | pkg | 5 | pc |
| JR-55110-5 | Fitting PEEK one-piece hex-head long 10-32 5/pkg | pkg | 5 | pc |
| JR-5520-10 | Fitting PEEK HT 1/16in one-piece hex-head short 10-32 10'000 psi 10/pkg incl. | pkg | 10 | pc |
| JR-5525-10 | Fitting PEEK HT 1/32in one-piece hex-head short 6-40 9000 psi 10/pkg incl. CN | pkg | 10 | pc |
| JR-58000-5 | Fitting PPS hex-head one-piece black 10-32 5/pkg | pkg | 5 | pc |
| JR-CNFT | Tightening Tool for PEEK hex-head 1/32in nuts green | pc | | |
| JR-ZNFT | Tightening Tool for PEEK hex-head 1/16in nuts blue | pc | | |
| JR-55020-5 | Fitting PEEK one-piece natural 10-32 5/pkg | pkg | 5 | pc |
| JR-55021-5 | | pkg | 5 | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-55022-5 | Fitting PEEK one-piece red 10-32 5/pkg | pkg | 5 | pc |
| JR-55023-5 | Fitting PEEK one-piece yellow 10-32 5/pkg | pkg | 5 | pc |
| JR-55024-5 | Fitting PEEK one-piece blue 10-32 5/pkg | pkg | 5 | pc |
| JR-55025-5 | Fitting PEEK one-piece green 10-32 5/pkg | pkg | 5 | pc |
| JR-5504-5 | Fitting PEEK one-piece fingertight short head 10-32 5/pkg | pkg | 5 | pc |
| JR-5507-5 | Fitting PEEK one-piece fingertight long 10-32 5/pkg | pkg | 5 | pc |
| JR-5508-5 | Fitting PEEK 1/16inOD tubing one-piece fingertight hex-head 10-32 5/pkg | pkg | 5 | pc |
| JR-LZNF1KF-5 | Fitting PEEK No Twist 10-32 1/16in long hex-head with CTFE Ferrule 5/pkg | pkg | 5 | pc |
| JR-LZNF1PK-5 | Fitting PEEK No Twist 10-32 1/16in long hex-head with PEEK Ferrule 5/pkg | pkg | 5 | pc |
| JR-MZNF1KF-5 | Fitting PEEK No Twist 10-32 1/16in medium hex-head with CTFE Ferrule 5/pkg | pkg | 5 | pc |
| JR-MZNF1PK-5 | Fitting PEEK No Twist 10-32 1/16in medium hex-head with PEEK Ferrule 5/pkg | pc | | |
| JR-ZNF1FKF-5 | Fitting PEEK No Twist 10-32 1/16in fingertight with CTFE Ferrule 5/pkg | pkg | 5 | pc |
| JR-ZNF1FPK-5 | Fitting PEEK No Twist 10-32 1/16in fingertight with PEEK Ferrule 5/pkg | pkg | 5 | pc |
| JR-ZNF1FPKG-5 | Fitting PEEK No Twist 10-32 1/16in fingertight with glass filled PEEK Ferrule 5/p | pkg | 5 | pc |
| JR-ZNF1KF-5 | Fitting PEEK No Twist 10-32 1/16in short hex-head with CTFE Ferrule 5/pkg | pkg | 5 | pc |
| JR-ZNF1KF-F-5 | Ferrule 1/16in CTFE for No Twist fittings 5/pkg | pkg | 5 | pc |
| JR-ZNF1PK-5 | Fitting PEEK No Twist 10-32 1/16in short hex-head with PEEK Ferrule 5/pkg | pkg | 5 | pc |
| JR-ZNF1PK-F-5 | Ferrule 1/16in natural PEEK for No Twist fittings 5 /pkg | pkg | 5 | pc |
| JR-ZNF1PKG-5 | Fitting PEEK No Twist 10-32 1/16in short hex-head with glass filled PEEK Ferru | pkg | 5 | pc |
| JR-ZNF1PKG-F-5 | Ferrule 1/16in glass-filled PEEK for No Twist fittings 5 /pkg | pkg | 5 | pc |
| JR-5003-5 | Ferrule PEEK single 1/16in 5/pkg | pkg | 5 | pc |
| JR-5010-5 | Ferrule PEEK UHPLC 1/16in 5/pkg | pkg | 5 | pc |
| JR-5570-5 | Nut PEEK two-piece fingertight 10-32 5/pkg | pkg | 5 | pc |
| JR-ZF.5PK-5 | Ferrule PEEK 1/32in 5 /pkg | pkg | 5 | pc |
| JR-ZF2PK-5 | Ferrule PEEK 1/8in 5/pkg | pkg | 5 | pc |
| JR-ZN.5FPK-5 | Nut PEEK fingertight 1/32in 5 /pkg | pkg | 5 | pc |
| JR-ZN2PK-5 | Nut PEEK Hex-Head 1/8in 5/16in-24 5/pkg | pkg | 5 | pc |
| JR-5004-5 | Ferrule PEEK double 1/16in 5/pkg | pkg | 5 | pc |
| JR-5503-5 | Nut PEEK universal fingertight 10-32 5/pkg | pkg | 5 | pc |
| JR-5510-5 | Nut PEEK hex-head long 10-32 5/pkg | pkg | 5 | pc |
| JR-5511-5 | Nut PEEK hex-head short 10-32 5/pkg | pkg | 5 | pc |
| JR-5580-5 | Nut PEEK hand-tight 10-32 5/pkg | pkg | 5 | pc |
| JR-408 | Plug PEEK 10-32 | pc | | |
| JR-409 | Plug PEEK 1/4in-28 | pc | | |
| JR-410 | Plug PEEK M6 | pc | | |
| JR-CCPK-1 | Cap PEEK female 1/4in-28 | pc | | |
| JR-LZP1PK | Plug 1/16in long hex PEEK | pc | | |
| JR-MZP1PK | Plug 1/16in hex PEEK | pc | | |
| JR-ZC.5FPK | Cap 1/32in fingertight PEEK | pc | | |
| JR-ZC1PK | Cap PEEK female 10-32 | pc | | |
| JR-ZP.5FPK | Plug 1/32in fingertight PEEK | pc | | |
| JR-ZP1FPK | Plug 1/16in fingertight PEEK | pc | | |
| JR-FPKBSS.5 | Ferrule PEEK 1/32in incl. SS Bushing Pack of 10 sets | pkg | 10 | pc |
| JR-FPKBSS1 | Ferrule PEEK 1/16in incl. SS Bushing Pack of 10 sets | pkg | 10 | pc |
| JR-061 | Union PEEK 0.25 mm bore body only | pc | | |
| JR-066 | Union PEEK 0.50 mm bore body only | pc | | |
| JR-067 | Union PEEK 0.75 mm bore body only | pc | | |
| JR-1061 | Union PEEK 0.25 mm bore complete | pc | | |
| JR-1066 | Union PEEK 0.50 mm bore complete | pc | | |
| JR-1067 | Union PEEK 0.75 mm bore complete | pc | | |
| JR-CBN | JAM-NUT HEX: 1/2*3/8-24*1/8 TH NYLON | pc | | |
| JR-ZBU1CFPK | Bulkhead union PEEK 0.25 mm bore complete | pc | | |
| JR-ZBU1FPK | Bulkhead union PEEK 0.75 mm bore complete | pc | | |
| JR-ZBU1MFPK | Bulkhead union PEEK 0.50 mm bore complete | pc | | |
| JR-ZRU1.5FPK | Union PEEK reducing 1/16in - 1/32in 10-32 | pc | | |
| JR-ZRU21FPK | Union PEEK HP reducing complete 1/8in to 1/16in thru-hole 0.75 mm | pc | | |
| JR-1030 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-1032 | Tee PEEK HP 0.50 mm bore complete with one piece fittings | pc | | |
| JR-1033 | Tee PEEK HP 0.75 mm bore complete with one piece fittings | pc | | |
| JR-1040 | Cross PEEK HP 0.25 mm bore complete with one piece fittings | pc | | |
| JR-1042 | Cross PEEK HP 0.50 mm bore complete with one piece fittings | pc | | |
| JR-1043 | Cross PEEK HP 0.75 mm bore complete with one piece fittings | pc | | |
| JR-2030 | Tee PEEK HP 0.25 mm bore body only | pc | | |
| JR-2032 | Tee PEEK HP 0.50 mm bore body only | pc | | |
| JR-2033 | Tee PEEK HP 0.75 mm bore body only | pc | | |
| JR-2040 | Cross PEEK HP 0.25 mm bore body only | pc | | |
| JR-2042 | Cross PEEK HP 0.50 mm bore body only | pc | | |
| JR-2043 | Cross PEEK HP 0.75 mm bore body only | pc | | |
| JR-9000-0670 | Tee PEEK mixing complete with 10 um Titanium frit | pc | | |
| JR-0611 | Adapter PEEK Waters female to 10-32 male | pc | | |
| JR-0612 | Adapter PEEK 1/4in-28 female to 10-32 male | pc | | |
| JR-0617 | Adapter PEEK 10-32 female to 1/4in-28 male | pc | | |
| JR-062 | Adapter PEEK 10-32 female to 1/4in-28 female | pc | | |
| JR-0622 | Adapter PEEK 1/4in-28 female to m6 male | pc | | |
| JR-0623 | Adapter PEEK 10-32 female to female luer | pc | | |
| JR-0625 | Adapter PEEK 1/4in-28 female to female luer | pc | | |
| JR-0626 | Adapter PEEK 1/4in-28 female to male luer | pc | | |
| JR-5505 | Adapter PEEK M6 female to 10-32 male | pc | | |
| JR-5595 | Adapter PEEK 10-32 female to M6 female | pc | | |
| JR-CFLAPK | Female luer adapter to 1/4-28 1.5 mm bore PEEK | pc | | |
| JR-CMIAPK | male luer adapter to 1/4-28 1.5 mm bore PEEK | pc | | |
| JR-ZUFLPK | Female luer adapter to 10-32 female0.75 mm bore PEEK | pc | | |
| JR-56-5 | Nut SS 1/16in short Rheodyne 10-32 5/pkg | pkg | 5 | pc |
| JR-57-5 | Nut SS 1/16in long head Rheodyne 10-32 5/pkg | pkg | 5 | pc |
| JR-58-5 | Nut SS 1/16in x-long Rheodyne 10-32 5/pkg | pkg | 5 | pc |
| JR-60-5 | Ferrule SS 1/16in 2-step Rheodyne 5/pkg | pkg | 5 | pc |
| JR-LZN1-5 | Nut SS 1/16in Long Valco type 10-32 5/pkg | pkg | 5 | pc |
| JR-MZN1-5 | Nut SS 1/16in medium Valco type 10-32 5/pkg | pkg | 5 | pc |
| JR-ZN.5-5 | Nut SS 1/32in Valco type 6-40 5/pkg | pkg | 5 | pc |
| JR-ZN1-5 | Nut SS 1/16in Valco type 10-32 5/pkg | pkg | 5 | pc |
| JR-ZN2-5 | Nut SS 1/8in Valco type 5/16in-24 5/pkg | pkg | 5 | pc |
| JR-59-5 | Ferrule SS 1/16in 5/pkg | pkg | 5 | pc |
| JR-ZC.5 | Cap 1/32inSS | pc | | |
| JR-ZC1 | Cap SS female 1/16in | pc | | |
| JR-ZC2 | Cap SS female 1/8in | pc | | |
| JR-ZF.5 | Ferrule 1/32in 303 SS | pc | | |
| JR-ZF.5-5 | Ferrule 1/32in 303 SS 5/pkg | pkg | 5 | pc |
| JR-ZF1-5 | Ferrule 1/16in 303SS 5/pkg | pkg | 5 | pc |
| JR-ZP1 | Plug SS for 1/16in connections 10-32 | pc | | |
| JR-ZP2 | Plug SS for 1/8in connections 5/16in-24 | pc | | |
| JR-ZF1S6-5 | Ferrule SS 1/16in Valco type 5/pkg | pkg | 5 | pc |
| JR-ZT1 | Tee SS 0.75 mm bore 1/16in 10-32 complete | pc | | |
| JR-ZT1C | Tee SS 0.25 mm bore 1/16in 10-32 complete | pc | | |
| JR-ZT1M | Tee SS 0.5 mm bore 1/16in 10-32 complete | pc | | |
| JR-ZX1 | Cross SS 0.75 mm bore 1/16in 10-32 complete | pc | | |
| JR-ZX1C | Cross SS 0.25 mm bore 1/16in 10-32 complete | pc | | |
| JR-ZX1M | Cross SS 0.50 mm bore 1/16in 10-32 complete | pc | | |
| JR-ZF2S6-5 | Ferrule SS 1/8in Valco type 5/pkg | pkg | 5 | pc |
| JR-ZRU21 | Union SS reducing 1/8in to 1/16in bore 0.75 mm complete | pc | | |
| JR-ZU1CS6 | Union SS bore 0.25 mm 1/16in 10-32 complete | pc | | |
| JR-ZU1mS6 | Union SS bore 0.50 mm 1/16in 10-32 complete | pc | | |
| JR-ZU1S6 | Union SS bore 0.75 mm 1/16in 10-32 complete | pc | | |
| JR-ZU1XC | Union 1/16in.15 mm bore SS | pc | | |
| JR-082 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-083 | Ferrule SS 2 mm 10-32 | pc | | |
| JR-083-5 | Ferrule SS 2 mm 10-32 5/pkg | pkg | 5 | pc |
| JR-086 | Union SS reducing 1/8in to 3.0 mm 5/16in-24 bore 0.75 mm complete incl. nuts | pc | | |
| JR-087 | Ferrule SS 3 mm 5/16in-24 | pc | | |
| JR-087-5 | Ferrule SS 3 mm 5/16in-24 5/pkg | pkg | 5 | pc |
| JR-096 | Union SS reducing 1/32in to 1.0 mm 6-40 - 10-32 bore 0.25 mm complete incl. | pc | | |
| JR-097 | Ferrule SS 1mm 10-32 | pc | | |
| JR-097-5 | Ferrule SS 1mm 10-32 5/pkg | pkg | 5 | pc |
| JR-80-5 | Nut SS 2 mm Valco type 10-32 5/pkg | pc | | |
| JR-ZF.5S6-5 | Ferrule SS 1/32in Valco type 5/pkg | pkg | 5 | pc |
| JR-C-EN.5FPKB | Nut PEEK External 1/32in | pc | | |
| JR-C-NERU1FPK | Union PEEK 150 um bore reducing ext.1/16in - Int. 1/32in | pc | | |
| JR-C-NEU.5FPK | Union PEEK 150 um bore int. 1/32in - Ext. 1/32in ZDVF | pc | | |
| JR-C-NEU.5XFPK | Union PEEK 100 um bore int. 1/32in - Ext. 1/32in ZDVF | pc | | |
| JR-C-NNFFPK | Fitting PEEK one-piece short grooved ferrule 1/32in | pc | | |
| JR-EN1FPKB | Nut PEEK External 1/16in | pc | | |
| JR-ZGF.5PK | Ferrule PEEK grooved 1/32in | pc | | |
| JR-ZGF1PK | Ferrule PEEK grooved 1/16in | pc | | |
| JR-C360CPK | Cap 360 um PEEK | pc | | |
| JR-C360ET | make up extender tool for 360 um nuts | pc | | |
| JR-C360PPK | Plug 360 um PEEK | pc | | |
| JR-C360QTPK2 | Tee 360 um quick mount 50 um bore for PEEK and FS Tubing (for < 10 kpsi) | pc | | |
| JR-C360QTPK4 | Tee 360 um quick mount 100 um bore for PEEK and FS Tubing (for < 10 kpsi) | pc | | |
| JR-C360QTPK6 | Tee 360 um quick mount 150 um bore for PEEK and FS Tubing (for < 10 kpsi) | pc | | |
| JR-C360QUPK2 | Union 360 um quick mount 50 um bore for PEEK and FS Tubing (for < 10 kpsi) | pc | | |
| JR-C360QUPK4 | Union 360 um quick mount 100 um bore for PEEK and FS Tubing (for < 10 kpsi | pc | | |
| JR-C360QUPK6 | Union 360 um quick mount 150 um bore for PEEK and FS Tubing (for < 10 kpsi | pc | | |
| JR-C360QXPK2 | Cross 360 um quick mount 50 um bore for PEEK and FS Tubing (for < 10 kpsi) | pc | | |
| JR-C360QXPK4 | Cross 360 um quick mount 100 um bore for PEEK and FS Tubing (for < 10 kps | pc | | |
| JR-C360QXPK6 | Cross 360 um quick mount 150 um bore for PEEK and FS Tubing (for < 10 kps | pc | | |
| JR-C360RU1PK6 | Reducing union 1/16in to 360 um 150 um bore for PEEK+FS tubing (for<10kpsi | pc | | |
| JR-C360UPK2 | Union 360 um 50 um bore for PEEK and FS tubing (for < 10 kpsi) | pc | | |
| JR-C360UPK4 | Union 360 um 100 um bore for PEEK and FS tubing (for < 10 kpsi) | pc | | |
| JR-C360UPK6 | Union 360 um 150 um bore for PEEK and FS tubing (for < 10 kpsi) | pc | | |
| JR-C360C | Cap 360 umSS | pc | | |
| JR-C360CFS | Cap 360 umSS for FS tubing > 10'000 psi | pc | | |
| JR-C360NFFS | Nut 360 um No Twist for FS tubing (for> 10 kpsi) | pc | | |
| JR-C360NFS6 | Nut 360 um No Twist SS with 316 ferrule | pc | | |
| JR-C360RU.5FS2 | Reducing union 1/32in to 360 um 50 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360RU.5FS4 | Reducing union 1/32in to 360 um 100 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360RU.5FS6 | Reducing union 1/32in to 360 um 150 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360RU.5S62 | Reducing union 1/32in to 360 um 50 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-C360RU.5S64 | Reducing union 1/32in to 360 um 100 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-C360RU.5S66 | Reducing union 1/32in to 360 um 150 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-C360RU1FS6 | Reducing union 1/16in to 360 um 150 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360RU1S66 | Reducing union 1/16in to 360 um 150 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-C360UFS2 | Union 360 um 50 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360UFS4 | Union 360 um 100 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360UFS6 | Union 360 um 150 um bore for FS tubing (for > 10 kpsi) | pc | | |
| JR-C360US62 | Union 360 um 50 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-C360US64 | Union 360 um 100 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-C360US66 | Union 360 um 150 um bore for metal tubing (up to 20 kpsi) | pc | | |
| JR-031-10 | Ferrule ETFE 1 mm 10/pkg | pkg | 10 | pc |
| JR-032-10 | Ferrule ETFE 1/32in 10/pkg | pkg | 10 | pc |
| JR-041-10 | Ferrule ETFE 1/16in 10/pkg | pkg | 10 | pc |
| JR-042-10 | Ferrule ETFE 2.1 mm bore 10 / pkg | pkg | 10 | pc |
| JR-049-10 | | pkg | 10 | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-051-10 | Ferrule ETFE 1/8in 10/pkg | pkg | 10 | pc |
| JR-201926-10 | Ring PP flanged 1/16in 10/pkg | pkg | 10 | pc |
| JR-201928-10 | Ring PP flanged 1/8in 10/pkg | pkg | 10 | pc |
| JR-55050-10 | Nut PPS for collaps. ferrule 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55051-10 | Nut PPS for collaps.ferrule 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55060-10 | Nut PPS flanged 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55061-10 | Nut PPS flanged 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55070-10 | Nut PPS flangeless 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55071-10 | Nut PPS flangeless 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55072-10 | Nut PPS flangeless 2 mm' 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-55073-10 | Nut PPS flangeless 1.0 mm 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-CFL-CB1KF | Ferrule CTFE collapsible 1/16in 10/pkg | pkg | 10 | pc |
| JR-CFL-CB1PK | Ferrule PEEK collapsible 1/16in 10/pkg | pkg | 10 | pc |
| JR-040BK-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 black 10/pkg | pkg | 10 | pc |
| JR-040BL-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 blue 10/pkg | pkg | 10 | pc |
| JR-040GR-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 green 10/pkg | pkg | 10 | pc |
| JR-040RE-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 red 10/pkg | pkg | 10 | pc |
| JR-040WH-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 white 10/pkg | pkg | 10 | pc |
| JR-040WL-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 1inlong white 10/pkg | pkg | 10 | pc |
| JR-040YL-10 | Nut Polyacetal flangeless 1/16in 1/4in-28 yellow 10/pkg | pkg | 10 | pc |
| JR-050BK-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 black 10/pkg | pkg | 10 | pc |
| JR-050BL-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 blue 10/pkg | pkg | 10 | pc |
| JR-050GR-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 green 10/pkg | pkg | 10 | pc |
| JR-050RE-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 red 10/pkg | pkg | 10 | pc |
| JR-050WH-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 white 10/pkg | pkg | 10 | pc |
| JR-050WL-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 1in long white 10/pkg | pkg | 10 | pc |
| JR-050YL-10 | Nut Polyacetal flangeless 1/8in 1/4in-28 yellow 10/pkg | pkg | 10 | pc |
| JR-20116-10 | Nut PEEK flangefree natural 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-20124-10 | Nut PEEK flangefree natural 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-060-5 | Union Polyamid LP body only 1/4in-28 for flanged tubing only 5/pkg | pkg | 5 | pc |
| JR-201094BK-10 | Nut PP flanged black 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-201094WH-10 | Nut PP flanged white 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-201580BK-10 | Nut PP flanged black 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-201580WH-10 | Nut PP flanged white 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202118-10 | Nut PP flanged black x-long 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202119-10 | Nut PP flanged white x-long 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202120-10 | Nut PP flanged white x-long 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202121-10 | Nut PP flanged black x-long 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202122-10 | Nut PP flanged blue 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202123-10 | Nut PP flanged green 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202124-10 | Nut PP flanged yellow 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202125-10 | Nut PP flanged red 1/16in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202142-10 | Nut PP flanged blue 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202143-10 | Nut PP flanged green 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202144-10 | Nut PP flanged yellow 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-202145-10 | Nut PP flanged red 1/8in 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-064 | Union PEEK LP 0.5 mm bore body only 1/4in-28 | pc | | |
| JR-065 | Union PEEK LP 1.3 mm bore body only 1/4in-28 | pc | | |
| JR-068 | Union PEEK LP 0.75 mm bore body only 1/4in-28 | pc | | |
| JR-1064 | Union PEEK LP 0.5 mm bore complete | pc | | |
| JR-1065 | Union PEEK LP 1.3 mm bore complete | pc | | |
| JR-1068 | Union PEEK LP 0.75 mm bore complete | pc | | |
| JR-CBULPK | Bulkhead Union PEEK LP 1.50 mm bore complete | pc | | |
| JR-CBUMPK | Bulkhead Union PEEK LP 0.75 mm bore complete | pc | | |
| JR-0640 | Reducing Union PEEK LP 0.5 mm bore 1/4in-28 with nuts and ferrules 1/32in tc | pc | | |
| JR-CFL-2W-S | Nut PP 1/8in white 1/4in-28 each | pc | | |
| JR-CFL-4D | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-CFL-CB4KF-S | Ferrule CTFE collapsible 1/4in | pc | | |
| JR-CU4LPK | Reducing Union PEEK LP 1.5 mm bore 1/4in to 1/8in complete | pc | | |
| JR-6029 | Tee PEEK LP bore 0.50 mm complete | pc | | |
| JR-6030 | Tee PEEK LP bore 0.8 mm complete | pc | | |
| JR-6031 | Tee PEEK LP bore 1.5 mm complete | pc | | |
| JR-6032 | Tee PEEK LP bore 0.8 mm body only | pc | | |
| JR-6033 | Tee PEEK LP bore 1.5 mm body only | pc | | |
| JR-6034 | Tee PEEK LP bore 0.50 mm body only | pc | | |
| JR-6039 | Cross PEEK LP bore 0.50 mm complete | pc | | |
| JR-6040 | Cross PEEK LP bore 0.8 mm complete | pc | | |
| JR-6041 | Cross PEEK LP bore 1.5 mm complete | pc | | |
| JR-6042 | Cross PEEK LP bore 0.8 mm body only | pc | | |
| JR-6043 | Cross PEEK LP bore 1.5 mm body only | pc | | |
| JR-6044 | Cross PEEK LP bore 0.50 mm body only | pc | | |
| JR-B-C5M1PK | Body Cheminert manifold 1/4in-28 1/16in OD tubing 4 inlets 1 outlet .75 mm bo | pc | | |
| JR-B-C5M2PK | Body Cheminert manifold 1/4in-28 1/8in OD tubing 4 inlets 1 outlet 1.50 mm bo | pc | | |
| JR-B-C9M1PK | Body Cheminert manifold 1/4in-28 1/16in OD tubing 8 inlets 1 outlet .75 mm bo | pc | | |
| JR-B-C9M2PK | Body Cheminert manifold 1/4in-28 1/8in OD tubing 8 inlets 1 outlet 1.50 mm bo | pc | | |
| JR-C5M1PK | manifold PEEK 5 ports LP 0.75 mm complete | pc | | |
| JR-C5M2PK | manifold PEEK 5 ports LP 0.1.50 mm complete | pc | | |
| JR-C9M1PK | manifold PEEK 9 ports LP 0.75 mm complete | pc | | |
| JR-C9M2PK | manifold PEEK 9 ports LP 1.50 mm complete | pc | | |
| JR-B-CM1XPK | Body Cheminert mixing tee 1/4in-28 for 1/16in tubing 0.75 mm bore PEEK | pc | | |
| JR-B-CM2XPK | Body Cheminert mixing tee 1/4in-28 for 1/18in tubing 1.5 mm bore PEEK | pc | | |
| JR-CM1XPK | mixing Tee PEEK LP 0.75 mm complete | pc | | |
| JR-CM2XPK | mixing Tee PEEK LP 1.50 mm complete | pc | | |
| JR-070101-10 | Adapter PP female to female Luer 10/pkg | pkg | 10 | pc |
| JR-070111-10 | Adapter PP female Luer to 1/16in barbed 10/pkg | pkg | 10 | pc |
| JR-070112-10 | Adapter PP female Luer to 3/32 barbed 10/pkg | pkg | 10 | pc |
| JR-070113-10 | Adapter PP female Luer to 1/8in barbed 10/pkg | pkg | 10 | pc |
| JR-070123-10 | Adapter PP female Luer to 1/4in-28 male 10/pkg | pkg | 10 | pc |
| JR-070124-10 | Adapter PP female Luer to 10-32 male 10/pkg | pkg | 10 | pc |
| JR-070211-10 | Adapter PP male Luer to 1/16in barbed 10/pkg | pkg | 10 | pc |
| JR-070212-10 | Adapter PP male Luer to 3/32 barbed 10/pkg | pkg | 10 | pc |
| JR-070213-10 | Adapter PP male Luer to 1/8in barbed 10/pkg | pkg | 10 | pc |
| JR-070224-10 | Adapter PP male Luer to 10-32 male 10/pkg | pkg | 10 | pc |
| JR-070225-10 | Adapter PP male Luer to 1/4in-28 male 10/pkg | pkg | 10 | pc |
| JR-071123-10 | Adapter PP 1/4in-28 thread to 1/16in barbed 10/pkg | pkg | 10 | pc |
| JR-071124-10 | Adapter PP 10-32 thread to 1/16in barbed 10/pkg | pkg | 10 | pc |
| JR-071323-10 | Adapter PP 1/4in-28 thread to 1/8in barbed 10/pkg | pkg | 10 | pc |
| JR-071324-10 | Adapter PP 10-32 thread to 1/8in barbed 10/pkg | pkg | 10 | pc |
| JR-072350-10 | Plug PP 1/4in-28 10/pkg | pkg | 10 | pc |
| JR-072450-10 | Plug PP 10-32 male 10/pkg | pkg | 10 | pc |
| JR-075013 | Barbed hose adapter PP/PA 1/4in-28 to 1/8in ID | pc | | |
| JR-201999-10 | Plug PP 1/4in-28 black 10/pkg | pkg | 10 | pc |
| JR-660100 | Valve 3-port manual T-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-660110 | Valve 4-port manual T-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-660200 | Valve 2-port manual 180-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-660210 | Valve 4-port manual 180-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-660300 | Valve 2-port manual 90-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-660310 | Valve 3-port manual 90-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-660320 | Valve 4-port manual 90-flow complete 200psi .06in bore 1/4-28 fitting detail | pc | | |
| JR-CFL-CB2KF | Ferrule CTFE collapsible 1/8in 10/pkg | pkg | 10 | pc |
| JR-PTAS | Peristaltic Tubing Adapter Set complete | pc | | |
| JR-CFE-S10-5 | In-line filter Cartridge 10 um 5/pkg | pkg | 5 | pc |
| JR-CFE-S2-5 | In-line filter Cartridge 2 um 5/pkg | pkg | 5 | pc |
| JR-CFE-S75-5 | | pkg | 5 | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-4676-10 | Filter SS Economy mobile phase 10 um | pc | | |
| JR-4676-10TF | Filter PTFE Economy mobile phase 10 um | pc | | |
| JR-4676-2 | Filter SS Economy mobile phase 2 um | pc | | |
| JR-4676-2.5TF | Filter PTFE Economy mobile phase 2.5 um | pc | | |
| JR-4676-5TF | Filter PTFE Economy mobile phase 5 um | pc | | |
| JR-4677-10 | Filter SS Economy mobil phase 10 um | pc | | |
| JR-4677-10TF | FIlter PTFE Economy mobile phase 10 um | pc | | |
| JR-4677-2 | Filter SS Economy mobile phase 2 um | pc | | |
| JR-4677-2.5TF | Filter PTFE Economy mobile phase 2.5 um | pc | | |
| JR-4677-5TF | Filter PTFE Economy mobile phase 5 um | pc | | |
| JR-9000-0520 | Filter PTFE Last Drop 2.5 um Tripod stepped tubing connector | pc | | |
| JR-9000-0520F | Filter PTFE Last Drop 2.5 umflangeless connector | pc | | |
| JR-9000-0521 | Filter PTFE Last Drop 5 um Tripod stepped tubing connector | pc | | |
| JR-9000-0521F | Filter PTFE Last Drop 5 umflangeless connector | pc | | |
| JR-9000-0522 | Filter PTFE Last Drop 10 um Tripod stepped tubing connector | pc | | |
| JR-9000-0522F | Filter PTFE Last Drop 10 umflangeless connector | pc | | |
| JR-9000-0522H | Filter PE Last Drop 10 um hydrophobic Tripod stepped tubing connector | pc | | |
| JR-9000-0522HF | Filter PE Last Drop 10 um hydrophobicflangeless connector | pc | | |
| JR-9000-0530 | Filter SS Last Drop 2 um Tripod stepped tubing connector | pc | | |
| JR-9000-0530F | Filter SS Last Drop 2 um flangeless connector | pc | | |
| JR-9000-0531 | Filter SS Last Drop 5 um Tripod stepped tubing connector | pc | | |
| JR-9000-0531F | Filter SS Last Drop 2 um flangeless connector | pc | | |
| JR-9000-0532 | Filter SS Last Drop 10 um Tripod stepped tubing connector | pc | | |
| JR-9000-0532F | Filter SS Last Drop 10 um fitting connector | pc | | |
| JR-32171 | Filter PTFE mobile phase No-Met 5 um 1/8in | pc | | |
| JR-32172 | Filter PTFE mobile phase replacement No-Met 5 um | pc | | |
| JR-32174 | Filter PE Economy No-Met 5 um 1/8in | pc | | |
| JR-32178 | Filter PE mobile phase No-Met 20 um 1/8in | pc | | |
| JR-32179 | Filter PE mobile phase replacement No-Met 20 um | pc | | |
| JR-9000-0520B | Filter Glass Last Drop 1-1.6 um boro 3.3 filter incl. connector JR-9000-0525GC | pc | | |
| JR-9000-0520GC | Connector PTFE for 1/8in tubing connector for JR-9000-0520G | pc | | |
| JR-9000-0525GC | Connector PTFE for 1/8in tubing connector for JR-9000-0525G ..0526G... | pc | | |
| JR-9000-0526G | Filter Glass Last Drop 16 um glass frit incl. connector JR-9000-0525GC | pc | | |
| JR-9000-0528G | Filter Glass Last Drop 100 um glass frit incl. connector JR-9000-0525GC | pc | | |
| JR-367008-10 | Filter SS mobile phase 10 umfittings for 1/8in tubing | pc | | |
| JR-367008-2 | Filter SS mobile phase 2 umfittings for 1/8in tubing | pc | | |
| JR-367008-20 | Filter SS mobile phase 20 umfittings for 1/8in tubing | pc | | |
| JR-367016-10 | Filter SS mobile phase 10 umfittings for 1/16in tubing | pc | | |
| JR-367016-2 | Filter SS mobile phase 2 umfittings for 1/16in tubing | pc | | |
| JR-367016-20 | Filter SS mobile phase 20 umfittings for 1/16in tubing | pc | | |
| JR-3675-2 | Filter SS mobile phase 2 um 1/8in pipe OD | pc | | |
| JR-3678-2 | Filter SS mobile phase 2 um 1/8in pipe OD | pc | | |
| JR-3678-25 | Filter SS mobile phase 25 um 1/8in pipe OD | pc | | |
| JR-9000-0602 | Filter/Sparger PTFE  Last Drop 2.5 um filter 10 um sparger | pc | | |
| JR-9000-0603 | Filter/Sparger PTFE Last Drop 5 um filter 10 um sparger | pc | | |
| JR-9000-0604 | Filter/Sparger PTFE  Last Drop 10 um filter 10 um sparger | pc | | |
| JR-9000-0604H | Filter/Sparger PTFE hydrophobic  Last Drop 10 um filter 10 um sparger | pc | | |
| JR-9000-0640 | Filter/Sparger SS Last Drop 2 um filter 10 um sparger | pc | | |
| JR-9000-0641 | Filter/Sparger SS Last Drop 5 um filter 10 um sparger | pc | | |
| JR-9000-0642 | Filter/Sparger SS Last Drop 10 um filter 10 um sparger | pc | | |
| JR-0611-SS05-3 | Sure-Guard disposable In-Line FilterSS frit 0.5 um 3/pkg | pkg | 3 | pc |
| JR-0611-SS2-3 | Sure-Guard disposable In-Line FilterSS frit 2.0 um 3/pkg | pkg | 3 | pc |
| JR-0611-TI05-3 | Sure-Guard disposable In-Line Filter TI frit 0.5 um 3/pkg | pkg | 3 | pc |
| JR-0611-TI2-3 | Sure-Guard disposable In-Line Filter TI frit 2.0 um 3/pkg | pkg | 3 | pc |
| JR-68247 | Filter PEEK In-Line complete frit Ti PEEK-encased 0.5 um | pc | | |
| JR-68253 | Filter PEEK In-Line frit Ti PEEK-encased 2 um | pc | | |
| JR-68256 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | |
|---|---|---|
| JR-68257 | Filter PEEK In-Line complete frit Ti PEEK-encased 10 um | pc |
| JR-68257PE | Filter PEEK In-Line complete frit PE- PEEK-encased 10 um | pc |
| JR-68258 | Filter PEEK pre-column frit Ti PEEK-encased 0.5 um | pc |
| JR-68262 | Filter PEEK pre-column frit Ti PEEK-encased 2 um | pc |
| JR-68263 | Filter PEEK pre-column frit Ti PEEK-encased 5 um | pc |
| JR-68264 | Filter PEEK pre-column frit Ti  PEEK-encased 10 um | pc |
| JR-68264PE | Filter PEEK pre-column frit PE PEEK-encased 10 um | pc |
| JR-69230-05 | Filter SS pre-column UHPLC 0.5 um porosity | pc |
| JR-69230-2 | Filter SS pre-column UHPLC 2 um porosity | pc |
| JR-69230-5 | Filter SS pre-column UHPLC 5 um porosity | pc |
| JR-69330-05 | Filter SS pre-column UHPLC 0.5 um porosity complete with nut and ferrule (inle | pc |
| JR-69330-2 | Filter SS pre-column UHPLC 2 um porosity complete with nut and ferrule (inlet) | pc |
| JR-69330-5 | Filter SS pre-column UHPLC 5 um porosity complete with nut and ferrule (inlet) | pc |
| JR-68230-05 | Filter SS In-Line ID 0.25 mm complete frit SS 0.5 um | pc |
| JR-68230-2 | Filter SS In-Line ID 0.25 mm complete frit SS 2 um | pc |
| JR-68230-5 | Filter SS In-Line ID 0.25 mm complete frit SS 5 um | pc |
| JR-68231-05 | Filter SS In-Line ID 0.75 mm complete frit SS 0.5 um | pc |
| JR-68231-2 | Filter SS In-Line ID 0.75 mm complete frit SS 2 um | pc |
| JR-68231-5 | Filter SS In-Line ID 0.75 mm complete frit SS 5 um | pc |
| JR-68330-05 | Filter SS In-Line ID 0.25 mm complete frit SS 0.5 um with nuts and ferrules | pc |
| JR-68330-2 | Filter SS In-Line ID 0.25 mm complete frit SS 2 um with nuts and ferrules | pc |
| JR-68330-5 | Filter SS In-Line ID 0.25 mm complete frit SS 5 um with nuts and ferrules | pc |
| JR-68331-05 | Filter SS In-Line ID 0.75 mm complete frit SS 0.5 um with nuts and ferrules | pc |
| JR-68331-2 | Filter SS In-Line ID 0.75 mm complete frit SS 2 um with nuts and ferrules | pc |
| JR-68331-5 | Filter SS In-Line ID 0.75 mm complete frit SS 5 um with nuts and ferrules | pc |
| JR-S-20003 | Safety Air Inlet Valve with 4 mm filter for VICI Caps or VICI Safety Caps | pc |
| JR-S-20004 | Safety Air outlet valve with 4 mm filter for VICI Caps or VICI Safety Caps | pc |
| JR-S-20006 | Safety Air Inlet Valve without filter for VICI Caps or VICI Safety Caps | pc |
| JR-S-20007 | Filter cellulose 4 mm 0.2 um for Air Inlet Valve | pc |
| JR-S-20008 | Filter cellulose 15 mm 0.2 um for Air Inlet Valve | pc |
| JR-S-20009 | Safety Air Inlet Valve with 15 mm filter for VICI Caps or VICI Safety Caps | pc |
| JR-S-20002 | Safety Exhaust Filter for VICI Caps or VICI Safety Caps | pc |
| JR-S-20005 | Safety Exhaust filter with Breakthrough Detector for VICI Caps or VICI Safety C | pc |
| JR-S-40004 | Adapter connecting JR-S-20002/JR-S-20005 in SCAT/AIT Caps | pc |
| JR-9000-0005 | Bottle Glass safety-coated 1 L with solid cap | pc |
| JR-9000-0010 | Bottle Glass safety-coated 2 L with solid cap | pc |
| JR-S-11111 | VICI-Safety-Cap GL45 2 portsKit 1 L | pc |
| JR-S-11112 | VICI-Safety-Cap GL45  3 portsKit 1 L | pc |
| JR-S-11113 | VICI-Safety-Cap GL45 4 portsKit 1 L | pc |
| JR-S-11211 | VICI-Safety-Cap GL45 2 portsKit 2 L | pc |
| JR-S-11212 | VICI-Safety-Cap GL45 3 portsKit 2 L | pc |
| JR-S-11213 | VICI-Safety-Cap GL45 4 portsKit 2 L | pc |
| JR-S-40008 | O-Ring FEP coated GL45 Caps | pc |
| JR-S-11011 | VICI-Safety-Cap GL45 2 ports with valves | pc |
| JR-S-11012 | VICI-Safety-Cap GL45 3 ports with valves | pc |
| JR-S-11013 | VICI-Safety-Cap GL45 4 ports with valves | pc |
| JR-S-15011 | VICI-Safety-Cap DIN 50 2 ports with valves | pc |
| JR-S-15012 | VICI-Safety-Cap DIN 50 3 ports with valves | pc |
| JR-S-15013 | VICI-Safety-Cap DIN 50 4 ports with valves | pc |
| JR-201999 | Plug PP 1/4in-28 black | pc |
| JR-S-11001 | VICI-Cap GL45 2 ports | pc |
| JR-S-11002 | VICI-Cap GL45 3 ports | pc |
| JR-S-11003 | VICI-Cap GL45 4 ports | pc |
| JR-S-11005 | VICI-Cap GL45 6 ports | pc |
| JR-S-11006 | VICI-Cap GL45 7 ports | pc |
| JR-S-11101 | VICI-Cap GL45 2 portsKit 1 L | pc |
| JR-S-11102 | | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-S-11103 | VICI-Cap GL45 4 portsKit 1 L | pc | | |
| JR-S-11201 | VICI-Cap GL45 2 portsKit 2 L | pc | | |
| JR-S-11202 | VICI-Cap GL45 3 portsKit 2 L | pc | | |
| JR-S-11203 | VICI-Cap GL45 4 portsKit 2 L | pc | | |
| JR-S-13001 | VICI-Cap GL38 2 ports | pc | | |
| JR-S-13002 | VICI-Cap GL38 3 ports | pc | | |
| JR-S-13003 | VICI-Cap GL38 4 ports | pc | | |
| JR-S-14002 | VICI-Cap S40 3 ports | pc | | |
| JR-S-15001 | VICI-Cap DIN 50 2 ports | pc | | |
| JR-S-15002 | VICI-Cap DIN 50 3 ports | pc | | |
| JR-S-15003 | VICI-Cap DIN 50 4 ports | pc | | |
| JR-S-40006 | Adapter Ring VICI Caps GL 38 | pc | | |
| JR-S-40009 | O-Ring FEP coated GL38 Caps | pc | | |
| JR-S-11023 | VICI-Cap GL45 4 ports for angled barbed adapter incl. nuts and ferrules withou | pc | | |
| JR-S-18004 | VICI-Cap GLS 80 5 ports incl. nuts ferrules and Plug 1/4in | pc | | |
| JR-S-18014 | VICI-Cap GLS 80 5 ports for angled barbed adapt. incl. nuts and ferrules withou | pc | | |
| JR-S-15103 | VICI-Cap S 51 4 ports incl. nuts ferrulles and Plug 1/4in | pc | | |
| JR-S-15113 | VICI-Cap S 51 4 ports for angled barbed adapter incl. nuts and ferrules without | pc | | |
| JR-S-16003 | VICI-Cap DIN 60 4 ports incl. nuts ferrules and Plug 1/4in | pc | | |
| JR-S-16013 | VICI-Cap DIN 60 4 ports for angled barbed adapte incl. nuts and ferrules withou | pc | | |
| JR-S-16103 | VICI-Cap S 61 4 ports incl. nuts ferrules and Plug 1/4in | pc | | |
| JR-S-16113 | VICI-Cap S 61 4 ports for angled barbed adapter incl. nuts and ferrules without | pc | | |
| JR-S-15303 | VICI-Cap B 53 4 ports incl. nuts ferrules and Plug 1/4in | pc | | |
| JR-S-15313 | VICI-Cap B 53 4 ports for angled barbed adapter incl. nuts and ferrules without | pc | | |
| JR-S-18304 | VICI-Cap B 83 5 ports incl. nuts ferrulles and Plug 1/4in | pc | | |
| JR-S-18314 | VICI-Cap B 83 5 ports for angled barbed adapt. incl. nuts and ferrules without b | pc | | |
| JR-S-40007 | Plug PTFE 1/2in-20 for JR-CFL-4D | pc | | |
| JR-S-40104 | Adapter angled Nylon barbed for 4 mm ID tubing to thread | pc | | |
| JR-S-40106 | Adapter angled Nylon barbed for 6 mm ID tubing to thread | pc | | |
| JR-S-40108 | Adapter angled Nylon barbed for 8 mm ID tubing to thread | pc | | |
| JR-S-40200 | Adapter POm 1/2in-20 to 1/4in-28 for Waste Caps | pc | | |
| JR-070350-10 | Plug PP male Luer 10/pkg | pkg | 10 | pc |
| JR-9000-0007 | Cap Tefzel Eco-Cap GL-45 | pc | | |
| JR-9000-0013 | Kit Tefzel Eco-Cap GL-45 incl. 1 L Safety Coated Bottle | pc | | |
| JR-9000-0014 | Kit Tefzel Eco-Cap GL-45 incl. 2 L Safety Coated Bottle | pc | | |
| JR-6120-50030 | Solviflex assembly without cap | pc | | |
| JR-9000-0011 | Bottle Glass safety-coated 0.25 L with solid cap | pc | | |
| JR-9000-0012 | Bottle Glass safety-coated 0.5 L with solid cap | pc | | |
| JR-S-20100 | Safety CO2 Filter for VICI Caps or VICI Safety Caps | pc | | |
| JR-S-20200 | Safety Humidity Filter for VICI Caps or VICI Safety Caps | pc | | |
| JR-F-255-079-10PE- | Frit PE 0.255inOD 0.079in thick 10 um 5 /pkg | pkg | 5 | pc |
| JR-.5FR1-5 | Frit SS 1/16in diam. x 0.030in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-.5FR1TI-5 | Frit Ti. 1/16in diam. x 0.062in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-.5FR2-5 | Frit SS 1/8in diam. x 0.040in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-.5FR4-5 | Frit SS 1/4in diam. x 0.040in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-.5FR6-5 | Frit SS 3/8in diam. x 0.040in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-.5FR8-5 | Frit SS 1/2in diam. x 0.040in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-10FR1-5 | Frit SS 1/16in diam. x 0.030in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-10FR1K-5 | Frit SS 1in diam. x 0.060in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-10FR2-5 | Frit SS 1/8in diam. x 0.040in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-10FR4-5 | Frit SS 1/4in diam. x 0.040in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-10FR6-5 | Frit SS 3/8in diam. x 0.040in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-10FR8-5 | Frit SS 1/2in diam. x 0.040in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-10FR8TI-5 | Frit Ti 1/2in diam. x 0.040in thickn. 10 um 5/pkg | pkg | 5 | pc |
| JR-1FR1-5 | Frit SS 1/16in diam. x 0.030in thickn. 1 um 5/pkg | pkg | 5 | pc |
| JR-1FR2-5 | Frit SS 1/8in diam. x 0.030in thickn. 1 um 5/pkg | pkg | 5 | pc |
| JR-2FR1-5 | | pkg | 5 | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-2FR1K-5 | Frit SS 1in diam. x 0.060in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR1KTI-5 | Frit Ti 1in diam. x 0.060in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR1TI-5 | Frit Ti 1/16in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR2-5 | Frit SS 1/8in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR2TI-5 | Frit Ti 1/8in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR4-5 | Frit SS 1/4in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR4TI-5 | Frit Ti 1/4in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR6-5 | Frit SS 3/8in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR6TI-5 | Frit Ti 3/8in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR8-5 | Frit SS 1/2in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-2FR8TI-5 | Frit Ti 1/2in diam. x 0.040in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1100-05P-5 | Frit SS PEEK-encased 1/4in diam. x 0.062in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1100-2P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1101-05P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1101-2P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1102-05P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1102-2P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1103-05P-5 | Frit SS PEEK enc. 1/4in diam. x 0.032in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1103-2P-5 | Frit SS PEEK enc. 1/4in diam. x 0.032in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1104-05P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1104-2P-5 | Frit SS PEEK enc. 1/4in diam. x 0.062in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1110-05P-5 | Frit SS PEEK enc.0.115in diam. x 0.028in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1110-2P-5 | Frit SS PEEK enc.0.115in diam. x 0.028in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1110-5P-5 | Frit SS PEEK encased0.115in diam. x 0.028in thickn. 5 um 5/pkg | pkg | 5 | pc |
| JR-1111-05P-5 | Frit SS PEEK enc.0.115in diam. x 0.028in thickn. 0.5 um 5/pkg | pkg | 5 | pc |
| JR-1111-2P-5 | Frit SS PEEK enc.0.115in diam. x 0.028in thickn. 2 um 5/pkg | pkg | 5 | pc |
| JR-1111-5P-5 | Frit SS PEEK enc.0.115in diam. x 0.028in thickn. 5 um 5/pkg | pkg | 5 | pc |
| JR-1125-05P-5 | Frit Ti 4.6 mm diam. 0.5 um PEEK-encased 0.25in x 0.062in thick 5/pkg | pkg | 5 | pc |
| JR-1125-10P-5 | Frit Ti 4.6 mm diam. 10 um PEEK-encased 0.25in x 0.062in thick 5/pkg | pkg | 5 | pc |
| JR-1125-2P-5 | Frit Ti 4.6 mm diam. 2 um PEEK-encased 0.25in x 0.062in thick 5/pkg | pkg | 5 | pc |
| JR-1125-5P-5 | Frit Ti 4.6 mm diam. 5 um PEEK-encased 0.25in x 0.062in thick 5/pkg | pkg | 5 | pc |
| JR-1127-05P-5 | Frit Ti 3.2 mm diam. 0.5 um PEEK-encased 0.125 x 0.062in thick 5/pkg | pkg | 5 | pc |
| JR-1127-2P-5 | Frit Ti 3.2 mm diam. 2 um PEEK-encased 0.125 x 0.062in thick 5/pkg | pkg | 5 | pc |
| JR-1128-5P-5 | Frit Ti 2.6 mm diam. 5 um 5/pkg PEEK-encased 0.2in x 0.062in thick | pkg | 5 | pc |
| JR-1150-10P-5 | Frit PE 2.5 mm diam. 10 um PEEK-encased 0.2in x 0.059in thick 5/pkg | pkg | 5 | pc |
| JR-1151-10P-5 | Frit PE 4.9 mm diam. 10 um PEEK-encased 0.25in x 0.059in thick 5/pkg | pkg | 5 | pc |
| JR-65001NF | Column PEEK 30 x 2.1 mm ID w/o frits | pc | | |
| JR-65002NF | Column PEEK 50 x 2.1 mm ID w/o frits | pc | | |
| JR-65003NF | Column PEEK 100 x 2.1 mm ID w/o frits | pc | | |
| JR-65005NF | Column PEEK 150 x 2.1 mm ID w/o frits | pc | | |
| JR-65006NF | Column PEEK 250 x 2.1 mm ID w/o frits | pc | | |
| JR-66140 | Column endfitting PEEK for 4.0 and 4.6 mm ID columns | pc | | |
| JR-68181NF | Column PEEK 50 x 4.0 mm ID w/o frits | pc | | |
| JR-68182NF | Column PEEK 100 x 4.0 mm ID w/o frits | pc | | |
| JR-68183NF | Column PEEK 125 x 4.0 mm ID w/o frits | pc | | |
| JR-68184NF | Column PEEK 150 x 4.0 mm ID w/o frits | pc | | |
| JR-68185NF | Column PEEK 250 x 4.0 mm ID w/o frits | pc | | |
| JR-68186NF | Column PEEK 300 x 4.0 mm ID w/o frits | pc | | |
| JR-27305 | Column PEEK Packing reservoir for P/N JR-68242 | pc | | |
| JR-65011 | Replacement packing seal PEEK for 2.1 mm ID columns | pc | | |
| JR-66158 | Replacement packing seal PEEK for 4.0 and 4.6 mm ID columns | pc | | |
| JR-67140-1A | Packing adapter PEEK for 2.1 mm ID columns | pc | | |
| JR-67140-2B | Packing adapter PEEK for 4.0 and 4.6 mm ID columns | pc | | |
| JR-67-250-2A | Packing kit PEEK for 2.1 mm ID columns complete | pc | | |
| JR-67-250-4 | Packing Kit PEEK for 4.0 and 4.6 mm ID columns complete | pc | | |
| JR-68242TI | Column PEEK guard cartridge 8.0 x 3.0 mm ID complete with 2 pcs Ti-frit 5um | pc | | |
| JR-68242TI2 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-68252TI | Column PEEK guard cartridge holder complete with 1 x guard column JR-6824 | pc | | |
| JR-68252TI2 | Column PEEK guard cartridge holder complete with 1 x guard column JR-6824 | pc | | |
| JR-F-197-062-2TINC | Frit Ti 0.197 diam. 0.062in thick 2 um no chamfer | pc | | |
| JR-F-197-062-5TI | Frit Ti 0.197 diam. 0.062in thick 5 um | pc | | |
| JR-26501 | Coupler PEEK universal 0.13 mm ID red | pc | | |
| JR-26502 | Coupler PEEK universal 0.17 mm ID yellow | pc | | |
| JR-26503 | Coupler PEEK universal 0.25 mm ID blue | pc | | |
| JR-26504 | Coupler PEEK universal 0.50 mm ID orange | pc | | |
| JR-4071-10 | Plug Nylon column endstopper white 10-32 10/pkg | pkg | 10 | pc |
| JR-4072-10 | Plug Nylon column endstopper black 10-32 10/pkg | pkg | 10 | pc |
| JR-4073-10 | Plug Nylon column endstopper red 10-32 10/pkg | pkg | 10 | pc |
| JR-4074-10 | Plug Nylon column endstopper green 10-32 10/pkg | pkg | 10 | pc |
| JR-4075-10 | Plug Nylon column endstopper blue 10-32 10/pkg | pkg | 10 | pc |
| JR-4081-10 | Plug Nylon column endstopper white 10-32 10 /pkg | pkg | 10 | pc |
| JR-4082-10 | Plug Nylon column endstopper black 10-32 10 /pkg | pkg | 10 | pc |
| JR-4083-10 | Plug Nylon column endstopper red 10-32 10 /pkg | pkg | 10 | pc |
| JR-4084-10 | Plug Nylon column endstopper green 10-32 10 /pkg | pkg | 10 | pc |
| JR-4085-10 | Plug Nylon column endstopper blue 10-32 10 /pkg | pkg | 10 | pc |
| JR-5005-5 | Single Ferrule PEEK 1/16in 5/pkg | pkg | 5 | pc |
| JR-SLC-85-10 | Sample Loop PEEK Cheminert 10 ul | pc | | |
| JR-SLC-85-100 | Sample Loop PEEK Cheminert 100 ul | pc | | |
| JR-SLC-85-1000 | Sample Loop PEEK Cheminert 1 ml | pc | | |
| JR-SLC-85-20 | Sample Loop PEEK Cheminert 20 ul | pc | | |
| JR-SLC-85-200 | Sample Loop PEEK Cheminert 200 ul | pc | | |
| JR-SLC-85-250 | Sample Loop PEEK Cheminert 250 ul | pc | | |
| JR-SLC-85-300 | Sample Loop PEEK Cheminert 300 ul | pc | | |
| JR-SLC-85-5 | Sample Loop PEEK Cheminert 5 ul | pc | | |
| JR-SLC-85-50 | Sample Loop PEEK Cheminert 50 ul | pc | | |
| JR-SLC-85-500 | Sample Loop PEEK Cheminert 500 ul | pc | | |
| JR-SLR-2190 | Sample Loop PEEK Rheodyne 1 uL | pc | | |
| JR-SLR-2191 | Sample Loop PEEK Rheodyne 2 uL | pc | | |
| JR-SLR-2192 | Sample Loop PEEK Rheodyne 3 uL | pc | | |
| JR-SLR-2193 | Sample Loop PEEK Rheodyne 4 uL | pc | | |
| JR-SLR-2194 | Sample Loop PEEK Rheodyne 5 uL | pc | | |
| JR-SLR-2195 | Sample Loop PEEK Rheodyne 20 uL | pc | | |
| JR-SLR-2196 | Sample Loop PEEK Rheodyne 10 uL | pc | | |
| JR-SLR-2200 | Sample Loop PEEK Rheodyne 30 uL | pc | | |
| JR-SLR-2201 | Sample Loop PEEK Rheodyne 40 uL | pc | | |
| JR-SLR-2202 | Sample Loop PEEK Rheodyne 50 uL | pc | | |
| JR-SLR-2204 | Sample Loop PEEK Rheodyne 100 uL | pc | | |
| JR-SLR-2206 | Sample Loop PEEK Rheodyne 200 uL | pc | | |
| JR-SLR-2207 | Sample Loop PEEK Rheodyne 250 uL | pc | | |
| JR-SLR-2210 | Sample Loop PEEK Rheodyne 500 uL | pc | | |
| JR-SLR-2222 | Sample Loop PEEK Rheodyne 1 ml | pc | | |
| JR-SLV-75-10 | Sample Loop PEEK Valco 10 ul | pc | | |
| JR-SLV-75-100 | Sample Loop PEEK Valco 100 ul | pc | | |
| JR-SLV-75-1000 | Sample Loop PEEK Valco 1 ml | pc | | |
| JR-SLV-75-20 | Sample Loop PEEK Valco 20 ul | pc | | |
| JR-SLV-75-250 | Sample Loop PEEK Valco 250 ul | pc | | |
| JR-SLV-75-5 | Sample Loop PEEK Valco 5 ul | pc | | |
| JR-SLV-75-50 | Sample Loop PEEK Valco 50 ul | pc | | |
| JR-SLV-75-500 | Sample Loop PEEK Valco 500 ul | pc | | |
| JR-SLC-86-10 | Sample Loop SS Cheminert 10 ul | pc | | |
| JR-SLC-86-100 | Sample Loop SS Cheminert 100 ul | pc | | |
| JR-SLC-86-1000 | Sample Loop SS Cheminert 1 ml | pc | | |
| JR-SLC-86-20 | Sample Loop SS Cheminert 20 ul | pc | | |
| JR-SLC-86-25( | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | |
|---|---|---|
| JR-SLC-86-5 | Sample Loop SS Cheminert 5 ul | pc |
| JR-SLC-86-50 | Sample Loop SS Cheminert 50 ul | pc |
| JR-SLC-86-500 | Sample Loop SS Cheminert 500 ul | pc |
| JR-SLV-76-10 | Sample Loop SS Valco 10 ul | pc |
| JR-SLV-76-100 | Sample Loop SS Valco 100 ul | pc |
| JR-SLV-76-1000 | Sample Loop SS Valco 1 ml | pc |
| JR-SLV-76-20 | Sample Loop SS Valco 20 ul | pc |
| JR-SLV-76-250 | Sample Loop SS Valco 250 ul | pc |
| JR-SLV-76-5 | Sample Loop SS Valco 5 ul | pc |
| JR-SLV-76-50 | Sample Loop SS Valco 50 ul | pc |
| JR-SLV-76-500 | Sample Loop SS Valco 500 ul | pc |
| JR-SLR-111 | Sample Loop SS Rheodyne 5 uL | pc |
| JR-SLR-111-77 | Sample Loop SS Rheodyne 7725 5 uL | pc |
| JR-SLR-112 | Sample Loop SS Rheodyne 10 uL | pc |
| JR-SLR-112-77 | Sample Loop SS Rheodyne 7725 10 uL | pc |
| JR-SLR-113 | Sample Loop SS Rheodyne 20 uL | pc |
| JR-SLR-113-77 | Sample Loop SS Rheodyne 7725 20 uL | pc |
| JR-SLR-114 | Sample Loop SS Rheodyne 50 uL | pc |
| JR-SLR-114-77 | Sample Loop SS Rheodyne 7725 50 uL | pc |
| JR-SLR-115 | Sample Loop SS Rheodyne 100 uL | pc |
| JR-SLR-115-77 | Sample Loop SS Rheodyne 7725 100 uL | pc |
| JR-SLR-116 | Sample Loop SS Rheodyne 200 uL | pc |
| JR-SLR-116-77 | Sample Loop SS Rheodyne 7725 200 uL | pc |
| JR-SLR-117 | Sample Loop SS Rheodyne 500 uL | pc |
| JR-SLR-117-77 | Sample Loop SS Rheodyne 7725 500 uL | pc |
| JR-SLR-118 | Sample Loop SS Rheodyne 1 ml | pc |
| JR-SLR-118-77 | Sample Loop SS Rheodyne 7725 1ml | pc |
| JR-201531 | Easy-Flange clamp pair.Spare part for JR-201540B | pc |
| JR-201532 | Easy-Flange flanger and distance gauge | pc |
| JR-201536 | Easy-Flange flanging disc with 1.3 mm polymer pin | pc |
| JR-201537 | Easy-Flangeflanging disc with 1.3 mm Titanium pin | pc |
| JR-201539 | Easy-Flange combi kit in plastic case | pc |
| JR-201540 | Easy-Flange kit in plastic case | pc |
| JR-201540L | Box for JR-201540 with foam insert | pc |
| JR-201541 | Easy-Flange flanging disc with 0.8 mm polymer pin | pc |
| JR-201554 | Easy-Flangeflanging disc with 0.8 mm Titanium pin | pc |
| JR-202235 | Easy-Flange flanging disc with 0.5 mm SS pin for PEEK tubing | pc |
| JR-357090 | Tubing Elbow 90° | pc |
| JR-357180 | Tubing Elbow 180° | pc |
| JR-794 | Tool Guillotine Cutter for polymer tubing | pc |
| JR-795 | Tool replacement blade for JR-794 | pc |
| JR-797 | Tool Clean-Cut Tubing Cutter | pc |
| JR-798 | Tool replacement blade for JR-797 | pc |
| JR-9001 | Tubing Clip | pc |
| JR-792 | Tool Tubing Cutter for metal tubing | pc |
| JR-793 | Tool replacement cutter wheel for JR-792 | pc |
| JR-796 | Tool Tubing Plier for metal tubing | pc |
| JR-802 | Tool file | pc |
| JR-800 | Tool ValvTool 1/4in and 5/16in open wrench | pc |
| JR-BPR1 | Backpressure Regulator variable 15 - 300psimax. 50C complete for liquids only | pc |
| JR-BPR1-KF | Backpressure Regulator variable 15 - 300 psimax.  50C complete for liquids onl | pc |
| JR-BPR2 | Backpressure Regulator variable 300 - 1500psimax. 50C complete for liquids o | pc |
| JR-BPR2-KF | Backpressure Regulator variable 300 - 1500psimax.  50C complete for liquids c | pc |
| JR-804 | Tool wrench 1/4in x  5/16in | pc |
| JR-805 | Tool wrench 3/8in x 7/16in | pc |
| JR-806 | Tool Tweezers Polypropylen Pinzette | pc |
| JR-FRK1 | | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-FRK2 | Ferrule removal kit For 1/16in and 1/8in ferrules | pc | | |
| JR-HKS | Hex key set | pc | | |
| JR-35P | PEEK Starter Kit | pc | | |
| JR-35S | Stainless Steel Starter Kit | pc | | |
| JR-34N | Kit Chrombox | pc | | |
| JR-T-6604C | Tubing FEP 1/32in x 0.10 mm ID black solid | pc | | |
| JR-T-6605C | Tubing FEP 1/32in x 0.13 mm ID red solid | m | | |
| JR-T-6606C | Tubing FEP 1/32in x 0.15 mm ID Purple solid | m | | |
| JR-T-6607C | Tubing FEP 1/32in x 0.18 mm ID yellow solid | m | | |
| JR-T-6610C | Tubing FEP 1/32in x 0.25 mm ID blue solid | m | | |
| JR-T-6620C | Tubing FEP 1/32in x 0.50 mm ID orange solid | m | | |
| JR-T-6704C | Tubing FEP 1/16in x 0.10 mm ID black solid | m | | |
| JR-T-6705C | Tubing FEP 1/16in x 0.13 mm ID red solid | m | | |
| JR-T-6706C | Tubing FEP 1/16in x 0.15 mm ID Purple solid | m | | |
| JR-T-6707C | Tubing FEP 1/16in x 0.18 mm ID yellow solid | m | | |
| JR-T-6802C | Tubing FEP 1/16in x 0.50 mm ID orange solid | m | | |
| JR-T-6803C | Tubing FEP 1/16in x 0.75 mm ID green solid | m | | |
| JR-T-6806C | Tubing FEP 1/16in x 1.0 mm ID black solid | m | | |
| JR-T-6812C | Tubing FEP 1/16in x 0.25 mm ID blue solid | m | | |
| JR-T-6105 | Tubing FEP 1.0 x 0.50 mm ID natural | m | | |
| JR-T-6210 | Tubing FEP 2.0 x 1.0 mm ID natural | m | | |
| JR-T-6310 | Tubing FEP 3.0 x 2.0 mm ID natural | m | | |
| JR-T-6320 | Tubing FEP 3.0 mm OD x 2.0 mm ID | m | | |
| JR-T-6605 | Tubing FEP 1/32in x 0.13 mm ID natural | m | | |
| JR-T-6606 | Tubing FEP 1/32in x 0.15 mm ID natural | m | | |
| JR-T-6607 | Tubing FEP 1/32in x 0.18 mm ID natural | m | | |
| JR-T-6610 | Tubing FEP 1/32in x 0.25 mm ID natural | m | | |
| JR-T-6615 | Tubing FEP 1/32in x 0.38 mm ID natural | m | | |
| JR-T-6620 | Tubing FEP 1/32in x 0.50 mm ID natural | m | | |
| JR-T-6702 | Tubing FEP 1/16in x 0.30 mm ID natural | m | | |
| JR-T-6704 | Tubing FEP 1/16in x 0.10 mm ID natural | m | | |
| JR-T-6705 | Tubing FEP 1/16in x 0.13 mm ID natural | m | | |
| JR-T-6706 | Tubing FEP 1/16in x 0.15 mm ID natural | m | | |
| JR-T-6707 | Tubing FEP 1/16in x 0.18 mm ID natural | m | | |
| JR-T-6708 | Tubing FEP 1/16in x 0.20 mm ID natural | m | | |
| JR-T-6794 | Tubing FEP 1/32in x 0.10 mm ID | m | | |
| JR-T-6802 | Tubing FEP 1/16in x 0.50 mm ID | m | | |
| JR-T-6803 | Tubing FEP 1/16in x 0.75 mm ID | m | | |
| JR-T-6804 | Tubing FEP 1/8in OD x 1.59 mm ID | m | | |
| JR-T-6806 | Tubing FEP 1/16in x 1.0 mm ID | m | | |
| JR-T-6809 | Tubing FEP 1/4in x 4.35 mm ID | m | | |
| JR-T-6812 | Tubing FEP 1/16in x 0.25 mm ID | m | | |
| JR-T-6813 | Tubing FEP 1/8in x 2.1 mm ID | m | | |
| JR-T-6835 | Tubing FEP 3/16in x 3.18 mm ID | m | | |
| JR-T-4011 | Tubing PTFE 1/16in x 0.25 mm ID | m | | |
| JR-T-4011C | Tubing PTFE 1/16in x 0.25 mm ID blue | m | | |
| JR-T-4036 | Tubing PTFE 1/16in x 0.75 mm ID | m | | |
| JR-T-4036C | Tubing PTFE 1/16in x 0.75 mm ID green | m | | |
| JR-T-4037 | Tubing PTFE 1/8in x 2.40 mm ID | m | | |
| JR-T-4183 | Tubing PTFE 1/16in x 0.50 mm ID | m | | |
| JR-T-4183C | Tubing PTFE 1/16in x 0.50 mm orange | m | | |
| JR-T-6800 | Tubing PTFE 1/8in x 1.59 mm ID | m | | |
| JR-T-6801 | Tubing PTFE 2.0 x 1.70 mm ID | m | | |
| JR-T-6805 | Tubing PTFE 1/16in x 0.18 mm ID | m | | |
| JR-T-6807 | Tubing PTFE 1/16in x 1.0 mm ID | m | | |
| JR-T-6808 | Tubing PTFE 1/16in x 0.25 mm ID black | m | | |
| JR-T-6810-M3 | | pkg | 3 | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-T-6811 | Tubing PTFE 1/16in x 0.50 mm ID black | m | | |
| JR-6141 | Insert KEL-F for Impermeable fitting | pc | | |
| JR-T-6130 | Tubing Impermeable 1/8in x 1.65 mm ID | m | | |
| JR-T-625-04 | Tubing SS 1/16in x 0.13 mm ID | m | | |
| JR-T-625-05 | Tubing SS 1/16in x 0.18 mm ID | m | | |
| JR-T-625-10 | Tubing SS 1/16in x 0.25 mm ID | m | | |
| JR-T-625-20 | Tubing SS 1/16in x 0.50 mm ID | m | | |
| JR-T-625-30 | Tubing SS 1/16in x 0.75 mm ID | m | | |
| JR-T-625-40 | Tubing SS 1/16in x 1.0 mm ID | m | | |
| JR-T-626-00 | Tubing SS 1/8in x 2.1 mm ID | m | | |
| JR-TSS.505 | Tubing Premium SS 1/32in OD x 0.13 mm ID | m | | |
| JR-TSS.507 | Tubing Premium SS 1/32in OD x 0.18 mm ID | m | | |
| JR-TSS.510 | Tubing Premium SS 1/32in OD x 0.25 mm ID | m | | |
| JR-TSS.520 | Tubing Premium SS 1/32in OD x 0.50 mm ID | m | | |
| JR-TSS105 | Tubing Premium SS 1/16in OD x 0.13 mm ID | m | | |
| JR-TSS110 | Tubing Premium SS 1/16in OD x 0.25 mm ID | m | | |
| JR-TSS115 | Tubing Premium SS 1/16in OD x 0.38 mm ID | m | | |
| JR-TSS120 | Tubing Premium SS 1/16in OD x 0.50 mm ID | m | | |
| JR-TSS130 | Tubing Premium SS 1/16in OD x 0.75 mm ID | m | | |
| JR-TSS140 | Tubing Premium SS 1/16in OD x 1.00 mm ID | m | | |
| JR-TSS230 | Tubing Premium SS 1/8in OD x 0.75 mm ID | m | | |
| JR-TSS240 | Tubing Premium SS 1/8in OD x 1.00 mm ID | m | | |
| JR-TSS260 | Tubing Premium SS 1/8in OD x 1.52 mm ID | m | | |
| JR-TSS267 | Tubing Premium SS 1/8in OD x 1.70 mm ID | m | | |
| JR-TSS285 | Tubing Premium SS 1/8in OD x 2.16 mm ID | m | | |
| JR-55010 | Color-It fingertight adapter blue 10/pkg | pkg | 10 | pc |
| JR-55010A | Color-It fingertight adapter blue | pc | | |
| JR-55011 | Color-It fingertight adapter yellow 10/pkg | pkg | 10 | pc |
| JR-55011A | Color-It fingertight adapter yellow | pc | | |
| JR-55012 | Color-It fingertight adapter green 10/pkg | pkg | 10 | pc |
| JR-55012A | Color-It fingertight adapter green | pc | | |
| JR-55013 | Color-It fingertight adapter black 10/pkg | pkg | 10 | pc |
| JR-55013A | Color-It fingertight adapter black | pc | | |
| JR-55014 | Color-It fingertight adapter white 10/pkg | pkg | 10 | pc |
| JR-55014A | Color-It fingertight adapter white | pc | | |
| JR-55015 | Color-It fingertight adapter red 10/pkg | pkg | 10 | pc |
| JR-55015A | Color-It fingertight adapter red | pc | | |
| JR-55080 | Adapter PP fingertight sleeve natural | pc | | |
| JR-55081 | Adapter PP fingertight sleeve white | pc | | |
| JR-55082 | Adapter PP fingertight sleeve dark grey | pc | | |
| JR-55083 | Adapter PP fingertight sleeve black | pc | | |
| JR-55084 | Adapter PP fingertight sleeve lavender | pc | | |
| JR-55086 | Adapter PP fingertight sleeve yellow | pc | | |
| JR-55087 | Adapter PP fingertight sleeve orange | pc | | |
| JR-55088 | Adapter PP fingertight sleeve brown | pc | | |
| JR-55089 | Adapter PP fingertight sleeve green | pc | | |
| JR-55090 | Adapter PP fingertight sleeve blue | pc | | |
| JR-55091 | Adapter PP fingertight sleeve purple | pc | | |
| JR-55100 | Fitting PEEK one-piece hex-head short 10-32 | pc | | |
| JR-55110 | Fitting PEEK one-piece hex-head long 10-32 | pc | | |
| JR-5520 | Fitting PEEK HT 1/16in one-piece hex-head short 10-32 10'000 psi | pc | | |
| JR-5525 | Fitting PEEK HT 1/32in one-piece hex-head short 6-40 9000 psi | pc | | |
| JR-58000 | Fitting PPS one-piece fingertight narrow hex-head 10-32 | pc | | |
| JR-5502 | Fitting PEEK one-piece 10-32 | pc | | |
| JR-55020-1 | Fitting PEEK one-piece natural 10-32 | pc | | |
| JR-55021-1 | Fitting PEEK one-piece black 10-32 | pc | | |
| JR-55022-1 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-55023-1 | Fitting PEEK one-piece yellow 10-32 | pc | | |
| JR-55024-1 | Fitting PEEK one-piece blue 10-32 | pc | | |
| JR-55025-1 | Fitting PEEK one-piece green 10-32 | pc | | |
| JR-5504 | Fitting PEEK one-piece fingertight short head 10-32 | pc | | |
| JR-5507 | Fitting PEEK one-piece fingertight long 10-32 | pc | | |
| JR-5508 | Fitting PEEK 1/16in one-piece fingertight hex-head 10-32 | pc | | |
| JR-LZNF1KF | Fitting PEEK No Twist 10-32 1/16in long hex-head with CTFE Ferrule | pc | | |
| JR-LZNF1PK | Fitting PEEK No Twist 10-32 1/16in long hex-head with PEEK Ferrule | pc | | |
| JR-LZNF1PKG | Fitting PEEK No Twist 10-32 1/16in long hex-head with glass filled PEEK Ferrul | pc | | |
| JR-LZNF1PKG-5 | Fitting PEEK No Twist 10-32 1/16in long hex-head with glass filled PEEK Ferrul | pkg | 5 | pc |
| JR-MZNF1KF | Fitting PEEK No Twist 10-32 1/16in medium hex-head with CTFE Ferrule | pc | | |
| JR-MZNF1PK | Fitting PEEK No Twist 10-32 1/16in medium hex-head with PEEK Ferrule | pc | | |
| JR-MZNF1PKG | Fitting PEEK No Twist 10-32 1/16in medium hex-head with glass filled PEEK Fe | pc | | |
| JR-MZNF1PKG-5 | Fitting PEEK No Twist 10-32 1/16in medium hex-head with glass filled PEEK Fe | pkg | 5 | pc |
| JR-ZNF1FKF | Fitting PEEK No Twist 10-32 1/16in fingertight with CTFE Ferrule | pc | | |
| JR-ZNF1FPK | Fitting PEEK No Twist 10-32 1/16in fingertight with PEEK Ferrule | pc | | |
| JR-ZNF1FPKG | Fitting PEEK No Twist 10-32 1/16in fingertight with glass filled PEEK Ferrule | pc | | |
| JR-ZNF1KF | Fitting PEEK No Twist 10-32 1/16in short hex-head with CTFE Ferrule | pc | | |
| JR-ZNF1KF-F | Ferrule 1/16in CTFE for No Twist fittings | pc | | |
| JR-ZNF1PK | Fitting PEEK No Twist 10-32 1/16in short hex-head with PEEK Ferrule | pc | | |
| JR-ZNF1PK-F | Ferrule 1/16in natural PEEK for No Twist fittings | pc | | |
| JR-ZNF1PKG | Fitting PEEK No Twist 10-32 1/16in short hex-head with glass filled PEEK Ferru | pc | | |
| JR-ZNF1PKG-F | Ferrule 1/16in glass-filled PEEK for No Twist fittings | pc | | |
| JR-5003 | Ferrule PEEK single 1/16in | pc | | |
| JR-5010 | Ferrule PEEK UHPLC 1/16in | pc | | |
| JR-5570 | Nut PEEK two-piece fingertight 10-32 | pc | | |
| JR-ZF.5PK | Ferrule PEEK 1/32in | pc | | |
| JR-ZF2PK | Ferrule PEEK 1/8in | pc | | |
| JR-ZN.5FPK | Nut PEEK fingertight 1/32in | pc | | |
| JR-ZN2PK | Nut PEEK Hex-Head 1/8in | pc | | |
| JR-5004 | Ferrule PEEK double 1/16in | pc | | |
| JR-5503 | Nut PEEK universal fingertight 10-32 | pc | | |
| JR-5510 | Nut PEEK hex-head long 10-32 | pc | | |
| JR-5511 | Nut PEEK hex-head short 10-32 | pc | | |
| JR-5580 | Nut PEEK hand-tight 10-32 | pc | | |
| JR-T-4039 | Tubing PTFE 4.0 x 3.0 mm ID | m | | |
| JR-56 | Nut SS 1/16in short Rheodyne 10-32 | pc | | |
| JR-57 | Nut SS 1/16in long head Rheodyne 10-32 | pc | | |
| JR-LZN1 | Nut SS 1/16in Long Valco type 10-32 | pc | | |
| JR-MZN1 | Nut SS 1/16in medium Valco type 10-32 | pc | | |
| JR-ZN.5 | Nut SS 1/32in Valco type 6-40 | pc | | |
| JR-ZN1 | Nut SS 1/16in Valco type 10-32 | pc | | |
| JR-ZN2 | Nut SS 1/8in Valco type 5/16in-24 | pc | | |
| JR-59 | Ferrule SS 1/16in 316SS | pc | | |
| JR-60 | Ferrule SS 1/16in 2-step Rheodyne | pc | | |
| JR-ZF1 | Ferrule 1/16in 303SS | pc | | |
| JR-ZF1S6 | Ferrule SS 1/16in Valco type | pc | | |
| JR-ZF2S6 | Ferrule SS 1/8in Valco type | pc | | |
| JR-55085 | Adapter PP fingertight sleeve red | pc | | |
| JR-ZF.5S6 | Ferrule SS 1/32in Valco type | pc | | |
| JR-031 | Ferrule ETFE 1 mm | pc | | |
| JR-032 | Ferrule ETFE 1/32in | pc | | |
| JR-041 | Ferrule ETFE 1/16in | pc | | |
| JR-042 | Ferrule ETFE 2.1 mm bore | pc | | |
| JR-049 | Ferrule ETFE 3 mm | pc | | |
| JR-051 | Ferrule ETFE 1/8in | pc | | |
| JR-201926 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | |
|---|---|---|
| JR-201928 | Ring PP flanged 1/8in | pc |
| JR-55050 | Nut PPS for collaps. ferrule 1/16in 1/4in-28 | pc |
| JR-55051 | Nut PPS for collaps.ferrule 1/8in 1/4in-28 | pc |
| JR-55060 | Nut PPS flanged 1/16in 1/4in-28 | pc |
| JR-55061 | Nut PPS flanged 1/8in 1/4in-28 | pc |
| JR-55070 | Nut PPS flangeless 1/16in 1/4in-28 | pc |
| JR-55071 | Nut PPS flangeless 1/8in 1/4in-28 | pc |
| JR-55072 | Nut PPS flangeless 2.0 mm 1/4in-28 | pc |
| JR-55073 | Nut PPS flangeless 1.0 mm 1/4in-28 | pc |
| JR-CFL-CB1KF-S | Ferrule CTFE collapsible 1/16in | pc |
| JR-CFL-CB1PK-S | Ferrule PEEK collapsible 1/16in each | pc |
| JR-040BLACK | Nut Polyacetal flangeless 1/16in 1/4in-28 black | pc |
| JR-040BLUE | Nut Polyacetal flangeless 1/16in 1/4in-28 blue | pc |
| JR-040GREEN | Nut Polyacetal flangeless 1/16in 1/4in-28 green | pc |
| JR-040RED | Nut Polyacetal flangeless 1/16in 1/4in-28 red | pc |
| JR-040WHITE | Nut Polyacetal flangeless 1/16in 1/4in-28 white | pc |
| JR-040WHITELONG | Nut Polyacetal flangeless 1/16in 1/4in-28 1in long white | pc |
| JR-040YELLOW | Nut Polyacetal flangeless 1/16in 1/4in-28 yellow | pc |
| JR-050BLACK | Nut Polyacetal flangeless 1/8in 1/4in-28 black | pc |
| JR-050BLACKLONG | Nut Polyacetal flangeless 1/8in 1/4in-28 black 1in long for Dionex | pc |
| JR-050BLUE | Nut Polyacetal flangeless 1/8in 1/4in-28 blue | pc |
| JR-050GREEN | Nut Polyacetal flangeless 1/8in 1/4in-28 green | pc |
| JR-050RED | Nut Polyacetal flangeless 1/8in 1/4in-28 red | pc |
| JR-050WHITE | Nut Polyacetal flangeless 1/8in 1/4in-28 white | pc |
| JR-050WHITELONG | Nut Polyacetal flangeless 1/8in 1/4in-28 1in long white | pc |
| JR-050YELLOW | Nut Polyacetal flangeless 1/8in 1/4in-28 yellow | pc |
| JR-20116 | Nut PEEK flangefree natural 1/8in 1/4in-28 | pc |
| JR-20124 | Nut PEEK flangefree natural 1/16in 1/4in-28 | pc |
| JR-060 | Union Polyamid LP body only 1/4in-28 | pc |
| JR-201094BLACK | Nut PP flanged black 1/16in 1/4in-28 | pc |
| JR-201094WHITE | Nut PP flanged white 1/16in 1/4in-28 | pc |
| JR-201580BLACK | Nut PP flanged black 1/8in 1/4in-28 | pc |
| JR-201580WHITE | Nut PP flanged white 1/8in 1/4in-28 | pc |
| JR-202118 | Nut PP flanged black x-long 1/16in 1/4in-28 | pc |
| JR-202119 | Nut PP flanged white x-long 1/8in 1/4in-28 | pc |
| JR-202120 | Nut PP flanged white x-long 1/16in 1/4in-28 | pc |
| JR-202121 | Nut PP flanged black x-long 1/8in 1/4in-28 | pc |
| JR-202122 | Nut PP flanged blue 1/16in 1/4in-28 | pc |
| JR-202123 | Nut PP flanged green 1/16in 1/4in-28 | pc |
| JR-202124 | Nut PP flanged yellow 1/16in 1/4in-28 | pc |
| JR-202125 | Nut PP flanged red 1/16in 1/4in-28 | pc |
| JR-202142 | Nut PP flanged blue 1/8in 1/4in-28 | pc |
| JR-202143 | Nut PP flanged green 1/8in 1/4in-28 | pc |
| JR-202144 | Nut PP flanged yellow 1/8in 1/4in-28 | pc |
| JR-202145 | Nut PP flanged red 1/8in 1/4in-28 | pc |
| JR-070101-6 | Adapter PP female to female Luer | pc |
| JR-070111-6 | Adapter PP female Luer to 1/16in barbed | pc |
| JR-070112-6 | Adapter PP female Luer to 3/32 barbed | pc |
| JR-070113-6 | Adapter PP female Luer to 1/8in barbed | pc |
| JR-070123-6 | Adapter PP female Luer to 1/4in-28 male | pc |
| JR-070124-6 | Adapter PP female Luer to 10-32 male | pc |
| JR-070211-6 | Adapter PP male Luer to 1/16in barbed | pc |
| JR-070212-6 | Adapter PP male Luer to 3/32 barbed | pc |
| JR-070213-6 | Adapter PP male Luer to 1/8in barbed | pc |
| JR-070224-6 | Adapter PP male Luer to 10-32 male | pc |
| JR-070225-6 | Adapter PP male Luer to 1/4in-28 male | pc |
| JR-071123-6 | | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | |
|---|---|---|
| JR-071124-6 | Adapter PP 10-32 thread to 1/16in barbed | pc |
| JR-071323-6 | Adapter PP 1/4in-28 thread to 1/8in barbed | pc |
| JR-071324-6 | Adapter PP 10-32 thread to 1/8in barbed | pc |
| JR-072350-6 | Plug PP 1/4in-28 | pc |
| JR-072450-6 | Plug PP 10-32 male | pc |
| JR-CFL-CB2KF-S | Ferrule CTFE collapsible 1/8in | pc |
| JR-T-5993 | Tubing PEEK 1/32in x 0.13 mm ID natural | m |
| JR-T-5998 | Tubing PEEK 1/16in x 0.064 mm ID natural Tolerance OD/ID ±.001in/0.025 mm | m |
| JR-T-6004 | Tubing PEEK 1/8in x 1.59 mm ID natural | m |
| JR-T-60041 | Tubing PEEK 1/8in x 0.75 mm ID natural | m |
| JR-T-60042 | Tubing PEEK 1/8in x 2.0 mm ID natural | m |
| JR-T-6060 | Tubing PEEK 0.36 mm x 0.075 mm ID natural | m |
| JR-58 | Nut SS 1/16in x-long Rheodyne 10-32 | pc |
| JR-0611-SS05 | Sure-Guard disposable In-Line FilterSS frit 0.5 um | pc |
| JR-0611-SS2 | Sure-Guard disposable In-Line FilterSS frit 2.0 um | pc |
| JR-0611-TI05 | Sure-Guard disposable In-Line Filter TI frit 0.5 um | pc |
| JR-0611-TI2 | Sure-Guard disposable In-Line Filter TI frit 2.0 um | pc |
| JR-T-36100 | Tubing PEEK 360 um OD x 100 um ID grey striped | m |
| JR-T-36125 | Tubing PEEK 360 um OD x 125um ID red striped | m |
| JR-T-36150 | Tubing PEEK 360 um OD x 150 um ID black striped | m |
| JR-T-3650 | Tubing PEEK 360 um OD x 50 um ID orange striped | m |
| JR-T-3675 | Tubing PEEK 360 um OD x 75um ID green striped | m |
| JR-T-5702 | Tubing PEEK 1/32in x 50 um / .002in ID orange striped | m |
| JR-T-5703 | Tubing PEEK 1/32in x 75 um / .003in ID green striped | m |
| JR-T-5704 | Tubing PEEK 1/32in x 100 um / .004in ID black striped | m |
| JR-T-5705 | Tubing PEEK 1/32in x 0.13 mm / .005in ID red striped | m |
| JR-T-5706 | Tubing PEEK 1/32in x 0.15 mm/ .006in ID natural | m |
| JR-T-5707 | Tubing PEEK 1/32in x 0.18 mm / .007in ID yellow striped | m |
| JR-T-5708 | Tubing PEEK 1/32in x 0.20 mm / .008in ID orange striped | m |
| JR-T-5710 | Tubing PEEK 1/32in x 0.25 mm / .010in ID blue striped | m |
| JR-T-5720 | Tubing PEEK 1/32in x 0.50 mm ID orange striped | m |
| JR-T-5764 | Tubing PEEK 1/32in x 64 um / .0025in ID Pink striped | m |
| JR-T-5802 | Tubing PEEK 1/16in x 0.050 mm ID orange striped | m |
| JR-T-5803 | Tubing PEEK 1/16in x 0.075 mm ID green striped | m |
| JR-T-5804 | Tubing PEEK 1/16in x 0.100 mm ID black striped | m |
| JR-T-5998C | Tubing PEEK 1/16in x 0.064 mm ID pink striped Tolerance OD/ID ±.001in/0.025 | m |
| JR-T-5999 | Tubing PEEK 1/16in x 0.13 mm ID red striped | m |
| JR-T-6000 | Tubing PEEK 1/16in x 0.18 mm ID yellow striped | m |
| JR-T-6001 | Tubing PEEK 1/16in x 0.25 mm ID blue striped | m |
| JR-T-6002 | Tubing PEEK 1/16in x 0.50 mm ID orange striped | m |
| JR-T-6003 | Tubing PEEK 1/16in x 0.75 mm ID green striped | m |
| JR-T-60031 | Tubing PEEK 1/16in x 1.00 mm ID grey striped | m |
| JR-T-60032 | Tubing PEEK 1/16in x 1.40 mm ID black striped | m |
| JR-070350-6 | Plug PP male Luer | pc |
| JR-TD-6007 | Tubing Dual Layer PEEK 1/16in x 0.13 mm IDsolid red outside natural inside | m |
| JR-TD-6008 | Tubing Dual Layer PEEK 1/16in x 0.18 mm IDsolid yellow outside natural inside | m |
| JR-TD-6009 | Tubing Dual Layer PEEK 1/16in x 0.25 mm IDsolid blue outside natural inside | m |
| JR-TD-6010 | Tubing Dual Layer PEEK 1/16in x 0.50 mm IDsolid orange outside natural insid | m |
| JR-TD-6011 | Tubing Dual Layer PEEK 1/16in x 0.75 mm IDsolid green outside natural inside | m |
| JR-F-255-079-10PE | Frit PE 0.255inOD 0.079in thick 10 um | pc |
| JR-.5FR1 | Frit SS 1/16in diam. x 0.030in thickn. 0.5 um | pc |
| JR-.5FR1TI | Frit Ti. 1/16in diam. x 0.062in thickn. 0.5 um | pc |
| JR-.5FR2 | Frit SS 1/8in diam. x 0.040in thickn. 0.5 um | pc |
| JR-.5FR4 | Frit SS 1/4in diam. x 0.040in thickn. 0.5 um | pc |
| JR-.5FR6 | Frit SS 3/8in diam. x 0.040in thickn. 0.5 um | pc |
| JR-.5FR8 | Frit SS 1/2in diam. x 0.040in thickn. 0.5 um | pc |
| JR-10FR1 | | pc |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | | | |
|---|---|---|---|---|
| JR-10FR1K | Frit SS 1in diam. x 0.060in thickn. 10 um | pc | | |
| JR-10FR2 | Frit SS 1/8in diam. x 0.040in thickn. 10 um | pc | | |
| JR-10FR4 | Frit SS 1/4in diam. x 0.040in thickn. 10 um | pc | | |
| JR-10FR6 | Frit SS 3/8in diam. x 0.040in thickn. 10 um | pc | | |
| JR-10FR8 | Frit SS 1/2in diam. x 0.040in thickn. 10 um | pc | | |
| JR-10FR8TI | Frit Ti 1/2in diam. x 0.040in thickn. 10 um | pc | | |
| JR-1FR1 | Frit SS 1/16in diam. x 0.030in thickn. 1 um | pc | | |
| JR-1FR2 | Frit SS 1/8in diam. x 0.030in thickn. 1 um | pc | | |
| JR-2FR1 | Frit SS 1/16in diam. x 0.030in thickn. 2 um | pc | | |
| JR-2FR1K | Frit SS 1in diam. x 0.060in thickn. 2 um | pc | | |
| JR-2FR1KTI | Frit Ti 1in diam. x 0.060in thickn. 2 um | pc | | |
| JR-2FR1TI | Frit Ti 1/16in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR2 | Frit SS 1/8in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR2TI | Frit Ti 1/8in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR4 | Frit SS 1/4in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR4TI | Frit Ti 1/4in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR6 | Frit SS 3/8in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR6TI | Frit Ti 3/8in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR8 | Frit SS 1/2in diam. x 0.040in thickn. 2 um | pc | | |
| JR-2FR8TI | Frit Ti 1/2in diam. x 0.040in thickn. 2 um | pc | | |
| JR-1100-05P | Frit SS 4.6 mm diam. 0.5 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1100-2P | Frit SS 4.6 mm diam. 2 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1101-05P | Frit SS 3.9 mm diam. 0.5 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1101-2P | Frit SS 3.9 mm diam. 2 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1102-05P | Frit SS 3.2 mm diam. 0.5 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1102-2P | Frit SS 3.2 mm diam. 2 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1103-05P | Frit SS 3.2 mm diam. 0.5 um PEEK-encased 0.25 x 0.032in thick | pc | | |
| JR-1103-2P | Frit SS 3.2 mm diam. 2 um PEEK-encased 0.25 x 0.032in thick | pc | | |
| JR-1104-05P | Frit SS 2.0 mm diam. 0.5 um PEEK-encased 0.25in x 0.062in thickn. | pc | | |
| JR-1104-2P | Frit SS 2.0 mm diam. 2 um PEEK-encased 0.25 x 0.062in thick | pc | | |
| JR-1110-05P | Frit SS 0.038 diam. 0.5 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1110-2P | Frit SS 0.038 diam. 2 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1110-5P | Frit SS 0.038 diam. 5 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1111-05P | Frit SS 0.077 diam. 0.5 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1111-10P | Frit SS 0.077 diam. 10 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1111-10P-5 | Frit SS 0.077 diam. 10 um PEEK-encased 0.115in x 0.028in thick | pkg | 5 | pc |
| JR-1111-2P | Frit SS 0.077 diam. 2 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1111-5P | Frit SS 0.077 diam. 5 um PEEK-encased 0.115in x 0.028in thick | pc | | |
| JR-1125-05P | Frit Ti 4.6 mm diam. 0.5 um PEEK-encased 0.25in x 0.062in thick | pc | | |
| JR-1125-10P | Frit Ti 4.6 mm diam. 10 um PEEK-encased 0.25in x 0.062in thick | pc | | |
| JR-1125-2P | Frit Ti 4.6 mm diam. 2 um PEEK-encased 0.25in x 0.062in thick | pc | | |
| JR-1125-5P | Frit Ti 4.6 mm diam. 5 um PEEK-encased 0.25in x 0.062in thick | pc | | |
| JR-1127-05P | Frit Ti 3.2 mm diam. 0.5 um PEEK-encased 0.125 x 0.062in thick | pc | | |
| JR-1127-2P | Frit Ti 3.2 mm diam. 2 um PEEK-encased 0.125 x 0.062in thick | pc | | |
| JR-1128-5P | Frit Ti 2.6 mm diam. 5 um PEEK-encased 0.2in x 0.062in thick | pc | | |
| JR-1150-10P | Frit PE 2.5 mm diam. 10 um PEEK-encased 0.2in x 0.059in thick | pc | | |
| JR-1151-10P | Frit PE 4.9 mm diam. 10 um PEEK-encased 0.25in x 0.059in thick | pc | | |
| JR-4071 | Plug Nylon column endstopper white 10-32 | pc | | |
| JR-4072 | Plug Nylon column endstopper black 10-32 | pc | | |
| JR-4073 | Plug Nylon column endstopper red 10-32 | pc | | |
| JR-4074 | Plug Nylon column endstopper green 10-32 | pc | | |
| JR-4075 | Plug Nylon column endstopper blue 10-32 | pc | | |
| JR-4081 | Plug Nylon column endstopper white 10-32 | pc | | |
| JR-4082 | Plug Nylon column endstopper black 10-32 | pc | | |
| JR-4083 | Plug Nylon column endstopper red 10-32 | pc | | |
| JR-4084 | Plug Nylon column endstopper green 10-32 | pc | | |
| JR-4085 | | pc | | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VICI-Jour PRODUCT LIST 2012

| | | |
|---|---|---|
| JR-T-37100 | Tubing PEEK 360 um OD x 100 um ID grey solid | m |
| JR-T-37125 | Tubing PEEK 360 um OD x 125um ID red solid | m |
| JR-T-37150 | Tubing PEEK 360 um OD x 150 um ID black solid | m |
| JR-T-3750 | Tubing PEEK 360 um OD x 50 um ID orange solid | m |
| JR-T-3775 | Tubing PEEK 360 um OD x 75um ID green solid | m |
| JR-T-5602 | Tubing PEEK 1/32in x 50 um / .002in ID orange solid | m |
| JR-T-5603 | Tubing PEEK 1/32in x 75 um / .003in ID green solid | m |
| JR-T-5604 | Tubing PEEK 1/32in x 100 um / .004in ID black solid | m |
| JR-T-5605 | Tubing PEEK 1/32in x 0.13 mm / .005in ID red solid | m |
| JR-T-5608 | Tubing PEEK 1/32in x 0.20 mm / .008in ID orange solid | m |
| JR-T-5610 | Tubing PEEK 1/32in x 0.25 mm / .010in ID blue solid | m |
| JR-T-5620 | Tubing PEEK 1/32in x 0.50 mm / .020 in ID orange solid | m |
| JR-T-5664 | Tubing PEEK 1/32in x 64 um / .0025in ID Pink solid | m |
| JR-T-5715 | Tubing PEEK 1/32in x 0.38 mm/ .015in ID natural | m |
| JR-T-5994 | Tubing PEEK 1/32in x 0.18 mm ID natural | m |
| JR-T-5995 | Tubing PEEK 1/32in x 0.25 mm ID natural | m |
| JR-T-6007 | Tubing PEEK 1/16in x 0.13 mm ID solid red | m |
| JR-T-6008 | Tubing PEEK 1/16in x 0.18 mm ID solid yellow | m |
| JR-T-6009 | Tubing PEEK 1/16in x 0.25 mm ID solid blue | m |
| JR-T-6010 | Tubing PEEK 1/16in x 0.50 mm ID solid orange | m |
| JR-T-6011 | Tubing PEEK 1/16in x 0.75 mm ID solid green | m |
| JR-T-6020 | Tubing PEEK 1/16in x 0.10 mm ID black solid | m |
| JR-T-6030 | Tubing PEEK 1/16in x 0.15 mm ID purple solid | m |
| JR-T-6040 | Tubing PEEK 1/16in x 0.38 mm ID grey solid | m |
| JR-5005 | Ferrule PEEK special 1/16in | pc |
| JR-T-078 | Tubing ETFE 1/16in x 0.17 mm ID | m |
| JR-T-080 | Tubing ETFE 1/16in x 0.25 mm ID | m |
| JR-T-082 | Tubing ETFE 1/16in x 0.50 mm ID | m |
| JR-T-083 | Tubing ETFE 1/16in x 0.75 mm ID | m |
| JR-T-084 | Tubing ETFE 1/32in x 0.25 mm ID | m |
| JR-T-085 | Tubing ETFE 1/16in x 1.00 mm ID | m |
| JR-T-086 | Tubing ETFE 1/8in x 1.59 mm ID | m |
| JR-T-087 | Tubing ETFE 3.0 x 1.0 mm | m |
| JR-T-088 | Tubing ETFE 6.0 x 4.0 mm | m |
| JR-T-4001 | Tubing PFA 1/16in x 0.50 mm ID | m |
| JR-T-4002 | Tubing PFA 1/16in x 0.75 mm ID | m |
| JR-T-4003 | Tubing PFA 1/8in x 1.59 mm ID | m |
| JR-T-4007 | Tubing PFA 1/16in x 1.0 mm ID | m |
| JR-T-436100 | Tubing PFA 360 um x 100 um ID | m |
| JR-T-43650 | Tubing PFA 360 um x 50 um ID | m |
| JR-T-43675 | Tubing PFA 360 um x 75 um ID | m |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# Typical Vial & Accessories PRODUCT LIST

exGST prices as per June 2014
XR AUD/USD=0.94

## Serum Pharma Vials CLEAR; 13mm or 20mm CrimpTop

| | | | AUD |
|---|---|---|---|
| CTSC-2V-13T-15D32H | 2ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 371 | 0.39 |
| CTSC-4V-13T-16D38H | 4ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 425 | 0.39 |
| CTSC-7V-20T-22D38H | 7ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 150 | 0.55 |
| CTSC-10V-13T-22D45H | 10ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 198 | 0.66 |
| CTSC-10V-20T-22D45H | 10ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top * | 324 | 0.56 |
| CTSC-13V-20T-24D49H | 13ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 155 | 0.66 |
| CTSC-13V-13T-24D49H | 13ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 155 | 0.66 |
| CTSC-20V-20T-26D66H | 20ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 145 | 0.66 |
| CTSC-30V-20T-29D72H | 30ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 113 | 0.77 |
| CTSMCW-50V-20T-43D73H | 50ml Clear Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 113 | 0.85 |
| CTSMCW-100V-20T-52D95H | 50ml Clear Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 81 | 0.95 |

## Serum Pharma Vials AMBER; 13mm or 20mm CrimpTop

| | | | |
|---|---|---|---|
| CTSA-2V-13T-15D32H | 2ml Amber Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 371 | 0.39 |
| CTSA-3V-13T-15D35H | 3ml Amber Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 425 | 0.39 |
| CTSA-7V-20T-22D38H | 7ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 210 | 0.55 |
| CTSA-10V-20T-22D48H | 10ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 155 | 0.77 |
| CTSA-13V-20T-24D50HTP | 13ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 155 | 0.77 |
| CTSA-23V-20T-29D60HTP | 23ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top * | 113 | 0.77 |
| CTSMAW-30V-20T-36D63H | 30ml Amber Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 92 | 0.89 |
| CTSMAW-50V-20T-43D73H | 50ml Amber Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 84 | 0.95 |
| CTSMAW-100V-20T-52D95H | 100ml Amber Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 66 | 0.95 |

## Serum Stoppers; 13mm or 20mm Crimp Top . . . also 32mm

| | | |
|---|---|---|
| CT-20BNRB-C | 20mm Chlorobutyl Rubber Stopper | 0.20 |
| CT-20BNRB-FD2 | 20mm Grey Butyl Lyophilization Freeze Drying Rubber Stopper(2-Leg) | 0.24 |
| CT-13BNRB-C | 13mm Chlorobutyl Rubber Stopper | 0.20 |
| CT-13BNRB-FD2 | 13mm Grey Butyl Lyophilization Freeze Drying Rubber Stopper(2-Leg) | 0.24 |
| CT-20BNRB | 20mm Grey butyl rubber stopper (softer Light Gray type) | 0.20 |
| CT-20BNRB-R | 20mm Butyl Rubber Stoppers - Red | 0.20 |

### CrimpTop Caps
**Plain Aluminium -X**




0.16

| | | |
|---|---|---|
| CT-20CTO-Crimp-X | Aluminum Vial Seals 20mm Centre Tear-out : Color-X | 0.24 |
| CT-13CTO-Crimp-X | Aluminum Vial Seals 13mm Centre Tear-out : Color-X | 0.24 |

### Plastic FlipOff / WPFO –X
**"FLIP OFF" writing**




### Plastic FlipOff / KFO –X
**(plain Finish)**




0.20
0.20

## Hand Crimpers; Air, BenchPress, Hand Pneumatic Crimper with detachable Head . . . also available

| | | |
|---|---|---|
| CT-Crimp-20S & -13S | HandCrimper 20mm (&13mm) Standard Plain AlumCaps | 259.00 |
| CT-Crimp-2OFO & -13FO | HandCrimper 20mm (&13mm) FlipOff Caps | 259.00 |
| CT-Decap-20 & -13 | Hand Decapper 20mm (&13mm) both Plain and FO Cpas | 259.00 |

## Chromatography Vials 2ml 12x32ml : Autosampler; 8mm Universal : 9mm Agilent

**ScrewCap**

| | |
|---|---|
| LBSV012CSS | Red PTFE/white silicone septa + Black screw cap with hole, /2ml 8-425 screw top vial,100-pk |
| LBSV012C | 2ml Clear vial, 8-425 screw top,100-pk |
| LBSV032C | 2ml Clear vial, 8-425 screw top, graduated with writing area,100-pk * |
| LBSV012A | 2ml Amber vial, 8-425 screw top,100-pk |
| LBSV032A | 2ml Amber vial, 8-425 screw top, graduated with writing area,100-pk |
| LBSV002C | 2ml Clear vial, 9-425 screw top,100-pk |
| LBSV022C | 2ml Clear vial, 9-425 screw top, graduated with writing area,100-pk * |
| LBSV002A | 2ml Amber vial, 9-425 screw top,100-pk |
| LBSV022A | 2ml Amber vial, 9-425 screw top, graduated with writing area,100-pk |
| LBSV102CSS | Red PTFE/white silicone septa + Blue screw cap with hole, /2ml 9-425 screw top vial,100-pk |




**CrimpTop**

| | |
|---|---|
| LBSV042C | 2ml Clear vial, crimp top,100-pk |
| LBSV062C | 2ml Clear vial, crimp top, graduated with writing area,100-pk * |
| LBSV042A | 2ml Amber vial, crimp top,100-pk |
| LBSV062A | 2ml Amber vial, crimp top, graduated with writing area,100-pk |
| LBSV112CRS | Red PTFE/white silicone septa + Red screw cap with hole, /2ml 9-425 screw top vial,100-pk |

**ASK for current prices**

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# Typical Vial & Accessories PRODUCT LIST

exGST prices as per June 2014
XR AUD/USD=0.94

| | | AUD |
|---|---|---|
| **Limited Volume Inserts for Chromatography Autosampler Vials**<br>Style : Shell or Conical with Bottom Spring Size : 100ul to 300ul<br>Microvolume glass inserts for chromatography autosampler Vials ;<br>Microvolume conical polypropylene insert with bottom spring for autosampler Vials | | |
| V0401100<br>V0402100<br>V0403100<br>V0404100<br>V0405100<br>V0411100<br>V0413100<br>V0507100<br>V0421100 | 250ul,5.8×31mm,conical glass insert<br>200ul,5.8×28.5mm,conical glass insert w/bottom polypropylene spring<br>200ul,5.0×31mm,conical glass insert<br>150ul,5.0×28.5mm,conical glass insert,w/bottom polypropylene spring<br>100ul,4.6×28.5mm,conical glass insert ,w/bottom polypropylene spring<br>300ul,5.8×31mm,shell style glass insert<br>250ul,5.0×31mm,shell style glass insert<br>200ul,5.0×31mm,conical glass insert w/bottom spring for 1ml shell vials<br>250ul,5.8×28.5mm,conical polypropylene insert w/bottom polypropylene spring | ASK |
| **4ml 13-425 Chromatography Autosampler Vials; 15x45mm**<br>4ml, 15x45mm, 13-425 screw top vials for Autosampler, clear glass or amber glass, with marking spot or without marking spot, PP Screw top caps, PTFE/silicone septa, for chromatography autosampler, 100pcs/pk. | | |
| V0501100<br>V0503100<br>V0521100<br>V0511100<br>V0512100<br>V0513100<br>V0514100<br>V0515100<br>V0516100 | Vials only,4ml ,15×45mm,13-425 Clear Screw top ; 100-pk<br>Vials only,4ml ,15×45mm,13-425 Amber Screw top; 100-pk<br>Septa,Red PTFE/White Silicone，12mm for 13-425 Caps ,0.06″thick; 100-pk<br>Solid top caps,Black,with silicone Septa for 13-425 Screw Vials; 100-pk<br>Solid top caps,white,with PP Septa for 13-425 Screw Vials; 100-pk<br>Open top caps,Black,for 13-425 Screw Vials; 100-pk<br>Solid top caps,with pre-assembled Red PTFE/White Silicone Septa; 100-pk<br>Open top caps,Black, with pre-assembled Red PTFE/White Silicone Septa; 100-pk<br>Solid top caps,with pre-assembled white PTFE Septa; 100-pk | 26.00<br>26.00<br>15.00<br>20.00<br>15.00<br>13.00<br>10.50<br>24.00<br>ASK |
| **Screw Top Headspace Vials**<br>Volume : 10ml, 20ml<br>Size : 23*46mm, 23*75mm<br>Screw Top Headspace vials for chromatography autosampler. 20ml, 23*75mm, 10ml, 23*46mm, round bottom, clear glass, 18mm magnetic screw top caps with PTFE/silicone septa, 100pcs/pk | | |
| V0901100<br>V0902100<br>V0911100<br>V0921100<br>V0912100 | Vials only,20ml,23×75mm,Screw top , round bottom, clear glass;100-pk<br>Vials only,10ml,23×46mm,Screw top, round bottom, clear glass;100-pk<br>Open top Screw Magnetic cap;100-pk<br>Septa, Blue PTFE/white silicone，17.5mm ,0.06″thickness;100-pk<br>Open top Screw magnetic caps with pre-assembled Septa;100-pk | ASK |
| **Crimp Top Headspace Vials**<br>20ml,23*75mm, 10ml, 23*46mm, flat bottom, clear glass, 20mm aluminum seals with PTFE/silicone septa or 20mm Bimetal magnetic seals with PTFE/silicone septa, 100pcs/pk | | |
| V0801100<br>V0802100<br>V0811100<br>V0813100<br>V0821100<br>V0822100<br>V0814100<br>V0815100<br>V0816100<br>V0817100<br><br>V1101001 | Vials only,Crimp top ,20ml,23×75mm,flat bottom,clear glass;100-pk<br>Vials only,Crimp top ,10ml,23×46mm,flat bottom,clear glass;100-pk<br>20mm open top,Silver Aluminum Seals;100-pk<br>Magnetic Bimetal cap ,silver color ,20mm,8mm hole;100-pk<br>Septa, Transparent PTFE/Transparent silicone，20mm ,0.125″thickness;100-pk<br>Septa, Tan PTFE/white silicone，20mm ,0.125″thickness;100-pk<br>20mm Silver aluminum Seal w/Transparent PTFE/Transparent silicone septa;100-pk<br>20mm Silver Aluminum Seal w/Tan PTFE/white silicone Septa;100-pk<br>20mm magnetic Bimetal seal w/Transparent PTFE/Transparent silicone Septa;100-pk<br>20mm magnetic Bimetal seal w/Tan PTFE/white silicone Septa;100-pk<br>20mm hand crimper; CT-CRIMP_20S | ASK |
| **Pre-Cleaned Volatile Organic Analyte (VOA) Sampling Vials**<br>• Container, liner, and closure cleaned and assembled. • Clear or amber.<br>• Open top caps. • Teflon® faced 0.125" silicone septa. • Each case lot numbered. | | |
| 21798<br>21799<br>21796<br>21797<br>26121<br>26122 | Precleaned VOA Vials 20mL Clear Glass 24mm/400 72-pk.<br>Precleaned VOA Vials 20mL Amber Glass 24mm/400 72-pk.<br>Precleaned VOA Vials 40mL Clear Glass 24mm/400 72-pk.<br>ecleaned VOA Vials 40mL Amber Glass 24mm/400 72-pk.<br>Collection Vials for ASE 200 60mL Clear Glass 24mm/400 72-pk.<br>Collection Vials for ASE 200 60mL Amber Glass 24mm/400 72-pk. | ASK |
| **ClearBorosilicateType1glassvials, 24mmScrewFinish** | | |
| CT-24RS-SCR-WH<br>CT-24RS-SCR-BLK<br>CT502105B<br>CT40MA | 24mm Ring Seal Screw Cap White, ea<br>24mm Ring Seal Screw Cap White, ea<br>20ml 24mm Screw Cap Vial Clear, ea<br>40ml 24mm Screw Cap Vial Clear, ea | ASK |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROMECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
Ask for current prices - Only part of complete range of Vial Products see chromtech.vials

# SRIGC PRODUCTS LIST 2014

| MFR PART NO | MFR PART NO | PRODUCT NAME AND DESCRIPTION |
|---|---|---|
| GAS CHROMATOGRAPH | 0110-0003 | 110 CHASSIS, 115V |
| | 0110-0003-2 | 110 CHASSIS, 230V |
| | 0310-1003 | 310 GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V |
| | 0310-1003-2 | 310 GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V |
| | 0310-6003 | 310 GC MAINFRAME, 6 CHANNEL USB CHASSIS, 115V |
| | 0310-6003-2 | 310 GC MAINFRAME, 6 CHANNEL USB CHASSIS, 230V |
| | 0410-1000 | 410 RACK GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V |
| | 0410-1000-2 | 410 RACK GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V |
| | 0410-6000 | 410 RACK GC MAINFRAME, 6 CHANNEL USB CHASSIS, 115V |
| | 0410-6000-2 | 410 RACK GC MAINFRAME, 6 CHANNEL USB CHASSIS, 230V |
| | 8610-1003 | 8610C GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V |
| | 8610-1003-2 | 8610C GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V |
| | 8610-2003 | 8610V GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V (VERTICAL INJ.) |
| | 8610-2003-2 | 8610V GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V (VERTICAL INJ.) |
| | 8610-6003 | 8610C GC MAINFRAME, 6 CHANNEL USB CHASSIS, 115V |
| | 8610-6003-2 | 8610C GC MAINFRAME, 6 CHANNEL USB CHASSIS, 230V |
| | 8610-1004 | 8610D GC MAINFRAME w/ DUAL COLUMN OVENS, 1 CH USB 2.0, 115V |
| | 8610-1004-2 | 8610D GC MAINFRAME w/ DUAL COLUMN OVENS, 1 CH USB 2.0L, 230V |
| | 8610-6004 | 8610D GC MAINFRAME w/ DUAL COLUMN OVENS, 6 CH USB, 115V |
| | 8610-6004-2 | 8610D GC MAINFRAME w/ DUAL COLUMN OVENS, 6 CH USB, 230V |
| | 8610-7003 | 8610V GC MAINFRAME, 6 CHANNEL USB 2.0 CHASSIS, 115V (VERTICAL INJ.) |
| | 8610-7003-2 | 8610V GC MAINFRAME, 6 CHANNEL USB 2.0 CHASSIS, 230V (VERTICAL INJ.) |
| PRECONFIGURED GC SYSTEMS | 0110-0100 | 110 CHASSIS, VOC SCREENING DYNAMIC THERMAL STRIPPER, CCD, 115V |
| | 0110-0100-2 | 110 CHASSIS, VOC SCREENING DYNAMIC THERMAL STRIPPER, CCD, 230V |
| | 0310-0004 | 310 EDUCATIONAL FID GC, 115V USB 2.0 CHASSIS |
| | 0310-0045 | 310 SOIL GAS GC SYSTEM |
| | 0310-1000 | 310 EDUCATIONAL TCD GC, 115V USB 2.0 CHASSIS |
| | 0310-1006 | 310 GASLESS EDUCATIONAL CCD GC, USB 2.0 CHASSIS |
| | 0310-1117 | 310 GASLESS EXPLOSIVES GC, TID |
| | 0410-0065 | 410 RACK MOUNT MUDLOGGING GC SYSTEM (FID-FID), 115VAC |
| | 0410-0065-2 | 410 RACK MOUNT MUDLOGGING GC SYSTEM (FID-FID), 230VAC |
| | 8610-0025 | 8610C METHOD 25 GC (METHANE/NON-METHANE HYDROCARB) |
| | 8610-0035 | 8610C DGA GC, HID |
| | 8610-0036 | 8610C DGA GC, TCD - HID |
| | 8610-0040 | 8610C GREENHOUSE GAS GC SYSTEM |
| | 8610-0050 | 8610C BTEX GAS CHROMATOGRAPH, METHOD 5030 COMPLIANT |
| | 8610-0051 | 8610C BTEX GAS CHROMATOGRAPH, METHOD 5030/5035 COMPLIANT |
| | 8610-0059 | 8610C ENVIRONMENTAL GC (PID-FID/DELCD-P&T) |
| | 8610-0061 | 8610C GEOPROBE GC (PID-FID/DELCD) |
| | 8610-0062 | 8610C GEOPROBE GC (FID/DELCD) |
| | 8610-0065 | 8610C MUDLOGGING GC (FID-FID) |
| | 8610-0066 | 8610C FAST MUDLOGGING GC, 115VAC |
| | 8610-0070 | 8610C MULTIPLE GAS GC I (TCD) |
| | 8610-0071 | 8610C MULTIPLE GAS GC I (TCD-FID-METH) |
| | 8610-0072 | 8610C MULTIPLE GAS GC I (TCD-HID) |
| | 8610-0073 | 8610C MULTIPLE GAS GC I + SULFUR ANALYZER |
| | 8610-0080 | 8610C PCB GC SYSTEM |
| | 8610-0114 | 8610C METHOD TO-14 AIR MONITORING GC |
| | 8610-0270 | 8610C MULTIPLE GAS GC II (TCD) |
| | 8610-0271 | 8610C MULTIPLE GAS GC II (TCD-FID-METH) |
| | 8610-0272 | 8610C MULTIPLE GAS GC II (TCD-HID) |
| | 8610-0273 | 8610C MULTIPLE GAS GC II + SULFUR ANALYZER |
| | 8610-0370 | 8610C MULTIPLE GAS GC III (TCD) |
| | 8610-0371 | 8610C MULTIPLE GAS GC III (TCD-FID-METH) |
| | 8610-0372 | 8610C MULTIPLE GAS GC III (TCD-HID) |
| | 8610-0373 | 8610C MULTIPLE GAS GC III + SULFUR ANALYZER |
| | 8610-1025 | 8610C EPA METHOD 25 GC, 115VAC |
| | 8610-1117 | 8610C EXPLOSIVES GC (TID) |
| | 8610-1500 | 8610C CFC GAS CHROMATOGRAPH WITH TCD |
| | 8610-1510 | 8610C CFC GAS CHROMATOGRAPH WITH FID |
| | 8610-3070 | 8610C BTU GAS ANALYZER GC, TCD |
| | 8610-5400 | 8610C CAPILLARY FID GC |
| | 8610-5405 | 8610C NARROW BORE CAPILLARY FID GC |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8610-5500 | 8610D TUNEABLE COLUMN SELECTIVITY GC |
| | 8610-5675 | 8610C CRYOSULFUR GC SYSTEM |
| | 8610-5700 | 8610C SPME GC |
| | 8610-5800 | 8610C HRVOC GC SYSTEM, 115VAC |
| | 8610-5810 | 8610C HRVOC GC SYSTEM, 115VAC, ADD PID, 6 CH. |
| | 8610-6584 | 8610C BIODIESEL GC SYSTEM, ASTM D-6584, 115VAC |
| | 8610-6555 | 8610C SULFUR IN NATURAL GAS GC SYSTEM, 115VAC |
| | 8610-VUPG | UPGRADE PRECONFIGURED GC MODEL TO VERTICAL CHASSIS 8610V GC |

***DETECTORS***

| | | |
|---|---|---|
| ***CCD*** | 0110-2007 | CCD MOUNTED ON MODEL 110 CHASSIS |
| | 8670-2007 | REPLACEMENT CCD DETECTOR ELEMENT |
| | 8690-2007 | CCD DETECTOR |

| | | |
|---|---|---|
| ***FID-DELCD*** | 8670-0150 | FID CERAMIC IGNITOR ELEMENT |
| | 8670-0155 | FID COLLECTOR ELECTRODE CABLE WITH BNC CONNECTOR |
| | 8670-1024 | FID DETECTOR BODY |
| | 8670-1025 | FID DETECTOR BODY FOR METHANIZER |
| | 8670-1029 | DELCD HEATER / COLLECTOR ASSEMBLY |
| | 0110-2026 | FID-DELCD MOUNTED ON MODEL 110 CHASSIS |
| | 8690-2026 | FID-DELCD DETECTOR ASSEMBLY (FID-DELCD) |

| | | |
|---|---|---|
| ***DELCD*** | 0110-1026 | DELCD MOUNTED ON MODEL 110 CHASSIS |
| | 8670-1029 | DELCD HEATER / COLLECTOR ASSEMBLY |
| | 8690-1026 | DELCD DETECTOR |

| | | |
|---|---|---|
| ***RGD*** | 0110-0009 | RGD MOUNTED ON MODEL 110 CHASSIS |
| | 8690-0009 | RGD DETECTOR (WITH EMPTY REACTOR) |
| | 8670-0009 | REPLACEMENT RGD REACTION TUBE, UNPACKED, WITH FRITS |
| | 8690-0011 | BLANK REACTION TUBE W/FRITS |

| | | |
|---|---|---|
| ***ECD*** | 0110-0020 | ECD MOUNTED ON MODEL 110 CHASSIS |
| | 8690-0020 | ECD DETECTOR |

| | | |
|---|---|---|
| ***FID*** | 0110-0010 | FID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-1080 | FID-FPD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-4010 | FID-PID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-2026 | FID-DELCD MOUNTED ON 110 CHASSIS |
| | 8670-0150 | FID IGNITOR |
| | 8670-0154 | FID COLLECTOR ELECTRODE (REPL. 8610C) |
| | 8670-0155 | FID COLLECTOR ELECTRODE CABLE (REPL. 8610C) |
| | 8670-1023 | FID DETECTOR INLET BULKHEAD FITTING |
| | 8670-1024 | FID DETECTOR BODY |
| | 8670-1025 | FID DETECTOR BODY FOR METHANIZER |
| | 8690-0010 | FID DETECTOR |
| | 8690-0081 | METHANIZER ACCESSORY MOUNTED TO EXISTING VALVE OVEN |
| | 8690-0082 | METHANIZER ACCESSORY, IN JET |
| | 8670-1081 | REPLACEMENT METHANIZER TUBE, 6" x 1/8" S.S. |
| | 8670-1082 | REPLACEMENT METHANIZER JET |
| | 8690-1115 | FID / NPD CONVERTIBLE DETECTOR |
| | 8690-2026 | FID/DELCD DETECTOR |
| | 8690-8294 | METHANIZER/OXIDIZER UNIT, FOR METHOD 25-3 |

| | | |
|---|---|---|
| ***NPD*** | 8670-0120 | NPD BEAD (REPLACEMENT ONLY) |
| | 8670-1026 | NPD DETECTOR BODY |
| | 0110-0015 | NPD MOUNTED ON MODEL 110 CHASSIS |
| | 8690-0015 | NPD DETECTOR |
| | 8690-1015 | NPD CONVERSION KIT FOR FID |
| | 8690-1115 | FID / NPD CONVERTIBLE DETECTOR |
| | 8690-2615 | NPD-DELCD SERIES DETECTOR |

| | | |
|---|---|---|
| ***PID*** | 8670-1240 | PID CELL ASSEMBLY |
| | 8670-1242 | PID LAMP 10.6eV w/ SEAL, 106-TYPE (SMALL, NEW STYLE) |
| | 8670-1243 | PID LAMP 10.2eV w/ SEAL, 103C-TYPE (LARGE, OLD STYLE) |
| | 8670-1244 | PID LAMP SEAL, TEFLON®, PACK OF 10 |
| | 8670-1245 | PID 45VDC BATTERY (REPLACEMENT) |
| | 8670-1246 | PID HV POWER SUPPLY TRANSFORMER, 8610 A, B MODEL |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8670-1247 | PID HV POWER SUPPLY CIRCUIT BOARD, 8610C, 310 MODEL |
| | 8670-1248 | PID DETECTOR INLET BULKHEAD FITTING |
| | 0110-0040 | PID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-4010 | PID-FID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-2426 | PID-FID-DELCD MOUNTED ON MODEL 110 CHASSIS |
| | 8690-0040 | PID DETECTOR |

| | | |
|---|---|---|
| ***FPD*** | 0110-0080 | FPD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0085 | DFPD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-1080 | FPD-FID MOUNTED ON MODEL 110 CHASSIS |
| | 8670-0080 | PHOTOMULTIPLIER (PMT) TUBE |
| | 8670-0081 | FPD DETECTOR BODY |
| | 8670-0082 | SULFUR WAVELENGTH FILTER |
| | 8670-0083 | PHOSPHORUS WAVELENGTH FILTER |
| | 8670-0084 | FPD FILTER ASSEMBLY WITH BUILT-IN SULFUR FILTER |
| | 8670-0085 | FPD FILTER ASSEMBLY WITH BUILT-IN PHOSPHORUS FILTER |
| | 8670-0086 | FPD PMT SOCKET ASSEMBLY |
| | 8670-2085 | DFPD-FID DETECTOR BODY |
| | 8690-0080 | FPD DETECTOR |
| | 8690-0085 | SIMULTANEOUS S/P FPD DETECTOR (DFPD) |
| | 8690-1080 | FPD-FID DUAL DETECTOR (DUAL ELECTRONICS) |
| | 8690-2085 | DFPD-FID DETECTOR (3 AMPLIFIERS) |

| | | |
|---|---|---|
| ***TCD*** | 8670-0007 | TCD CELL w/ FILAMENTS, HEATING ELEMENT, SRI MODEL |
| | 8670-0011 | TCD GAIN SWITCH |
| | 8670-9007 | UPGRADE TCD TO CURRENT HIGH TEMPERATURE MODEL (HARDWARE ONLY) |
| | 8670-9100 | TCD CELL STAINLESS STEEL, GOWMAC-TYPE |
| | 8670-9110 | O-RING FOR TCD FILAMENT, EACH (MIN. QTY 10) |
| | 8670-9120 | TCD FILAMENT, TUNGSTEN-RHENIUM (SPECIFY COPPER OR VITON SEAL) |
| | 8670-9121 | TCD FILAMENT, GOLD PLATED, SET OF FOUR (AuW 13-300) |
| | 8670-9122 | O-RING, FOR TCD FILAMENT, PACK OF 10 |
| | 8670-9123 | NUT, TCD, FILAMENT RETAINING (WAS FILAMENT W/ CU SEAL) |
| | 8670-9124 | COPPER SEAL, FOR TCD FILAMENT, PACK OF 10 |
| | 8670-9125 | TCD FILAMENT PROTECTION CIRCUIT (RETROFIT) |
| | 0110-0007 | TCD MOUNTED ON MODEL 110 CHASSIS |
| | 8690-0007 | TCD DETECTOR |
| | 8690-0008 | TCD DETECTOR, 1 FILAMENT |
| | | |
| ***HID*** | 8670-0030 | HID COLLECTOR ELECTRODE ASSEMBLY |
| | 8670-0031 | HID DETECTOR BODY |
| | 8690-0030 | HID DETECTOR, SRI DESIGN |
| | 0110-0030 | HID MOUNTED ON MODEL 110 CHASSIS |
| | | |
| ***TID*** | 8670-0017 | TID DETECTOR BEAD |
| | 8670-1017 | TID DETECTOR BODY |
| | 8690-0017 | TID DETECTOR |
| | 0110-0017 | TID MOUNTED ON MODEL 110 CHASSIS |
| | | |
| ***ASD*** | 8690-0006 | AROMATIC SELECTIVE DETECTOR |
| | 0110-0006 | ASD DETECTOR MOUNTED ON MODEL 110 CHASSIS |
| | | |
| ***INJECTORS*** | | |
| ***Autosamplers*** | 8640-0001 | LIQUID AUTOSAMPLER, 100 VIAL TRAY, COBRA (VERTICAL, FOR 8610V ONLY) |
| | 8640-0002 | MOUNTING BRACKET KIT, FOR VERTICAL AUTOSAMPLER (8610V ONLY) |
| | 8640-0003 | SYRINGE, FOR COBRA AUTOSAMPLER, 5 CM. NEEDLE |
| | 8640-0050 | AUTOCALIBRATION SYSTEM, GAS |
| | 8640-1006 | SINGLE BAY AUTOINJECTOR |
| | 8670-0068 | SYRINGE NEEDLE, REPLACEMENT, FOR 42 VIAL LIQUID AUTOSAMPLER |
| | 8670-2368 | INJECTION PORT COUPLER TO LIQUID AUTOSAMPLER CAROUSEL |
| | 8690-0068 | LIQUID AUTOSAMPLER CAROUSEL, 42 VIAL TRAY |
| | 8690-0053 | 10 STATION PURGE-AND-TRAP SAMPLE SELECTOR |
| | 8690-0075 | ON-LINE LIQUID SAMPLER, FOR P&T |
| | 8690-0087 | DGA-TOGA PERMEATION LOOP ACCESSORY |
| | 8690-1068 | ON-LINE SYRINGE SAMPLER (NO CAROUSEL) |
| | 8690-2253 | 10 STATION PURGE-AND-TRAP SAMPLE SELECTOR 220 V |
| | | |
| ***Direct Injection*** | 8670-0024 | HEATED INJECTOR BODY |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8670-0025 | HEATED INJECTOR HARDWARE, COMPLETE, WITHOUT EPC |
| | 8670-0026 | HEATED INJECTION PORT CARRIER INLET |
| | 8670-0034 | HEATED SPLIT INJECTOR BODY |
| | 8670-0072 | NARROW BORE SPME INJECTOR SLEEVE (FOR HTD. INJ.) |
| | 8670-1034 | SILCOSTEEL LINER FOR SPLIT/SPLITLESS INJECTOR |
| | 8670-1353 | SILICONE SEPTA, MOLDED PLUG, FOR ON-COLUMN INJECTOR (PACK OF 25) |
| | 8670-1354 | SILICONE SEPTA, STAMPED DISK, FOR HEATED INJECTOR (PACK OF 25) |
| | 8670-9090 | SEPTUM NUT w/ GUIDE FOR 26GA. NEEDLE |
| | 8670-9093 | 0.53mm CAPILLARY COLUMN ADAPTER |
| | 8670-9094 | INJECTOR BODY |
| | 8670-9095 | SEPTUM NUT W/ GUIDE FOR 20GA. NEEDLE |
| | 8670-9096 | SEPTUM NUT W/ GUIDE FOR 20GA. NEEDLE, FOR HEATED INJECTOR |
| | 8670-9304 | HEATED TRANSFER LINE ADDITION, FOR NEW BUILD GC, RT. SIDE |
| | 8670-9305 | HEATED TRANSFER LINE MOD. w/ PLUG |
| | 8670-9550 | SYRINGE 10 uL |
| | 8690-0023 | ADDITIONAL ON-COLUMN INJECTOR, EPC CIRCUIT |
| | 8690-0025 | HEATED INJECTION PORT UPGRADE |
| | 8690-0034 | SPLIT/SPLITLESS INJECTOR UPGRADE, AUTO. VENT |
| | 8690-0035 | GAS PHASE SPLITTER |
| | 8690-0037 | ON-COLUMN PTV INJECTOR UPGRADE |
| | 8690-0045 | HEATED STATIC HEADSPACE INJECTOR |
| | 8690-0046 | HEATED STATIC HEADSPACE INJECTOR UPGRADE, TO EXISTING VALVE, VALVE OVEN |
| | 8690-2022 | ADDITIONAL EPC CONTROL ZONE (NO INJECTOR) |
| | 8690-2023 | ADDITIONAL INJECTION PORT WITHOUT EPC CONTROL/CARRIER |
| | 8690-7034 | HEATED SPLIT/SPLITLESS INJECTOR UPGRADE WITH PTV |
| | 8690-8034 | HEATED SPLIT/SPLITLESS INJECTOR UPGRADE WITH PTV, VALVE |
| | | |
| ***PURGE & TRAP*** | 8670-1173 | NEEDLE, 115 MM, FOR METHOD 5035 SPARGE HEAD |
| | 8670-1174 | NEEDLE, 50 MM, FOR METHOD 5035 SPARGE HEAD |
| | 8670-1300 | BLANK TRAP |
| | 8670-1305 | TENAX GR TRAP |
| | 8670-1315 | CARBOSIEVE II TRAP |
| | 8670-1320 | CARBOPACK B TRAP |
| | 8670-1324 | POLISHING FILTER, 3" |
| | 8670-1330 | TEFLON TEST TUBE SEALS (1 PAIR), FOR P&T |
| | 8670-1335 | SPARGE TEST TUBES (10 PACK) |
| | 8670-1350 | PURGE & TRAP SPARGING HEAD w/ GAS INJ. PORT |
| | 8670-1351 | SPARGE HEAD, 5030 INTERCHANGEABLE, REPLACEMENT |
| | 8670-1352 | SPARGE HEAD, 5035 INTERCHANGEABLE, REPLACEMENT |
| | 8670-1450 | TRAP HEATER ASSEMBLY WITH T-COUPLE |
| | 8670-5052 | UPGRADE METHOD 5030 P&T TO 5035 COMPLIANT (NEW BUILD ONLY) |
| | 8670-5860 | ONLINE SAMPLER / SPARGER FOR HRVOC GC |
| | 8670-9556 | 1/16" S.S. TUBE FOR P&T SPARGE GAS |
| | 8680-0052 | METHOD 5035 COMPLIANT VOA VIAL SPARGE ACCESSORY |
| | 8690-0051 | AUTOMATED PURGE AND TRAP CONCENTRATOR, METHOD 5030 |
| | 8690-0052 | AUTOMATED PURGE AND TRAP CONCENTRATOR, METHOD 5030/35 |
| | 8690-0053 | 10 SAMPLE PURGE AND TRAP AUTOSAMPLER, w/4 RELAY BD |
| | 8690-0054 | 10 SAMPLE METHOD 5035 PURGE-AND-TRAP SAMPLER |
| | 8690-0064 | 4 PORT LIQUID SAMPLING VALVE, MANUAL ACTUATOR |
| | 8690-0075 | ON-LINE LIQUID SAMPLER FOR PURGE-AND-TRAP |
| | 8690-0084 | HEATED / FAST COOLING ADSORBENT TRAP FOR EXISTING GAS VALVE |
| | 8690-0086 | PELTIER CRYOCOOLING w/ ELECTRONICS FOR TRAP |
| | 8690-0090 | PELTIER CRYOCOOLED TRAP, FOR GAS SAMPLING VALVE |
| | 8690-0097 | TRAP PACKING ACCESSORY |
| | 8690-1051 | METHOD TO-14 AIR CONCENTRATOR, VAC PUMP, 1 TRAP |
| | 8690-1052 | METHOD TO-14 AIR CONCENTRATOR, 2 TRAP, w/TUBE DESORBER |
| | 8690-1055 | METHOD TO-14 AIR CONCENTRATOR, VAC PUMP, 2 TRAPS |
| | 8690-1084 | HEATED/FAST COOLING 1/4" TRAP, FOR EXISTING GAS SAMPLING VALVE |
| | 8690-2084 | DUAL HEATED TRAPS FOR EXISTING GAS VALVES |
| | 8690-2253 | 10 STATION PURGE-AND-TRAP AUTOSAMPLER 230V, 4 REL BD |
| | 8690-5052 | UPGRADE 5030 P&T TO METHOD 5030/5035 COMPLIANT (NEW BUILD ONLY) |
| | | |
| ***THERMAL DESORBERS*** | 8670-0062 | VALCO T ROTOR HIGH TEMP. |
| | 8670-1501 | DESORBER BULKHEAD |
| | 8670-1502 | GAS DELIVERY LINE WITH CONNECTOR, THERMAL DESORBER |
| | 8670-1590 | 3/8" GRAPHITE FERRULE FOR TSD (EACH) |
| | 8690-1087 | THERMAL DESORBER SAMPLE TUBE (PK. OF 10) |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8690-1088 | THERMAL SOIL DESORBER, MANUAL ACTUATOR |
| | | |
| ***VALVES*** | 8670-0060 | VALCO E ROTOR MID TEMP. |
| | 8670-0061 | VALCO P ROTOR LOW TEMP. |
| | 8670-0062 | VALCO T ROTOR HIGH TEMP. |
| | 8670-0063 | 10 PORT VALVE HEAD, GAS SAMPLING |
| | 8670-0064 | ELECTRIC VALVE ACTUATOR, FOR 10 PORT GAS SAMPLING VALVE |
| | 8670-0066 | CIRCUIT BOARD KIT, FOR ELECTRIC ACTUATOR, 115VAC |
| | 8670-8000 | SAMPLE LOOP (SPECIFY VOLUME BETWEEN 0.5mL and 3.0mL) |
| | 8690-0060 | 10 PORT GAS SAMPLING VALVE, MULTIGAS 3 PLUMBING, WITH SOLENOID |
| | 8690-0061 | 10 PORT GAS SAMPLING VALVE, PNEUMATIC ACTUATOR |
| | 8690-0062 | 4 PORT LIQUID SAMPLING VALVE, ELECTRIC ACTUATOR |
| | 8690-0063 | 10 PORT GAS SAMPLING VALVE, MANUAL ACTUATOR |
| | 8690-0064 | 4 PORT LIQUID SAMPLING VALVE, MANUAL ACTUATOR |
| | 8690-0065 | 10 PORT GAS SAMPLING VALVE, ELECTRIC ACTUATOR |
| | 8690-0066 | 10 INPUT HEATED STREAM SELECTOR W/ TRANSFER LINE |
| | 8690-0067 | BLOCK HEATER w/ CARTRIDGE FOR GAS VALVE |
| | 8690-0069 | SOLENOID-CONTROLLED GAS VALVE |
| | 8690-0072 | SPLIT VENT VALVE |
| | 8690-0073 | VACUUM PUMP INTERFACE, DATA SYSTEM CONTROLLED |
| | 8690-0074 | THERMOSTATTED VALVE OVEN, HIGH TEMP. (300°C MAX.) |
| | 8690-0077 | 22 PORT, 10 STREAM SELECTOR VALVE, AUTOMATED, STD. ALONE |
| | 8690-0078 | 22 PORT, 10 STREAM SELECTOR VALVE, ELECTRIC ACTUATOR, PLUMBED |
| | 8690-0079 | 22 PORT, 10 STREAM SELECTOR VALVE, ELECTRIC ACTUATOR, UNPLUMBED |
| | 8690-0083 | CRYOTRAP LOOP, AUTOMATED CONTROL |
| | 8690-0084 | HEATED / FAST COOLING TRAP AND PLUMBING |
| | 8690-0087 | DGA-TOGA PERMEATION LOOP ACCESSORY |
| | 8690-0088 | THERMOSTATTED VALVE OVEN |
| | 8690-0089 | UNHEATED INSULATED VALVE OVEN |
| | 8690-0091 | THERMOSTATTED VALVE OVEN, NARROW, FOR 8610D GC |

| | | |
|---|---|---|
| ***INJECTOR ACCESSORIES*** | 8670-0025 | HEATED INJECTOR HARDWARE, COMPLETE, WITHOUT EPC |
| | 8690-0075 | ON-LINE LIQUID SAMPLER |
| | 8670-2368 | INJECTION PORT COUPLER TO LIQUID AUTOSAMPLER CAROUSEL |
| | 8670-8000 | SAMPLE LOOP (0.5 to 3.0cc, SPECIFY) |

| | | |
|---|---|---|
| ***DATA SYSTEMS*** | 8600-9000 | DATA SYSTEM HOST NOTEBOOK PC w/ PTR. |
| | 8600-9010 | DATA SYSTEM HOST DESKTOP PC w/ PTR. |
| | 8600-9050 | MULTIMEDIA DATA SYSTEM HOST DESKTOP PC W/ PTR. |
| | | |
| ***USB DATA SYSTEM*** | 8600-1050 | PEAKSIMPLE 1 CH. USB DATA SYSTEM KIT, 115VAC, MODEL 333 |
| | 8600-1051 | 4 RELAY KIT FOR MODEL 333 |
| | 8600-1250 | PEAKSIMPLE 1 CH. USB DATA SYSTEM KIT, 230VAC, MODEL 333 |
| | 8600-4060 | 4 RELAY BOARD FOR GC RETROFIT SERIAL INTERFACE, 8610C |
| | 8600-4061 | 4 RELAY BOARD FOR GC RETROFIT, WITH EXTERNAL JACK (CURRENT 8610C) |
| | 8600-5655 | 1 CH. DATA SYSTEM WITH H2 / HC SENSOR INSTALLED |
| | 8600-6055 | PEAKSIMPLE 6 CH. USB DATA SYSTEM KIT, 115V MODEL 302 |
| | 8600-6056 | AC SWITCHED OUTLET FOR USB DATA SYSTEM |
| | 8600-6255 | PEAKSIMPLE 6 CH. USB DATA SYSTEM KIT, 230V MODEL 302 |
| | 8660-4653 | UPGRADE 4 CH. DATA SYSTEM TO 6 CH. USB VERSION (IN EXISTING GC/LC) |
| | 8660-6053 | UPGRADE 1 CH. DATA SYSTEM TO 6 CH. USB VERSION (IN EXISTING GC/LC) |
| | 8660-6055 | UPGRADE 1 CH. USB DATA SYSTEM TO 6 CH. USB VERSION (IN NEW GC/LC) |
| | 8670-0232 | SERIAL CABLE, RS-232 (DB-9 CONNECTORS), 6' |
| | 8670-1052 | 64 BIT WINDOWS 7 COMPATIBLE PIC CHIP FOR EARLY MODEL 333 |
| | 8670-1058 | POWER SUPPLY FOR MODEL 333, 115VAC TO 15VDC |
| | 8670-1058-2 | POWER SUPPLY FOR MODEL 333, 230VAC TO 15VDC |
| | 8670-USB2 | USB 2.0 A TO B CABLE, 6' |

| | | |
|---|---|---|
| ***PACKED COLUMNS*** | 8600-PK1A | 3' x 1/8" S.S. SILICA GEL PACKED COLUMN |
| | 8600-PK1B | 6' x 1/8" S.S. SILICA GEL PACKED COLUMN |
| | 8600-PK2A | 3' x 1/8" S.S. MOLECULAR SIEVE 5A PACKED COLUMN |
| | 8600-PK2B | 6' x 1/8" S.S. MOLECULAR SIEVE 5A PACKED COLUMN |
| | 8600-PK3A | 3' x 1/8" S.S. MOLECULAR SIEVE 13X PACKED COLUMN |
| | 8600-PK3B | 6' x 1/8" S.S. MOLECULAR SIEVE 13X PACKED COLUMN |
| | 8600-PKC3 | CTR3 DOUBLE PACKED COLUMN, FOR ARGON |
| | 8600-PKC4 | CTR1 DOUBLE PACKED COLUMN |
| | 8600-PKC5 | 24' x 1/8" S.S. AT-1000/CARBOPACK B CFC PACKED COLUMN |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8600-PKDA | 3' x 1/8" S.S. HAYESEP D PACKED COLUMN |
| | 8600-PKDB | 6' x 1/8" S.S. HAYESEP D PACKED COLUMN |
| | 8600-PKQA | 3' x 1/8" S.S. PORAPAK Q PACKED COLUMN |
| | 8600-PKQA-T | 3' x 1/8" TEFLON® PORAPAK Q PACKED COLUMN |
| | 8600-PKQB | 6' x 1/8" S.S. PORAPAK Q PACKED COLUMN |
| | 8600-PKQB-T | 6' x 1/8" TEFLON® PORAPAK Q PACKED COLUMN |
| | 8600-PKSC | 6' x 1/8" S.S. SHINCARBON ST 80/100 PACKED COLUMN (2M) |
| | 8600-PKTA | 3' x 1/8" S.S. HAYESEP T PACKED COLUMN |
| | 8600-PKTB | 6' x 1/8" S.S. HAYESEP T PACKED COLUMN |

| | | |
|---|---|---|
| ***CAPILLARY COLUMNS*** | 8600-WB1A | 15M x 0.53MM I.D. 5.0U MXT-1 CAPILLARY COLUMN (DB-1 NON-POLAR) |
| | 8600-WB1B | 30M x 0.53MM I.D. 5.0U MXT-1 CAPILLARY COLUMN |
| | 8600-WB1C | 60M x 0.53MM I.D. 5.0U MXT-1 CAPILLARY COLUMN |
| | 8600-WB5A | 15M x 0.53MM I.D. 1.0U MXT-5 CAPILLARY COLUMN (DB-5 MED. POLARITY) |
| | 8600-WB5B | 30M x 0.53MM I.D. 1.0U MXT-5 CAPILLARY COLUMN |
| | 8600-WB5C | 60M x 0.53MM I.D. 1.0U MXT-5 CAPILLARY COLUMN |
| | 8600-WBBD | 15M x 0.53MM I.D. 0.15U MXT-500 CAPILLARY COLUMN (FOR GLYC. IN BIODIESEL) |
| | 8600-WBBG | 15M x 0.53MM I.D. 1.0U MXT-BIODIESEL CAPILLARY COLUMN |
| | 8600-WBVA | 15M x 0.53MM I.D. 5.0U MXT-VOL CAPILLARY COLUMN (FOR VOLATILES) |
| | 8600-WBVB | 30M x 0.53MM I.D. 5.0U MXT-VOL CAPILLARY COLUMN |
| | 8600-WBVC | 60M x 0.53MM I.D. 5.0U MXT-VOL CAPILLARY COLUMN |
| | 8600-WBXA | 15M x 0.53MM I.D. 1.0U MXT-WAX CAPILLARY COLUMN (POLAR) |
| | 8600-WBXB | 30M x 0.53MM I.D. 1.0U MXT-WAX CAPILLARY COLUMN |
| | 8600-WBXC | 60M x 0.53MM I.D. 1.0U MXT-WAX CAPILLARY COLUMN |
| | 8600-WQPA | 15M x 0.53MM I.D. 20.0U RT-QPLOT CAPILLARY COLUMN |
| | 8600-WQPB | 30M x 0.53MM I.D. 20.0U RT-QPLOT CAPILLARY COLUMN |

| | | |
|---|---|---|
| ***ACCESSORIES*** | 0510-0081 | METHANIZER ACCESSORY, FOR NON-SRI GC / AFTERMARKET, 90-240 VAC |
| | 8600-C346 | GAS LINE INSTALLATION KIT CGA346 |
| | 8600-C350 | GAS LINE INSTALLATION KIT CGA350 |
| | 8600-C380 | GAS LINE INSTALLATION KIT CGA380 |
| | 8600-C580 | GAS LINE INSTALLATION KIT CGA580 |
| | 8600-C590 | GAS LINE INSTALLATION KIT CGA590 |
| | 8600-MAIN | GC MAINTENANCE KIT, SPECIFY 8610C OR 310, 115V OR 230V |
| | 8660-0060 | FAST MUDLOGGER MODIFICATION |
| | 8660-0082 | METHANIZER RETROFIT KIT, IN JET VERSION |
| | 8670-1081 | METHANIZER TUBE REPLACEMENT- 6" x 1/8" |
| | 8670-1082 | METHANIZER TUBE REPLACEMENT- 2" x 1/8" - FOR NEW 8610C GC |
| | 8670-1083 | METHANIZER TUBE, IN JET, UNPACKED |
| | 8670-1122 | VOLTAGE TRANSFORMER, STEP UP/STEP DOWN, 115VAC-230VAC |
| | 8670-1340 | OXYGEN TRAP FILTER |
| | 8670-1341 | HYDROCARBON TRAP FILTER |
| | 8670-3500 | AUTOSAMPLER MOUNTING SYSTEM, FOR HTA |
| | 8670-5850 | SAMPLE STREAM DRYER |
| | 8670-9008 | MAINTENANCE KIT, HYDROGEN GENERATOR (MINUS CELL) |
| | 8670-9304 | HEATED TRANSFER LINE ADDITION, FOR NEW BUILD GC, RT. SIDE |
| | 8670-9305 | HEATED TRANSFER LINE MOD. w/ PLUG |
| | 8670-9554 | SRI TUBING CUTTER FOR COPPER TUBING |
| | 8680-0052 | METHOD 5035 COMPLIANT VOA VIAL SPARGE ACCESSORY |
| | 8680-0352 | SPARE DESSICANT CANISTER |
| | 8680-5050 | HOT WAND ACCESSORY, ADJUSTABLE, 115V |
| | 8690-0070 | INTERNAL WHISPER-QUIET AIR COMPRESSOR, 115V |
| | 8690-0071 | PERISTALTIC PUMP, REPLACEMENT |
| | 8690-0073 | VACUUM PUMP INTERFACE, AUTOMATED |
| | 8690-0081 | METHANIZER ACCESSORY BUILT ONTO EXISTING VALVE OVEN |
| | 8690-0082 | METHANIZER ACCESSORY, IN JET |
| | 8690-0086 | PELTIER COOLING WITH ELECTRONICS, FOR EXISTING TRAP |
| | 8690-0087 | DGA-TOGA PERMEATION LOOP ACCESSORY |
| | 8690-0090 | PELTIER COOLED TRAP, FOR GAS SAMPLING VALVE |
| | 8690-0092 | ENRICHMENT COIL ACCESSORY |
| | 8690-0093 | ONLINE MEMBRANE SAMPLER W/ SPARGER FOR COOLING TOWER WATER |
| | 8690-0094 | OXIDIZER ACCESSORY |
| | 8690-0095 | REUSEABLE SHIPPING CONTAINER |
| | 8690-2270 | INTERNAL WHISPER-QUIET AIR COMPRESSOR, 230V |
| | 8690-5510 | DIGITAL MULTIMETER, GENERAL PURPOSE |
| | 8690-5600 | H2 / HC LEAK DETECTOR, AC POWERED, WITH DIGITAL VOLTMETER |
| | 8690-5655 | H2 / HC LEAK DETECTOR, BUILT INTO 1 CH. DATA SYSTEM |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8690-9305 | HEATED TRANSFER LINE WITH THERMOCOUPLE, 115VAC |
| | 8690-LPGH | LPG HEATED EXPANSION CHAMBER / HOMOGENIZER |

| | | |
|---|---|---|
| ***PARTS*** | 8660-6055 | UPGRADE 1 CHANNEL DATA SYSTEM TO 6 CHANNEL VERSION (IN NEW GC) |
| | 8670-CB02 | CIRCUIT BREAKER, 2 A (115VAC) |
| | 8670-CB05 | CIRCUIT BREAKER, 5 A (230VAC) |
| | 8670-CB10 | CIRCUIT BREAKER, 10A (115VAC) |
| | 8670-GRE1 | GRAPHITE ELECTRODE ROPE, WITH CONNECTORS, FOR HYDROGEN GENERATOR |
| | 8670-KBF1 | KYNAR BAR FITTING, WATER, FOR HYDROGEN GENERATOR (REPLACES NYLON) |
| | 8670-0007 | TCD CELL w/ FILAMENTS, HEATING ELEMENT, SRI MODEL |
| | 8670-0011 | TCD GAIN SWITCH |
| | 8670-0017 | TID DETECTOR BEAD |
| | 8670-0025 | HEATED INJECTOR HARDWARE, COMPLETE, WITHOUT EPC |
| | 8670-0026 | HEATED INJECTION PORT CARRIER INLET |
| | 8670-0030 | HID COLLECTOR ELECTRODE ASSEMBLY |
| | 8670-0031 | HID DETECTOR BODY |
| | 8670-0034 | HEATED SPLIT INJECTOR BODY |
| | 8670-0060 | VALCO E ROTOR MID TEMP. |
| | 8670-0061 | VALCO P ROTOR LOW TEMP. |
| | 8670-0062 | VALCO T ROTOR HIGH TEMP. |
| | 8670-0063 | 10 PORT VALVE HEAD, GAS SAMPLING |
| | 8670-0064 | ELECTRIC VALVE ACTUATOR, FOR 10 PORT GAS SAMPLING VALVE |
| | 8670-0066 | CIRCUIT BOARD KIT, FOR ELECTRIC ACTUATOR, 115VAC |
| | 8670-0068 | SYRINGE NEEDLE, REPLACEMENT, FOR LIQUID AUTOSAMPLER |
| | 8670-0070 | AIR COMPRESSOR, REPLACEMENT, 115VAC |
| | 8670-0071 | PERISTALTIC PUMP TUBING, REPLACEMENT |
| | 8670-0072 | NARROW BORE SPME INJECTOR SLEEVE (FOR HTD. INJ.) |
| | 8670-0073 | VACUUM PUMP INTERFACE, SELF INSTALL KIT |
| | 8670-0074 | VACUUM PUMP, REPLACEMENT |
| | 8670-0080 | PHOTOMULTIPLIER (PMT) TUBE |
| | 8670-0081 | FPD DETECTOR BODY |
| | 8670-0082 | SULPHUR WAVELENGTH FILTER |
| | 8670-0083 | PHOSPHORUS WAVELENGTH FILTER |
| | 8670-0084 | FPD FILTER ASSEMBLY WITH BUILT-IN SULFUR FILTER |
| | 8670-0085 | FPD FILTER ASSEMBLY WITH BUILT-IN PHOSPHORUS FILTER |
| | 8670-0086 | FPD PMT SOCKET ASSEMBLY |
| | 8670-0120 | NPD BEAD (REPLACEMENT ONLY) |
| | 8670-0150 | FID IGNITOR / ELCD HEATER |
| | 8670-0154 | FID COLLECTOR ELECTRODE (REPL. 8610C) |
| | 8670-0155 | FID COLLECTOR ELECTRODE CABLE (REPL. 8610C) |
| | 8670-0232 | SERIAL CABLE, RS-232 (DB-9 CONNECTORS), 6' |
| | 8670-0353 | CELL, HYDROGEN GENERATOR, REPLACEMENT (NEW) |
| | 8670-0354 | CELL, HYDROGEN GENERATOR, REPLACEMENT (REBUILT) |
| | 8670-0355 | H2-40 SAFETY UPGRADE KIT |
| | 8670-0356 | H2-50 SAFETY UPGRADE KIT |
| | 8670-0357 | GLASS CYLINDER REPLACEMENT KIT, FOR H2 GENERATOR |
| | 8670-0651 | FAN MOTOR KIT, 8610C (SPECIFY 115VAC OR 230VAC) |
| | 8670-0655 | FAN MOTOR AND BLADE, 310/410 (SPECIFY 115VAC OR 230VAC) |
| | 8670-1024 | FID DETECTOR BODY |
| | 8670-1025 | FID DETECTOR BODY FOR METHANIZER |
| | 8670-1026 | NPD DETECTOR BODY |
| | 8670-1028 | DELCD COOLING FAN, FOR RED LID |
| | 8670-1029 | DELCD HEATER / COLLECTOR ASSEMBLY |
| | 8670-1034 | SILCOSTEEL LINER FOR SPLIT/SPLITLESS INJECTOR |
| | 8670-1052 | 64 BIT WINDOWS 7 COMPATIBLE PIC CHIP FOR EARLY MODEL 333 |
| | 8670-1081 | METHANIZER TUBE REPLACEMENT- 6" x 1/8" |
| | 8670-1082 | METHANIZER IN-JET TUBE REPLACEMENT- 2" x 1/8" |
| | 8670-1083 | METHANIZER TUBE, IN JET, UNPACKED |
| | 8670-1084 | HEATED/FAST COOLING 1/4" TRAP, FOR EXISTING GAS SAMPLING VALVE |
| | 8670-114A | DIFFERENTIAL AMPLIFIER IC, INA114AP |
| | 8670-117P | DIFFERENTIAL AMPLIFIER IC, INA117P |
| | 8670-1351 | SPARGE HEAD, 5030 INTERCHANGEABLE, REPLACEMENT |
| | 8670-1352 | SPARGE HEAD, 5035 INTERCHANGEABLE, REPLACEMENT |
| | 8670-1353 | SILICONE SEPTA, MOLDED PLUG, FOR ON-COLUMN INJECTOR (PACK OF 25) |
| | 8670-1354 | SILICONE SEPTA, STAMPED DISK, FOR HEATED INJECTOR (PACK OF 25) |
| | 8670-1357 | PORTER PRESSURE REGULATOR w/ SENSOR |
| | 8670-1400 | OVEN HEATER / SOCKET SET, 110 OR 230V |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8670-1401 | OVEN HEATER ELEMENT, 8610A/B/9300A, REPLACEMENT |
| | 8670-1402 | OVEN HEATER SOCKET FOR 8610A, B, 9300A GC's |
| | 8670-1403 | OVEN HEATER ELEMENT FOR 8610C GC, 115V |
| | 8670-1404 | OVEN HEATER ELEMENT FOR 8610C GC, 230V |
| | 8670-1405 | OVEN HEATER ELEMENT FOR 310 GC, 230V |
| | 8670-1406 | OVEN HEATER ELEMENT FOR 310 GC, 115V |
| | 8670-1410 | CARTRIDGE HEATER, 100W, 1/4"x1 5/16", FOR DET. BLOCK, METH. (115V OR 230V) |
| | 8670-1411 | CARTRIDGE HEATER, 100W, 3/8"x2 3/4", FOR ECD HEATER BLOCK (115V OR 230V) |
| | 8670-1412 | CARTRIDGE HEATER, 40W, 1/4"x1 1/4", FOR 5030 P&T SAMPLER (115V OR 230V) |
| | 8670-1413 | CARTRIDGE HEATER, 40W, 1/4"x1 1/4", FOR HID HEATER BLOCK (24VDC) |
| | 8670-1414 | CARTRIDGE HEATER, 50W, 1/4"x1 1/4", FOR 510 METHANIZER HEATER (12VDC) |
| | 8670-1415 | CARTRIDGE HEATER, 150W, 3/8"x2", FOR THERMAL DESORBER (115V OR 230V) |
| | 8670-1416 | CARTRIDGE HEATER, 200W, 1/4"x1 1/2", FOR PELTIER, BIOD. DET. BLK. (115V OR 230V) |
| | 8670-1418 | 1/4" TO 1/8" VESPEL REDUCING FERRULE, PACK OF 10 |
| | 8670-1419 | 1/4" TO 1/8" TEFLON® REDUCING FERRULE, PACK OF 10 |
| | 8670-1450 | TRAP HEATER ASSEMBLY WITH T-COUPLE |
| | 8670-1460 | TYPE K THERMOCOUPLE, 36" |
| | 9670-1506 | 1/16" S.S. FERRULE SET, PACK OF 10 |
| | 8670-1590 | 3/8" GRAPHITE FERRULE FOR TSD |
| | 8670-1800 | 1/8" BRASS NUT, PACK OF 10 |
| | 8670-1806 | 1/8" S.S. FERRULE SET, PACK OF 10 |
| | 8670-1814 | 1/4" TO 1/8" REDUCING FITTING, FOR CTR COLUMN, ETC. |
| | 8670-1815 | 1/4" TO 1/8" REDUCING FITTING, WITH 1/16" GAS LINE ENTRY |
| | 8670-1818 | 1/8" GRAPHITE STRAIGHT FERRULE, PACK OF 10 |
| | 8670-1853 | GRAPHITE REDUCING FERRULE, 1/8" - 0.8mm, PACK OF 10 |
| | 8670-1855 | 1/4" GRAPHITE STRAIGHT FERRULE, PACK OF 10 |
| | 8670-1828 | GRAPHITE REDUCING FERRULE, 1/8" - 0.5MM, PACK OF 10 |
| | 8670-2085 | DFPD-FID DETECTOR BODY |
| | 8670-2270 | AIR COMPRESSOR, REPLACEMENT, 230VAC |
| | 8670-2368 | INJECTION PORT COUPLER TO LIQUID AUTOSAMPLER CAROUSEL |
| | 8670-5600 | PROBE, REPLACEMENT, FOR HC/H2 LEAK DETECTOR |
| | 8670-6000 | DIGITAL FLOW CONTROLLER |
| | 8670-6020 | PRESSURE SENSOR WITH CONNECTOR FOR EPC |
| | 8670-6021 | TANK PRES. REGULATOR w/ CGA FITTING |
| | 8670-6022 | NORGREN GAS PRESSURE REGULATOR |
| | 8670-6023 | NORGREN PRESSURE REGULATOR w/ SENSOR |
| | 8670-6024 | WATTS GAS PRESSURE REGULATOR |
| | 8670-6025 | WATTS PRESSURE REGULATOR w/ SENSOR |
| | 8670-6026 | GAUGE FOR REGULATOR |
| | 8670-6500 | OVEN CIRCULATING FAN w/ SQUIIREL CAGE |
| | 8670-6550 | GREY OVEN COOLING FAN, WITH COOLING FAN MUFFIN |
| | 8670-6554 | HEATSINK FAN |
| | 8670-6575 | CHASSIS FAN, 24VDC, FOR 8610C/310 |
| | 8670-6576 | CHASSIS FAN, 115VAC, FOR 8610C/310 |
| | 8670-6600 | COLUMN OVEN LID, 8610B |
| | 8670-9001 | GC MAINTENANCE KIT, 8610C 115V |
| | 8670-9002 | GC MAINTENANCE KIT, 8610C 230V |
| | 8670-9003 | GC MAINTENANCE KIT, 8610B 115V |
| | 8670-9004 | GC MAINTENANCE KIT, 8610B 230V |
| | 8670-9005 | GC MAINTENANCE KIT, 310 115V |
| | 8670-9006 | GC MAINTENANCE KIT, 310 230V |
| | 8670-9093 | 0.53mm CAPILLARY COLUMN ADAPTER |
| | 8670-9304 | HEATED TRANSFER LINE ADDITION, FOR NEW BUILD GC, RT. SIDE |
| | 8670-9305 | HEATED TRANSFER LINE MOD. w/ PLUG |
| | 8670-9555 | TUBING COPPER 1/8", 50' ROLL |
| | 8670-USB2 | USB 2.0 A TO B CABLE, 6' |
| | 8690-0064 | 4 PORT LIQUID SAMPLING VALVE, MANUAL ACTUATOR |
| | 8690-0071 | PERISTALTIC PUMP, REPLACEMENT |
| | 8690-0072 | SPLIT VENT VALVE |
| | 8690-0073 | VACUUM PUMP INTERFACE, DATA SYSTEM CONTROLLED |
| | 8690-0081 | METHANIZER ACCESSORY BUILT ONTO EXISTING VALVE OVEN |
| | 8690-0082 | METHANIZER ACCESSORY, IN JET |
| | 8690-0086 | PELTIER COOLING w/ ELECTRONICS FOR TRAP |
| | 8690-0090 | PELTIER COOLED TRAP, FOR GAS SAMPLING VALVE |
| | 8690-0095 | REUSEABLE SHIPPING CONTAINER |
| | 8690-0096 | DGA-TOGA EXTRACTOR ASSEMBLY |
| | 8690-0151 | NAFION MEMBRANE REPLACEMENT FOR HYDROGEN GEN. |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8690-0152 | NAFION TUBING, DRYER, FOR HYDROGEN GENERATOR |
| | 8690-0153 | WATER FILTER, FOR HYDROGEN GENERATOR |
| | 8690-1070 | REPLACEMENT AIR FILTER |
| | 8690-7000 | OP-AMP CHIP, LF356 (REPLACES OP-80A) |
| | 8690-7100 | SCR - TRIAC CIRCUIT BOARD |

| | | |
|---|---|---|
| ***PRODUCT LIST*** | 0110-0003 | 110 CHASSIS, 115V |
| | 0110-0003-2 | 110 CHASSIS, 230V |
| | 0110-0006 | ASD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0007 | TCD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0009 | RGD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0010 | FID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0015 | NPD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0017 | TID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0020 | ECD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0030 | HID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0040 | PID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0080 | FPD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0085 | SIMULTANEOUS S/P FPD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-0100 | 110 CHASSIS, DYNAMIC THERMAL STRIPPER |
| | 0110-1026 | DELCD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-1080 | FPD-FID MOUNTED ON MODEL 110 CHASSIS |
| | 0110-2007 | CCD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-2026 | FID-DELCD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-2426 | PID-FID-DELCD MOUNTED ON MODEL 110 CHASSIS |
| | 0110-4010 | PID-FID MOUNTED ON MODEL 110 CHASSIS |
| | 0310-0004 | 310 EDUCATIONAL FID GC, USB 2.0 CHASSIS, 115V |
| | 0310-0045 | 310 SOIL GAS GC SYSTEM |
| | 0310-1000 | 310 EDUCATIONAL TCD GC, USB 2.0 CHASSIS, 115V |
| | 0310-1003 | 310 GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V |
| | 0310-1003-2 | 310 GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V |
| | 0310-1006 | 310 GASLESS EDUCATIONAL CCD GC, SERIAL CHASSIS, 115V |
| | 0310-1007 | 310 GASLESS INDOOR AIR QUALITY GC (CCD) |
| | 0310-1008 | 310 GASLESS INDOOR AIR QUALITY GC (CCD-PID) |
| | 0310-1117 | 310 GASLESS EXPLOSIVES GC, TID |
| | 0310-6003 | 310 GC MAINFRAME, 6 CHANNEL USB CHASSIS, 115V |
| | 0310-6003-2 | 310 GC MAINFRAME, 6 CHANNEL USB CHASSIS, 230V |
| | 0410-0065 | 410 RACK MOUNT MUDLOGGING GC SYSTEM (FID-FID) |
| | 0410-0065-2 | 410 RACK MOUNT MUDLOGGING GC SYSTEM (FID-FID) |
| | 0410-1000 | 410 RACK GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V |
| | 0410-1000-2 | 410 RACK GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V |
| | 0410-6000 | 410 RACK GC MAINFRAME, 6 CHANNEL USB CHASSIS, 115V |
| | 0410-6000-2 | 410 RACK GC MAINFRAME, 6 CHANNEL USB CHASSIS, 230V |
| | 0510-0081 | METHANIZER ACCESSORY FOR NON-SRI GC / AFTERMARKET, 90-240 VAC |
| | 0510-1081 | REPLACEMENT METHANIZER TUBE FOR MODEL 510 |
| | 8600-1050 | PEAKSIMPLE 1 CH. USB DATA SYSTEM KIT, 115VAC, MODEL 333 |
| | 8600-1051 | 4 RELAY KIT FOR MODEL 333 |
| | 8600-1250 | PEAKSIMPLE 1 CH. USB DATA SYSTEM KIT, 230VAC, MODEL 333 |
| | 8600-2022 | SINGLE-GAS EPC OPTION FOR MODEL 333 UNITS |
| | 8600-4060 | 4 RELAY BOARD FOR GC RETROFIT, 8610C/310 |
| | 8600-4061 | 4 RELAY BOARD FOR GC RETROFIT, WITH EXTERNAL JACK (CURRENT 8610C) |
| | 8600-5655 | 1 CH. DATA SYSTEM WITH H2 / HC SENSOR INSTALLED |
| | 8660-6053 | UPGRADE 1 CH. DATA SYSTEM TO 6 CH. USB VERSION (IN EXISTING GC/LC) |
| | 8600-6055 | PEAKSIMPLE 6 CH. USB DATA SYSTEM KIT, 115V MODEL 302 |
| | 8600-6056 | SWITCHED AC OUTLET FOR USB DATA SYSTEM |
| | 8600-6255 | PEAKSIMPLE 6 CH. USB DATA SYSTEM KIT, 230V MODEL 302 |
| | 8600-9000 | DATA SYSTEM HOST NOTEBOOK PC w/ PTR. |
| | 8600-9010 | DATA SYSTEM HOST DESKTOP PC w/ PTR. |
| | 8600-9050 | MULTIMEDIA DATA SYSTEM HOST DESKTOP PC W/ PTR. |
| | 8600-C346 | GAS LINE INSTALLATION KIT CGA346 |
| | 8600-C350 | GAS LINE INSTALLATION KIT CGA350 |
| | 8600-C380 | GAS LINE INSTALLATION KIT CGA380 |
| | 8600-C580 | GAS LINE INSTALLATION KIT CGA580 |
| | 8600-C590 | GAS LINE INSTALLATION KIT CGA590 |
| | 8600-PK1A | 3' x 1/8" S.S. SILICA GEL PACKED COLUMN |
| | 8600-PK1B | 6' x 1/8" S.S. SILICA GEL PACKED COLUMN |
| | 8600-PK2A | 3' x 1/8" S.S. MOLECULAR SIEVE 5A PACKED COLUMN |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8600-PK2B | 6' x 1/8" S.S. MOLECULAR SIEVE 5A PACKED COLUMN |
| | 8600-PK3A | 3' x 1/8" S.S. MOLECULAR SIEVE 13X PACKED COLUMN |
| | 8600-PK3B | 6' x 1/8" S.S. MOLECULAR SIEVE 13X PACKED COLUMN |
| | 8600-PKC3 | CTR3 DOUBLE PACKED COLUMN, FOR ARGON |
| | 8600-PKC4 | CTR1 DOUBLE PACKED COLUMN |
| | 8600-PKC5 | 24' x 1/8" S.S. AT-1000/CARBOPACK B CFC PACKED COLUMN |
| | 8600-PKDA | 3' x 1/8" S.S. HAYESEP D PACKED COLUMN |
| | 8600-PKDB | 6' x 1/8" S.S. HAYESEP D PACKED COLUMN |
| | 8600-PKQA | 3' x 1/8" S.S. PORAPAK Q PACKED COLUMN |
| | 8600-PKQA-T | 3' x 1/8" TEFLON® PORAPAK Q PACKED COLUMN |
| | 8600-PKQB | 6' x 1/8" S.S. PORAPAK Q PACKED COLUMN |
| | 8600-PKQB-T | 6' x 1/8" TEFLON® PORAPAK Q PACKED COLUMN |
| | 8600-PKSC | 6' x 1/8" S.S. SHINCARBON ST 80/100 PACKED COLUMN (2M) |
| | 8600-PKTA | 3' x 1/8" S.S. HAYESEP T PACKED COLUMN |
| | 8600-PKTB | 6' x 1/8" S.S. HAYESEP T PACKED COLUMN |
| | 8600-WB1A | 15M x 0.53MM I.D. 5.0U MXT-1 CAPILLARY COLUMN (DB-1 NON-POLAR) |
| | 8600-WB1B | 30M x 0.53MM I.D. 5.0U MXT-1 CAPILLARY COLUMN |
| | 8600-WB1C | 60M x 0.53MM I.D. 5.0U MXT-1 CAPILLARY COLUMN |
| | 8600-WB5A | 15M x 0.53MM I.D. 1.0U MXT-5 CAPILLARY COLUMN (DB-5 MED. POLARITY) |
| | 8600-WB5B | 30M x 0.53MM I.D. 1.0U MXT-5 CAPILLARY COLUMN |
| | 8600-WB5C | 60M x 0.53MM I.D. 1.0U MXT-5 CAPILLARY COLUMN |
| | 8600-WBBD | 15M x 0.53MM I.D. 0.15U MXT-500 CAPILLARY COLUMN (FOR GLYC. IN BIODIESEL) |
| | 8600-WBBG | 15M x 0.53MM I.D. MXT-BIODIESEL CAPILLARY COLUMN |
| | 8600-WBVA | 15M x 0.53MM I.D. 5.0U MXT-VOL CAPILLARY COLUMN (FOR VOLATILES) |
| | 8600-WBVB | 30M x 0.53MM I.D. 5.0U MXT-VOL CAPILLARY COLUMN |
| | 8600-WBVC | 60M x 0.53MM I.D. 5.0U MXT-VOL CAPILLARY COLUMN |
| | 8600-WBXA | 15M x 0.53MM I.D. 1.0U MXT-WAX CAPILLARY COLUMN (POLAR) |
| | 8600-WBXB | 30M x 0.53MM I.D. 1.0U MXT-WAX CAPILLARY COLUMN |
| | 8600-WBXC | 60M x 0.53MM I.D. 1.0U MXT-WAX CAPILLARY COLUMN |
| | 8600-WQPA | 15M x 0.53MM I.D. 20.0U RT-QPLOT CAPILLARY COLUMN (19741) |
| | 8600-WQPB | 30M x 0.53MM I.D. 20.0U RT-QPLOT CAPILLARY COLUMN (19742) |
| | 8610-0025 | 8610C METHOD 25 GC (CH4/NON-CH4 HC) |
| | 8610-0035 | 8610C DGA GC SYSTEM, HID |
| | 8610-0036 | 8610C DGA GC SYSTEM, TCD - HID |
| | 8610-0040 | 8610C GREENHOUSE GAS GC SYSTEM |
| | 8610-0050 | 8610C BTEX GAS CHROMATOGRAPH, METHOD 5030 COMPLIANT |
| | 8610-0051 | 8610C BTEX GAS CHROMATOGRAPH, METHOD 5030/5035 COMPLIANT |
| | 8610-0059 | 8610C ENVIRONMENTAL GC (PID-FID/DELCD-P&T) |
| | 8610-0061 | 8610C GEOPROBE GC (PID-FID/DELCD) |
| | 8610-0062 | 8610C GEOPROBE GC (FID/DELCD) |
| | 8610-0065 | 8610C MUDLOGGING GC (FID-FID) |
| | 8610-0066 | 8610C FAST MUDLOGGING GC, 115VAC |
| | 8610-0070 | 8610C MULTIPLE GAS ANALYZER GC - TCD |
| | 8610-0071 | 8610C MULTIPLE GAS ANALYZER TCD FID METH |
| | 8610-0072 | 8610C MULTIPLE GAS ANALYZER TCD HID |
| | 8610-0073 | 8610C MULTIPLE GAS + SULFUR ANALYZER |
| | 8610-0080 | 8610C PCB GC SYSTEM |
| | 8610-0114 | 8610C METHOD TO-14 AIR MONITORING GC |
| | 8610-0270 | 8610C MULTIPLE GAS GC II (TCD) |
| | 8610-0271 | 8610C MULTIPLE GAS GC II (TCD-FID-METH) |
| | 8610-0272 | 8610C MULTIPLE GAS GC II (TCD-HID) |
| | 8610-0273 | 8610C MULTIPLE GAS GC II + SULFUR ANALYZER |
| | 8610-0370 | 8610C MULTIPLE GAS GC III (TCD) |
| | 8610-0371 | 8610C MULTIPLE GAS GC III (TCD-FID-METH) |
| | 8610-0372 | 8610C MULTIPLE GAS GC III (TCD-HID) |
| | 8610-0373 | 8610C MULTIPLE GAS GC III + SULFUR ANALYZER |
| | 8610-1003 | 8610C GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V |
| | 8610-1003-2 | 8610C GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V |
| | 8610-1025 | EPA METHOD 25 GC, 115V |
| | 8610-1117 | 8610C EXPLOSIVES GC (TID) |
| | 8610-1500 | 8610C CFC GAS CHROMATOGRAPH WITH TCD |
| | 8610-1510 | 8610C CFC GAS CHROMATOGRAPH WITH FID |
| | 8610-2003 | 8610V GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 115V (VERTICAL INJ.) |
| | 8610-2003-2 | 8610V GC MAINFRAME, 1 CHANNEL USB 2.0 CHASSIS, 230V (VERTICAL INJ.) |
| | 8610-3070 | 8610C BTU GAS ANALYZER GC, TCD |
| | 8610-5400 | 8610C CAPILLARY FID GC |
| | 8610-5405 | 8610C NARROW BORE CAPILLARY FID GC |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8610-5500 | 8610D TUNEABLE COLUMN SELECTIVITY GC |
| | 8610-5675 | 8610C CRYOSULFUR GC SYSTEM |
| | 8610-5700 | 8610C SPME GC |
| | 8610-5800 | 8610C HRVOC GC SYSTEM, 115VAC |
| | 8610-5810 | 8610C HRVOC GC SYSTEM, 115VAC, ADD PID, 6 CH. |
| | 8610-6003 | 8610C GC MAINFRAME, 6 CHANNEL USB CHASSIS, 115V |
| | 8610-6003-2 | 8610C GC MAINFRAME, 6 CHANNEL USB CHASSIS, 230V |
| | 8610-6004 | 8610D GC MAINFRAME w/ DUAL COLUMN OVENS, 6 CH USB, 115V |
| | 8610-6004-2 | 8610D GC MAINFRAME w/ DUAL COLUMN OVENS, 6 CH USB, 230V |
| | 8610-6584 | 8610C BIODIESEL GC SYSTEM, ASTM D-6584, 115VAC |
| | 8610-6555 | SULFUR IN NATURAL GAS GC SYSTEM, 115VAC |
| | 8610-7003 | 8610V GC MAINFRAME, 6 CHANNEL USB 2.0 CHASSIS, 115V (VERTICAL INJ.) |
| | 8610-7003-2 | 8610V GC MAINFRAME, 6 CHANNEL USB 2.0 CHASSIS, 230V (VERTICAL INJ.) |
| | 8610-VUPG | UPGRADE PRECONFIGURED GC MODEL TO VERTICAL CHASSIS 8610V GC |
| | 8640-0001 | LIQUID AUTOSAMPLER, 100 VIAL TRAY, COBRA (VERTICAL, FOR 8610V ONLY) |
| | 8640-0002 | MOUNTING BRACKET KIT, FOR VERTICAL AUTOSAMPLER (8610V ONLY) |
| | 8640-0003 | SYRINGE, FOR COBRA AUTOSAMPLER, 5 CM. NEEDLE |
| | 8640-0050 | AUTOCALIBRATION SYSTEM, GAS |
| | 8640-1006 | SINGLE BAY AUTOINJECTOR |
| | 8660-0060 | FAST MUDLOGGER MODIFICATION |
| | 8660-0082 | METHANIZER RETROFIT KIT, IN JET VERSION |
| | 8660-6053 | UPGRADE 1 CH. DATA SYSTEM TO 6 CH. USB VERSION (IN EXISTING GC/LC) |
| | 8660-6055 | UPGRADE 1 CH. USB DATA SYSTEM TO 6 CH. USB VERSION (IN NEW GC/LC) |
| | 8670-CB02 | CIRCUIT BREAKER, 2 A (115VAC) |
| | 8670-CB05 | CIRCUIT BREAKER, 5 A (230VAC) |
| | 8670-CB10 | CIRCUIT BREAKER, 10 A (115VAC) |
| | 8670-GRE1 | GRAPHITE ELECTRODE ROPE, WITH CONNECTORS, FOR HYDROGEN GENERATOR |
| | 8670-KBF1 | KYNAR BAR FITTING, WATER, FOR HYDROGEN GENERATOR (REPLACES NYLON) |
| | 8670-USB2 | USB 2.0 A TO B CABLE, 6' |
| | 8670-0007 | TCD CELL w/ FILAMENTS, HEATING ELEMENT, SRI MODEL |
| | 8670-0009 | REPLACEMENT RGD REACTION TUBE, UNPACKED, WITH FRITS |
| | 8670-0011 | TCD GAIN SWITCH |
| | 8670-0017 | TID DETECTOR BEAD |
| | 8670-0024 | HEATED INJECTOR BODY |
| | 8670-0025 | HEATED INJECTOR HARDWARE, COMPLETE, WITHOUT EPC |
| | 8670-0026 | HEATED INJECTION PORT CARRIER INLET |
| | 8670-0030 | HID COLLECTOR ELECTRODE ASSEMBLY |
| | 8670-0031 | HID DETECTOR BODY |
| | 8670-0034 | HEATED SPLIT INJECTOR BODY |
| | 8670-0060 | VALCO E ROTOR MID TEMP. |
| | 8670-0061 | VALCO P ROTOR LOW TEMP. |
| | 8670-0062 | VALCO T ROTOR HIGH TEMP. |
| | 8670-0063 | 10 PORT VALVE HEAD, GAS SAMPLING |
| | 8670-0064 | ELECTRIC VALVE ACTUATOR, FOR 10 PORT GAS SAMPLING VALVE |
| | 8670-0066 | CIRCUIT BOARD KIT, FOR ELECTRIC ACTUATOR, 115VAC |
| | 8670-0068 | SYRINGE NEEDLE, REPLACEMENT, FOR LIQUID AUTOSAMPLER |
| | 8670-0070 | AIR COMPRESSOR, REPLACEMENT, 115VAC |
| | 8670-0071 | PERISTALTIC PUMP TUBING, REPLACEMENT |
| | 8670-0072 | NARROW BORE SPME INJECTOR SLEEVE (FOR HTD. INJ.) |
| | 8670-0073 | VACUUM PUMP INTERFACE, SELF INSTALL KIT |
| | 8670-0074 | VACUUM PUMP, REPLACEMENT |
| | 8670-0080 | PHOTOMULTIPLIER (PMT) TUBE |
| | 8670-0081 | FPD DETECTOR BODY |
| | 8670-0082 | SULPHUR WAVELENGTH FILTER |
| | 8670-0083 | PHOSPHORUS WAVELENGTH FILTER |
| | 8670-0084 | FPD FILTER ASSEMBLY WITH BUILT-IN SULFUR FILTER |
| | 8670-0085 | FPD FILTER ASSEMBLY WITH BUILT-IN PHOSPHORUS FILTER |
| | 8670-0120 | NPD BEAD (REPLACEMENT ONLY) |
| | 8670-0150 | FID IGNITOR |
| | 8670-0154 | FID COLLECTOR ELECTRODE (REPL. 8610C) |
| | 8670-0155 | FID COLLECTOR ELECTRODE CABLE (REPL. 8610C) |
| | 8670-0232 | SERIAL CABLE, RS-232 (DB-9 CONNECTORS), 6' |
| | 8670-0351 | NAFION MEMBRANE REPLACEMENT FOR 50ML HYDROGEN GEN. |
| | 8670-0353 | CELL, HYDROGEN GENERATOR, REPLACEMENT (NEW) |
| | 8670-0354 | CELL, HYDROGEN GENERATOR, REPLACEMENT (REBUILT) |
| | 8670-0357 | GLASS CYLINDER REPLACEMENT KIT, FOR H2 GENERATOR |
| | 8670-0651 | FAN MOTOR KIT, 8610C (SPECIFY 115VAC OR 230VAC) |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8670-0655 | FAN MOTOR KIT, 310/410 (SPECIFY 115VAC OR 230VAC) |
| | 8670-6575 | CHASSIS FAN, 24VDC, FOR 8610C/310 |
| | 8670-1017 | TID DETECTOR BODY |
| | 8670-1023 | FID DETECTOR INLET BULKHEAD FITTING |
| | 8670-1024 | FID DETECTOR BODY |
| | 8670-1025 | FID DETECTOR BODY FOR METHANIZER |
| | 8670-1026 | NPD DETECTOR BODY |
| | 8670-1028 | DELCD COOLING FAN, FOR RED LID |
| | 8670-1029 | DELCD HEATER / COLLECTOR ASSEMBLY |
| | 8670-1034 | SILCOSTEEL LINER FOR SPLIT/SPLITLESS INJECTOR |
| | 8670-1052 | 64 BIT WINDOWS 7 COMPATIBLE PIC CHIP FOR EARLY MODEL 333 |
| | 8670-1058 | POWER SUPPLY FOR MODEL 333, 115VAC TO 15VDC |
| | 8670-1058-2 | POWER SUPPLY FOR MODEL 333, 230VAC TO 15VDC |
| | 8670-1081 | METHANIZER TUBE REPLACEMENT- 6" x 1/8" |
| | 8670-1082 | METHANIZER IN-JET TUBE REPLACEMENT- 2" x 1/8" |
| | 8670-1083 | METHANIZER TUBE, IN JET, UNPACKED |
| | 8670-1084 | HEATED/FAST COOLING 1/4" TRAP, FOR EXISTING GAS SAMPLING VALVE |
| | 8670-1122 | VOLTAGE TRANSFORMER, STEP UP/STEP DOWN, 115VAC-230VAC |
| | 8670-1173 | NEEDLE, 115 MM, FOR METHOD 5035 SPARGE HEAD |
| | 8670-1174 | NEEDLE, 50 MM, FOR METHOD 5035 SPARGE HEAD |
| | 8670-114A | DIFFERENTIAL AMPLIFIER IC, INA114AP |
| | 8670-117P | DIFFERENTIAL AMPLIFIER IC, INA117P |
| | 8670-1240 | PID CELL ASSEMBLY |
| | 8670-1242 | PID LAMP 10.6eV w/ SEAL, 106-TYPE (SMALL, NEW STYLE) |
| | 8670-1243 | PID LAMP 10.2eV w/ SEAL, 103C-TYPE (LARGE, OLD STYLE) |
| | 8670-1244 | PID LAMP SEAL, TEFLON®, PACK OF 10 |
| | 8670-1245 | PID 45VDC BATTERY (REPLACEMENT) |
| | 8670-1246 | PID HV POWER SUPPLY TRANSFORMER, 8610 A, B MODEL |
| | 8670-1247 | PID HV POWER SUPPLY CIRCUIT BOARD, 8610C, 310 MODEL |
| | 8670-1248 | PID DETECTOR INLET BULKHEAD FITTING |
| | 8670-1300 | BLANK TRAP |
| | 8670-1305 | TENAX GR TRAP |
| | 8670-1315 | CARBOSIEVE II TRAP |
| | 8670-1320 | CARBOPACK B TRAP |
| | 8670-1324 | POLISHING FILTER, 3" |
| | 8670-1330 | TEFLON TEST TUBE SEALS (1 PAIR), FOR P&T |
| | 8670-1335 | SPARGE TEST TUBES (10 PACK) |
| | 8670-1340 | OXYGEN TRAP FILTER |
| | 8670-1341 | HYDROCARBON TRAP FILTER |
| | 8670-1350 | PURGE & TRAP SPARGING HEAD w/ GAS INJ. PORT |
| | 8670-1351 | SPARGE HEAD, 5030 INTERCHANGEABLE, REPLACEMENT |
| | 8670-1352 | SPARGE HEAD, 5035 INTERCHANGEABLE, REPLACEMENT |
| | 8670-1353 | SILICONE SEPTA, MOLDED PLUG, FOR ON-COLUMN INJECTOR (PACK OF 25) |
| | 8670-1354 | SILICONE SEPTA, STAMPED DISK, FOR HEATED INJECTOR (PACK OF 25) |
| | 8670-1356 | PORTER GAS PRESSURE REGULATOR & FITTING |
| | 8670-1357 | PORTER PRESSURE REGULATOR w/ SENSOR |
| | 8670-1400 | OVEN HEATER / SOCKET SET, 110 or 230V |
| | 8670-1401 | OVEN HEATER ELEMENT, 8610A/B/9300A, REPLACEMENT |
| | 8670-1402 | OVEN HEATER SOCKET FOR 8610A, B, 9300A GC's |
| | 8670-1403 | OVEN HEATER ELEMENT FOR 8610C GC, 115V |
| | 8670-1404 | OVEN HEATER ELEMENT FOR 8610C GC, 230V |
| | 8670-1405 | OVEN HEATER ELEMENT FOR 310 GC, 230V |
| | 8670-1406 | OVEN HEATER ELEMENT FOR 310 GC, 115V |
| | 8670-1410 | HEATER CARTRIDGE, 100W, 115V, 1/4"x1 5/16", FOR DET. BLOCK, METH. (115V OR 230V) |
| | 8670-1411 | CARTRIDGE HEATER, 100W, 3/8"x2 3/4", FOR ECD HEATER BLOCK (115V OR 230V) |
| | 8670-1412 | CARTRIDGE HEATER, 40W, 1/4"x1 1/4", FOR 5030 P&T SAMPLER (115V OR 230V) |
| | 8670-1413 | CARTRIDGE HEATER, 40W, 1/4"x1 1/4", FOR HID HEATER BLOCK (24VDC) |
| | 8670-1414 | CARTRIDGE HEATER, 50W, 1/4"x1 1/4", FOR 510 METHANIZER HEATER (12VDC) |
| | 8670-1415 | CARTRIDGE HEATER, 150W, 3/8"x2", FOR THERMAL DESORBER (115V OR 230V) |
| | 8670-1416 | CARTRIDGE HEATER, 200W, 1/4"x1 1/2", FOR PELTIER, BIOD. DET. BLK. (115V OR 230V) |
| | 8670-1418 | 1/4" TO 1/8" VESPEL REDUCING FERRULE, PACK OF 10 |
| | 8670-1419 | 1/4" TO 1/8" TEFLON® REDUCING FERRULE, PACK OF 10 |
| | 8670-1450 | TRAP HEATER ASSEMBLY WITH T-COUPLE |
| | 8670-1460 | TYPE K THERMOCOUPLE, 36" |
| | 8670-1501 | DESORBER BULKHEAD |
| | 8670-1502 | GAS DELIVERY LINE WITH CONNECTOR, THERMAL DESORBER |
| | 8670-1506 | 1/16" S.S. FERRULE SET, PACK OF 10 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8670-1590 | 3/8" GRAPHITE FERRULE FOR TSD (EACH) |
| | 8670-1800 | 1/8" BRASS NUT, PACK OF 10 |
| | 8670-1801 | 1/8" BRASS FERRULE SET, PACK OF 10 |
| | 8670-1805 | 1/8" S.S. NUT, PACK OF 10 |
| | 8670-1806 | 1/8" S.S. FERRULE SET, PACK OF 10 |
| | 8670-1814 | 1/4" TO 1/8" REDUCING FITTING, FOR CTR COLUMN, ETC. |
| | 8670-1815 | 1/4" TO 1/8" REDUCING FITTING, WITH 1/16" GAS LINE ENTRY |
| | 8670-1818 | 1/8" GRAPHITE STRAIGHT FERRULES, PACK OF 10 |
| | 8670-1828 | GRAPHITE REDUCING FERRULE, 1/8" - 0.5MM, PACK OF 10 |
| | 8670-1853 | GRAPHITE REDUCING FERRULE, 1/8" - 0.8MM, PACK OF 10 |
| | 8670-1855 | 1/4" GRAPHITE STRAIGHT FERRULE, PACK OF 10 |
| | 8670-2007 | REPLACEMENT CCD DETECTOR ELEMENT |
| | 8670-2085 | DFPD-FID DETECTOR BODY |
| | 8670-2270 | AIR COMPRESSOR, REPLACEMENT, 230VAC |
| | 8670-2368 | INJECTION PORT COUPLER TO LIQUID AUTOSAMPLER CAROUSEL |
| | 8670-3500 | AUTOSAMPLER MOUNTING SYSTEM, FOR HTA |
| | 8670-5052 | UPGRADE 5030 P&T TO METHOD 5030/5035 COMPLIANT (NEW BUILD ONLY) |
| | 8670-5600 | PROBE, REPLACEMENT, FOR HC/H2 LEAK DETECTOR |
| | 8670-5850 | SAMPLE STREAM DRYER |
| | 8670-5860 | ON-LINE SAMPLER / SPARGER FOR HRVOC |
| | 8670-6000 | DIGITAL FLOW CONTROLLER |
| | 8670-6015 | FLUISTOR (EPC MODULE) WITH CONNECTOR, CURRENT 8610C |
| | 8670-6016 | EPC CIRCUIT BOARD |
| | 8670-6020 | PRESSURE SENSOR WITH CONNECTOR, FOR EPC |
| | 8670-6021 | TANK PRES. REGULATOR w/ CGA FITTING |
| | 8670-6022 | NORGREN GAS PRESSURE REGULATOR |
| | 8670-6023 | NORGREN PRESSURE REGULATOR w/ SENSOR |
| | 8670-6024 | WATTS GAS PRESSURE REGULATOR |
| | 8670-6025 | WATTS PRESSURE REGULATOR w/ SENSOR |
| | 8670-6026 | GAUGE FOR REGULATOR |
| | 8670-6500 | OVEN CIRCULATING FAN |
| | 8670-6550 | GREY OVEN COOLING FAN, WITH COOLING MUFFIN FAN |
| | 8670-6554 | HEATSINK FAN |
| | 8670-6575 | CHASSIS FAN, 24VDC, FOR 8610C/310 |
| | 8670-6576 | CHASSIS FAN, 115VAC, FOR 8610C/310 |
| | 8670-6600 | COLUMN OVEN LID, 8610B |
| | 8670-8000 | SAMPLE LOOP (SPECIFY VOLUME BETWEEN 0.5mL and 3.0mL) |
| | 8670-9001 | GC MAINTENANCE KIT, 8610C 115V |
| | 8670-9002 | GC MAINTENANCE KIT, 8610C 220 VAC |
| | 8670-9003 | GC MAINTENANCE KIT, 8610B 115V |
| | 8670-9004 | GC MAINTENANCE KIT, 8610B 230V |
| | 8670-9005 | GC MAINTENANCE KIT, 310 115V |
| | 8670-9006 | GC MAINTENANCE KIT, 310 230V |
| | 8670-9007 | UPGRADE TCD TO CURRENT HIGH TEMPERATURE MODEL (HARDWARE ONLY) |
| | 8670-9008 | MAINTENANCE KIT, HYDROGEN GENERATOR (MINUS CELL) |
| | 8670-9010 | FID MAINTENANCE KIT |
| | 8670-9090 | SEPTUM NUT w/ GUIDE FOR 26GA. NEEDLE |
| | 8670-9093 | 0.53mm CAPILLARY COLUMN ADAPTER |
| | 8670-9094 | INJECTOR BODY |
| | 8670-9095 | SEPTUM NUT W/ GUIDE FOR 20GA. NEEDLE |
| | 8670-9096 | SEPTUM NUT W/ GUIDE FOR 20GA. NEEDLE, FOR HEATED INJECTOR |
| | 8670-9100 | TCD CELL STAINLESS STEEL, GOWMAC-TYPE |
| | 8670-9110 | O-RING FOR TCD FILAMENT, EACH (MIN. QTY 10) |
| | 8670-9120 | TCD FILAMENT, TUNGSTEN-RHENIUM (SPECIFY COPPER OR VITON SEAL) |
| | 8670-9121 | TCD FILAMENT, GOLD PLATED, SET OF FOUR (AuW 13-300) |
| | 8670-9122 | O-RING, FOR TCD FILAMENT, PACK OF 10 |
| | 8670-9123 | NUT, TCD, FILAMENT RETAINING (WAS FILAMENT W/ CU SEAL) |
| | 8670-9124 | COPPER SEAL, FOR TCD FILAMENT, PACK OF 10 |
| | 8670-9125 | TCD FILAMENT PROTECTION CIRCUIT (RETROFIT) |
| | 8670-9127 | TCD CELL w/ FILAMENTS, SRI MODEL (EXCHANGE) |
| | 8670-9304 | HEATED TRANSFER LINE ADDITION, FOR NEW BUILD GC, RT. SIDE |
| | 8670-9305 | HEATED TRANSFER LINE MOD. w/ PLUG |
| | 8670-9306 | HEATED TRANSFER LINE, CAPILLARY TUBING |
| | 8670-9550 | SYRINGE 10 UL |
| | 8670-9554 | SRI TUBING CUTTER FOR COPPER TUBING |
| | 8670-9555 | TUBING COPPER 1/8", 50' ROLL |
| | 8670-9556 | 1/16" S.S. TUBE FOR P&T SPARGE GAS |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8680-0052 | METHOD 5035 COMPLIANT VOA VIAL SPARGE ACCESSORY |
| | 8680-0352 | SPARE DESSICANT CANISTER |
| | 8690-0006 | AROMATIC SELECTIVE DETECTOR (ASD) |
| | 8690-0007 | TCD DETECTOR |
| | 8690-0008 | TCD DETECTOR, 1 FILAMENT |
| | 8690-0009 | RGD DETECTOR (WITH EMPTY REACTOR) |
| | 8690-0010 | FID DETECTOR |
| | 8690-0011 | BLANK REACTION TUBE W/FRITS |
| | 8690-0015 | NPD DETECTOR |
| | 8690-0017 | TID DETECTOR |
| | 8690-0020 | ECD DETECTOR |
| | 8690-0023 | ADDITIONAL ON-COLUMN INJECTOR WITH EPC CIRCUIT |
| | 8690-0025 | HEATED INJECTION PORT UPGRADE |
| | 8690-0030 | HID DETECTOR, SRI DESIGN |
| | 8690-0034 | SPLIT / SPLITLESS INJECTOR, AUTOMATED VENT |
| | 8690-0035 | GAS PHASE SPLITTER |
| | 8690-0037 | ON-COLUMN PTV INJECTOR UPGRADE |
| | 8690-0040 | PID DETECTOR |
| | 8690-0045 | HEATED STATIC HEADSPACE INJECTOR |
| | 8690-0046 | HEATED STATIC HEADSPACE INJECTOR UPGRADE, TO EXISTING VALVE, VALVE OVEN |
| | 8690-0051 | AUTOMATED PURGE AND TRAP CONCENTRATOR, METHOD 5030 |
| | 8690-0052 | AUTOMATED PURGE AND TRAP CONCENTRATOR, METHOD 5030/35 |
| | 8690-0053 | 10 SAMPLE PURGE AND TRAP AUTOSAMPLER, w/4 RELAY BD |
| | 8690-0054 | 10 SAMPLE METHOD 5035 PURGE-AND-TRAP AUTOSAMPLER |
| | 8690-0060 | 10 PORT GAS SAMPLING VALVE, MULTIGAS 3 PLUMBING, WITH SOLENOID |
| | 8690-0061 | 10 PORT GAS SAMPLING VALVE, PNEUMATIC ACTUATOR |
| | 8690-0062 | 4 PORT LIQUID SAMPLING VALVE, ELECTRIC ACTUATOR |
| | 8690-0063 | 10 PORT GAS SAMPLING VALVE, MANUAL ACTUATOR |
| | 8690-0064 | 4 PORT LIQUID SAMPLING VALVE, MANUAL ACTUATOR |
| | 8690-0065 | AUTOMATED GAS SAMPLE VALVE, 10 PORT |
| | 8690-0066 | 10 INPUT HEATED STREAM SELECTOR W/ TRANSFER LINE |
| | 8690-0067 | BLOCK HEATER w/ CARTRIDGE FOR GAS VALVE |
| | 8690-0068 | LIQUID AUTOSAMPLER CAROUSEL, 42 VIAL TRAY |
| | 8690-0069 | SOLENOID-CONTROLLED GAS VALVE |
| | 8690-0070 | INTERNAL WHISPER-QUIET AIR COMPRESSOR, 115V |
| | 8690-0071 | PERISTALTIC PUMP, REPLACEMENT |
| | 8690-0072 | SPLIT VENT VALVE |
| | 8690-0073 | VACUUM PUMP INTERFACE, DATA SYSTEM CONTROLLED |
| | 8690-0074 | THERMOSTATTED VALVE OVEN, HIGH TEMP. (300°C MAX.) |
| | 8690-0075 | ON-LINE LIQUID SAMPLER FOR PURGE-AND-TRAP |
| | 8690-0077 | 22 PORT, 10 STREAM SELECTOR VALVE, AUTOMATED, STD. ALONE |
| | 8690-0078 | 22 PORT, 10 STREAM SELECTOR VALVE, ELECTRIC ACTUATOR, PLUMBED |
| | 8690-0079 | 22 PORT, 10 STREAM SELECTOR VALVE, ELECTRIC ACTUATOR, UNPLUMBED |
| | 8690-0080 | FPD DETECTOR |
| | 8690-0081 | METHANIZER ACCESSORY BUILT ONTO EXISTING VALVE OVEN |
| | 8690-0082 | METHANIZER ACCESSORY, IN JET |
| | 8690-0083 | TO-14 CRYOTRAP LOOP, AUTOMATED CONTROL |
| | 8690-0084 | HEATED / FAST COOLING ADSORBENT TRAP FOR EXISTING GAS VALVE |
| | 8690-0085 | SIMULTANEOUS S/P FPD DETECTOR (DFPD) |
| | 8690-0086 | PELTIER COOLING w/ ELECTRONICS, FOR EXISTING TRAP |
| | 8690-0087 | DGA-TOGA PERMEATION LOOP ACCESSORY |
| | 8690-0088 | THERMOSTATTED VALVE OVEN |
| | 8690-0089 | UNHEATED INSULATED VALVE OVEN |
| | 8690-0090 | PELTIER COOLED TRAP, FOR GAS SAMPLING VALVE |
| | 8690-0091 | THERMOSTATTED VALVE OVEN, NARROW, FOR 8610D GC |
| | 8690-0092 | ENRICHMENT COIL ACCESSORY |
| | 8690-0093 | ONLINE MEMBRANE SAMPLER W/ SPARGER FOR COOLING TOWER WATER |
| | 8690-0094 | OXIDIZER ACCESSORY |
| | 8690-0095 | REUSEABLE SHIPPING CONTAINER |
| | 8690-0096 | DGA-TOGA EXTRACTOR ASSEMBLY |
| | 8690-0097 | TRAP PACKING ACCESSORY |
| | 8690-0151 | NAFION MEMBRANE REPLACEMENT FOR HYDROGEN GEN. |
| | 8690-0152 | NAFION TUBING, DRYER, FOR HYDROGEN GENERATOR |
| | 8690-0153 | WATER FILTER, FOR HYDROGEN GENERATOR |
| | 8690-0160 | TURBO-COOL FAST OVEN COOLING |
| | 8690-0230 | 230VAC 50Hz CONVERSION KIT |
| | 8690-1015 | NPD CONVERSION KIT FOR FID |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# SRIGC PRODUCTS LIST 2014

| | | |
|---|---|---|
| | 8690-1026 | DELCD DETECTOR |
| | 8690-1051 | METHOD TO-14 AIR CONCENTRATOR, VAC PUMP, 1 TRAP |
| | 8690-1052 | METHOD TO-14 AIR CONCENTRATOR, 2 TRAP, w/TUBE DESORBER |
| | 8690-1055 | METHOD TO-14 AIR CONCENTRATOR, VAC PUMP, 2 TRAPS |
| | 8690-1068 | ON-LINE SYRINGE SAMPLER (NO CAROUSEL) |
| | 8690-1070 | REPLACEMENT AIR FILTER |
| | 8690-1080 | FPD/FID DETECTOR WITH DUAL AMPLIFIERS |
| | 8690-1081 | REPLACEMENT METHANIZER TUBE |
| | 8690-1087 | THERMAL DESORBER SAMPLE TUBE (PK. OF 10) |
| | 8690-1088 | THERMAL SOIL DESORBER, MANUAL ACTUATOR |
| | 8690-1115 | FID / NPD CONVERTIBLE DETECTOR |
| | 8690-2007 | CCD DETECTOR |
| | 8690-2022 | ADDITIONAL EPC CONTROL ZONE (NO INJECTOR) |
| | 8690-2023 | ADDITIONAL INJECTION PORT WITHOUT EPC CONTROL/CARRIER |
| | 8690-2026 | FID-DELCD DETECTOR (FID-DELCD) |
| | 8690-2084 | DUAL HEATED TRAPS FOR EXISTING VALVES |
| | 8690-2085 | DFPD-FID DETECTOR (3 AMPLIFIERS) |
| | 8690-2253 | 10 STATION PURGE-AND-TRAP AUTOSAMPLER 230V, 4 REL BD |
| | 8690-2270 | INTERNAL WHISPER-QUIET AIR COMPRESSOR, 230V |
| | 8690-2615 | NPD-DELCD SERIES DETECTOR |
| | 8690-5052 | UPGRADE PURGE & TRAP TO 5030/5035 COMPLIANT |
| | 8690-5510 | DIGITAL MULTIMETER, GENERAL PURPOSE |
| | 8690-5600 | H2 / HC LEAK DETECTOR, AC POWERED, WITH DIGITAL VOLTMETER |
| | 8690-5655 | H2 / HC LEAK DETECTOR, BUILT INTO 1 CH. DATA SYSTEM |
| | 8690-7000 | OP-AMP CHIP, LF356 (REPLACES OP-80A) |
| | 8690-7034 | HEATED SPLIT/SPLITLESS INJECTOR UPGRADE WITH PTV |
| | 8690-7100 | SCR - TRIAC CIRCUIT BOARD |
| | 8690-8034 | HEATED SPLIT/SPLITLESS INJECTOR UPGRADE WITH PTV, VALVE |
| | 8690-8294 | METHANIZER/OXIDIZER UNIT, FOR METHOD 25-3 |
| | 8690-9305 | HEATED TRANSFER LINE WITH THERMOCOUPLE, 115VAC |
| | 8690-LPGH | LPG HEATED EXPANSION CHAMBER / HOMOGENIZER |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# Australian / International FERRULES - Price List July 2014

## Graphite Ferrules - Straight - in USD / AUD

**Custom GFs**

| Catalog # | Fitting Size | Hole ID | Description | USD/AUD | QTY |
|---|---|---|---|---|---|
| | | | **In AUSTRALIA Prices are the same but in AUD** | | |
| SF100G | 1/16" | 1/16" | Ferrules, Graphite,1/16"ID | 25.00 | 10-pk |
| GF100 | 1/16" | 1/16" | Ferrules, Graphite,FRONT,1/16"ID | 25.00 | 10-pk |
| SF200G | 1/8" | 1/8" | Ferrules, Graphite,1/8"ID | 25.00 | 10-pk |
| GF200 | 1/8" | 1/8" | Ferrules, Graphite,FRONT,1/8"ID | 25.00 | 10-pk |
| SF300G | 3/16" | 3/16" | Ferrules, Graphite,3/16mmID | 25.00 | 10-pk |
| SFM5G | 5mm | 5mm | Ferrules, Graphite,Varian 5mmID | 25.00 | 10-pk |
| GF400 | 1/4" | 1/4" | Ferrules, Graphite,FRONT,1/4"ID | 25.00 | 10-pk |
| SF400G | 1/4" | 1/4" | Ferrules, Graphite,1/4"ID | 25.00 | 10-pk |
| SF400SPEC | 1/4" | 1/4" | Ferrules, Graphite,1/4"ID | 30.00 | 10-pk |
| SF600G | 3/8" | 3/8" | Ferrules, Graphite,3/8"ID | 36.00 | 10-pk |
| SFM10G | 10mm | 10mm | Ferrules, Graphite,10mmID Metric | 36.00 | 10-pk |
| SFM12G-1 | 12mm | 12mm | Ferrules, Graphite,12mmID Metric | 4.20 | ea |
| SF800G | 1/2" | 1/2" | Ferrules, Graphite,1/2"ID | 42.00 | 10-pk |
| SFM14G-1 | 14mm | 14mm | Ferrules, Graphite,14mmID Metric | 4.80 | ea |
| SF1000G-1 | 5/8" | 5/8" | Ferrules, Graphite,5/8"ID | 4.80 | ea |
| SF1200G-1 | 3/4" | 3/4" | Ferrules, Graphite,3/4"ID | 5.60 | ea |
| SF1400G-1 | 7/8" | 7/8" | Ferrules, Graphite,7/8"ID | 6.80 | ea |
| SF1600G-1 | 1.0" | 1.0" | Ferrules, Graphite,1.0"ID | 8.10 | ea |
| SFM25G-1 | 25mm | 25mm | Ferrules, Graphite,1-1/4"ID | 8.10 | ea |
| SF2000G-1 | 1-1/4" | 1-1/4" | Ferrules, Graphite,1-1/4"ID | 12.00 | ea |
| SF2400G-1 | 1-1/2" | 1-1/2" | Ferrules, Graphite,1-1/2"ID | 15.00 | ea |
| SF2800G-1 | 1-3/4" | 1-3/4" | Ferrules, Graphite,1-3/4"ID | 18.00 | ea |
| SF3200G-1 | 2.0" | 2.0" | Ferrules, Graphite, 2.0"ID | 21.00 | ea |

***NOTES* : Graphite Ferrules**
2 Sizes of HP ferrules for HP/Agilent 5890
**GF100/- - - HP** size to fit standard HP inlet seal nut (0.125-in long )
**GF- - - HP** a short version to fit shallow recess HP nut ( 0.090-in Long

**Custom Ferrules** : **ANY size to order** *- providing it is physically feasible for us to make.*
We need accurate dimension "specs" OD / ID / Overall Length / Shoulder Length and OD at Cone Tip. Note : For Swagelok Ferrule shapes the cone angle is normally 17-deg
*There may be a "one-off" tooling charge of USD90(<1/2"ID) to- $150 depending on size - if this is required for a "special" ie not a stock item.*

**Discounts** : apply depending on **Total $ Order** value or on Qty(each) . . . at ***your*** best rate!
USD10-99, 0%; USD100-500, 10% . . . Also OEM and Distributor Discounts : .*Enquire !*

***Qty Discount***
min10-99 less 0%
100-499 less 10%
500-1000 less 20%
1000+ less 25%
in $ or each
at your best rate

***Plus Freight Cost***
Int'l Air Courier
USD75 per 500g
$95/1kg . . . at cost

***Delivery Times : Availability*** ***- most standard sizes are ex stock in reasonable Qtys***
**Production Lead Time** : most sizes are ex-stock or 4-5 days production for **qty to 500** each;
larger qty approx 7+ days from date of order . . . PLUS **transit time**
**Shipping :**
In Australia via Local Courier Aud 5 per 3kg; $30 Interstate metro
**International** - Air Express Courier Door-to-door.

**USA** : **USD 75.00 per 500g, USD95/ 1kg**,
**Transit time** : approx 3 to 5 days ( most countries eg. UK, USA, Canada . . .)
Other Countries ***- please enquire !***

***Payment by Bank Transfer or Credit Card via on-line PayPAL ( we send a separate PP Invoice on request )***
***. . . plus Company Name; Street Delivery address; Contact Phone Number required.***

*Prices include packing in plastic vials 10-pk unless specified otherwise. Also available "bulk-packed" for large quantities.*
*-1 suffix designates order qty : each - 50 for a 50-pk at 20% Discount . . . packed in plastic vials or separately for large sizes*

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# *Australian* / International FERRULES - Price List July 2014

## Graphite Ferrules - Reducing Prices per 10-pk - in USD / *AUD*

*Custom GFs*

| Cat.# | Size | Hole ID | Description | USD/AUD | QTY |
|---|---|---|---|---|---|
| | | | *In AUSTRALIA Prices are the same but in AUD* | | |
| SF100/0.3G | 1/16" | 0.3mm | Ferrules, Graphite,1/16"x0.3mmID | 30.00 | 10-pk |
| SF100/0.4G | 1/16" | 0.4mm | Ferrules, Graphite,1/16"x0.4mmID | 25.00 | 10-pk |
| SF100/0.5G | 1/16" | 0.5mm | Ferrules, Graphite,1/16"x0.5mmID | 25.00 | 10-pk |
| SF100/0.8G | 1/16" | 0.8mm | Ferrules, Graphite,1/16"x0.8mmID | 25.00 | 10-pk |
| SF100/00G | 1/16" | No-Hole | Ferrules, Graphite,1/16"xNo-Hole | 25.00 | 10-pk |
| SF100/1.0G | 1/16" | 1.0mm | Ferrules, Graphite,1/16"x1.0mmID | 25.00 | 10-pk |
| SF100/1.2G | 1/16" | 1.2mm | Ferrules, Graphite,1/16"x1.2mmID | 25.00 | 10-pk |
| SF100/2xM0.5G | 1/16" | Dble-Hole | Ferrules, Graphite,1/16"xDouble0.5mmID | 35.00 | 10-pk |
| GF200/100 | 1/8" | 1/16" | Ferrules, Graphite,FRONT,1/8x1/16"ID | 25.00 | 10-pk |
| SF200/0.4G | 1/8" | 0.4mm | Ferrules, Graphite,1/8"x0.4mmID | 25.00 | 10-pk |
| SF200/0.5G | 1/8" | 0.5mm | Ferrules, Graphite,1/8"x0.5mmID | 25.00 | 10-pk |
| SF200/0.8G | 1/8" | 0.8mm | Ferrules, Graphite,1/8"x0.8mmID | 25.00 | 10-pk |
| SF200/00G | 1/8" | No-Hole | Ferrules, Graphite,1/8"xNo-Hole | 25.00 | 10-pk |
| SF200/1.0G | 1/8" | 1mm | Ferrules, Graphite,1/8"x1.0mmID | 25.00 | 10-pk |
| SF200/1.2G | 1/8" | 1.2mm | Ferrules, Graphite,1/8"x1.2mmID | 25.00 | 10-pk |
| SF200/100G | 1/8" | 1/16" | Ferrules, Graphite,1/8"x1/16"ID | 25.00 | 10-pk |
| SF200/2x0.5G | 1/8" | Dble-Hole | Ferrules, Graphite,1/8"xDouble0.5mmID | 35.00 | 10-pk |
| SF200/2x0.8G | 1/8" | Dble-Hole | Ferrules, Graphite,1/8"xDouble0.8mmID | 35.00 | 10-pk |
| SF300/100G | 3/16" | 1/16" | Ferrules, Graphite,3/16"ID | 25.00 | 10-pk |
| SFM8.5/5/4.5G | 5mm | 5mm | Ferrules, Graphite,Shimadzu 5mmID | 25.00 | 10-pk |
| GF400/200SP | 1/4" | 1/8" | Ferrules, Graphite,1/4-1/8" Flat | 25.00 | 10-pk |
| SF400/00G | 1/4" | No-Hole | Ferrules, Graphite,1/4"xNo-Hole | 25.00 | 10-pk |
| SF400/100G | 1/4" | 1/16" | Ferrules, Graphite,1/4"x1/16"ID | 25.00 | 10-pk |
| SF400/0.8G | 1/4" | 0.8mm | Ferrules, Graphite,1/4"x0.8mm"ID | 25.00 | 10-pk |
| SF400/0.5G | 1/4" | 0.5mm | Ferrules, Graphite,1/4"x0.5mm"ID | 30.00 | 10-pk |
| SF400/200G | 1/4" | 1/8" | Ferrules, Graphite,1/4"x1/8"ID | 25.00 | 10-pk |
| SF400/300G | 1/4" | 3/16" | Ferrules, Graphite,1/4"x3/16"ID | 25.00 | 10-pk |
| SF400/M6G | 1/4" | 6mm | Ferrules, Graphite,1/4"x6mm"ID | 25.00 | 10-pk |
| GF400/200 | 1/4" | 1/8" | Ferrules, Graphite,FRONT,1/4"x1/8" | 25.00 | 10-pk |
| GF400/100 | 1/4" | 1/16" | Ferrules, Graphite,FRONT,1/4"x1/16" | 25.00 | 10-pk |
| GF200/100 | 1/8" | 1/16: | Ferrules, Graphite,FRONT,1/8"x1/16" | 25.00 | 10-pk |
| SF600/00G | 3/8" | No-Hole | Ferrules, Graphite,3/8"xNo-Hole | 42.00 | 10-pk |
| CF0.3FIS | 1/16" | 0.3mm | Ferrules, Graphite Capture Cup 0.3mmID | 85.00 | 10-pk |
| CF0.4FIS | 1/16" | 0.4mm | Ferrules, Graphite Capture Cup 0.4mmID | 85.00 | 10-pk |
| CF0.5FIS | 1/16" | 0.5mm | Ferrules, Graphite Capture Cup 0.5mmID | 85.00 | 10-pk |
| CF0.8FIS | 1/16" | 0.8mm | Ferrules, Graphite Capture Cup 0.8mmID | 85.00 | 10-pk |
| CF1.0FIS | 1/16" | 1.0mm | Ferrules, Graphite Capture Cup 1.0mmID | 85.00 | 10-pk |
| GF0.3HP | 1/16" | 0.3mm | Ferrules, Graphite,0.3mm ID HP Short | 25.00 | 10-pk |
| GF0.4HP | 1/16" | 0.4mm | Ferrules, Graphite,0.4mm ID HP Short | 25.00 | 10-pk |
| GF0.5HP | 1/16" | 0.5mm | Ferrules, Graphite,0.5mm ID HP Short | 25.00 | 10-pk |
| GF0.8HP | 1/16" | 0.8mm | Ferrules, Graphite,0.8mm ID HP Short | 25.00 | 10-pk |
| GF1.0HP | 1/16" | 1.0mm | Ferrules, Graphite,1.0mm ID HP Short | 25.00 | 10-pk |
| GF1.2HP | 1/16" | 1.2mm | Ferrules, Graphite,1.2mm ID HP Short | 25.00 | 10-pk |
| GF100/0.4 | 1/16" | 0.4mm | Ferrules, Graphite,FRONT,1/16"IDx0.4mmID | 25.00 | 10-pk |
| GF100/0.5 | 1/16" | 0.5mm | Ferrules, Graphite,FRONT,1/16"IDx0.5mmID | 25.00 | 10-pk |
| GF100/0.8 | 1/16" | 0.8mm | Ferrules, Graphite,FRONT,1/16"x0.8mmID | 25.00 | 10-pk |
| GF100/1.0 | 1/16" | 1.0mm | Ferrules, Graphite,FRONT,1/16"x1.0mmID | 25.00 | 10-pk |
| GF100/1.2 | 1/16" | 1.2mm | Ferrules, Graphite,FRONT,1/16x1.2mmID | 25.00 | 10-pk |
| GF100/0.3HP | 1/16" | 0.3mm | Ferrules, Graphite,0.3MM ID HP Standard | 30.00 | 10-pk |
| GF100/0.4HP | 1/16" | 0.4mm | Ferrules, Graphite,0.4MM ID HP Standard | 25.00 | 10-pk |
| GF100/0.5HP | 1/16" | 0.5mm | Ferrules, Graphite,0.5mm ID HP Standard | 25.00 | 10-pk |
| GF100/0.8HP | 1/16" | 0.8mm | Ferrules, Graphite,0.8mm ID HP Standard | 25.00 | 10-pk |
| GF100/1.0HP | 1/16" | 1.0mm | Ferrules, Graphite,1.0mm ID HP Standard | 25.00 | 10-pk |

*Prices include packing in plastic vials 10-pk unless specified otherwise. Also available "bulk-packed" for large quantities.*
*-1 suffix designates order qty : each - 50 for a 50-pk at 20% Discount . . . packed in plastic vials or separately for large sizes*



Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# *Australian* / International **FERRULES** - Price List **July 2014**

## Graphite/Vespel ( polyimide ) (15%C) Ferrules 10-pk

| Cat.# | Size | Hole ID | Type | Description | USD/AUD | Qty |
|---|---|---|---|---|---|---|
| | | | | *In AUSTRALIA Prices are the same but in AUD* | | |
| SF100/0.3VG | 1/16" | 0.3mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x0.3mmID | 36.00 | 10-pk |
| SF100/0.4VG | 1/16" | 0.4mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x0.4mmID | 36.00 | 10-pk |
| SF100/0.5VG | 1/16" | 0.5mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x0.5mmID | 36.00 | 10-pk |
| SF100/0.7VG | 1/16" | 0.7mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x0.7mmID | 36.00 | 10-pk |
| SF100/0.8VG | 1/16" | 0.8mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x0.8mmID | 36.00 | 10-pk |
| SF100/1.0VG | 1/16" | 1.0mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x1.0mmID | 36.00 | 10-pk |
| SF100/1.2VG | 1/16" | 1.0mm | Reducing | Ferrules, Graphite/VESPEL,1/16"x1.2mmID | 36.00 | 10-pk |
| SF100VG | 1/16" | 1/16" | Straight | Ferrules, Graphite/VESPEL,1/16"ID | 36.00 | 10-pk |
| SF200VG | 1/8' | 1/8' | Straight | Ferrules, Graphite/VESPEL,1/8"ID | 42.00 | 10-pk |
| SF300VG | 3/16" | 3/16" | Straight | Ferrules, Graphite/VESPEL,1/8"ID | 42.00 | 10-pk |
| SF400VG | 1/4" | 1/4" | Straight | Ferrules, Graphite/VESPEL,1/4"ID | 48.00 | 10-pk |
| **Teflon Ferrules** 10-pk | | | | | | |
| SF100T | 1/16" | 1/16" | Straight | Ferrules, TEFLON,1/16"ID | 30.00 | 10-pk |
| SF200T | 1/8" | 1/8" | Straight | Ferrules, TEFLON,1/8"ID | 30.00 | 10-pk |
| SF300T | 3/16" | 3/16" | Straight | Ferrules, TEFLON,3/16"ID | 36.00 | 10-pk |
| SF400T | 1/4" | 1/4" | Straight | Ferrules, TEFLON,1/4"ID | 36.00 | 10-pk |
| SF600T | 3/8' | 3/8' | Straight | Ferrules, TEFLON,3/8"ID | 42.00 | 10-pk |
| SF100/1.0T | 1/16" | 1.0mm | Reducing | Ferrules, TEFLON,1/16"x1.0mmID | 30.00 | 10-pk |
| SF100/0.8T | 1/16" | 0.8mm | Reducing | Ferrules, TEFLON,1/16"x0.8mmID | 30.00 | 10-pk |
| SF100/0.5T | 1/16" | 0.5mm | Reducing | Ferrules, TEFLON,1/16"x0.5mmID | 30.00 | 10-pk |
| SF200/100T | 1/8" | 1/16" | Reducing | Ferrules, TEFLON, /8"x1/16"ID | 36.00 | 10-pk |
| SF400/100T | 1/4" | 1/16" | Reducing | Ferrules, TEFLON,1/4"x1/16"ID | 36.00 | 10-pk |
| SF400/200T | 1/4" | 1/8" | Reducing | Ferrules, TEFLON,1/4"x1/8"ID | 36.00 | 10-pk |
| SF400/300T | 1/4" | 3/16" | Reducing | Ferrules, TEFLON,1/4"x1316"ID | 36.00 | 10-pk |
| **Kel-F Ferrules** 10-pk | | | | | | |
| SF1428/100KF | Nut | 1/16" | Straight | Ferrules, Kel-F,Single-Cone 1/16"ID for 1/4-28 Nylon Male F'Less Fingertight Nut | 20.00 | 10-pk |
| SF1428/200KF | Nut | 1/8" | Straight | Ferrules, Kel-F,Single-Cone 1/8"ID for1/4-28 Nylon Male F'Less Fingertight Nut | 20.00 | 10-pk |
| Kel-F* is similar to Tefzel* and ETFE* Trade Names | | | | | | |
| **PEEK Ferrules** 10-pk | | | | | | |
| SF100PK | 1/16" | 1/16" | Straight | Ferrules, PEEK,Single-Cone 1/16"ID | 30.00 | 10-pk |
| DF100PK | 1/16" | 1/16" | Straight | Ferrules, PEEK,Double-Cone 1/16"ID | 30.00 | 10-pk |

*Many more **Ferrule Sizes** / **Configurations** are available from VICI-Cheminert; VICI-Jour; Restek including fused silica adaptors and 1/32" and in other materials*

*Prices include packing in plastic vials 10-pk unless specified otherwise. Also available "bulk-packed" for large quantities. -1 suffix designates order qty : each, - 50 for a 50-pk at 20% Discount, packed in plastic vials or separately for large sizes*

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

*for detail : see* **www.** **p/pricelists/**




# Restek Product List 2012

*Including New Products >2011*
*Discontinued 2011*
***AUSTRALIAN Distributors***
*Chromalytic Technology Pty Ltd*
*+ 61(0)3 9762 2034*
*www.chromtech.net.au*
***ASK for QUOTE***

**Restek Effective January 1, 2012 Price List**

| Item Nbr. | Description | Ext. Desc. |
|---|---|---|
| 10000 | Guard Column | Base Deactivated Guard Column 5m, 0.25mm ID |
| 10000-600 | Guard Column | Base Deactivated Guard Column 5m, 0.25mm ID Package of 6 |
| 10001 | Guard Column | Base Deactivated Guard Column 5m, 0.32mm ID |
| 10001-600 | Guard Column | Base Deactivated Guard Column 5m, 0.32mm ID Package of 6 |
| 10002 | Guard Column | Base Deactivated Guard Column 5m, 0.53mm ID |
| 10002-600 | Guard Column | Base Deactivated Guard Column 5m, 0.53mm ID Package of 6 |
| 10003 | Guard Column | IP Deactivation 5m, 0.28mm ID |
| 10003-600 | Guard Column | IP Deactivation 5m, 0.28mm ID, 6 PK |
| 10005 | Guard Column | IP Deactivation 5m, 0.45mm ID |
| 10005-600 | Guard Column | IP Deactivation 5m, 0.45mm ID, 6 PK |
| 10007 | Desolvation Precolumn | 15m, 0.53mm 3m with 0.50um df, Rtx-5 |
| 10008 | Desolvation Precolumn | 15m, 0.53mm 3m with 0.25um df, Rtx-5 |
| 10008-600 | Desolvation Precolumn | 15m, 0.53mm 3m with 0.25um df Rtx-5 Pack of 6 |
| 10009 | Deactivated Tubing | NP Deactivation 15m, 0.25mm ID |
| 10010 | Deactivated Tubing | NP Deactivation 30m, 0.25mm ID |
| 10011 | Deactivated Tubing | NP Deactivation 60m, 0.25mm ID |
| 10012 | Deactivated Tubing | IP Deactivation 30m, 0.25mm ID |
| 10013 | Deactivated Tubing | IP Deactivation 60m, 0.25mm ID |
| 10014 | Deactivated Tubing | Polar Deactivation 30m, 0.25mm ID |
| 10015 | Deactivated Tubing | Polar Deactivation 60m, 0.25mm ID |
| 10020 | Deactivated Tubing | NP Deactivation 30m, 0.32mm ID |
| 10020-600 | Deactivated Tubing | NP Deactivation 30m, 0.32mmID Pack of 6 |
| 10021 | Deactivated Tubing | NP Deactivation 60m, 0.32mm ID |
| 10021-051 | Deactivated Tubing | NP Deactivation 60m, 0.32mm ID Not Caged |
| 10022 | Deactivated Tubing | IP Deactivation 30m, 0.32mm ID |
| 10023 | Deactivated Tubing | IP Deactivation 60m, 0.32mm ID |
| 10024 | Deactivated Tubing | Polar Deactivation 30m, 0.32mm ID |
| 10024-112 | Deactivated Tubing | Polar Deactivation 20m, 0.32mm ID |
| 10025 | Deactivated Tubing | Polar Deactivation 60m, 0.32mm ID |
| 10026 | Guard Column | Siltek Deactivation 5m, 0.25mm ID |
| 10026-600 | Guard Column | Siltek Deactivation 5m, 0.25mm ID Package of 6 |
| 10027 | Guard Column | Siltek Deactivation 5m, 0.32mm ID |
| 10027-600 | Guard Column | Siltek Deactivated, 5m, 0.32mmID, Pack of 6 |
| 10028 | Guard Column | Siltek Deactivation 5m, 0.53mm ID |
| 10028-110 | Guard Column | Siltek Deactivation 5 x 1m, 0.53mm ID |
| 10028-600 | Guard Column | Siltek Deactivation 5m, 0.53mm ID, 6pk |
| 10029 | Rxi Guard Column | 5m, 0.25mm ID |
| 10029-600 | Rxi Guard Column | 5m, 0.25mm ID, 6pk |
| 10030 | Deactivated Tubing | NP Deactivation 30m, 0.53mm ID |
| 10031 | Deactivated Tubing | NP Deactivation 60m, 0.53mm ID |
| 10031-094 | Deactivated Tubing | NP Deactivation (5) 12m, 0.53mmID pieces |
| 10032 | Deactivated Tubing | IP Deactivation 30m, 0.53mm ID |
| 10033 | Deactivated Tubing | IP Deactivation 60m, 0.53mm ID |
| 10033-600 | Deactivated Tubing | IP Deactivation 60m, 0.53mm ID Pack of 6 |
| 10034 | Deactivated Tubing | Polar Deactivation 30m, 0.53mm ID |
| 10035 | Deactivated Tubing | Polar Deactivation 60m, 0.53mm ID |
| 10036 | Guard Column | Siltek Deactivation 10m, 0.25mm ID |
| 10036-600 | Guard Column | Siltek Deactivation 10m, 0.25mm ID Package of 6 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10037 | Guard Column | Siltek Deactivation 10m, 0.32mm ID |
| 10037-600 | Guard Column | Siltek Deactivation 10m, 0.32mm ID Package of 6 |
| 10038 | Guard Column | Siltek Deactivated 10m, 0.53mm ID |
| 10038-600 | Guard Column | Siltek Deactivation 10m, 0.53mm ID 6-pk |
| 10039 | Rxi Guard Column | 5m, 0.32mm ID |
| 10039-600 | Rxi Guard Column | 5m, 0.32mm ID, 6pk |
| 10040 | Guard Column | IP Deactivation 5m, 0.05mm ID, 0.363mm OD |
| 10040-600 | Guard Column | IP Deactivation 5m, 0.05mm ID, 0.363mm OD Package of 6 |
| 10041 | Guard Column | IP Deactivation 5m, 0.10mm ID, 0.363mmOD |
| 10041-600 | Guard Column | IP Deactivation, 5m 0.10mm ID, 0.363mmOD 6pk |
| 10042 | Guard Column | IP Deactivation 5m, 0.15mmID, 0.363mm OD |
| 10042-600 | Guard Column | IP Deactivation 5m, 0.15mm ID, 0.363mm OD Package of 6 |
| 10043 | Guard Column | IP Deactivation 5m, 0.25mm ID, 0.37mm OD |
| 10043-050 | Guard Column | 5m, 0.25mm ID IP Deactivation Cage with a regular cage |
| 10043-600 | Guard Column | IP Deactivation 5m, 0.25mm ID, 0.405mm OD Package of 6 |
| 10043-6850 | Guard Column | IP Deact 5m, 0.25mm ID, 0.405mm OD 5" cage for HP 6850 |
| 10044 | Guard Column | IP Deactivation 5m, 0.32mm ID, 0.45mm OD |
| 10044-050 | Guard Column | IP Deactivation 5m, 0.32mm ID, 0.490mm OD with cage |
| 10044-110 | Guard Column | IP Deactivation 5 1m, 0.32mm ID, 0.45mm OD |
| 10044-600 | Guard Column | IP Deactivation 5m, 0.32mm ID, 0.490mm OD Package of 6 |
| 10045 | Guard Column | IP Deactivation 5m, 0.53mm ID, 0.69mm OD |
| 10045-050 | Guard Column | 5m, 0.53mm ID IP Deactivation Cage with a regular cage |
| 10045-110 | Guard Column | IP Deactivation 5 1m, 0.53mm ID, 0.740mm OD |
| 10045-600 | Guard Column | IP Deactivation 5m, 0.53mm ID, 0.740mm OD Package of 6 |
| 10045-6850 | Guard Column | IP Deactivation 5m, 0.53mm ID, 0.740mm OD 5" HP6850 Cage |
| 10046 | Guard Column | IP Deactivation 5m, 0.18mm ID, 0.405mm OD |
| 10046-600 | Guard Column | 5m, 0.18mm ID IP Deactivation Package of 6 |
| 10047 | Guard Column | IP Deactivation 10m, 0.53mm ID |
| 10047-050 | Guard Column | IP Deactivation 10m, 0.53mm ID with cage |
| 10047-600 | Guard Column | IP Deactivation 10m, 0.53mm ID Package of 6 |
| 10048 | Guard Column | IP Deactivation 10m, 0.32mm ID |
| 10048-600 | Guard Column | IP Deactivation 10m, 0.32mm ID Package of 6 |
| 10049 | Guard Column | IP Deactivation 10m, 0.25mm ID |
| 10049-050 | Guard Column | IP Deactivation 10m, 0.25mm ID with cage |
| 10049-600 | Guard Column | IP Deactivation 10m, 0.25mm ID Package of 6 |
| 10050 | Untreated Tubing | Untreated Fused Silica Tubing 15m, 0.25mm ID |
| 10051 | Untreated Tubing | Untreated Fused Silica Tubing 30m, 0.25mm ID |
| 10052 | Untreated Tubing | Untreated Fused Silica Tubing 60m, 0.25mm ID |
| 10052-600 | Untreated Tubing | Untreated Fused Silica Tubing 60m, 0.25mm ID, Pack of 6 |
| 10053 | Untreated Tubing | Untreated Fused Silica Tubing <500m, 0.25mm ID |
| 10054 | Rxi Guard Column | 5m, 0.53mm ID |
| 10054-600 | Rxi Guard Column | 5m, 0.53mm ID, 6pk |
| 10055 | Untreated Tubing | Untreated Fused Silica Tubing 15m, 0.32mm ID |
| 10056 | Untreated Tubing | Untreated Fused Silica Tubing 30m, 0.32mm ID |
| 10057 | Untreated Tubing | Untreated Fused Silica Tubing 60m, 0.32mm ID |
| 10058 | Untreated Tubing | Untreated Fused Silica Tubing <500m, 0.32mm ID |
| 10058-145 | Untreated Tubing | Untreated Fused Silica Tubing >500m,0.32mmID Continuous length |
| 10059 | Rxi Guard Column | 10m, 0.25mm ID |
| 10059-600 | Rxi Guard Column | 10m, 0.25mm ID, 6pk |
| 10060 | Untreated Tubing | Untreated Fused Silica Tubing 15m, 0.53mm ID |
| 10061 | Untreated Tubing | Untreated Fused Silica Tubing 30m, 0.53mm ID |
| 10062 | Untreated Tubing | Untreated Fused Silica Tubing 60m, 0.53mm ID |
| 10063 | Untreated Tubing | Untreated Fused Silica Tubing >500m, 0.53mm ID |
| 10064 | Rxi Guard Column | 10m, 0.32mm ID |
| 10064-600 | Rxi Guard Column | 10m, 0.32mm ID, 6pk |
| 10065 | Guard Column | Polar Deactivation 5m, 0.25mm ID |
| 10066 | Guard Column | Polar Deactivation 5m, 0.32mm ID |
| 10066-600 | Guard Column | Polar Deactivation 5m, 0.32mmID Pack of 6 |
| 10067 | Guard Column | Polar Deactivation 5m, 0.53mm ID |
| 10067-600 | Guard Column | Polar Deactivation 5m, 0.53mm ID, Pack of 6 |
| 10068 | Guard Column | Polar Deactivation 10m, 0.25mm ID |
| 10069 | Guard Column | Polar Deactivation 10m, 0.32mm ID |
| 10070 | Guard Column | Polar Deactivation 10m, 0.53mm ID |
| 10073 | Rxi Guard Column | 10m, 0.53mm ID |
| 10073-600 | Rxi Guard Column | 10m, 0.53mm ID, 6pk |
| 10075 | Guard Column | Hydroguard Deactivation 5m, 0.05mm ID |

| | | |
|---|---|---|
| 10075-600 | Guard Column | Hydroguard Deact 5m, 0.05mmID Pack of 6 |
| 10076 | Guard Column | Hydroguard Deactivation 5m, 0.10mm ID |
| 10077 | Guard Column | Hydroguard Deactivation 5m, 0.15mm ID |
| 10078 | Guard Column | Hydroguard Deactivation 5m, 0.18mm ID |
| 10079 | Guard Column | Hydroguard Deactivation 5m, 0.25mm ID |
| 10079-600 | Guard Column | Hydroguard Deactivation 5m, 0.25mm ID Package of 6 |
| 10080 | Guard Column | Hydroguard Deactivation 5m, 0.32mm ID |
| 10080-600 | Guard Column | Hydroguard Deactivation 5m, 0.32mm ID Package of 6 |
| 10081 | Guard Column | Hydroguard Deactivation 5m, 0.53mm ID |
| 10081-600 | Guard Column | Hydroguard Deactivation 5m, 0.53mm ID Package of 6 |
| 10082 | Guard Column | Hydroguard Deactivation 10m, 0.25mm ID |
| 10083 | Guard Column | Hydroguard Deactivation 10m, 0.32mm ID |
| 10084 | Guard Column | Hydroguard Deactivation 10m, 0.53mm ID |
| 10084-600 | Guard Column | Hydroguard Deactivation 10m, 0.53mm ID Package of 6 |
| 10084-6850 | Guard Column | Hydroguard Deactivation 10m, 0.53mm ID 5" cage for HP 6850 |
| 10085 | Deactivated Tubing | Hydroguard Deactivation 30m, 0.25mm ID |
| 10085-600 | Deactivated Tubing | Hydroguard Deactivation 30m, 0.25mm ID, Pack of 6 |
| 10086 | Deactivated Tubing | Hydroguard Deactivation 30m, 0.32mm ID |
| 10087 | Deactivated Tubing | Hydroguard Deactivation 30m, 0.53mm ID |
| 10088 | Deactivated Tubing | Hydroguard Deactivation 60m, 0.25mm ID |
| 10089 | Deactivated Tubing | Hydroguard Deactivation 60m, 0.32mm ID |
| 10090 | Deactivated Tubing | Hydroguard Deactivation 60m, 0.53mm ID |
| 10090-105 | Deactivated Tubing | Hydroguard Deactivation 50m, 0.53mm ID |
| 10091 | Untreated Tubing | Untreated Fused Silica Tubing 0.025mm ID 1 meter length |
| 10091-145 | Untreated Tubing | 0.025mm ID Continous Length |
| 10092 | Untreated Tubing | Untreated Fused Silica Tubing 0.050mm ID 1 meter length |
| 10092-145 | Untreated Tubing | Fused Silica 0.050mmID Continuous length |
| 10093 | Untreated Tubing | Untreated Fused Silica Tubing 0.075mm ID 1 meter length |
| 10093-029 | Untreated Tubing | Untreated FS Tubing 0.075mmID On Styrofoam Reel |
| 10093-145 | Untreated Tubing | 0.075mm ID Continuous Length |
| 10094 | Untreated Tubing | Untreated Fused Silica Tubing 0.10mm ID 1 meter length |
| 10094-029 | Untreated Tubing | Untreated FS Tubing 0.10mmID On Styrofoam Reel |
| 10094-145 | Untreated Tubing | 0.10mm ID Continuous Length |
| 10095 | Untreated Tubing | Untreated Fused Silica Tubing 0.15mm ID 1 meter length |
| 10095-145 | Untreated Tubing | 0.15mm ID Continuous Length |
| 10096 | Untreated Tubing | Untreated Fused Silica Tubing 0.18mm ID 1 meter length |
| 10096-145 | Untreated Tubing | 0.18mm ID Continuous Length |
| 10097 | Deactivated Tubing | IP Deactivation 0.025mm ID, 1 meter length |
| 10097-145 | Deactivated Tubing | 0.025mm ID Continuous Length |
| 10098 | Deactivated Tubing | IP Deactivation 0.050mm ID, 1 meter length |
| 10098-145 | Deactivated Tubing | IP Deactivation 0.050mm ID Continuous Length |
| 10099 | Deactivated Tubing | IP Deactivation 0.075mm ID, 1 meter length |
| 10099-145 | Deactivated Tubing | IP Deactivation 0.075ID Continuous Length |
| 10100 | Deactivated Tubing | IP Deactivation 0.10mm ID, 1 meter length |
| 10100-145 | Deactivated Tubing | 0.10mmID Continuous Length IP Deactivated |
| 10101 | Deactivated Tubing | IP Deactivation 0.15mm ID, 1 meter length |
| 10101-145 | Deactivated Tubing | 0.15mm ID Continuous Length IP Deactivation |
| 10102 | Deactivated Tubing | IP Deactivation 0.18mm ID, 1 meter length |
| 10102-600 | Deactivated Tubing | IP Deactivation 0.18mm ID, 1 meter length Pack of 6 |
| 10105 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10105-107 | Rtx-1 Cap. Column | 10m, 0.25mm ID, 0.10um |
| 10105-124 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |
| 10106 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10106-051 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.10um No Cage |
| 10106-107 | Rtx-1 Cap. Column | 10m, 0.32mm ID, 0.10um Break 15m column into 10m |
| 10106-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.10um with 5m Integra Guard Column |
| 10106-600 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.10um 6pk |
| 10106-6850 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.10um 5" cage for HP 6850 |
| 10107 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 10107-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.10um with 5m Integra-Guard Column |
| 10107-129 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.10um with 10m Integra-Guard Column |
| 10107-6850 | Rtx-1 Cap. Column | 15m, 0.53mmID, 0.10um 5" cage for 6850 |
| 10108 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10108-111 | Rtx-1 Cap. Column | 2-15m, 0.25mm ID, 0.10um |
| 10108-112 | Rtx-1 Cap. Column | 20m, 0.25mm ID, 0.10um |
| 10108-124 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10108-12404 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.10um with 5m Integra-Guard Column Use Nordion Cage |
| 10108-127 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.10um 10m, 0.25mm ID Guard |
| 10108-6850 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.10um For HP 6850 |
| 10109 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10109-106 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 0.10um Break a 30m column into 25m |
| 10109-10612 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 0.10um 5m, 0.32mm ID guard |
| 10109-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.10um w/5m 0.32mm Integra Guard |
| 10110 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 10110-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.10um with 5m Integra-Guard Column |
| 10111 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 10111-105 | Rtx-1 Cap. Column | 50m, 0.25mm ID, 0.10um |
| 10111-124 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |
| 10111-127 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.10um w/10m, 0.25mm Integra Guard |
| 10112 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 10112-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.10um w/5m, 0.32mm ID Integra Guard |
| 10112-128 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.10um w/10m, 0.32mm Integra Guard |
| 10113 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 10114 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 10115 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 10120 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10120-104 | Rtx-1 Cap. Column | 3 x 5m, 0.25mm ID, 0.25um |
| 10120-107 | Rtx-1 Cap. Column | 10m, 0.25mmID, 0.25um |
| 10120-119 | Rtx-1 Cap. Column | 2-7.5m, 0.25mmID, 0.25um |
| 10120-123 | Rtx-1 Cap. Column | 10m & 5m, 0.25mm ID, 0.25um |
| 10120-124 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10120-12404 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um with 5m Integra-Guard Column Use Nordion Cage |
| 10120-12468 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um w/ 5m integra-Guard Column For HP 6850 GCs |
| 10120-28205 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um Recoil f.s. column into 5" diameter No Cage No guarant |
| 10120-600 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um Package of 6 |
| 10120-6850 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 10121 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 10121-107 | Rtx-1 Cap. Column | 10m, 0.32mmID, 0.25um |
| 10121-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.25um w/5m 0.32mm Integra Guard |
| 10121-128 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10122 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 10122-107 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 0.25um |
| 10122-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.25um w/5m 0.53mm Integra Guard |
| 10122-280 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.25um 4in star cage, no guarantee for breakage |
| 10122-6850 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.25um 5" cage for HP 6850 |
| 10123 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10123-106 | Rtx-1 Cap. Column | 25m, 0.25mm ID, 0.25um |
| 10123-112 | Rtx-1 Cap. Column | 20m, 0.25mm ID, 0.25um |
| 10123-124 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10123-12404 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column Use Nordion Cage |
| 10123-12468 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um w/5m Integra Guard/5" Cage for HP6850 |
| 10123-127 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10123-12768 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um w/10m Integra-Guard 5in cage for HP 6850 |
| 10123-600 | Rtx-1 Cap. Column | 30m, 0.25mmID, 0.25um Pack of 6 |
| 10123-6850 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.25um 5" cage for HP 6850 GC |
| 10124 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10124-042 | Rtx-1 Cap Column | 30m x 0.32mmID x 0.25um 5" Nordion Cage |
| 10124-106 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 0.25um |
| 10124-10612 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 0.25um 5m, 0.32mm guard built in |
| 10124-112 | Rtx-1 Cap. Column | 20m, 0.32mmID, 0.25um |
| 10124-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 10124-128 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10124-600 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.25um Package of 6 |
| 10124-6850 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.25um 5" Cage |
| 10125 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 10125-106 | Rtx-1 Cap. Column | 25m, 0.53mm ID, 0.25um |
| 10125-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.25um with 5m Integra-Guard Column |
| 10125-129 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.25um with 10m Integra-Guard Column |
| 10125-600 | Rtx-1 Cap. Column | 30m, 0.53mmID, 0.25um pack of 6 |
| 10125-6850 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.25um 5" Cage for HP6850 |
| 10126 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10126-105 | Rtx-1 Cap. Column | 50m, 0.25mm ID, 0.25um |

| | | |
|---|---|---|
| 10126-124 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10126-127 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10126-600 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.25um Pack of 6 |
| 10126-6850 | Rtx-1 Cap. Column | 60m, 0.25mm Id, 0.25um w/5" HP6850 Cage |
| 10127 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 10127-051103 | Rtx-1 Cap. Column | (3) 20m, 0.32mm ID, 0.25um Not caged |
| 10127-105 | Rtx-1 Cap. Column | 50m, 0.32mm, 0.25um |
| 10127-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.25um w/ 5m, 0.32mm ID Integra Guard |
| 10127-128 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10127-6850 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.25um 5" HP6850 Cage |
| 10128 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 10129 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 10129-6850 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 0.25um For HP 6850 GCs |
| 10130 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 10135 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 10135-051 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.50um No Cage |
| 10135-104 | Rtx-1 Cap. Column | 3-5m, 0.25mm ID, 0.50um |
| 10135-107 | Rtx-1 Cap. Column | 10m, 0.25mm ID, 0.50um |
| 10135-123 | Rtx-1 Cap. Column | 1-10m & 1-5m, 0.25mmID, 0.50um |
| 10135-284 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.50um 3.5" coil no cage No guarantee for breakage |
| 10135-6850 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 0.50um 5" Cage |
| 10136 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 10136-104 | Rtx-1 Cap. Column | 3 x 5m, 0.32mm ID, 0.50um |
| 10136-107 | Rtx-1 Cap. Column | 10m, 0.32mmID, 0.50um |
| 10136-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10137 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 10137-051 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um No Cage*NO GUARANTEE FOR BREAKAGE* |
| 10137-107 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 0.50um |
| 10137-123284 | Rtx-1 Cap. Column | 5m & 10m, 0.53mm ID, 0.50um 3.5" Coil w/o Cage - No Guarantee for Breakage |
| 10137-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um with 5 meter Integra Guard Column |
| 10137-129 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 10137-280 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um 4" Star Cage (No Guarantee for Breakage) |
| 10137-282 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um Star Cage 5" Coil (No Guarantee for Breakage) |
| 10137-600 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 0.50um Pack of 6 |
| 10137-6850 | Rtx-1 Cap. Column | 15m, 0.53mmID, 0.50um on 6850 Cage |
| 10138 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 10138-042 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.50um Nordion Cage |
| 10138-101 | Rtx-1 Cap. Column | 3 x 10m, 0.25mm ID, 0.50um |
| 10138-102 | Rtx-1 Cap. Column | 10m & 20m, 0.25mm ID, 0.50um |
| 10138-124 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 10138-127 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.50um with 10m Integra-Guard Column |
| 10138-600 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.50um Pack of 6 |
| 10138-6850 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 0.50um 5" cage for HP 6850 |
| 10139 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10139-106 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 0.50um |
| 10139-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10139-128 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 10139-365 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.50um w/5m, 0.32mm ID Siltek Guard Column |
| 10139-600 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 0.50um Package of 6 |
| 10139-6850 | Rtx-1 Cap. Column | 30m, 0.32mmID, 0.50um on 6850 cage |
| 10140 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10140-102 | Rtx-1 Cap. Column | 10m & 20m, 0.53mm ID, 0.50um |
| 10140-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 10140-129 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 10140-6850 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 0.50um 5" Cage for HP6850 |
| 10141 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 10141-105 | Rtx-1 Cap. Column | 50m, 0.25mm ID, 0.50um |
| 10141-127 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 0.50um with 10m Integra-Guard Column |
| 10141-6850 | Rtx-1 Cap. Column | 60m, 0.25mmID, 0.50um 5" cage for HP 6850 |
| 10142 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 10142-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10142-128 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 10142-600 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 0.50um Pack of 6 |
| 10143 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 10143-126 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 0.50um 5m, 0.53mm Integra Guard |
| 10143-6850 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 0.50um w/5" cage for HP 6850 |

| | | |
|---|---|---|
| 10144 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 10145 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 10145-6850 | Rtx-1 Cap. Column | 105m, 0.32mmID, 0.50um on 6850 Cage |
| 10147 | Rtx-DHA-50 Cap. Column | 50m, 0.20mm ID, 0.5um |
| 10148 | Rtx-DHA-100 Cap. Column | 100m, 0.25mm ID, 0.5um |
| 10149 | Rtx-DHA-150 Cap. Column | 150m, 0.25mm ID, 1.0um |
| 10150 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 10150-124 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 10150-28205 | Rtx-1 Cap. Column | 15m, 0.25mm ID, 1.00um Recoil f.s. column into 5" diameter No Cage No guarant |
| 10151 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10151-104 | Rtx-1 Cap. Column | 3-5m, 0.32mm ID, 1.00um |
| 10151-107 | Rtx-1 Cap. Column | 10m, 0.32mm ID, 1.00um |
| 10151-123 | Rtx-1 Cap. Column | 1-10m, 1-5m, 0.32mm ID, 1.00um |
| 10151-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 1.0um w/5m 0.32mm Integra Guard |
| 10151-6850 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 1.00um 5" HP6850 Cage |
| 10152 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10152-104 | Rtx-1 Cap. Column | 3 x 5m, 0.53mm ID, 1.00um |
| 10152-107 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 1.00um |
| 10152-123 | Rtx-1 Cap. Column | 1x10m & 1x5m, 0.53mm ID, 1.00um |
| 10152-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10152-6850 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.00um with 5" cage for HP 6850 GC |
| 10153 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 10153-124 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 10153-127 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 1.00um with 10m Integra-Guard Column |
| 10153-280 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 1.0um 4" Star Cage |
| 10153-600 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 1.00um Pack of 6 |
| 10153-6850 | Rtx-1 Cap. Column | 30m, 0.25mm ID, 1.00um 5" HP 6850 Cage |
| 10154 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 10154-101 | Rtx-1 Cap. Column | 3-10m 0.32mm ID, 1.00um |
| 10154-106 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 1.00um |
| 10154-112 | Rtx-1 Cap. Column | 20m, 0.32mm ID, 1.00um |
| 10154-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10154-12568 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m 0.32mm Integra Guard 5" HP6850 Cage |
| 10154-128 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 10154-282 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um w/5 inch inner diameter coil |
| 10154-289 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.0um 4.5" Coil - No Cage - No Guarantee for Breakage |
| 10154-600 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um Pack of 6 |
| 10154-6850 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.00um 5" Cage |
| 10155 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10155-051 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um No Cage*NO GUARANTEE FOR BREAKAGE* |
| 10155-101 | Rtx-1 Cap. Column | 3 x 10m, 0.53mm ID, 1.00um |
| 10155-102 | Rtx-1 Cap. Column | 10m, 20m, 0.53mm ID, 1.00um |
| 10155-106 | Rtx-1 Cap. Column | 30m, 0.53mmID, 1.00um Break 30m into 25m column |
| 10155-10628 | Rtx-1 Cap. Column | 25m, 0.53mm, , 1.0um 3.5" coil |
| 10155-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10155-12660 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um w/5m Integra Guard, Pack of 6 |
| 10155-12668 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um w/ 5m Integra-Guard Column For HP 6850 Cage |
| 10155-129 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 10155-284 | Rtx-1 Cap. Column | 30m, 0.53mm, 1.0um with 3.5" coil No Guarantee for Breakage |
| 10155-6850 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.00um 5" Cage for HP6850 |
| 10156 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 10156-105 | Rtx-1 Cap. Column | 50m, 0.25mm ID, 1.00um |
| 10156-10560 | Rtx-1 Cap. Column | 50m, 0.25mmID, 1.00um 6pk |
| 10156-124 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 1.0um w/5m 0.25mm guard |
| 10156-138 | Rtx-1 Cap. Column | 45m & 15m, 0.25mm ID, 1.00um |
| 10156-600 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 1.00um Pack of 6 |
| 10156-6850 | Rtx-1 Cap. Column | 60m, 0.25mm ID, 1.00um 5" Cage for HP6850's |
| 10157 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10157-051 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.00um No Cage no guarantee for breakage |
| 10157-105 | Rtx-1 Cap. Column | 50m, 0.32mm ID, 1.00um |
| 10157-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10157-128 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 10157-600 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.00um Pack of 6 |
| 10157-6850 | Rtx-1 Cap. Column | 60m, 0.32mmID, 1.00um 5"/HP6850 Cage |
| 10158 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10158-109 | Rtx-1 Cap. Column | 50m & 10m, 0.53mm ID, 1.00um |

| | | |
|---|---|---|
| 10158-138 | Rtx-1 Cap. Column | 45m & 15m, 0.53mmID, 1.00um |
| 10158-6850 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 1.0um w/5" coil for HP 6850 |
| 10159 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 10159-303 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 1.00um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 10159-6850 | Rtx-1 Cap. Column | 105m, 0.25mm ID, 1.00um 5in cage for HP 6850 |
| 10160 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 10160-051 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 1.00um No Cage, No Guarantee for Breakage |
| 10160-6850 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 1.00um 5" cage for HP 6850 |
| 10165 | Rtx-5 DHA Tuning Column | 5m, 0.25mm, 1.0um |
| 10165-6850 | Rtx-DHA Tuning Column | 5m, 0.25mm, 1.0um For HP 6850 |
| 10166 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 10166-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 1.50um with 5m Integra-Guard Column |
| 10167 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 10167-097 | Rtx-1 Cap. Column | 8m, 0.53mmID, 1.50um |
| 10167-104 | Rtx-1 Cap. Column | 3 x 5m, 0.53mm ID, 1.50um |
| 10167-10468 | Rtx-1 Cap. Column | 3 x 5m, 0.53mmID, 1.50um 5" cage for 6850 |
| 10167-107 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 1.50um |
| 10167-11968 | Rtx-1 Cap. Column | 2 x 7.5m, 0.53mm ID, 1.50um 5in cage for 6850 |
| 10167-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 10167-12668 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.50um w/ 5m Integra-Guard For HP 6850 |
| 10167-600 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.50um Pack of 6 |
| 10167-6850 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 1.50um 5" Cage for HP 6850 |
| 10169 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 10169-128 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 1.50um w/10m 0.32mm Integra Guard |
| 10170 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10170-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 10170-129 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 1.50um with 10m Integra-Guard Column |
| 10170-6850 | Rtx-1 Cap. Column | 30m, 0.53mmID, 1.50um on 6850 Cage |
| 10172 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 10172-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.50um with 5m Integra Guard Column |
| 10172-6850 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 1.50um 5in cage for HP 6850 |
| 10173 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 10173-105 | Rtx-1 Cap. Column | 50m, 0.53mm ID, 1.50um |
| 10173-129 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 1.50um with 10m Integra-Guard Column |
| 10173-6850 | Rtx-1 Cap. Column | 60m, 0.53mmID, 1.50um 5" cage for HP 6850 |
| 10175 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 10175-6850 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 1.50um 5in cage for HP 6850 |
| 10176 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 5.00um |
| 10176-051 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 5.00um No Cage - No Guarantee for Breakage |
| 10176-107 | Rtx-1 Cap. Column | 10m, 0.32mm ID, 5.00um |
| 10176-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 5.00um with 5m Integra-Guard Column |
| 10176-128 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 5.00um with 10m Integra-Guard Column |
| 10176-139 | Rtx-1 Cap. Column | 12m, 0.32mm ID, 5.00um |
| 10176-390 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 5.00um 7cm Coil, No Cage No Guarantee for breakage |
| 10177 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 5.00um |
| 10177-086 | Rtx-1 Cap. Column | 4m & 8m, 0.53mm ID, 5.00um |
| 10177-104 | Rtx-1 Cap. Column | 3 x 5m, 0.53mm ID, 5.00um |
| 10177-107 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 5.00um |
| 10177-10705 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 5.00um No Cage No guarantee for breakage |
| 10177-119 | Rtx-1 Cap. Column | 2 x 7.5m, 0.53mmID, 5.00um |
| 10177-123 | Rtx-1 Cap. Column | 10m & 5m, 0.53mm ID, 5.00um |
| 10177-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 5.00um with 5m Integra-Guard Column |
| 10177-600 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 5.00um Pack of 6 |
| 10177-6850 | Rtx-1 Cap. Column | 15m, 0.53mmID, 5.00um 5" cage for HP 6850 |
| 10178 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 5.00um |
| 10178-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 5.00um with 5m Integra-Guard Column |
| 10178-128 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 5.00um with 10m Integra-Guard Column |
| 10178-390 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 5.00um 7cm coil, No Cage No guarantee for breakage |
| 10178-600 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 5.00um Pack of 6 |
| 10178-60068 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 5.00um Pack of 6 5" cage for HP 6850 |
| 10178-6850 | Rtx-1 Cap. Column | 30m, 0.32mmID, 5.00um on 6850 Cage |
| 10179 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um |
| 10179-042 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um Use Nordion Cage |
| 10179-101 | Rtx-1 Cap. Column | 3 x 10m, 0.53mm ID, 5.00um |
| 10179-106 | Rtx-1 Cap. Column | 25m, 0.53mm ID, 5.00um |
| 10179-112 | Rtx-1 Cap Column | 20m, 0.53mm ID, 5.00um |

| | | |
|---|---|---|
| 10179-117 | Rtx-1 Cap. Column | 2x5m & 1x20m, 0.53mm ID, 5.00um |
| 10179-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um with 5m Integra-Guard Column |
| 10179-12660( | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um w/5m Integra Guard Pack of 6 |
| 10179-12668 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um w/5m Integra Guard Column, 5" Cage for HP 6850 GCs |
| 10179-129 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um with 10m Integra-Guard Column |
| 10179-12968 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um with 10 meter Integra Guard Column 6850 Cage |
| 10179-600 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um 6pk |
| 10179-6850 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 5.00um on 6850 cage |
| 10180 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 5.00um |
| 10180-064 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 5.00um Wind on 11 pin cage |
| 10180-105 | Rtx-1 Cap. Column | 50m, 0.32mm ID, 5.00um |
| 10180-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 5.00um with 5m Integra-Guard Column |
| 10180-600 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 5.00um Pack of 6 |
| 10180-6850 | Rtx-1 Cap. Column | 60m, 0.32mmID, 5.00um 5" cage for HP 6850 |
| 10181 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 3.00um |
| 10181-064 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 3.00um Wind on 11-pin cage |
| 10181-107 | Rtx-1 Cap. Column | 10m, 0.32mmID, 3.00um |
| 10181-123 | Rtx-1 Cap. Column | 5m & 10m, 0.32mm ID, 3.00um |
| 10181-125 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 3.0um w/5m 0.32mm Integra Guard |
| 10181-6850 | Rtx-1 Cap. Column | 15m, 0.32mm ID, 3.00um 5" 6850 Cage |
| 10182 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 10182-104 | Rtx-1 Cap. Column | 3 x 5m, 0.53mm ID, 3.00um |
| 10182-107 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 3.00um |
| 10182-10705 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 3.00um No Cage No guarantee for breakage |
| 10182-123 | Rtx-1 Cap. Column | 10m & 5m, 0.53mm ID, 3.00um |
| 10182-126 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 3.00um 5m, 0.53mm ID Guard Column |
| 10182-12668 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 3.00um 5m, 0.53mm Guard 5in cage for HP 6850 |
| 10182-6850 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 3.00um 5in cage for HP 6850 |
| 10183 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 5.00um |
| 10183-103 | Rtx-1 Cap. Column | 3 x 20m, 0.53mmID, 5.00um |
| 10183-105 | Rtx-1 Cap. Column | 50m, 0.53mm ID, 5.00um |
| 10183-109 | Rtx-1 Cap. Column | 10m & 50m, 0.53mm ID 5.00um |
| 10183-126 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 5.00um with 5 meter Integra Guard Column |
| 10183-129 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 5.00um w/10m 0.53mm Integra Guard |
| 10183-12968 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 5.00um w/10m 0.53mm Integra Guard 5" HP6850 Cage |
| 10183-6850 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 5.00um 5" Cage for HP 6850 GCs |
| 10184 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 3.00um |
| 10184-051 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 3.0um No Cage * NO GUARANTEE FOR BREAKAGE * |
| 10184-106 | Rtx-1 Cap. Column | 25m, 0.32mm ID, 3.00um |
| 10184-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 3.00um w/ 5m, 0.32mm ID, IntegraGuard |
| 10184-282 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 3.00um w/5 inch diameter in Star Cage |
| 10184-6850 | Rtx-1 Cap. Column | 30m, 0.32mmID, 3.00um caged for HP6850 |
| 10185 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 10185-101 | Rtx-1 Cap. Column | 3 x 10m, 0.53mm ID, 3.00um |
| 10185-126 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 10185-129 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 10185-289 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um 4.5" Coil, No Cage |
| 10185-305 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10185-600 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um Pack of 6 |
| 10185-6850 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 3.00um w/5" Cage for HP6850 |
| 10186 | Rtx-1 PONA Cap. Column | 50m, 0.25mm ID, 0.5um |
| 10187 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 3.00um |
| 10187-105 | Rtx-1 Cap. Column | 50m, 0.32mm ID, 3.00um |
| 10187-125 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 3.00um 5m, 0.32mm Guard |
| 10187-6850 | Rtx-1 Cap. Column | 60m, 0.32mm ID, 3.00um 5" HP6850 Cage |
| 10188 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 10188-126 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 3.00um w/5m 0.53mm Integra Guard |
| 10188-129 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 3.00um w/10m, 0.53mm Integra Guard |
| 10188-6850 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 3.00um 5" Cage for Agilent 6850 GCs |
| 10189 | Rtx-1 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 10189-126 | Rtx-1 Cap. Column | 105m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 10189-129 | Rtx-1 Cap. Column | 105m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 10190 | Rtx-1 Cap. Column | 105m, 0.32mm ID, 3.00um |
| 10190-6850 | Rtx-1 Cap. Column | 105m, 0.32mmID, 3.00um 5" cage for HP |
| 10191 | Rtx-1 Cap. Column | 15m, 0.53mm ID, 7.00um |
| 10191-10705 | Rtx-1 Cap. Column | 10m, 0.53mm ID, 7.00um No Cage No guarantee for breakage |

| | | |
|---|---|---|
| 10192 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 7.00um |
| 10192-6850 | Rtx-1 Cap. Column | 30m, 0.53mm ID, 7.00um 5in cage for HP 6850 |
| 10193 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 7.00um |
| 10193-126 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 7.00um with 5m Integra-Guard Column |
| 10193-129 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 7.00um w/10m, 0.53mm Integra Guard |
| 10193-600 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 7.00um Pack of 6 |
| 10193-6850 | Rtx-1 Cap. Column | 60m, 0.53mm ID, 7.00um 5" cage for HP 6850 |
| 10194 | Rtx-1 Cap. Column | 105m, 0.53mm ID, 5.00um |
| 10195 | Rtx-1 PONA Cap Column | 100m, 0.25mm ID, 0.50um |
| 10195-146 | Rtx-1 PONA Cap. Column | 2 x 50m, 0.25mm ID, 0.50um |
| 10195-14628( | Rtx-1 PONA Cap. Column | 2 x 50m, 0.25mm ID, 0.50um Recoil in 4" Star Cage |
| 10195-284 | Rtx-1 PONA Cap. Column | 100m, 0.25mm ID, 0.50um 3.5" Coil w/o Cage No Guarantee for Breakage |
| 10196 | Rtx-5 PONA Tuning Column | 5m, 0.25mm ID, 1.0um |
| 10197 | Rtx-1 PONA Cap. Column | 150m, 0.25mm ID, 0.5um |
| 10198 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 4.00um |
| 10198-125 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 4.00um with 5m Integra-Guard Column |
| 10198-6850 | Rtx-1 Cap. Column | 30m, 0.32mm ID, 4.00um 5" HP Cage |
| 10199 | Rtx-2887 Cap. Column | 10m, 0.53mm ID, 2.65um |
| 10199-067 | Rtx-2887 Cap. Column | 5 x 2m, 0.53mm ID, 2.65um |
| 10199-076 | Rtx-2887 Cap. Column | 2 5m, 0.53mm ID, 2.65um |
| 10199-07668 | Rtx-2887 Cap. Column | 2-5m, 0.53mm ID, 2.65um For HP 6850 |
| 10199-126 | Rtx-2887 Cap. Column | 10m, 0.53mm ID, 2.65um with 5m Integra-Guard Column |
| 10199-129 | Rtx-2887 Cap. Column | 10m, 0.53mm ID, 2.65um with 10m Integra-Guard Column |
| 10199-600 | Rtx-2887 Cap. Column | 10m, 0.53mm ID, 2.65um 6pk |
| 10199-6850 | Rtx-2887 Cap. Column | 10m, 0.53mmID, 2.65um 5" cage for HP 6850 |
| 10205 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10205-042 | Rtx-5 Cap. Column | 15m, 0.25mmID, 0.10um 5" Nordion cage |
| 10205-124 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.10um with 5m Integra Guard Column |
| 10205-6850 | Rtx-5 Cap. Column | 15m, 0.25mmID, 0.10um 5" cage for HP 6850 |
| 10206 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10206-107 | Rtx-5 Cap. Column | 10m, 0.32mm ID, 0.10um Break 15m column into 10m |
| 10206-10712 | Rtx-5 Cap. Column | 10m, 0.32mm ID, 0.10um 5m, 0.32mm ID Guard |
| 10206-125 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.10um w/5m 0.32mm Integra Guard |
| 10206-6850 | Rtx-5 Cap. Column | 15m, 0.32mmID, 0.10um 5" cage for HP 6850 |
| 10207 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 10207-107 | Rtx-5 Cap. Column | 10m, 0.53mm ID, 0.10um |
| 10208 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10208-112 | Rtx-5 Cap. Column | 20m, 0.25mm ID, 0.10um |
| 10208-124 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |
| 10208-127 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.10um with 10m Integra-Guard Column |
| 10208-600 | Rtx-5 Cap. Column | 30m, 0.25mmID, 0.10um Pack of 6 |
| 10209 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10209-125 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.10um with 5m Integra-Guard Column |
| 10209-128 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.10um with 10m Integra Guard Column |
| 10210 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 10210-126 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.10um w/5m INTEGRA GUARD |
| 10210-600 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.10um Pack of 6 |
| 10211 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 10211-124 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.10um with 5m Integra Guard Column |
| 10212 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 10212-125 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.10um w/5m 0.32mm ID Integra Guard |
| 10212-128 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.10um with 10m Integra-Guard Column |
| 10213 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 10214 | Rtx-5 Cap. Column | 105m 0.25mm ID, 0.10um |
| 10215 | Rtx-5 Cap. Column | 105m 0.32mm ID, 0.10um |
| 10220 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10220-104 | Rtx-5 Cap. Column | 3 x 5m, 0.25mm ID, 0.25um |
| 10220-107 | Rtx-5 Cap. Column | 10m, 0.25mm ID, 0.25um |
| 10220-123 | Rtx-5 Cap. Column | 5m & 10m, 0.25mmID, 0.25um |
| 10220-124 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10220-127 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10220-139 | Rtx-5 Cap. Column | 12m, 0.25mm ID, 0.25um |
| 10220-305 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.25um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10220-600 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.25um Pack of 6 |
| 10220-6850 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 10221 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.25um |

| | | |
|---|---|---|
| 10221-125 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 10221-128 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10221-305 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.25um 5m x 0.53mm guard w/presstight |
| 10221-600 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.25um 6pk |
| 10221-6850 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.25um 5" cage for HP 6850 |
| 10222 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 10222-126 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.25um with 5m Integra-Guard Column |
| 10222-129 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.25um with 10m Integra-Guard Column |
| 10223 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10223-112 | Rtx-5 Cap. Column | 20m, 0.25mm ID, 0.25um |
| 10223-124 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10223-12460( | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um w/5m 0.32mm Integra Guard Column, Pack of 6 |
| 10223-12468 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um w/5m IntegraGuard, For HP 6850s |
| 10223-127 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10223-273 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD w/o Cage |
| 10223-303 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 10223-305 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10223-600 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um Package of 6 |
| 10223-6850 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.25um 5" HP 6850 Cage |
| 10224 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10224-042 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um Use Nordion Gage |
| 10224-125 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um w/5m Integra-Guard Column |
| 10224-12504 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column Use Nordion Cage |
| 10224-12560( | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column, Pack of 6 |
| 10224-128 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10224-12804 | Rtx-5 Cap.Column | 30m, 0.32mm ID, 0.25um w/10m Integra Guard Column Use Nordion Cage |
| 10224-12868 | Rtx-5 Cap. Column | 30m, 0.32mmID, 0.25um 10m 0.32mm guard column built in 5" cage |
| 10224-304 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 10224-600 | Rtx-5 Cap.Column | 30m, 0.32mm ID, 0.25um Package of 6 |
| 10224-6850 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.25um w/5" Cage for HP6850 |
| 10225 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 10225-126 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.25um with 5m Integra-Guard Column |
| 10226 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10226-105 | Rtx-5 Cap. Column | 50m, 0.25mm ID, 0.25um |
| 10226-115 | Rtx-5 Cap. Column | 20m & 40m, 0.25mm ID, 0.25um |
| 10226-121 | Rtx-5 Cap. Column | 10m/10m/40m, 0.25mm ID, 0.25um |
| 10226-124 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10226-127 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10226-600 | Rtx-5 Cap. Column | 60m, 0.25mmID, 0.25um Pack of 6 |
| 10226-6850 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 10227 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 10227-125 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 10227-128 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10227-600 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.25um Pack of 6 |
| 10227-6850 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.25um 5" cage for HP 6850 |
| 10228 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 10229 | Rtx-5 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 10229-6850 | Rtx-5 Cap. Column | 105m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 10230 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 10230-042 | Rtx-5 Cap. Column | 105m, 0.32mmID, 0.25um on Nordion Cage |
| 10235 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 10235-124 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 10235-127 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.50um with 10m Integra-Guard Column |
| 10235-600 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.50um Pack of 6 |
| 10235-6850 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 0.50um w/5" HP6850 Cage |
| 10236 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 10236-051 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.50um No Cage |
| 10236-104 | Rtx-5 Cap. Column | 3-5m, 0.32mm ID, 0.50um |
| 10236-107 | Rtx-5 Cap. Column | 10m, 0.32mm ID, 0.50um |
| 10236-125 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.50um with 5m Integra Guard Column |
| 10236-128 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.50um w/10m, 0.32mm Integra Guard |
| 10236-305 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 0.50um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10237 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 10237-126 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 10237-129 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 10237-6850 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 0.50um 5" cage for HP 6850 |

| | | |
|---|---|---|
| 10238 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 10238-106 | Rtx-5 Cap. Column | 25m, 0.25mm ID, 0.50um |
| 10238-124 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 10238-127 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.50um with 10m Integra-Guard Column |
| 10238-303 | Rtx-5 Cap. Column | 30m, 0.25mmID, 0.50um w/Presstighted 5m, 0.25mm Guard Column |
| 10238-600 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 0.50um Pack of 6 |
| 10238-6850 | Rtx-5 Cap. Column | 30m, 0.25mmID, 0.50um 5" cage |
| 10239 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10239-106 | Rtx-5 Cap. Column | 25m, 0.32mm ID, 0.50um |
| 10239-125 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10239-128 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 10239-144 | Rtx-5 Cap. Column | 25m & 5m, 0.32mm ID, 0.50um |
| 10239-365 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.50um w/5m 0.32mm Siltek Guard Column & Siltek Presstight |
| 10239-600 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.50um 6pk |
| 10239-6850 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 0.50um 5" Cage for HP6850 |
| 10240 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10240-126 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 10240-129 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 10240-12968 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.50um w/10m, 0.53mm guard 5" cage for HP 6850 |
| 10240-600 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.50um 6pk |
| 10240-6850 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 0.5um 5" HP6850 Cage |
| 10241 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 10242 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 10242-105 | Rtx-5 Cap. Column | 50m, 0.32mmID, 0.50um |
| 10242-125 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.50um w/5m, 0.32mm ID Integra Guard |
| 10242-128 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.50um with 10m Integra Guard |
| 10242-138 | Rtx-5 Cap. Column | 45m & 15m, 0.32mm ID, 0.50um |
| 10242-6850 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 0.50um 5" cage for HP 6850 |
| 10243 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 10243-105 | Rtx-5 Cap. Column | 50m, 0.53mm ID, 0.50um |
| 10243-129 | Rtx-5 Cap. Column | 60m, 0.53mmID, 0.5um w/10m Integra Guard |
| 10244 | Rtx-5 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 10245 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 10250 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 10250-104 | Rtx-5 Cap. Column | 3 - 5m, 0.25mm ID, 1.00um |
| 10250-124 | Rtx-5 Cap. Column | 15m 0.25mm ID, 1.00um with 5m Integra Guard Column |
| 10250-127 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 1.00um 10m, 0.25mm guard built in |
| 10250-6850 | Rtx-5 Cap. Column | 15m, 0.25mm ID, 1.00um For HP 6850 |
| 10251 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10251-125 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10251-128 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 10251-305 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.00um w/5m, 0.53mm IP Deact Presstight Guard Col. |
| 10251-600 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.00um Package of 6 |
| 10251-6850 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.00um 5" HP6850 Cage |
| 10252 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10252-126 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10252-129 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 10252-600 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.00 Pack of 6 |
| 10252-6850 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.00um Configured for 6850 GC |
| 10253 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 10253-124 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 10253-12460 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra Guard,6pk |
| 10253-127 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 1.00um with 10m Integra-Guard Column |
| 10253-303 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 1.00um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 10253-600 | Rtx-5 Cap. Column | 30m, 0.25mm ID, 1.00um Package of 6 |
| 10253-6850 | Rtx-5 Cap. Column | 30m, 0.25mmID, 1.00um 5" cage for HP 6850 |
| 10254 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 10254-031 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um Cage column in customers cage. |
| 10254-106 | Rtx-5 Cap. Column | 25m, 0.32mm ID, 1.00um |
| 10254-125 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10254-128 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 10254-289 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um 4.5" Diameter, no cage |
| 10254-303 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 10254-304 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 10254-305 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um 5m x 0.53mm Guard Column w/Presstight |
| 10254-600 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um Package of 6 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10254-6850 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.00um on 6850 Cage |
| 10255 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10255-042 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.00um on 5" Nordion Cage |
| 10255-126 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10255-129 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 10255-305 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10255-600 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.00um Package of 6 |
| 10255-6850 | Rtx-5 Cap. Column | 30m, 0.53mmID, 1.00um 5" cage for HP 6850 |
| 10256 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 10256-124 | Rtx-5 Cap. Column | 60m, 0.25mmID, 1.00um 5m, 0.25mm Guard column built in |
| 10256-127 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 1.00um w/10m 0.25mm Integra Guard |
| 10256-6850 | Rtx-5 Cap. Column | 60m, 0.25mm ID, 1.00um 5" Cage for HP 6850 GCs |
| 10257 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10257-105 | Rtx-5 Cap. Column | 50m, 0.32mm ID, 1.00um |
| 10257-108 | Rtx-5 Cap Column | 60m, 0.32mmID, 1.00um Break a 60m into 6 x 10m columns |
| 10257-125 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 1.00um w/5m Integra Guard |
| 10257-600 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 1.00um Pack of 6 |
| 10257-6850 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 1.0um 5" HP6850 Cage |
| 10258 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10258-105 | Rtx-5 Cap. Column | 50m, 0.53mm ID, 1.00um |
| 10259 | Rtx-5 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 10260 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 10260-324 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 1.00um 5m Guard Column w/Cap Vu-Union |
| 10260-6850 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 1.00um 5in cage for HP 6850 |
| 10266 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 10266-125 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 1.50um with 5m Integra-Guard Column |
| 10267 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 10267-096 | Rtx-5 Cap. Column | 15m, 0.53mmID, 1.50um Break into 2 6m columns |
| 10267-104 | Rtx-5 Cap. Column | 3-5m, 0.53mm ID, 1.50um |
| 10267-126 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 10267-129 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.50um with 10m Integra-Guard Column |
| 10267-282 | Rtx-5 Cap. Column | 15m, 0.53mm, 1.50um 5in Cage, No Guarantee for breakage |
| 10267-6850 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 1.50um 5" Cage for HP 6850 GCs |
| 10269 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 10269-125 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.50um w/5m, 0.32mm ID Integra Guard |
| 10269-12568 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.50um w/5m, 0.32mmID Integra Guard on 5" cage for Agilent 6 |
| 10269-128 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.50um with 10m Integra-Guard Column |
| 10269-6850 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 1.50um 5" HP6850 Cage |
| 10270 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10270-042 | Rtx-5 Cap. Column | 30m, 0.53mmID, 1.50um cage column in 5" Nordion cage |
| 10270-106 | Rtx-5 Cap. Column | 25m, 0.53mm ID, 1.50um |
| 10270-126 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 10270-12668 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um w/ 5m Integra-Guard Column, 5" Cage on HP 6850 |
| 10270-129 | Rtx-5 Cap. Column | 30m, 0.53mm ID,1.50um with 10m Integra-Guard Column |
| 10270-12968 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um 10m, 0.53mm Integra guard built in 5" cage for HP 6850 |
| 10270-280 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um 4" cage no guarantee for breakage Includes Star cage |
| 10270-305 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10270-600 | Rtx-5 Cap. Column | 30m,0.53mm ID, 1.50um Package of 6 |
| 10270-6850 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 1.50um 5" cage for HP 6850 |
| 10272 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 10273 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 10273-126 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 1.5um w/5m 0.53mm Integra Guard |
| 10273-6850 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 1.50um 5" Cage for HP6850 |
| 10275 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 10277 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 5.00um |
| 10277-107 | Rtx-5 Cap. Column | 10m, 0.53mm ID, 5.00um |
| 10277-126 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 5.00um w/5m 0.53mm Integra Guard |
| 10277-600 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 5.00um Pack of 6 |
| 10279 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 5.00um |
| 10279-126 | Rtx-5/Rtx-G27 Cap. Column | 30m, 0.53mm ID, 5.00um w/5m Integra-Guard Column Rtx-G27 (Rtx-5) |
| 10279-12668 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 5.00um (G27) with 5m Integra-Guard Column 5" HP 6850 Cage |
| 10279-129 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 5.00um with 10m Integra-Guard Column |
| 10279-305 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 5.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10279-600 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 5.00um Pack of 6 |
| 10279-6850 | Rtx-5 Cap. Column | 30m, 0.53mm ID,, 5.0um with 5" cage for HP 6850 GC |
| 10281 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 3.00um |

| | | |
|---|---|---|
| 10281-125 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 3.00um w/5m, 0.32mm Integra Guard |
| 10281-128 | Rtx-5 Cap. Column | 15m, 0.32mm ID, 3.00um w/10m Integra Guard |
| 10282 | Rtx-5 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 10282-104 | Rtx-5 Cap. Column | 3 x 5m, 0.53mm ID, 3.00um |
| 10283 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 5.00um |
| 10283-090 | Rtx-5 Cap. Column | 40m, 0.53mmID, 5.00um |
| 10283-09068 | Rtx-5 Cap. Column | 40m, 0.53mm ID, 5.00um 5" cage for HP 6850 |
| 10283-105 | Rtx-5 Cap. Column | 50m, 0.53mm ID, 5.00um |
| 10283-126 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 5.00um with 5m Integra Guard Column |
| 10283-12609 | Rtx-5 Cap. Column | 40m, 0.53mm ID, 5.00um w/5m Integra Guard Column |
| 10283-12610 | Rtx-5 Cap. Column | 50m, 0.53mm ID, 5.00um w/ 5m, 0.53mm ID IntegraGuard |
| 10283-6850 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 5.00um 5" Cage for HP 6850 GCs |
| 10284 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 3.00um |
| 10284-125 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 3.00um with 5m Integra-Guard Column |
| 10284-128 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 3.00um w/10m Integra-Guard Column |
| 10284-600 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 3.00um Pack of 6 |
| 10284-6850 | Rtx-5 Cap. Column | 30m, 0.32mm ID, 3.00um 5" Cage for HP6850 |
| 10285 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 10285-069 | Rtx-5 Cap. Column | 5m and 15m, 0.53mm ID, 3.00um caged together on one cage |
| 10285-126 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 10285-12668 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m Integra-Guard 5" Cage for HP 6850 GCs |
| 10285-129 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 10285-600 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 3.00um Pack of 6 |
| 10285-6850 | Rtx-5 Cap. Column | 30m, 0.53mm ID, 3.00um 5" Cage for HP 6850 GCs |
| 10287 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 3.00um |
| 10287-105 | Rtx-5 Cap. Column | 50m, 0.32mm ID, 3.00um |
| 10287-125 | Rtx-5 Cap. Column | 60m, 0.32mm ID, 3.00um with 5 meter Integra Guard Column |
| 10288 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 10288-6850 | Rtx-5 Cap. Column | 60m, 0.53mm ID, 3.00um 5in cage for HP 6850 |
| 10290 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 3.00um |
| 10290-310 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 3.00um w/10m, 0.32mm PT Guard Column |
| 10290-6850 | Rtx-5 Cap. Column | 105m, 0.32mm ID, 3.00um w/5" Cage for HP6850 |
| 10291 | Rtx-Biodiesel TG Cap.Col. | 10m, 0.32mm ID, 0.10um w/2m x 0.53mm Guard, Attached w/AlumaSeal Union |
| 10292 | Rtx-Biodiesel TG Cap.Col. | 10m, 0.32mm ID, 0.10um |
| 10293 | Rtx-Biodiesel TG Column | 15m, 0.32mm ID, 0.10um w/2m x 0.53mm Retention Gap |
| 10294 | Rtx-Biodiesel TG Column | 15m, 0.32mm ID, 0.10um |
| 10295 | Rtx-1614 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10296 | Rtx-1614 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10305 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10306 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10307 | Rtx-20 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 10308 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10309 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10310 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 10311 | Rtx-20 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 10312 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 10312-6850 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 0.10um 5" cage for HP 6850 |
| 10313 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 10314 | Rtx-20 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 10315 | Rtx-20 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 10320 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10320-124 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 0.25um w/5m Integra guard |
| 10320-12468 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 0.25um 5m, 0.25mm Guard 5in cage for HP 6850 |
| 10321 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 10321-125 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 0.25um w/5m, 0.32mm Integra Guard |
| 10321-6850 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 0.25um 5" HP6850 Cage |
| 10322 | Rtx-20 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 10323 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10323-124 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10324 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10324-112 | Rtx-20 Cap. Column | 20m, 0.32mm ID, 0.25um |
| 10324-125 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 0.25um 5m, 0.32mm ID Guard |
| 10325 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 10325-129 | Rtx-20 Cap. Column | 30m, 0.53mmID, 0.25um 10m, 0.53mm Guard column built in |
| 10326 | Rtx-20 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10327 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 0.25um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10328 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 10329 | Rtx-20 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 10330 | Rtx-20 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 10335 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 10336 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 10337 | Rtx-20 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 10338 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 10338-127 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 0.50um 10m, 0.25mm ID Guard |
| 10339 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10339-6850 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 0.50um For HP 6850 GCs |
| 10340 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10340-126 | Rtx-20 Cap. Column | 30m, 0.53mmID, 0.50um w/ 5m 0.53mm Guard column built in |
| 10341 | Rtx-20 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 10342 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 10343 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 10344 | Rtx-20 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 10345 | Rtx-20 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 10350 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 10350-127 | Rtx-20 Cap. Column | 15m, 0.25mm ID, 1.00um with 10m Integra-Guard Column |
| 10351 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10351-6850 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 1.00um 5" Cage for HP6850 |
| 10352 | Rtx-20 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10353 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 10353-600 | Rtx-20 Cap. Column | 30m, 0.25mm ID, 1.00um Pack of 6 |
| 10354 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 10354-125 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m 0.32mm Integra Guard |
| 10354-304 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 10354-6850 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 1.00um 5" Cage for HP6850 |
| 10355 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10355-6850 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 1.00um 5" Cage for HP6850 |
| 10356 | Rtx-20 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 10357 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10357-600 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 1.00um 6pk |
| 10357-6850 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 1.00um 5" cage for HP 6850 |
| 10358 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10359 | Rtx-20 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 10360 | Rtx-20 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 10366 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 10367 | Rtx-20 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 10369 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 10370 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10370-126 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 1.50um w/5m 0.53mm Integra Guard |
| 10372 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 10373 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 10373-6850 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 1.50um 5" Cage for HP 6850 |
| 10375 | Rtx-20 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 10381 | Rtx-20 Cap. Column | 15m, 0.32mm ID, 3.00um |
| 10382 | Rtx-20 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 10384 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 3.00um |
| 10384-128 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 3.00um w/10m Integra Guard |
| 10384-6850 | Rtx-20 Cap. Column | 30m, 0.32mm ID, 3.00um For HP 6850 GCs |
| 10385 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 10385-126 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 3.00um w/ 5m, 0.53mmID Integra Guard |
| 10385-6850 | Rtx-20 Cap. Column | 30m, 0.53mm ID, 3.00um 5in cage for HP 6850 |
| 10387 | Rtx-20 Cap. Column | 60m, 0.32mm ID, 3.00um |
| 10388 | Rtx-20 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 10390 | Rtx-20 Cap. Column | 105m, 0.32mm ID, 3.00um |
| 10405 | Rtx-35 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10406 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10407 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 10408 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10409 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10410 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 10410-126 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.10um with 5m Integra-Guard Column |
| 10411 | Rtx-35 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 10412 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 0.10um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10413 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 10414 | Rtx-35 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 10415 | Rtx-35 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 10420 | Rtx-35 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10420-124 | Rtx-35 Cap. Column | 15m, 0.25mm ID, 0.25um w/5m 0.25mm Integra Guard |
| 10421 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 10421-125 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 10421-128 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10422 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 10423 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10423-111 | Rtx-35 Cap. Column | 2-15m, 0.25mm ID, 0.25um |
| 10423-124 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10423-127 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10423-600 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.25um Package of 6 |
| 10423-6850 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.25um For HP 6850 |
| 10424 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10424-042 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.25um 5" Nordion Cage |
| 10424-125 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 10424-12504 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.25um w/5m Integra-Guard Column, Nordion Cage |
| 10424-128 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10424-6850 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.25um 5" cage for HP 6850 |
| 10425 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 10426 | Rtx-35 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10426-127 | Rtx-35 Cap. Column | 60m, 0.25mm ID, 0.25um w/10m, 0.25mm Integra Guard |
| 10427 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 10427-125 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 0.25um 5m, 0.32mm ID Integra Guard |
| 10428 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 10429 | Rtx-35 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 10430 | Rtx-35 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 10435 | Rtx-35 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 10435-6850 | Rtx-35 Cap. Column | 15m, 0.25mm ID, 0.50um 5in cage for HP 6850 |
| 10436 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 10437 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 10437-126 | Rtx-35 Cap. Column | 15m 0.53mm ID, 0.50um w/5m 0.53mm Integra Grd |
| 10438 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 10438-124 | Rtx-35 Cap. Column | 30m, 0.25mmID, 0.50um 5m 0.25mm Integra Guard |
| 10438-127 | Rtx-35 Cap. Column | 30m, 0.25mm ID ID, 0.50um with 10m Integra-Guard Column |
| 10438-6850 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 0.50um For HP 6850 |
| 10439 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10439-125 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10439-128 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 10439-12868 | Rtx-35 Cap. Column | 30m, 0.32mmID, 0.50um w/10m Integra-Guard Column 5" Cage for HP6850 |
| 10439-305 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.50um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10439-6850 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 0.50um w/5" HP6850 Cage |
| 10440 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10440-126 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 10440-129 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 10440-600 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 0.50um Package of 6 |
| 10441 | Rtx-35 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 10442 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 10442-125 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10443 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 10443-126 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 0.50um 5m, 0.53mm Guard |
| 10444 | Rtx-35 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 10445 | Rtx-35 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 10450 | Rtx-35 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 10451 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10452 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10452-12328 | Rtx-35 Cap. Column | 1-10 & 1-5m, 0.53mm ID, 1.00um 4.5in coil no cage |
| 10452-126 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10452-289 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 1.00um 4.5in coil no cage |
| 10453 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 10453-042 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 1.00um 5" Nordion Cage |
| 10453-124 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 10453-6850 | Rtx-35 Cap. Column | 30m, 0.25mm ID, 1.00um 5" 6850 Cage |
| 10454 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 1.00um |

| | | |
|---|---|---|
| 10454-125 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m 0.32mm Integra Guard |
| 10455 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10455-042 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 1.00um on Nordion Cage (5") |
| 10455-126 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10455-129 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 10455-6850 | Rtx-35 Cap. Column | 30m, 0.53mmID, 1.00um 5" cage for HP 6850 |
| 10456 | Rtx-35 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 10457 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10458 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10458-126 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10459 | Rtx-35 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 10460 | Rtx-35 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 10466 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 10467 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 10469 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 10469-125 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 1.50um w/5m, 0.32mm ID Integra Guard |
| 10470 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10470-126 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 10472 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 10472-6850 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 1.50um 5in cage for HP 6850 |
| 10473 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 10475 | Rtx-35 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 10481 | Rtx-35 Cap. Column | 15m, 0.32mm ID, 3.00um |
| 10482 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 10482-126 | Rtx-35 Cap. Column | 15m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 10484 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 3.00um |
| 10484-125 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 3.00um 5m, 0.32mm guard built in |
| 10484-6850 | Rtx-35 Cap. Column | 30m, 0.32mm ID, 3.00um 5" Cage for HP 6850 |
| 10485 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 10485-282 | Rtx-35 Cap. Column | 30m, 0.53mm ID, 3.00um 5" star cage No guarantee for breakage |
| 10487 | Rtx-35 Cap. Column | 60m, 0.32mm ID, 3.00um |
| 10488 | Rtx-35 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 10490 | Rtx-35 Cap. Column | 105m, 0.32mm ID, 3.00um |
| 10505 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10506 | Rtx-50 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10508 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10509 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10520 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10520-123 | Rtx-50 Cap. Column | 10m and 5m, 0.25mm ID, 0.25um |
| 10520-282 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 0.25um 5in Star Cage, no guarantee for breakage |
| 10520-600 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 0.25um Package of 6 |
| 10521 | Rtx-50 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 10522 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 10522-051 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 0.25um No Cage |
| 10523 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10523-364 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 0.25um w/5m Siltek Guard Column and Siltek Presstight |
| 10523-600 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 0.25um Package of 6 |
| 10524 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10524-042 | Rtx-50 Cap. Column | 30m, 0.32mmID, 0.25um Cage in a Nordion Cage 5" |
| 10524-304 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.25um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 10524-600 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 10524-6850 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.25um 5" HP6850 Cage |
| 10525 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 10526 | Rtx-50 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10527 | Rtx-50 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 10528 | Rtx-50 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 10535 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 10535-6850 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 0.50um 5" cage for HP 6850 |
| 10536 | Rtx-50 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 10537 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 10537-104 | Rtx-50 Cap. Column | 3 x 5m, 0.53mm ID, 0.50um |
| 10538 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 10538-102 | Rtx-50 Cap. Column | 10m & 20m, 0.25mm ID, 0.50um |
| 10539 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10539-106 | Rtx-50 Cap. Column | 25m, 0.32mm ID, 0.50um |
| 10539-600 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.50um Pack of 6 |

| | | |
|---|---|---|
| 10539-6850 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 0.50um 5" Cage for HP 6850 |
| 10540 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10540-600 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 0.50um Pack of 6 |
| 10541 | Rtx-50 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 10542 | Rtx-50 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 10543 | Rtx-50 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 10550 | Rtx-50 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 10551 | Rtx-50 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10551-600 | Rtx-50 Cap. Column | 15m, 0.32mm ID, 1.00um Pack of 6 |
| 10552 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10552-104 | Rtx-50 Cap. Column | 3 x 5m, 0.53mmID, 1.00um |
| 10552-305 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 1.00um w/5m 0.53mm PT Guard Column |
| 10552-600 | Rtx-50 Cap. Column | 15m, 0.53mmID, 1.00um Pack of 6 |
| 10552-6850 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 1.00um 5" HP6850 Cage |
| 10553 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 10553-6850 | Rtx-50 Cap. Column | 30m, 0.25mm ID, 1.00um 5" cage for HP 6850 |
| 10554 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 10554-031 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 1.00um Customer Supplied Cage |
| 10554-106 | Rtx-50 Cap. Column | 25m, 0.32mm ID, 1.00um |
| 10554-6850 | Rtx-50 Cap. Column | 30m, 0.32mm ID, 1.00um 5" Cage for HP 6850 |
| 10555 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10555-111 | Rtx-50 Cap. Column | 2-15m, 0.53mm ID, 1.00um |
| 10555-305 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10555-600 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.00um Pack of 6 |
| 10555-6850 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.00um 5" HP6850 Cage |
| 10556 | Rtx-50 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 10556-303 | Rtx-50 Cap. Column | 60m, 0.25mm ID, 1.00um w/5m x 0.25mm ID Guard Column Presstight |
| 10557 | Rtx-50 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10558 | Rtx-50 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10558-6850 | Rtx-50 Cap. Column | 60m, 0.53mm ID, 1.00um 5" cage for HP 6850 |
| 10567 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 10567-6850 | Rtx-50 Cap. Column | 15m, 0.53mm ID, 1.50um 5" HP 6850 Cage |
| 10569 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 0.83um Rtx-50 (608) |
| 10570 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10570-306 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.50um w/10m 0.53mm Presstight Guard Column |
| 10570-600 | Rtx-50 Cap. Column | 30m, 0.53mm ID, 1.50um Pack of 6 |
| 10573 | Rtx-50 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 10605 | Stabilwax Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10606 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10607 | Stabilwax Cap. Column | 15m, 0.53mm ID, 0.10um |
| 10608 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10608-124 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.10um w/5m 0.25mm Integra Guard |
| 10608-273 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.10um 3.5"OD w/o Cage |
| 10609 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10609-128 | Stabilwax Cap. Column | 30m, 0.32mmID, 0.10um 10m, 0.32mm Guard column built in |
| 10610 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.10um |
| 10611 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.10um |
| 10611-127 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.10um w/10m 0.25mm Integra Guard |
| 10611-6850 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.10um 5" Cage |
| 10612 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.10um |
| 10613 | Stabilwax Cap. Column | 60m, 0.53mm ID, 0.10um |
| 10620 | Stabilwax Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10620-124 | Stabilwax Cap. Column | 15m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10620-390 | Stabilwax Cap. Column | 15m, 0.25mm ID, 0.25um 7cm Diameter, No Cage No Guarantee for Breakage |
| 10620-6850 | Stabilwax Cap. Column | 15m, 0.25mmID, 0.25um 5" cage for HP 6850 |
| 10621 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.25um |
| 10621-125 | Stabilwax Cap. Column | 15m, 0.32mmID, 0.25um w/5m Integra Guard |
| 10622 | Stabilwax Cap. Column | 15m, 0.53mm ID, 0.25um |
| 10623 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10623-112 | Stabilwax Cap. Column | 20m, 0.25mm ID, 0.25um |
| 10623-124 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 10623-12468 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um 5m, 0.25mm guard 5in cage for HP 6850 |
| 10623-127 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 10623-273 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD w/o Cage |
| 10623-280 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um 4in star cage No guarantee for breakage |
| 10623-364 | Stabilwax Cap. Column | 30m, 0.25mmID, 0.25um 5m, 0.25mmID Siltek guard column w/Siltek presstight |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10623-600 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 10623-6850 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.25um 5" Cage for HP6850 |
| 10624 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10624-106 | Stabilwax Cap. Column | 25m, 0.32mm ID, 0.25um |
| 10624-125 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 10624-128 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 10624-600 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 10624-6850 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.25um 5" Cage |
| 10625 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.25um |
| 10625-051 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.25um No Cage |
| 10625-126 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.25um with 5m Integra-Guard Column |
| 10626 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10626-105 | Stabilwax Cap. Column | 50m, 0.25mm ID, 0.25um |
| 10626-124 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.25um with 5m INTEGRA guard |
| 10626-127 | Stabilwax Cap Column | 60m, 0.25mm ID, 0.25um with 10 meter Integra Guard Column |
| 10626-600 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.25um Pack of 6 |
| 10626-6850 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.25um 5" Cage for HP 6850 |
| 10627 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.25um |
| 10627-105 | Stabilwax Cap. Column | 50m, 0.32mm ID, 0.25um |
| 10627-109 | Stabilwax Cap. Column | 50m, 0.32mm ID 0.25um |
| 10627-10968 | Stabilwax Cap. Column | 50m, 0.32mm ID, 0.25um For HP 6850 |
| 10627-125 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.25um with 5m Integra Guard Column |
| 10627-128 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.25um w/10m 0.32mm Integra Guard |
| 10628 | Stabilwax Cap. Column | 60m, 0.53mm ID, 0.25um |
| 10635 | Stabilwax Cap. Column | 15m, 0.25mm ID, 0.50um |
| 10635-104 | Stabilwax Cap. Column | 3 x 5m, 0.25mm ID, 0.50um |
| 10635-124 | Stabilwax Cap. Column | 15m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 10636 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.50um |
| 10636-104 | Stabilwax Cap. Column | 3 x 5m, 0.32mm ID, 0.50um |
| 10636-125 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10636-280 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.50um 4" Star Cage - No Guarantee for Breakage |
| 10636-391 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.50um 7cm Diameter, No Cage, No Guarantee for Breakage |
| 10636-6850 | Stabilwax Cap. Column | 15m, 0.32mm ID, 0.50um on a 5" Agilent 6850 Cage |
| 10637 | Stabilwax Cap. Column | 15m, 0.53mm ID, 0.50um |
| 10637-6850 | Stabilwax Cap. Column | 15m, 0.53mm ID, 0.50um w/5" HP6850 Cage |
| 10638 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um |
| 10638-042 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um Nordion Cage |
| 10638-124 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 10638-12468 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um w/ 5m Integra-Guard Column For HP 6850 GCs |
| 10638-127 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um with 10 meter Integra Guard Column |
| 10638-273 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um 3.5"OD w/o Cage |
| 10638-6850 | Stabilwax Cap. Column | 30m, 0.25mm ID, 0.50um For HP 6850s |
| 10639 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10639-101 | Stabilwax Cap. Column | (3) 10m, 0.33mm ID, 0.50um |
| 10639-106 | Stabilwax Cap. Column | 25m, 0.32mm ID, 0.50um |
| 10639-122 | Stabilwax Cap. Column | 15m & 10m, 0.32mm ID, 0.50um |
| 10639-125 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10639-128 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 10639-282 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.50um 5" Diameter Star Cage No Guarantee for Breakage |
| 10639-600 | Stabilwax Cap. Column | 30m, 0.32mm ID, 0.50um 6pk |
| 10639-6850 | Stabilwax Cap. Column | 30m, 0.32mmID, 0.50um 5" Cage for HP 6850 |
| 10640 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10640-106 | Stabilwax Cap. Column | 25m, 0.53mm ID, 0.50um |
| 10640-126 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 10640-129 | Stabilwax Cap. Column | 30m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 10641 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.50um |
| 10641-105 | Stabilwax Cap. Column | 50m, 0.25mm ID, 0.50um |
| 10641-124 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.50um with 5m Integra Guard Column |
| 10641-127 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.50um with 10m Integra Guard Column |
| 10641-6850 | Stabilwax Cap. Column | 60m, 0.25mm ID, 0.50um 5" cage for HP 6850 |
| 10642 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.50um |
| 10642-105 | Stabilwax Cap. Column | 50m, 0.32mm ID, 0.50um |
| 10642-125 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 10642-128 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 10642-600 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.50um 6pk |
| 10642-6850 | Stabilwax Cap. Column | 60m, 0.32mm ID, 0.50um 5" cage for HP 6850 |

| | | |
|---|---|---|
| 10643 | Stabilwax Cap. Column | 60m, 0.53mm ID, 0.50um |
| 10643-105 | Stabilwax Cap. Column | 50m, 0.53mmID, 0.5um |
| 10651 | Stabilwax Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10651-051 | Stabilwax Cap. Column | 15m, 0.32mm ID, 1.0um No Cage, No Guarantee for Breakage |
| 10651-107 | Stabilwax Cap. Column | 10m, 0.32mm ID, 1.00um |
| 10651-125 | Stabilwax Cap. Column | 15m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10651-6850 | Stabilwax Cap. Column | 15m, 0.32mm ID, 1.00um 5" Cage for HP6850 |
| 10652 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10652-104 | Stabilwax Cap. Column | 3 x 5m, 0.53mm ID, 1.00um |
| 10652-107 | Stabilwax Cap. Column | 10m, 0.53mm ID, 1.00um |
| 10652-126 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.00um w/5m Integra-Guard Column |
| 10652-280 | Stabilwax Cap. Column | 15m, 0.53mmID, 1.00um 4" Coil (Star Cage) No Guarantee for Breakage |
| 10652-289 | Stabilwax Cap. Column | 15m, 0.53mmID, 1.00um 4.5" Coil |
| 10652-6850 | Stabilwax Cap. Column | 15m, 0.53mmID, 1.00um 5" HP 6850 Cage |
| 10654 | Stabilwax Cap. Column | 30m, 0.32mm ID, 1.00um |
| 10654-101 | Stabilwax Cap. Column | 3 x 10m, 0.32mm ID, 1.00um |
| 10654-102 | Stabilwax Cap. Column | 10m & 20m, 0.32mm ID, 1.00um |
| 10654-125 | Stabilwax Cap. Column | 30m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10654-12568 | Stabilwax Cap. Column | 30m, 0.32mm ID, 1.00um w/ 5m Integra-Guard Column For HP 6850 GCs |
| 10654-128 | Stabilwax Cap. Column | 30m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 10654-600 | Stabilwax Cap. Column | 30m, 0.32mm ID, 1.00um Package of 6 |
| 10654-60068 | Stabilwax Cap. Column | 30m, 0.32mm ID, 1.00um Pack of 6 5" cage for HP 6850 |
| 10654-6850 | Stabilwax Cap. Column | 30m, 0.32mmID, 1.00um on 6850 Cage |
| 10655 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10655-101 | Stabilwax Cap. Column | 3 x 10m, 0.53mm ID, 1.00um |
| 10655-102 | Stabilwax Cap. Column | 10m & 20m, 0.53mm ID, 1.00um |
| 10655-106 | Stabilwax Cap. Column | 25m, 0.53mm ID, 1.00um |
| 10655-112 | Stabilwax Cap. Column | 20m, 0.53mm ID, 1.00um |
| 10655-126 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10655-12668 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.00um w/5m Integra Guard, 5" HP6850 Cage |
| 10655-129 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 10655-144 | Stabilwax Cap. Column | 5m & 25m, 0.53mm ID, 1.00um |
| 10655-289 | Stabilwax Cap. Column | 30m, 0.53mmID, 1.00um |
| 10655-600 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.00um Package of 6 |
| 10655-6850 | Stabilwax Cap. Column | 30m, 0.53mmID, 1.0um on a 6850 cage |
| 10655-68506 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.0um For 6850 GCs, 6pk |
| 10657 | Stabilwax Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10657-105 | Stabilwax Cap. Column | 50m, 0.32mm ID, 1.00um |
| 10657-125 | Stabilwax Cap. Column | 60m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 10657-128 | Stabilwax Cap. Column | 60m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 10657-600 | Stabilwax Cap. Column | 60m, 0.32mm ID, 1.00um Pack of 6 |
| 10657-6850 | Stabilwax Cap. Column | 60m, 0.32mm ID, 1.00um 5" HP 6850 Cage |
| 10658 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10658-105 | Stabilwax Cap. Column | 50m, 0.53mm ID, 1.00um |
| 10658-120 | Stabilwax Cap. Column | 10m, 20m, 30m, 0.53mm ID, 1.00um |
| 10658-126 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 10658-129 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 10658-305 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10658-6850 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.00um 5" Cage for HP6850 |
| 10666 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.50um |
| 10666-107 | Stabilwax Cap. Column | 10m, 0.53mm ID, 1.50um |
| 10666-126 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.5um w/5m 0.53mm Integra Guard |
| 10666-129 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.50um 10m, 0.53mm ID Integra Guard |
| 10666-305 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.50um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10666-306 | Stabilwax Cap. Column | 15m, 0.53mm ID, 1.50um 10m, 0.53mm ID Guard Column w/Presstight |
| 10667 | Stabilwax Cap. Column | 15m, 0.53mm ID, 2.00um |
| 10667-107 | Stabilwax Cap. Column | 10m, 0.53mm ID, 2.00um |
| 10667-126 | Stabilwax Cap. Column | 15m, 0.53mm ID, 2.00um with 5m Integra-Guard Column |
| 10667-289 | Stabilwax Cap. Column | 15m, 0.53mm ID, 2.00um 4.5"Dia.Coil/No Cage |
| 10669 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10669-042 | Stabilwax Cap Column | 30m, 0.53mm ID, 1.50um 5" Nordion Cage |
| 10669-126 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 10669-600 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.50um 6pk |
| 10669-6850 | Stabilwax Cap. Column | 30m, 0.53mm ID, 1.50um 5" Cage for HP 6850 |
| 10670 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um |
| 10670-106 | Stabilwax Cap. Column | 25m, 0.53mmID, 2.00um |

| | | |
|---|---|---|
| 10670-112 | Stabilwax Cap. Column | 20m, 0.53mm ID, 2.00um |
| 10670-126 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um with 5m Integra-Guard Column |
| 10670-12668 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um w/5m Integra-Guard Column For HP 6850 GCs |
| 10670-129 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um with 10m Integra Guard Column |
| 10670-12968 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um w/10m Integra Guard, 5"/HP6850 Cage |
| 10670-600 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um Pack of 6 |
| 10670-6850 | Stabilwax Cap. Column | 30m, 0.53mm ID, 2.00um 5" HP 6850 Cage |
| 10672 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.50um |
| 10672-126 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.5um w/5m 0.53mm Integra Guard |
| 10672-129 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.5um w/10m 0.53mm Integra Guard |
| 10672-6850 | Stabilwax Cap. Column | 60m, 0.53mm ID, 1.50um 5" HP 6850 Cage |
| 10705 | Rtx-2330 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 10705-6850 | Rtx-2330 Cap. Column | 15m, 0.25mm ID, 0.10um w/5" HP6850 Cage |
| 10706 | Rtx-2330 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 10707 | Rtx-2330 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 10708 | Rtx-2330 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 10708-6850 | Rtx-2330 Cap. Column | 30m, 0.25mm ID, 0.10um 5" Cage for HP6850 |
| 10709 | Rtx-2330 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 10710 | Rtx-2330 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 10711 | Rtx-2330 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 10711-003 | Rtx-2330 Cap. Column | 60m, 0.25mm ID, 0.10um For use with Dioxins |
| 10711-00360( | Rtx-2330 Cap. Column | 60m, 0.25mm ID, 0.10um 6pk For use with Dioxins |
| 10711-600 | Rtx-2330 Cap. Column | 60m, 0.25mm ID, 0.10um 6pk |
| 10712 | Rtx-2330 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 10713 | Rtx-2330 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 10714 | Rtx-2330 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 10715 | Rtx-2330 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 10720 | Rtx-2330 Cap. Column | 15m, 0.25mm ID, 0.20um |
| 10721 | Rtx-2330 Cap. Column | 15m, 0.32mm ID, 0.20um |
| 10722 | Rtx-2330 Cap. Column | 15m, 0.53mm ID, 0.20um |
| 10723 | Rtx-2330 Cap. Column | 30m, 0.25mm ID, 0.20um |
| 10723-6850 | Rtx-2330 Cap. Column | 30m, 0.25mm ID, 0.20um 5" HP6850 Cage |
| 10724 | Rtx-2330 Cap. Column | 30m, 0.32mm ID, 0.20um |
| 10724-031 | Rtx-2330 Cap. Column | 30m, 0.32mm ID, 0.20um Cage column in customers cage. |
| 10724-6850 | Rtx-2330 Cap. Column | 30m, 0.32mmID, 0.20um 5" Cage for HP6850 |
| 10725 | Rtx-2330 Cap. Column | 30m, 0.53mm ID, 0.20um |
| 10726 | Rtx-2330 Cap. Column | 60m, 0.25mm ID, 0.20um |
| 10726-105 | Rtx-2330 Cap. Column | 50m, 0.25mm ID, 0.20um |
| 10726-303 | Rtx-2330 Cap. Column | 60m, 0.25mm ID, 0.20um w/5m x 0.25mm ID Guard Column |
| 10726-309 | Rtx-2330 Cap. Column | 60m, 0.25mmID, 0.20um w/10m 0.25mm Presstight Guard Col. |
| 10726-6850 | Rtx-2330 Cap. Column | 60m, 0.25mmID, 0.20um 5" cage for HP 6850 |
| 10727 | Rtx-2330 Cap. Column | 60m, 0.32mm ID, 0.20um |
| 10727-280 | Rtx-2330 Cap. Column | 60m, 0.32mm ID, 0.20um 4" star cage No guarantee for breakage |
| 10727-6850 | Rtx-2330 Cap. Column | 60m, 0.32mm ID, 0.20um 5" HP6850 Cage |
| 10728 | Rtx-2330 Cap. Column | 60m, 0.53mm ID, 0.20um |
| 10729 | Rtx-2330 Cap. Column | 105m, 0.25mm ID, 0.20um |
| 10729-303 | Rtx-2330 Cap. Column | 105m, 0.25mm ID, 0.20um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 10729-6850 | Rtx-2330 Cap. Column | 105m, 0.25mmID, 0.20um 5" cage for HP 6850 |
| 10730 | Rtx-2330 Cap. Column | 105m, 0.32mm ID, 0.20um |
| 10730-6850 | Rtx-2330 Cap. Column | 105m, 0.32mm ID, 0.20um 5in cage for 6850 |
| 10750 | Stx-500 Cap. Column | 30m, 0.25mm ID, 0.15um (formally Rtx-500) |
| 10750-102 | Stx-500 Cap. Column | 10m and 20m, 0.25mm ID, 0.15um (formerly Rtx-500) |
| 10751 | Stx-500 Cap. Column | 60m, 0.25mm ID, 0.15um (formally Rtx-500) |
| 10755 | Rtx-Dioxin Cap. Column | 60m, 0.25mm ID, 0.15um |
| 10758 | Rtx-Dioxin2 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 10758-600 | Rtx-Dioxin2 Cap. Column | 60m, 0.25mm ID, 0.25um Pack of 6 |
| 10759 | Rtx-Dioxin2 Cap. Column | 40m, 0.18mm ID, 0.18um |
| 10820 | Stabilwax-DB Cap. Column | 15m, 0.25mm ID, 0.25um |
| 10820-6850 | Stabilwax-DB Cap. Column | 15m, 0.25mm ID, 0.25um w/5" HP6850 Cage |
| 10821 | Stabilwax-DB Cap. Column | 15m, 0.32mm ID, 0.25um |
| 10821-600 | Stabilwax-DB Cap. Column | 15m, 0.32mm ID, 0.25um Pack of 6 |
| 10823 | Stabilwax-DB Cap. Column | 30m, 0.25mm ID, 0.25um |
| 10823-6850 | Stabilwax-DB Cap. Column | 30m, 0.25mm ID, 0.25um 5" Cage for HP 6850 |
| 10824 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 0.25um |
| 10827 | Stabilwax DB Cap Column | 60m, 0.32mm ID, 0.25um |
| 10838 | Stabilwax-DB Cap. Column | 30m, 0.25mm ID, 0.50um |

| | | |
|---|---|---|
| 10838-6850 | Stabilwax-DB Cap. Column | 30m, 0.25mm ID, 0.50um For HP 6850 GCs |
| 10839 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10839-304 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 0.50um |
| 10839-316 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 0.50um w/5m x 0.32mm ID Polar Deact Guard Col Presstight wi |
| 10840 | Stabilwax-DB Cap. Column | 30m, 0.53mm ID, 0.50um |
| 10851 | Stabilwax-DB Cap. Column | 15m, 0.32mm ID, 1.00um |
| 10851-600 | Stabilwax-DB Cap. Column | 15m, 0.32mm ID, 1.00um Pack of 6 |
| 10852 | Stabilwax-DB Cap. Column | 15m, 0.53mm ID, 1.00um |
| 10852-600 | Stabilwax-DB Cap. Column | 15m, 0.53mmID, 1.00um Pack of 6 |
| 10854 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 1.00um |
| 10854-031 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 1.00um Cage column in customers cage. |
| 10854-6850 | Stabilwax-DB Cap. Column | 30m, 0.32mm ID, 1.00um 5" Cage |
| 10855 | Stabilwax-DB Cap. Column | 30m, 0.53mm ID, 1.00um |
| 10855-051 | Stabilwax-DB Cap. Column | 30m, 0.53mm ID, 1.00um No Cage No guarantee for breakage |
| 10855-600 | Stabilwax-DB Cap. Column | 30m, 0.53mm ID, 1.00um Pack of 6 |
| 10855-6850 | Stabilwax-DB Cap. Column | 30m, 0.53mm ID, 1.00um 5" HP6850 Cage |
| 10857 | Stabilwax-DB Cap. Column | 60m, 0.32mm ID, 1.00um |
| 10857-105 | Stabilwax-DB Cap. Column | 50m, 0.32mm ID, 1.00um |
| 10857-6850 | Stabilwax-DB Cap. Column | 60m, 0.32mm ID, 1.00um For HP 6850 GCs |
| 10858 | Stabilwax-DB Cap. Column | 60m, 0.53mm ID, 1.00um |
| 10858-6850 | Stabilwax-DB Cap. Column | 60m, 0.53mm ID, 1.00 5in cage for HP 6850 |
| 10869 | Stabilwax-DB Cap. Column | 30m, 0.53mm ID, 1.50um |
| 10869-111 | Stabilwax-DB Cap. Column | 2 x 15m, 0.53mm ID, 1.50um |
| 10900 | Rtx-Volatiles Cap. Column | 30m, 0.25mm ID, 1.00um |
| 10900-124 | Rtx-Volatiles Cap. Column | 30m, 0.25mm ID, 1.00um with 5m, 0.25mm Integra Guard |
| 10900-600 | Rtx-Volatiles Cap. Column | 30m, 0.25mm ID, 1.00um Pack of 6 |
| 10900-6850 | Rtx-Volatiles Cap. Column | 30m, 0.25mm ID, 1.00um 5" Cage for HP 6850 GCs |
| 10901 | Rtx-Volatiles Cap. Column | 30m, 0.32mm ID, 1.50um |
| 10901-102 | Rtx-Volatiles Cap. Column | 10m & 20m, 0.32mm ID, 1.50um |
| 10901-111 | Rtx-Volatiles Cap. Column | 2 x 15m, 0.32mm ID, 1.50um |
| 10901-128 | Rtx-Volatiles Cap Column | 30m, 0.32mm ID, 1.50um 10, 0.32mm ID Guard |
| 10901-6850 | Rtx-Volatiles Cap. Column | 30m, 0.32mm ID, 1.50um 5in cage for HP 6850 |
| 10902 | Rtx-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um |
| 10902-051 | Rtx-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um No Cage, No Guarantee for Breakage |
| 10902-102 | Rtx-Volatiles Cap. Column | 20m & 10m, 0.53mm ID, 2.00um |
| 10902-111 | Rtx-Volatiles Cap. Column | 2-15m, 0.53mm ID, 2.00um |
| 10902-112 | Rtx-Volatiles Cap. Column | 20m, 0.53mm ID, 2.00um |
| 10902-126 | Rtx-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um with 5m Integra-Guard Column |
| 10902-129 | Rtx-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um with 10m Integra-Guard Column |
| 10902-130 | Rtx-Volatiles Cap. Column | 1x15m & 3x5m, 0.53mm ID, 2.00um |
| 10903 | Rtx-Volatiles Cap. Column | 60m, 0.25mm ID, 1.00um |
| 10903-124 | Rtx-Volatiles Cap. Column | 60m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 10903-6850 | Rtx-Volatiles Cap. Column | 60m, 0.25mm ID, 1.00um 5in cage for HP 6850 |
| 10904 | Rtx-Volatiles Cap. Column | 60m, 0.32mm ID, 1.50um |
| 10904-125 | Rtx-Volatiles Cap. Column | 60m, 0.32mm ID, 1.50um with 5m Integra-Guard Column |
| 10904-128 | Rtx-Volatiles Cap. Column | 60m, 0.32mm ID, 1.50um with 10m Integra-Guard Column |
| 10905 | Rtx-Volatiles Cap. Column | 60m, 0.53mm ID, 2.00um |
| 10905-126 | Rtx-Volatiles Cap. Column | 60m, 0.53mm ID, 2.00um with 5m Integra-Guard Column |
| 10905-129 | Rtx-Volatiles Cap. Column | 60m, 0.53mm ID, 2.00um with 10m Integra-Guard Column |
| 10906 | Rtx-Volatiles Cap. Column | 105m, 0.53mm ID, 2.00um |
| 10906-124 | Rtx-Volatiles Cap. Column | 105m, 0.53mm ID, 2.00um with 5m Integra-Guard Column |
| 10908 | Rtx-502.2 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 10908-600 | Rtx-502.2 Cap. Column | 30m, 0.53mm ID, 3.0um Pack of 6 |
| 10908-6850 | Rtx-502.2 Cap. Column | 30m, 0.53mm ID, 3.0um 5" HP6850 Cage |
| 10909 | Rtx-502.2 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 10909-600 | Rtx-502.2 Cap. Column | 60m, 0.53mm ID, 3.00um Package of 6 |
| 10909-6850 | Rtx-502.2 Cap. Column | 60m, 0.53mm ID, 3.00um 5" Cage for Agilent 6850 |
| 10910 | Rtx-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 10910-081 | Rtx-502.2 Cap. Column | 45m & 60m, 0.53mm ID, 3.00um |
| 10910-305 | Rtx-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10910-600 | Rtx-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um Pack of 6 |
| 10915 | Rtx-502.2 Cap. Column | 30m, 0.25mm ID, 1.40um |
| 10915-6850 | Rtx-502.2 Cap. Column | 30m, 0.25mm ID 1.40um 5" HP 6850 Cage |
| 10916 | Rtx-502.2 Cap. Column | 60m, 0.25mm ID, 1.40um |
| 10916-600 | Rtx-502.2 Cap. Column | 60m, 0.25mm ID, 1.40um 6pk |
| 10916-6850 | Rtx-502.2 Cap. Column | 60m, 0.25mm ID, 1.40um 5" cage for HP 6850 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 10919 | Rtx-502.2 Cap. Column | 30m, 0.32mm ID, 1.80um |
| 10919-304 | Rtx-502.2 Cap. Column | 30m, 0.32mm ID, 1.80um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 10919-600 | Rtx-502.2 Cap. Column | 30m, 0.32mm ID, 1.80um 6pk |
| 10919-6850 | Rtx-502.2 Cap. Column | 30m, 0.32mm ID, 1.80um For HP 6850s |
| 10920 | Rtx-502.2 Cap. Column | 60m, 0.32mm ID, 1.80um |
| 10920-115 | Rtx 502.2 Cap. Column | 20m & 40m 0.32mmID, 1.8um |
| 10920-304 | Rtx-502.2 Cap. Column | 60m, 0.32mm ID, 1.80um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 10920-6850 | Rtx-502.2 Cap. Column | 60m, 0.32mm ID, 1.80um 5in cage for HP 6850 |
| 10921 | Rtx-502.2 Cap. Column | 105m, 0.32mm ID, 1.80um |
| 10921-365 | Rtx-502.2 Cap. Column | 105m, 0.32mmID, 1.80um 5m, 0.32mm Siltek guard column w/Siltek presstight |
| 10921-600 | Rtx-502.2 Cap. Column | 105m, 0.32mm ID, 1.80um Pack of 6 |
| 10921-6850 | Rtx-502.2 Cap. Column | 105m, 0.32mm ID, 1.80um w/5" Cage for HP 6850 |
| 10921-68506( | Rtx-502.2 Cap. Column | 105m, 0.32mm ID, 1.80um 5" cage for HP 6850 6pk |
| 10968 | Rtx-624 Cap. Column | 30m, 0.25mm ID, 1.40um |
| 10968-124 | Rtx-624 Cap. Column | 30m, 0.25mm ID, 1.40um with 5m Integra-Guard Column |
| 10968-12468 | Rtx-624 Cap. Column | 30m, 0.25mm ID, 1.40um w/5m Integra-Guard Column, 5" Cage for HP6850 GCs |
| 10968-127 | Rtx-624 Cap. Column | 30m, 0.25mm ID, 1.40um 10m, 0.25mm Integra Guard |
| 10968-390 | Rtx-624 Cap. Column | 30m, 0.25mm ID, 1.40um 7cm Coil, No Cage No Guarantee for Breakage |
| 10968-6850 | Rtx-624 Cap. Column | 30m, 0.25mm ID, 1.40um w/5" Cage for HP 6850 |
| 10969 | Rtx-624 Cap. Column | 60m, 0.25mm ID, 1.40um |
| 10969-124 | Rtx-624 Cap. Column | 60m, 0.25mm ID, 1.40um with 5m Integra-Guard Column |
| 10969-127 | Rtx-624 Cap. Column | 60m, 0.25mm ID, 1.40um with 10 meter Integra Guard Column |
| 10969-600 | Rtx-624 Cap. Column | 60m, 0.25mm ID, 1.40um Pack of 6 |
| 10969-6850 | Rtx-624 Cap Column | 60m, 0.25mm ID, 1.40um 5" cage for HP 6850 GC |
| 10970 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um |
| 10970-101 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um Break into 3x10m columns |
| 10970-125 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um with 5m Integra Guard Column |
| 10970-128 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um with 10m Integra Guard Column |
| 10970-12868 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um w/10m Integra Guard on a 5 Inch HP6850 Cage |
| 10970-282 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um Use 5 inch Star Cage No Guarantee Against Breakage |
| 10970-600 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um Pack of 6 |
| 10970-6850 | Rtx-624 Cap. Column | 30m, 0.32mm ID, 1.80um 5" HP 6850 Cage |
| 10971 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 10971-126 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 10971-12668 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um with 5m Integra-Guard Column 5" HP 6850 Cage |
| 10971-129 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 10971-282 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um 5" star cage No guarantee for breakage |
| 10971-305 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 10971-600 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.00um Pack of 6 |
| 10971-6850 | Rtx-624 Cap. Column | 30m, 0.53mm ID, 3.0um w/5" HP6850 Cage |
| 10972 | Rtx-624 Cap. Column | 60m, 0.32mm ID, 1.80um |
| 10972-042 | Rtx-624 Cap.Column | 60m, 0.32mmID, 1.80um w/Nordion Cage |
| 10972-105 | Rtx-624 Cap. Column | 50m, 0.32mm ID, 1.80um |
| 10972-115 | Rtx-624 Cap. Column | 20m & 40m 0.32mmID, 1.8um |
| 10972-125 | Rtx-624 Cap. Column | 60m, 0.32mm ID, 1.80um with 5m Integra-Guard Column |
| 10972-128 | Rtx-624 Cap. Column | 60m, 0.32mm ID, 1.80um with 10m Integra-Guard Column |
| 10972-6850 | Rtx-624 Cap. Column | 60m, 0.32mm ID, 1.80um 5" Cage for HP6850 |
| 10973 | Rtx-624 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 10973-126 | Rtx-624 Cap. Column | 60m, 0.53mm ID, 3.00um 5m, 0.53mm guard built in |
| 10973-129 | Rtx-624 Cap. Column | 60m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 10973-140 | Rtx-624 Cap. Column | 45m, 0.53mm ID, 3.00um |
| 10973-6850 | Rtx-624 Cap. Column | 60m, 0.53mm ID, 3.0um 5" HP6850 Cage |
| 10974 | Rtx-624 Cap. Column | 75m, 0.53mm ID, 3.00um |
| 10974-126 | Rtx-624 Cap. Column | 75m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 10974-129 | Rtx-624 Cap. Column | 75m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 10974-325 | Rtx-624 Cap. Column | 75m, 0.53mm ID, 3.00um 5m Guard Column w/Cap Vu-Union |
| 10974-600 | Rtx-624 Cap. Column | 75m, 0.53mm ID, 3.00um 6pk |
| 10974-6850 | Rtx-624 Cap. Column | 75m, 0.53mm ID, 3.00um w/5" HP6850 Cage |
| 10975 | Rtx-624 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 10975-306 | Rtx-624 Cap. Column | 105m, 0.53mm ID, 3.00um w/10m 0.53mm PT Guard Column |
| 10975-6850 | Rtx-624 Cap. Column | 105m, 0.53mm ID, 3.0um w/ 6850 cage |
| 10982 | Rtx-624 Cap. Column | 75m, 0.45mm ID, 2.55um |
| 10986 | Rtx-502.2 Cap. Column | 75m, 0.45mm ID, 2.55um |
| 10986-042 | Rtx-502.2 Cap. Column | 75m, 0.45mm ID, 2.55um Nordion Cage |
| 10986-311 | Rtx-502.2 Cap. Column | 75m, 0.45mm ID, 2.55um w/5m 0.45mm ID Guard Column connected with a Capil |
| 10986-6850 | Rtx-502.2 Cap. Column | 75m, 0.45mm ID, 2.55um 5" cage for HP 6850 |

| | | |
|---|---|---|
| 10992 | Rtx-1 Cap. Column | 75m, 0.45mm ID, 2.55um |
| 10998 | Rt-TCEP Cap. Column | 30m, 0.25mm ID, 0.40um |
| 10999 | Rt-TCEP Cap. Column | 60m, 0.25mm ID, 0.40um |
| 10999-105 | Rt-TCEP Cap. Column | 50m, 0.25mmID, 0.40um |
| 10999-6850 | Rt-TCEP Cap. Column | 60m, 0.25mmID, 0.40um 5" cage for HP6850 |
| 11005 | Stabilwax-DA Cap. Column | 15m, 0.25mm ID, 0.10um |
| 11005-6850 | Stabilwax-DA Cap. Column | 15m, 0.25mm ID, 0.10um 5" cage |
| 11006 | Stabilwax-DA Cap. Column | 15m, 0.32mm ID, 0.10um |
| 11007 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 0.10um |
| 11008 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.10um |
| 11008-6850 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.10um 5in cage for HP 6850 |
| 11009 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 0.10um |
| 11010 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 0.10um |
| 11011 | Stabilwax-DA Cap. Column | 60m, 0.25mm ID, 0.10um |
| 11012 | Stabilwax-DA Cap. Column | 60m, 0.32mm ID, 0.10um |
| 11013 | Stabilwax-DA Cap. Column | 60m, 0.53mm ID, 0.10um |
| 11020 | Stabilwax-DA Cap. Column | 15m, 0.25mm ID, 0.25um |
| 11020-6850 | Stabilwax-DA Cap. Column | 15m, 0.25mm ID, 0.25um 5" Cage for HP6850 GCs |
| 11021 | Stabilwax-DA Cap. Column | 15m, 0.32mm ID, 0.25um |
| 11021-104 | Stabilwax-DA Cap. Column | 3 x 5m, 0.32mm ID, 0.25um |
| 11021-6850 | Stabilwax-DA Cap. Column | 15m, 0.32mm ID, 0.25um 5" Cage for Agilent GCs |
| 11022 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 0.25um |
| 11022-305 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 0.25um 5m Guard Column w/Presstight |
| 11023 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.25um |
| 11023-280 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.25um Cage in 4 inch Star Cage |
| 11023-303 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.25um w/5m 0.25mm Presstight Guard Column |
| 11023-600 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 11023-6850 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.25um 5" Cage for HP6850 |
| 11024 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 0.25um |
| 11024-106 | Stabilwax-DA Cap. Column | 25m, 0.32mm ID, 0.25um |
| 11024-600 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 11024-6850 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 0.25um 5" HP6850 Cage |
| 11025 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 0.25um |
| 11025-318 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 0.25um w/15m x 0.53mm ID Polar Deact Guard Col Presstight v |
| 11025-6850 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 0.25um 5" Cage for HP6850 |
| 11026 | Stabilwax-DA Cap. Column | 60m, 0.25mm ID, 0.25um |
| 11026-042 | Stabilwax-DA Cap. Column | 60m, 0.25mm ID, 0.25um Nordion Cage |
| 11026-105 | Stabilwax-DA Cap. Column | 50m, 0.25mm ID, 0.25um |
| 11027 | Stabilwax-DA Cap. Column | 60m, 0.32mm ID, 0.25um |
| 11027-105 | Stabilwax-DA Cap. Column | 50m, 0.32mm ID, 0.25um |
| 11028 | Stabilwax-DA Cap. Column | 60m, 0.53mm ID, 0.25um |
| 11035 | Stabilwax-DA Cap. Column | 15m, 0.25mm ID, 0.50um |
| 11035-6850 | Stabilwax-DA Cap. Column | 15m, 0.25mmID, 0.50um 5" cage for HP 6850 |
| 11036 | Stabilwax-DA Cap. Column | 15m, 0.32mm ID, 0.50um |
| 11036-107 | Stabilwax-DA Cap. Column | 10m, 0.32mm ID, 0.50um |
| 11036-280 | Stabilwax-DA Cap. Column | 15m, 0.32mm ID, 0.50um 4" star cage no guarantee for breakage |
| 11037 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 0.50um |
| 11037-107 | Stabilwax-DA Cap. Column | 10m, 0.53mm ID, 0.50um |
| 11037-6850 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 0.50um 5" Cage for HP |
| 11038 | Stabilwax-DA Cap. Column | 30m, 0.25mm ID, 0.50um |
| 11038-6850 | Stabilwax-DA Cap. Column | 30m, 0.25mmID, 0.50um 5" Cage for HP 6850 |
| 11039 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 0.50um |
| 11039-6850 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 0.50um 5" HP6850 Cage |
| 11040 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 0.50um |
| 11040-102 | Stabilwax-DA Cap. Column | 10m & 20m 0.53mmID, 0.50um |
| 11040-6850 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 0.50um 5" Cage for HP6850 GCs |
| 11041 | Stabilwax-DA Cap. Column | 60m, 0.25mm ID, 0.50um |
| 11041-303 | Stabilwax-DA Cap. Column | 60m, 0.25mm ID, 0.50um w/5m 0.25mm Guard Col. w/Presstight |
| 11042 | Stabilwax-DA Cap. Column | 60m, 0.32mm ID, 0.50um |
| 11042-105 | Stabilwax-DA Cap. Column | 50m, 0.32mmID, 0.50um |
| 11042-10568 | Stabilwax-DA Cap. Column | 50m, 0.32mm ID, 0.50um 5in cage for HP 6850 |
| 11042-316 | Stabilwax-DA Cap. Column | 60m, 0.32mm ID, 0.50um w/5m, 0.32mm PT Polar Guard |
| 11043 | Stabilwax-DA Cap. Column | 60m, 0.53mm ID, 0.50um |
| 11043-105 | Stabilwax-DA Cap. Column | 50m, 0.53mm ID, 0.5um |
| 11051 | Stabilwax-DA Cap. Column | 15m, 0.32mm ID, 1.00um |
| 11051-107 | Stabilwax-DA Cap. Column | 10m, 0.32mm ID, 1.00um |

| | | |
|---|---|---|
| 11052 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 1.00um |
| 11052-104 | Stabilwax-DA Cap. Column | 3-5m, 0.53mm ID, 1.00um |
| 11052-107 | Stabilwax-DA Cap. Column | 10m, 0.53mm ID, 1.00um |
| 11052-305 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 1.00um w/5m, 0.53mm PT Guard Column |
| 11052-6850 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 1.00um For HP 6850 GCs |
| 11054 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 1.00um |
| 11054-031 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 1.00um Cage column in customers cage. |
| 11054-60068 | Stabilwax-DA Cap. Column | 30m, 0.32mm ID, 1.00um Pack of 6 5" cage for HP 6850 |
| 11054-6850 | Stabilwax-DA Cap. Column | 30m, 0.32mmID, 1.00um on 6850 Cage |
| 11055 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 1.00um |
| 11055-101 | Stabilwax-DA Cap. Column | 3 x 10m,0.53mm ID, 1.00um |
| 11055-102 | Stabilwax-DA Cap. Column | 10m & 20m 0.53mmID, 1.00um |
| 11055-106 | Stabilwax-DA Cap. Column | 25m, 0.53mm ID, 1.00um |
| 11055-289 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 1.00um 4.5" Coil, No Cage |
| 11055-305 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 1.00um 5m, 0.53mm Presstight Guard Column |
| 11055-6850 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 1.00um 5" Cage for HP 6850 |
| 11057 | Stabilwax-DA Cap. Column | 60m, 0.32mm ID, 1.00um |
| 11057-163 | Stabilwax-DA Cap. Column | 60m, 0.32mm ID, 1.00um 5m, 0.32mm Guard Column w/ Vu 2 Union |
| 11057-6850 | Stabilwax-DA Cap. Column | 60m, 0.32mmID, 1.00um 5" cage for 6850 |
| 11058 | Stabilwax-DA Cap. Column | 60m, 0.53mm ID, 1.00um |
| 11058-138 | Stabilwax-DA Cap. Column | 45m & 15m, 0.53mm ID, 1.00um |
| 11058-6850 | Stabilwax-DA Cap. Column | 60m, 0.53mm ID, 1.00um 5" Cage for HP6850 |
| 11062 | Stabilwax-DA Cap. Column | 15m, 0.53mm ID, 1.50um |
| 11062-107 | Stabilwax-DA Cap. Column | 10m, 0.53mm ID, 1.50um |
| 11065 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 1.50um |
| 11065-600 | Stabilwax-DA Cap Column | 30m, 0.53mm ID, 1.50um Pack of 6 |
| 11065-6850 | Stabilwax-DA Cap. Column | 30m, 0.53mm ID, 1.50um 5" Cage for HP6850 |
| 11068 | Stabilwax-DA Cap. Column | 60m, 0.53mm ID, 1.50um |
| 11120 | Rtx-CLP Cap. Column | 15m, 0.25mm ID, 0.25um |
| 11120-364 | Rtx-CLP Cap. Column | 15m, 0.25mmID, 0.25um 5m, 0.25mmID Siltek guard column w/Siltek presstight |
| 11123 | Rtx-CLP Cap. Column | 30m, 0.25mm ID, 0.25um |
| 11123-600 | Rtx-CLP Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 11123-6850 | Rtx-CLP Cap. Column | 30m, 0.25mm ID, 0.25um For HP 6850 GCs |
| 11126 | Rtx-CLP Cap. Column | 60m, 0.25mmID, 0.25um |
| 11136 | Rtx-CLP Cap. Column | 15m, 0.32mm ID, 0.50um |
| 11136-107 | Rtx-CLP Cap. Column | 10m, 0.32mm ID, 0.50um |
| 11136-600 | Rtx-CLP Cap. Column | 15m, 0.32mm ID, 0.50um Pack of 6 |
| 11137 | Rtx-CLP Cap. Column | 15m, 0.53mm ID, 0.50um |
| 11139 | Rtx-CLP Cap. Column | 30m, 0.32mm ID, 0.50um |
| 11139-304 | Rtx-CLP I Cap. Column | 30m, 0.32mm ID, 0.50um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 11139-365 | Rtx-CLP Cap. Column | 30m, 0.32mmID, 0.50um w/5m, 0.32mmID Siltek guard column w/Siltek presstight |
| 11139-600 | Rtx-CLP Cap. Column | 30m, 0.32mm ID, 0.50um Pack of 6 |
| 11139-6850 | Rtx-CLP Cap. Column | 30m, 0.32mmID, 0.50um 5" cage for HP 6850 |
| 11140 | Rtx-CLP Cap. Column | 30m, 0.53mm ID, 0.50um |
| 11140-282 | Rtx-CLP Cap. Column | 30m, 0.53mmID, 0.50um recoil into 5" Star cage |
| 11140-366 | Rtx-CLP Cap. Column | 30m, 0.53mm ID, 0.50um w/5m 0.53mm Siltek Guard Column w/Presstight |
| 11140-600 | Rtx-CLP Cap. Column | 30m, 0.53mm ID, 0.50um Pack of 6 |
| 11140-6850 | Rtx-CLP Cap. Column | 30m, 0.53mm ID, 0.50um 5" HP6850 Cage |
| 11141 | Rtx-CLP Cap. Column | 30m, 0.32mm ID, 0.32um |
| 11141-163 | Rtx-CLP Cap. Column | 30m, 0.32mm ID, 0.32um 5m, 0.32mm ID, Guard w/Vu 2 Union |
| 11141-280 | Rtx-CLP Cap. Column | 30m, 0.32mm ID, 0.32um 4in star cage No guarantee for breakage |
| 11141-600 | Rtx-CLP Cap. Column | 30m, 0.32mm ID, 0.32um Pack of 6 |
| 11190 | Stx-CLP Cap. Column Kit | 0.25mmID Kit Includes 1 ea: 11543/11443/10026 w/Angled Y Presstight |
| 11191 | Stx-CLP Cap. Column Kit | 0.32mmID 11544/11444 /10027 With Angled Y Presstight Connector |
| 11191-600 | Stx-CLP Cap. Column Kit | Pack of 6 0.32mmID Kits 11544/11444/10027 w/Angled Y Presstight Connector |
| 11193 | Stx-CLP Cap. Column Kit | 0.32mm ID Kit Includes 1 ea: 11546/11444/10027, w/Angled Y Presstight |
| 11196 | Rtx-CLP Cap. Column Kit | 0.32mm ID 11141/11324/10027 w/Angled Y Presstight |
| 11196-496 | Rtx-CLP Cap. Column Kit | 0.32mm ID 11141/11324/10027 Connected with Angled Y Presstight |
| 11197 | Rtx-CLP Cap. Column Kit | 0.53mm ID 11140/11340/10045 w/Angled Y Presstight |
| 11197-496 | Rtx-CLP Cap. Column | Y connect 11140/11340/10028 w/Angled Y Presstight |
| 11198 | Rtx-CLP Cap. Column Kit | 11139/11324/10027 w/Angled Y Presstight |
| 11198-495 | Rtx-CLP Cap. Column | Kit, 11139, 11324, 10027 Connected w/a Y Vu-Union |
| 11198-496 | Rtx-CLP Cap. Column | Kit 11139/11324/10027 Connected w/Angled Y Presstight |
| 11198-530 | Rtx-CLP Cap. Column | Kit 11139/11324/10027 with Pesticide Mix AB#1 w/Angled Y Presstight |
| 11198-535 | Rtx-CLP Cap. Column | Kit 11139/11324/10027 with Pesticide Mix AB#2 w/Angled Y Presstight |
| 11199 | Rtx-CLP Cap. Column Kit | 0.25mm ID 11123/11323/10026 w/Angled Y Presstight |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 11199-495 | Rtx-CLP Cap. Column Kit | Assemble a (11123), (11323), (10026) w/ a Y Vu-Union Connector |
| 11223 | Rtx-OPP Cap. Column | 30m, 0.25mm ID, 0.25um |
| 11239 | Rtx-OPP Cap. Column | 30m, 0.32mm ID, 0.50um |
| 11239-042600 | Rtx-OPP Cap. Column | 30m, 0.32mm ID, 0.50um w/ a Nordion Cage, Pack of 6 |
| 11239-051 | Rtx-OPP Cap. Column | 30m, 0.32mm ID, 0.50um No Cage No Guarantee for Breakage |
| 11239-323 | Rtx-OPP Cap. Column | 30m, 0.32mm ID, 0.50um with 5 meter 0.25mm ID Guard Column Connected with |
| 11239-365 | Rtx-OPP Cap. Column | 30m, 0.32mm ID, 0.50um w/5m, 0.32mm Siltek Guard Column w/Siltek Presstight |
| 11239-600 | Rtx-OPP Cap. Column | 30m, 0.32mm ID, 0.50um Pack of 6 |
| 11240 | Rtx-OPP Cap. Column | 30m, 0.53mm ID, 0.83um |
| 11241 | Rtx-OPP2 Cap. Column | 30m, 0.32mm ID, 0.32um |
| 11241-600 | Rtx-OPP2 Cap. Column | 30m, 0.32mm ID, 0.32um Pack of 6 |
| 11241-6850 | Rtx-OPP2 Cap. Column | 30m, 0.32mm ID, 0.32um 5" Cage for HP 6850 |
| 11242 | Rtx-OPP2 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 11243 | Rtx-OPP2 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 11243-600 | Rtx-OPP2 Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 11244 | Rtx-OPP2 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 11320 | Rtx-CLPII Cap. Column | 15m, 0.25mm ID, 0.20um |
| 11321 | Rtx-CLPII Cap. Column | 15m, 0.32mm ID, 0.25um |
| 11321-107 | Rtx-CLPII Cap. Column | 10m, 0.32mm ID, 0.25um |
| 11321-600 | Rtx-CLPII Cap. Column | 15m, 0.32mm ID, 0.25um Pack of 6 |
| 11323 | Rtx-CLPII Cap. Column | 30m, 0.25mm ID, 0.20um |
| 11324 | Rtx-CLPII Cap. Column | 30m, 0.32mm ID, 0.25um |
| 11324-163 | Rtx-CLPII Cap. Column | 30m, 0.32mm ID, 0.25um 5m, 0.32mm ID, Guard w/Vu 2 Union |
| 11324-304 | Rtx-CLPII Cap. Column | 30m, 0.32mm ID, 0.25um w/5m 0.32mm PT Guard Column |
| 11324-365 | Rtx-CLP II Cap. Column | 30m, 0.32mmID, 0.25um w/5m, 0.32mm Siltek Guard Column w/Siltek Presstight |
| 11324-600 | Rtx-CLPII Cap. Column | 30m, 0.32mm ID, 0.25um 6pk |
| 11325 | Rtx-CLP II Cap. Column | 30m, 0.32mm ID, 0.50um |
| 11326 | Rtx-CLPII Cap. Column | 60m, 0.25mm ID, 0.20um |
| 11335 | Rtx-35 Amine Cap. Column | 15m, 0.25mm ID, 0.5um |
| 11337 | Rtx-CLPII Cap. Column | 15m, 0.53mm ID, 0.42um |
| 11337-600 | Rtx-CLPII Cap. Column | 15m, 0.53mm ID, 0.42um 6pk |
| 11338 | Rtx-35 Amine Cap. Column | 30m, 0.25mm ID, 0.5um |
| 11338-6850 | Rtx-35 Amine Cap. Column | 30m, 0.25mm ID, 0.5um 5in cage for HP 6850 |
| 11340 | Rtx-CLPII Cap. Column | 30m, 0.53mm ID, 0.42um |
| 11340-600 | Rtx-CLPII Cap. Column | 30m, 0.53mm ID, 0.42um Pack of 6 |
| 11340-6850 | Rtx-CLPII Cap. Column | 30m, 0.53mm ID, 0.42um 5in cage for HP 6850 |
| 11350 | Rtx-35 Amine Cap. Column | 15m, 0.25mm ID, 1.0um |
| 11350-6850 | Rtx-35 Amine Cap. Column | 15m, 0.25mm ID, 1.0um w/5" HP6850 Cage |
| 11351 | Rtx-35 Amine Cap. Column | 15m, 0.32mm ID, 1.0um |
| 11351-6850 | Rtx-35 Amine Cap. Column | 15m, 0.32mm ID, 1.0um For HP 6850 GCs |
| 11352 | Rtx-35 Amine Cap. Column | 15m, 0.53mm ID, 1.0um |
| 11353 | Rtx-35 Amine Cap. Column | 30m, 0.25mm ID, 1.0um |
| 11353-600 | Rtx-35 Amine Cap. Column | 30m, 0.25mm ID, 1.0um Pack of 6 |
| 11353-6850 | Rtx-35 Amine Cap. Column | 30m, 0.25mm ID, 1.0um 5" HP6850 Cage |
| 11354 | Rtx-35 Amine Cap. Column | 30m, 0.32mm ID, 1.0um |
| 11354-031 | Rtx-35 Amine Cap. Column | 30m, 0.32mm ID, 1.0um Cage column in customers cage. |
| 11354-6850 | Rtx-35 Amine Cap. Column | 30m, 0.32mm ID, 1.00um w/5" HP6850 Cage |
| 11355 | Rtx-35 Amine Cap. Column | 30m, 0.53mm ID, 1.0um |
| 11355-600 | Rtx-35 Amine Cap. Column | 30m, 0.53mm ID, 1.0um Pack of 6 |
| 11355-6850 | Rtx-35 Amine Cap. Column | 30m, 0.53mm ID, 1.0um For HP 6850 GCs |
| 11366 | Rtx-35 Amine Cap. Column | 15m, 0.32mm ID, 1.5um |
| 11366-6850 | Rtx-35 Amine Cap. Column | 15m, 0.32mm ID, 1.5um 5" Cage for HP 6850 GCs |
| 11369 | Rtx-35 Amine Cap. Column | 30m, 0.32mm ID, 1.5um |
| 11369-6850 | Rtx-35 Amine Cap. Column | 30m, 0.32mm ID, 1.5um For HP 6850 GCs |
| 11382 | Rtx-35 Amine Cap. Column | 15m, 0.53mm ID, 3.0um |
| 11385 | Rtx-35 Amine Cap. Column | 30m, 0.53mm ID, 3.0um |
| 11385-600 | Rtx-35 Amine Cap. Column | 30m, 0.53mm ID, 3.0um Pack of 6 |
| 11385-6850 | Rtx-35 Amine Cap. Column | 30m, 0.53mm ID, 3.0um 5" cage for HP 6850 |
| 11440 | Stx-CLPII Cap. Column | 15m, 0.25mm ID, 0.20um |
| 11441 | Stx-CLPII Cap. Column | 15m, 0.32mm ID, 0.25um |
| 11443 | Stx-CLPII Cap. Column | 30m, 0.25mm ID, 0.20um |
| 11444 | Stx-CLPII Cap. Column | 30m, 0.32mm ID, 0.25um |
| 11444-600 | Stx-CLPII Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 11540 | Stx-CLP Cap. Column | 15m, 0.25mm ID, 0.25um |
| 11541 | Stx-CLP Cap. Column | 15m, 0.32mm ID, 0.50um |
| 11543 | Stx-CLP Cap. Column | 30m, 0.25mm ID, 0.25um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 11543-600 | Stx-CLP Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 11544 | Stx-CLP Cap. Column | 30m, 0.32mm ID, 0.50um |
| 11544-365 | Stx-CLP Cap. Column | 30m, 0.32mm ID, 0.50um w/5m, 0.32mm Siltek Guard Column w/Siltek Presstight |
| 11544-600 | Stx-CLP Cap. Column | 30m, 0.32mm ID, 0.50um Pack of 6 |
| 11546 | Stx-CLPesticides Column | 30m, 0.32mm ID, 0.32um |
| 11608-124 | Rtx-1 MS Cap. Column | 30m, 0.25mm ID, 0.10um w/5m, 0.25mm ID Integra Guard |
| 11609-125 | Rtx-1 MS Cap. Column | 30m, 0.32mm ID, 0.10um w/5m 0.32mm Integra Guard |
| 11623-124 | Rtx-1 MS Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 11639-125 | Rtx-1 MS Cap. Column | 30m, 0.32mmID, 0.50um w/5m 0.32mm Integra Guard |
| 11654-125 | Rtx-1 MS Cap. Column | 30m, 0.32mm ID, 1.00um w/5m Integra Guard Column |
| 12005 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 12006 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 12007 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 12008 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 12008-124 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.10um with 5m Integra Guard Column |
| 12008-127 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.10um w/10m, 0.25mm ID Integra Guard Column |
| 12008-6850 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.10um 5" HP6850 Cage |
| 12009 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 12010 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 12011 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 12012 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 12013 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 12014 | Rtx-1701 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 12015 | Rtx-1701 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 12020 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 12020-124 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 0.25um w/5m 0.25mm Integra Guard |
| 12020-127 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 0.25um w/ 10m, 0.25mm ID IntegraGuard |
| 12021 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 12021-107 | Rtx-1701 Cap. Column | 10m, 0.32mm ID, 0.25um |
| 12021-125 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 12022 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 12022-129 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 0.25um with 10m Integra-Guard Column |
| 12023 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 12023-124 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 12023-127 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.25um w/10m, 0.25mm ID Integra Guard |
| 12023-600 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 12023-6850 | Rtx-1701 Cap. Column | 30m, 0.25mmID, 0.25um 5" Cage for HP6850 |
| 12024 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 12024-102 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um Break into 1x10m and 1x20m columns |
| 12024-106 | Rtx-1701 Cap. Column | 25m, 0.32mm ID, 0.25um |
| 12024-125 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 12024-12504 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column Use Nordion Cage |
| 12024-128 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 12024-12804 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um w/10m Integra Guard Column Use Nordion Cage |
| 12024-144 | Rtx-1701 Cap. Column | 5m & 25m, 0.32mm ID, 0.25um |
| 12024-600 | Rtx-1701 Cap. Column | 30m, 0.32mmID, 0.25um Pack of 6 |
| 12024-6850 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.25um 5" Cage for HP6850 |
| 12025 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 12025-126 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 0.25um with 5m Integra-Guard Column |
| 12026 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 12026-124 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 12026-127 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 0.25um 10m, 0.25mm ID Guard |
| 12027 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 12028 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 12029 | Rtx-1701 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 12030 | Rtx-1701 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 12035 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 12036 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 12036-125 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 0.50um w/5m, 0.32mmID Integra Guard |
| 12036-128 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 12037 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 12037-126 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 12038 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 12038-124 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.50um 5m, 0.25mm ID Guard |
| 12038-127 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.50um 10m 0.25mm Integra Guard |
| 12038-12768 | Rtx-1701 Cap. Column | 30m, 0.25mmID, 0.50um 10m 0.25mm guard built in 5" cage for HP 6850 |

| | | |
|---|---|---|
| 12038-6850 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 0.50um 5in cage for HP 6850 |
| 12039 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 12039-106 | Rtx-1701 Cap. Column | 25m, 0.32mm ID, 0.50um |
| 12039-125 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 12039-128 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 12039-12868 | Rtx-1701 Cap. Column | 30m, 0.32mmID, 0.50um w/10m Integra-Guard Column 5" cage for HP6850 |
| 12039-6850 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 0.50um 5" HP6850 Cage |
| 12040 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 12040-126 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 12040-129 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 12041 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 12042 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 12042-125 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 0.50um w/5m, 0.32mm Integra Guard |
| 12042-6850 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 0.50um 5" Cage for HP 6850 |
| 12043 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 12044 | Rtx-1701 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 12045 | Rtx-1701 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 12050 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 12050-124 | Rtx-1701 Cap. Column | 15m, 0.25mm ID, 1.00um w/5m 0.25mm Integra Guard |
| 12051 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 12051-051 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 1.00um No Cage |
| 12051-600 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 1.00um Pack of 6 |
| 12052 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 12052-126 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 1.00um w/5m, 0.53mm Integra Guard |
| 12052-6850 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 1.00um 5" cage for HP 6850 |
| 12053 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 12053-124 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 12053-600 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 1.00um 6pk |
| 12053-6850 | Rtx-1701 Cap. Column | 30m, 0.25mm ID, 1.00um w/5" Cage for HP6850 |
| 12054 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 12054-031 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.00um Customer Supplied Cage |
| 12054-125 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 12054-128 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.00um w/10m 0.32mm Integra-Guard |
| 12054-600 | Rtx-1701 Cap. Column | 30m, 0.32mmID, 1.00um Pack of 6 |
| 12054-6850 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.00um 5" HP6850 Cage |
| 12054-68506 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.00um 5" HP 6850 Cage, Pack of 6 |
| 12055 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 12055-126 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 12055-129 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 12055-6850 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.00um 5" Cage for HP6850 |
| 12056 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 12056-124 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 1.0um with 5m INTEGRA guard |
| 12056-127 | Rtx-1701 Cap. Column | 60m, 0.25mm ID, 1.00um w/10m 0.25mm Integra Guard |
| 12056-6850 | Rtx-1701 Cap. Column | 60m, 0.25mmID, 1.00um 5" cage |
| 12057 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 12057-105 | Rtx-1701 Cap. Column | 50m, 0.32mm ID, 1.00um |
| 12057-125 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 1.00um with 5m Integra Guard Column |
| 12057-6850 | Rtx-1701 Cap. Column | 60m, 0.32mm, 1.00um w/5" HP6850 Cage |
| 12058 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 12058-105 | Rtx-1701 Cap. Column | 50m, 0.53mm ID, 1.00um |
| 12058-126 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 12058-305 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 1.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 12058-6850 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 1.00um 5" Cage for HP6850 |
| 12059 | Rtx-1701 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 12060 | Rtx-1701 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 12060-6850 | Rtx-1701 Cap. Column | 105m, 0.32mm ID, 1.00um w/5" HP6850 Cage |
| 12066 | Rtx-1701 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 12067 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 12067-104 | Rtx-1701 Cap. Column | 3 x 5m, 0.53mm ID, 1.50um |
| 12069 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 12069-125 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.50um with 5 meter Integra Guard Column |
| 12069-12568 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.50um w/5m Integra Guard on 5" Cage for Agilent 6850 |
| 12069-6850 | Rtx-1701 Cap. Column | 30m, 0.32mm ID, 1.50um 5" HP6850 Cage |
| 12070 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 12070-126 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.5um w/5m 0.53mm Integra Guard |
| 12070-600 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.50um Pack of 6 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 12070-6850 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 1.50um recoil in 6850 cage |
| 12072 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 12072-125 | Rtx-1701 Cap. Column | 60m, 0.32mm ID, 1.5um 5m, 0.32mm Integra Guard |
| 12072-6850 | Rtx-1701 Cap. Column | 60m, 0.32mmID, 1.50um 5" cage for HP 6850 |
| 12073 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 12075 | Rtx-1701 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 12082 | Rtx-1701 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 12085 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 12085-126 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 3.00um with 5m Integra-Guard Column |
| 12085-129 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 12085-282 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 3.00um Coil on a 5" Cage, No Guarantee for Breakage |
| 12085-6850 | Rtx-1701 Cap. Column | 30m, 0.53mm ID, 3.00um w/5" Cage for HP6850 |
| 12088 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 12088-105 | Rtx-1701 Cap. Column | 50m, 0.53mm ID, 3.00um |
| 12088-126 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 3.00um 5m, 0.53mm Guard built in |
| 12088-600 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 3.00um Pack of 6 |
| 12088-6850 | Rtx-1701 Cap. Column | 60m, 0.53mm ID, 3.0um 5" HP 6850 Cage |
| 12320 | Rtx-5 Amine Cap. Column | 15m, 0.25mm ID, 0.25um |
| 12323 | Rtx-5 Amine Cap. Column | 30m, 0.25mm ID, 0.25um |
| 12335 | Rtx-5 Amine Cap. Column | 15m, 0.25mm ID, 0.50um |
| 12335-6850 | Rtx-5 Amine Cap. Column | 15m, 0.25mm ID, 0.50um 5in cage for HP 6850 |
| 12338 | Rtx-5 Amine Cap. Column | 30m, 0.25mm ID, 0.50um |
| 12338-106 | Rtx-5 Amine Cap. Column | 25m, 0.25mm ID, 0.50um |
| 12338-600 | Rtx-5 Amine Cap.Column | 30m, 0.25mmID, 0.50um Pack of 6 |
| 12338-6850 | Rtx-5 Amine Cap. Column | 30m, 0.25mm ID, 0.50um w/5" HP6850 Cage |
| 12350 | Rtx-5 Amine Cap. Column | 15m, 0.25mm ID, 1.00um |
| 12350-6850 | Rtx-5 Amine Cap. Column | 15m, 0.25mm ID, 1.00um 5in cage for HP 6850 |
| 12351 | Rtx-5 Amine Cap. Column | 15m, 0.32mm ID, 1.00um |
| 12351-6850 | Rtx-5 Amine Cap. Column | 15m, 0.32mm ID, 1.00um 5" Cage for HP 6850 |
| 12352 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 1.00um |
| 12352-282 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 1.0um 5" Cage (no guarantee for breakage) |
| 12352-344 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 1.00um w/5m x 0.53mm ID Base Deact Guard Column Presstigl |
| 12352-6850 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 1.00um 5" cage for HP 6850 |
| 12353 | Rtx-5 Amine Cap. Column | 30m, 0.25mm ID, 1.00um |
| 12353-342 | Rtx-5 Amine Cap. Column | 30m, 0.25mm ID, 1.00um w/5m, 0.25mmID Base Deact Presstight Guard Column |
| 12353-6850 | Rtx-5 Amine Cap. Column | 30m, 0.25mm ID, 1.00um 5" HP6850 Cage |
| 12354 | Rtx-5 Amine Cap. Column | 30m, 0.32mm ID, 1.00um |
| 12354-031 | Rtx-5 Amine Cap. Column | 30m, 0.32mm ID, 1.00um Customer Supplied Cage |
| 12354-042 | Rtx-5 Amine Cap Column | 30m x 0.32mmID x 1.00um 5" Nordion Cage |
| 12354-343 | Rtx-5 Amine Cap. Column | 30m, 0.32mm ID, 1.00um w/5m x 0.32mm ID Base Deact Guard Column Presstigl |
| 12354-600 | Rtx-5 Amine Cap. Column | 30m, 0.32mm ID, 1.00um Pack of 6 |
| 12354-6850 | Rtx-5 Amine Cap. Column | 30m, 0.32mmID, 1.00um 5" Cage for HP6850 |
| 12355 | Rtx-5 Amine Cap. Column | 30m, 0.53mm ID, 1.00um |
| 12355-344 | Rtx-5 Amine Cap. Column | 30m, 0.53mm ID, 1.00um w/5m x 0.53mm ID Base Deact Guard Column Presstigl |
| 12355-600 | Rtx-5 Amine Cap. Column | 30m, 0.53mm ID, 1.00um Pack of 6 |
| 12355-6850 | Rtx-5 Amine Cap. Column | 30m, 0.53mm ID, 1.00um For HP 6850 GCs |
| 12366 | Rtx-5 Amine Cap. Column | 15m, 0.32mm ID, 1.50um |
| 12366-6850 | Rtx-5 Amine Cap. Column | 15m, 0.32mm ID, 1.50um 5" Cage for HP 6850 GCs |
| 12369 | Rtx-5 Amine Cap. Column | 30m, 0.32mm ID, 1.50um |
| 12369-600 | Rtx-5 Amine Cap. Column | 30m, 0.32mmID, 1.50um Pack of 6 |
| 12369-6850 | Rtx-5 Amine Cap. Column | 30m, 0.32mmID, 1.50um 5" cage for HP |
| 12382 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 3.00um |
| 12382-042 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 3.00um Nordion Cage |
| 12382-6850 | Rtx-5 Amine Cap. Column | 15m, 0.53mm ID, 3.00um 5" cage for 6850 |
| 12385 | Rtx-5 Amine Cap. Column | 30m, 0.53mm ID, 3.00um |
| 12385-344 | Rtx-5 Amine Column | 30m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Base Deact Guard Column Presstigl |
| 12385-6850 | Rtx-5 Amine Cap. Column | 30m, 0.53mm ID, 3.00um 5" HP6850 Cage |
| 12405 | Rtx-Wax Cap. Column | 15m, 0.25mm ID, 0.10um |
| 12406 | Rtx-Wax Cap. Column | 15m, 0.32mm ID, 0.10um |
| 12408 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.10um |
| 12409 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 0.10um |
| 12420 | Rtx-Wax Cap. Column | 15m, 0.25mm ID, 0.25um |
| 12420-6850 | Rtx-Wax Cap. Column | 15m, 0.25mm ID, 0.25um 5" cage for HP 6850 |
| 12421 | Rtx-Wax Cap. Column | 15m, 0.32mm ID, 0.25um |
| 12422 | Rtx-Wax Cap. Column | 15m, 0.53mm ID, 0.25um |
| 12423 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.25um |

| | | |
|---|---|---|
| 12423-101 | Rtx-Wax Cap. Column | 3 x 10m, 0.25mm ID, 0.25um |
| 12423-106 | Rtx-Wax Cap. Column | 25m, 0.25mm ID, 0.25um |
| 12423-303 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.25um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 12423-317 | Rtx-Wax Cap. Column | 30m, 0.25mmID, 0.25um 5m, 0.25 Polar guard column (10065) w/pt |
| 12423-600 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 12423-6850 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.25um 5" Cage for HP 6850 GCs |
| 12424 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 0.25um |
| 12424-112 | Rtx-Wax Cap. Column | 20m, 0.32mm ID, 0.25um |
| 12424-600 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 12424-6850 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 0.25um w/5" 6850 Cage |
| 12425 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 0.25um |
| 12425-6850 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 0.25um 5in cage for HP 6850 |
| 12426 | Rtx-Wax Cap. Column | 60m, 0.25mm ID, 0.25um |
| 12426-105 | Rtx-Wax Cap. Column | 50m, 0.25mm ID, 0.25um |
| 12426-280 | Rtx-Wax Cap. Column | 60m, 0.25mmID, 0.25um recoil into 4" Star cage |
| 12426-6850 | Rtx-Wax Cap. Column | 60m, 0.25mm ID, 0.25um For HP 6850 GCs |
| 12427 | Rtx-Wax Cap. Column | 60m, 0.32mm ID, 0.25um |
| 12427-304 | Rtx-Wax Cap. Column | 60m, 0.32mm ID, 0.25um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 12427-600 | Rtx-Wax Cap. Column | 60m, 0.32mmID, 0.25um Pack of 6 |
| 12435 | Rtx-Wax Cap. Column | 15m, 0.25mm ID, 0.50um |
| 12436 | Rtx-Wax Cap. Column | 15m, 0.32mm ID, 0.50um |
| 12436-123 | Rtx-Wax Cap. Column | 1-10m & 1-5m, 0.32mm ID, 0.50um |
| 12436-280 | Rtx-Wax Cap. Column | 15m, 0.32mm ID, 0.50um 4" star cage no guarantee for breakage |
| 12437 | Rtx-Wax Cap. Column | 15m, 0.53mm ID, 0.50um |
| 12438 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.50um |
| 12438-162 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.50um 5m, 0.25mm ID Guard w/ Vu 2 Union |
| 12438-6850 | Rtx-Wax Cap. Column | 30m, 0.25mm ID, 0.50um 5" HP6850 Cage |
| 12439 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 0.50um |
| 12439-6850 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 0.50um For HP 6850 |
| 12440 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 0.50um |
| 12440-106 | Rtx-Wax Cap. Column | 25m, 0.53mm ID, 0.50um |
| 12440-600 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 0.50um Pack of 6 |
| 12441 | Rtx-Wax Cap. Column | 60m, 0.25mm ID, 0.50um |
| 12441-105 | Rtx-Wax Cap. Column | 50m, 0.25mm ID, 0.50um |
| 12442 | Rtx-Wax Cap. Column | 60m, 0.32mm ID, 0.50um |
| 12442-105 | Rtx-Wax Cap. Column | 50m, 0.32mm ID, 0.50um |
| 12442-108 | Rtx-Wax Cap. Column | 6-10m, 0.32mm ID, 0.50um |
| 12442-6850 | Rtx-Wax Cap. Column | 60m, 0.32mm ID, 0.50um 5" HP6850 Cage |
| 12443 | Rtx-Wax Cap. Column | 60m, 0.53mm ID, 0.50um |
| 12451 | Rtx-Wax Cap. Column | 15m, 0.32mm ID, 1.00um |
| 12451-123 | Rtx-Wax Cap. Column | 5m and 10m, 0.32mm ID, 1.00um |
| 12452 | Rtx-Wax Cap. Column | 15m, 0.53mm ID, 1.00um |
| 12452-107 | Rtx-Wax Cap. Column | 10m, 0.53mmID, 1.00um |
| 12452-6850 | Rtx-Wax Cap. Column | 15m, 0.53mmID, 1.00um 5" cage for HP 6850 |
| 12454 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 1.00um |
| 12454-600 | Rtx-Wax Cap. Column | 30m, 0.32mm ID, 1.00um Pack of 6 |
| 12455 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 1.00um |
| 12455-042 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 1.00um on 5" Nordion Cage |
| 12455-315 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 1.00um w/5m 0.53mm Polar Guard Column w/Presstight |
| 12455-600 | Rtx-Wax Cap. Column | 30m, 0.53mm ID, 1.00um Pack of 6 |
| 12455-6850 | Rtx-Wax Cap. Column | 30m, 0.53mmID, 1.0um 6850 Cage |
| 12457 | Rtx-Wax Cap. Column | 60m, 0.32mm ID, 1.00um |
| 12457-105 | Rtx-Wax Cap. Column | 50m, 0.32mmID, 1.0um |
| 12458 | Rtx-Wax Cap. Column | 60m, 0.53mm ID, 1.00um |
| 12458-118 | Rtx-Wax Cap. Column | 2 x 30m, 0.53mm ID, 1.00um Break 60m column into 2 x 30m |
| 12497 | FameWax Cap. Column | 30m, 0.25mm ID, 0.25um |
| 12497-273 | FameWax Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD w/o Cage |
| 12497-6850 | FameWax Cap. Column | 30m, 0.25mmID, 0.25um 5" cage |
| 12498 | FameWax Cap. Column | 30m, 0.32mm ID, 0.25um |
| 12498-273 | FameWax Cap. Column | 30m, 0.32mm ID, 0.25um 3.5"OD w/o Cage |
| 12498-600 | FameWax Cap. Column | 30m, 0.32mm ID, 0.25um 6pk |
| 12498-6850 | FameWax Cap. Column | 30m, 0.32mm ID, 0.25um w/5" HP6850 Cage |
| 12499 | FameWax Cap. Column | 30m, 0.53mm ID, 0.50um |
| 12499-6850 | FameWax Cap. Column | 30m, 0.53mm ID, 0.50um 5" HP6850 Cage |
| 12523 | Rt-CW20M F&F (non bonded) | 30m, 0.25mm ID, 0.25um |
| 12539 | Rt-CW20M F&F (non bonded) | 50m, 0.32mm ID, 0.33um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 12605 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.10um |
| 12605-107 | Rtx-5MS Cap. Column | 10m, 0.25mm ID, 0.10um |
| 12605-123 | Rtx-5MS Cap. Column | 10m & 5m, 0.25mm ID, 0.10um |
| 12605-124 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |
| 12605-600 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.10um 6pk |
| 12606 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.10um |
| 12606-107 | Rtx-5MS Cap. Column | 10m, 0.32mm ID, 0.10um |
| 12606-10712 | Rtx-5MS Cap. Column | 10m, 0.32mm ID, 0.10um 5m, 0.32mm ID Guard |
| 12608 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.10um |
| 12608-124 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |
| 12608-127 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.10um with 10m Integra-Guard Column |
| 12608-600 | Rtx-5MS Cap Column | 30m 0.25mmID, 0.10um Pack of 6 |
| 12609 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.10um |
| 12609-128 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.10um with 10m Integra-Guard Column |
| 12611 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.10um |
| 12611-124 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.10um with 5m Integra-Guard Column |
| 12612 | Rtx-5MS Cap. Column | 60m, 0.32mm ID, 0.10um |
| 12620 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.25um |
| 12620-124 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 12620-12460 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.25um w/5m .25mm Integra-Guard 6pk |
| 12620-127 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 12620-364 | Rtx-5MS Cap. Column | 15m, 0.25mmID, 0.25um 5m, 0.25mm Siltek guard column w/Siltek presstight |
| 12620-600 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.25um Package of 6 |
| 12620-6850 | Rtx-5MS Cap. Column | 15m, 0.25mmID, 0.25um 5" cage for HP 6850 |
| 12621 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.25um |
| 12621-10712 | Rtx-5MS Cap. Column | 10m, 0.32mm ID, 0.25um 5m, 0.32mm ID Guard |
| 12621-125 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.25um w/5m 0.32mm Integra Guard |
| 12621-600 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.25um 6pk |
| 12621-6850 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.25um 5in cage for HP 6850 |
| 12623 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um |
| 12623-042 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um Nordion Cage |
| 12623-106 | Rtx-5MS Cap. Column | 25m, 0.25mm ID, 0.25um |
| 12623-10660 | Rtx-5 MS Cap. Column | 25m, 0.25mmID, 0.25um Pack of 6 |
| 12623-112 | Rtx-5MS Cap. Column | 20m, 0.25mm ID, 0.25um |
| 12623-124 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 12623-12404 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra Guard Column Nordion Cage |
| 12623-12410 | Rtx-5MS Cap Colum | 25m, 0.25mmID, 0.25um w/5m Integra Guard |
| 12623-12460 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra Guard Col Pack of 6 |
| 12623-12468 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um w/ 5m Integra-Guard Column For HP 6850 Config |
| 12623-127 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 12623-303 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um w/5m x 0.25mm ID Guard Column Presstight with glue |
| 12623-305 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um w/5m, 0.53mm PT Guard Col. |
| 12623-600 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 12623-6850 | Rtx-5MS Cap. Column | 30m, 0.25mmID, 0.25um 5" cage for HP 6850 |
| 12624 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.25um |
| 12624-042 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.25um 5" Nordion Cage |
| 12624-125 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 12624-128 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 12624-600 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 12624-6850 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.25um 5" Cage for HP6850 |
| 12626 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.25um |
| 12626-105 | Rtx-5MS Cap. Column | 50m, 0.25mm ID, 0.25um |
| 12626-118 | Rtx-5MS Cap. Column | 2 x 30m, 0.25mm ID, 0.25um |
| 12626-124 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 12626-127 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.25um with 10m Integra-Guard Column |
| 12626-600 | Rtx-5MS Cap. Column | 60m, 0.25mmID, 0.25um Pack of 6 |
| 12626-6850 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.25um 5" Cage |
| 12627 | Rtx-5MS Cap. Column | 60m, 0.32mm ID, 0.25um |
| 12627-125 | Rtx-5MS Cap. Column | 60m, 0.32mm ID, 0.25um with 5m Integra-Guard Column |
| 12627-128 | Rtx-5MS Cap. Column | 60m, 0.32mm ID, 0.25um with 10m Integra-Guard Column |
| 12635 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.50um |
| 12635-124 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 12635-127 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.50um 10m, 0.25mm ID Guard |
| 12635-6850 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 0.50um For HP 6850 GCs |
| 12636 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.50um |
| 12636-125 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 12636-128 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 0.50um 10m, 0.32mm Integra Guard |
| 12637 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 0.50um |
| 12637-126 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 12638 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um |
| 12638-101 | Rtx-5MS Cap. Column | 3 x 10m, 0.25mmID, 0.50um |
| 12638-112 | Rtx-5MS Cap. Column | 20m, 0.25mm ID, 0.50um |
| 12638-124 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 12638-12460( | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um w/5m Integra Guard, 6pk |
| 12638-127 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um with 10m Integra-Guard Column |
| 12638-12760( | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um w/10m Integra Guard, Pack of 6 |
| 12638-337 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um w/10m 0.25mm IP Deact Guard Column w/Vac Vu-Unio |
| 12638-600 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um Pack of 6 |
| 12638-6850 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 0.50um 5in cage for HP 6850 |
| 12639 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.50um |
| 12639-106 | Rtx-5MS Cap. Column | 25m, 0.32mm ID, 0.50um |
| 12639-125 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.50um with 5m Integra-Guard Column |
| 12639-127 | Rtx-5MS Cap. Column | 30m, 0.32mmID, 0.50um 10m Integra guard column built in |
| 12639-128 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.50um with 10m Integra-Guard Column |
| 12639-600 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 0.50um Pack of 6 |
| 12640 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 0.50um |
| 12640-126 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 12640-129 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 0.50um with 10m Integra-Guard Column |
| 12640-600 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 0.50um Pack of 6 |
| 12641 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.50um |
| 12641-103 | Rtx-5MS Cap. Column | 3-20m, 0.25mm ID, 0.50um |
| 12641-124 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.50um with 5m Integra Guard Column |
| 12641-127 | Rtx-5MS Cap. Column | 60m, 0.25mmID, 0.5um w/10m Integra Guard |
| 12641-6850 | Rtx-5MS Cap. Column | 60m, 0.25mm ID, 0.50um 5" Cage for HP 6850 GCs |
| 12642 | Rtx-5MS Cap. Column | 60m, 0.32mm ID, 0.50um |
| 12642-105 | Rtx-5MS Cap. Column | 50m, 0.32mm ID, 0.50um |
| 12642-128 | Rtx-5MS Cap. Column | 60m, 0.32mm ID, 0.50um w/10m 0.32mm Integra Guard |
| 12650 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 1.00um |
| 12650-104 | Rtx-5MS Cap. Column | 3x5m, 0.25mm ID, 1.00um |
| 12650-123 | Rtx-5MS Cap. Column | 5m & 10m, 0.25mm ID, 1.00um |
| 12650-124 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 1.00 w/5m, 0.25mm Integra Guard |
| 12650-127 | Rtx-5MS Cap. Column | 15m, 0.25mm ID, 1.00um 10m, 0.25mm ID Guard |
| 12651 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 1.00um |
| 12651-125 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 1.00um w/5m 0.32mm Integra Guard |
| 12651-128 | Rtx-5MS Cap. Column | 15m, 0.32mm ID, 1.00um w/10m, 0.32mm Integra Guard |
| 12652 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 1.00um |
| 12652-126 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 1.00um with 5m, 0.53mm ID Integra Guard Column |
| 12653 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 1.00um |
| 12653-124 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 12653-127 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 1.00um with 10m Integra-Guard Column |
| 12653-12760( | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 1.00um w/ 10m IntergraGuard Column, 6pk |
| 12653-600 | Rtx-5MS Cap. Column | 30m, 0.25mm ID, 1.00um Pack of 6 |
| 12654 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 1.00um |
| 12654-125 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 1.00um with 5m Integra-Guard Column |
| 12654-128 | Rtx-5MS Cap. Column | 30m, 0.32mm ID, 1.00um with 10m Integra-Guard Column |
| 12655 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.00um |
| 12655-126 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra-Guard Column |
| 12655-129 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.00um with 10m Integra-Guard Column |
| 12655-6850 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.00um 5" Cage for HP 6850 |
| 12667 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 1.50um |
| 12667-126 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 1.50um w/ 5m Integra Guard Column |
| 12667-282 | Rtx-5MS Cap. Column | 15m, 0.53mm ID, 1.50um 5in star cage, no guarantee for breakage |
| 12670 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.50um |
| 12670-126 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.50um with 5m Integra-Guard Column |
| 12670-129 | Rtx-5MS Cap. Column | 30m, 0.53mm ID, 1.50um 10m Integra Guard |
| 12690 | Rtx-5MS Cap. Column | 15m, 0.28mm ID, 0.25um |
| 12691 | Rtx-5MS Cap. Column | 15m, 0.28mm ID, 0.50um |
| 12692 | Rtx-5MS Cap. Column | 15m, 0.28mm ID, 1.0 m |
| 12693 | Rtx-5MS Cap. Column | 30m, 0.28mm ID, 0.25um |
| 12693-244 | Rtx-5MS Cap. Column | 30m, 0.28mm ID, 0.25um with 10m Integra Guard Column |
| 12694 | Rtx-5MS Cap. Column | 30m, 0.28mm ID, 0.50um |
| 12694-243 | Rtx-5MS Cap. Column | 30m, 0.28mm ID, 0.50um with 5 meter Integra Guard Column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 12694-244 | Rtx-5MS Cap. Column | 30m, 0.28m ID, 0.50um w/10m 0.28mm Integra Guard |
| 12694-304 | Rtx-5MS Cap. Column | 30m, 0.28mm ID, 0.50um w/5m, 0.32mm ID Presstight Guard Column |
| 12695 | Rtx-5MS Cap. Column | 30m, 0.28mm ID, 1.0um |
| 12705 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.10um |
| 12705-124 | Rtx-5Sil MS Cap. Column | 15m, 0.25mmID, 0.10um 5m, 0.25mm Guard Column Built into the length |
| 12705-127 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.10um 10m, 0.25mm ID Guard column built in |
| 12706 | Rtx-5Sil MS Cap. Column | 15m, 0.32mm ID, 0.10um |
| 12708 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.10um |
| 12708-124 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.10um w/5m, 0.25mm Integra Guard |
| 12708-127 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.10um w/10m 0.25mm Integra Guard |
| 12708-303 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.10um w/5m 0.25mm PT Guard Col. |
| 12709 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.10um |
| 12720 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um |
| 12720-124 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um w/5m 0.25mm Integra Guard |
| 12720-127 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um w/10m 0.25mm Integra Guard |
| 12720-12760( | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um w/ 10m, 0.25mm Integra Guard Pack of 6 |
| 12720-600 | Rtx-5Sil MS Cap. Column | 15m, 0.25mmID, 0.25um Pack of 6 |
| 12720-6850 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 12721 | Rtx-5Sil MS Cap. Column | 15m, 0.32mm ID, 0.25um |
| 12723 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um |
| 12723-124 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um w/5m Integra Guard |
| 12723-12460( | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um w/5m Integra Guard, 6pk |
| 12723-127 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um w/10m, 0.25mm Integra Guard |
| 12723-12760( | Rtx-5Sil MS Cap. Column | 30m, 0.25mmID, 0.25um w/10m, 0.25mm Integra Guard 6pk |
| 12723-280 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 4in Star cage no guarantee for breakage |
| 12723-303 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um w/5m 0.25mm PT Guard Col. |
| 12723-305 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 5m x 0.53mm guard w/presstight |
| 12723-600 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 12723-6850 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 12724 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um |
| 12724-125 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um with 5m Integra Guard |
| 12724-128 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um w/10m 0.32mm Integra Guard |
| 12726 | Rtx-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um |
| 12726-109 | Rtx-5Sil MS Cap. Column | 10m & 50m, 0.25mm ID 0.25um |
| 12726-124 | Rtx-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um with 5m, 0.25mm Integra Guard |
| 12726-127 | Rtx-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um 10m, 0.25mm ID Guard column built in |
| 12726-600 | Rtx-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um Pack of 6 |
| 12735 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.50um |
| 12735-127 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.50um w/10m 0.25mm Integra Guard |
| 12736 | Rtx-5Sil MS Cap. Column | 15m, 0.32mm ID, 0.50um |
| 12737 | Rtx-5Sil MS Cap. Column | 15m, 0.53mm ID, 0.50um |
| 12738 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um |
| 12738-124 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um w/5m, 0.25mm Integra Guard |
| 12738-127 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um w/10m, 0.25mm Integra Guard |
| 12738-12760( | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um w/10m, 0.25mm Integra Guard Pack of 6 |
| 12738-364 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um w/5m 0.25mm Siltek Guard Column w/Siltek PT |
| 12738-600 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um Pack of 6 |
| 12738-6850 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um 5in cage for HP 6850 |
| 12739 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.50um |
| 12739-106 | Rtx-5Sil MS Cap. Column | 25m, 0.32mm ID, 0.50um |
| 12739-125 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.50um w/5m, 0.32mm Integra Guard |
| 12739-128 | Rtx-5Sil MS Cap. Column | 30m, 0.32mmID, 0.5um w/10m Integra Guard |
| 12739-600 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.50um Pack of 6 |
| 12740 | Rtx-5Sil MS Cap. Column | 30m, 0.53mm ID, 0.50um |
| 12740-129 | Rtx-5Sil MS Cap. Column | 30m, 0.53mmID, 0.50um 10m, 0.53mm Guard column built in |
| 12750 | Rtx-5Sil MS Cap. Column | 15m, 0.25mm ID, 1.00um |
| 12751 | Rtx-5Sil MS Cap. Column | 15m, 0.32mm ID, 1.00um |
| 12752 | Rtx-5Sil MS Cap. Column | 15m, 0.53mm ID, 1.00um |
| 12753 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 1.00um |
| 12753-124 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 1.00um w/5m, 0.25mm Integra Guard |
| 12753-127 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 1.00um w/10m, 0.25mm Integra Guard |
| 12753-6850 | Rtx-5Sil MS Cap. Column | 30m, 0.25mm ID, 1.00um w/5" HP6850 Cage |
| 12754 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.00um |
| 12754-125 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.00um w/5m Integra Guard |
| 12754-12560( | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.00um w/5m Integra Guard, Pack of 6 |
| 12754-128 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.00um w/10m, 0.32mm Integra Guard |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 12754-600 | Rtx-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.00um Pack of 6 |
| 12754-6850 | Rtx-5sil MS Cap. Column | 30m, 0.32mmID, 1.00um 5" cage for HP 6850 |
| 12755 | Rtx-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.00um |
| 12755-106 | Rtx-5Sil MS Cap. Column | 25m, 0.53mm ID, 1.00um |
| 12755-126 | Rtx-5Sil MS Cap. Column | 30m, 0.53mmID, 1.00um with 5m Integra Guard Column |
| 12767 | Rtx-5Sil MS Cap. Column | 15m, 0.53mm ID, 1.50um |
| 12770 | Rtx-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um |
| 12770-042 | Rtx-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um 5" Nordion Cage |
| 12770-126 | Rtx-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um w/5m 0.53mm Integra Guard |
| 12780 | Rtx-5Sil MS Cap. Column | 60m, 0.32mm ID, 0.25um |
| 12780-125 | Rtx-5Sil MS Cap. Column | 60m, 0.32mm ID, 0.25um 5m, 0.32mm guard |
| 12781 | Rtx-5Sil MS Cap. Column | 25m, 0.32mm ID, 1.0um |
| 12782 | Rtx-5Sil MS Cap. Column | 60m, 0.32mm ID, 1.0um |
| 12790 | Rtx-5Sil MS Cap. Column | 15m, 0.28mm ID, 0.25um |
| 12791 | Rtx-5Sil MS Cap. Column | 15m, 0.28mm ID, 0.50um |
| 12791-244 | Rtx-5Sil MS Cap. Column | 15m, 0.28mm ID, 0.50um w/10m, 0.28mm Integra Guard |
| 12792 | Rtx-5Sil MS Cap. Column | 15m, 0.28mm ID, 1.00um |
| 12793 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.25um |
| 12793-243 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.25um w/5m, .28mm Integra Guard |
| 12793-244 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.25um w/10m, .28mm Integra Guard |
| 12794 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.50um |
| 12794-243 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.50um w/5m, .28mm Integra Guard |
| 12794-244 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.50um w/10m Integra Guard |
| 12794-600 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 0.50um Pack of 6 |
| 12795 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 1.00um |
| 12795-243 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 1.00um w/5m, .28mm Integra Guard |
| 12795-244 | Rtx-5Sil MS Cap. Column | 30m, 0.28mm ID, 1.00um w/10m, 0.28mm Integra Guard |
| 12796 | Rtx-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.5um |
| 12797 | Rtx-5Sil MS Cap. Column | 60m, 0.25mm ID, 1.0um |
| 12798 | Rtx-5Sil MS Cap. Column | 40m, 0.45mm ID, 1.5um |
| 12923 | Rtx-440 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 12923-127 | Rtx-440 Cap. Column | 30m, 0.25mm ID, 0.25um w/ 10m, 0.25 IntegraGuard |
| 12923-6850 | Rtx-440 Cap. Column | 30m, 0.25mmID, 0.25um 5" cage for HP 6850 |
| 12924 | Rtx-440 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 12938 | Rtx-440 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 12939 | Rtx-440 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 12940 | Rtx-440 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 12955 | Rtx-440 Cap. Column | 30m, 0.53mm ID, 1.0um |
| 12998 | Rtx-TNT1 Cap. Column | 6m, 0.53mm ID, 1.5um Sold as 3-pk only |
| 12999 | Rtx-TNT2 Cap. Column | 6m, 0.53mm ID, 1.5um Sold as 3-pk only |
| 13005 | Rt-2330 NB Cap. Column | 15m, 0.25mm ID, 0.10um |
| 13006 | Rt-2330 NB Cap. Column | 15m, 0.32mm ID, 0.10um |
| 13008 | Rt-2330 NB Cap. Column | 30m, 0.25mm ID, 0.10um |
| 13009 | Rt-2330 NB Cap. Column | 30m, 0.32mm ID, 0.10um |
| 13011 | Rt-2330 NB Cap. Column | 60m, 0.25mm ID, 0.10um |
| 13012 | Rt-2330 NB Cap. Column | 60m, 0.32mm ID, 0.10um |
| 13014 | Rt-2330 NB Cap. Column | 105m, 0.25mm ID, 0.10um |
| 13015 | Rt-2330 NB Cap. Column | 105m, 0.32mm ID, 0.10um |
| 13020 | Rt-2330 NB Cap. Column | 15m, 0.25mm ID, 0.20um |
| 13021 | Rt-2330 NB Cap. Column | 15m, 0.32mm ID, 0.20um |
| 13023 | Rt-2330 NB Cap. Column | 30m, 0.25mm ID, 0.20um |
| 13024 | Rt-2330 NB Cap. Column | 30m, 0.32mm ID, 0.20um |
| 13026 | Rt-2330 NB Cap. Column | 60m, 0.25mm ID, 0.20um |
| 13027 | Rt-2330 NB Cap. Column | 60m, 0.32mm ID, 0.20um |
| 13029 | Rt-2330 NB Cap. Column | 105m, 0.25mm ID, 0.20um |
| 13030 | Rt-2330 NB Cap. Column | 105m, 0.32mm ID, 0.20um |
| 13035 | Rt-2340 NB Cap. Column | 15m, 0.25mm ID, 0.10um |
| 13036 | Rt-2340 NB Cap. Column | 15m, 0.32mm ID, 0.10um |
| 13038 | Rt-2340 NB Cap. Column | 30m, 0.25mm ID, 0.10um |
| 13039 | Rt-2340 NB Cap. Column | 30m, 0.32mm ID, 0.10um |
| 13041 | Rt-2340 NB Cap. Column | 60m, 0.25mm ID, 0.10um |
| 13042 | Rt-2340 NB Cap. Column | 60m, 0.32mm ID, 0.10um |
| 13044 | Rt-2340 NB Cap. Column | 105m, 0.25mm ID, 0.10um |
| 13045 | Rt-2340 NB Cap. Column | 105m, 0.32mm ID, 0.10um |
| 13050 | Rt-2340 NB Cap. Column | 15m, 0.25mm ID, 0.20um |
| 13051 | Rt-2340 NB Cap. Column | 15m, 0.32mm ID, 0.20um |

| | | |
|---|---|---|
| 13053 | Rt-2340 NB Cap. Column | 30m, 0.25mm ID, 0.20um |
| 13053-106 | Rt-2340 NB Cap. Column | 25m, 0.25mm ID, 0.20um |
| 13053-6850 | Rt-2340 NB Cap. Column | 30m, 0.25mm ID, 0.20um 5" Cage |
| 13054 | Rt-2340 NB Cap. Column | 30m, 0.32mm ID, 0.20um |
| 13056 | Rt-2340 NB Cap. Column | 60m, 0.25mm ID, 0.20um |
| 13057 | Rt-2340 NB Cap. Column | 60m, 0.32mm ID, 0.20um |
| 13057-6850 | Rt-2340 NB Cap. Column | 60m, 0.32mm ID, 0.20um 5" cage for HP 6850 |
| 13059 | Rt-2340 NB Cap. Column | 105m, 0.25mm ID, 0.20um |
| 13060 | Rt-2340 NB Cap. Column | 105m, 0.32mm ID, 0.20um |
| 13100 | Chiral Cap. Column | Rt-bDEXm 30m, 0.25mm ID, 0.25um |
| 13100-284 | Chiral Cap. Column | Rt-bDEXm 30m, 0.25mm ID 0.25um, 3.5" Coil w/o Cage (No Guarantee for Break |
| 13100-600 | Chiral Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 13100-6850 | Chiral Cap. Column | Rt-bDEXm 30m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 13101 | Chiral Cap. Column | Rt-bDEXm 30m, 0.32mm ID, 0.25um |
| 13101-6850 | Chiral Cap. Column | Rt-bDEXm 30m, 0.32mm ID, 0.25um 5in cage for HP 6850 |
| 13102 | Chiral Cap. Column | Rt-bDEXcst 30m, 0.32mm ID, 0.25um |
| 13103 | Chiral Cap. Column | Rt-bDEXcst 30m, 0.25mm ID, 0.25um |
| 13103-303 | Chiral Cap. Column | Rt-bDEXcst 30m, 0.25mmID, 0.25um 5m, 0.25mm Guard Column w/Presstight |
| 13103-364 | Chiral Cap. Column | Rt-bDEXcst 30m, 0.25mm ID, 0.25um 5m, 0.25mm ID Siltek Guard Column w/ Sil |
| 13103-6850 | Chiral Cap. Column | Rt-bDEXcst 30m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 13104 | Chiral Cap. Column | Rt-bDEXsm 30m, 0.32mm ID, 0.25um |
| 13104-112 | Chiral Cap. Column | Rt-bDEXsm 20m, 0.32mm ID, 0.25um |
| 13104-6850 | Chiral Cap. Column | Rt-bDEXsm 30m, 0.32mm ID, 0.25um 5" cage for HP 6850 |
| 13105 | Chiral Cap. Column | Rt-bDEXsm 30m, 0.25mm ID, 0.25um |
| 13105-112 | Chiral Cap. Column | Rt-bDEXsm 20m, 0.25mm ID, 0.25um |
| 13105-6850 | Chiral Cap. Column | Rt-bDEXsm 30m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 13106 | Chiral Cap. Column | Rt-bDEXse 30m, 0.32mm ID, 0.25um |
| 13107 | Chiral Cap. Column | Rt-bDEXse 30m, 0.25mm ID, 0.25um |
| 13107-106 | Chiral Cap. Column | Rt-bDEXse 25m, 0.25mm ID, 0.25um |
| 13107-6850 | Chiral Cap. Column | Rt-bDEXse 30m, 0.25mm ID, 0.25um 5" cage for HP 6850 |
| 13108 | Chiral Cap. Column | Rt-bDEXsa 30m, 0.32mm ID, 0.25um |
| 13108-6850 | Chiral Cap. Column | Rt-bDEXsa 30m, 0.32mm ID, 0.25um 5" Cage for HP 6850 |
| 13109 | Chiral Cap. Column | Rt-bDEXsa 30m, 0.25mm ID, 0.25um |
| 13109-6850 | Chiral Cap. Column | Rt-bDEXsa 30m, 0.25mm ID, 0.25um 5" cage for HP 6850 |
| 13110 | Chiral Cap. Column | Rt-bDEXsp 30m, 0.32mm ID, 0.25um |
| 13111 | Chiral Cap. Column | Rt-bDEXsp 30m, 0.25mm ID, 0.25um |
| 13111-106 | Chiral Cap. Column | 25m, 0.25mm ID, 0.25um |
| 13112 | Chiral Cap. Column | Rt-gamma DEXsa 30m, 0.32mm ID, 0.25um |
| 13112-6850 | Chiral Cap. Column | Rt-gamma DEXsa 30m, 0.32mm ID, 0.25um 5" HP 6850 Cage |
| 13113 | Chiral Cap. Column | Rt-gamma DEXsa 30m, 0.25mm ID, 0.25um |
| 13113-6850 | Chiral Cap. Column | Rt-gamma DEXsa 30m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 13190 | Chiral Column Kit | Pharmaceutical 30m, 0.25mm ID, 0.25um includes: #13105, 13103 |
| 13191 | Chiral Column Kit | Pharmaceutical 30m, 0.32mm ID, 0.25um includes: #13104, 13102 |
| 13192 | Chiral Column Kit | Environmental 30m, 0.25mm ID, 0.25um includes: #13105, 13103 |
| 13193 | Chiral Column Kit | Environmental 30m, 0.32mm ID, 0.25um includes: #13104, 13102 |
| 13194 | Chiral Column Kit | Juices 30m, 0.25mmID, 0.25um includes: #13107, 13105, 13113 |
| 13195 | Chiral Column Kit | Juices 30m, 0.32mmID, 0.25um includes: #13106, 13104, 13112 |
| 13196 | Chiral Column Kit | Essential Oils 30m, 0.25mm ID, 0.25um includes: #13105, 13107, 13109, 13111 |
| 13197 | Chiral Column Kit | Essential Oils 30m, 0.32mm ID, 0.25um includes: #13104, 13106, 13108, 13110 |
| 13199 | Rt-2560 Cap. Column | 100m, 0.25mm ID, 0.20um |
| 13223 | Rtx-PCB Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13223-280 | Rtx-PCB Cap. Column | 30m, 0.25mm ID, 0.25um Recoil 4" Star cage no guarantee for breakage |
| 13226 | Rtx-PCB Cap. Column | 60m, 0.25mm ID, 0.25um |
| 13239 | Rtx-PCB Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13239-284 | Rtx-PCB Cap. Column | 30m, 0.32mm ID, 0.50um Coiled into 3.5" Diameter, No Cage No Guarantee for B |
| 13301 | Rxi-1ms Cap. Column | 10m, 0.10mm ID, 0.10um |
| 13302 | Rxi-1ms Cap. Column | 20m, 0.18mm ID, 0.18um |
| 13302-600 | Rxi-1ms Cap. Column | 20m, 0.18mm ID, 0.18um Pack of 6 |
| 13302-6850 | Rxi-1ms Cap. Column | 20m, 0.18mm ID, 0.18um For HP 6850 GCs |
| 13311 | Rxi-1ms Cap. Column | 20m, 0.18mm ID, 0.36um |
| 13320 | Rxi-1ms Cap. Column | 15m, 0.25mm ID, 0.25um |
| 13320-170 | Rxi-1ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13320 15m, 0.25mm ID, 0.25um 5m, |
| 13320-600 | Rxi-1ms Cap. Column | 15m, 0.25mm ID, 0.25 Pack of 6 |
| 13321 | Rxi-1ms Cap. Column | 15m, 0.32mm ID, 0.25um |
| 13321-600 | Rxi-1ms Cap. Column | 15m, 0.32mm ID, 0.25um 6pk |
| 13323 | Rxi-1ms Cap. Column | 30m, 0.25mm ID, 0.25um |

| | | |
|---|---|---|
| 13323-106 | Rxi-1ms Cap. Column | 25m, 0.25mm ID, 0.25um |
| 13323-170 | Rxi-1ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13323 30m, 0.25mm ID, 0.25um 5m, |
| 13323-600 | Rxi-1ms Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 13323-6850 | Rxi-1ms Cap. Column | 30m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 13324 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13324-106 | Rxi-1ms Cap. Column | 25m, 0.32mm ID, 0.25um |
| 13324-171 | Rxi-1ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13324 30m, 0.32mm ID, 0.25um 5m, |
| 13324-6850 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 0.25um For Agilent GCs |
| 13326 | Rxi-1ms Cap. Column | 60m, 0.25mm ID, 0.25um |
| 13326-105 | Rxi-1ms Cap. Column | 50m, 0.25mm ID, 0.25um |
| 13327 | Rxi-1ms Cap. Column | 60m, 0.32mm ID, 0.25um |
| 13335 | Rxi-1ms Cap. Column | 15m, 0.25mm ID, 0.50um |
| 13335-170 | Rxi-1ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13335 INDEFINITE BACKORDER 1 |
| 13336 | Rxi-1ms Cap. Column | 15m, 0.32mm ID, 0.50um |
| 13337 | Rxi-1ms Cap. Column | 15m, 0.53mm ID, 0.50um |
| 13338 | Rxi-1ms Cap. Column | 30m, 0.25mm ID, 0.50um |
| 13339 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13339-106 | Rxi-1ms Cap. Column | 25m, 0.32mm ID, 0.50um |
| 13339-6850 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 0.50um 5in cage for HP 6850 |
| 13340 | Rxi-1ms Cap. Column | 30m, 0.53mm ID, 0.50um |
| 13340-175 | Rxi-1ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13340 30m, 0.53mm ID, 0.50um 10n |
| 13341 | Rxi-1ms Cap. Column | 60m, 0.25mm ID, 0.50um |
| 13342 | Rxi-1ms Cap. Column | 60m, 0.32mm ID, 0.50um |
| 13342-103 | Rxi-1ms Cap. Column | 3-20m, 0.32mm ID, 0.50um |
| 13342-105 | Rxi-1ms Cap. Column | 50m, 0.32mm ID, 0.50um |
| 13350 | Rxi-1ms Cap. Column | 15m, 0.25mm ID, 1.0um |
| 13350-6850 | Rxi-1ms Cap. Column | 15m, 0.25mm ID, 1.0um For HP 6850 |
| 13351 | Rxi-1ms Cap. Column | 15m, 0.32mm ID, 1.0um |
| 13352 | Rxi-1ms Cap. Column | 15m, 0.53mm ID, 1.0um |
| 13352-107 | Rxi-1ms Cap. Column | 10m, 0.53mm ID, 1.0um |
| 13353 | Rxi-1ms Cap. Column | 30m, 0.25mm ID, 1.0um |
| 13353-6850 | Rxi-1ms Cap. Column | 30m, 0.25mm ID, 1.0um 5in cage for HP 6850 |
| 13354 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 1.0um |
| 13354-106 | Rxi-1ms Cap. Column | 25m, 0.32mm ID, 1.0um |
| 13355 | Rxi-1ms Cap. Column | 30m, 0.53mm ID, 1.0um |
| 13356 | Rxi-1ms Cap. Column | 60m, 0.25mm ID, 1.0um |
| 13356-105 | Rxi-1ms Cap. Column | 50m, 0.25mm ID, 1.0um |
| 13356-6850 | Rxi-1ms Cap. Column | 60m, 0.25mm ID, 1.0um For HP 6850 GCs |
| 13357 | Rxi-1ms Cap. Column | 60m, 0.32mm ID, 1.0um |
| 13357-105 | Rxi-1ms Cap. Column | 50m, 0.32mm ID, 1.0um |
| 13357-171 | Rxi-1ms Cap. Column | 60m, 0.32mm ID, 1.0um INDEFINITE BACKORDER 5m, 0.32mm Rxi Guard w/Al |
| 13357-6850 | Rxi-1ms Cap. Column | 60m, 0.32mm ID, 1.0um For HP 6850 |
| 13367 | Rxi-1ms Cap. Column | 15m, 0.53mm ID, 1.5um |
| 13370 | Rxi-1ms Cap. Column | 30m, 0.53mm ID, 1.5um |
| 13373 | Rxi-1ms Cap. Column | 60m, 0.53mm ID, 1.5um |
| 13396 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 4.0um |
| 13396-106 | Rxi-1ms Cap. Column | 25m, 0.32mm ID, 4.0um |
| 13396-600 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 4.0um 6pk |
| 13396-6850 | Rxi-1ms Cap. Column | 30m, 0.32mm ID, 4.0um 5in cage for HP 6850 |
| 13397 | Rxi-1ms Cap. Column | 12m, 0.20mm ID, 0.33um |
| 13397-600 | Rxi-1ms Cap. Column | 12m, 0.20mm ID, 0.33um Pack of 6 |
| 13398 | Rxi-1ms Cap. Column | 25m, 0.20mm ID, 0.33um |
| 13399 | Rxi-1ms Cap. Column | 50m, 0.20mm ID, 0.33um |
| 13401 | Rxi-5ms Cap. Column | 10m, 0.10mm ID, 0.10um |
| 13401-067 | Rxi-5ms Cap. Column | 5 x 2m, 0.10mm ID, 0.10um |
| 13402 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.18um |
| 13402-089 | Rxi-5ms Cap. Column | 2 x 10m, 0.18mm ID, 0.18um |
| 13402-134 | Rxi-5ms Cap. Column | 15m, 0.18mm ID, 0.18um |
| 13402-600 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.18um Pack of 6 |
| 13402-6850 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.18um 5" cage for HP 6850 |
| 13409 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.30um |
| 13411 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.36um |
| 13411-161 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.36um w/ 5m, 0.18mm Guard Column w/Vu2 Union |
| 13411-173 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.36um INDEFINITE BACKORDER 10m, 0.25mm ID Rxi Guard |
| 13411-600 | Rxi-5ms Cap. Column | 20m, 0.18mm ID, 0.36um 6pk |
| 13420 | Rxi-5ms Cap. Column | 15m, 0.25mm ID, 0.25um |

| | | |
|---|---|---|
| 13420-096 | Rxi-5ms Cap. Column | 2-6m, 0.25mm ID, 0.25um |
| 13420-104 | Rxi-5ms Cap. Column | 3 x 5m, 0.25mm ID, 0.25um |
| 13420-107 | Rxi-5ms Cap Column | 10m, 0.25mm ID, 0.25um |
| 13420-170 | Rxi-5ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13420 15m, 0.25mm ID, 0.25um 5m, |
| 13420-600 | Rxi-5ms Cap. Column | 15m, 0.25mm ID, 0.25um 6pk |
| 13420-6850 | Rxi-5ms Cap. Column | 15m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 13421 | Rxi-5ms Cap. Column | 15m, 0.32mm ID, 0.25um |
| 13421-600 | Rxi-5ms Cap. Column | 15m, 0.32mm ID, 0.25um 6pk |
| 13421-6850 | Rxi-5ms Cap. Column | 15m, 0.32mm ID, 0.25um 5in cage for HP 6850 |
| 13422 | Rxi-5ms Cap. Column | 15m, 0.53mm ID, 0.25um |
| 13422-107 | Rxi-5ms Cap. Column | 10m, 0.53mm ID, 0.25um |
| 13423 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13423-112 | Rxi-5ms Cap. Column | 20m, 0.25mm ID, 0.25um |
| 13423-170 | Rxi-5ms Cap. Column | Indefinite Backorder 30m, 0.25mm ID, 0.25um 5m, 0.25mm Rxi guard w/Alumasea |
| 13423-172 | Rxi-5ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13423 30m, 0.25mm ID, 0.25um 5m, |
| 13423-173 | Rxi-5ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13423 30m, 0.25mm ID, 0.25um w/1 |
| 13423-280 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.25um 4in Star Cage No guarantee for breakage |
| 13423-309 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.25um w/10m,0.25mm IP Guard Column w/Presstight |
| 13423-600 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 13423-6850 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 13423-68506( | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.25um 5in cage for HP 6850 6pk |
| 13424 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13424-174 | Rxi-5ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13424 30m 0.32mm ID, 0.25um w/1( |
| 13424-600 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 0.25um 6pk |
| 13424-6850 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 0.25um 5" cage for HP 6850 |
| 13425 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 0.25um |
| 13426 | Rxi-5ms Cap. Column | 60m, 0.25mm ID, 0.25um |
| 13426-051 | Rxi-5ms Cap. Column | 60m, 0.25mm ID, 0.25um No cage (no guarantee for breakage) |
| 13426-105 | Rxi-5ms Cap. Column | 50m, 0.25mm ID, 0.25 |
| 13427 | Rxi-5ms Cap. Column | 60m, 0.32mm ID, 0.25um |
| 13427-051 | Rxi-5ms Cap. Column | 60m, 0.32mm ID, 0.25um No cage(no guarantee for breakage) |
| 13435 | Rxi-5ms Cap. Column | 15m, 0.25mm ID, 0.50um |
| 13436 | Rxi-5ms Cap. Column | 15m, 0.32mm ID, 0.50um |
| 13437 | Rxi-5ms Cap. Column | 15m, 0.53mm ID, 0.50um |
| 13438 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.50um |
| 13438-170 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.50um Indefinite Backorder 5m, 0.25mm Rxi guard w/AlumaSe |
| 13438-600 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.50um 6pk |
| 13439 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13439-171 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 0.50um w/5m 0.32mm Rxi Guard Column Joined w/AlumaSeal ( |
| 13439-6850 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 0.50um 5in cage for HP 6850 |
| 13440 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 0.50um |
| 13440-175 | Rxi-5ms Cap. Column | CURRENTLY NOT AVAILABLE, USE CAT #13440 30m, 0.53mm ID, 0.50um 10n |
| 13440-6850 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 0.50um |
| 13441 | Rxi-5ms Cap. Column | 60m, 0.25mm ID, 0.50um |
| 13442 | Rxi-5ms Cap. Column | 60m, 0.32mm ID, 0.50um |
| 13442-105 | Rxi-5ms Cap. Column | 50m, 0.32mm ID, 0.50um |
| 13450 | Rxi-5ms Cap. Column | 15m, 0.25mm ID, 1.0um |
| 13451 | Rxi-5ms Cap. Column | 15m, 0.32mm ID, 1.0um |
| 13452 | Rxi-5ms Cap. Column | 15m, 0.53mm ID, 1.0um |
| 13452-107 | Rxi-5ms Cap. Column | 10m, 0.53mm ID, 1.0um |
| 13453 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 1.0um |
| 13453-163 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 1.0um 5m, 0.32mm Guard w/Vu 2 Union |
| 13453-6850 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 1.0um For HP 6850 |
| 13454 | Rxi-5ms Cap. Column | 30m, 0.32mm ID, 1.0um |
| 13454-106 | Rxi-5ms Cap. Column | 25m, 0.32mm ID, 1.0um |
| 13455 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 1.0um |
| 13455-600 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 1.0um Pack of 6 |
| 13456 | Rxi-5ms Cap. Column | 60m, 0.25mm ID, 1.0um |
| 13456-280 | Rxi-5ms Cap. Column | 60m, 0.25mm ID, 1.0um 4in star cage, no guarantee for breakage |
| 13457 | Rxi-5ms Cap. Column | 60m, 0.32mm ID, 1.0um |
| 13457-105 | Rxi-5ms Cap Column | 50m, 0.32mm ID, 1.0um |
| 13457-6850 | Rxi-5ms Cap. Column | 60m, 0.32mm ID, 1.0um 5" cage for HP 6850 |
| 13467 | Rxi-5ms Cap. Column | 15m, 0.53mm ID, 1.5um |
| 13470 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 1.5um |
| 13470-600 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 1.5um Pack of 6 |
| 13470-6850 | Rxi-5ms Cap. Column | 30m, 0.53mm ID, 1.5um 5in cage for HP 6850 |

| | | |
|---|---|---|
| 13481 | Rxi-5ms Cap. Column | 30m, 0.25mm ID, 0.40um |
| 13497 | Rxi-5ms Cap. Column | 12m, 0.20mm ID, 0.33um |
| 13498 | Rxi-5ms Cap. Column | 25m, 0.20mm ID, 0.33um |
| 13498-600 | Rxi-5ms Cap. Column | 25m, 0.20mm ID, 0.33um Pack of 6 |
| 13498-6850 | Rxi-5ms Cap. Column | 25m, 0.20mm ID, 0.33 um for HP 6850 Config |
| 13499 | Rxi-5ms Cap. Column | 50m, 0.20mm ID, 0.33um |
| 13501 | Rxi-17 Cap. Column | 10m, 0.10mm ID, 0.10um |
| 13501-067 | Rxi-17 Cap. Column | 5 x 2m, 0.10mm ID, 0.10um |
| 13502 | Rxi-17 Cap. Column | 20m, 0.18mm ID, 0.18um |
| 13502-600 | Rxi-17 Cap. Column | 20m, 0.18mm ID, 0.18um Pack of 6 |
| 13520 | Rxi-17 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 13521 | Rxi-17 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 13522 | Rxi-17 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 13522-107 | Rxi-17 Cap. Column | 10m, 0.53mm ID, 0.25um |
| 13523 | Rxi-17 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13523-6850 | Rxi-17 Cap. Column | 30m, 0.25mm ID, 0.25um For HP 6850 GCs |
| 13524 | Rxi-17 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13524-6850 | Rxi-17 Cap. Column | 30m, 0.32mm ID, 0.25um 5in cage for HP 6850 |
| 13525 | Rxi-17 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 13535 | Rxi-17 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 13536 | Rxi-17 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 13537 | Rxi-17 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 13538 | Rxi-17 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 13539 | Rxi-17 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13540 | Rxi-17 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 13550 | Rxi-17 Cap. Column | 15m, 0.25mm ID, 1.0um |
| 13551 | Rxi-17 Cap. Column | 15m, 0.32mm ID, 1.0um |
| 13551-6850 | Rxi-17 Cap. Column | 15m, 0.32mm ID, 1.0um 5" Cage for Agilent GCs |
| 13552 | Rxi-17 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 13553 | Rxi-17 Cap. Column | 30m, 0.25mm ID, 1.0um |
| 13554 | Rxi-17 Cap. Column | 30m, 0.32mm ID, 1.0um |
| 13554-031 | Rxi-17 Cap. Column | 30m, 0.32mm ID, 1.0um Customer Supplied Cage |
| 13554-106 | Rxi-17 Cap. Column | 25m, 0.32mm ID, 1.0um |
| 13555 | Rxi-17 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 13566 | Rxi-17 Cap. Column | 15m, 0.32mm ID, 1.5um |
| 13567 | Rxi-17 Cap. Column | 15m, 0.53mm ID, 1.5um |
| 13567-107 | Rxi-17 Cap. Column | 10m, 0.53mm ID, 1.5um |
| 13567-6850 | Rxi-17 Cap. Column | 15m, 0.53mm ID, 1.5um 5in cage for HP 6850 |
| 13569 | Rxi-17 Cap. Column | 30m, 0.53mm ID, 0.83um |
| 13570 | Rxi-17 Cap. Column | 30m, 0.53mm ID, 1.5um |
| 13570-6850 | Rxi-17 Cap. Column | 30m, 0.53mm ID, 1.5um 5" Cage for HP 6850 |
| 13605 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.10um |
| 13605-123 | Rxi-5Sil MS Cap. Column | 1-10m and 1-5m, 0.25mm ID, 0.10um |
| 13608 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.10um |
| 13620 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um |
| 13620-079 | Rxi-5Sil MS Cap. Column | 12m, 0.25mm ID, 0.25um |
| 13620-104 | Rxi-5Sil MS Cap. Column | 3 x 5m, 0.25mm ID, 0.25um |
| 13620-124 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um w/ 5m, 0.25mm ID Integra Guard |
| 13620-127 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um w/10m Integra Guard |
| 13620-600 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um Pack of 6 |
| 13621 | Rxi-5Sil MS Cap. Column | 15m, 0.32mm ID, 0.25um |
| 13621-124 | Rxi-5Sil MS Cap. Column | 15m, 0.32mm ID, 0.25um 5m, 0.25mm ID Guard |
| 13621-125 | Rxi-5Sil MS Cap. Column | 15m, 0.32mmID, 0.25um 5m, 0.32mm ID Integra-guard |
| 13623 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13623-106 | Rxi-5Sil MS Cap. Column | 25m, 0.25mm ID, 0.25um |
| 13623-124 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 5m, 0.25mm ID Integra Guard |
| 13623-12460( | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 5m, 0.25mm ID, 0.25um 6pk |
| 13623-12468 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 5m, 0.25mm ID IntergraGuard 5" HP 6850 Cage |
| 13623-127 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 10m, 0.25mm ID Integra Guard |
| 13623-12760( | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 10m, 0.25mm ID Integra Guard Pack of 6 |
| 13623-12768 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 10m, 0.25mm ID IntergraGuard 5" HP 6850 Cage |
| 13623-170 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um Indefinite Backorder 5m, 0.25mm Rxi guard w/AlumaSe |
| 13623-600 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 6pk |
| 13623-6850 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um 5" HP 6850 Cage |
| 13624 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13624-125 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um w/ 5m Integra-Guard Column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 13624-127 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um w/ 10m, 0.25mm IntegraGuard |
| 13624-128 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um w/ 10m IntegraGuard |
| 13626 | Rxi-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um |
| 13626-105 | Rxi-5Sil MS Cap. Column | 50m, 0.25mm ID, 0.25um |
| 13626-124 | Rxi-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um w/ 5m, 0.25mm ID IntegraGuard |
| 13626-127 | Rxi-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um w/ 10m, 0.25mm Integra Guard |
| 13626-6850 | Rxi-5Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 13635 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.50um |
| 13635-124 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 0.50um w/5m, .25mm Guard Column |
| 13638 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um |
| 13638-124 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um w/5m 0.25mm ID Integra-Guard |
| 13638-12460( | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um 6pk w/5m 0.25mm ID Integra Guard |
| 13638-127 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um w/10m Integra-Guard |
| 13638-12760( | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um 10m, 0.25mm ID Guard 6pk |
| 13638-600 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um Pack of 6 |
| 13639 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13639-125 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 0.50um w/5m Integra Guard |
| 13650 | Rxi-5Sil MS Cap. Column | 15m, 0.25mm ID, 1.0um |
| 13650-079 | Rxi-5Sil MS Cap. Column | 12m, 0.25mmID, 1.0um |
| 13653 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 1.0um |
| 13653-124 | Rxi-5Sil MS Cap. Column | 30m, 0.25mm ID, 1.0um w/ 5m, 0.25mm IntegraGuard |
| 13654 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.0um |
| 13654-031 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.0um Customer Supplied Cage |
| 13654-051 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.0um No Cage/No Guarantee for Breakage |
| 13654-125 | Rxi-5Sil MS Cap. Column | 30m, 0.32mm ID, 1.0um w/5m Integra Guard |
| 13670 | Rxi-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um |
| 13670-126 | Rxi-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um w/ 5m Integra-guard |
| 13670-129 | Rxi-5Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um w/ 10m, 0.53mm Integra Guard |
| 13697 | Rxi-5Sil MS Cap. Column | 60m, 0.25mm ID, 1.0um |
| 13705 | Rxi-XLB Cap. Column | 15m, 0.25mm ID, 0.10um |
| 13708 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 0.10um |
| 13708-6850 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 0.10um 5in cage for HP 6850 |
| 13709 | Rxi-XLB Cap. Column | 30m, 0.32mm ID, 0.10um |
| 13720 | Rxi-XLB Cap. Column | 15m, 0.25mm ID, 0.25um |
| 13721 | Rxi-XLB Cap. Column | 15m, 0.32mm ID, 0.25um |
| 13723 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13723-6850 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 0.25um 5in cage for HP 6850 |
| 13724 | Rxi-XLB Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13726 | Rxi-XLB Cap. Column | 60m, 0.25mm ID, 0.25um |
| 13726-600 | Rxi-XLB Cap. Column | 60m, 0.25mm ID, 0.25um 6pk |
| 13727 | Rxi-XLB Cap. Column | 60m, 0.32mm ID, 0.25um |
| 13738 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 0.50um |
| 13739 | Rxi-XLB Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13740 | Rxi-XLB Cap. Column | 30m, 0.53mm ID, 0.50um |
| 13750 | Rxi-XLB Cap. Column | 15m, 0.25mm ID, 1.0um |
| 13753 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 1.0um |
| 13753-6850 | Rxi-XLB Cap. Column | 30m, 0.25mm ID, 1.00um 5in cage for HP 6850 |
| 13754 | Rxi-XLB Cap. Column | 30m, 0.32mm ID, 1.0um |
| 13767 | Rxi-XLB Cap. Column | 15m, 0.53mm ID, 1.5um |
| 13767-6850 | Rxi-XLB Cap. Column | 15m, 0.53mm ID, 1.5um 5in cage for HP 6850 |
| 13770 | Rxi-XLB Cap. Column | 30m, 0.53mm ID, 1.5um |
| 13820 | Rxi-35Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um |
| 13821 | Rxi-35Sil MS Cap. Column | 15m, 0.32mm ID, 0.25um |
| 13823 | Rxi-35Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13823-162 | Rxi-35Sil MS Cap Column | 30m, 0.25mm ID, 0.25um 5m, 0.25mm ID, Guard w/Vu 2 Union |
| 13824 | Rxi-35Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13824-031 | Rxi-35Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um Customer Supplied Cage |
| 13835 | Rxi-35Sil MS Cap. Column | 15m, 0.25mm ID, 0.50um |
| 13836 | Rxi-35Sil MS Cap. Column | 15m, 0.32mm ID, 0.50um |
| 13837 | Rxi-35Sil MS Cap. Column | 15m, 0.53mm ID, 0.50um |
| 13838 | Rxi-35Sil MS Cap. Column | 30m, 0.25mm ID, 0.50um |
| 13839 | Rxi-35Sil MS Cap. Column | 30m, 0.32mm ID, 0.50um |
| 13840 | Rxi-35Sil MS Cap. Column | 30m, 0.53mm ID, 0.50um |
| 13850 | Rxi-35Sil MS Cap. Column | 15m, 0.25mm ID, 1um |
| 13851 | Rxi-35Sil MS Cap. Column | 15m, 0.32mm ID, 1um |
| 13852 | Rxi-35Sil MS Cap. Column | 15m, 0.53mm ID, 1um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 13853 | Rxi-35Sil MS Cap. Column | 30m, 0.25mm ID, 1um |
| 13854 | Rxi-35Sil MS Cap. Column | 30m, 0.32mm ID, 1um |
| 13855 | Rxi-35Sil MS Cap. Column | 30m, 0.53mm ID, 1um |
| 13856 | Rxi-35Sil MS Cap. Column | 15m, 0.53mm ID, 1.50um |
| 13857 | Rxi-35Sil MS Cap. Column | 30m, 0.53mm ID, 1.50um |
| 13858 | Rxi-35Sil MS Cap. Column | 15m, 0.53mm ID, 3um |
| 13859 | Rxi-35Sil MS Cap. Column | 30m, 0.53mm ID, 3um |
| 13865 | Rxi-624Sil MS Cap. Column | 20m, 0.18mm ID, 1.0um |
| 13865-600 | Rxi-624Sil MS Cap. Column | 20m, 0.18mm ID, 1.0um Pack of 6 |
| 13865-6850 | Rxi-624Sil MS Cap. Column | 20m, 0.18mm ID, 1.0um 5" Cage for HP 6850 |
| 13868 | Rxi-624Sil MS Cap. Column | 30m, 0.25mm ID, 1.4um |
| 13868-6850 | Rxi-624Sil MS Cap Column | 30m, 0.25mm ID, 1.4um For HP 6850 GCs |
| 13869 | Rxi-624Sil MS Cap. Column | 60m, 0.25mm ID, 1.4um |
| 13870 | Rxi-624Sil MS Cap. Column | 30m, 0.32mm ID, 1.8um |
| 13870-6850 | Rxi-624Sil MS Cap. Column | 30m, 0.32mm ID, 1.8um 5" Cage for HP 6850 |
| 13871 | Rxi-624Sil MS Cap. Column | 30m, 0.53mm ID, 3.0um |
| 13871-051 | Rxi-624Sil MS Cap. Column | 30m, 0.53mm ID, 3.0um No Cage, No guarentee for Breakage |
| 13872 | Rxi-624Sil MS Cap. Column | 60m, 0.32mm ID, 1.8um |
| 13872-6850 | Rxi-624Sil MS Cap. Column | 60m, 0.32mm ID, 1.8um For HP 6850 |
| 13873 | Rxi-624Sil MS Cap. Column | 60m, 0.53mm ID, 3.0um |
| 13874 | Rxi-624Sil MS Cap. Column | 75m, 0.53mm ID, 3.0um |
| 13875 | Rxi-624Sil MS Cap. Column | 105m, 0.53mm ID, 3.0um |
| 13905 | Rxi-5HT Cap. Column | 15m, 0.25mm ID, 0.10um |
| 13905-107 | Rxi-5HT Cap. Column | 10m, 0.25mm ID, 0.10um |
| 13905-600 | Rxi-5HT Cap. Column | 15m, 0.25mm ID, 0.10um 6pk |
| 13906 | Rxi-5HT Cap. Column | 15m, 0.32mm ID, 0.10um |
| 13906-600 | Rxi-5HT Cap. Column | 15m, 0.32mm ID, 0.10um Pack of 6 |
| 13906-6850 | Rxi-5HT Cap. Column | 15m, 0.32mm ID, 0.10 For HP 6850 GCs |
| 13908 | Rxi-5HT Cap. Column | 30m, 0.25mm ID, 0.10um |
| 13908-101 | Rxi-5HT Cap. Column | 3x 10m, 0.25mm ID, 0.10um |
| 13908-600 | Rxi-5HT Cap. Column | 30m, 0.25mm ID, 0.10um 6pk |
| 13909 | Rxi-5HT Cap. Column | 30m, 0.32mm ID, 0.10um |
| 13910 | Rxi-5HT Cap. Column | 30m, 0.53mm ID, 0.15um |
| 13911 | Rxi-5HT Cap. Column | 15m, 0.25mm ID, 0.25um |
| 13923 | Rxi-5HT Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13923-600 | Rxi-5HT Cap. Column | 30m, 0.25mm ID, 0.25um 6pk |
| 13923-6850 | Rxi-5HT Cap. Column | 30m, 0.25mm ID, 0.25um For HP 6850 GCs |
| 13924 | Rxi-5HT Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13950 | Rxi-1HT Cap. Column | 15m, 0.25mm ID, 0.10um |
| 13951 | Rxi-1HT Cap. Column | 30m, 0.25mm ID, 0.10um |
| 13952 | Rxi-1HT Cap. Column | 30m, 0.25mm ID, 0.25um |
| 13953 | Rxi-1HT Cap. Column | 15m, 0.32mm ID, 0.10um |
| 13954 | Rxi-1HT Cap. Column | 30m, 0.32mm ID, 0.10um |
| 13955 | Rxi-1HT Cap. Column | 30m, 0.32mm ID, 0.25um |
| 13956 | Rxi-1HT Cap. Column | 30m, 0.53mm ID, 0.15um |
| 14005 | Rtx-225 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 14006 | Rtx-225 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 14007 | Rtx-225 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 14008 | Rtx-225 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 14008-6850 | Rtx-225 Cap. Column | 30m, 0.25mm ID, 0.10um 5" Cage for HP6850 |
| 14009 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 14010 | Rtx-225 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 14012 | Rtx-225 Cap. Column | 60m, 0.32mm ID, 0.10um INDEFINITE BACKORDER |
| 14013 | Rtx-225 Cap. Column | 60m, 0.53mm ID, 0.10um INDEFINITE BACKORDER |
| 14020 | Rtx-225 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 14020-107 | Rtx-225 Cap. Column | 10m, 0.25mm ID, 0.25um |
| 14020-600 | Rtx-225 Cap. Column | 15m, 0.25mm ID, 0.25um Pack of 6 |
| 14020-6850 | Rtx-225 Cap. Column | 15m, 0.25mm, 0.25um INDEFINITE BACKORDER (Caged for a 6850 GC) |
| 14021 | Rtx-225 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 14021-097 | Rtx-225 Cap. Column | 8m, 0.32mm ID, 0.25um |
| 14022 | Rtx-225 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 14023 | Rtx-225 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 14023-106 | Rtx-225 Cap. Column | 25m, 0.25mm ID, 0.25um |
| 14023-600 | Rtx-225 Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 14023-6850 | Rtx-225 Cap. Column | 30m, 0.25mm ID, 0.25um 5" HP6850 cage |
| 14024 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.25um |

| | | |
|---|---|---|
| 14024-304 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.25um INDEFINITE BACKORDER w/5m x 0.32mm ID Guard C |
| 14024-365 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.25um INDEFINITE BACKORDER w/ 5m, 0.32mm ID Siltek Gu |
| 14025 | Rtx-225 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 14026 | Rtx-225 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 14026-105 | Rtx-225 Cap. Column | 50m, 0.25mm ID, 0.25um |
| 14027 | Rtx-225 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 14027-6850 | Rtx-225 Cap. Column | 60m, 0.32mm ID, 0.25um 5" HP6850 Cage |
| 14028 | Rtx-225 Cap. Column | 60m, 0.53mm ID, 0.25um INDEFINITE BACKORDER |
| 14035 | Rtx-225 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 14036 | Rtx-225 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 14037 | Rtx-225 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 14038 | Rtx-225 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 14039 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 14039-304685 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.50um with 5m x 0.32mm ID Guard Column Presstight with glu |
| 14039-6850 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 0.50um 6850 Cage |
| 14040 | Rtx-225 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 14040-106 | Rtx-225 Cap. Column | 25m, 0.53mm ID, 0.50um |
| 14040-6850 | Rtx-225 Cap. Column | 30m, 0.53mm ID, 0.50um 5" cage for HP 6850 |
| 14041 | Rtx-225 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 14041-105 | Rtx-225 Cap. Column | 50m, 0.25mm ID, 0.50um |
| 14042 | Rtx-225 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 14043 | Rtx-225 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 14051 | Rtx-225 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 14052 | Rtx-225 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 14054 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 14054-304 | Rtx-225 Cap. Column | 30m, 0.32mm ID, 1.00um w/5m x 0.32mm ID Guard Column Angled Presstight wit |
| 14055 | Rtx-225 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 14055-042 | Rtx-225 Cap. Column | 30m, 0.53mmID, 1.00um cage 5" Nordion Cage |
| 14057 | Rtx-225 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 14057-6850 | Rtx-225 Cap. Column | 60m, 0.32mm ID, 1.00um 5" Cage for HP6850 |
| 14058 | Rtx-225 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 14102 | Rxi-17Sil MS Cap. Column | 20m, 0.18mm ID, 0.18um |
| 14111 | Rxi-17Sil MS Cap. Column | 20m, 0.18mm ID, 0.36um |
| 14120 | Rxi-17Sil MS Cap. Column | 15m, 0.25mm ID, 0.25um |
| 14120-119 | Rxi-17Sil Cap. Column | 2 x 7.5m, 0.25mm ID, 0.25um |
| 14121 | Rxi-17Sil MS Cap. Column | 15m, 0.32mm ID, 0.25um |
| 14123 | Rxi-17Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um |
| 14123-600 | Rxi-17Sil MS Cap. Column | 30m, 0.25mm ID, 0.25um Pack of 6 |
| 14124 | Rxi-17Sil MS Cap. Column | 30m, 0.32mm ID, 0.25um |
| 14126 | Rxi-17Sil MS Cap. Column | 60m, 0.25mm ID, 0.25um |
| 14605 | Rtx-35 MS Cap. Column | 15m 0.25mm ID, 0.1um |
| 14606 | Rtx-35 MS Cap. Column | 15m 0.32mm ID, 0.10um |
| 14608 | Rtx-35 MS Cap. Column | 30m 0.25mm ID, 0.10um |
| 14609 | Rtx-35 MS Cap. Column | 30m 0.32mm ID, 0.10um |
| 14620 | Rtx-35 MS Cap. Column | 15m 0.25mm ID, 0.25um |
| 14620-042 | Rtx-35 MS Cap. Column | 15m, 0.25mm ID, 0.25um 5" Nordion Cage |
| 14620-124 | Rtx-35 MS Cap. Column | 15m, 0.25mm ID, 0.25um w/5m 0.25mm Integra Guard |
| 14620-127 | Rtx-35 MS Cap. Column | 15m, 0.25mm ID, 0.25um 10m, 0.25mm guard built in |
| 14621 | Rtx-35 MS Cap. Column | 15m 0.32mm ID, 0.25um |
| 14621-125 | Rtx-35 MS Cap. Column | 15m, 0.32mm ID, 0.25um w/5m Integra Guard |
| 14623 | Rtx-35 MS Cap. Column | 30m 0.25mm ID, 0.25um |
| 14623-124 | Rtx-35 MS Cap. Column | 30m, 0.25mm ID, 0.25um w/5m, 0.25mm Integra Guard |
| 14623-127 | Rtx-35 MS Cap. Column | 30m, 0.25mm ID, 0.25um with 10m, 0.25mm ID Integra Guard Column |
| 14624 | Rtx-35 MS Cap. Column | 30m 0.32mm ID, 0.25um |
| 14624-125 | Rtx-35 MS Cap. Column | 30m, 0.32mm ID, 0.25um w/5m 0.32 Integra Guard |
| 14624-6850 | Rtx-35 MS Cap. Column | 30m, 0.32mm ID, 0.25um 5" HP 6850 Cage |
| 14635 | Rtx-35 MS Cap. Column | 15m 0.25mm ID, 0.5um |
| 14635-6850 | Rtx-35 MS Cap. Column | 15m, 0.25mm ID, 0.50um For HP 6850 |
| 14636 | Rtx-35 MS Cap. Column | 15m 0.32mm ID, 0.50um |
| 14636-125 | Rtx-35 MS Cap. Column | 15m, 0.32mm ID, 0.50um w/5m, 0.32mm Integra Guard |
| 14637 | Rtx-35 MS Cap. Column | 15m 0.53mm ID, 0.50um |
| 14638 | Rtx-35 MS Cap. Column | 30m 0.25mm ID, 0.50um |
| 14638-124 | Rtx-35MS Cap. Column | 30m, 0.25mm ID, 0.50um w/5m Integra Guard |
| 14638-127 | Rtx-35 MS Cap. Column | 30m, 0.25mm ID, 0.50um w/10m 0.25mm Integra Guard |
| 14638-6850 | Rtx-35 MS Cap. Column | 30m, 0.25mm ID, 0.50um 5in cage for HP 6850 |
| 14639 | Rtx-35 MS Cap. Column | 30m 0.32mm ID, 0.50um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 14639-125 | Rtx-35 MS Cap. Column | 30m, 0.32mm ID, 0.50um w/5m 0.32mm Integra Guard |
| 14639-12868 | Rtx-35 MS Cap. Column | 30m, 0.32mm ID, 0.50um 10m, 0.32mm ID Int Guard/5" Cage |
| 14640 | Rtx-35 MS Cap. Column | 30m 0.53mm ID, 0.50um |
| 14640-126 | Rtx-35 MS Cap. Column | 30m, 0.53mm ID, 0.50um w/5m Integra Guard |
| 14650 | Rtx-35 MS Cap. Column | 15m 0.25mm ID, 1.00um |
| 14651 | Rtx-35 MS Cap. Column | 15m 0.32mm ID, 1.00um |
| 14652 | Rtx-35 MS Cap. Column | 15m 0.53mm ID, 1.00um |
| 14652-6850 | Rtx-35 MS Cap. Column | 15m, 0.53mm ID, 1.00um 5" cage for HP 6850 |
| 14653 | Rtx-35 MS Cap. Column | 30m 0.25mm ID, 1.00um |
| 14653-124 | Rtx-35 MS Cap. Column | 30m, 0.25mm ID, 1.00um 5m, 0.25mm Guard |
| 14654 | Rtx-35 MS Cap. Column | 30m 0.32mm ID, 1.00um |
| 14655 | Rtx-35 MS Cap. Column | 30m 0.53mm ID, 1.00um |
| 14655-126 | Rtx-35 MS Cap. Column | 30m, 0.53mm ID, 1.00um w/5m, 0.53mm Integra Guard |
| 14667 | Rtx-35 MS Cap. Column | 15m 0.53mm ID, 1.50um |
| 14670 | Rtx-35 MS Cap. Column | 30m 0.53mm ID, 1.50um |
| 15005 | Rtx-200 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 15006 | Rtx-200 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 15007 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 15008 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 15009 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 15010 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 15011 | Rtx-200 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 15012 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 15013 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 15014 | Rtx-200 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 15015 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 15020 | Rtx-200 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 15020-104 | Rtx-200 Cap. Column | 3 x 5m, 0.25mm ID, 0.25um |
| 15020-123 | Rtx-200 Cap. Column | 10m & 5m, 0.25mm ID, 0.25um |
| 15020-6850 | Rtx-200 Cap. Column | 15m, 0.25mmID, 0.25um 5" cage for HP 6850 |
| 15021 | Rtx-200 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 15022 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 15023 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 15023-309 | Rtx-200 Cap. Column | 30m, 0.25mmID, 0.25um 10m, 0.25mmID IP Guard Column w/ Presstight |
| 15023-6850 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 0.25um 5" HP6850 Cage |
| 15024 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 15024-310 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.25um 10m, 0.32mm ID IP Guard w/Presstight |
| 15024-600 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.25um Pack of 6 |
| 15024-6850 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.25um 5" 6850 Cage |
| 15024-68506( | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.25um 5" 6850 Cage Pack of 6 |
| 15025 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 15026 | Rtx-200 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 15027 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 15027-6850 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 0.25um 5in cage for HP 6850 |
| 15028 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 15029 | Rtx-200 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 15030 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 15035 | Rtx-200 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 15036 | Rtx-200 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 15037 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 15038 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 15038-364 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 0.50um 5m, 0.25mmID Siltek guard column w/Siltek presstight |
| 15038-6850 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 0.50um 5" Cage for HP 6850 |
| 15039 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 15039-6850 | Rtx-200 Cap. Column | 30m, 0.32mmID, 0.50um on a 6850 Cage |
| 15040 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 15040-600 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 0.50um Pack of 6 |
| 15041 | Rtx-200 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 15041-6850 | Rtx-200 Cap. Column | 60m, 0.25mm ID, 0.50um 5" Cage for HP 6850 GCs |
| 15042 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 15042-6850 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 0.50um 5" HP6850 Cage |
| 15043 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 15044 | Rtx-200 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 15045 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 15050 | Rtx-200 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 15051 | Rtx-200 Cap. Column | 15m, 0.32mm ID, 1.00um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 15051-107 | Rtx-200 Cap. Column | 10m, 0.32mm ID, 1.00um |
| 15052 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 15052-600 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 1.00um Pack of 6 |
| 15053 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 15053-6850 | Rtx-200 Cap. Column | 30m, 0.25mm ID, 1.00um 5" HP6850 Cage |
| 15054 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 15054-031 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 1.00um Customer Supplied Cage |
| 15054-280 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 1.00um 4" star cage no guarantee for breakage |
| 15054-6850 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 1.00um 5" HP6850 Cage |
| 15055 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 15055-600 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 1.00um Pack of 6 |
| 15055-6850 | Rtx-200 Cap. Column | 30m, 0.53mmID, 1.00um 5" cage for HP 6850 |
| 15056 | Rtx-200 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 15057 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 15057-103 | Rtx-200 Cap. Column | 3-20m, 0.32mm ID, 1.00um |
| 15057-115 | Rtx-200 Cap. Column | 40m and 20m, 0.32mm ID, 1.00um |
| 15057-600 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 1.00um Pack of 6 |
| 15057-6850 | Rtx-200 Cap Column | 60m, 0.32mmID, 1.00um 5" Cage for HP6850 |
| 15058 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 15059 | Rtx-200 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 15059-113 | Rtx-200 Cap. Column | 3 x 30m, 0.25mm ID, 1.00um |
| 15060 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 15066 | Rtx-200 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 15067 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 15067-119 | Rtx-200 Cap. Column | 2 x 7.5m, 0.53mm ID, 1.50um |
| 15067-600 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 1.50um Pack of 6 |
| 15069 | Rtx-200 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 15069-6850 | Rtx-200 Cap. Column | 30m, 0.32mmID, 1.50um 5" cage for 6850 |
| 15070 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 15070-112 | Rtx-200 Cap. Column | 20m, 0.53mm ID, 1.50um |
| 15070-289 | Rtx-200 Cap. Column | 30m, 0.53mmID, 1.5um, 4.5" Coil/No Cage/No Guarantee for Breakage |
| 15070-600 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 1.5um Pack of 6 |
| 15070-6850 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 1.50um 5" HP6850 Cage |
| 15072 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 15072-064 | Rtx-200 Cap. Column | 60m, 032mm ID, 1.50um 11 pin cage |
| 15072-6850 | Rtx-200 Cap. Column | 60m, 0.32mm ID, 1.50um 5" 6850 Cage |
| 15073 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 15073-115 | Rtx-200 Cap. Column | 40m & 20m, 0.53mm ID, 1.50um |
| 15075 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 15075-042 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 1.50um 5" coil Column caged in a Nordion cage |
| 15075-310 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 1.5um w/10m, 0.32mm PT Guard Column |
| 15075-6850 | Rtx-200 Cap. Column | 105m, 0.32mm ID, 1.50um 5" Cage for HP6850 |
| 15082 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 15082-600 | Rtx-200 Cap. Column | 15m, 0.53mm ID, 3.00um Pack of 6 |
| 15085 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 15085-042 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.0um 5" Nordion Cage |
| 15085-282 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.00um Use 5 inch Star Cage |
| 15085-305 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 15085-30568 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Guard Column For HP 6850 Presstig |
| 15085-306 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.00um 10m, 0.53mm ID Presstight |
| 15085-6850 | Rtx-200 Cap. Column | 30m, 0.53mm ID, 3.00um w/5" HP6850 Cage |
| 15088 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 15088-6850 | Rtx-200 Cap. Column | 60m, 0.53mm ID, 3.00um 5" HP6850 Cage |
| 15091 | Rtx-200 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 15101 | Rt-LC350 Cap. Column | 1.1m (+or- 3cm), 0.15mm ID, 0.10um |
| 15102 | Stabilwax Cap. Column | 1.1m (+or-3cm) 0.10mm ID, 0.10um |
| 15103 | Rtx-CLP1 Cap. Column | 1.1m (+or-3cm) 0.10mm ID, 0.10um |
| 15104 | Rxi-17 Cap. Column | 1.1m (+or-3cm) 0.10mm ID, 0.10um |
| 15105 | GC x GC Selectivity Kit | Includes 1 ea: 15101 15102, 15103, 15104 |
| 15110 | Rxi-17Sil MS Cap. Column | 2m x 0.15mm x 0.15um |
| 15111 | Rtx-200 Cap. Column | 2m x 0.15mm x 0.15um |
| 15112 | Stabilwax Cap. Column | 2m x 0.15mm x 0.15um |
| 15113 | Rxi-5Sil MS Cap. Column | 2m x 0.15mm x 0.15um |
| 15114 | Rxi-1 MS Cap. Column | 2m x 0.15mm x 0.15um |
| 15115 | Rxi-XLB Cap. Column | 2m x 0.15mm x 0.15um |
| 15116 | Rxi-17Sil MS | 2m x 0.18mm x 0.18um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 15117 | Rtx-200 Cap. Column | 2m x 0.18mm x 0.18um |
| 15118 | Stabilwax Cap. Column | 2m x 0.18mm x 0.18um |
| 15119 | Rxi-5Sil MS | 2m x 0.18mm x 0.18um |
| 15120 | Rxi-1 MS Cap. Column | 2m x 0.18mm x 0.18um |
| 15121 | Rxi-XLB Cap. Column | 2m x 0.18mm x 0.18um |
| 15123 | Rxi-17Sil MS Cap. Column | 2m x 0.25mm x 0.25um |
| 15124 | Rtx-200 Cap. Column | 2m x 0.25mm x 0.25um |
| 15125 | Stabilwax Cap. Column | 2m x 0.25mm x 0.25um |
| 15126 | Rxi-5Sil MS Cap. Column | 2m x 0.25mm x 0.25um |
| 15127 | Rxi-1 MS Cap. Column | 2m x 0.25mm x 0.25um |
| 15128 | Rxi-XLB Cap. Column | 2m x 0.25mm x 0.25um |
| 15605 | Rtx-200MS Cap. Column | 15m, 0.25mm ID, 0.10um |
| 15606 | Rtx-200MS Cap. Column | 15m, 0.32mm ID, 0.10um |
| 15608 | Rtx-200MS Cap. Column | 30m, 0.25mm ID, 0.10um |
| 15609 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 0.10um |
| 15620 | Rtx-200MS Cap. Column | 15m, 0.25mm ID, 0.25um |
| 15621 | Rtx-200MS Cap. Column | 15m, 0.32mm ID, 0.25um |
| 15623 | Rtx-200MS Cap. Column | 30m, 0.25mm ID, 0.25um |
| 15623-111 | Rtx-200MS Cap.Column | 2 - 15m, 0.25mm ID, 0.25um |
| 15623-337 | Rtx-200MS Cap. Column | 30m, 0.25mm ID, 0.25um 10m, 0.25mm ID IP Guard w/Vacuum Vu-Union |
| 15623-600 | Rtx-200MS Cap. Column | 30m, 0.25mmID, 0.25um Pack of 6 |
| 15624 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 0.25um |
| 15624-600 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 0.25um 6pk |
| 15624-6850 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 0.25um 5" HP6850 Cage |
| 15635 | Rtx-200MS Cap. Column | 15m, 0.25mm ID, 0.50um |
| 15636 | Rtx-200MS Cap. Column | 15m, 0.32mm ID, 0.50um |
| 15637 | Rtx-200MS Cap. Column | 15m, 0.53mm ID, 0.50um |
| 15638 | Rtx-200MS Cap. Column | 30m, 0.25mm ID, 0.50um |
| 15639 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 0.50um |
| 15640 | Rtx-200MS Cap. Column | 30m, 0.53mm ID, 0.50um |
| 15650 | Rtx-200MS Cap. Column | 15m, 0.25mm ID, 1.00um |
| 15651 | Rtx-200MS Cap. Column | 15m, 0.32mm ID, 1.00um |
| 15652 | Rtx-200MS Cap. Column | 15m, 0.53mm ID, 1.00um |
| 15652-282 | Rtx-200MS Cap. Column | 15m, 0.53mm ID, 1.00um 5" Star Cage - No Guarantee for Breakage |
| 15653 | Rtx-200MS Cap. Column | 30m, 0.25mm ID, 1.00um |
| 15654 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 1.00um |
| 15654-6850 | Rtx-200MS Cap. Column | 30m, 0.32mm ID, 1.00um 5in cage for HP 6850 |
| 15655 | Rtx-200MS Cap. Column | 30m, 0.53mm ID, 1.00um |
| 15655-6850 | Rtx-200MS Cap. Column | 30m, 0.53mm ID, 1.00um 5" HP6850 Cage |
| 15667 | Rtx-200MS Cap. Column | 15m, 0.53mm ID, 1.50um |
| 15670 | Rtx-200MS Cap. Column | 30m, 0.53mm ID, 1.50um |
| 16005 | Rtx-1301 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 16006 | Rtx-1301 Cap. Column | 15m, 0.32mm ID, 0.10um |
| 16007 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 0.10um |
| 16008 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 16009 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 0.10um |
| 16010 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.10um |
| 16010-126 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.10um w/5m 0.53mm Integra Guard |
| 16011 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 16012 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 0.10um |
| 16013 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 0.10um |
| 16014 | Rtx-1301 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 16015 | Rtx-1301 Cap. Column | 105m, 0.32mm ID, 0.10um |
| 16016 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 1.40um |
| 16016-124 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 1.40um 5m, 0.25mm ID Guard |
| 16016-127 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 1.40um 10m, 0.25mm ID Guard |
| 16016-6850 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 1.40um 5" Cage for HP 6850 |
| 16020 | Rtx-1301 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 16021 | Rtx-1301 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 16022 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 16023 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 16023-124 | Rtx-1301 Cap. Column | 30m, 0.25mmID, 0.25um 5m, 0.25mm Guard Column built in |
| 16023-600 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 0.25um Package of 6 |
| 16023-6850 | Rtx-1301 Cap Columm | 30m, 0.25mm ID, 0.25um Cage with HP 6850 cage |
| 16024 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 16025 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.25um |

| | | |
|---|---|---|
| 16025-126 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.25um with 5m Integra-Guard Column |
| 16025-129 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.25um with 10m INTEGRA guard |
| 16026 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 16026-105 | Rtx-1301 Cap. Column | 50m, 0.25mm ID, 0.25um |
| 16026-124 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 0.25um w/ 5m Integra Guard |
| 16026-127 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 0.25um 10m, 0.25mm ID Guard |
| 16027 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 0.25um |
| 16027-105 | Rtx-1301 Cap. Column | 50m, 0.32mm ID, 0.25um |
| 16027-125 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 0.25um 5m, 0.32mm guard |
| 16028 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 16029 | Rtx-1301 Cap. Column | 105m, 0.25mm ID, 0.25um |
| 16030 | Rtx-1301 Cap. Column | 105m, 0.32mm ID, 0.25um |
| 16035 | Rtx-1301 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 16036 | Rtx-1301 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 16037 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 16037-126 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 0.50um 5m, 0.53mm guard |
| 16038 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 16038-127 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 0.50um With 10m Integra Guard Column |
| 16038-12768 | Rtx-1301 Cap. Column | 30m, 0.25mmID, 0.50um 10m 0.25mm guard built in 5" cage for HP 6850 |
| 16039 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 16039-12868 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 0.50um w/10m Integra Guard, 5"HP6850 Cage |
| 16039-6850 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 0.50um For HP 6850 GCs |
| 16040 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 16040-126 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 0.50um with 5m Integra-Guard Column |
| 16041 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 16042 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 0.50um |
| 16043 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 16044 | Rtx-1301 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 16045 | Rtx-1301 Cap. Column | 105m, 0.32mm ID, 0.50um |
| 16050 | Rtx-1301 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 16051 | Rtx-1301 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 16052 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 16053 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 16053-124 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 1.00um with 5m Integra-Guard Column |
| 16053-127 | Rtx-1301 Cap. Column | 30m, 0.25mm ID, 1.00um w/10m Integra Guard |
| 16054 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 16054-125 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.00um w/ 5m, 0.32mm ID Integra Guard |
| 16054-128 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.00um w/10m, 0.32mm Integra Guard |
| 16055 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 16055-126 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 1.00um with 5m Integra Guard Column |
| 16055-6850 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 1.00um For Agilent 6850 GCs |
| 16056 | Rtx-1301 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 16057 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 1.00um |
| 16057-125 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 1.00um w/5m 0.32mm ID Integra Guard |
| 16058 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 16058-126 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 1.00um 5m, 0.53mm ID Integra Guard |
| 16059 | Rtx-1301 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 16060 | Rtx-1301 Cap. Column | 105m, 0.32mm ID, 1.00um |
| 16066 | Rtx-1301 Cap. Column | 15m, 0.32mm ID, 1.50um |
| 16066-125 | Rtx-1301 Cap. Column | 15m, 0.32mmID, 1.50um 5m, 0.32mm Guard column built in |
| 16067 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 16069 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.50um |
| 16069-125 | Rtx-1301 Cap Column | 30m, 0.32mm ID, 1.50um with 5m Integra-Guard Column |
| 16069-128 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.50um w/10m Integra-Guard |
| 16069-304 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.50um w/5m x 0.32mm ID Guard Column Presstight with glue |
| 16069-365 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.50um 5m, 0.32mm ID Siltek Guard Column w/Siltek Presstigh |
| 16069-6850 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.50um 5in cage for HP 6850 |
| 16070 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 16070-106 | Rtx-1301 Cap. Column | 25m, 0.53mm ID, 1.50um |
| 16072 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 1.50um |
| 16072-125 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 1.50um w/5m Integra-Guard Column |
| 16073 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 16073-126 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 1.50um 5m, 0.53mm ID Guard |
| 16075 | Rtx-1301 Cap. Column | 105m, 0.32mm ID, 1.50um |
| 16076 | Rtx-1301 Cap. Column | 75m, 0.53mm ID, 3.00um |
| 16076-126 | Rtx-1301 Cap. Column | 75m, 0.53mm ID, 3.00um w/5m 0.53mm Integra Guard |

| | | |
|---|---|---|
| 16076-129 | Rtx-1301 Cap. Column | 75m, 0.53mm ID, 3.00um 10m, 0.53mm guard |
| 16082 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 16082-104 | Rtx-1301 Cap Column | 3 x 5m, 0.53mm ID, 3.00 um |
| 16082-126 | Rtx-1301 Cap. Column | 15m, 0.53mmID, 3.00um 5m, 0.53mm Guard Column built in |
| 16082-6850 | Rtx-1301 Cap. Column | 15m, 0.53mm ID, 3.00um For HP 6850 GCs |
| 16085 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um (G43) |
| 16085-126 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um (G43) with 5m Integra-Guard Column Rtx-G43 (Rtx-130 |
| 16085-12660( | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um (G43) w/5m Integra Guard, 6pk |
| 16085-12668 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um (G43) w/5m Integra Guard/5" 6850 Cage |
| 16085-129 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 16085-164 | Rtx-1301 Cap Column | 30m, 0.53mm ID, 3.00um (G43) w/ 5m, 0.53 Guard Column w/ Vu2 Union |
| 16085-305 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m x 0.53mm ID Guard Column Presstight with glue |
| 16085-600 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um (G43) 6 pack |
| 16085-6850 | Rtx-1301 Cap. Column | 30m, 0.53mm ID, 3.00um (G43) 5" HP6850 Cage |
| 16088 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 16088-105 | Rtx-1301 Cap. Column | 50m, 0.53mm ID, 3.00um |
| 16088-126 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 3.00um with 5m Integra Guard Column |
| 16088-129 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 3.00um with 10m Integra-Guard Column |
| 16088-6850 | Rtx-1301 Cap. Column | 60m, 0.53mm ID, 3.00um 5" cage for HP 6850 |
| 16091 | Rtx-1301 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 16092 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.8um |
| 16092-125 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.8um 5m, 0.32mm Guard Column |
| 16092-6850 | Rtx-1301 Cap. Column | 30m, 0.32mm ID, 1.8um For HP 6850 GCs |
| 16093 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 1.8um |
| 16093-6850 | Rtx-1301 Cap. Column | 60m, 0.32mm ID, 1.8um For HP 6850 Cage |
| 17005 | Rtx-65TG Cap. Column | 15m, 0.25mm ID, 0.10um |
| 17005-107 | Rtx-65TG Cap. Column | 10m, 0.25mm ID, 0.10um |
| 17006 | Rtx-65TG Cap. Column | 15m, 0.32mm ID, 0.10um |
| 17007 | Rtx-65TG Cap. Column | 15m, 0.53mm ID, 0.10um |
| 17008 | Rtx-65TG Cap. Column | 30m, 0.25mm ID, 0.10um |
| 17008-106 | Rtx-65TG Cap. Column | 25m, 0.25mm ID, 0.10um |
| 17008-112 | Rtx-65TG Cap. Column | 20m, 0.25mm ID, 0.10um |
| 17008-303 | Rtx-65TG Cap. Column | 30m, 0.25mm ID, 0.10um w/5m x 0.25mm ID Guard Column Presstight with Glue |
| 17008-600 | Rtx-65TG Cap. Column | 30m, 0.25mm ID, 0.10um 6pk |
| 17008-6850 | Rtx-65TG Cap. Column | 30m, 0.25mm ID, 0.10um 5" HP6850 Cage |
| 17009 | Rtx-65TG Cap. Column | 30m, 0.32mm ID, 0.10um |
| 17009-6850 | Rtx-65TG Cap. Column | 30m, 0.32mm ID, 0.10um 5in cage for HP 6850 |
| 17010 | Rtx-65TG Cap. Column | 30m, 0.53mm ID, 0.10um |
| 17020 | Rtx-65 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 17021 | Rtx-65 Cap. Column | 15m, 0.32mm ID, 0.25um |
| 17022 | Rtx-65 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 17023 | Rtx-65 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 17024 | Rtx-65 Cap. Column | 30m, 0.32mm ID, 0.25um |
| 17025 | Rtx-65 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 17035 | Rtx-65 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 17036 | Rtx-65 Cap. Column | 15m, 0.32mm ID, 0.50um |
| 17037 | Rtx-65 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 17038 | Rtx-65 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 17039 | Rtx-65 Cap. Column | 30m, 0.32mm ID, 0.50um |
| 17040 | Rtx-65 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 17050 | Rtx-65 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 17051 | Rtx-65 Cap. Column | 15m, 0.32mm ID, 1.00um |
| 17052 | Rtx-65 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 17053 | Rtx-65 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 17054 | Rtx-65 Cap. Column | 30m, 0.32mm ID, 1.00um |
| 17055 | Rtx-65 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 17055-6850 | Rtx-65 Cap. Column | 30m, 0.53mmID, 1.00um 5" cage for HP 6850 |
| 18000 | Rtx-BAC2 Cap. Column | 30m, 0.53mm ID, 2.00um |
| 18000-305 | Rtx-BAC2 Cap. Column | 30m, 0.53mm ID, 2.00um W/ 5m, 0.53mm ID, IP Guard Column w/ Presstight |
| 18000-600 | Rtx-BAC2 Cap. Column | 30m, 0.53mm ID, 2.00um Package of 6 |
| 18000-6850 | Rtx-BAC2 Cap. Column | 30m, 0.53mmID, 2.00um on 5" 6850 cage |
| 18001 | Rtx-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 18001-126 | Rtx-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m Integra Guard |
| 18001-129 | Rtx-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um 10m, 0.53mm guard built in |
| 18001-600 | Rtx-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um Package of 6 |
| 18001-6850 | Rtx-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um w/5" coil |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 18002 | Rtx-BAC2 Cap. Column | 30m, 0.32mm ID, 1.20um |
| 18002-6850 | Rtx-BAC2 Cap. Column | 30m, 0.32mmID, 1.20um 5" cage for HP 6850 |
| 18003 | Rtx-BAC1 Cap. Column | 30m, 0.32mm ID, 1.80um |
| 18003-125 | Rtx-BAC1 Cap. Column | 30m, 0.32mm ID, 1.8um w/5m 0.32mm Integra Guard |
| 18003-128 | Rtx-BAC1 Cap. Column | 30m, 0.32mm ID, 1.80um 10m, 0.32mm guard built in |
| 18003-6850 | Rtx-BAC1 Cap. Column | 30m, 0.32mm ID, 1.80um on 5" HP6850 Cage |
| 18010 | Rtx-1 F&F Cap. Column | 50m, 0.32mm ID, 0.50um |
| 18010-125 | Rtx-1 F&F Cap. Column | 50m, 0.32mm ID, 0.50um with 5m Integra Guard Column |
| 18010-6850 | Rtx-1 F&F Cap. Column | 50m, 0.32mm ID, 0.50um w/5" HP6850 Cage |
| 18023 | Rtx-1 F&F Cap. Column | 30m, 0.25mm ID, 0.25um |
| 18023-124 | Rtx-1 F&F Cap. Column | 30m, 0.25mm ID, 0.25um with 5m Integra-Guard Column |
| 18023-6850 | Rtx-1 F&F Cap. Column | 30m, 0.25mm ID, 0.25um 5" Cage for HP6850 |
| 18024 | Rtx-1 F&F Cap. Column | 30m, 0.32mm ID, 0.25um |
| 18024-111 | Rtx-1 F&F Cap. Column | 2 x 15m, 0.32mm ID, 0.25um |
| 18026 | Rtx-1 F&F Cap. Column | 60m, 0.25mm ID, 0.25um |
| 18026-105 | Rtx-1 F&F Cap. Column | 50m, 0.25mm ID, 0.25um |
| 18027 | Rtx-1 F&F Cap. Column | 60m, 0.32mm ID, 0.25um |
| 18037 | Rtx-1 F&F Cap. Column | 15m, 0.53mm ID, 0.50um |
| 18038 | Rtx-1 F&F Cap. Column | 30m, 0.25mm ID, 0.50um |
| 18038-124 | Rtx-1 F&F Cap. Column | 30m, 0.25mm ID, 0.50um with 5m Integra-Guard Column |
| 18039 | Rtx-1 F&F Cap. Column | 30m, 0.32mm ID, 0.50um |
| 18040 | Rtx-1 F&F Cap. Column | 30m, 0.53mm ID, 0.50um |
| 18041 | Rtx-1 F&F Cap. Column | 60m, 0.25mm ID, 0.50um |
| 18042 | Rtx-1 F&F Cap. Column | 60m, 0.32mm ID, 0.50um |
| 18043 | Rtx-1 F&F Cap. Column | 60m, 0.53mm ID, 0.50um |
| 18052 | Rtx-1 F&F Cap. Column | 15m, 0.53mm ID, 1.00um |
| 18053 | Rtx-1 F&F Cap. Column | 30m, 0.25mm ID, 1.00um |
| 18054 | Rtx-1 F&F Cap. Column | 30m, 0.32mm ID, 1.00um |
| 18055 | Rtx-1 F&F Cap. Column | 30m, 0.53mm ID, 1.00um |
| 18055-280 | Rtx-1 F&F Cap. Column | 30m, 0.53mm ID, 1.00um 4in star cage No guarantee for breakage |
| 18055-282 | Rtx-1 F&F Cap. Column | 30m, 0.53mm ID, 1.00um 5in star cage no guarantee for breakage |
| 18056 | Rtx-1 F&F Cap. Column | 60m, 0.25mm ID, 1.00um |
| 18056-6850 | Rtx-1 F&F Cap. Column | 60m, 0.25mm ID, 1.00um 5in cage for HP 6850 |
| 18057 | Rtx-1 F&F Cap. Column | 60m, 0.32mm ID, 1.00um |
| 18058 | Rtx-1 F&F Cap. Column | 60m, 0.53mm ID, 1.00um |
| 18067 | Rtx-1 F&F Cap. Column | 15m, 0.53mm ID, 1.50um |
| 18067-6850 | Rtx-1 F&F Cap. Column | 15m, 0.53mm ID, 1.50um 5" HP6850 Cage |
| 18070 | Rtx-1 F&F Cap. Column | 30m, 0.53mm ID, 1.50um |
| 18073 | Rtx-1 F&F Cap. Column | 60m, 0.53mm ID, 1.50um |
| 18074 | Rtx-Mineral Oil Cap. Col. | 15m, 0.32mm ID, 0.15um |
| 18075 | Rtx-Mineral Oil Cap. Col. | 15m, 0.32mm ID, 0.30um |
| 18076 | Rtx-VolatileAmine | Cap. Column 15m x 0.32mm |
| 18077 | Rtx-VolatileAmine | Cap. Column 30m x 0.32mm |
| 18078 | Rtx-VolatileAmine | Cap. Column 60m x 0.32mm |
| 18079-123 | Rtx-Mineral Oil Cap. Col | 10m and 5m 0.32mm ID, 0.10um |
| 19000 | Micropacked GC Column | 5A Mole Sieve 80/100 1m, 1.00mm ID |
| 19001 | Micropacked GC Column | 5A Mole Sieve 80/100 2m, 1.00mm ID |
| 19001-291 | Micropacked GC Column | 5A Molesieve 80/100 2m 1.00mmID column in 2" diameter |
| 19001-888 | Micropacked GC Column | 5A MoleSieve 80/100 2m, 1.0mm ID, Special Config |
| 19002 | Micropacked GC Column | 5A Mole Sieve 80/100 1m, 0.75mm ID |
| 19002-895 | Micropacked GC Column | 5A Mole Sieve 80/100 1m, 0.75mm ID, SRI 8610C |
| 19002-900 | Micropacked Column | 5A Molesieve 80/100 1m .075mmID Pre Cond |
| 19003 | Micropacked GC Column | 5A Mole Sieve 80/100 2m, 0.75mm ID |
| 19003-895 | Micropacked GC Column | 5A Mole Sieve 80/100 2m, 0.75mm ID, SRI 8610C |
| 19003-900 | Micropacked GC Column | 5A Molesieve 80/100 2m 0.75mmID Pre Cond |
| 19004 | Micropacked GC Column | 13X Mole Sieve 80/100 1m, 1.00mm ID |
| 19005 | Micropacked GC Column | 13X Mole Sieve 80/100 2m, 1.00mm ID |
| 19006 | Micropacked GC Column | 13X Mole Sieve 80/100 1m, 0.75mm ID |
| 19007 | Micropacked GC Column | 13X Mole Sieve 80/100 2m, 0.75mm ID |
| 19007-895 | Micropacked GC Column | 13X Mole Sieve 80/100 2m, 0.75mmID SRI 8610C |
| 19008 | Micropacked GC Column | HAYESEP S 100/120 1m, 1.00mm ID |
| 19009 | Micropacked GC Column | HAYESEP S 100/120 2m, 1.00mm ID |
| 19010 | Micropacked GC Column | HAYESEP S 100/120 1m, 0.75mm ID |
| 19011 | Micropacked GC Column | HAYESEP S 100/120 2m, 0.75mm ID |
| 19011-853 | Micropacked GC Column | Hayesep S 100/120 2m 0.75mmID Shimadzu 17A |
| 19012 | Micropacked GC Column | HAYESEP R 100/120 1m, 1.00mm ID |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 19013 | Micropacked GC Column | HAYESEP R 100/120 2m, 1.00mm ID |
| 19013-900 | Micropacked GC Column | HAYESEP R 100/120 2m, 1.00mm ID, PreCondition |
| 19014 | Micropacked GC Column | HAYESEP R 100/120 1m, 0.75mm ID |
| 19014-900 | Micropacked GC Column | HAYESEP R 100/120 1m 0.75mmID Pre Cond |
| 19015 | Micropacked GC Column | HAYESEP R 100/120 2m, 0.75mm ID |
| 19016 | Micropacked GC Column | HAYESEP Q 100/120 1m, 1.00mm ID |
| 19017 | Micropacked GC Column | HAYESEP Q 100/120 2m, 1.00mm ID |
| 19017-888 | Micropacked GC Column | HAYESEP Q 100/120 2m, 1.00mm ID Customer Supplied Dimensions |
| 19017-900 | Micropacked GC Column | HAYESEP Q 100/120 2m, 1.00mm ID Pre Cond |
| 19018 | Micropacked GC Column | HAYESEP Q 100/120 1m, 0.75mm ID |
| 19019 | Micropacked GC Column | HAYESEP Q 100/120 2m, 0.75mm ID |
| 19019-810 | Micropacked GC Column | Hayesep Q 100/120 2m 0.75mmID HP |
| 19020 | Micropacked GC Column | HAYESEP N 100/120 1m, 1.00mm ID |
| 19020-888 | Micropacked GC Column | HAYESEP N 100/120 1m, 1.00mm ID Customer Supplied Dimensions |
| 19021 | Micropacked GC Column | HAYESEP N 100/120 2m, 1.00mm ID |
| 19022 | Micropacked GC Column | HAYESEP N 100/120 1m, 0.75mm ID |
| 19023 | Micropacked GC Column | HAYESEP N 100/120 2m, 0.75mm ID |
| 19040 | Micropacked GC Column | INDEFINITE BACKORDER 20% TCEP Chromosorb PAW 80/100 0.56m, 0.75mm |
| 19041 | Micropacked Column | 5A Mole Sieve 80/100 2m, 0.53mm ID Max T = 300C |
| 19042 | Micropacked Column | Hayesep Q 80/100 2m, 0.53mm ID Max T = 275C |
| 19042-888 | Micropacked Column | Hayesep Q 80/100 2m, 0.53mm ID Max T = 275C Special Config |
| 19043 | Micropacked Column | ShinCarbon ST 80/100 2m, 0.53mm ID Max T = 330C |
| 19044 | Micropacked Column | Rt-XL Sulfur 100/120 2m, 0.53mm ID Max T = 300C |
| 19308 | Rtx-VRX Cap. Column | 30m, 0.45mm ID, 2.55um |
| 19309 | Rtx-VRX Cap. Column | 75m, 0.45mm ID, 2.55um |
| 19309-6850 | Rtx-VRX Cap. Column | 75m, 0.45mm ID, 2.55um 5in cage for Agilent 6850 |
| 19315 | Rtx-VRX Cap. Column | 30m, 0.25mm ID, 1.40um |
| 19315-111 | Rtx-VRX Cap. Column | 2 - 15m, 0.25mm ID, 1.40um |
| 19316 | Rtx-VRX Cap. Column | 60m, 0.25mm ID, 1.40um |
| 19316-6850 | Rtx-VRX Cap. Column | 60m, 0.25mm ID, 1.40um 5" Cage for HP6850 |
| 19319 | Rtx-VRX Cap. Column | 30m, 0.32mm ID, 1.80um |
| 19319-600 | Rtx-VRX Cap. Column | 30m, 0.32mm ID, 1.80um 6pk |
| 19320 | Rtx-VRX Cap. Column | 60m, 0.32mm ID, 1.80um |
| 19320-6850 | Rtx-VRX Cap. Column | 60m, 0.32mmID, 1.80um 5" cage for HP 6850 |
| 19374 | Rtx-VRX Cap. Column | 75m, 0.53mm ID, 3.0um |
| 19385 | Rtx-VRX Cap. Column | 30m, 0.53mm ID, 3.0um |
| 19385-600 | Rtx-VRX Cap. Column | 30m, 0.53mm ID, 3.0um Pack of 6 |
| 19388 | Rtx-VRX Cap. Column | 60m, 0.53mm ID, 3.0um |
| 19389 | Rtx-VRX Cap. Column | 105m, 0.53mm ID, 3.0um |
| 19408 | Rtx-VGC Cap. Column | 30m, 0.45mm ID, 2.55um |
| 19408-6850 | Rtx-VGC Cap. Column | 30m, 0.45mm ID, 2.55um 5" cage for HP 6850 |
| 19409 | Rtx-VGC Cap. Column | 75m, 0.45mm ID, 2.55um |
| 19409-289 | Rtx-VGC Cap. Column | 75m, 0.45mm ID, 2.55um 4.5" Coil/No cage |
| 19409-6850 | Rtx-VGC Cap. Column | 75m, 0.45mm ID, 2.55um w/5" Cage for HP6850 |
| 19415 | Rtx-VGC Cap. Column | 30m, 0.25mm ID, 1.40um |
| 19415-6850 | Rtx-VGC Cap. Column | 30m, 0.25mm ID, 1.40um w/5" HP6850 Cage |
| 19416 | Rtx-VGC Cap. Column | 60m, 0.25mm ID, 1.40um |
| 19419 | Rtx-VGC Cap. Column | 30m, 0.32mm ID, 1.80um |
| 19419-6850 | Rtx-VGC Cap. Column | 30m, 0.32mm ID, 1.80um 5in cage for 6850 |
| 19420 | Rtx-VGC Cap. Column | 60m, 0.32mm ID, 1.80um |
| 19420-600 | Rtx-VGC Cap. Column | 60m, 0.32mmID, 1.80um Pack of 6 |
| 19420-6850 | Rtx-VGC Cap. Column | 60m, 0.32mm ID, 1.80um 5" HP 6850 Cage |
| 19474 | Rtx-VGC Cap. Column | 75m, 0.53mm ID, 3.0um |
| 19485 | Rtx-VGC Cap. Column | 30m, 0.53mm ID, 3.0um |
| 19488 | Rtx-VGC Cap. Column | 60m, 0.53mm ID, 3.0um |
| 19489 | Rtx-VGC Cap. Column | 105m, 0.53mm ID, 3.0um |
| 19720 | Rt-Msieve 5A PLOT Column | 15m, 0.32mmID, 30um |
| 19720-107 | Rt-Msieve 5A PLOT Column | 10m, 0.32mmID, 30um |
| 19720-10768 | Rt-MSieve 5A PLOT Column | 10m, 0.32mmID, 30um For HP 6850 |
| 19721 | Rt-Msieve 5A PLOT Column | 15m, 0.53mmID, 50um |
| 19721-107 | Rt-Msieve 5A PLOT Column | 10m, 0.53mm ID, 50um |
| 19721-6850 | Rt-Msieve 5A PLOT Column | 15m, 0.53mm ID, 50um 5" cage for HP 6850 |
| 19722 | Rt-Msieve 5A PLOT Column | 30m, 0.32mm ID, 30um |
| 19722-280 | Rt-Msieve 5A PLOT Column | 30m, 0.32mm ID, 30um 4" Star Cage, No Guarantee for Breakage |
| 19722-600 | Rt-Msieve 5A PLOT Column | 30m, 0.32mm ID, 30um Pack of 6 |
| 19722-6850 | Rt-Msieve 5A PLOT Column | 30m, 0.32mm ID, 30um 5" Cage |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 19723 | Rt-Msieve 5A PLOT Column | 30m, 0.53mm ID, 50um |
| 19723-106 | Rt-Msieve 5A PLOT Column | 25m, 0.53mm ID, 50um |
| 19723-167 | Rt-Msieve 5A PLOT Column | 30m, 0.53mm ID, 50um 10m, 0.53mm guard w/Vu 2 Union |
| 19723-6850 | Rt-Msieve 5A PLOT Column | 30m, 0.53mm ID, 50um 5" Cage for HP6850 |
| 19733 | Rt-PAH Cap. Column | 12m, 0.25mm ID, 0.15um |
| 19734 | Rt-LC50 Cap. Column | 20m, 0.25mm ID, 0.10um |
| 19735 | Rt-LC50 Cap. Column | 10m, 0.18mm ID, 0.10um |
| 19736 | Rt-LC50 Cap. Column | 10m, 0.10mm ID, 0.10um |
| 19737 | Rt-QS-BOND PLOT Column | 15m, 0.53mm ID, 20um |
| 19738 | Rt-QS-BOND PLOT Column | 30m, 0.53mm ID, 20um |
| 19738-280 | Rt-QS-BOND Column | 30m, 0.53mm ID, 20um 4in Star Cage |
| 19738-6850 | Rt-QS-BOND Column | 30m, 0.53mm ID, 20um 5in cage for HP 6850 |
| 19739 | Rt-QS-BOND PLOT Column | 15m, 0.32mm ID, 10um |
| 19740 | Rt-QS-BOND PLOT Column | 30m, 0.32mm ID, 10um |
| 19740-6850 | Rt-QS-BOND Column | 30m, 0.32mm ID, 10um 5" Cage for HP 6850 |
| 19741 | Rt-Q-BOND PLOT Column | 15m, 0.53mm ID, 20um |
| 19741-079 | Rt-Q-BOND PLOT Column | 12m, 0.53mm ID, 20um |
| 19742 | Rt-Q-BOND PLOT Column | 30m, 0.53mm ID, 20um |
| 19742-106 | Rt-Q-BOND PLOT Column | 25m, 0.53mm ID, 20um |
| 19742-280 | Rt-Q-BOND PLOT Column | 30m, 0.53mm ID, 20um 4" Star Cage, No Guarantee for Breakage |
| 19742-600 | Rt-Q-BOND PLOT Column | 30m, 0.53mm ID, 20um Pack of 6 |
| 19742-6850 | Rt-Q-BOND PLOT Column | 30m, 0.53mm ID, 20um 5in cage for HP 6850 |
| 19743 | Rt-Q-BOND PLOT Column | 15m, 0.32mm ID, 10um |
| 19743-107 | Rt-Q-BOND PLOT Column | 10m, 0.32mm ID, 10um |
| 19743-143 | Rt-Q-BOND PLOT Column | 12.5m, 0.32mm ID, 10um |
| 19743-280 | Rt-Q-BOND PLOT Column | 15m, 0.32mm ID, 10um 4" Star Cage, No Guarantee for Breakage |
| 19743-6850 | Rt-Q-BOND PLOT Column | 15m, 0.32mm ID, 10um For HP 6850 |
| 19744 | Rt-Q-BOND PLOT Column | 30m, 0.32mm ID, 10um |
| 19744-051 | Rt-Q-BOND PLOT Column | 30m, 0.32mm ID, 10um No Cage, No guarentee for breakage |
| 19744-106 | Rt-Q-BOND PLOT Column | 25m, 0.32mm ID, 10um |
| 19744-390 | Rt-Q-BOND PLOT Column | 30m, 0.32mm ID, 10um 7cm Coil, No Cage No Guarantee for Breakage |
| 19744-6850 | Rt-Q-BOND PLOT Column | 30m, 0.32mm ID, 10um For HP 6850 |
| 19745 | Rt-S-BOND PLOT Column | 15m, 0.53mm ID, 20um |
| 19746 | Rt-S-BOND PLOT Column | 30m, 0.53mm ID, 20um |
| 19746-106 | Rt-S-BOND PLOT Column | 25m, 0.53mm ID, 20um |
| 19747 | Rt-S-BOND PLOT Column | 15m, 0.32mm ID, 10um |
| 19748 | Rt-S-BOND PLOT Column | 30m, 0.32mm ID, 10um |
| 19749 | Rt-U-BOND PLOT Column | 15m, 0.53mm ID, 20um |
| 19749-107 | Rt-U-BOND PLOT Column | 10m, 0.53mmID, 20um |
| 19750 | Rt-U-BOND PLOT Column | 30m, 0.53mm ID, 20um |
| 19750-6850 | Rt-U-BOND PLOT Column | 30m, 0.53mm ID, 20um For HP 6850 |
| 19751 | Rt-U-BOND PLOT Column | 15m, 0.32mm ID, 10um |
| 19752 | Rt-U-BOND PLOT Column | 30m, 0.32mm ID, 10um |
| 19753 | PLOT Column Particle Trap | 2.5m, 0.32mm ID w/2 Press-Tight Connectors |
| 19753-600 | PLOT Column Particle Trap | 2.5m, 0.32mm ID w/2 Press-Tight Connectors Pack of 6 |
| 19754 | PLOT Column Particle Trap | 2.5m, 0.53mm ID w/2 Press-Tight Connectors |
| 19754-600 | PLOT Column Particle Trap | 2.5, 0.53mm ID w/ 2 Press-Tight Connectors Pack of 6 |
| 19755 | Rt-Alumina BOND/NaSO4 | 30m, 0.53mm ID, 10um |
| 19755-111 | Rt-Alumina BOND/NaSO4 | 2-15m, 0.53mm ID, 10um |
| 19755-11168 | Rt-Alumina BOND/NaSO4 | 2-15m, 0.53mm ID, 10um 5in cage for 6850 |
| 19755-6850 | Rt-Alumina BOND/NaSO4 | 30m, 0.53mm ID, 10um 5in cage for HP 6850 |
| 19756 | Rt-Alumina BOND/NaSO4 | 50m, 0.53mm ID, 10um |
| 19756-6850 | Rt-Alumina BOND/NaSO4 | 50m, 0.53mm ID, 10um 5" Cage for HP 6850 |
| 19757 | Rt-Alumina BOND/NaSO4 | 30m, 0.32mm ID, 5um |
| 19757-106 | Rt-Alumina BOND/NaSO4 | 25m, 0.32mm ID, 5um |
| 19758 | Rt-Alumina BOND/NaSO4 | 50m, 0.32mm ID, 5um |
| 19759 | Rt-Alumina BOND/KCl | 30m, 0.53mm ID, 10um |
| 19760 | Rt-Alumina BOND/KCl | 50m, 0.53mm ID, 10um |
| 19761 | Rt-Alumina BOND/KCl | 30m, 0.32mm ID, 5um |
| 19761-091 | Rt-Alumina BOND/KCl | 5m, 10m, and 15m x 0.32mm ID, 5um |
| 19762 | Rt-Alumina BOND/KCl | 50m, 0.32mm ID, 5um |
| 19762-6850 | Rt-Alumnia BOND/KCl | 50m, 0.32mm ID, 5um For HP 6850 |
| 19763 | Rt-Alumina BOND/CFC | 30m, 0.53mm ID, 10um |
| 19763-6850 | Rt-Alumina BOND/CFC | 30m, 0.53mm ID, 10um 5in cage for HP 6850 |
| 19764 | Rt-Q-BOND PLOT Column | 15m, 0.25mm ID, 8um |
| 19765 | Rt-Q-BOND PLOT Column | 30m, 0.25mm ID, 8um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 19767 | Rt-QS-BOND PLOT Column | 15m, 0.25mm ID, 8um |
| 19768 | Rt-QS-BOND PLOT Column | 30m, 0.25mm ID, 8um |
| 19769 | Rt-S-BOND PLOT Column | 15m, 0.25mm ID, 8um |
| 19770 | Rt-S-BOND PLOT Column | 30m, 0.25mm ID, 8um |
| 19771 | Rt-U-BOND PLOT Column | 15m, 0.25mm ID, 8um |
| 19772 | Rt-U-BOND PLOT Column | 30m, 0.25mm ID, 8um |
| 19773 | Rt-Msieve 5A PLOT Column | 15m, 0.25mm ID, 20um |
| 19775 | Rt-Alumina BOND (Na2SO4) | 30m, 0.25mm ID, 4um |
| 19776 | Rt-Alumina BOND (KCl) | 30m, 0.25mm ID, 4um |
| 19777 | Rt-Alumina BOND/MAPD | 30m, 0.53mm ID, 10um |
| 19778 | Rt-Alumina BOND/MAPD | 50m, 0.53mm ID, 10um |
| 19779 | Rt-Alumina BOND/MAPD | 30m, 0.32mm ID, 5um |
| 19780 | Rt-Alumina BOND/MAPD | 50m, 0.32mm ID, 5um |
| 19800 | Micropacked GC Column | Rt-Sulfur 2m, 1/16" OD, 1.00mm ID |
| 19801 | Micropacked GC Column | Rt-Sulfur 1m, 1/16" OD, 1.00mm ID |
| 19802 | Micropacked GC Column | Rt-Sulfur 2m, 0.75mm ID |
| 19803 | Micropacked GC Column | Rt-Sulfur 1m, 0.75mm ID |
| 19804 | Micropacked Column | Rt-XLSulfur 1m, 1.00mm ID, 1/16" OD Column Does Not Include Ferrules and Nu |
| 19804-895 | Micropacked Column | Rt-XLSulfur 1m, 1.00mm ID, 1/16"OD SRI 8610C Column Does Not Include Ferru |
| 19805 | Micropacked GC Column | Rt-XLSulfur 2m, 1.00mm ID, 1/16" OD Column Does Not Include Ferrules and Nu |
| 19805-293 | Micropacked GC Column | Rt-XLSulfer 2m, 1.00mm ID, 1/16"OD 3.5inch Diameter Coil Column Does not incl |
| 19806 | Micropacked GC Column | Rt-XLSulfur 1m, 0.75mm ID, 0.95mm OD Column Does Not Include Ferrules and |
| 19806-810 | Micropacked Column | Rt-XLSulfur 1m, 0.75mm ID, 0.95mm OD, HP Column Does Not Include Ferrules |
| 19806-900 | Micropacked Column | Rt-XLSulfur 1m, 0.75mm ID, 0.95mm OD, PreCond Column Does Not Include Fer |
| 19807 | Micropacked Column | Rt-XLSulfur 2m, 0.75mm ID, 0.95mm OD Column Does Not Include Ferrules and |
| 19807-811 | Micropacked Column | Rt-XLSulfur 2m, 0.75mm ID, 0.95mm OD HP 6850 Cage Column Does Not Includ |
| 19808 | Micropacked GC Column | ShinCarbon ST 100/120 2m,1mmID,1/16"OD,Silco |
| 19808-80090 | Micropacked Column | ShinCarbon ST 100/120 2m 1mmID, 1/16" Silco Gen. Conf. NOC |
| 19808-810 | Micropacked Column | ShinCarbon ST 100/120 2m,1mmID,1/16"OD,Silco HP |
| 19808-840 | Micropacked Column | ShinCarbon ST 100/120 2m 1mmID, Silco PE AutoSys 8300,8400,8700 Claris |
| 19808-850 | Micropacked Column | ShinCarbon ST 100/120, 2m, 1mm ID, SILCO For Shimadzu 14A, 2014 |
| 19808-888 | Micropacked Column | ShinCarbon ST 100/120 2m, 1mm ID Silco Customer Supplied Dimensions |
| 19808-895 | Micropacked Column | ShinCarbon ST 100/120 2m, 1mmID 1/16"OD Silco SRI 8610C |
| 19808-900 | Micropacked GC Column | ShinCarbon ST 100/120 2m, 1mmID, 1/16"OD, Silco Preconditioned |
| 19808-901 | Micropacked Column | ShinCarbon ST 100/120 2m,1mmID, 1/16"OD,Silco NOC |
| 19809 | Micropacked GC Column | ShinCarbon ST 100/120 1m,1mmID,1/16"OD,Silco |
| 19809-810 | Micropacked Column | ShinCarbon ST 100/120 1m 1/16" Silco HP |
| 19809-81090 | Micropacked Column | ShinCarbon ST 100/120 1m,1mmID,1/16"OD,Silco HP NOC |
| 19810 | Micropacked Column | ShinCarbon ST 100/120 1m,0.75mmID,0.95mmOD,Silco |
| 19810-900 | Micropacked Column | ShinCarbon ST 100/120 1m .95mmOD Silco Pre Cond |
| 19908 | Rtx-VMS Cap. Column | 30m, 0.45mm ID, 2.55um |
| 19909 | Rtx-VMS Cap. Column | 60m, 0.45mm ID, 2.55um |
| 19915 | Rtx-VMS Cap. Column | 30m, 0.25mm ID, 1.40um |
| 19915-6850 | Rtx-VMS Cap. Column | 30m, 0.25mm ID, 1.40um 5" Cage for HP6850 |
| 19916 | Rtx-VMS Cap. Column | 60m, 0.25mm ID, 1.40um |
| 19916-600 | Rtx-VMS Cap. Column | 60m, 0.25mm ID, 1.40um Pack of 6 |
| 19916-6850 | Rtx-VMS Cap. Column | 60m, 0.25mm ID, 1.40um 5in cage for HP 6850 |
| 19919 | Rtx-VMS Cap. Column | 30m, 0.32mm ID, 1.80um |
| 19919-6850 | Rtx-VMS Cap. Column | 30m, 0.32mm ID, 1.80um 5" HP6850 Cage |
| 19920 | Rtx-VMS Cap. Column | 60m, 0.32mm ID, 1.80um |
| 19974 | Rtx-VMS Cap. Column | 75m, 0.53mm ID, 3.0um |
| 19985 | Rtx-VMS Cap. Column | 30m, 0.53mm ID, 3.0um |
| 19988 | Rtx-VMS Cap. Column | 60m, 0.53mm ID, 3.0um |
| 20101 | Tool Set | Slide-Lok Tweezer & 15cm Ruler |
| 20106 | Tool | File, Needle, 4" Tapered 2 Pack |
| 20108 | Tool Set | Nylon Tube Brushes & Pipe Cleaners |
| 20109 | String | High Temperature String 10 meters |
| 20110 | Tool | Wrench, 1/4" X 5/16" Open End 2 Pack |
| 20112 | Tool Set | Brushes, SS Tube & SS Surface 4 Pack |
| 20113 | Tool | SS Jet Reamers, Pack of 6 |
| 20114 | Tool | Mini Wool Puller/Inserter Tool 2pk |
| 20116 | Ceramic Scoring Wafers | with Holders, Pack of 5 |
| 20117 | Tool | Septum Puller |
| 20120 | Tool Kit | FID & Injector Cleaning Kit |
| 20121 | Teflon Transfer Line | Precleaned, Pack of 5 |
| 20122 | Mini Hand Drill | Includes one of each size: 0.4, 0.5, 0.8mm |

| | | |
|---|---|---|
| 20124 | Pocket Magnifier | 10x Magnification |
| 20133 | Syringe Needles | GTS Valve Needle (26s/2"/2) Pack of 6 |
| 20134 | Tool | 1/8" & 1/4" Tubing Reamer |
| 20135 | Flowmeter | 1ml Soap Film Bubble Flowmeter |
| 20136 | Flowmeter | 50ml Soap Film Bubble Flowmeter |
| 20137 | Connectors, Valco | Fused Silica Adapter 1/32" Adapter 0.25mm <=0.40mm 5 Pack |
| 20140 | Connectors, Valco | Fused Silica Adapter 1/32" adapter, 0.4mm<=0.5mm 5 Pack |
| 20141 | Connectors, Valco | Fused Silica Adapter 1/32" adapter, 0.5mm<=0.8mm 5 Pack |
| 20142 | Connectors, Valco | Fused Silica Adapter 1/16" adapter, 0.25mm<=0.4mm 5 Pack |
| 20143 | Connectors, Valco | Fused Silica Adapter 1/16" adapter, 0.4mm<=0.5mm 5 Pack |
| 20144 | Connectors, Valco | Fused Silica Adapter 1/16" adapter, 0.5mm<=0.8mm 5 pack |
| 20145 | Connectors, Valco | Fused Silica Adapter 1/16" adapter, 0.8mm (1/32") 5 Pack |
| 20146 | Tool | Ferrule Removal Tools 1/32" & 1/16" ferrule removal tools |
| 20147 | Connectors, Valco | Zero Dead Volume Internal Union 1/16", 0.15mm bore |
| 20148 | Connectors, Valco | Zero Dead Volume Internal Union 1/16", 0.25mm bore |
| 20149 | Connectors, Valco | Zero Dead Volume Internal Union 1/16", 0.75mm bore |
| 20150 | Connectors, Valco | Zero Dead Volume Internal Union 1/16", 1/16" bore |
| 20151 | Connectors, Valco | Zero Dead Volume Internal Reducing Union 1/8" to 1/16", 0.25mm bore |
| 20152 | Connectors, Valco | Zero Dead Volume Internal Reducing Union 1/8" to 1/16", 0.75mm bore |
| 20153 | Connectors, Valco | Zero Dead Volume Internal Reducing Union 1/8" to 1/16", 1/16" bore |
| 20154 | Fittings, Valco | Valco Internal Tee 1/16" tube, 0.25mm bore |
| 20155 | Fittings, Valco | Valco Internal Tee 1/16" tube, 0.75mm bore |
| 20156 | Fittings, Valco | Valco Internal Cross 1/16" tube, 0.25 bore |
| 20157 | Fittings, Valco | Valco Internal Cross 1/16" tube, 0.75 bore |
| 20158 | Fittings, Valco | Male Pipe to Valco Internal Adapter 1/8"NPT male to 1/16"ZDV 1.00mm bore |
| 20159 | Fittings, Valco | Male Pipe to Valco Internal Adapter 1/4"NPT male to 1/16"ZDV 1.00mm bore |
| 20162 | Syringe | 100ul A-2 Luer Syringe |
| 20163 | Syringe | 500ul A-2 Luer Syringe |
| 20164 | Hamilton Syringe Needles | HP AS 5-10ul/23s/ASRN Pack of 6 |
| 20165 | Hamilton Syringe Needles | HP AS 5-10ul/26s/ASRN Pack of 6 |
| 20166 | Hamilton Syringe Needles | HP AS 5-10ul/23s-26s/ASRN Pack of 6 |
| 20167 | Syringe | 701ASN/F 10ul Autosampler FN/HP7673A |
| 20168 | Syringe | 5ul Autosampler FN/HP7673A |
| 20169 | Syringe | 10ul 23s 701ASN FN/Agilent Pack of 6 |
| 20170 | Syringe | 5ul 75ASN FN/HP7673A Pack of 6 |
| 20171 | Syringe | 10ul Autosampler RN/HP7673A |
| 20172 | Syringe | 5ul Autosampler RN/HP7673A |
| 20174 | Syringe, Hamilton | 10ul 701N FN Syringe |
| 20175 | Syringe | 10ul 701N FN Syringe Pack of 6 |
| 20177 | Generator, Hydrogen & Air | FID-1000 Gas Station 12 Month Warranty from Date of Purchase Domestic Order |
| 20177-550 | Generator,Hydrogen & Air | FID-1000 Gas Station United Kingdom-230 VAC 50/50 Hz Domestic Orders Drop |
| 20177-551 | Generator,Hydrogen & Air | FID-1000 Gas Station w/European Cord Set-230 VAC 50/60 Hz Domestic Orders |
| 20178 | Syringe | 5ml Gas Tight Syringe w/Luer Lock |
| 20179 | Syringe | 10ml Gas Tight Syringe w/Luer Lock |
| 20181 | Tool | Inlet Liner Removal Tool 3 pack |
| 20182 | Tool | Sapphire Scribe |
| 20185 | Tool | IMP Replacement Cutting Wheels Pack of 3 |
| 20187 | Tool | SSI Replacement Cutting Wheels For Use with Cat # 20186/50483 Pack of 3 |
| 20188 | Tool | 1/16" Dressing Tool |
| 20189 | Tool | Replacement Needle for 1/16" Dressing Tool |
| 20190 | Tool | 1/8" Dressing Tool |
| 20191 | Tool | Replacement Needle for 1/8" Dressing Tool |
| 20192 | Tool | 1/16" Restek Tubing Cutter |
| 20193 | Tool | 1/16" Tubing Cutter Pliers |
| 20197 | Methane Cylinder Kit | HAZ FEES APPLY |
| 20198 | Replacement Septa | For Methane Cylinder 25pk |
| 20199 | Replacement Cylinder | 1% Methane in Helium HAZ FEES APPLY |
| 20200 | Ferrule, Graphite | 1/16" X 0.4mm ID Pack of 10 |
| 20201 | Ferrule, Graphite | 1/16" X 0.5mm ID Pack of 10 |
| 20202 | Ferrule, Graphite | 1/16" X 0.8mm ID Pack of 10 |
| 20203 | Ferrule, Graphite | Reducing, 1/4" to 0.4/0.5mm Pack of 5 |
| 20204 | Ferrule, Graphite | Reducing, 1/4" to 0.8mm Pack of 5 |
| 20205 | Ferrule, Graphite | Reducing, 1/8" to 0.4/0.5mm Pack of 5 |
| 20206 | Ferrule, Graphite | Reducing, 1/8" to 0.8mm Pack of 5 |
| 20207 | Ferrule, Graphite | 1/16" Pack of 10 |
| 20208 | Ferrule, Graphite | 1/8" Pack of 10 |

| | | |
|---|---|---|
| 20209 | Ferrule, Graphite | Reducing, 1/8" to 1/16" Pack of 10 |
| 20210 | Ferrule, Graphite | 1/4" Pack of 10 |
| 20211 | Ferrule, Vespel/Graphite | 1/16" X 0.4mm ID Pack of 10 |
| 20212 | Ferrule, Vespel/Graphite | 1/16" X 0.5mm ID Pack of 10 |
| 20213 | Ferrule, Vespel/Graphite | 1/16" X 0.8mm ID Pack of 10 |
| 20215 | Ferrule, Vespel/Graphite | Reducing, 1/8" to 0.8mm Pack of 5 |
| 20217 | Ferrule, Vespel/Graphite | Reducing, 1/4" to 0.8mm Pack of 5 |
| 20218 | Ferrule, Vespel/Graphite | 1/16" Pack of 10 |
| 20219 | Ferrule, Vespel/Graphite | 1/8" Pack of 10 |
| 20220 | Ferrule, Vespel/Graphite | Reducing, 1/8" to 1/16" Pack of 10 |
| 20221 | Ferrule, Vespel/Graphite | 1/4" Pack of 10 |
| 20222 | Ferrule, Vespel/Graphite | Reducing, 1/4" to 1/8" Pack of 10 |
| 20223 | Ferrule, Vespel/Graphite | Reducing, 1/4" to 1/16" Pack of 10 |
| 20224 | Ferrule, Graphite | 1/16" X 0.8mm ID Pack of 50 |
| 20225 | Ferrule, Graphite | Reducing, 1/4" to 1/8" Pack of 10 |
| 20226 | Ferrule, Graphite | Reducing, 1/4" to 1/16" Pack of 10 |
| 20227 | Ferrule, Graphite | 1/16" X 0.4mm ID Pack of 50 |
| 20228 | Ferrule, Graphite | 1/16" X 0.5mm ID Pack of 50 |
| 20229 | Ferrule, Vespel/Graphite | 1/16" X 0.4mm ID Pack of 50 |
| 20230 | Ferrule, Vespel/Graphite | 1/16" X 0.8mm ID Pack of 50 |
| 20231 | Ferrule, Vespel/Graphite | 1/16" X 0.5mm ID Pack of 50 |
| 20232 | Ferrule, Vespel/Graphite | 1/16" X 0.6mm ID Pack of 10 |
| 20233 | Ferrule, Graphite | 1/16" X 0.3mm ID Pack of 10 |
| 20234 | Ferrule, Graphite | 1/4" for Uniliner Sleeve Adapters,5pk |
| 20238 | Ferrule, Vespel/Graphite | Compact 1/16" X 0.4mm ID Pack of 10 for HP GCs |
| 20239 | Ferrule, Vespel/Graphite | Compact 1/16" X 0.4mm ID Pack of 50 for HP GCs |
| 20240 | Ferrule, Vespel/Graphite | 1/16" Blank Pack of 10 |
| 20243 | O-rings, Graphite | Split, for Shimadzu 17A, 2010 & 2014 GCs Fits Shimadzu Split Liners. 5pk |
| 20244 | O-rings, Graphite | Splitless, for Shimadzu 17A, 2010 & 2014 GCs Fits Shimadzu Splitless Liners. 5pl |
| 20246 | Ferrule, Vespel/Graphite | 2-Hole, 1/8" X 0.8mm Pack of 5 |
| 20248 | Ferrule, Vespel/Graphite | Compact 1/16" X 0.5mm ID Pack of 10 for HP GCs |
| 20249 | Ferrule, Vespel/Graphite | Compact 1/16" X 0.5mm ID Pack of 50 for HP GCs |
| 20250 | Ferrule, Graphite | Compact 1/16" X 0.4mm ID Pack of 10 for HP GCs |
| 20251 | Ferrule, Graphite | Compact 1/16" X 0.4mm ID Pack of 50 for HP GCs |
| 20252 | Ferrule, Graphite | Compact 1/16" X 0.8mm ID Pack of 10 for HP GCs |
| 20253 | Ferrule, Graphite | Compact 1/16" X 0.8mm ID Pack of 50 for HP GCs |
| 20254 | Ferrule, Vespel/Graphite | Reducing, 1/8" to 0.4mm Pack of 5 |
| 20255 | Ferrule, Vespel/Graphite | Reducing, 1/8" to 0.5mm Pack of 5 |
| 20257 | Ferrule, Vespel/Graphite | Reducing, 1/4" to 0.4mm/0.5mm Pack of 5 |
| 20258 | Ferrule, Vespel/Graphite | Reducing, 1/4" to 3/16" Pack of 5 |
| 20259 | Ferrule, Vespel/Graphite | 1/32"x.5mm for MXT Connector 5pk |
| 20262 | Liner O-Ring, Silicone | for PE AutoSys GCs 10pk |
| 20263 | Ferrule, Vespel/Graphite | Compact 1/16" X 0.8mm ID Pack of 10 for HP GCs |
| 20264 | Ferrule, Vespel/Graphite | Compact 1/16" X 0.8mm ID Pack of 50 for HP GCs |
| 20265 | Injector | Split/Splitless Weldment For use with manual flow and EPC on Agilent 5890 GCs. |
| 20266 | Injector | Shell Weldment For HP 5890 GC |
| 20267 | Injector | Siltek Split/Splitless Weldment For use with manual flow and EPC on Agilent 589( |
| 20268 | Injector | Shell Weldment, Siltek For HP 5890 GC |
| 20270 | Ferrules, Graphpack 3D/2 | For .32 ID Columns 10 Pack |
| 20271 | Ferrules, Graphpack 3D/2 | For .25 ID Columns 10 Pack |
| 20272 | Connector, Column-Graphpk | .25mm - .32mm |
| 20273 | Connector, Column-Graphpk | .45mm - .7mm |
| 20274 | Ferrules, Graphpack 3D/2 | For .53 ID Columns Pack of 10 |
| 20275 | Ferrule, Vespel/Graphite | 1/16" x 0.3mm ID, 10pk |
| 20276 | SeCure Y Connector | Fits Column ID 0.18/0.25/0.28mm |
| 20277 | SeCure Y Connector | Fits Column ID 0.32mm |
| 20278 | SeCure Y Connector | Fits Column ID 0.45/0.53mm |
| 20279 | Knurled Nut | Pack of 3 (Different from Vu2 Union nuts) |
| 20280 | Ferrule, Graphite | M4 Fitting 1/16" X 0.4mm ID Pack of 2 for Fisons 8000 GC and Trace 2000 |
| 20281 | Ferrule, Graphite | M4 Fitting 1/16" X 0.4mm ID Pack of 10 for Fisons 8000 GC and Trace 2000 |
| 20282 | Ferrule, Graphite | M4 Fitting 1/16" X 0.5mm ID Pack of 2 for Fisons 8000 GC and Trace 2000 |
| 20283 | Ferrule, Graphite | M4 Fitting 1/16" X 0.5mm ID Pack of 10 for Fisons 8000 GC and Trace 2000 |
| 20284 | Ferrule, Graphite | M4 Fitting 1/16" X 0.8mm ID Pack of 2 for Fisons 8000 GC and Trace 2000 |
| 20285 | Ferrule, Graphite | M4 Fitting 1/16" X 0.8mm ID Pack of 10 for Fisons 8000 GC and Trace 2000 |
| 20286 | Ferrule, SS | 1/16" SS Valco Ferrule 10 Pack |
| 20287 | Nut, Stainless Steel | 1/16" SS Valco Nut 10 Pack |

| | | |
|---|---|---|
| 20290 | Ferrule, Vespel/Graphite | Dual Taper 6.3mm Pack of 10 for Enhanced HP Injection Port |
| 20291 | Ferrule, Vespel/Graphite | Dual Taper 6.5mm Pack of 10 for Enhanced HP Injection Port |
| 20294 | CarboFrit Inserts | For liner ID >4mmID Pack of 10 |
| 20295 | CarboFrit Inserts | For liner ID <or= 4mmID Pack of 10 |
| 20296 | O-Rings, Graphite | 6.35mmID for Split Liners, For Agilent and Varian 1177 GCs, 10-pk |
| 20297 | O-Rings, Graphite | 6.35mmID for Split Liners, For Agilent and Varian 1177 GCs, 50-pk |
| 20298 | O-Rings, Graphite | 6.5mmID for Splitless Liners, For Agilent and Varian 1177 GCs, 10-pk |
| 20299 | O-Rings, Graphite | 6.5mmID for Splitless Liners, For Agilent and Varian 1177 GCs, 50-pk |
| 20301 | Uniliner Liner | 0.53mm Column ID IP Deact., ea |
| 20305 | Uniliner Liner | 0.53mm Column ID IP Deact, 5pk |
| 20305-214.5 | Uniliner Liner | 0.53mm Column ID Siltek Deact., 5pk |
| 20307 | Uniliner Liner | Low Volume/Purge & Trap 1mm x 5 x 85mm, IP Deact., ea |
| 20308 | Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., ea |
| 20308-214.1 | Uniliner Liner | 0.32 and 0.53mmID Column ID Siltek Deact., ea |
| 20309 | Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., 5pk |
| 20310 | Uniliner Sleeve Adapter | <8cm Injector length |
| 20311 | Uniliner Sleeve Adapter | 8 to 15cm Injector length |
| 20314 | Uniliner Liner | Low Volume/Purge & Trap 1mm x 5 x 85mm, IP Deact., 5pk |
| 20315 | Open-Top Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., w/Deact. Wool, ea |
| 20316 | Open-Top Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., w/Deact. Wool, 5pk |
| 20316-205 | Open-Top Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., w/No Wool, 5pk |
| 20316-209.5 | Open-Top Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., w/CarboFrit, 5pk |
| 20316-211.5 | Open-Top Uniliner Liner | 0.32 and 0.53mmID Column ID Base Deact., w/Base Wool, 5PK |
| 20316-214.5 | Open-Top Uniliner Liner | 0.32 and 0.53mmID Column ID Siltek Deact., 5pk |
| 20319 | Cyclo-Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., ea |
| 20319-214.1 | Cyclo-Uniliner Liner | 0.32 and 0.53mm ID Column ID Siltek Deact., ea |
| 20320 | Cyclo-Uniliner Liner | 0.32 and 0.53mmID Column ID IP Deact., 5pk |
| 20320-214.5 | Cyclo-Uniliner Liner | 0.32 and 0.53mmID Column ID Siltek Deact., 5pk |
| 20339 | Tool | Inlet Liner Packing Tool |
| 20342 | Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion IP Deact., ea |
| 20343 | Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion IP Deact., 5pk |
| 20343-214.5 | Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion Siltek Deact., 5pk |
| 20344 | Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion IP Deact., 25pk |
| 20345 | Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20345-210.1 | Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs Base Deact., ea |
| 20345-214.1 | Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact., ea |
| 20346 | Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20347 | Cyclo-Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20348 | Cyclo-Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20366 | O-Rings, Viton | for PE PSS, 10pk |
| 20375 | Capillary Nut | Shimadzu 17A, 2010 & 2014 GCs 2pk |
| 20377 | O-Rings, Viton | for Agilent GCs 25pk |
| 20387 | Tool Set | Wrench, Open-End Set |
| 20388 | Tool | Wrench, 1/4" X 3/16" Open End 2 pack |
| 20389 | Replacement Nut | For 1/32" MXT Connector 5 pack |
| 20390 | Inlet Seals | 1.2mm SS Pack of 2 For HP GCs |
| 20391 | Inlet Seals | 1.2mm SS Pack of 10 For HP GCs |
| 20392 | Inlet Seals | 1/16" SS Pack of 2 For HP GCs |
| 20393 | Inlet Seals | 1/16" SS Pack of 10 For HP GCs |
| 20394 | MXT Connector, Siltek | For 0.53mmID Tubing |
| 20395 | MXT Y Connector, Siltek | For 0.53mmID Tubing |
| 20396 | MXT Y Connector, Siltek | For 0.28mmID Tubing |
| 20397 | MXT Connector, Siltek | For 0.28mmID Tubing |
| 20398 | Ferrule, SS | 0.59mm for MXT Connector 10pk |
| 20399 | Ferrule, SS | 0.79mm for MXT Connector 10 pack |
| 20400 | Connector, Presstight | Universal, Pack of 5 |
| 20401 | Connector, Presstight | Universal, Pack of 25 |
| 20402 | Connector, Presstight | Universal, Pack of 100 |
| 20403 | Connector, Presstight | Universal, Angled Y |
| 20403-261 | Connector, Presstight | Universal, Angled Y Deactivated |
| 20404 | Connector, Presstight | Universal, Angled Y Pack of 3 |
| 20404-261 | Connector, Presstight | Universal, Angled Y Pack of 3 Deactivated |
| 20405 | Connector, Presstight | Universal, Y |
| 20405-261 | Connector, Presstight | Universal, Y, Deactivated |
| 20406 | Connector, Presstight | Universal, Y Pack of 3 |
| 20406-261 | Connector, Presstight | Universal, Deactivated Y Pack of 3 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20409 | Heat Sink | for Agilent 5890 GC Split/Splitless Injector Similar to Agilent #18740-20940 |
| 20411 | Dual-Column Direct | Injection Tee IP Deact., ea |
| 20411-214.1 | Dual-Column Direct | Injection Tee Siltek Deact., ea |
| 20412 | Dual-Column Direct | Injection Tee Kit IP Deact., Tee |
| 20417 | Connector, Vu-Union | Microbore Replacement Inserts Pack of 3 0.15/0.45mm |
| 20419 | Connector, Vu-Union | Capillary Replacement Inserts Pack of 3 0.33/0.74mm |
| 20420 | Ferrule, Vespel/Graphite | Vu-Union 1/16" X 0.4mm ID Pack of 10 |
| 20421 | Ferrule, Vespel/Graphite | Vu-Union 1/16" X 0.5mm ID Pack of 10 |
| 20422 | Ferrule, Vespel/Graphite | Vu-Union 1/16" X 0.8mm ID Pack of 10 |
| 20423 | Ferrule, Vespel/Graphite | Vu-Union 1/16" X 0.3mm ID Pack of 10 |
| 20427 | Connector, Vu-Union | Vacuum |
| 20428 | Connector, Vu-Union | Vacuum Replacement Inserts Pack of 3 |
| 20429 | Connector, Presstight | Universal, Deactivated Pack of 5 |
| 20430 | Connector, Presstight | Universal, Deactivated Pack of 25 |
| 20434 | Connector, Vu-Union | Y Replacement Inserts Pack of 3 |
| 20435 | Dual-Column Mini-Lam | Direct Injection Tee IP Deact., ea |
| 20436 | Dual-Column Mini-Lam | Direct Injection Tee Kit IP Deact. Tee |
| 20437 | O-Rings | for Agilent GC's, 5-pk |
| 20445 | Polyimide Resin | 5 Grams |
| 20446 | Connector, Presstight | Universal Angled, Pack of 5 |
| 20446-261 | Connector, Presstight | Universal Angled, Pack of 5 Deactivated |
| 20447 | Connector, Presstight | Universal Angled, Pack of 25 |
| 20447-261 | Connector, Presstight | Universal, Angled, Deactivated Pack of 25 |
| 20448 | Connector, Presstight | Universal Angled, Pack of 100 |
| 20448-261 | Connector, Presstight | Universal Angled, Pack of 100 Deactivated |
| 20449 | Connector, Presstight | Universal, Siltek Deactivated Pack of 25 |
| 20469 | Connector, Presstight | Universal, Angled Y Siltek Deact Pack of 3 |
| 20474 | Inlet Seals | 0.8mm Siltek Cross Disk Pack of 10 for HP GCs |
| 20475 | Inlet Seals | 0.8mm Siltek Cross Disk Pack of 2 for HP GCs |
| 20476 | Inlet Seals | 0.8mm Gold Plated Cross Disk Pack of 10 for HP GCs |
| 20477 | Inlet Seals | 0.8mm Gold Plated Cross Disk Pack of 2 for HP GCs |
| 20480 | Connector, Presstight | Universal, Siltek Deactivated Pack of 5 |
| 20482 | Connector, Presstight | Universal, Angled Siltek Deactivated Pack of 5 |
| 20483 | Connector, Presstight | Universal, Angled Siltek Deactivated Pack of 25 |
| 20484 | Connector, Presstight | Universal, Angled Siltek Deactivated Pack of 100 |
| 20485 | Connector, Presstight | Universal Y, Siltek Deactivated |
| 20486 | Connector, Presstight | Universal Y, Siltek Deactivated Pack of 3 |
| 20487 | Connector, Presstight | Universal, Angled Y Siltek Deactivated |
| 20504 | Installation Fittings | Vu-Tight |
| 20508 | Dbl Gooseneck Drilled | Uniliner, 4mm x 6.3x78.5 for Agilent GCs IP Deact., ea |
| 20508-210.1 | Dbl Gooseneck Drilled | Uniliner, 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20508-214.1 | Dbl Gooseneck Drilled | Uniliner, 4mm x 6.3x78.5 for Agilent GCs Siltek Deact., ea |
| 20509 | Dbl Gooseneck Drilled | Uniliner, 4mm x 6.3x78.5 for Agilent GCs IP Deact., 5pk |
| 20509-210.5 | Dbl Gooseneck Drilled | Uniliner, 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20509-214.5 | Dbl Gooseneck Drilled | Uniliner, 4mm x 6.3x78.5 for Agilent GCs Siltek Deact., 5pk |
| 20522 | Replacement Scoring Wheel | for the Restek MXT Tubing Scorer (Cat. # 20523) |
| 20523 | Restek Tubing Scorer | for MXT Columns:0.25mm- 0.53mm ID, 0.5-0.8mm OD |
| 20535 | Ferrule, Stainless Steel | 0.32mm for MXT Connector, 10pk |
| 20536 | MXT Connector, Siltek | for 0.32mmID Tubing |
| 20537 | MXT Y Connector, Siltek | for 0.32mmID Tubing |
| 20543 | Capillary Column Adapter | Siltek Treated Adapter for use on Thermo Trace and Focus SSL GC Split/Splitless |
| 20544 | Capillary Column Adapter | Siltek Treated Adapter for Thermo GCs, for use with M4 Ferrules |
| 20568 | Ferrules, PEEK | 1/16", for use w/Secure Fit Fittings, 10-pk |
| 20569 | Ferrules, Graphite | 1/16", for use w/Secure Fit Fittings, 10-pk |
| 20584 | Sample Valve | Sulfinert Coated,4 Port Manual, 1/16" Fittings 0.40mm bore |
| 20585 | Sample Valve | Sulfinert Coated,6 Port Manual, 1/16" Fittings 0.40mm bore |
| 20586 | Sample Valve | Sulfinert Coated,10 Port Manual, 1/16" Fittings 0.40mm bore |
| 20587 | Sample Valve | Replacement Rotor for 4 Port Sulfinert Coated Sample Valves |
| 20588 | Sample Valve | Replacement Rotor for 6 Port Sulfinert Coated Sample Valves |
| 20589 | Sample Valve | Replacement Rotor for 10 Port Sulfinert Coated Sample Valves |
| 20600 | Trap, Oxygen | High Capacity, 1/4" Fittings |
| 20601 | Trap, Oxygen | High Capacity, 1/8" Fittings |
| 20610 | Regulator, Minicyl | 1/8" Female Fittings |
| 20611 | Regulator, Minicyl | 1/4" Female Fittings |
| 20612 | Rinsing Reservoir Kit | Complete Kit |
| 20613 | Accessory | Rinsing Reservoir |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20618 | String | High Temperature String 450 Meters |
| 20619 | Cage | Restek 7/8" Cage with 1m High Temp String |
| 20620 | Cage | Restek 1 1/2" Cage with 1m High Temp String |
| 20623 | Trap, Oxygen | Indicating, High Capacity 1/4" Fittings |
| 20624 | Trap, Oxygen | Indicating, High Capacity 1/8" Fittings |
| 20625 | Trap, Oxygen | Indicating, High Capacity Refill Cartridge For Cat #'s 20624/20623 Only |
| 20626 | Trap, Hydrocarbon | Carbon Refill |
| 20631 | Septum Nut | For HP GCs |
| 20634 | Regulator, Back Pressure | Kit for HP GCs |
| 20635 | Regulator, Back Pressure | for HP GCs |
| 20636 | Trap, Hydrocarbon | Indicating, 1/4" Fittings |
| 20637 | Trap, Hydrocarbon | Indicating, 1/8" Fittings |
| 20638 | Trap, Moisture | 1/4" Fittings |
| 20643 | MSD Source Nut | Pack of 2 |
| 20645 | Inlet Kit | Dual Column 1/8" For HP GC |
| 20646 | Regulator, Brass | Single Stage, Ultra High Purity Inert Gas, CGA 580 |
| 20647 | Regulator, Brass | Single Stage, Ultra High Purity Hydrogen, CGA 350 |
| 20648 | Regulator, Brass | Single Stage, Ultra High Purity Air, CGA 590 |
| 20650 | Replacement Cable | Discontinue When Stock is Depleted HP5890GC to 3396 Integrator |
| 20652 | Replacement Cable | HP5890GC to Strip Chart/Intg |
| 20654 | Replacement Cable | Discontinue When Stock is Depleted HP5890GC to 3396 Remote Start |
| 20655 | Replacement Cable | Discontinue When Stock is Depleted HP3396 Intg Remote Start |
| 20657 | Replacement Cable | HP5890GC Remote Start Cable |
| 20658 | Replacement Cable | Discontinue When Stock is Depleted HP3396 Intg to Generic GC |
| 20660 | Replacement Cable | Discontinue When Stock is Depleted Remote Start HP7673A/35900C |
| 20662 | Regulator, SS | Dual Stage, Ultra High Purity Inert Gas, CGA 580 |
| 20663 | Regulator, SS | Dual Stage, Ultra High Purity Hydrogen, CGA 350 |
| 20664 | Regulator, SS | Dual Stage, Ultra High Purity Air, CGA 590 |
| 20665 | Regulator, SS | Single Stage, Ultra High Purity Inert Gas, CGA 580 |
| 20666 | Regulator, SS | Single Stage, Ultra High Purity Hydrogen, CGA 350 |
| 20667 | Regulator, SS | Single Stage, Ultra High Purity Air, CGA 590 |
| 20668350 | Switchover System, Brass | Automatic Switchover System With Line Regulator For Use with H2, P5(CGA 350) |
| 20668580 | Switchover System, Brass | Automatic Switchover System With Line Regulator For Use with N2, He, Ar(CGA 5 |
| 20668590 | Switchover System, Brass | Automatic Switchover System With Line Regulator For Use with Air(CGA 590) |
| 20670 | FID Jet | Capillary Adaptable Jet for Agilent 5890/6890/6850 GCs, (0.011" ID Tip) |
| 20671 | FID Jet | Capillary Adaptable Jet for Agilent 5890/6890/6850 GCs, 3pk (0.011" ID Tip) |
| 20672 | FID Jet | Siltek, Capillary Adaptable Jet for Agilent 5890/6890/6850 GCs, ea (0.011" ID Tip) |
| 20673 | FID Jet | Siltek, Capillary Adaptable Jet for Agilent 5890/6890/6850 GCs, 3pk (0.011" ID Tip |
| 20674 | PID Lamp | Polishing Kit |
| 20675 | PID Lamp | Model 108-10.0/10.6 |
| 20676 | PID Lamp | Model 103C |
| 20677 | Generator, Nitrogen | General Purpose N2-14 Does not Ship UPS or Fed Ex (Ships on Skid) Domestic C |
| 20677-551 | Generator, Nitrogen | General Purpose with European Cord Set Domestic Orders Drop Shipped from Ma |
| 20678 | Electrolyte Solution | for Models 75-32, 75-34, 75-36 H2PD-150, H2PD-300, 250mL HAZ FEES APPLY |
| 20680 | Generator, Zero Air | 3500cc/min Capacity Model HPZA-3500 Dim-21" L18.5" H16" 41# 12-month warra |
| 20680-550 | Generator, Zero Air | 3500cc/min Capacity with UK Cord Domestic Orders Drop Shipped from Manufac |
| 20680-551 | Generator, Zero Air | 3500cc/min Capacity with European Cord Set Domestic Orders Drop Shipped fror |
| 20681 | Generator, Zero Air | 7000cc/min Capacity Model HPZA-7000 Domestic Orders Drop Ship from Manufa |
| 20681-550 | Generator, Zero Air | 7000cc/min Capacity Model HPZA-7000 Dim-W21" L18.5 H16" 41# United Kingdc |
| 20682 | Generator, Zero Air | 18,000cc/min Capacity Model HPZA-18000 Domestic Orders Drop Ship from Man |
| 20682-550 | Generator, Zero Air | 18,000/min Capacity Model HPZA-18000-220 Dim W21" L18.5" H16" 41# United K |
| 20682-551 | Generator, Zero Air | 18,000cc/min Capacity Dim W21" L18.5" H16" 41# w/European Cord Set Domesti |
| 20683 | Generator, Zero Air | 30,000cc/min Capacity Model HPZA-30000 Domestic Orders Drop Ship from Man |
| 20683-550 | Generator, Zero Air | 30,000cc/min Capacity Model HPZA-30000 Dim W21"L18.5"H16" 41# Domestic C |
| 20684 | Generator, Zero Air | 1000cc/min Capacity MUST SHIP UPS Model 75-83NA Dim W15" L8" H17" 17# V |
| 20684-550 | Generator, Zero Air | 1000cc/min Capacity with UK Cord Domestic Orders Drop Shipped from Manufac |
| 20684-551 | Generator, Zero Air | 1000cc/min Capacity with European Cord Set Domestic Orders Drop Shipped fror |
| 20685 | Trap, Molecular Sieve | Rechargeable "S" 1/4" Fittings |
| 20686 | Trap, Molecular Sieve | Rechargeable "S" 1/8" Fittings |
| 20688 | Generator, Hydrogen | H2PD-300 Model, 300cc/min Capacity Ships via UPS Only, Domestic Orders Drop |
| 20697 | Generator, Nitrogen | Ultra High Purity Zero Grade UHPN2-1100 Does Not Ship UPS or Fed Ex (Ships c |
| 20697-550 | Generator, Nitrogen | Ultra High Purity Zero Grade with UK Cord Domestic Orders Drop Shipped from M |
| 20697-551 | Generator, Nitrogen | Ultra High Purity Zero Grade with European Cord Set Domestic Orders Drop Ship |
| 20697-552 | Generator, Nitrogen | Ultra High Purity Zero Grade UHPN2-1100 w/IEC Connector Only- 230 VAC 50/60 |
| 20698 | Trap, Split Vent | High Capacity |
| 20699 | Trap, Split Vent | High Capacity, Pack of 5 |

| | | |
|---|---|---|
| 20706 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 20706-200.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20706-202.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, ea |
| 20706-209.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, ea |
| 20706-210.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20706-211.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 20706-214.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20706-216.1 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20707 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20707-200.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20707-202.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20707-209.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20707-210.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20707-211.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20707-213.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20707-214.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20707-215.5 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact. w/ Full Deact. Wool 5PK |
| 20708 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20708-210.25 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 25pk |
| 20708-214.25 | Cyclosplitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20709 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 20709-200.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20709-202.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, ea |
| 20709-209.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, ea |
| 20709-210.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20709-211.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 20709-214.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20709-231.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 20709-233.1 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact, Double SV Wool, ea |
| 20710 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20710-200.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20710-202.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20710-209.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20710-210.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20710-211.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20710-213.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20710-214.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20710-216.5 | Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 20711 | Split/Splitless Metal Liner | 3.8mm x 5 x 54 for Varian GCs Siltek Deact., 5pk |
| 20712 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20712-209.1 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, ea |
| 20712-210.1 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20712-213.1 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20712-214.1 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20712-216.1 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20713 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20713-200.5 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20713-209.5 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20713-210.5 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20713-213.5 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20713-214.5 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20714 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20714-200.25 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 20714-202.25 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 25pk |
| 20714-210.25 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Base Deact., 25pk |
| 20714-214.25 | Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20715 | Frit Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20716 | Frit Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20716-214.5 | Frit Splitter Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact., 5pk |
| 20717 | Frit Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 25pk |
| 20718 | Baffle Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20719 | Baffle Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20720 | Baffle Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 25pk |
| 20721 | Splitless Liner | 2mm x 6.3 x 74 for Varian GCs IP Deact., ea |
| 20722 | Splitless Liner | 2mm x 6.3 x 74 for Varian GCs IP Deact., 5pk |
| 20722-202.5 | Splitless Liner | 2mm x 6.3 x 74 for Varian GCs IP Deact., w/Glass Wool, 5pk |

| | | |
|---|---|---|
| 20722-213.5 | Splitless Liner | 2mm x 6.3 x 74 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20722-214.5 | Splitless Liner | 2mm x 6.3 x 74 for Varian GCs Siltek Deact., 5pk |
| 20723 | Splitless Liner | 2mm x 6.3 x 74 for Varian GCs IP Deact., 25pk |
| 20724 | Cup Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20724-214.1 | Cup Splitter Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact., ea |
| 20725 | Cup Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20725-214.5 | Cup Splitter Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact., 5pk |
| 20726 | Cyclosplitter Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20727 | Cyclosplitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20727-202.1 | Sleeve, Cyclosplitter | 4mmID/Varian w/Glass Wool NOT A VALID PART#- CANNOT BE PACKED WITI |
| 20727-214.1 | Cyclosplitter Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact, ea |
| 20728 | Cyclosplitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20728-214.5 | Cyclosplitter Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact., 5pk |
| 20729 | Cyclosplitter Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20730 | Splitless Liner | 2mm x 5.0 x 100 for PE GCs IP Deact., ea |
| 20730-214.1 | Splitless Liner | 2mm x 5.0 x 100 for PE GCs Siltek Deact., ea |
| 20731 | Splitless Liner | 2mm x 5.0 x 100 for PE GCs IP Deact., 5pk |
| 20731-214.5 | Splitless Liner | 2mm x 5.0 x 100 for PE GCs Siltek Deact., 5pk |
| 20732 | Splitless Liner | 2mm x 5.0 x 100 for PE GCs IP Deact., 25pk |
| 20733 | PTV Press-Tight Liner | 1mm x 2.0 x 88 for PE GCs IP Deact., ea |
| 20734 | PTV Press-Tight Liner | 1mm x 2.0 x 88 for PE GCs IP Deact., 5pk |
| 20735 | PTV Press-Tight Liner | 1mm x 2.0 x 88 for PE GCs IP Deact., 25pk |
| 20736 | Baffle Splitter Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., ea |
| 20736-214.1 | Baffle Splitter Liner | 3.5mm x 5.0 x 100 for PE GCs Siltek Deact., ea |
| 20737 | Baffle Splitter Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., 5pk |
| 20737-214.5 | Baffle Splitter Liner | 3.5mm x 5.0 x 100 for PE GCs Siltek Deact., 5pk |
| 20738 | PSS Split/Splitless Liner | 1mm x 4.0 x 86.2 for PE GCs IP Deact., ea |
| 20738-200.1 | PSS Split/Splitless Liner | 1mm x 4.0 x 86.2 for PE GCs IP Deact., w/Deact. Wool, ea |
| 20738-214.1 | PSS Split/Splitless Liner | 1mm x 4.0 x 86.2 for PE GCs Siltek Deact., ea |
| 20739 | Cup Splitter Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., ea |
| 20740 | Cup Splitter Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., 5pk |
| 20741 | PSS Split/Splitless Liner | 1mm x 4.0 x 86.2 for PE GCs IP Deact., 5pk |
| 20741-200.5 | PSS Split/Splitless Liner | 1mm x 4.0 x 86.2 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 20741-214.5 | PSS Split/Splitless Liner | 1mm x 4.0 x 86.2 for PE GCs Siltek Deact., 5pk |
| 20742 | PTV Injector Liner | 1mm x 2.0 x 88 for PE GCs IP Deact., ea |
| 20743 | PTV Injector Liner | 1mm x 2.0 x 88 for PE GCs IP Deact., 5pk |
| 20744 | PTV Injector Liner | 1mm x 2.0 x 88 for PE GCs IP Deact., 25pk |
| 20745 | Cyclosplitter Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., ea |
| 20746 | Cyclosplitter Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., 5pk |
| 20751 | Split Liner | 3.5mm x 5.0 x 128 for Shimadzu GCs IP Deact., ea |
| 20752 | Split Liner | 3.5mm x 5.0 x 128 for Shimadzu GCs IP Deact., 5pk |
| 20753 | Split Liner | 3.5mm x 5.0 x 128 for Shimadzu GCs IP Deact., 25pk |
| 20754 | Cyclosplitter Liner | 3.5mm x 5.0 x 128 for Shimadzu GCs IP Deact., ea |
| 20754-200.1 | Cyclosplitter Liner | 3.5mm x 5.0 x 128 for Shimadzu GCs IP Deact., w/Deact. Wool, ea |
| 20755 | Cyclosplitter Liner | 3.5mm x 5.0 x 128 for Shimadzu GCs IP Deact., 5pk |
| 20756 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 20756-200.1 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20756-210.1 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20756-211.1 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. V |
| 20756-214.1 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20756-231.1 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 20759 | Split Precision Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., w/Deact. Wool, ea |
| 20759-211.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Varian GCs Base Deact., w/Base Wool, ea |
| 20759-213.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Varian GCs Siltek Deact., w/Deact. Wool, ea |
| 20760 | Detector Make-Up Liner | 1mm x 5.0 x 75 for Shimadzu GCs IP Deact., ea |
| 20761 | Detector Make-Up Liner | 1mm x 5.0 x 75 for Shimadzu GCs IP Deact., 5pk |
| 20762 | Split Precision Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 20762-213.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20762-231.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact. w/ SV Wool, 5pk |
| 20765 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., ea |
| 20768 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., 5pk |
| 20771 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20771-200.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20771-209.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20771-210.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20771-211.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. V |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20771-213.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Siltek, Deact. wool, 5pk |
| 20771-214.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20771-231.5 | Drilled Uniliner Liner | w/hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 20772 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20772-209.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, ea |
| 20772-210.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20772-211.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 20772-214.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20772-216.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20772-231.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 20773 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20773-202.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20773-209.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20773-210.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20773-211.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20773-214.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20773-216.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 20773-229.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., CarboFrit, 5pk |
| 20773-231.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 20774 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20774-209.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 25pk |
| 20774-210.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 25pk |
| 20774-214.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20774-216.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 25pk |
| 20775 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs IP Deact., ea |
| 20775-214.1 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs Siltek Deact., ea |
| 20776 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs IP Deact., 5pk |
| 20776-210.5 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs Base Deact., 5pk |
| 20776-214.5 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs Siltek Deact., 5pk |
| 20777 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs IP Deact., 25pk |
| 20777-214.25 | SPI Liner | 0.53mm x 4.6 x 54 for Varian GCs Siltek Deact., 25pk |
| 20778 | SPI Liner | 0.8mm x 4.6 x 54 for Varian GCs IP Deact., ea |
| 20778-214.1 | SPI Liner | 0.8mm x 4.6 x 54 for Varian GCs Siltek Deact., ea |
| 20779 | SPI Liner | 0.8mm x 4.6 x 54 for Varian GCs IP Deact., 5pk |
| 20779-214.5 | SPI Liner | 0.8mm x 4.6 x 54 for Varian GCs Siltek Deact., 5pk |
| 20780 | SPI Liner | 0.8mm x 4.6 x 54 for Varian GCs IP Deact., 25pk |
| 20781 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20781-205 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, ea |
| 20781-210.1 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20781-211.1 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 20781-213.1 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20781-214.1 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20781-216.1 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20781-231.1 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 20782 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool 5pk |
| 20782-202.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20782-203.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Triple Deact. Wool, 5pk |
| 20782-205 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, 5pk |
| 20782-209.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20782-210.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20782-211.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20782-213.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20782-214.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20782-216.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 20782-229.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/CarboFrit 5pk |
| 20782-231.5 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 20783 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 20783-202.25 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 25pk |
| 20783-205 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, 25pk |
| 20783-209.25 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 25pk |
| 20783-211.25 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 25pk |
| 20783-213.25 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 25pk |
| 20783-214.25 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20783-231.25 | Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, 25pk |
| 20784 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20784-210.1 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |

| | | |
|---|---|---|
| 20784-214.1 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20784-217.1 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Undeactivated, ea |
| 20785 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20785-210.5 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20785-214.5 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20786 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20786-210.25 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 25pk |
| 20786-214.25 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20787 | Cyclo Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion IP Deact., ea |
| 20788 | Cyclo Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion IP Deact., 5pk |
| 20788-214.5 | Cyclo Vu-Tight DI Liner | for 1/4 Packed Injection Port Conversion Siltek Deact., 5pk |
| 20789 | Deactivated Glass Wool | 10 g |
| 20792 | Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, ea |
| 20793 | Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 20793-214.5 | Splitter Liner | 4mm x 6.3 x 72 for Varian GCs Siltek Deact., 5pk |
| 20794 | Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, 25pk |
| 20794-205 | Splitter Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., 25pk |
| 20795 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20795-210.1 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20795-213.1 | Drilled Uniliner Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20795-214.1 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20795-216.1 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 Agilent GCs Siltek Deact., Carbofrit, Ea |
| 20795-231.1 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, Ea. |
| 20796 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20796-200.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20796-202.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20796-210.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20796-211.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20796-213.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20796-214.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact. 5pk |
| 20796-216.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 20796-231.5 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 20797 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20797-213.25 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 25pk |
| 20797-214.25 | Gooseneck Splitless Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact. 25pk |
| 20798 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20798-202.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, ea |
| 20798-209.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, ea |
| 20798-210.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20798-211.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 20798-214.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20798-216.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20798-231.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 20799 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20799-202.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20799-209.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20799-210.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20799-211.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20799-214.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20799-215.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., Packed Full w/Deact. Wool, 5pk |
| 20799-216.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 20799-228.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Glass Wool, 5pk |
| 20799-229.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., CarboFrit, 5pk |
| 20799-231.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 20800 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20800-202.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 25pk |
| 20800-209.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 25pk |
| 20800-210.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 25pk |
| 20800-211.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 25pk |
| 20800-214.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20800-215.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., Packed Full w/Deact. Wool, 25pk |
| 20800-216.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 25pk |
| 20800-231.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 25pk |
| 20801 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 20801-200.1 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20801-214.1 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20801-216.1 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20801-231.1 | Laminar Cup Splitter Line | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, Ea |
| 20802 | Laminar Cup Splitter Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20802-200.5 | Laminar Cup Splitter | Liner, 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20802-210.5 | Laminar Cup Splitter | Liner, 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20802-213.5 | Laminar Cup Splitter | Liner, 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20802-214.5 | Laminar Cup Splitter | Liner, 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20803 | Laminar Cup Splitter | Liner, 4mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20804 | Laminar Cup Splitter | Liner, 4mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20809 | Laminar Cup Splitter | Liner, 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., ea |
| 20810 | Laminar Cup Splitter | Liner, 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., 5pk |
| 20811 | Splitless Liner | 2mm x 5.4 x 79.5 for Thermo GCs IP Deact., ea |
| 20811-214.1 | Splitless Liner | 2mm x 5.4 x 79.5 for Thermo GCs Siltek Deact., ea |
| 20812 | Splitless Liner | 2mm x 5.4 x 79.5 for Thermo GCs IP Deact., 5pk |
| 20813 | Splitless Liner | 2mm x 5.4 x 79.5 for Thermo GCs IP Deact., 25pk |
| 20814 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., ea |
| 20814-202.1 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., w/Glass Wool, ea |
| 20814-209.1 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., w/CarboFrit, ea |
| 20814-214.1 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs Siltek Deact., ea |
| 20815 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., 5pk |
| 20815-210.5 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs Base Deact., 5pk |
| 20815-214.5 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs Siltek Deact., 5pk |
| 20816 | Splitless Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., 25pk |
| 20817 | Cyclosplitter Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., ea |
| 20818 | Cyclosplitter Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., 5pk |
| 20819 | Drilled Uniliner Liner | w/hole on top 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20822 | Drilled Uniliner Liner | w/hole on top 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20822-214.5 | Drilled Uniliner Liner | w/hole on top 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20823 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20823-213.1 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20823-231.1 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, Ea |
| 20824 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20824-205 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, 5pk |
| 20824-211.5 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20824-213.5 | Split Precision Liner | 2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20827 | Laminar Cup Splitter | 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20827-214.1 | Laminar Cup Splitter | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., ea |
| 20828 | Laminar Cup Splitter | 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20828-214.5 | Laminar Cup Splitter | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20829 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, ea |
| 20829-205 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs IP Deact., No Wool, ea |
| 20829-211.1 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool, ea |
| 20829-213.1 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, ea |
| 20830 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 20830-205 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs IP Deact., No Wool, 5pk |
| 20830-211.5 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20830-213.5 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20830-214.5 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20830-231.5 | Splitless Liner | 2mm x 6.2 x 92.1 for PE GCs IP Deact., w/SV Wool, 5pk |
| 20832 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, ea |
| 20832-209.1 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/CarboFrit, ea |
| 20832-211.1 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool, ea |
| 20832-213.1 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, ea |
| 20832-216.1 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/CarboFrit, ea |
| 20833 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 20833-202.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Glass Wool, 5pk |
| 20833-203.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Double (18-20mm) Deact. Wool, 5pk |
| 20833-205 | Splitless Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., No Wool, 5pk |
| 20833-209.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/CarboFrit, 5pk |
| 20833-211.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20833-213.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20833-214.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20833-215.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., Packed Full w/Deact. Wool, 5pk |
| 20833-216.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/CarboFrit, 5pk |
| 20833-231.5 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/SV Wool, 5pk |
| 20834 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, 25pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20834-205 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., No Wool, 25pk |
| 20834-209.25 | Splitter Liner | 4mm x 6.2 92.1 for PE GCs IP Deact., w/ Carbofrit, 25pk |
| 20834-213.25 | Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, 25pk |
| 20835 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20835-210.1 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., ea |
| 20835-213.1 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, ea |
| 20835-214.1 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., ea |
| 20836 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20836-211.5 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool 5pk |
| 20836-213.5 | Cup Splitter Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20837 | Open Top Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, ea |
| 20837-205.1 | Open Top Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., No Wool, ea |
| 20837-211.1 | Open Top Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool, ea |
| 20838 | Open Top Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 20838-205 | Open Top Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., No Wool, 5pk |
| 20838-213.5 | Open Top Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20839 | Cyclo-Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20840 | Cyclo-Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20840-214.5 | Cyclo-Uniliner Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20841 | Open Top Uniliner Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 20842 | Open Top Uniliner Liner | 4mm x 5.4 x 79.5 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 20845 | Open Top Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, ea |
| 20846 | Open Top Uniliner Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 20847 | Double Gooseneck Liner | 4mm x 6.3 x 74 for Varian GCs IP Deact., ea |
| 20847-214.1 | Double Gooseneck Liner | 4mm x 6.3 x 74 for Varian GCs Siltek Deact., ea |
| 20848 | Double Gooseneck Liner | 4mm x 6.3 x 74 for Varian GCs IP Deact., 5pk |
| 20848-214.5 | Double Gooseneck Liner | 4mm x 6.3 x 74 for Varian GCs Siltek Deact., 5pk |
| 20849 | Double Gooseneck Liner | 4mm x 6.3 x 74 for Varian GCs IP Deact., 25pk |
| 20850 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs IP Deact., ea |
| 20851 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs IP Deact., 5pk |
| 20851-200.5 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 20851-202.5 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs IP Deact., w/Glass Wool, 5pk |
| 20851-211.5 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs Base Deact., w/Base Deact. Wool 5pk |
| 20851-213.5 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20851-214.5 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs Siltek Deact, 5pk |
| 20852 | SPI with Buffer Liner | 2.4mm x 4.6 x 54 for Varian GCs IP Deact., 25pk |
| 20853 | Double Gooseneck Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20853-214.1 | Double Gooseneck Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., ea |
| 20854 | Double Gooseneck Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20854-210.5 | Double Gooseneck Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., 5pk |
| 20854-214.5 | Double Gooseneck Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20855 | Uniliner Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., ea |
| 20856 | Uniliner Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., 5pk |
| 20856-210.5 | Uniliner Liner | 3.5mm x 5.0 x 100 for PE GCs Base Deact., 5pk |
| 20857 | Cyclo-Uniliner Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., ea |
| 20858 | Cyclo-Uniliner Liner | 3.5mm x 5.0 x 100 for PE GCs IP Deact., 5pk |
| 20859 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs IP Deact, ea |
| 20859-209.1 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs IP Deact., w/CarboFrit, ea |
| 20859-211.1 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Base Deact., w/Base Deact. Wool, ea |
| 20859-213.1 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., w/Deact. Wool, ea |
| 20859-214.1 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., ea |
| 20859-216.1 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., w/CarboFrit, ea |
| 20859-231.1 | Split Liner | 3.4mm x 5.0 x 54 Varian GCs IP Deact., SV Wool, Ea |
| 20860 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact, ea |
| 20860-210.1 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs Base Deact., ea |
| 20860-211.1 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs Base Deact. w/Base Wool, ea |
| 20860-214.1 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs Siltek Deact., ea |
| 20861 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact, 5pk |
| 20861-202.5 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., w/Glass Wool, 5pk |
| 20861-213.5 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20862 | Split Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact, 25pk |
| 20863 | Splitless Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., ea |
| 20863-214.1 | Splitless Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs Siltek Deact., Ea |
| 20864 | Splitless Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., 5pk |
| 20865 | Splitless Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., 25pk |
| 20868 | Laminar Cup Splitter | Liner, 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20869 | Laminar Cup Splitter | Liner, 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., 5-pk |
| 20870 | Cyclosplitter Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., ea |
| 20871 | Cyclosplitter Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., 5pk |
| 20876 | Uniliner Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., ea |
| 20877 | Uniliner Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., 5pk |
| 20881 | Capillary Nut, Brass | For Varian GC, Pack of 2 |
| 20882 | Capillary Nut, SS | For Varian GC, Pack of 2 |
| 20883 | Capillary Nut, SS | For HP GC, Pack of 2 (Uses Std Ferrules) |
| 20884 | Detector Adaptor | For HP FID/NPD |
| 20885 | Cup Splitter Gooseneck | 4.0mm x 5.4 x 79.5 for Thermo GCs IP Deact., ea |
| 20886 | Cup Splitter Gooseneck | 4.0mm x 5.4 x 79.5 for Thermo GCs IP Deact., 5pk |
| 20893 | Cyclo-Uniliner Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., ea |
| 20894 | Cyclo-Uniliner Liner | 3.5mm x 5.0 x 99 for Shimadzu GCs IP Deact., 5pk |
| 20895 | Cyclo Double Gooseneck | 4.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20895-210.1 | Cyclo Double Gooseneck | 4.0mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20895-214.1 | Cyclo Double Gooseneck | 4.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20896 | Cyclo Double Gooseneck | 4.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20896-210.5 | Cyclo Double Gooseneck | 4.0mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20896-214.5 | Cyclo Double Gooseneck | 4.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20897 | Cyclo Double Gooseneck | 4.0mm x 6.3 x 74 for Varian GCs IP Deact, ea |
| 20898 | Cyclo Double Gooseneck | 4.0mm x 6.3 x 74 for Varian GCs IP Deact, 5pk |
| 20898-214.5 | Cyclo Double Gooseneck | 4.0mm x 6.3 x 74 for Varian GCs Siltek Deact, 5pk |
| 20899 | Cyclo Double Gooseneck | 4.0mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20899-214.1 | Cyclo Double Gooseneck | 4.0mm x 6.2 x 92.1 for PE GCs Siltek Deact., ea |
| 20900 | Cyclo Double Gooseneck | 4.0mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20900-210.5 | Cyclo Double Gooseneck | 4.0mm x 6.2 x 92.1 for PE GCs Base Deact., 5pk |
| 20900-214.5 | Cyclo Double Gooseneck | 4.0mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20901 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs IP Deact., 5pk |
| 20901-200.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 20901-209.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs IP Deact., w/CarboFrit, 5pk |
| 20901-210.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Base Deact., 5pk |
| 20901-211.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Base Deact., w/Base Deact. Wool 5pk |
| 20901-213.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20901-214.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., 5pk |
| 20901-216.5 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., w/CarboFrit, 5pk |
| 20901-231.5 | Split Liner | 3.4mm x 5.0 x 54 for Varian GCs IP Deact., SV Wool, 5pk |
| 20902 | Uniliner Liner | 0.53mm Column ID, 60mm long IP Deact., ea |
| 20903 | Uniliner Liner | 0.53mm Column ID, 60mm long IP Deact., 5pk |
| 20904 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs IP Deact., ea |
| 20904-209.1 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs IP Deact., w/CarboFrit, ea |
| 20904-214.1 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs Siltek Deact., ea |
| 20905 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs IP Deact., 5pk |
| 20905-209.5 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs IP Deact., w/CarboFrit, 5pk |
| 20905-214.5 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs Siltek Deact., 5pk |
| 20906 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs IP Deact., 25pk |
| 20906-209.25 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs IP Deact., w/CarboFrit, 25pk |
| 20906-213.25 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs Siltek Deact., w/Deact. Wool, 25pk |
| 20906-214.25 | Splitless Liner | 4.0mm x 6.3 x 74 for Varian GCs Siltek Deact., 25pk |
| 20907 | Cyclo Double Gooseneck | 2.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20907-210.1 | Cyclo Double Gooseneck | 2.0mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20907-214.1 | Cyclo Double Gooseneck | 2.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20908 | Cyclo Double Gooseneck | 2.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20908-210.5 | Cyclo Double Gooseneck | 2.0mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20908-214.5 | Cyclo Double Gooseneck | 2.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20909 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs IP Deact., 25pk |
| 20909-214.25 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., 25pk |
| 20909-216.25 | Split Liner | 3.4mm x 5.0 x 54 For Varian GCs Siltek Deact., w/CarboFrit, 25pk |
| 20910 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 20910-210.1 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs Base Deact., ea |
| 20910-213.1 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, ea |
| 20910-214.1 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs Siltek Deact., ea |
| 20911 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 20911-200.5 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 20911-210.5 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs Base Deact., 5pk |
| 20911-214.5 | Cyclosplitter Liner | 4.0mm x 6.2 x 92.1 for PE GCs Siltek Deact., 5pk |
| 20912 | Splitless Liner (Quartz) | 4.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20913 | Splitless Liner (Quartz) | 4.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20913-214.5 | Splitless Liner (Quartz) | 4.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20914 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20914-213.1 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20915 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20915-200.5 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20915-202.5 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20915-210.5 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20915-211.5 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs Base Deact w/ Base Deact. Wool, 5pk |
| 20915-214.5 | Splitless Liner (Quartz) | 2.0mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20916 | Split Liner | 1mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20916-210.1 | Split Liner | 1mm x 8.0 x 105 for Thermo GCs Base Deact., ea |
| 20916-214.1 | Split Liner | 1mm x 8.0 x 105 for Thermo GCs Siltek Deact, ea |
| 20917 | Split Liner | 1mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20917-210.5 | Split Liner | 1mm x 8.0 x 105 for Thermo GCs Base Deact., 5pk |
| 20917-214.5 | Split Liner | 1mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |
| 20929 | Cable | Discontinue When Stock is Depleted Automatic Liquid Sampler Stop/Start Cable f |
| 20936 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20936-200.1 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 20936-210.1 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Base Deact., ea |
| 20936-213.1 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 20936-214.1 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 20937 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20937-200.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 20937-202.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Glass Wool, 5pk |
| 20937-209.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/CarboFrit, 5pk |
| 20937-210.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Base Deact., 5pk |
| 20937-211.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20937-213.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20937-214.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |
| 20937-216.5 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/CarboFrit, 5pk |
| 20937-231.5 | Split Liner | 3.0mm x 8.0 x 105 Thermo GCs IP Deact., SV Wool, 5pk |
| 20938 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., 25pk |
| 20938-214.25 | Split Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., 25pk |
| 20939 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20939-200.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 20939-209.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/CarboFrit, ea |
| 20939-210.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., ea |
| 20939-211.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, ea |
| 20939-213.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 20939-214.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 20939-216.1 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/CarboFrit, ea |
| 20940 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20940-200.5 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 20940-202.5 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact. w/Glass Wool, 5pk |
| 20940-211.5 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20940-213.5 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., Deact. Wool, 5pk |
| 20940-214.5 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |
| 20940-216.5 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek, Carbofrit, 5-pk |
| 20941 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., 25pk |
| 20941-202.25 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact. w/Glass Wool, 25pk |
| 20941-211.25 | Split Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, 25pk |
| 20942 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20942-200.1 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 20942-209.1 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/CarboFrit, ea |
| 20942-210.1 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Base Deact., ea |
| 20942-211.1 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, ea |
| 20942-214.1 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 20942-231.1 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs SV Wool, Ea |
| 20943 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20943-200.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 20943-202.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Glass Wool, 5pk |
| 20943-209.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/CarboFrit, 5pk |
| 20943-210.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Base Deact., 5pk |
| 20943-213.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20943-214.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20943-231.5 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., SV Wool, 5pk |
| 20944 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs IP Deact., 25pk |
| 20944-213.25 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 25pk |
| 20944-214.25 | Splitless Liner | 3.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., 25pk |
| 20945 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20945-200.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 20945-209.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/CarboFrit, ea |
| 20945-210.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., ea |
| 20945-213.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 20945-214.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact, ea |
| 20945-216.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/CarboFrit, ea |
| 20945-229.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/ CarboFrit, Ea. |
| 20945-231.1 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., SV Wool, ea |
| 20946 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20946-200.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 20946-209.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/CarboFrit, 5pk |
| 20946-210.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., 5pk |
| 20946-211.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20946-213.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20946-214.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact, 5pk |
| 20946-216.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/CarboFrit, 5pk |
| 20946-231.5 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., SV Wool, 5pk |
| 20947 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., 25pk |
| 20947-200.25 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 25pk |
| 20947-214.25 | Splitless Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact, 25pk |
| 20948 | Laminar Cup Splitter | Liner, 4mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20948-214.1 | Laminar Cup Splitter | Liner, 4mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 20949 | Laminar Cup Splitter | Liner, 4mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20949-214.5 | Laminar Cup Splitter | Liner, 4mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |
| 20950 | Cup Splitter Liner | 4mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20950-214.1 | Cup Splitter Liner | 4mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 20951 | Cup Splitter Liner | 4mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20952 | Double Gooseneck Liner | 4mm x 8.0 x 105 for Thermo GCs IP Deact., ea |
| 20952-210.1 | Double Gooseneck Liner | 4mm x 8.0 x 105 for Thermo GCs Base Deact., ea |
| 20952-214.1 | Double Gooseneck Liner | 4mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 20953 | Double Gooseneck Liner | 4mm x 8.0 x 105 for Thermo GCs IP Deact., 5pk |
| 20953-210.5 | Double Gooseneck Liner | 4mm x 8.0 x 105 for Thermo GCs Base Deact., 5pk |
| 20953-214.5 | Double Gooseneck Liner | 4mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |
| 20954 | Drilled Uniliner Liner | Double Gooseneck, hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., e |
| 20954-210.1 | Drilled Uniliner Liner | Double gooseneck, hole on Bottom 4mm x 6.3 x 78.5 for Agilent GCs Base Deact |
| 20954-214.1 | Drilled Uniliner Liner | Double Gooseneck, hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact |
| 20955 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, ea |
| 20955-205 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., No Wool, ea |
| 20955-209.1 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/CarboFrit, ea |
| 20955-210.1 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., ea |
| 20955-211.1 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., w/Base Deact Wool, ea |
| 20955-213.1 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, ea |
| 20955-216.1 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/CarboFrit, ea |
| 20955-231.1 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/ SV Wool, Ea |
| 20956 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 5pk |
| 20956-202.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Glass Wool, 5pk |
| 20956-205 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., No Wool, 5pk |
| 20956-209.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/CarboFrit, 5pk |
| 20956-210.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., 5pk |
| 20956-211.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., w/Base Deact Wool, 5pk |
| 20956-213.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact., Wool, 5pk |
| 20956-214.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 20956-216.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/CarboFrit, 5pk |
| 20956-229.5 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., Carbofrit, 5pk |
| 20957 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 25pk |
| 20957-202.25 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Glass Wool, 25pk |
| 20957-211.25 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact. w/ Base Wool, 25pk |
| 20957-213.25 | Split/Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact w/Deact. Wool, 25pk |
| 20964 | Direct Injection Uniliner | Liner, 1.7mm x 3.0 x 93 for Agilent GCs IP Deact., ea |
| 20964-214.1 | Direct Injection Uniliner | Liner, 1.7mm x 3.0 x 93 for Agilent GCs Siltek Deact., ea |
| 20965 | Direct Injection Uniliner | Liner, 1.7mm x 3.0 x 93 for Agilent GCs IP Deact., 5pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20965-214.5 | Direct Injection Uniliner | Liner, 1.7mm x 3.0 x 93 for Agilent GCs Siltek Deact., 5pk |
| 20966 | Direct Injection Uniliner | Liner, 1.7mm x 3.0 x 93 for Agilent GCs IP Deact., 25pk |
| 20967 | Direct Injection Insert | 1.7mm x 3.0 x 93 for Agilent GCs IP Deact., 5pk |
| 20967-200.5 | Direct Injection Insert | 1.7mm x 3.0 x 93 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20967-202.5 | Direct Injection Insert | 1.7mm x 3.0 x 93 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 20967-210.5 | Direct Injection Insert | 1.7mm x 3.0 x 93 for Agilent GCs Base Deact., 5pk |
| 20967-214.5 | Direct Injection Insert | 1.7mm x 3.0 x 93 for Agilent GCs Siltek Deact., 5pk |
| 20970 | Split Liner | 1mm x 6.3 x 72 for Varian GCs IP Deact., ea |
| 20971 | Split Liner | 1mm x 6.3 x 72 for Varian GCs IP Deact., 5pk |
| 20972 | Split Liner | 1mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 20972-210.1 | Split Liner | 1mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20972-214.1 | Split Liner | 1mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20973 | Split Liner | 1mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20973-210.5 | Split Liner | 1mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 20973-214.5 | Split Liner | 1mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20974 | Cyclo/Single Gooseneck | Siltek Metal Liner, 5.2mm x 6.3 x 78.5 for Agilent GCs, 5pk |
| 20975 | Cyclo/Single Gooseneck | Siltek Metal Liner, 5.2mm x 6.3 x 78.5 for Agilent GCs, 25pk |
| 20976 | Split Liner | 1mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 20976-210.1 | Split Liner | 1mm x 5.0 x 95 for Shimadzu GCs Base Deact., ea |
| 20976-214.1 | Split Liner | 1mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., ea |
| 20977 | Split Liner | 1mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 20977-214.5 | Split Liner | 1mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 20978 | Split Liner | 1mm x 5.0 x 95 for Shimadzu GCs IP Deact., 25pk |
| 20979 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 20979-211.25 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 25pk |
| 20979-213.25 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 25pk |
| 20979-231.25 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, 25pk |
| 20980 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20980-213.1 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20981 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20981-200.5 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20981-213.5 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20981-214.5 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20982 | Recessed Gooseneck Liner | 2mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20983 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20983-210.1 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20983-214.1 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20983-231.1 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 20984 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20984-209.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20984-211.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20984-214.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20984-231.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 20984-233.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., Double SV Wool, 5pk |
| 20985 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20985-209.25 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 25pk |
| 20985-214.25 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20986 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 20986-210.1 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., ea |
| 20986-214.1 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20987 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20987-214.5 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20988 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20988-214.25 | Recessed Dbl Gooseneck | Liner, 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20989 | Drilled Uniliner Liner | Double Gooseneck, hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5 |
| 20989-214.5 | Drilled Uniliner Liner | Double Gooseneck, hole on bottom 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact |
| 20990 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 20990-210.1 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20991 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 20991-200.5 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20991-209.5 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20991-210.5 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 20991-214.5 | Mini-Lam Split Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20992 | Open Liner | 0.5mm x 5.0 x 54 for Varian GCs IP Deact., ea |
| 20993 | Open Liner | 0.5mm x 5.0 x 54 for Varian GCs IP Deact., 5pk |
| 20993-214.5 | Open Liner | 0.5mm x 5.0 x 54 for Varian GCs Siltek Deact., 5pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 20994 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 20994-209.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, ea |
| 20994-210.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea. |
| 20994-211.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact. w/ Base Deact Wool, Ea |
| 20994-213.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 20994-214.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 20994-216.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 20995 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 20995-209.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 20995-211.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 20995-213.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 20995-214.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 20996 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 20997 | Cyclo Dbl Gooseneck Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20997-210.25 | Cyclo Dbl Gooseneck Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 25pk |
| 20997-214.25 | Cyclo Dbl Gooseneck Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20998 | Drilled Uniliner Liner | w/hole on top 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 25pk |
| 20998-200.25 | Drilled Uniliner Liner | w/hole on top 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 20998-214.25 | Drilled Uniliner Liner | w/hole on top 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 20999 | Fused Silica Wool | Base Deactivated 10 g |
| 21000 | Hardware | FID flow measuring adapter |
| 21001 | FID Ignitor | for Agilent 5890/6890/6850/7890 GCs |
| 21002 | Splitless Gooseneck Siltek | Metal Liner, 3.8mm x 5.0 x 54 for Varian GCs, 5pk |
| 21003 | Splitless Gooseneck Metal | Liner, 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21004 | Split/Splitless Metal Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21004-205 | Split/Splitless Metal Liner | 5.0mm x 8.0 x 105 for Thermo GCs Siltek Deact., 5pk |
| 21004-231.5 | Split/Splitless Metal Lnr | 5.0mm x 8.0 x 105 for Thermo GCs IP Deact., w/ SV Wool, 5pk |
| 21005 | Uniliner Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 21005-214.1 | Uniliner Liner | 5mm x 8.0 x 105 for Thermo GCs Siltek Deact., ea |
| 21006 | Uniliner Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 21006-205 | Uniliner Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact, No Wool, 5pk |
| 21007 | Ferrule, Graphite | 0.5mm Compact, for Agilent GCs, 10-pk |
| 21008 | Ferrules, Graphite | 0.5mm Compact, for Agilent GCs, 50-pk |
| 21009 | Inlet Seals | 1.2mm Gold Plated Cross Disk for HP 5890/6890 GCs, 2pk |
| 21010 | Inlet Seals | 1.2mm Gold Plated Cross Disk for HP 5890/6890 GCs, 10pk |
| 21011 | Inlet Seals | 1.2mm Siltek Cross Disk for HP 5890/6890 GCs, 2pk |
| 21012 | Inlet Seals | 1.2mm Siltek Cross Disk for HP 5890/6890 GCs, 10pk |
| 21015 | EZ No-Vent Ferrules | for connecting Cap. Col. to Connector 0.4mmID, 2pk |
| 21016 | EZ No-Vent Ferrules | for connecting Cap. Col. to Connector 0.5mm ID, 2pk |
| 21018 | EZ-vent Transfer Line | Replacement EZ-vent deactivated transfer line 100um: 3 feet |
| 21020 | Split Precision Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, ea |
| 21020-210.1 | Split Precision Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., ea |
| 21020-213.1 | Split Precision Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, ea |
| 21021 | Split Precision Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 5pk |
| 21021-203.5 | Split Precision Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/ Double Deact. Wool, 5pk |
| 21021-211.5 | Split Precision Liner | 3.5mm x 5.0 95 for Shimadzu GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21021-213.5 | Split Precision Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21022 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 21022-211.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 21022-213.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 21022-214.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 21022-230.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Base Deact. Wool, ea |
| 21022-231.1 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, ea |
| 21023 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 21023-203.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Triple Deact. Wool, 5pk |
| 21023-205 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, 5pk |
| 21023-211.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21023-213.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21023-214.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 21023-231.5 | Split Precision Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, 5pk |
| 21024 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs IP Deact., w/Deact. Wool, ea |
| 21024-211.1 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs Base Deact., w/Base Deact. Wool, ea |
| 21024-231.1 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs IP Deact., w/Deact. Wool, Ea |
| 21025 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 21025-205 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs IP Deact, No Wool, 5pk |
| 21025-211.5 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs Base Deact., w/Base Deact. Wool, 5pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21025-213.5 | Split Precision Liner | 3.4mm x 5.0 x 54, for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21026 | Split Precision Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, ea |
| 21026-211.1 | Split Precision Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact., w/Base Deact. Wool, ea |
| 21027 | Split Precision Liner | 4mm x 6.2 x 92.1 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 21027-211.5 | Split Precision Liner | 4mm x 6.2 x 92.1 for PE GCs Base Deact. w/Base Deact. Wool, 5pk |
| 21027-213.5 | Split Precision Liner | 4mm x 6.2 x 92.1 for PE GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21028 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact Wool, ea |
| 21028-211.1 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, ea |
| 21028-213.1 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 21029 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 21029-211.5 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21029-213.5 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21029-231.5 | Splitless Precision Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/ SV Wool, 5pk |
| 21030 | Split Precision Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, ea |
| 21031 | Split Precision Liner | 4mm x 6.3 x 72 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 21032 | Low Pressure Drop | Precision Liner 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 21032-211.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 21032-213.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 21032-214.1 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 21032-231.1 | Low Pressure Drop | Precision Liner 4mm x 6.3 x 78.5 for Agilent GC's IP Deact., SV Wool, ea |
| 21033 | Low Pressure Drop | Precision Liner 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 21033-205 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, 5pk |
| 21033-211.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21033-213.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21033-214.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact, 5pk |
| 21033-231.5 | Low Pressure Drop Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 21034 | Gauge | Capillary Installation Gauge for Agilent style fittings (Compact Ferrules) |
| 21035 | MCS Bypass Line | Moisture Control System Bypass Line for Tekmar 3000 P&T |
| 21036 | Ferrule, Graphite | 0.4mm Encapsulated Ferrule Pack of 10 |
| 21037 | Ferrule, Graphite | 0.5mm Encapsulated Ferrule Pack of 10 |
| 21038 | Ferrule, Graphite | 0.8mm Encapsulated Ferrule Pack of 10 |
| 21039 | Ferrule, Vespel/Graphite | 1/32" x 0.4mm ID Pack of 5 |
| 21040 | Fingertight Nut, Knurled | HP style nut for use with compact ferrules Pack of 2 |
| 21041 | Fingertight Nut, Knurled | HP style nut for use with standard 1/16" ferrules Pack of 2 |
| 21042 | Fingertight Nut, Knurled | for use with std. 1/16" compression fittings Pack of 2 |
| 21043 | EZ No-Vent Ferrules | for Connecting Transfer Line to EZ No-Vent Connector, 0.4mm ID, 2-pk |
| 21044 | Capillary Column Caps | Color Coded Glass Caps, 10 sets (20 caps) |
| 21045 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., ea |
| 21045-210.1 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs Base Deact., ea |
| 21045-214.1 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs Siltek Deact., ea |
| 21046 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., 5pk |
| 21046-200.5 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs Deact. Wool, 5 pk |
| 21046-210.5 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs Base Deact., 5pk |
| 21046-214.5 | Split Liner w/Glass Frit | 4mm x 6.3 x 78.5 for Varian GCs Siltek Deact., 5pk |
| 21047 | GC Column Hanger | GC Column Hanger with 4 Col. Caps Pack of 2 |
| 21050 | 1.0ml Micro-Vial,Accuform | Borosilicate Glass, Screw Thread Graduated, With Open Top Closure Pack of 12 |
| 21051 | 3.0ml Micro-Vial,Accuform | Borosilicate Glass, Screwed Thread, Graduated, With Open Top Closure Pack of |
| 21052 | Uniliner Liner | 1mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 21052-214.1 | Uniliner Liner | 1mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 21053 | Uniliner Liner | 1mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 21053-214.5 | Uniliner Liner | 1mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 21054 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 21054-200.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 21054-210.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Base Deact., ea |
| 21054-211.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact Wool, ea |
| 21054-213.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 21054-214.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., ea |
| 21054-216.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, ea |
| 21054-231.1 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GC's IP Deact., SV Wool, Ea |
| 21055 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5pk |
| 21055-200.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 21055-202.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 21055-210.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 21055-211.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5p |
| 21055-213.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21055-214.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |

| | | |
|---|---|---|
| 21055-231.5 | Drilled Uniliner, Hole | on Top, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 21058 | Ferrule, Graphite | 1/16" x 1.0mm ID Pack of 10 |
| 21059 | Ferrule, Graphite | Compact 1.0mm ID Pack of 10 |
| 21060 | Ferrule, Graphite | 1/16" x 1.6mm ID Pack of 10 |
| 21061 | Ferrule, Graphite | Compact 1.6mm ID Pack of 10 |
| 21065 | Micropacked Install Kit | for 1/16" x 1mm ID columns valve application |
| 21066 | Micropacked Install Kit | direct injection for 1/16" x 1mm ID columns |
| 21067 | Packed Col. Install Kit | Valve Application for 1/8"OD (2mmID) Packed Column |
| 21073 | Micro I Liner | 1mm x 6.0 x 243 for APEX GCs IP Deact., ea |
| 21074 | MIDI II Liner | 2mm x 6.0 x 243 for APEX GCs IP Deact., ea |
| 21074-214.1 | MIDI II Liner | 2mm x 6.0 x 243 for APEX GCs Siltek Deact., ea |
| 21075 | Mega IV Liner | 4mm x 6.0 x 243 for APEX GCs IP Deact., ea |
| 21075-214.1 | Mega IV Liner | 4mm x 6.0 x 243 for APEX GCs Siltek Deact., ea |
| 21076 | Nut Driver | 1/4" Nut Driver |
| 21077 | Splitless Liner | 2mm x 6.5 x 78.5 for Varian GCs IP Deact., w/Deact Wool, 5pk |
| 21077-205 | Splitless Liner | 2mm x 6.5 x 78.5 for Varian GCs IP Deact., No Wool, 5pk |
| 21077-214.5 | Splitless Liner | 2mm x 6.5 x 78.5 for Varian GCs Siltek Deact., 5pk |
| 21079 | Split Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 21079-205 | Split Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., 5pk |
| 21079-209.5 | Split Liner | 4mm x 6.3 x 78.5 for Varian GCs IP Deact., w/Carbofrit, 5pk |
| 21079-213.5 | Split Liner | 4mm x 6.3 x 78.5 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21080 | Split/Splitless Metal Liner | 1.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., ea |
| 21081 | Split/Splitless Metal Liner | 1.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., 5pk |
| 21082 | Split/Splitless Metal Liner | 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., ea |
| 21082-200.1 | Split/Splitless Metal | Liner 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 21083 | Split/Splitless Metal Liner | 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., 5pk |
| 21083-200.5 | Split/Splitless Metal Liner | 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21083-203.5 | Split/Splitless Metal Lin | 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., Dbl Deact. Wool, 5pk |
| 21083-209.5 | Split/Splitless Metal Liner | 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/CarboFrit, 5pk |
| 21083-231.5 | Split/Splitless Metal Lin | 2.0mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/ SV Wool, 5pk |
| 21101 | FastPack Kit | Inlet Maintenance Kit HP 4mm Splitless, Pack of 5 Kits |
| 21101 | FastPack Kit | Inlet Maintenance Kit HP 4mm Splitless, Pack of 5 Kits |
| 21101 | FastPack Kit | Inlet Maintenance Kit HP 4mm Splitless, Pack of 5 Kits |
| 21102 | FastPack Kit | Inlet Maintenance Kit HP 4mm Gooseneck Splitless Pack of 5 Kits |
| 21102 | FastPack Kit | Inlet Maintenance Kit HP 4mm Gooseneck Splitless Pack of 5 Kits |
| 21102 | FastPack Kit | Inlet Maintenance Kit HP 4mm Gooseneck Splitless Pack of 5 Kits |
| 21104 | FastPack Kit | Inlet Maintenance Kit HP 4mm split w/FS Wool Pack of 5 Kits |
| 21104 | FastPack Kit | Inlet Maintenance Kit HP 4mm split w/FS Wool Pack of 5 Kits |
| 21104 | FastPack Kit | Inlet Maintenance Kit HP 4mm split w/FS Wool Pack of 5 Kits |
| 21105 | Vu2 Union | Fits 0.18/0.28mm ID Columns |
| 21106 | Vu2 Union | Fits 0.32mm ID Columns |
| 21107 | Vu2 Union | Fits 0.45/0.53mm ID Columns |
| 21108 | Knurled Nut | Pack of 2 |
| 21109 | Moisture Control Bypass | Line for Tekmar 3100 P&T |
| 21110 | SPME Liner | 0.75mm x 6.35 x 78.5 for Agilent GCs IP Deact., ea |
| 21110-210.1 | SPME Liner | 0.75mm x 6.35 x 78.5 for Agilent GCs Base Deact., ea |
| 21110-214.1 | SPME Liner | 0.75mm x 6.35 x 78.5 for Agilent GCs Siltek Deact., ea |
| 21111 | SPME Liner | 0.75mm x 6.35 x 78.5 for Agilent GCs IP Deact., 5pk |
| 21111-210.5 | SPME Liner | 0.75mm x 6.35 x 78.5 for Agilent GCs Base Deact., 5pk |
| 21111-214.5 | SPME Liner | 0.75mm x 6.35 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 21112 | SPME Liner | 0.75mm x 6.30 x 74 for Varian GCs IP Deact., ea |
| 21113 | SPME Liner | 0.75mm x 6.30 x 74 for Varian GCs IP Deact., 5pk |
| 21113-214.5 | SPME Liner | 0.75mm x 6.30 x 74 for Varian GCs Siltek Deact, 5pk |
| 21114 | Split Liner | 1mm x 2.75 x 120 for Thermo GCs IP Deact., ea |
| 21114-210.1 | Split Liner | 1mm x 2.75 x 120 for Thermo GCs Base Deact., ea |
| 21114-214.1 | Split Liner | 1mm x 2.75 x 120 for Thermo GCs Siltek Deact.,ea |
| 21115 | Split Liner | 1mm x 2.75 x 120 for Thermo GCs IP Deact., 5pk |
| 21115-210.5 | Split Liner | 1mm x 2.75 x 120 for Thermo GCs Base Deact., 5pk |
| 21115-214.5 | Split Liner | 1mm x 2.75 x 120 for Thermo GCs Siltek Deact., 5pk |
| 21116 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., ea |
| 21116-200.1 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 21116-210.1 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., ea |
| 21116-211.1 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact, w/Base Deact. Wool, ea |
| 21116-213.1 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 21116-214.1 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., ea |
| 21116-216.1 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/CarboFrit, ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21117 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., 5pk |
| 21117-200.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 21117-202.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., w/Glass Wool, 5pk |
| 21117-209.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., w/CarboFrit, 5pk |
| 21117-210.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., 5pk |
| 21117-211.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21117-213.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21117-214.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., 5pk |
| 21117-216.5 | Split Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., w/CarboFrit, 5pk |
| 21118 | Syringe Adapter Kit | For use with VOC single stage regulators |
| 21121 | Shimadzu Ferrules | 5mm, Pack of 10 |
| 21122 | Ferrule, Teflon | 1/16", Pack of 10 |
| 21123 | Ferrule, Teflon | 1/16" x 0.4mm Pack of 10 |
| 21124 | Ferrule, Teflon | 1/16" x 0.5mm Pack of 10 |
| 21125 | Ferrule, Teflon | 1/16" x 0.8mm Pack of 10 |
| 21126 | Ferrule, Teflon | 1/8", Pack of 10 |
| 21127 | Ferrule, Teflon | 3/16", Pack of 10 |
| 21128 | Ferrule, Teflon | 1/4", Pack of 10 |
| 21131 | FID Collector Assembly | Siltek, for Agilent 5890 GCs |
| 21132 | FID Collector Assembly | Siltek, for Agilent 6890/6850/7890 GCs |
| 21135 | FID Castle | Siltek, for Agilent 5890/6890/6850/7890 GCs |
| 21136 | FID Collector Nut | and Washer for Agilent 5890/6890/6850/7890 GCs |
| 21137 | Ignitor Castle | for Agilent 5890/6890/6850/7890 GCs |
| 21138 | FID Collector | for Agilent 5890 GCs |
| 21139 | FID Collector Assembly | Assembly Kit for Agilent 6890/6850/7890 GCs |
| 21140 | Vials | 2ml Clear 9mm Thread w/Grad Marking Spot 100PK |
| 21141 | Vials | 2ml Clear 9mm Thread w/Grad Marking Spot 1000PK |
| 21142 | Vials | 2ml Amber 9mm Thread w/Grad Marking Spot 100PK |
| 21142-220 | Vials | 2ml Amber Thread w/Grad Marking Spot, IP Deact. 100pk |
| 21143 | Vials | 2ml Amber 9mm Thread w/Grad Marking Spot 1000PK |
| 21147 | Vial Cap, Septa | 8mm x 0.065" Pack of 1000 Red PTFE/White Silicone |
| 21148 | Vial Cap, Septa | 10mm x 0.060" 1000Pk Red PTFE/White Silicone |
| 21149 | Vial Closure | 8-425 Blk Closure 0.065" Red PTFE/White Silic 100PK |
| 21150 | Fritted sparger,5mL,EA | |
| 21151 | Fritted sparger,25mL,EA | |
| 21152 | Vial, Crimp Top | 2ml Clr 12x32mm 11mm Finish Pack of 100 (no marking spot) |
| 21153 | Vial, Crimp Top | 2ml Clr 12x32 11mm Finish Pack of 1000 (no marking spot) |
| 21154 | Vial, Short Cap | 2ml Clr 12x32 9mm Screw Thread Finish Pack of 100 |
| 21154-220 | Vial, Short Cap | 2mL Clr 12x32 9mm Screw Thread Finish Pack of 100, IP Deact |
| 21155 | Vial, Short Cap | 2ml Clr 12x32mm 9mm Screw Thread Finish Pack of 1000 |
| 21156 | CIS4/PTV Liner | 2mm x 3.0 x 71 for Agilent GCs IP Deact., w/Deact. Wool,10pk |
| 21156-211.10 | CIS4/PTV Liner | 2mm x 3.0 x 71 for Agilent GCs Base Deact., w/Base Deact. Wool, 10pk |
| 21156-231.10 | CIS4/PTV Liner | 2mm x 3.0 x 71 for Agilent GCs IP Deact., w/ SV Wool, 10pk |
| 21157 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs IP Deact., 10pk |
| 21157-209.10 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs IP Deact., w/CarboFrit, 10pk |
| 21157-210.10 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs Base Deact., 10pk |
| 21157-211.10 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs Base Deact., Base Wool, 10pk |
| 21157-213.10 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs Siltek Deact., w/Deact. Wool, 10pk |
| 21157-214.10 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs Siltek Deact., 10pk |
| 21157-216.10 | Straight Glass PTV Liner | 2mm x 3.0 x 71 for Agilent GCs Siltek Deact., w/CarboFrit, 10pk |
| 21159 | Shimadzu Injector Wrench | For Shimadzu 17A, 2010 & 2014 GCs |
| 21160 | Vials, Headspace | 27ml Clear 30x60mm Pack of 100 |
| 21161 | Vials, Headspace | 27ml Clear 30x60mm Pack of 1000 |
| 21162 | Vials, Headspace | 20ml Clear 23x75mm Rounded Bottom Pack of 100 |
| 21163 | Vials, Headspace | 20ml Clear 23x75mm Rounded Bottom Pack of 1000 |
| 21163-221 | Vials, Headspace | 20mL Clear 23x75mm Rounded Bottom Pack of 1000 IP Deactivated |
| 21164 | Vials, Headspace | 10ml Clear 23x46mm Rounded Bottom Pack of 100 |
| 21165 | Vials, Headspace | 10ml Clear 23x46mm Rounded Bottom Pack of 1000 |
| 21165-221 | Vials, Headspace | 10ml Clear 23x46mm Deact. Rounded Bottom Pack of 1000 Deactivated |
| 21166 | Vials, Headspace | 6ml Clear Pack of 100 |
| 21167 | Vials, Headspace | 6ml Clear Pack of 1000 |
| 21172 | Injector Mounting Post | for Agilent 7683 Series Autosamplers |
| 21174 | Aluminum Crimp Seals | 11mm, PTFE/Rubber Pack of 100 |
| 21175 | Aluminum Crimp Seals | 11mm, PTFE/Rubber Pack of 1000 |
| 21176 | Vial Cap | 8-425 Hole, Polypropylene Pack of 100 |
| 21177 | Vial Cap | 8-425 Hole, Polypropylene Pack of 1000 |

| | | |
|---|---|---|
| 21178 | Vial Cap, Septa | 8mm Red PTFE/Silicone Pack of 100 |
| 21179 | Vial Cap, Septa | 8mm Red PTFE/Silicone Pack of 1000 |
| 21192 | Vial Kits, Screw Cap | 2.0ml Clear, Untreated Pack of 100 |
| 21193 | Vial Kits, Screw Cap | 2.0ml Clear, Untreated Pack of 1000 |
| 21194 | Vial Kits, Screw Cap | 2.0ml Amber, Untreated Pack of 100 |
| 21195 | Vial Kits, Screw Cap | 2.0ml Amber, Untreated Pack of 1000 |
| 21196 | Vial Kits, Crimp Cap | 2.0ml Clear, Untreated Pack of 100 |
| 21197 | Vial Kits, Crimp Cap | 2.0ml Clear, Untreated Pack of 1000 |
| 21198 | Vial Kits, Crimp Cap | 2.0ml Amber, Untreated Pack of 100 |
| 21199 | Vial Kits, Crimp Cap | 2.0ml Amber, Untreated Pack of 1000 |
| 21202 | Syringe, SGE | Varian CP 8400, CP 8410 10ul/ASN-F/26/50mm/Bevel |
| 21205 | Syringe | Dynatech Hvy Duty P&T 2ml |
| 21206 | Syringe | Dynatech Hvy Duty P&T 5ml |
| 21207 | Syringe | H.D. P&T 10ml w/Sample Lok |
| 21208 | Syringe | H.D. P&T 5ml w/Sample Lok |
| 21209 | Syringe | Dynatech Hvy Duty P&T 10ml |
| 21210 | Syringe, SGE | 5F-HP-0.63/.47 5ul/23-26s/42mmCone/F HP 7673 Autosampler |
| 21211 | Syringe, SGE | 5R-HP-.063/.47 5ul/23-26s/42mmCone/RN HP7673 |
| 21212 | Syringe, SGE | 10F-HP-.63/.47 10ul/23-26s/42mmCone/RN |
| 21213 | Syringe, SGE | 10R-HP-.63/.47 10ul/23-26s/42mmCone/RN HP7673 |
| 21214 | Syringe, SGE | SK-5F-HP.63/.47 5UL/23-26s/42mmCone/F HP7673 Autosampler Pack of 6 |
| 21215 | Syringe, SGE | SK-10F-HP.63/.47 10ul/23-26s/42mmCone/F HP7673 Autosampler Pack of 6 |
| 21216 | Needle | N5-HP.63/.47 5ul/23-26s/42mmCone HP7673 Autosampler Pack of 2 - |
| 21217 | Needle | N10-HP-.63/.47 10ul/23-26s/42mmCone HP7673 Autosampler Pack of 2 |
| 21218 | Plunger | P10F-HP-GT 10ul/GT/F HP7673 Autosampler Pack of 2 |
| 21220 | Syringe, SGE | 10R-HP-GT-.63/.47 10ul/23-26s/42mmCone HP7673 Autosampler |
| 21221 | Syringe, Hamilton | .5ul/26s/ASRN/HP7673 |
| 21222 | Syringe, Hamilton | 5ul/26s/ASRN/HP 7673 |
| 21223 | Syringe, Hamilton | 5ul/23-26s/ASRN/HP 7673 |
| 21224 | Syringe, Hamilton | 10ul/23s/ASRN/GT/HP 7673 |
| 21228 | Syringe, Hamilton | 10ul/26s/GT/ASRN/HP7673 |
| 21229 | Syringe, Hamilton | 10ul/23-26s/GT/ASRN/HP 7673 |
| 21230 | Syringe, Hamilton | 5ul/26s/GT/F/HP 7673 Pack of 6 |
| 21237 | Injector Mounting Post | for Agilent 7673 Series Autosamplers, for use with 6890 GCs |
| 21238 | SS Inlet Seal, 0.8mm ID | Dual Vespel Ring, 2pk |
| 21239 | SS Inlet Seals | Dual Vespel Ring, 0.8mmID 10-pk |
| 21240 | Gold Plated Inlet Seal | Dual Vespel Ring, 0.8mmID 2pk |
| 21241 | Gold Plated Inlet Seals | Dual Vespel Ring, 0.8mmID 10pk |
| 21242 | Siltek Inlet Seal | Dual Vespel Ring, 0.8mmID 2pk |
| 21243 | Siltek-Treated Inlet Seal | Dual Vespel Ring, 0.8mmID 10pk |
| 21244 | SS Inlet Seal 1.2mm ID | Dual Vespel Ring 2pk |
| 21245 | SS Inlet Seal 1.2mm ID | Dual Vespel Ring 10pk |
| 21246 | Gold Plated Inlet Seal | Dual Vespel Ring 1.2mm ID 2pk |
| 21247 | Gold Plated Inlet Seal | Dual Vespel Ring 1.2mm ID 10pk |
| 21248 | Siltek Inlet Seal | Dual Vespel Ring 1.2mm ID 2pk |
| 21249 | Siltek Inlet Seal | Dual Vespel Ring 1.2mm ID 10pk |
| 21250 | Syringe, Hamilton | 701 10ul LC Syringe Solid Needle for Rheodyne |
| 21251 | Syringe, Hamilton | 702 25ul (22s/2"/3) LC Syringe Solid Needle for Rheodyne |
| 21252 | Syringe, Hamilton | 705 50ul 22s LC Syringe Solid Needle for Rheodyne |
| 21253 | Syringe, Hamilton | 710SNR 100ul LC Syringe (22s/2"/3) Solid Needle for Rheodyne |
| 21254 | Syringe, Hamilton | 725SNR 250ul LC Syringe (22/2"/3) Solid Needle for Rheodyne |
| 21255 | Syringe, Hamilton | 801 10ul LC Syringe Removable Needle for Waters |
| 21256 | Syringe, Hamilton | 802 25ul LC Syringe Removable Needle for Waters |
| 21257 | Syringe, Hamilton | 805 50ul LC Syringe Removable Needle for Waters |
| 21258 | Syringe, Hamilton | 810 100ul LC Syringe Removable Needle for Waters |
| 21259 | Syringe, Hamilton | 825 250ul LC Syringe Removable Needle for Waters |
| 21260 | Syringe, Hamilton | 1701 10ul LC Syringe Gastight for Rheodyne |
| 21261 | Syringe, Hamilton | 1702 25ul LC Syringe Gastight for Rheodyne |
| 21262 | Syringe, Hamilton | 1705 50ul LC Syringe Gastight for Rheodyne |
| 21263 | Syringe, Hamilton | 1710 100ul LC Syringe Gastight for Rheodyne |
| 21264 | Syringe, Hamilton | 1725 250ul LC Syringe Gastight for Rheodyne |
| 21265 | Syringe, Hamilton | 1010W Priming 10ml Gastight for Waters |
| 21270 | Syringe Needles, Hamilton | 25S/1.97"/3 Repl. Needle 10-100ul Syringe Volume Pack of 6 |
| 21271 | Syringe Needles, Hamilton | 25S/1.97"/3 Repl. Needle 250ul-10mL Syringe Volume Pack of 6 |
| 21272 | Splitless Liner | 1mm x 6.20 x 92.1 for PE GCs IP Deact., ea |
| 21272-214.1 | Splitless Liner | 1mm x 6.20 x 92.1 for PE GCs Siltek Deact., ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 21273 | Splitless Liner | 1mm x 6.20 x 92.1 for PE GCs IP Deact., 5pk |
| 21273-210.5 | Splitless Liner | 1mm x 6.20 x 92.1 for PE GCs Base Deact., 5pk |
| 21274 | Splitless Liner | 1mm x 6.20 x 92.1 for PE GCs IP Deact., 25pk |
| 21275 | Syringe, SGE | 500 ml Jumbo |
| 21276 | Syringe | 1000 ml Jumbo |
| 21277 | Syringe | 2000 ml Jumbo |
| 21278 | Syringe | Spare Plunger O-Ring 500 ml |
| 21279 | Syringe | Spare Plunger O-Ring 1000 ml |
| 21283 | Syringe | Luer-Lock Valve Adaptor 2pk |
| 21284 | Plunger Assembly, SGE | SGE Gas Tight RN Syringe 10 uL, Teflon Tip, 2pk |
| 21285 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., ea |
| 21285-200.1 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., w/Deact. Woo |
| 21285-210.1 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, Base Deact., ea |
| 21285-213.1 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mmx5.0x95 for Shimadzu GCs, Siltek Deact., w/Deact Woo |
| 21285-214.1 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, Siltek Deact, ea |
| 21286 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., 5pk |
| 21286-200.5 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., w/Deact. Woo |
| 21286-210.5 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, Base Deact., 5pk |
| 21286-214.5 | Open Top Drilled Uniliner | Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs, Siltek Deact, 5pk |
| 21287 | Open Top Drilled Uniliner | Liner, Hole on Btm, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., ea |
| 21287-214.1 | Open Top Drilled Uniliner | Liner, Hole on Btm, 3.5mm x 5.0 x 95 for Shimadzu GCs, Siltek Deact., ea |
| 21288 | Open Top Drilled Uniliner | Liner, Hole on Btm, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., 5pk |
| 21288-214.5 | Open Top Drilled Uniliner | Liner, Hole on Btm, 3.5mm x 5.0 x 95 for Shimadzu GCs, Siltek Deact., 5pk |
| 21288-231.5 | Open Top Drilled Uniliner | Liner, Hole on Btm, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., w/ SV Wool, 5 |
| 21289 | Gooseneck Drilled | Uniliner Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 21289-214.1 | Gooseneck Drilled | Uniliner Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., ea |
| 21290 | Gooseneck Drilled | Uniliner Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 21290-214.5 | Gooseneck Drilled | Uniliner Liner, Hole on Top, 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5p |
| 21291 | Gooseneck Drilled | Uniliner Liner, Hole on Bottom, 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 21292 | Gooseneck Drilled | Uniliner Liner, Hole on Bottom, 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pl |
| 21293 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.2 x 92.1 for PE GCs, IP Deact., ea |
| 21294 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.2 x 92.1 for PE GCs, IP Deact., 5pk |
| 21295 | Gooseneck Drilled | Uniliner Liner, Hole on Top, 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 21296 | Gooseneck Drilled | Uniliner Liner, Hole on Top, 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 21297 | Gooseneck Drilled | Uniliner Liner, Hole on Bottom, 4mm x 6.2 x 92.1 for PE GCs IP Deact., ea |
| 21298 | Gooseneck Drilled | Uniliner Liner, Hole on Bottom, 4mm x 6.2 x 92.1 for PE GCs IP Deact., 5pk |
| 21299 | Septa Holder | for Thermo Trace and Focus SSL |
| 21301 | ECD/FID Repl. Fitting Kit | with Flow Manifold Connection |
| 21302 | ECD Siltek Metal Liner | Replacement, For Agilent ECD/FID, 2pk |
| 21303 | DI Sleeve Adaptor Kit | For HP5890 Packed Column GC |
| 21305 | Inlet Seals | 1.2mm Gold Plated Pack of 2 For HP GCs |
| 21306 | Inlet Seals | 1.2mm Gold Plated Pack of 10 For HP GCs |
| 21307 | Inlet Seals | 1.2mm Siltek 2pk For HP GCs |
| 21308 | Inlet Seals | 1.2mm Siltek 10pk For HP GCs |
| 21309 | Septum Nut | Needle Guide, 26 Gauge For HP GCs |
| 21311 | Fingertight Nut | for HP Compact Ferrules for use w/HP GCs |
| 21312 | Fingertight Nut | For Standard Ferrules For HP GCs |
| 21313 | MSD Conversion Fitting | Ring Seal 2pk |
| 21314 | MSD Conversion Fitting | |
| 21315 | Inlet Seals | 0.8mm SS Pack of 2 For HP GCs |
| 21316 | Inlet Seals | 0.8mm SS Pack of 10 For HP GCs |
| 21317 | Inlet Seals | 0.8mm Gold Plated Pack of 2 For HP GCs |
| 21318 | Inlet Seals | 0.8mm Gold Plated, Pack of 10 For HP GCs |
| 21319 | Inlet Seals | 0.8mm Siltek 2pk For HP GCs |
| 21320 | Inlet Seals | 0.8mm Siltek 10pk For HP GCs |
| 21321 | Wrench, Cylinder Valve | |
| 21322 | Wrench, Cylinder Valve | Universal |
| 21323 | EZ No-Vent Connector Kit | for Agilent 5971/5972/5973 or 5975 GC/ MS |
| 21325 | GC Installation Kit | |
| 21327 | Regulator Manifold | Stainless Steel CGA 580 (N2,He,Ar) Protocol Station for Single or Dual Stage Reg |
| 21333 | Single Cylinder Holder | Wall Mounted |
| 21334 | Flash Arrestor, Brass | For Flammable Gases |
| 21336 | Fitting, CGA 580 | Nickel Plated Brass, 1/4"NPT Inert Gas |
| 21337 | Fitting, CGA 350 | Nickel Plated Brass, 1/4"NPT Hydrogen |
| 21338 | Fitting, CGA 590 | Nickel Plated Brass, 1/4"NPT Air |
| 21339 | Flexible Hose, SS | 36" Long |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21340 | Flexible Hose, SS | 18" Long |
| 21347 | Regulator Manifold | for CGA 580 (N2,He,Ar) Chrome Plated Brass Protocol Station for Single or Dual |
| 21348 | Regulator Manifold | for CGA 350 (H2,P5) Chrome Plated Brass Protocol Station for Single or Dual Sta |
| 21349 | Regulator Manifold | for CGA 590 (Air), Chrome Plated Brass Protocol Station for Single or Dual Stage |
| 21353 | Bore Brushes | Replacements for Injection Port Repair Tool, 2pk |
| 21356 | Tool | HPLC Piston Seal Insertion Tool |
| 21360-1 | Silcosteel Regulator | Dual Stage CGA 240 |
| 21360-10 | Silcosteel Regulator | Dual Stage CGA 580 |
| 21360-11 | Silcosteel Regulator | Dual Stage CGA 590 |
| 21360-12 | Silcosteel Regulator | Dual Stage CGA 660 |
| 21360-13 | Silcosteel Regulator | Dual Stage CGA 670 |
| 21360-14 | Silcosteel Regulator | Dual Stage CGA 678 |
| 21360-15 | Silcosteel Regulator | Dual Stage CGA 705 |
| 21360-16 | Silcosteel Regulator | Dual Stage CGA 300 |
| 21360-2 | Silcosteel Regulator | Dual Stage CGA 330 |
| 21360-4 | Silcosteel Regulator | Dual Stage CGA 300 |
| 21360-5 | Silcosteel Regulator | Dual Stage CGA 320 |
| 21360-6 | Silcosteel Regulator | Dual Stage CGA 326 |
| 21360-7 | Silcosteel Regulator | Dual Stage CGA 350 |
| 21360-8 | Silcosteel Regulator | Dual Stage CGA 510 |
| 21360-9 | Silcosteel Regulator | Dual Stage CGA 540 |
| 21361-1 | Silcosteel Regulator | Single Stage CGA 240 |
| 21361-10 | Silcosteel Regulator | Single Stage CGA 590 |
| 21361-11 | Silcosteel Regulator | Single Stage CGA 660 |
| 21361-12 | Silcosteel Regulator | Single Stage CGA 670 |
| 21361-13 | Silcosteel Regulator | Single Stage CGA 678 |
| 21361-14 | Silcosteel Regulator | Single Stage CGA 705 |
| 21361-15 | Silcosteel Regulator | Single Stage CGA 580 |
| 21361-2 | Silcosteel Regulator | Single Stage CGA 300 |
| 21361-3 | Silcosteel Regulator | Single Stage CGA 320 |
| 21361-4 | Silcosteel Regulator | Single Stage CGA 326 |
| 21361-5 | Silcosteel Regulator | Single Stage CGA 330 |
| 21361-6 | Silcosteel Regulator | Single Stage CGA 350 |
| 21361-7 | Silcosteel Regulator | Single Stage CGA 510 |
| 21361-8 | Silcosteel Regulator | Single Stage CGA 540 |
| 21361-9 | Silcosteel Regulator | Single Stage CGA 580 |
| 21384 | Connector Kit, Siltek | MXT Connector for 0.53mmID Fused Silica Columns |
| 21385 | Connector Kit, Siltek | MXT Connector for 0.32mmID Fused Silica Columns |
| 21386 | Connector Kit, Siltek | MXT Connector for 0.25mmID Fused Silica Columns |
| 21387 | Connector Kit, Siltek | MXT Y-Connector Kits for 0.53mmID Fused Silica Columns |
| 21388 | Connector Kit, Siltek | MXT Y-Connector Kits for 0.32mmID Fused Silica Columns |
| 21389 | Connector Kit, Siltek | MXT Y-Connector Kits for 0.25mmID Fused Silica Columns |
| 21390-214.1 | Drilled Uniliner Liner | Hole on Top, 1mm x 6.3 x 78.5 for Agilent GCs, Siltek Deact., ea |
| 21391-214.5 | Drilled Uniliner Liner | Hole on Top, 1mm x 6.3 x 78.5 for Agilent GCs, Siltek Deact., 5pk |
| 21392 | Inlet Liner Seal | for Trace PTV, 2pk |
| 21393 | Tool | Injection Port Repair Tool for Agilent GC`s |
| 21394 | Sample Cylinder,Sulfinert | 2250cc, 1800psig, 304L, SS, 1/4" Female NPT Ends |
| 21394-PI | Sample Cylinder | Sulfinert, TPED, 2250cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 21399 | Installation Tool | 1/16" Capillary Installation Tool |
| 21400 | Sample Cylinder Valve | Sulfinert, 1/4" Male NPT x 1/4" Male NPT |
| 21401 | Sample Cylinder Valve | Sulfinert, 1/4" NPT x 1/4" Compression |
| 21402-1 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 21402-10 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 5-1/4 inches |
| 21402-11 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 4-1/2 inches |
| 21402-12 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-5/8 inches |
| 21402-13 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3.0 inches |
| 21402-14 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-5/8 inches |
| 21402-15 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 4-5/8 inches |
| 21402-16 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-3/4 inches |
| 21402-17 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-7/8 inches |
| 21402-18 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 4-1/2 inches |
| 21402-19 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2-3/8 inches |
| 21402-2 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-5/8 inches |
| 21402-21 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 4-3/8 inches |
| 21402-22 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-7/8 inches |
| 21402-23 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2-3/8 inches |

| | | |
|---|---|---|
| 21402-24 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2-3/4 inches |
| 21402-25 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1.0 inches |
| 21402-26 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3.0 inches |
| 21402-27 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-3/8 inches |
| 21402-28 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 5-1/4 inches |
| 21402-29 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2-1/2 inches |
| 21402-3 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3.0 inches |
| 21402-30 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 21402-31 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1.0 inches |
| 21402-32 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 21402-33 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 21402-34 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-3/8 inches |
| 21402-35 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-3/8 inches |
| 21402-4 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 3-3/8 inches |
| 21402-5 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2.0 inches |
| 21402-6 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2-3/8 inches |
| 21402-7 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 2-1/4 inches |
| 21402-8 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 21402-9 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-3/4 inches |
| 21409 | PTV Seal | Agilent 6890 PTV Silver Seal, 5pk |
| 21468 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., ea |
| 21468-213.1 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.3 x 78.5 for Varian GCs, Siltek, Deact. Wool, Ea |
| 21468-214.1 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.3 x 78.5 For Varian GCs, Siltek Deact., Ea |
| 21469 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., 5pk |
| 21469-200.5 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., w/Deact. Wool, 5pk |
| 21469-214.5 | Drilled Uniliner Liner | Hole on Bottom, 4mm x 6.3 x 78.5 for Varian GCs, Siltek Deact., 5pk |
| 21470 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., ea |
| 21470-200.1 | Drilled Uniliner Liner | Hole On Top, 4mm x 6.3 x 78.5 For Varian GCs, IP Deact., w/Deact Wool, ea |
| 21470-209.1 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., w/CarboFrit, ea |
| 21470-213.1 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 For Varian GCs, Siltek Deact., w/Deact. Wool, ea |
| 21470-214.1 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 for Varian GCs, Siltek Deact., ea |
| 21471 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., 5pk |
| 21471-200.5 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 for Varian GCs, IP Deact., w/Deact. Wool, 5pk |
| 21471-213.5 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 For Varian GCs, Siltek Deact., w/ Deact. Wool, 5p |
| 21471-214.5 | Drilled Uniliner Liner | Hole on Top, 4mm x 6.3 x 78.5 for Varian GCs, Silket Deact., 5pk |
| 21472 | Alumaseal Ferrule | 0.4mm, 10pk |
| 21473 | Alumaseal Ferrule | 0.5mm, 10pk |
| 21474 | Alumaseal Ferrule | 0.8mm, 10pk |
| 21475 | O-rings, Graphite | for PE Autosys XL PSS Inlet, 10pk |
| 21476 | Graphite O-rings | for PE Autosys XL PSS Inlet, 25pk |
| 21487 | Pro ezGC Software | on CD Rom |
| 21500 | Tubing, Stainless Steel | 1/16" OD x 0.01" ID 25ft |
| 21501 | Tubing, Stainless Steel | 1/16" OD x 0.01" ID 26 to 100ft |
| 21502 | Tubing, Stainless Steel | 1/16" OD x 0.01" ID >100ft |
| 21503 | Tubing, Stainless Steel | 1/16" OD x 0.02" ID 25ft |
| 21504 | Tubing, Stainless Steel | 1/16" OD x 0.02" ID 26 to 100ft |
| 21505 | Tubing, Stainless Steel | 1/16" OD x 0.02" ID >100ft |
| 21506 | Tubing, Stainless Steel | 1/16" OD x 0.03" ID 25ft |
| 21507 | Tubing, Stainless Steel | 1/16" OD x 0.03" ID 26 to 100ft |
| 21508 | Tubing, Stainless Steel | 1/16" OD x 0.03" ID >100ft |
| 21509 | Tubing, Stainless Steel | 1/16" OD x 0.04" ID 25ft |
| 21510 | Tubing, Stainless Steel | 1/16" OD x 0.04" ID 26 to 100ft |
| 21511 | Tubing, Stainless Steel | 1/16" OD x 0.04" ID >100ft |
| 21512 | Tubing, Stainless Steel | 1/8" OD x 0.085" ID 25ft |
| 21512-281 | Tubing, Stainless Steel | 1/8" OD x 0.085" ID 25ft, without treatment |
| 21513 | Tubing, Stainless Steel | 1/8" OD x 0.085" ID 26 to 100ft |
| 21514 | Tubing, Stainless Steel | 1/8" OD x 0.085" ID >100ft |
| 21515 | Tubing, Stainless Steel | 1/4" OD x 0.210" ID 25ft |
| 21516 | Tubing, Stainless Steel | 1/4" OD x 0.210" ID 26 to 100ft |
| 21517 | Tubing, Stainless Steel | 1/4" OD x 0.210" ID >100ft |
| 21540 | Sulfinert Fitting | 1/8" Plug Sulfinert Coated |
| 21541 | Sulfinert Fitting | 1/4" Plug Sulfinert Coated |
| 21542 | Sulfinert Fitting | 1/8" Cross Sulfinert Coated |
| 21543 | Sulfinert Fitting | 1/4" Cross Sulfinert Coated |
| 21544 | Sulfinert Fitting | 1/8" to 1/16" Tube End Reducer Sulfinert Coated |
| 21545 | Sulfinert Fitting | 1/4" to 1/16" Tube End Reducer Sulfinert Coated |

| | | |
|---|---|---|
| 21546 | Sulfinert Fitting | 1/8" to 1/4" Tube End Reducer Sulfinert Coated |
| 21547 | Sulfinert Fitting | 1/4" to 1/8" Tube End Reducer Sulfinert Coated |
| 21548 | Sulfinert Fitting | 1/8" Port Connector Sulfinert Coated |
| 21549 | Sulfinert Fitting | 1/4" Port Connector Sulfinert Coated |
| 21550 | Sulfinert Fitting | 1/8" to 1/4" Port Connector Sulfinert Coated |
| 21551 | Sulfinert Fitting | 1/8" to 1/8" NPT Male Connector Sulfinert Coated |
| 21552 | Sulfinert Fitting | 1/4" to 1/4" NPT Male Connector Sulfinert Coated |
| 21553 | Sulfinert Fitting | 1/16" to 1/8" NPT Male Connector Sulfinert Coated |
| 21554 | Sulfinert Fitting | 1/8" to 1/4" NPT Male Connector Sulfinert Coated |
| 21555 | Sulfinert Fitting | 1/4" to 1/8" NPT Male Connector Sulfinert Coated |
| 21556 | Sulfinert Fitting | 1/8" to 1/8" NPT Female Connector Sulfinert Coated |
| 21557 | Sulfinert Fitting | 1/4" to 1/4" NPT Female Connector Sulfinert Coated |
| 21558 | Sulfinert Fitting | 1/4" to 1/8" NPT Female Connector Sulfinert Coated |
| 21559 | Sulfinert Fitting | 1/8" to 1/4" NPT Female Connector Sulfinert Coated |
| 21572 | Regulator, Spectra/Linde | Mini SS High Purity, 0-30psi 1 Stage Regulator for 6A Cylinder CGA 180 |
| 21572-R100 | Regulator, Spectra/Linde | Mini SS High Purity, 0-100psi 1 Stage Regulator for 6A Cylinder CGA 180 |
| 21581 | Nickel Reaction Tube | For Hall 1000 ELCD Pack of 2 |
| 21582 | Nickel Reaction Tube | For OI 4420 ELCD Pack of 2 |
| 21583 | Sealing Ring | 1/16"Vespel/Graphite Pack of 2 For Hall 1000 ELCD |
| 21584 | Nickel Reaction Tube | Nut, Pack of 2 |
| 21586 | Valve, Sulfinert | Plug Valve, 2-Way, Straight 1/8" Fittings |
| 21587 | Valve, Sulfinert | Plug Valve, 2-Way, Straight 1/4" Fittings |
| 21588 | Valve, Sulfinert | Ball Valve, 2-Way, Straight 1/8" Fittings |
| 21589 | Valve, Sulfinert | Ball Valve, 2-Way, Straight 1/4" Fittings |
| 21590 | Tubing, Copper | 1/8" OD x 0.065" ID 50ft Roll (0.030" wall) |
| 21592 | Tubing, Copper | 1/4" OD x 0.190" ID 50ft (0.030" wall) |
| 21593580 | Switchover System, SS | Automatic Switchover System With Line Regulator For Use with N2, He, Ar (CGA |
| 21595 | Tubing, SilcoSmooth | Tubing, SilcoSmooth 3/16" OD x 3.2mm ID |
| 21596 | Tubing, SilcoSmooth | 1/8" OD x 2mm ID |
| 21601 | Tool | File, Needle, MXT 2 pack |
| 21610 | Trap, Chemical | for HP 5890 GCs |
| 21620 | FID Jet | Siltek, Capillary Dedicated Jet for Agilent 6890/6850/7890 GCs, ea (0.011" ID Tip) |
| 21621 | FID Jet | Capillary Dedicated Jet for Agilent 6890/6850/7890 GCs, ea (0.011" ID Tip) |
| 21626 | Base Fitting | For Restek 5890 Injection Port |
| 21630 | Gold-Plated Base Screws | For Restek 5890 Injection Port Pack of 10 |
| 21631 | Siltek Base Screws | For Restek 5890 Injection Port Pack of 10 |
| 21632 | Siltek Base Screws | For Restek 5890 Injection Port Pack of 50 |
| 21642 | Tool | Carbofrit, Inserter/Puller |
| 21646 | Generator, Zero Air | Maintenance Kit for Catalog # 20684 |
| 21647 | Generator, Zero Air | Maintenance Kit for Catalog # 20680 to 20683, Also for Parker TOC-1250 |
| 21648 | Generator, Nitrogen | Maintenance Kit for Catalog # 21652 & 20677 |
| 21649 | Generator, Nitrogen | Maintenance Kit for Catalog #21654 & 21653 |
| 21650 | Inlet Adapter Kit | Packed Column, 1/4"-3/16" |
| 21651 | Inlet Adapter Kit | Packed Column, 1/4"-1/8" |
| 21652 | Generator, Nitrogen | General Purpose w/Oxygen Analyzer, N2-14A Domestic Orders Drop Ship from M |
| 21653 | Generator, Nitrogen | Ultra High Purity, HPN2-1100 Domestic Orders Drop Ship from Manufacturer, Shi |
| 21653-551 | Generator, Nitrogen | Ultra High Purity w/European Cord Set Domestic Orders Drop Shipped from Manu |
| 21653-552 | Generator, Nitrogen | Ultra High Purity, HPN2-1100 12-month warranty from date of purchase IEC Conn |
| 21654 | Generator, Nitrogen | High Purity, HPN2-2000 Does not Ship UPS or Fed Ex (Ships on Skid) Domestic |
| 21655 | Generator, Nitrogen | Maintenance Kit for Catalog # 20697 |
| 21657 | Pressure Gauge | for Heated Purifier |
| 21660 | Purifier Tube | 1/4" Fittings, Straight (Similar to Supelco #2-2398) HAZ FEES APPLY |
| 21661 | Purifier Tube | 1/8" Fittings, Straight (Similar to Supelco #2-2396) HAZ FEES APPLY |
| 21666 | Line Regulator, Brass | Single Stage, Ultra High Purity Outlet Pressure: 0-50psig |
| 21667 | Regulator, Brass | Dual Stage, Ultra High Purity Inert Gas, CGA 580 |
| 21668 | Regulator, Brass | Dual Stage, Ultra High Purity Hydrogen, CGA 350 |
| 21669 | Regulator, Brass | Dual Stage, Ultra High Purity Air, CGA 590 |
| 21670 | Deionizer Bag | for H2-90 Hydrogen Generator Parker/Balson Pack of 2 |
| 21671 | Desiccant Cartridge | for H2-90 Hydrogen Generator Parker/Balson |
| 21682 | FID Jet | Capillary Dedicated Jet for Agilent 6890/6850/7890 GCs, 3pk (0.011" ID Tip) |
| 21683 | FID Jet | Siltek, Capillary Dedicated Jet for Agilent 6890/6850/7890 GCs, 3pk (0.011" ID Tip |
| 21685 | O-Rings, Viton | For Septum Purged Packed Port 10pk |
| 21686 | FID Jet | Siltek, Packed Column Jet for Agilent 5890/6890/6850 GCs, ea (0030" ID Tip) |
| 21687 | FID Jet | Siltek, Packed Column Jet for Agilent 5890/6890/6850 GCs 3pk (0.030" ID Tip) |
| 21688 | FID Jet | Packed Column Jet for Agilent 5890/6890/6850 GCs, ea (0.030" ID Tip) |
| 21689 | FID Jet | Packed Column Jet for Agilent 5890/6890/6850 GCs, 3pk (0.030" ID Tip) |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21690 | Inlet Support Spring | Siltek Treated For Varian GC 3pk |
| 21691 | Weldment, Packed Column | Septum Purged, Siltek For HP 5890 GC |
| 21694 | FID Jet | Packed Column Jet for Agilent 5890/6890/6850 GCs, ea (0.018" ID Tip) |
| 21695 | FID Jet | Packed Column Jet for Agilent 5890/6890/6850 GCs, 3pk(0.018" ID Tip) |
| 21696 | FID Jet | Siltek, Packed Column Jet for Agilent 5890/6890/6850 GCs, ea (0.018" ID Tip) |
| 21697 | FID Jet | Siltek, Packed Column Jet for Agilent 5890/6890/6850 GCs 3pk (0.018" ID Tip) |
| 21699 | FID Collector Assembly | for Agilent 6890/6850/7890 GCs |
| 21700 | Split/Splitless Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21700-205 | Split/Splitless Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., No Wool, 5pk |
| 21700-209.5 | Split/Splitless Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 21700-213.5 | Split/Splitless Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21701 | Split/Splitless Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 25pk |
| 21701-205 | Split/Splitless Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., No Wool, 25pk |
| 21701-209.25 | Split/Splitless Metal | Liner 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 25pk |
| 21702 | Single Gooseneck Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 21702-200.5 | Single Gooseneck Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21702-209.5 | Single Gooseneck Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 5pk |
| 21703 | Single Gooseneck Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 25pk |
| 21703-209.25 | Single Gooseneck Metal Liner | 5.2mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/CarboFrit, 25pk |
| 21704 | Baffled Glass Liner | 1.5mm x 3.0 x 71 for Agilent GCs IP Deact., 10pk |
| 21704-210.10 | Baffled Glass Liner | 1.5mm x 3.0 x 71 for Agilent GCs Base Deact., 10pk |
| 21704-214.10 | Baffled Glass Liner | 1.5mm x 3.0 x 71 for Agilent GCs Siltek Deact., 10pk |
| 21704-216.10 | Baffled Glass Liner | 1.5mm x 3.0 x 71 for Agilent GCs Siltek Deact., w/CarboFrit, 10pk |
| 21705 | PTV Liner | 1.6mm x 4.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, ea |
| 21706 | PTV Liner | 1.6mm x 4.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 5pk |
| 21706-205 | PTV Liner | 1.6mm x 4.0 x 95 for Shimadzu GCs IP Deact., No Wool, 5pk |
| 21706-213.5 | PTV Liner | 1.6mm x 4.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21706-214.5 | PTV Liner | 1.6mm x 4.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 21707 | PTV Liner | 1.6mm x 4.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 25pk |
| 21708 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs IP Deact., ea |
| 21708-209.1 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs IP Deact, w/CarboFrit, ea |
| 21708-214.1 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs Siltek Deact., ea |
| 21709 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs IP Deact., 5pk |
| 21709-200.5 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 21709-202.5 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs IP Deact., w/Glass Wool, 5pk |
| 21709-209.5 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs IP Deact., w/CarboFrit, 5pk |
| 21709-213.5 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21709-214.5 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs Siltek Deact., 5pk |
| 21709-216.5 | Split Liner w/Frit | 3.4mm x 5.0 x 54 for Varian GCs Siltek Deact., w/CarboFrit, 5pk |
| 21710 | Inlet Seals, Washers | Pack of 15 |
| 21711 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., ea |
| 21711-200.1 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., w/Deact. Wool, ea |
| 21711-209.1 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., w/CarboFrit, ea |
| 21711-211.1 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Base Deact., w/Base Deact Wool, ea |
| 21711-213.1 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Siltek Deact., w/Deact. Wool, ea |
| 21711-214.1 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Siltek Deact., ea |
| 21711-216.1 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Siltek Deact., w/CarboFrit, ea |
| 21712 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., 5pk |
| 21712-200.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 21712-202.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., w/Glass Wool, 5pk |
| 21712-209.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs IP Deact., w/CarboFrit, 5pk |
| 21712-210.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Base Deact., 5pk |
| 21712-211.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21712-213.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21712-214.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Siltek Deact., 5pk |
| 21712-216.5 | Splitless Liner | 2mm x 5.0 x 54 for Varian GCs Siltek Deact., w/CarboFrit, 5pk |
| 21713 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, ea |
| 21713-205 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., No Wool, ea |
| 21713-211.1 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., w/Base Deact Wool, ea |
| 21713-213.1 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, ea |
| 21714 | Open Liner | 0.75mm x 5.0 x 54 for Varian GCs IP Deact., ea |
| 21714-214.1 | Open Liner | 0.75mm x 5.0 x 54 for Varian GCs Siltek Deact., ea |
| 21715 | Open Liner | 0.75mm x 5.0 x 54 for Varian GCs IP Deact., 5pk |
| 21715-210.5 | Open Liner | 0.75mm x 5.0 x 54 for Varian GCs Base Deact., 5pk |
| 21715-214.5 | Open Liner | 0.75mm x 5.0 x 54 for Varian GCs Siltek Deact., 5pk |
| 21716 | Open Liner | 0.75mm x 5.0 x 54 for Varian GCs IP Deact., 25pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21717 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs IP Deact., w/Deact. Wool, ea |
| 21717-205 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs IP Deact., No Wool, ea |
| 21717-210.1 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs Base Deact., ea |
| 21717-211.1 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs Base Deact., w/Base Deact. Wool, ea |
| 21717-213.1 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs Siltek Deact., w/Deact. Wool, ea |
| 21717-214.1 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs Siltek Deact., ea |
| 21717-231.1 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs IP Deact., w/ SV Wool, Ea |
| 21718 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs IP Deact., w/Deact. Wool, 5pk |
| 21718-205 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs IP Deact., No Wool, 5pk |
| 21718-209.5 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs IP Deact., w/CarboFrit, 5pk |
| 21718-213.5 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21718-214.5 | Split/Splitless Liner | 2mm x 4.0 x 86.2 for PE GCs Siltek Deact., 5pk |
| 21719 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 5pk |
| 21719-205 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., No Wool, 5pk |
| 21719-214.5 | Uniliner Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 21720 | Vial Cap & Septa | 8-425 Blk Closure Red/PTFE White Sil Septa.065"1000PK |
| 21721 | Vial Cap & Septa | 8-425 Black Top Hat PTFE Sil Septa Closure 100Pack |
| 21722 | Vial Cap & Septa | 8-425 Black Top Hat PTFE Sil Septa Closure 1000PK |
| 21723 | Vial Cap & Septa | 10-425 Black Cap PTFE Sil Septa, Pack of 1000 |
| 21724 | Aluminum Seals w/Septa | 11mm 5 Asst Colors PTFE Red Rubber Septa 500Pack |
| 21725 | Aluminum Seals w/Septa | 11mm 5 Asst Colors PTFE Silicone Septa Pack of 500 |
| 21728 | Seals, Poly Crimp | 11mm 4 Asst Colors PTFE Silicone Septa Pack of 400 |
| 21729 | Snap Top Vial Cap | 11mm Clear Polypropylene 10mil PTFE Pack of 100 |
| 21730 | Snap Top Vial Cap | 11mm Clear Polypropylene 10mil PTFE Pack of 1000 |
| 21731 | Snap Top Vial Cap | 11mm Clear Polypropylene PTFE/Butyl Rubber Septum, Pack of 100 |
| 21732 | Snap Top Vial Cap | 11mm Clear Polypropylene PTFE/Butyl Rubber Septum, Pack of 1000 |
| 21733 | Snap Top Vial Cap | 11mm Clear Polypropylene PTFE Sil Septa Pack of 100 |
| 21734 | Snap Top Vial Cap | 11mm Clear Polypropylene PTFE Sil Septa Pack of 1000 |
| 21741 | Vial Caps | Black Polypropylene Open Hole Pack of 100 |
| 21742 | Vial Caps | Black Polypropylene Open Hole Pack of 1000 |
| 21743 | Vial Caps & Septa | 13-425 Blk Poly Red/PTFE/ Sil Septa 0.065" 100Pack |
| 21744 | Vial Caps & Septa | 13-425 Blk Poly Red/PTFE/ Sil Septa 0.065" 1000Pack |
| 21745 | Vial Caps & Septa | 13-425 Black Top Hat PTFE/Sil Septa Pack of 100 |
| 21746 | Vial Caps & Septa | 13-425 Black Top Hat PTFE/Sil Septa Pack of 1000 |
| 21749 | Vial Septa | Red PTFE/Silicone Septa 0.060" Pack of 100 |
| 21750 | Vial Septa | Red PTFE/Silicone Septa 0.060" Pack of 1000 |
| 21751 | Vial Septa | Red PTFE/Silicone/Red PTFE 0.040" Pack of 100 |
| 21752 | Vial Septa | Red PTFE/Silicone/Red PTFE 0.040" Pack of 1000 |
| 21753 | Aluminum Seal w/Septa | 13mm Silver PTFE/RedRubber Pack of 100 |
| 21754 | Aluminum Seal w/Septa | 13mm Silver PTFE/RedRubber Pack of 1000 |
| 21755 | Aluminum Seal w/Septa | 13mm Silver PTFE/Silicone Pack of 100 |
| 21756 | Aluminum Seal w/Septa | 13mm Silver PTFE/Silicone Pack of 1000 |
| 21761 | Aluminum Seal w/Septa | 20mm Alum. Silver w/PTFE Gray Butyl Rub Septa 100PK |
| 21762 | Aluminum Seal w/Septa | 20mm Alum. Silver w/PTFE Gray Butyl Rub Septa 1000PK |
| 21763 | Aluminum Seal w/Septa | 20mm Alum. Silver w/PTFE Silicone Pack of 100 |
| 21764 | Aluminum Seal w/Septa | 20mm Alum. Silver w/PTFE Silicone Pack of 1000 |
| 21765 | Aluminum Seal w/Septa | 20mm Press Rel.Silvr w/PTFE Gray Butyl 100Pack |
| 21766 | Aluminum Seal w/Septa | 20mm Press Rel.Silvr w/PTFE Gray Butyl 1000Pack |
| 21767 | Aluminum Seal w/Septa | 20mm Press Rel.Silvr w/PTFE Silicone 100Pack |
| 21768 | Aluminum Seal w/Septa | 20mm Press Rel.Silvr w/PTFE Silicone 1000Pack |
| 21769 | Snap Plug, Starburst | 8mm, Clear Low Density Polyethylene Pack of 200 |
| 21770 | Snap Plug, Starburst | 8mm, Clear Low Density Polyethylene Pack of 1000 |
| 21771 | Snap Plug, Conical | 8mm Starburst, Clear Low Density Poly. 200Pack |
| 21772 | Snap Plug, Conical | 8mm Starburst, Clear Low Density Poly. 1000Pack |
| 21773 | Snap Plug, Starburst | 8mm Clr Silicone Lined Pack of 200 |
| 21774 | Snap Plug, Starburst | 8mm Clr Silicone Lined Pack of 1000 |
| 21775 | Vial Inserts | 100ul Glass LV w/PP Bottom Spring Pack of 1000 |
| 21776 | Vial Inserts | 250ul Glass BM w/Bottom Spring Pack of 100 |
| 21777 | Vial Inserts | 250ul Glass BM w/Bottom Spring Pack of 1000 |
| 21779 | Vial Inserts | 250ul Glass BM Pack of 1000 w/Glass Flange (step) |
| 21780 | Vial Inserts | 350ul Glass Flat Bottom Pack of 100 |
| 21780-220 | Vial Inserts | 350ul Glass Flat Bottom Deactivation Pack of 100 |
| 21782 | Vial Inserts | 50ul Glass w/Polypropylene Bottom Spring Pack of 1000 |
| 21787 | Vial Inserts | 500ul Glass WISP Flt Bot Pack of 100 |
| 21788 | Vial Inserts | 500ul Glass WISP Flt Bot Pack of 1000 |
| 21795 | Vial Septa | 8mm x 0.065" Red PTFE/White Silicone Septa 100pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21796 | Pre-Cleaned VOA Vials | 40ml Clear, Open Top w/0.125" Teflon/Silicone Septa, 72pk |
| 21797 | Pre-Cleaned VOA Vials | 40ml Amber, Open Top w/0.125" Teflon/Silicone Septa, 72pk |
| 21797-220 | Pre-Cleaned VOA Vials | 40ml Amber, Open Top w/0.125in Teflon/Silicone Septa, 72pk Deactivated |
| 21798 | Pre-Cleaned VOA Vials | 20ml Clear, Open Top w/0.125" Teflon/Silicone Septa, 72pk |
| 21799 | Pre-Cleaned VOA Vials | 20ml Amber, Open Top w/0.125" Teflon/Silicone Septa, 72pk |
| 21799-220 | Deact VOA Vials | 20ml Amber, Open Top w/0.125" Teflon/Silicone Septa, 72pk |
| 21800 | Parker Fitting, Brass | 1/16" Nut 20-pk |
| 21801 | Parker Fitting, Brass | 1/8" Nut Pack of 40 |
| 21802 | Parker Fitting, Brass | 1/4" Nut Pack of 40 |
| 21803 | Parker Fitting, Brass | 1/16" Front Ferrule Pack of 20 |
| 21804 | Parker Fitting, Brass | 1/8" Front Ferrule Pack of 40 |
| 21805 | Parker Fitting, Brass | 1/4" Front Ferrule Pack of 40 |
| 21806 | Parker Fitting, Brass | 1/16" Back Ferrule Pack of 20 |
| 21807 | Parker Fitting, Brass | 1/8" Back Ferrule Pack of 40 |
| 21808 | Parker Fitting, Brass | 1/4" Back Ferrule Pack of 40 |
| 21809 | Parker Fitting, Brass | 1/16" Nut & Ferrule Set Pack of 10 |
| 21810 | Parker Fitting, Brass | 1/8" Nut & Ferrule Set Pack of 20 |
| 21811 | Parker Fitting, Brass | 1/4" Nut & Ferrule Set Pack of 20 |
| 21815 | Parker Fitting, Brass | 1/16" Plug Pack of 5 |
| 21816 | Parker Fitting, Brass | 1/8" Plug Pack of 10 |
| 21817 | Parker Fitting, Brass | 1/4" Plug Pack of 10 |
| 21818 | Parker Fitting, Brass | 1/16" to 1/16" Union Pack of 3 |
| 21819 | Parker Fitting, Brass | 1/8" to 1/8" Union Pack of 5 |
| 21820 | Parker Fitting, Brass | 1/4" to 1/4" Union Pack of 5 |
| 21823 | Parker Fitting, Brass | 1/8" to 1/16" Reducing Union Pack of 5 |
| 21824 | Parker Fitting, Brass | 1/4" to 1/16" Reducing Union Pack of 5 |
| 21825 | Parker Fitting, Brass | 1/4" to 1/8" Reducing Union Pack of 5 |
| 21826 | Parker Fitting, Brass | 1/16" Tee Pack of 2 |
| 21827 | Parker Fitting, Brass | 1/8" Tee Pack of 2 |
| 21828 | Parker Fitting, Brass | 1/4" Tee Pack of 2 |
| 21829 | Parker Fitting, Brass | 1/8" Cross Pack of 2 |
| 21830 | Parker Fitting, Brass | 1/4" Cross Pack of 2 |
| 21831 | Parker Fitting, Brass | 1/8" to 1/16" Tube End Reducer Pack of 5 |
| 21832 | Parker Fitting, Brass | 1/4" to 1/16" Tube End Reducer Pack of 5 |
| 21833 | Parker Fitting, Brass | 1/8" to 1/4" Tube End Reducer Pack of 5 |
| 21834 | Parker Fitting, Brass | 1/4" to 1/8" Tube End Reducer Pack of 5 |
| 21835 | Parker Fitting, Brass | 1/8" Port Connector Pack of 5 |
| 21836 | Parker Fitting, Brass | 1/4" Port Connector Pack of 10 |
| 21837 | Parker Fitting, Brass | 1/8" to 1/4" Port Connector Pack of 5 |
| 21841 | Parker Fitting, Brass | 1/8" to 1/8" NPT Male Connector Pack of 10 |
| 21842 | Parker Fitting, Brass | 1/4" to 1/4" NPT Male Connector Pack of 10 |
| 21843 | Parker Fitting, Brass | 1/16" to 1/8"NPT Male Connector Pack of 5 |
| 21844 | Parker Fitting, Brass | 1/8" to 1/4" NPT Male Connector Pack of 10 |
| 21845 | Parker Fitting, Brass | 1/4" to 1/8" NPT Male Connector Pack of 10 |
| 21846 | Parker Fitting, Brass | 1/8" to 1/8" NPT Female Connect Pack of 5 |
| 21847 | Parker Fitting, Brass | 1/4" to 1/4" NPT Female Connect Pack of 5 |
| 21848 | Parker Fitting, Brass | 1/4" to 1/8" NPT Female Connect Pack of 5 |
| 21878 | Brass Capillary Nut | For use w/Agilent 5890/6890 Use w/Std Agilent Compact Ferrules Pack of 2 |
| 21879 | Brass Capillary Nut | For use w/Agilent 5890/6890 Use w/Std 1/16" Ferrules Pack of 2 |
| 21883 | Plug Nuts for Agilent GCs | Injector/Detector Plug Nuts 2-pk |
| 21884 | Capillary Nut, SS | For HP GC, Pack of 2 (Uses HP "Compact" Ferrules) |
| 21891 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Varian GCs, IP Deact., ea |
| 21891-214.1 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Varian GCs, Siltek Deact., ea |
| 21892 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Varian GCs, IP Deact., 5pk |
| 21892-214.5 | Dbl Gooseneck Splitless | Liner, 4mm x 6.5 x 78.5 for Varian GCs, Siltek Deact., 5pk |
| 21893 | Re-Threading Tool | for 1/4" Varian Capillary Column Fittings |
| 21894 | Installation Tool | Capillary Installation Tool for Agilent 5973/5975 MS |
| 21895 | Injector Nut Kit | For Shimadzu 17A, 2010 & 2014 GCs Includes: inj nut, .4mm graphite ferrule 1/16 |
| 21896 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs IP Deact., ea |
| 21896-200.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs IP Deact., w/Deact. Wool, ea |
| 21896-209.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs IP Deact., w/CarboFrit, ea |
| 21896-210.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Base Deact., Ea |
| 21896-211.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Base Deact., w/Base Deact. Wool, ea |
| 21896-213.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Siltek Deact., w/Deact. Wool, ea |
| 21896-214.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Siltek Deact., ea |
| 21896-216.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Siltek Deact., w/Carbofrit, ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 21897 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs IP Deact., 5pk |
| 21897-200.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 21897-209.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs IP Deact., w/CarboFrit, 5pk |
| 21897-210.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Base Deact., 5pk |
| 21897-211.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Base Deact., w/Base Deact. Wool, 5pk |
| 21897-213.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Siltek Deact., w/Deact. Wool, 5pk |
| 21897-214.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Siltek Deact., 5pk |
| 21897-216.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Varian GCs Siltek Deact., w/CarboFrit, 5pk |
| 21898 | Sealing Ring, Graphite | For 8mm Inlet Liner, For Trace & Focus SSL Inst |
| 21899 | Sealing Ring, Graphite | For 8mm Inlet Liner, 2-pk For Trace & Focus SSL Inst |
| 21900 | Parker Fitting | Stainless Steel 1/16" Nut Pack of 5 |
| 21901 | Parker Fitting | Stainless Steel 1/8" Nut Pack of 10 |
| 21902 | Parker Fitting | Stainless Steel 1/4" Nut Pack of 10 |
| 21903 | Parker Fitting | Stainless Steel 1/16" Front Ferrule Pack of 10 |
| 21904 | Parker Fitting | Stainless Steel 1/8" Front Ferrule Pack of 20 |
| 21905 | Parker Fitting | Stainless Steel 1/4" Front Ferrule Pack of 20 |
| 21906 | Parker Fitting | Stainless Steel 1/16" Back Ferrule Pack of 10 |
| 21907 | Parker Fitting | Stainless Steel 1/8" Back Ferrule Pack of 20 |
| 21908 | Parker Fitting | Stainless Steel 1/4" Back Ferrule Pack of 20 |
| 21909 | Parker Fitting | Stainless Steel 1/16" Nut & Ferrule Set Pack of 2 |
| 21910 | Parker Fitting | Stainless Steel 1/8" Nut & Ferrule Set Pack of 5 |
| 21911 | Parker Fitting | Stainless Steel 1/4" Nut & Ferrule Set Pack of 5 |
| 21915 | Parker Fitting | Stainless Steel 1/16" Plug Pack of 2 |
| 21916 | Parker Fitting | Stainless Steel 1/8" Plug Pack of 4 |
| 21917 | Parker Fitting | Stainless Steel 1/4" Plug Pack of 4 |
| 21918 | Parker Fitting | Stainless Steel 1/16" to 1/16" Union |
| 21919 | Parker Fitting | Stainless Steel 1/8" to 1/8" Union Pack of 2 |
| 21920 | Parker Fitting | Stainless Steel 1/4" to 1/4" Union Pack of 2 |
| 21923 | Parker Fitting | Stainless Steel 1/8" to 1/16" Reducing Union |
| 21924 | Parker Fitting | Stainless Steel 1/4" to 1/16" Reducing Union Pack of 2 |
| 21925 | Parker Fitting | Stainless Steel 1/4" to 1/8" Reducing Union Pack of 2 |
| 21926 | Parker Fitting | Stainless Steel 1/16" Tee |
| 21927 | Parker Fitting | Stainless Steel 1/8" Tee |
| 21928 | Parker Fitting | Stainless Steel 1/4" Tee |
| 21929 | Parker Fitting | Stainless Steel 1/8" Cross |
| 21930 | Parker Fitting | Stainless Steel 1/4" Cross |
| 21931 | Parker Fitting | Stainless Steel 1/8" to 1/16" Tube End Reducer Pack of 2 |
| 21932 | Parker Fitting | Stainless Steel 1/4" to 1/16" Tube End Reducer Pack of 2 |
| 21933 | Parker Fitting | Stainless Steel 1/8" to 1/4" Tube End Reducer Pack of 2 |
| 21934 | Parker Fitting | Stainless Steel 1/4" to 1/8" Tube End Reducer Pack of 2 |
| 21935 | Parker Fitting | Stainless Steel 1/8" Port Connector Pack of 2 |
| 21936 | Parker Fitting | Stainless Steel 1/4" Port Connector Pack of 2 |
| 21937 | Parker Fitting | Stainless Steel 1/8" to 1/4" Port Connector Pack of 2 |
| 21941 | Parker Fitting | Stainless Steel 1/8" to 1/8" NPT Male Connector Pack of 2 |
| 21942 | Parker Fitting | Stainless Steel 1/4" to 1/4" NPT Male Connector Pack of 2 |
| 21943 | Parker Fitting | Stainless Steel 1/16" to 1/8"NPT Male Connector Pack of 2 |
| 21944 | Parker Fitting | Stainless Steel 1/8" to 1/4" NPT Male Connector Pack of 2 |
| 21945 | Parker Fitting | Stainless Steel 1/4" to 1/8" NPT Male Connector Pack of 2 |
| 21946 | Parker Fitting | Stainless Steel 1/8" to 1/8" NPT Female Connect Pack of 2 |
| 21947 | Parker Fitting | Stainless Steel 1/4" to 1/4" NPT Female Connect Pack of 2 |
| 21948 | Parker Fitting | Stainless Steel 1/4" to 1/8" NPT Female Connect Pack of 2 |
| 21957 | Parker Fitting | Stainless Steel 1/8" Male Quick Coupling with Shutoff |
| 21958 | Parker Fitting | Stainless Steel 1/8" Male Quick Coupling without Shutoff |
| 21959 | Parker Fitting | Stainless Steel 1/8" Female Quick Coupling with Shutoff |
| 21960 | Parker Fitting | Stainless Steel 1/4" Male Quick Coupling with Shutoff |
| 21961 | Parker Fitting | Stainless Steel 1/4" Male Quick Coupling without Shutoff |
| 21962 | Parker Fitting | Stainless Steel 1/4" Female Quick Coupling with Shutoff |
| 21982 | Trap, SGT | Replacement Trap, Helium Specific Oxygen,Moisture,& Hydrocarbon Trap Combi |
| 21983 | Trap, SGT | Complete Helium Specific GC/MS Filter Kit. Base Plate & Triple Filter Oxygen,Moi |
| 21984 | Trap, SGT | Wall Mounting Bracket for Super Clean Traps |
| 21991 | Trap, Hydrocarbon | Capillary Grade, 1/8" Fittings |
| 21992 | Trap, Hydrocarbon | Capillary Grade, 1/4" Fittings |
| 21997 | Trap, Moisture | High Capacity, 1/8" Fittings |
| 21999 | Gas Management System | Compatible with 1/8" & 1/4" Gas Lines CAN NOT SHIP FEDEX GROUND |
| 22000 | Water System | HydroGen Mate DI Water System Whatman Model 72-230 12-month warranty fro |
| 22001 | Water System Kit | Maintenance Kit for DI Water System Whatman 72236 12-month warranty from da |

| | | |
|---|---|---|
| 22004 | Replacement Tower | Replacement Tower Module Zero Air Generator Model HPZA-3500 (20680) Dome |
| 22005 | Replacement Tower | Replacement Tower Module for Zero Air Generator Model 75-83 (#20684) Domes |
| 22006 | Replacement Tower | Replacement Tower Module Zero Air Generator Model HPZA-7000 (20681) Dome |
| 22007 | Replacement Tower | Replacement Tower Module Zero Air Generator Model HPZA-18000 (20682) Dom |
| 22008 | Replacement Tower | Replacement Tower Module Zero Air Generator Model HPZA-30000 (20683) Dom |
| 22010 | Trap, Oxygen | Indicating, 1/8" Fittings CAN NOT SHIP FEDEX GROUND |
| 22011 | Trap, Oxygen | Indicating, 1/4" Fittings CAN NOT SHIP FEDEX GROUND |
| 22012 | Trap, Hydrocarbon | Refillable, 1/8" Fittings |
| 22013 | Trap, Hydrocarbon | Refillable, 1/4" Fittings |
| 22014 | Trap, Moisture | Indicating, 1/8" Fittings |
| 22015 | Trap, Moisture | Indicating, 1/4" Fittings (replaces 20604) |
| 22016 | Trap | Hydrocarbon S-Trap 1/8" Fittings |
| 22017 | Trap, ECD Vent | for HP |
| 22019 | Trap, SGT | Complete Carrier Gas Filter Kit. Baseplate and Triple Filter. Oxygen, Moisture and |
| 22020 | Trap, SGT | Replacement Trap Triple Trap for Carrier Gas Oxygen, Moisture & Hydrocarbon T |
| 22021 | Trap, SGT | FID Fuel Gas Filter Kit Baseplate + Hydrocarbon & Moisture Filter (1/8") |
| 22022 | Trap, SGT | Replacement Trap for FID Fuel Gas. Hydrocarbon & Moisture Combination Trap |
| 22023 | SGT Maintenance | Replacement O-Ring Set for Baseplate 20pk, 10 Large O-rings, 10 Small O-rings |
| 22025 | Baseplate, SGT | Single Position Baseplate for One- SGT Cartridge Filter, Brass |
| 22026 | Baseplate, SGT | Two Position Baseplate For Two-SGT Cartridge Filters, Brass |
| 22027 | Baseplate, SGT | Three Position Baseplate For Three-SGT Cartridge Filters |
| 22028 | Trap, SGT | Replacement Moisture Filter, Ultra High Capacity |
| 22029 | Trap, SGT | Replacement Oxygen Filter, Ultra High Capacity, Brass |
| 22030 | Trap, SGT | Replacement (Charcoal) Hydrocarbons Filter, Ultra High Capacity |
| 22031 | Trap, SGT | Filter Bundle, 1 Triple Filter and 2 Fuel Gas Filters Uses 3 Position Baseplate |
| 22032 | Regulator, Brass | for CGA 170 Gas Stds. 0-15psig outlet 0-300psig Inlet |
| 22038 | Tedlar Bag | Discontinue When Stock is Depleted w/Single SS Valve and Septum Fitting 0.5 Li |
| 22039 | Tedlar Bag | Discontinue When Stock is Depleted w/Single SS Valve and Septum Fitting 1 Liter |
| 22040 | Tedlar Bag | Discontinue When Stock is Depleted w/Single SS Valve and Septum Fitting 3 Liter |
| 22041 | Tedlar Bag | Discontinue When Stock is Depleted w/Single SS Valve and Septum Fitting 5 Liter |
| 22042 | Tedlar Bag | Discontinue When Stock is Depleted w/Single SS Valve and Septum Fitting 10 Lit |
| 22043 | Tedlar Bag | w/Single SS Valve and Septum Fitting 12 Liter Cap., 13" x 24", 10pk DISCONTINU |
| 22048 | Tedlar Bag | Discontinue When Stock is Depleted Replacement Septum for SS Valve Tedlar B |
| 22049 | Tedlar Bag | Discontinue When Stock is Depleted w/Single Polypropylene Valve & Septum Fitti |
| 22052 | Tedlar Bag | Discontinue When Stock is Depleted w/Single Polypropylene Valve & Septum Fitti |
| 22053 | Tedlar Bag | Discontinue When Stock is Depleted w/Single Polypropylene Valve & Septum Fitti |
| 22054 | Tedlar Bag | w/Single Polypropylene Valve & Septum Fitting 12 Liter Cap., 13" x 24", 10pk DIS |
| 22061 | Trap, SGT | Charcoal Replacement Filter for LC/MS Trap, 2PK |
| 22062 | Trap, SGT | Super Clean Cartridge System for LC/MS, 2 Position Baseplate & 2 Charcoal Filte |
| 22064 | O-Rings | for Agilent Trap Fittings 25pk |
| 22065 | Injector Wrench | for Agilent 5890/6890/6850 GCs |
| 22066 | Tool | Temperature Measuring Stick |
| 22067 | O-Rings, Viton | for Apex Liners 25pk |
| 22068 | Injector/FID Heater | PRT Sensor Assembly For Agilent 5890GC |
| 22069 | Injector/FID Heater | For Agilent 5890GC |
| 22071 | FID Gauge Pack | For HP GCs |
| 22072 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 22072-209.1 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/CarboFrit, ea |
| 22072-210.1 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., ea |
| 22072-214.1 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., ea |
| 22073 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 22073-209.5 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/CarboFrit, 5pk |
| 22073-210.5 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact, 5pk |
| 22073-214.5 | Cyclosplitter Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 22074 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., ea |
| 22074-210.1 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., Ea |
| 22074-211.1 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., w/Base Deact. Wool, ea |
| 22074-214.1 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., ea |
| 22075 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs IP Deact., 5pk |
| 22075-210.5 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., 5pk |
| 22075-211.5 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs Base Deact., w/Base Deact. Wool, 5pk |
| 22075-214.5 | Baffle Liner | 2mm x 2.75 x 120 for Thermo GCs Siltek Deact., 5pk |
| 22076 | Air Diverters | For HP 5890/6890 GCs |
| 22077 | Capillary Adapter | FID/NPD, For HP 5890/6890 GCs |
| 22078 | Reducing Nut | For the HP 5890/6890/6850 GCs |
| 22079 | Septa Nut, Shimadzu | for use with Shimadzu 17A, 2010 & 2014 GCs |

| | | |
|---|---|---|
| 22080 | Retaining Nut | Heater Block Retaining Nut for Agilent 5890 GCs |
| 22081 | O-rings | for High Capacity Oxygen Traps 10pk 5 small(23mm) 5 large(26mm) For use with |
| 22082 | Reducing Union Kit | for Transfer Lines, 1/8"-1/16" SS w/1/8" V/G & 1/16" Blank V/G Ferrules. For Ther |
| 22083 | Inlet Seals | Dual Vespel Ring, 0.8mm Gold Plated Cross Disk, 2pk |
| 22084 | Inlet Seals | Dual Vespel Ring, 0.8mm Gold Plated Cross Disk, 10pk |
| 22085 | Inlet Seals | Dual Vespel Ring, 0.8mm Siltek Treated Cross Disk, 2pk |
| 22086 | Inlet Seals | Dual Vespel Ring, 0.8mm Siltek Treated Cross Disk, 10pk |
| 22087 | Inlet Seals | Discontinue When Stock is Depleted Dual Vespel Ring, 0.8mm Stainless Steel Cr |
| 22088 | Inlet Seals | Discontinue When Stock is Depleted Dual Vespel Ring, 0.8mm Stainless Steel Cr |
| 22089 | Gold Plated Liner Cap | for Split/Splitless Injector |
| 22090 | SilcoCan Canister | 1L SilcoCan, No Valve |
| 22091 | SilcoCan Canister | 3L SilcoCan, No Valve (cat #563646 is needed if connecting to a sampling kit) |
| 22093 | SilcoCan Canister | 15L SilcoCan, No Valve |
| 22094 | TO Canister | 1L TO-Can, No Valve |
| 22095 | TO Canister | 3L TO-Can, No Valve (cat #563647 is needed if connecting to a sampling kit) |
| 22097 | TO Canister | 15L TO-Can, No Valve |
| 22098 | Orifice | Replacement, 80-340 sccm, Non-Siltek |
| 22099 | Orifice | Replacement, 80-340 sccm Siltek Treated |
| 22103 | Veriflo Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Replacement Orifice, 80-340 sc |
| 22104 | Tedlar Bag | Replacement Septa for Tedlar Bag Valves, 4mm Diameter, Teflon Faced Silicone, |
| 22105 | TO-Can Canister | 1 Liter, 1/4" Swagelok SS4H Bellows Valve 2-port only, Stainless Steel only |
| 22106 | TO-Can Canister | 3 Liter, 1/4" Swagelok SS4H Bellows Valve 2-port only, Stainless Steel only (cat # |
| 22107 | TO-Can Canister | 6 Liter, 1/4" Swagelok SS4H Bellows Valve 2-port only, Stainless Steel only |
| 22108 | TO-Can Canister | 15 Liter, 1/4" Swagelok SS4H Bellows Valve 2-port only, Stainless Steel only |
| 22110 | Sample Cylinder Valve | Discontinue when Stock is Depleted Sulfinert, 6000psig, 1/4in Male NPT x 1/4in F |
| 22111 | Sample Cylinder,Sulfinert | 150cc, 5000psig, 316L, SS, 1/4" Female NPT Ends |
| 22111-PI | Sample Cylinder | Sulfinert, TPED, 150cc, 4350psig, 316L, SS, 1/4" Female NPT Ends |
| 22112 | Sample Cylinder,Sulfinert | 300cc, 5000psig, 316L, SS, 1/4" Female NPT Ends |
| 22112-PI | Sample Cylinder | Sulfinert, TPED, 300cc, 4350psig, 316L, SS, 1/4" Female NPT Ends |
| 22113 | Sample Cylinder,Sulfinert | 500cc, 5000psig, 316L, SS, 1/4" Female NPT Ends |
| 22113-PI | Sample Cylinder | Sulfinert, TPED, 500cc, 4350psig, 316L, SS, 1/4" Female NPT Ends |
| 22114 | PUF Cartridge | Large, 65mm OD x 125mm L, 75mm PUF |
| 22115 | PUF Cartridge | Large PUF/XAD Cartridge, 65mm OD x 125mm L, 25mm PUF/10g XAD-2/50mm I |
| 22116 | PUF Cartridge | Small, 22mm OD x 100mm L, 76mm PUF |
| 22117 | PUF Cartridge | Small PUF/XAD Cartridge, 22mm OD x 100mm L, 30mm PUF/1.5g XAD-2/30mm |
| 22118 | Sampling Pump | Vacuum Bag Sampler Model 1062, 1-10L Gas Sampling Bag Capacity, Includes F |
| 22119 | Sampling Pump | Replacement Battery for Vacuum Bag Sampler Model 1062 |
| 22120 | Sampling Pump | Universal Battery Charger for Vacuum Bag Sampler Model 1062 |
| 22121 | Ashcroft Gauge Connector | to Canister Valve, SS, Connects 1/4" Male NPT to 1/4" Male Compression Fitting |
| 22122 | Mini-Can Accessory | Sampling Belt, Adjustable 50in Long, Secures Mini-Can or Other Device w/2 Velcr |
| 22123 | Mini-Can Accessory | Personal Sampling Inlet, 3ft x 1/16in OD Teflon Tubing, Clip, Teflon Reducing Fer |
| 22124 | Mini-Can Accessory | Mini-Can Stand, Fits 2 3/4in Diameter Cans, Collapsible, 3-Leg, SS |
| 22125 | Humidifier | For Wasson Can Cleaner |
| 22126 | 3 L Option | Includes everything for 12, 3 L Air Cans |
| 22127 | Mini-Can Option | Includes everything for either 48, 400cc or 48, 1000cc mini-cans |
| 22128 | Column Hanger | for Agilent GCs For 7890, 6890, 5890, and 5880A GCs |
| 22129 | Generator, Nitrogen | NitroFlow Lab Model for LC/MS 32 L/min Generating Capacity 12 month warranty |
| 22130 | Generator, Nitrogen | N2-04 Model for ELSD 8 L/min Generating Capacity 12 month warranty from date |
| 22131 | Generator, Nitrogen | N2-22 Model, 44L/min Generating Capacity 12 month warranty from date of purch |
| 22132 | Generator, Nitrogen | N2-22A Model, 29 L/min Generating Capacity 12 month warranty from date of pur |
| 22133 | Generator, Nitrogen | N2-35 Model, 44 L/min Generating Capacity 12 month warranty from date of purch |
| 22134 | Generator, Nitrogen | N2-35A Model, 44 L/min Generating Capacity 12 month warranty from date of pur |
| 22135 | Generator, Nitrogen | Maintenance Kit w/Carbon Filter |
| 22171 | Split Precison Liner | 2.0mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, ea |
| 22172 | Split Precison Liner | 2.0mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 5-pk |
| 22173 | Single Gooseneck | Precision Liner, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., w/Deact. Wool, e |
| 22174 | Single Gooseneck | Precision Liner, 3.5mm x 5.0 x 95 for Shimadzu GCs, IP Deact., w/Deact. Wool, 5 |
| 22175 | EZ Twist Top | Replacement Shell Weldement for Agilent 7890 GCs, DO NOT SHIP TO JAPAN ( |
| 22176 | EZ Twist Top | Replacement Shell Weldement for Agilent 7890 GCs, Siltek Treated, DO NOT SH |
| 22177 | EZ Twist Top | Complete Injection Port for Agilent 7890 GCs, DO NOT SHIP TO JAPAN OR GEF |
| 22178 | EZ Twist Top | Complete Injection Port for Agilent 7890 GCs, Siltek Treated, DO NOT SHIP TO J |
| 22179 | FID Kit | Detector Maintenance/Start-up Kit for Agilent 6850/6890/7890 GCs |
| 22180 | FID Kit | Detector Maintenance/Start-up Kit for Agilent 5890 GCs |
| 22181 | Inlet Kit | Injector Maintenance/Start-up Kit for Agilent 5890/6850/6890/7890 GCs |
| 22182 | MLE Capillary Tool Kit | for Shimadzu GCs |
| 22183 | MLE Capillary Tool Kit | for Thermo Electron GCs |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22184 | MLE Capillary Tool Kit | for Varian GCs |
| 22185 | MLE Capillary Tool Kit | for Perkin Elmer GCs |
| 22186 | MLE Capillary Tool Kit | For Agilent GCs |
| 22187 | Flashlight | w/Swivel Head |
| 22188 | Parker Valve, Brass | 1/8" Toggle |
| 22189 | Parker Valve, Brass | 1/4" Toggle |
| 22190 | Parker Valve | Stainless Steel, 1/8" Toggle |
| 22191 | Parker Valve | Stainless Steel, 1/4" Toggle |
| 22192 | Parker Valve, Brass | 1/8" 2-Way Ball |
| 22193 | Parker Valve, Brass | 1/4" 2-Way Ball |
| 22194 | Parker Valve | Stainless Steel, 1/8" 2-Way Ball |
| 22195 | Parker Valve | Stainless Steel, 1/4" 2-Way Ball |
| 22196 | Parker Valve, Brass | 1/8" Plug |
| 22197 | Parker Valve, Brass | 1/4" Plug |
| 22198 | Parker Valve | Stainless Steel, 1/8" Plug |
| 22199 | Parker Valve | Stainless Steel, 1/4" Plug |
| 22200 | Parker Valve | Precision Metering, 1/8", Straight, Brass |
| 22201 | Parker Valve | Precision Metering, 1/4", Straight, Brass |
| 22204 | Parker Valve | Precision Metering, 1/8", Straight, Stainless Steel |
| 22205 | Parker Valve | Precision Metering, 1/4", Straight, Stainless Steel |
| 22209 | Parker Vernier Handle | for Metering Valves, Add-on Accessory |
| 22210 | Vespel Ferrules | 1/16" x 1/16", 10pk |
| 22211 | Vespel Ferrules | 1/8" x 1/8", 10pk |
| 22212 | Vespel Ferrules | 1/4" x 1/4", 10pk |
| 22213 | Vespel Ferrules | 1/16" x 0.3mm, 10pk |
| 22214 | Vespel Ferrules | 1/16" x 0.4mm, 10pk |
| 22215 | Vespel Ferrules | 1/16" x 0.5mm, 10pk |
| 22216 | Vespel Ferrules | 1/16" x 0.8mm, 10pk |
| 22217 | Vespel Ferrules | 1/16" x 1.0mm, 10pk |
| 22218 | Vespel Ferrules | 1/16" x 1.2mm, 10pk |
| 22219 | Vespel Ferrules | 1/4"x1/8", 10pk |
| 22220 | Vu2 Union Connector Kit | Fits 0.10/0.15mm ID Columns |
| 22221 | Graphite Ferrule, 0.3mmID | for M4 Fitting, for 8000 and Trace 2000 GCs, 2pk |
| 22222 | Graphite Ferrule, 0.3mmID | for M4 Fitting, for 8000 and Trace 2000 GCs, 10pk |
| 22223 | Graphpack 2M Ferrules | For use w/Gerstel PTV inlet, Fits 0.25mm ID Columns, 10-pk |
| 22224 | Graphpack 2M Ferrules | For use w/Gerstel PTV inlet, Fits 0.32mm ID Columns, 10-pk |
| 22225 | Graphpack 2M Ferrules | For use w/Gerstel PTV inlet, Fits 0.53mm ID Columns, 10-pk |
| 22226 | Merlin MicroShot Injector | 0.1uL Volume Delivery |
| 22227 | Merlin MicroShot Injector | 0.2uL Volume Delivery |
| 22228 | Merlin MicroShot Injector | 0.5uL Volume Delivery |
| 22229 | Merlin MicroShot Injector | 1.0uL Volume Delivery |
| 22230 | Merlin MicroShot Injector | 2.0uL Volume Delivery |
| 22268 | Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 22268-214.1 | Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact,. Ea. |
| 22269 | Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5-pk |
| 22269-210.5 | Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., 5pk |
| 22269-214.5 | Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 22270 | Cyclo-Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 22270-214.1 | Cyclo-Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., Ea |
| 22271 | Cyclo-Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., 5-pk |
| 22271-214.5 | Cyclo-Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., 5pk |
| 22272 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact. w/Deact. Wool, ea |
| 22272-205 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., ea |
| 22272-211.1 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact. w/ Base Wool, Ea |
| 22272-213.1 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., Deact. Wool, ea |
| 22272-214.1 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., Ea |
| 22273 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact. w/Deact. Wool, 5-pk |
| 22273-202.5 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact. w/ Glass Wool, 5pk |
| 22273-205 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact., No Wool, 5 pk |
| 22273-211.5 | Open Top Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/ Base Wool, 5pk |
| 22273-213.5 | Drilled Top Uniliner Lnr | 4mm x 6.3 x 78.5 for Agilent GCs Siltek Deact, w/ Deact. Wool, 5pk |
| 22273-231.5 | Open Top-Uniliner Liner | 4mm x 6.3 x 78.5 for Agilent GCs IP Deact. w/ SV Wool, 5pk |
| 22274 | Double Gooseneck Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 22275 | Double Gooseneck Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 22275-210.5 | Double Gooseneck Liner | 3.5mm x 5.0 x 95 for Shimadzu GC, Base Deact, 5pk |
| 22275-214.5 | Double Gooseneck Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22276 | Splitless Liner | 2.0mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 22276-214.1 | Splitless Liner | 2.0mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., Ea |
| 22277 | Splitless Liner | 2.0mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 22277-214.5 | Splitless Liner | 2.0mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 22278 | SPME Liner | 0.75mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 22278-210.1 | SPME Liner | 0.75mm x 5.0 x 95 for Shimadzu GCs Base Deact., Ea |
| 22278-214.1 | SPME Liner | 0.75mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., ea |
| 22279 | SPME Liner | 0.75mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 22279-210.5 | SPME Liner | 0.75mm x 5.0 x 95 for Shimadzu GCs Base Deact., 5pk |
| 22279-214.5 | SPME Liner | 0.75mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 22280 | Drilled Uniliner Liner | Hole on Bottom, 3.5mm x 5.0 x 54 for Varian GCs, IP Deact., ea |
| 22280-213.1 | Drilled Uniliner Liner | Hole on Bottom, 3.5mm x 5.0 x 54 for Vairan GCs, Siltek, Deact. Wool, ea |
| 22280-214.1 | Drilled Uniliner Liner | Hole on Bottom, 3.5mm x 5.0 x 54 for Varian GCs, Siltek Deact., ea |
| 22281 | Drilled Uniliner Liner | Hole on Bottom, 3.5mm x 5.0 x 54 for Varian GCs, IP Deact., 5pk |
| 22282 | Uniliner Sleeve Adapter | Siltek Treated |
| 22283 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 22283-200.1 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact Wool, ea |
| 22283-210.1 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., ea |
| 22283-211.1 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., w/Base Deact. Wool, ea |
| 22283-213.1 | Split Liner | 3.5mm x 5.0 x 95 Shimadzu GCs Siltek Deact., w/Deact Wool, ea |
| 22283-214.1 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., ea |
| 22283-216.1 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Carbofrit, ea |
| 22283-231.1 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GC's SV Wool, Ea |
| 22284 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 22284-200.5 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact Wool, 5pk |
| 22284-210.5 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., 5pk |
| 22284-213.5 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22284-214.5 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 22284-216.5 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Carbofrit, 5pk |
| 22284-229.5 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., CarboFrit, 5pk |
| 22285 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 25pk |
| 22285-200.25 | Split Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 25pk |
| 22286 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., ea |
| 22286-200.1 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., W/Deact. Wool, ea |
| 22286-211.1 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact. w/ Base Deact. Wool, Ea. |
| 22286-213.1 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact. w/ Deact. Wool, Ea |
| 22286-214.1 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., ea |
| 22287 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., 5pk |
| 22287-200.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Deact. Wool, 5pk |
| 22287-202.5 | Splitless Liner | 3.5mm x 5.0 x 95 Shimadzu GCs IP Deact., w/Glass Wool, 5pk |
| 22287-209.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs IP Deact., w/Carbofrit, 5pk |
| 22287-210.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., 5pk |
| 22287-211.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., Base Wool, 5pk |
| 22287-213.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22287-214.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek Deact., 5pk |
| 22287-216.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Siltek, Carbofrit, 5pk |
| 22287-229.5 | Splitless Liner | 3.5mm x 5.0 x 95 for Shimadzu GCs Base Deact., CarboFrit, 5pk |
| 22288 | Split Precision Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, ea |
| 22288-213.1 | Split Precision Liner | 5mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, ea |
| 22289 | Split Precision Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 22289-211.5 | Split Precision Liner | 5mm x 8.0 x 105 Thermo GCs Base Deact., w/Base Wool, 5pk |
| 22289-213.5 | Split Precision Liner | 5mm x 8.0 x 105 for Thermo GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22289-231.5 | Split Precision Liner | 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/ SV Wool, 5pk |
| 22290 | Syringe, SGE | 1090 & 1100 Agilent LC Autosampler 25ul |
| 22291 | Syringe, SGE | 1090 & 1100 Agilent LC Autosampler 250ul |
| 22292 | Syringe, SGE | for Hitachi LC Autosampler 500ul |
| 22293 | Syringe, SGE | for Waters WISP LC Autosampler 25ul |
| 22294 | Syringe, SGE | for Waters WISP LC Autosampler 250ul |
| 22295 | Syringe, SGE | for Perkin Elmer LC Autosampler 50ul |
| 22296 | Syringe, SGE | for Perkin Elmer LC Autosampler 100ul |
| 22297 | Syringe, SGE | for Perkin Elmer LC Autosampler 250ul |
| 22298 | Syringe, SGE | for Perkin Elmer LC Autosampler 500ul |
| 22299 | Syringe, SGE | for Perkin Elmer LC Autosampler 1mL |
| 22318 | Injector Adaptor | for PE Autosys XL - for use with PE style cap. nuts |
| 22319 | Injector Adaptor | for PE Autosys XL - for use with 1/16" Swage Style Nuts |
| 22320 | Siltek Injector Adaptor | for PE Autosys XL - for use with PE style cap. nuts |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22323 | Injection Port Kit | Siltek Split/Splitless Injection Port Kit for Agilent 5890 GCs Uses Resteks Enhanc |
| 22324 | Split/Splitless Weldment | Siltek, For Agilent 5890 GC |
| 22325 | Shell Weldment | Siltek, for Agilent 5890 GC Uses Resteks Enhanced Base Fitting |
| 22326 | Injection Port Kit | Siltek, Split/Splitless Injection Port Kit for Agilent 5890 GC Uses Standard Agilent |
| 22327 | Siltek Shell Weldment | for Agilent 5890 GCs Uses Standard Agilent Inlet Seals |
| 22328 | FID Jet Removal Tool | For use with Agilent 5890/6890/6850 FID Jets |
| 22329 | Spanner Wrench | For 5890/6890/6850 FID Collector Assemblies |
| 22330 | Gauge | Capillary Installation Gauge for use with Trace 2000/8000 GCs M4 Ferrules |
| 22331 | Injector Nut Kit | Siltek Treated, for Shimadzu 17A, 2010 & 2014 GCs |
| 22332 | Z-belt | for Agilent 7673B Autosampler |
| 22333 | Installation Gauge | Capillary, for Shimadzu 2010, 2014, and 17A |
| 22334 | Wrench Set | 1/4 x 5/16in & 10mm x 11mm Open-End Set Use w/Shimadzu Capillary Installatio |
| 22335 | Installation Gauge | Capillary, for Varian, for use with 1/16" ferrules |
| 22336 | O-rings, Viton | 10pk, for use with the Agilent Flip Top Assembly (Brown Viton Material) |
| 22337 | Injector Turret Motor | for Agilent 7673 A & B Injectors |
| 22342 | Replacement Battery | For Electronic Crimper and Decapper Cat #'s 22338-22341 |
| 22343 | Parking Post | for Agilent 7673 and 7683 Autosamplers and 5890 6890 and 7890 Series GCs |
| 22344 | Baseplate, SGT | Single Position, for One SGT Cartridge Filter, 1/8" SS Fittings |
| 22345 | Baseplate, SGT | Two Position, for Two SGT Cartridge Filters, 1/8" SS Fittings |
| 22346 | Baseplate, SGT | Three Position, for Three SGT Cartridge Filters, 1/8" SS Fittings |
| 22347 | Hot Swap Column Nut | Capillary Column Nut for Agilent GCs, For use w/Std 1/16" Type Ferrules, ea. |
| 22348 | Hot Swap Column Nut | Capillary Column Nut for Agilent GC's. For use Compact Agilent Style Ferrules, ea |
| 22349 | PTV Slotted Capillary | Column Nut for Gerstel CIS 3 and CIS 4 PTV Inlets, 2-pk |
| 22350 | PTV Inlet Adaptor Kit | for 0.25 and 0.32mm ID Columns, for Gerstel CIS 3 and CIS 4 PTV Inlets. Include |
| 22351 | PTV Inlet Adaptor Kit | for 0.53mm ID Columns, for Gerstel CIS 3 and CIS 4 PTV Inlets. Includes: Adapte |
| 22352 | PTV Liner Seal Pre-seat | Tool for CIS 4 PTV Liners |
| 22353 | ATAS LINEX DMI Liner | 5.0mm x 3.3 x 81.0, IP Deact., 5-pk |
| 22354 | Needle Guide | for ATAS LINEX DMI Liner, IP Deact., 5-pk |
| 22355 | Microvial/Insert | for ATAS LINEX DMI Liner, IP Deact., 100-pk |
| 22356 | Hi-Duty Tubing Cutter | Cuts 1/8" to 1 1/8" SS Tubing |
| 22357 | Replacement Cutter Wheel | for Hi-Duty Tubing Cutter 2-pk |
| 22358 | 11mm Electronic Crimper | Rechargeable, Kit Includes: Charger with Universal Plug Set (1 year warranty) |
| 22359 | 20mm Electronic Crimper | Rechargeable, Kit Includes: Charger with Universal Plug Set (1 year warranty) |
| 22360 | 11mm Electronic Decapper | Rechargeable, Kit Includes: Charger with Universal Plug Set (1 year warranty) |
| 22361 | 20mm Electronic Decapper | Rechargeable, Kit Includes: Charger with Universal Plug Set (1 year warranty) |
| 22362 | Replacement Battery | for Electronic Crimper and Decapper Cat#s 22358-22361 |
| 22400 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 22400-211.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 22400-213.1 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 22401 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 22401-202.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Glass Wool, 5pk |
| 22401-211.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 22401-213.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22401-231.5 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 22402 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 22402-200.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Dbl Deact. Wool, 25pk |
| 22402-203.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Triple Deact.Wool, 25pk |
| 22402-211.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 25pk |
| 22402-213.25 | Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 25pk |
| 22403 | Splitless Quartz Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 22403-213.1 | Splitless Quartz Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 22404 | Splitless Quartz Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 22404-211.5 | Splitless Quartz Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/ Base Wool, 5pk |
| 22404-213.5 | Splitless Quartz Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22405 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 22405-211.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, ea |
| 22405-213.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, ea |
| 22405-231.1 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact. w/ SV Wool, ea |
| 22406 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 22406-209.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 5pk |
| 22406-210.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., 5pk |
| 22406-213.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22406-231.5 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, 5pk |
| 22407 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 22407-213.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 25pk |
| 22407-231.25 | Gooseneck Splitless Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/SV Wool, 25pk |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22408 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 22409 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 22409-211.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Base Deact., w/Base Deact. Wool, 5pk |
| 22409-213.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs Siltek Deact., w/Deact. Wool, 5pk |
| 22409-231.5 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, 5pk |
| 22410 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25pk |
| 22410-209.25 | Recessed Gooseneck Liner | 4mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/CarboFrit, 25pk |
| 22411 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 for Thermo GCs, IP Deact., ea |
| 22411-200.1 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 For Thermo GCs, IP Deact., w/Deact. Wool, ea |
| 22411-213.1 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 for Thermo GCs, Siltek, Deact Wool, Ea |
| 22411-214.1 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 for Thermo GCs, Siltek Deact., ea |
| 22412 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 for Thermo GCs, IP Deact., 5pk |
| 22412-200.5 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 for Thermo GCs IP Deact., w/Deact. Wool, 5pk |
| 22412-214.5 | Drilled Uniliner Liner | Hole on Top, 5mm x 8.0 x 105 for Thermo GCs, Siltek Deact., 5pk |
| 22413 | Drilled Uniliner Liner | Hole on Bottom, 5mm x 8.0 x 105 for Thermo GCs, IP Deact., ea |
| 22413-214.1 | Drilled Uniliner Liner | Hole on Bottom, 5mm x 8.0 x 105 for Thermo GCs, Siltek Deact., ea |
| 22414 | Drilled Uniliner Liner | Hole on Bottom, 5mm x 8.0 x 105 for Thermo GCs, IP Deact., 5pk |
| 22415 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact., ea |
| 22415-209.1 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact., w/CarboFrit, ea |
| 22415-216.1 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs Siltek Deact., w/ Carbofrit, Ea |
| 22415-231.1 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact., SV Wool, ea |
| 22416 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact., 5pk |
| 22416-209.5 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact. w/ CarboFrit, 5pk |
| 22416-214.5 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs Siltek Deact., 5pk |
| 22416-229.5 | Open Liner | 3mm x 5.0 x 80 for ATAS GCs Base Deact., w/CarboFrit, 5pk |
| 22417 | Open Liner | 1mm x 5.0 x 80 for ATAS GCs IP Deact., ea |
| 22417-214.1 | Open Liner | 1mm x 5.0 x 80 for ATAS GCs Siltek Deact., ea |
| 22418 | Open Liner | 1mm x 5.0 x 80 for ATAS GCs IP Deact., 5pk |
| 22418-214.5 | Open Liner | 1mm x 5.0 x 80 for ATAS GCs Siltek Deact., 5pk |
| 22419 | Fritted Gooseneck Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact., ea |
| 22419-214.1 | Fritted Gooseneck Liner | 3mm x 5.0 x 80 for ATAS GCs Siltek Deact., ea |
| 22419-231.1 | Fritted Gooseneck Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact. w/ SV Wool, Ea |
| 22420 | Fritted Gooseneck Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact., 5pk |
| 22420-214.5 | Fritted Gooseneck Liner | 3mm x 5.0 x 80 for ATAS GCs Siltek Deact., 5pk |
| 22420-231.5 | Fritted Gooseneck Liner | 3mm x 5.0 x 80 for ATAS GCs IP Deact, SV Wool, 5pk |
| 22421 | Low Pressure Drop | Precision Liner, 2mm x 6.3 x 78.5 for Varian GCs, IP Deact., w/Deact. Wool, ea |
| 22422 | Low Pressure Drop | Precision Liner, 2mm x 6.3 x 78.5 for Varian GCs, IP Deact., w/Deact. Wool, 5pk |
| 22422-213.5 | Low Pressure Drop | Precision Liner, 2mm x 6.3 x 78.5 for Varian GCs, Siltek Deact., w/Deact. Wool, 5 |
| 22423 | EZ No-Vent Connector Kit | for Varian Saturn 2000 Series MSs with 3400, 3600, 3800 GCs |
| 22424 | Micropacked Adapter Kit | Discontinue When Stock is Depleted Split/Splitless Injection. Complete Kit w/Injec |
| 22425 | Micropacked Adapter Kit | Column Adapter Kit for On Column Injection. Complete Kit w/Injection Port and FII |
| 22426 | Micropacked Adapter Kit | Injection Port Adapter Kit for Split/Splitless Injections. Split/Splitless Injection Port |
| 22427 | Micropacked Adapter Kit | Injection Port Adapter Kit for On Column Injections. Split/Splitless Injection Port Ac |
| 22428 | Micropacked Adapter | Column Adapter Fitting for FID ** For Use w/Packed Column FIDs Only ** |
| 22429 | Replacement Inlet Seal | for Micropacked Column Adapter. 2pk |
| 22430 | Replacement Inlet Guide | Replacement Siltek On Column Inlet Guide |
| 22431 | EZ No-Vent Connector Kit | for Shimadzu GCMS-QP2010 and GCMS-QP2010 Plus |
| 22432 | EZ No-Vent Ferrules | for Connecting Transfer Line to EZ No-Vent Connector, 0.4mm ID, 2-pk |
| 22433 | Interlocked Vial/Insert | 300uL Clear, 9mm Thread 100-pk |
| 22434 | Interlocked Vial/Insert | 300uL Clear, 9mm Thread 500-pk |
| 22435 | Interlocked Vial/Insert | 300uL Amber, 9mm Thread 100-pk |
| 22436 | Interlocked Vial/Insert | 300uL Amber, 9mm Thread 500-pk |
| 22437 | Interlocked Vial/Insert | 300uL Clear, 11mm Crimp or Snap Ring 100-pk |
| 22438 | Interlocked Vial/Insert | 300uL Clear, 11mm Crimp or Snap Ring 500-pk |
| 22439 | Interlocked Vial/Insert | 300uL Amber, 11mm Crimp or Snap Ring 100-pk |
| 22440 | Interlocked Vial/Insert | 300uL Amber, 11mm Crimp or Snap Ring 500-pk |
| 22452 | Line Regulator, Brass | Single Stage, Ultra High Purity Outlet Pressure: 0-100psig |
| 22454 | EZ No-Vent Connector Kit | for Thermo Focus DSQ GC/MS |
| 22455 | Wrench Set | 3/8" x 7/16" Open End Use w/EZ No-Vent for Thermo DSQ 2-pk |
| 22456 | Trap, SGT Click-On | Complete Carrier Gas Filter Kit, 1/8" SS, Includes 2 Connectors and 1 Triple Trap |
| 22457 | Trap, SGT Click-On | Complete Carrier Gas Filter Kit, 1/8" Brass, Includes 2 Connectors and 1 Triple Tr |
| 22458 | Trap, SGT Click-On | Complete Carrier Gas Filter Kit, 1/4" SS, Includes 2 Connectors and 1 Triple Trap |
| 22459 | Trap, SGT Click-On | Complete Carrier Gas Filter Kit, 1/4" Brass, Includes 2 Connectors and 1 Triple Tr |
| 22460 | Trap, SGT Click-On | Complete Fuel Gas Filter Kit, 1/8" SS, Includes 4 Connectors and 2 Moisture/Hydr |
| 22461 | Trap, SGT Click-On | Complete Fuel Gas Filter Kit, 1/8" Brass, Includes 4 Connectors and 2 Moisture/H |
| 22462 | Trap, SGT Click-On | Complete Fuel Gas Filter Kit, 1/4" SS, Includes 4 Connectors and 2 Moisture/Hydr |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 22463 | Trap, SGT Click-On | Complete Fuel Gas Filter Kit, 1/4" Brass, Includes 4 Connectors and 2 Moisture/H |
| 22464 | Trap, SGT Click-On | Replacement Triple Trap for Carrier Gas, Oxygen, Moisture, and Hydrocarbons |
| 22465 | Trap, SGT Click-On | Replacement Trap for FID Fuel Gas, Moisture and Hydrocarbons |
| 22466 | Trap, SGT Click-On | Replacement Hydrocarbon Trap Ultra High Capacity |
| 22467 | Trap, SGT Click-On | Replacement Moisture Trap Ultra High Capacity |
| 22468 | Trap, SGT Click-On | Replacement Oxygen Trap Ultra High Capacity |
| 22469 | Trap, SGT Click-On | Complete Helium Specific Gas Filter Kit, 1/8" SS, Includes 2 Connectors and 1 Tri |
| 22470 | Trap, SGT Click-On | Complete Helium Specific Gas Filter Kit, 1/8" Brass, Includes 2 Connectors and 1 |
| 22471 | Trap, SGT Click-On | Complete Helium Specific Gas Filter Kit, 1/4" SS, Includes 2 Connectors and 1 Tri |
| 22472 | Trap, SGT Click-On | Complete Helium Specific Gas Filter Kit, 1/4" Brass, Includes 2 Connectors and 1 |
| 22473 | Trap, SGT Click-On | Replacement Helium Specific Triple Trap Oxygen/Moisture/Hydrocarbon |
| 22474 | Trap, SGT Click-On | Indicating Cartridge |
| 22475 | Trap, SGT Click-On | 1/8" Brass Connectors Pack of 2 |
| 22476 | Trap, SGT Click-On | 1/8" Stainless Steel Connectors Pack of 2 |
| 22477 | Trap, SGT Click-On | 1/4" Brass Connectors Pack of 2 |
| 22478 | Trap, SGT Click-On | 1/4" Stainless Steel Connectors Pack of 2 |
| 22479 | Trap, SGT Click-On | Double Connector |
| 22480 | Trap, SGT Click-On | Wall Mounting Clamps Pack of 4 |
| 22481 | Trap, SGT Click-On | Replacement O-rings for Click-On Connectors, Pack of 20, 10 small & 10 large O- |
| 22482 | Pump Block Piston Seal | for Agilent 1050/1100/1200, Teflon w/Graphite, 2pk |
| 22483 | Pump Block Piston Seal | for Agilent 1050/1100/1200, Teflon w/Graphite, 10pk |
| 22484 | Mobile Phase Pre-Heater | |
| 22485 | ResTape Teflon Tape | 1/2" x 260" Green PTFE Thread Tape for Oxygen Service, High Purity |
| 22486 | ResTape Teflon Tape | 1/2" x 260" Yellow PTFE Thread Tape for Gas Service, Gas Tight 3 Wrap |
| 22487 | ResTape Teflon Tape | 1/2" x 260" Gray PTFE Thread Tape for Stainless Steel, Anti Galling |
| 22488 | Silcosteel-Hydroguard | Tubing, 1/4"OD, 0.035"Wall Electropolished 316L Seamless Tubing, Min.Order Qt |
| 22488 | Silcosteel-Hydroguard | Tubing, 1/4"OD, 0.035"Wall Electropolished 316L Seamless Tubing, Min.Order Qt |
| 22488 | Silcosteel-Hydroguard | Tubing, 1/4"OD, 0.035"Wall Electropolished 316L Seamless Tubing, Min.Order Qt |
| 22488 | Silcosteel-Hydroguard | Tubing, 1/4"OD, 0.035"Wall Electropolished 316L Seamless Tubing, Min.Order Qt |
| 22489 | Silcosteel-Hydroguard | Tubing, 1/8"OD, 0.020" Wall Electropolished 316L Seamless Tubing, Min.Order Q |
| 22489 | Silcosteel-Hydroguard | Tubing, 1/8"OD, 0.020" Wall Electropolished 316L Seamless Tubing, Min.Order Q |
| 22489 | Silcosteel-Hydroguard | Tubing, 1/8"OD, 0.020" Wall Electropolished 316L Seamless Tubing, Min.Order Q |
| 22489 | Silcosteel-Hydroguard | Tubing, 1/8"OD, 0.020" Wall Electropolished 316L Seamless Tubing, Min.Order Q |
| 22490 | Silcosteel-Hydroguard | Tubing 0.180"ID x 1/4"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22490 | Silcosteel-Hydroguard | Tubing 0.180"ID x 1/4"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22490 | Silcosteel-Hydroguard | Tubing 0.180"ID x 1/4"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22490 | Silcosteel-Hydroguard | Tubing 0.180"ID x 1/4"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22491 | Silcosteel-Hydroguard | Tubing 0.055"ID x 1/8"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22491 | Silcosteel-Hydroguard | Tubing 0.055"ID x 1/8"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22491 | Silcosteel-Hydroguard | Tubing 0.055"ID x 1/8"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22491 | Silcosteel-Hydroguard | Tubing 0.055"ID x 1/8"OD 0.035" Wall 316L Seamless Min.Order Qty: 5 Feet |
| 22492 | Silcosteel-Hydroguard | Tubing 0.210"ID x 1/4"OD Min.Order Qty: 5 Feet |
| 22492 | Silcosteel-Hydroguard | Tubing 0.210"ID x 1/4"OD Min.Order Qty: 5 Feet |
| 22492 | Silcosteel-Hydroguard | Tubing 0.210"ID x 1/4"OD Min.Order Qty: 5 Feet |
| 22492 | Silcosteel-Hydroguard | Tubing 0.210"ID x 1/4"OD Min.Order Qty: 5 Feet |
| 22493 | Silcosteel-Hydroguard | Tubing 0.085"ID x 1/8"OD Min.Order Qty: 5 Feet |
| 22493 | Silcosteel-Hydroguard | Tubing 0.085"ID x 1/8"OD Min.Order Qty: 5 Feet |
| 22493 | Silcosteel-Hydroguard | Tubing 0.085"ID x 1/8"OD Min.Order Qty: 5 Feet |
| 22493 | Silcosteel-Hydroguard | Tubing 0.085"ID x 1/8"OD Min.Order Qty: 5 Feet |
| 22494 | Silcosteel-Hydroguard | Tubing, 0.040"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22494 | Silcosteel-Hydroguard | Tubing, 0.040"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22494 | Silcosteel-Hydroguard | Tubing, 0.040"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22494 | Silcosteel-Hydroguard | Tubing, 0.040"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22495 | Silcosteel-Hydroguard | Tubing, 0.030"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22495 | Silcosteel-Hydroguard | Tubing, 0.030"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22495 | Silcosteel-Hydroguard | Tubing, 0.030"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22495 | Silcosteel-Hydroguard | Tubing, 0.030"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22496 | Silcosteel-Hydroguard | Tubing, 0.020"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22496 | Silcosteel-Hydroguard | Tubing, 0.020"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22496 | Silcosteel-Hydroguard | Tubing, 0.020"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22496 | Silcosteel-Hydroguard | Tubing, 0.020"ID x 1/16"OD Min.Order Qty: 5 Feet |
| 22497 | Silcosteel-Hydroguard | Tubing, 0.010"ID x 1/16"OD Min.Order Qty: 5 feet |
| 22497 | Silcosteel-Hydroguard | Tubing, 0.010"ID x 1/16"OD Min.Order Qty: 5 feet |
| 22497 | Silcosteel-Hydroguard | Tubing, 0.010"ID x 1/16"OD Min.Order Qty: 5 feet |
| 22497 | Silcosteel-Hydroguard | Tubing, 0.010"ID x 1/16"OD Min.Order Qty: 5 feet |
| 22500 | Tubing, Sulfinert | 0.011" ID, 0.022" OD MXT 5ft Minimum Order Max Continuous Length 200' |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22500 | Tubing, Sulfinert | 0.011" ID, 0.022" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22500 | Tubing, Sulfinert | 0.011" ID, 0.022" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22500 | Tubing, Sulfinert | 0.011" ID, 0.022" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22501 | Tubing, Sulfinert | 0.021" ID, 0.029" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22501 | Tubing, Sulfinert | 0.021" ID, 0.029" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22501 | Tubing, Sulfinert | 0.021" ID, 0.029" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22501 | Tubing, Sulfinert | 0.021" ID, 0.029" OD MXT 5ft Minimum Order Max.Continuous Length 200' |
| 22502 | Tubing, Sulfinert | .010"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22502 | Tubing, Sulfinert | .010"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22502 | Tubing, Sulfinert | .010"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22502 | Tubing, Sulfinert | .010"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22503 | Tubing, Sulfinert | .020"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22503 | Tubing, Sulfinert | .020"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22503 | Tubing, Sulfinert | .020"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22503 | Tubing, Sulfinert | .020"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 500' |
| 22504 | Tubing, Sulfinert | .030"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22504 | Tubing, Sulfinert | .030"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22504 | Tubing, Sulfinert | .030"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22504 | Tubing, Sulfinert | .030"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22505 | Tubing, Sulfinert | .040"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22505 | Tubing, Sulfinert | .040"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22505 | Tubing, Sulfinert | .040"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22505 | Tubing, Sulfinert | .040"ID x 1/16"OD Sulfinert min. order qty: 5 Maximum Continuous Length 1000' |
| 22506 | Tubing, Sulfinert | .085"ID x 1/8"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22506 | Tubing, Sulfinert | .085"ID x 1/8"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22506 | Tubing, Sulfinert | .085"ID x 1/8"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22506 | Tubing, Sulfinert | .085"ID x 1/8"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22507 | Tubing, Sulfinert | .210"ID x 1/4"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22507 | Tubing, Sulfinert | .210"ID x 1/4"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22507 | Tubing, Sulfinert | .210"ID x 1/4"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22507 | Tubing, Sulfinert | .210"ID x 1/4"OD Sulfinert 0.020" Thick Wall min. order qty: 5 Maximum Continuou |
| 22508 | Tubing, Sulfinert | .055"ID x 1/8"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22508 | Tubing, Sulfinert | .055"ID x 1/8"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22508 | Tubing, Sulfinert | .055"ID x 1/8"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22508 | Tubing, Sulfinert | .055"ID x 1/8"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22509 | Tubing, Sulfinert | .180"ID x 1/4"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22509 | Tubing, Sulfinert | .180"ID x 1/4"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22509 | Tubing, Sulfinert | .180"ID x 1/4"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22509 | Tubing, Sulfinert | .180"ID x 1/4"OD Sulfinert Seamless 316L Grade, 0.035" Thick Wall min. order qty |
| 22520 | Fittings, Sulfinert | Union, 1/16" |
| 22521 | Fittings, Sulfinert | Union 1/8" |
| 22522 | Fittings, Sulfinert | Union, 1/4" |
| 22523 | Fittings, Sulfinert | Reducing Union, 1/8" to 1/16" |
| 22524 | Fittings, Sulfinert | Reducing Union, 1/4" to 1/16" |
| 22525 | Fittings, Sulfinert | Reducing Union, 1/4" to 1/8" |
| 22526 | Fittings, Sulfinert | Tee, 1/16" |
| 22527 | Fittings, Sulfinert | Tee, 1/8" |
| 22528 | Fittings, Sulfinert | Tee, 1/4" |
| 22530 | Fittings, Sulfinert | Elbow, 1/8" |
| 22531 | Fittings, Sulfinert | Elbow, 1/4" |
| 22532 | Fittings, Sulfinert | Zero Dead Volume Union, 1/16" |
| 22533 | Fittings, Sulfinert | Zero Dead Volume Union, 1/8" |
| 22534 | Fittings, Sulfinert | Zero Dead Volume Tee, 1/16" |
| 22535 | Fittings, Sulfinert | Zero Dead Volume Tee, 1/8" |
| 22536 | Silcosteel-CR Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085" ID, Maximum Coil Len |
| 22536 | Silcosteel-CR Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085" ID, Maximum Coil Len |
| 22536 | Silcosteel-CR Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085" ID, Maximum Coil Len |
| 22536 | Silcosteel-CR Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085" ID, Maximum Coil Len |
| 22537 | Silcosteel-CR Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, 316L Grade Maxim |
| 22537 | Silcosteel-CR Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, 316L Grade Maxim |
| 22537 | Silcosteel-CR Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, 316L Grade Maxim |
| 22537 | Silcosteel-CR Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, 316L Grade Maxim |
| 22538 | Siltek/Sulfinert Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085"ID, Maximum Coil Leng |
| 22538 | Siltek/Sulfinert Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085"ID, Maximum Coil Leng |
| 22538 | Siltek/Sulfinert Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085"ID, Maximum Coil Leng |
| 22538 | Siltek/Sulfinert Tubing | Electropolished 316L 1/8"OD 0.020" Wall Thickness 0.085"ID, Maximum Coil Leng |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22539 | Siltek/Sulfinert Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, Maximum Coil Leng |
| 22539 | Siltek/Sulfinert Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, Maximum Coil Leng |
| 22539 | Siltek/Sulfinert Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, Maximum Coil Leng |
| 22539 | Siltek/Sulfinert Tubing | Electropolished 316L 1/4"OD 0.035" Wall Thickness 0.180"ID, Maximum Coil Leng |
| 22540 | Siltek Fittings | 1/16" Union Swagelok# SS-100-6 |
| 22541 | Siltek Fittings | 1/8" Union Swagelok# SS-200-6 |
| 22542 | Siltek Fittings | 1/4" Union Swagelok# SS-400-6 |
| 22543 | Siltek Fittings | 1/16" Union Tee Swagelok# SS-100-3 |
| 22544 | Siltek Fittings | 1/8" Union Tee Swagelok# SS-200-3 |
| 22545 | Siltek Fittings | 1/4" Union Tee Swagelok# SS-400-3 |
| 22546 | Siltek Fittings | 1/8" to 1/16" Reducing Union, Swagelok# SS-200-6-1 |
| 22547 | Siltek Fittings | 1/4" to 1/16" Reducing Union, Swagelok# SS-400-6-1 |
| 22548 | Siltek Fittings | 1/4" to 1/8" Reducing Union, Swagelok# SS-400-6-2 |
| 22549 | Siltek Fittings | 1/8" Elbow Swagelok# SS-200-9 |
| 22550 | Siltek Fittings | 1/4" Elbow Swagelok# SS-400-9 |
| 22551 | Siltek Fittings | 1/8" Cross Swagelok# SS-200-4 |
| 22552 | Siltek Fittings | 1/4" Cross Swagelok# SS-400-4 |
| 22553 | Siltek Fittings | 1/8" Tube to 1/16" Swagelok# SS-100-R-2 |
| 22554 | Siltek Fittings | 1/4" Tube to 1/16" Swagelok# SS-100-R-4 |
| 22555 | Siltek Fittings | 1/8" Tube to 1/4" Swagelok# SS-400-R-2 |
| 22556 | Siltek Fittings | 1/4" Tube to 1/8" Swagelok# SS-200-R-4 |
| 22557 | Siltek Fittings | 1/8" Port Connector Swagelok# SS-201-PC |
| 22558 | Siltek Fittings | 1/4" Port Connector Swagelok# SS-401-PC |
| 22559 | Siltek Fittings | 1/8" tube to 1/4" Port Connector, Swagelok# SS-401-PC-2 |
| 22560 | GC Packing Material | Hayesep A 60/80 24 gram bottle |
| 22561 | Siltek Fittings | 1/8" to 1/8" NPT Male Connector, Swagelok# SS-200-1-2 |
| 22562 | Siltek Fittings | 1/4" to 1/4" NPT Male Connector, Swagelok# SS-400-1-4 |
| 22563 | Siltek Fittings | 1/16" to 1/8" NPT Male Connector, Swagelok# SS-100-1-2 |
| 22564 | Siltek Fittings | 1/8" to 1/4" NPT Male Connector, Swagelok# SS-200-1-4 |
| 22565 | Siltek Fittings | 1/4" to 1/8" NPT Male Connector, Swagelok# SS-400-1-2 |
| 22566 | Siltek Fittings | 1/8" to 1/8" NPT Female Connector, Swagelok# SS-200-7-2 |
| 22567 | Siltek Fittings | 1/4" to 1/4" NPT Female Connector, Swagelok# SS-400-7-4 |
| 22568 | Siltek Fittings | 1/4" to 1/8" NPT Female Connector, Swagelok# SS-400-7-2 |
| 22569 | Siltek Fittings | 1/8" to 1/4" NPT Female Connector, Swagelok# SS-200-7-4 |
| 22570 | Siltek Fittings | 1/8" Bulkhead Union Swagelok# SS-200-61 |
| 22571 | Siltek Fittings | 1/4" Bulkhead Union Swagelok# SS-400-61 |
| 22573 | Siltek Fittings | 1/8" Plug Swagelok# SS-200-P |
| 22574 | Siltek Fittings | 1/4" Plug Swagelok# SS-400-P |
| 22575 | Silcosteel-CR Fittings | 1/16" Union Swagelok# SS-100-6 |
| 22576 | Silcosteel-CR Fittings | 1/8" Union Swagelok# SS-200-6 |
| 22577 | Silcosteel-CR Fittings | 1/4" Union Swagelok# SS-400-6 |
| 22578 | Silcosteel-CR Fittings | 1/16" Union Tee Swagelok# SS-100-3 |
| 22579 | Silcosteel-CR Fittings | 1/8" Union Tee Swagelok# SS-200-3 |
| 22580 | Silcosteel-CR Fittings | 1/4" Union Tee Swagelok# SS-400-3 |
| 22581 | Silcosteel-CR Fittings | 1/8" to 1/16" Reducing Union, Swagelok# SS-200-6-1 |
| 22582 | Silcosteel-CR Fittings | 1/4" to 1/16" Reducing Union, Swagelok# SS-400-6-1 |
| 22583 | Silcosteel-CR Fittings | 1/4" to 1/8" Reducing Union, Swagelok# SS-400-6-2 |
| 22584 | Silcosteel-CR Fitting | 1/8" Elbow Swagelok# SS-200-9 |
| 22585 | Silcosteel-CR Fittings | 1/4" Elbow Swagelok# SS-400-9 |
| 22586 | Silcosteel-CR Fittings | 1/8" Cross Swagelok# SS-200-4 |
| 22587 | Silcosteel-CR Fittings | 1/4" Cross Swagelok# SS-400-4 |
| 22588 | Silcosteel-CR Fittings | 1/8" Tube to 1/16" Swagelok# SS-100-R-2 |
| 22589 | Silcosteel-CR Fittings | 1/4" Tube to 1/16" Swagelok# SS-100-R-4 |
| 22590 | Silcosteel-CR Fittings | 1/8" Tube to 1/4" Swagelok# SS-400-R-2 |
| 22591 | Silcosteel-CR Fittings | 1/4" Tube to 1/8" Swagelok# SS-200-R-4 |
| 22592 | Silcosteel-CR Fitting | 1/8" Port Connector Swagelok# SS-201-PC |
| 22593 | Silcosteel-CR Fittings | 1/4" Port Connector Swagelok# SS-401-PC |
| 22594 | Silcosteel-CR Fittings | 1/8" Tube to 1/4" Port Connector Swagelok# SS-401-PC-2 |
| 22595 | Silcosteel-CR Fittings | 1/8" to 1/8" NPT Male Connector Swagelok# SS-200-1-2 |
| 22596 | Silcosteel-CR Fittings | 1/4" to 1/4" NPT Male Connector Swagelok# SS-400-1-4 |
| 22597 | Silcosteel-CR Fittings | 1/4" Plug Swagelok# SS-400-P |
| 22598 | SPME Metal Liner | 0.8mm x 2.75 x 120 for Thermo GCs Siltek Deact., ea |
| 22599 | SPME Metal Liner | 0.8mm x 2.75 x 120 for Thermo GCs Siltek Deact., 5pk |
| 22600 | Purifier Module, Helium | 1/4" Fittings |
| 22601 | Purifier Module, Helium | 1/8" Fittings |
| 22602 | Purifier Module, Hydrogen | 1/4" Fittings |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22603 | Purifier Module, Hydrogen | 1/8" Fittings |
| 22604 | Purifier Module, Nitrogen | 1/4" Fittings |
| 22605 | Purifier Module, Nitrogen | 1/8" Fittings |
| 22606 | Purifier Module, Air | 1/4" Fittings |
| 22607 | Purifier Module, Air | 1/8" Fittings |
| 22608 | FID Cap. Column Adaptor | for PE AutoSys XL, For Use w/PE Style Cap. Nuts |
| 22609 | FID Cap. Column Adaptor | for PE AutoSys XL, For Use w/ 1/16" Compression Style Nuts |
| 22610 | Silcosteel-CR Fittings | 1/16" to 1/8" NPT Male Connector Swagelok# SS-100-1-2 |
| 22611 | Silcosteel-CR Fittings | 1/8" to 1/4" NPT Male Connector Swagelok# SS-200-1-4 |
| 22612 | Silcosteel-CR Fittings | 1/4" to 1/8" NPT Male Connector Swagelok# SS-400-1-2 |
| 22613 | Silcosteel-CR Fittings | 1/8" to 1/8" NPT Female Connector Swagelok# SS-200-7-2 |
| 22614 | Silcosteel-CR Fittings | 1/4" to 1/4" NPT Female Connector Swagelok# SS-400-7-4 |
| 22615 | Silcosteel-CR Fittings | 1/4" to 1/8" NPT Female Connector Swagelok# SS-400-7-2 |
| 22616 | Silcosteel-CR Fittings | 1/8" to 1/4" NPT Female Connector Swagelok# SS-200-7-4 |
| 22617 | Silcosteel-CR Fittings | 1/8" Bulkhead Union Swagelok# SS-200-61 |
| 22618 | Silcosteel-CR Fittings | 1/4" Bulkhead Union Swagelok# SS-400-61 |
| 22620 | Silcosteel-CR Fittings | 1/8" Plug Swagelok# SS-200-P |
| 22622 | Swaging Tool | Swagelock Compression Fitting Tool, 1/4" Compression, For Preset Swagelok Co |
| 22623 | Tee Wrench, Swagelok | 1/4" and 6mm Fittings, Compression Fitting Holder |
| 22624 | Inspection Gauge | Swagelok Compression Fitting Inspection Gauge, 1/4" 3/8" 1/2" Compression Fitti |
| 22627 | Inspection Light | Flexible LED Stylus Reach Pen Light |
| 22656 | Restek ProFLOW 6000 | Electronic Flowmeter, Battery Powered, 1yr Warranty from Date of Purchase |
| 22656-R | Recalibration Service | ProFLOW 6000 Electronic Flowmeter, PO & SRV #s Required |
| 22657 | Soft-Side Storage Case | for Leak Detector/Flowmeter |
| 22658 | Leak Detector Accessory | Small Probe Adaptor |
| 22663 | Diffusion Pump Fan Assy. | Discontinue When Stock is Depleted for Agilent 5972 MS |
| 22664 | Weldment, Split/Splitless | for Agilent 6890 GCs (Use with TEKMAR Purge & Traps) |
| 22665 | Weldment, Split/Splitless | for Agilent 6890 GCs (Use with OI Purge & Traps) |
| 22666 | Weldment, Split/Splitless | for Agilent 5890 GCs (Use with TEKMAR Purge & Traps) |
| 22667 | Weldment, Split/Splitless | for Agilent 5890 GCs (Use with OI Purge & Traps) |
| 22668 | Weldment | for Agilent 6890 GCs with optional canister filter (Use with TEKMAR Purge and Tr |
| 22669 | Weldment, Split/Splitless | for Agilent 6890 GCs with optional canister filter (for use with OI Purge and Traps) |
| 22670 | Weldment | Siltek Optional Split/Splitless Weldment For Agilent 6890/6850 GCs, For use with |
| 22671 | Shell Weldment | for Agilent 6890/6850 Siltek |
| 22672 | Split/Splitless Weldment | For Agilent 6890/6850 with EPC, Siltek |
| 22673 | Injector | Replacement Shell Weldment for HP 6890/6850 |
| 22674 | Injector | Replacement Split/Splitless Weldment for HP6890/6850 with EPC |
| 22683 | Graphite Ferrule | for Varian 1078/1079 5mm Liner Seal, 10pk |
| 22684 | Ferrule, Graphite | CIS4 and PTV Liner Seal 5pk |
| 22685 | Aluminum Oxide Powder | For Cleaning Mass Spec Parts, 1kg |
| 22686 | Weldment | Agilent 6890/6850 Optional Split/Splitless Weldment for use with Large Canister T |
| 22687 | Pump Oil | Rough Pump Oil for MSD Pumps, Oil Vacuum Pump #19, 1 Liter 12/cs |
| 22688 | Capillary Nut | for Shimadzu 17A, 2010 & 2014 GCs 2pk |
| 22689 | Tool | Replacement Sanding Disks for the Injection Port Repair Tool. 5 fine and 5 Mediu |
| 22690 | Regulator | Inlet CGA 160, Outlet 1/4" Female NPT. For use with 14 Liter Scott/Air Liquide Tra |
| 22691 | Regulator | Inlet CGA 165, Outlet 1/4" Female NPT, For use with 48 Liter Scott/Air Liquide Tra |
| 22692 | Autosampler Hardware | Agilent 7673 A/B Motor Belt |
| 22694 | Replacement Cable | Discontinue When Stock is Depleted Agilent 6890 to PC 9F/9F (RS232) |
| 22695 | Autosampler Hardware | Agilent 7673 A/B Autosampler Syringe Pulley Belt |
| 22697 | Versa Vial | Glass, 12x32mm, 2.0mL Amber, 100pk |
| 22698 | Versa Vial | Glass, 12x32mm, 2.0mL Amber, 1000pk |
| 22699 | Versa Vial | Glass, 12x32mm, 2.0mL Amber w/White Graduated Marking Spot, 100pk |
| 22700 | Versa Vial | Glass, 12x32mm, 2.0mL Amber w/White Graduated Marking Spot, 1000pk |
| 22701 | Versa Vial | Glass, 12x32mm, 2.0mL Clear, 100pk |
| 22702 | Versa Vial | Glass, 12x32mm, 2.0mL Clear, 1000pk |
| 22703 | Versa Vial | Glass, 12x32mm, 2.0mL Clear w/White Graduated Marking Spot, 100pk |
| 22704 | Versa Vial | Glass, 12x32mm, 2.0mL Clear w/White Graduated Marking Spot, 1000pk |
| 22705 | Versa Vial, Polypropylene | 12x32mm, 1.5mL, 100pk |
| 22706 | Versa Vial, Polypropylene | 12x32mm, 1.5mL, 1000pk |
| 22707 | Versa Vial | 250uL Glass Insert w/Glass Flange, 100pk |
| 22709 | Versa Vial | 250uL Polypropylene Insert w/Flange, 100pk |
| 22710 | Versa Vial | 250uL Polypropylene Insert w/Flange, 1000pk |
| 22711 | Versa Vial | 250uL Glass Flat Bottom Insert, 100pk |
| 22712 | Versa Vial | 250uL Glass Flat Bottom Insert, 1000pk |
| 22713 | Versa Vial | 12mm, Green Polyethylene Plug, 100pk |
| 22714 | Versa Vial | 12mm, Green Polyethylene Plug, 1000pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 22715 | Versa Vial | 12mm, Gray Chlorobutyl/Siloconized Plug, 100pk |
| 22716 | Versa Vial | 12mm, Grey Chlorobutyl/Siliconized Plug, 1000pk |
| 22717 | Versa Vial | 12mm,White PTFE/Sil Plug 100pk |
| 22718 | Versa Vial | 12mm,White PTFE/Sil Plug 1000pk |
| 22719 | Versa Vial | 12mm,White PTFE/Sil Plug w/Slit, 100pk |
| 22720 | Versa Vial | 12mm,White PTFE/Sil Plug w/Slit, 1000pk |
| 22721 | EZ Twist Top Inj. Port | Complete Injection Port for Agilent 6890 GCs DO NOT SHIP TO JAPAN OR GER |
| 22722 | EZ Twist Top Inj. Port | Complete Injection Port for Agilent 6890 GCs Siltek Treated DO NOT SHIP TO JA |
| 22723 | EZ Twist Top Weldment | Replacement Shell Weldment for Agilent 6890 DO NOT SHIP TO JAPAN OR GE |
| 22724 | EZ Twist Top Weldment | Replacement Weldment for 5890 and 6890 GCs DO NOT SHIP TO JAPAN OR G |
| 22725 | EZ Twist Top Inj. Port | Complete Injection Port for Agilent 5890 GCs, DO NOT SHIP TO JAPAN OR GEF |
| 22726 | EZ Twist Top Inj. Port | Complete Injection Port for Agilent 5890 GCs Siltek Treated DO NOT SHIP TO JA |
| 22727 | EZ Twist Top Weldment | Replacement Shell Weldment for Agilent 5890 DO NOT SHIP TO JAPAN OR GE |
| 22728 | EZ Twist Top Tool | Weldment Tool for Agilent 5890 and 6890 GCs |
| 22729 | EZ Twist Top O-Rings | Small Replacement O-Rings for Weldment, 10pk |
| 22730 | EZ Twist Top Weldment | Replacement Shell Weldment for Agilent 6890 - Siltek Treated DO NOT SHIP TO |
| 22731 | EZ Twist Top Weldment | Replacement Shell Weldment for Agilent 5890 - Siltek Treated DO NOT SHIP TO |
| 22732 | EZ Twist Top Weldment | Siltek Replacement Weldment for Agilent 5890 & 6890 GCs DO NOT SHIP TO JA |
| 22733 | EZ Twist Top Weldment | Optional Split/Splitless Shell Weldment for Agilent 6890 GCs For Use w/Large Ca |
| 22734 | EZ Twist Top Weldment | Siltek Treated Optional Split/Splitless Shell Weldment for Agilent 6890 GCs For U |
| 22735 | EZ Twist Top Inj. Port | Complete Injection Port w/Optional Split Vent for Agilent 6890 GCs DO NOT SHIF |
| 22736 | EZ Twist Top Inj. Port | Siltek Treated Injection Port w/Optional Split Vent for Agilent 6890 GCs DO NOT S |
| 22737 | Syringe, SGE | Leap/CTC LC Autosampler 10F-CTC-LC, 10uL |
| 22738 | Syringe, SGE | Leap/CTC LC Autosampler 25F-C/T-LC, 25uL |
| 22739 | Syringe, SGE | Leap/CTC LC Autosampler 25R-C/T-GT-LC, Gas Tight, 25uL |
| 22740 | Syringe, SGE | Leap/CTC LC Autosampler 50F-C/T-GT-LC, Gas Tight, 50uL |
| 22741 | Syringe, SGE | Leap/CTC LC Autosampler 100R-C/T-GT-LC, Gas Tight, 100uL |
| 22742 | Syringe, SGE | Leap/CTC LC Autosampler 500F-CTC-GT-LC(0.41), Gas Tight, 500uL |
| 22743 | Syringe, Hamilton | Leap/CTC LC Autosampler 701N, 10uL |
| 22744 | Syringe, Hamilton | Leap/CTC LC Autosampler 1702N, 25uL |
| 22745 | Syringe, Hamilton | Leap/CTC LC Autosampler 1701N Slim Line, 100uL |
| 22746 | Syringe, Hamilton | Leap/CTC LC Autosampler 1701N, 100uL |
| 22747 | Syringe, Hamilton | Leap/CTC LC Autosampler 1725N, 250uL |
| 22748 | Syringe, Hamilton | Leap/CTC LC Autosampler 1750N, 500uL |
| 22749 | Syringe, SGE | 10F-C/T-GT-5/0.63C, Gas Tight 10uL/23/50mm/cone |
| 22750 | Syringe, SGE | 25-C/T-5/0.47C 25uL/26/50mm/cone |
| 22751 | Syringe, SGE | 25-C/T-GT-5/0.63C, Gas Tight 25uL/23/50mm/cone |
| 22752 | Syringe, SGE | 25-R-C/T-GT-5/0.47H, Gas Tight, 25uL/26/50mm/s-hole |
| 22753 | Syringe, SGE | 100F-C/T-GT-5/0.63C, Gas Tight, 100uL/23/50mm/cone |
| 22754 | Syringe, SGE | 100R-C/T-GT-5/0.47C, Gas Tight, 100uL/26/50mm/cone |
| 22755 | Syringe, Hamilton | 7701.2N/1.2uL/26/51mm/AS |
| 22756 | Syringe, Hamilton | 75N/5uL/26/51mm/AS |
| 22757 | Syringe, Hamilton | 701N/10uL/23s/51mm/AS |
| 22758 | Syringe, Hamilton | 701N/10uL/23s-26s/51mm/AS |
| 22759 | Syringe, Hamilton | 701N/10uL/23s/51mm/2 |
| 22760 | Syringe, Hamilton | 701N Slim Line/10uL/26s/51mm/2 |
| 22761 | Syringe, Hamilton | 701N/10uL/26s/51mm/AS |
| 22762 | Syringe, Hamilton | 701N/10uL/26s/51mm/2 6pk |
| 22763 | Syringe, Hamilton | 1702N/25uL/26s/51mm/AS Gas Tight |
| 22764 | Syringe, Hamilton | 1702N Slim Line/25uL/26s/51mm/AS Gas Tight, 6.7mm Barrel OD |
| 22765 | Syringe, Hamilton | 1701N Slim Line/100uL/26s/51mm/AS Gas Tight, 6.7mm Barrel OD |
| 22766 | Norm-Ject Plastic Syringe | 1mL Luer Slip Tuberculin, 100pk |
| 22767 | Norm-Ject Plastic Syringe | 3mL Luer Slip Centric Tip, 100pk |
| 22768 | Norm-Ject Plastic Syringe | 5mL Luer Slip Centric Tip, 100pk |
| 22769 | Norm-Ject Plastic Syringe | 10mL Luer Slip Eccentric Tip, 100pk |
| 22770 | Norm-Ject Plastic Syringe | 20mL Luer Slip Eccentric Tip, 100pk |
| 22771 | Norm-Ject Plastic Syringe | 30mL Luer Slip Eccentric Tip, 50pk |
| 22772 | Norm-Ject Plastic Syringe | 50mL Luer Slip Eccentric Tip, 30pk |
| 22773 | Norm-Ject Plastic Syringe | 3mL Luer Lock Tip 100pk |
| 22774 | Norm-Ject Plastic Syringe | 5mL Luer Lock Tip 100pk |
| 22775 | Norm-Ject Plastic Syringe | 10mL Luer Lock Tip 100pk |
| 22776 | Norm-Ject Plastic Syringe | 20mL Luer Lock Tip 100pk |
| 22777 | Norm-Ject Plastic Syringe | 30mL Luer Lock Tip 50pk |
| 22778 | Norm-Ject Plastic Syringe | 50mL Luer Lock Tip 30pk |
| 22779 | Merlin Microseal | Adapter Kit for Varian 1078 and 1079 SPME Systems (nut w/start switch adapter v |
| 22780 | Merlin Microseal | Adapter Kit for Varian 1177 SPME System (nut w/start switch, adapter, o-ring, spa |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22781 | Merlin Microseal | Adapter Kit for Perkin Elmer Inlets (port adapter w/o-ring, 2 septa, nut) |
| 22782 | Merlin Microseal | Replacement Septum for SPME Applications |
| 22783 | Luer Syringe Needles | for 100uL A2 Gas-Tight Syringes, 22ga, 3-pk, (0.028"OD x 0.006"ID x 2") |
| 22784 | Luer Syringe Needles | for 500uL A2 Gas-Tight Syringes, 22ga, 3-pk, (0.028"OD x 0.012"ID x 2") |
| 22788 | Certified Vials | Assembled 2mL Amber Vial w/Marking Spot and Bonded PTFE/Silicone Slit Septa |
| 22789 | Certified Vials | Assembled 2mL Clear Vial w/Marking Spot and Bonded PTFE/Silicone Slit Septa, |
| 22790 | Certified Vials | Unassembled 2mL Amber Vial w/Marking Spot and Bonded PTFE/Silicone Septa, |
| 22791 | Certified Vials | Unassembled 2mL Amber Vial w/Marking Spot and Bonded PTFE/Silicone Slit Se |
| 22792 | Certified Vials | Unassembled 2mL Clear Vial w/Marking Spot and Bonded PTFE/Silicone Septa, 1 |
| 22793 | Certified Vials | Unassembled 2mL Clear Vial High Recovery, w/Marking Spot and Bonded PTFE/S |
| 22800 | Split Vent Line | 32" Replacement For HP GC 2pk |
| 22808 | Merlin Microseal | Replacement PTFE Washers Pack of 2 |
| 22809 | Merlin Microseal | High Pressure Nut Kit (1 nut) Fits 300/400 series septa |
| 22810 | Merlin Microseal | High Pressure Septa Std Kit (nut, 2 high pressure septa) |
| 22811 | Merlin Microseal | High Pressure Septa Starter Kit (nut, 1 high-pressure septum) |
| 22812 | Merlin Microseal | High Pressure Replacement Septa (1 septum) 400 series |
| 22813 | Merlin Microseal | Standard Kit, Nut, 2 Septa |
| 22814 | Merlin Microseal | Septa Starter Kit, Nut, 1 Septa |
| 22815 | Merlin Microseal Septum | Replacement Septum 300 series (1 septum) |
| 22820 | Trap, Chemical | for HP 6890 GCs |
| 22831 | Magnetic Seal w/Septa | 20mm Magnetic Crimp Cap with Teflon/Silicone Septum (tan/white) w/8mm Hole, |
| 22832 | Magnetic Seal w/Septa | 20mm Magnetic Crimp Cap with Teflon/Silicone Septum (tan/white) w/8mm Hole, |
| 22833 | Magnetic Seal w/Septa | 20mm Magnetic Crimp Cap with Teflon/Silicone Septum (tan/white) w/5mm Hole, |
| 22834 | Magnetic Seal w/Septa | 20mm Magnetic Crimp Cap with Teflon/Silicone Septum (tan/white) w/5mm Hole, |
| 22835 | Magnetic Seal w/Septa | 20mm Magnetic Crimp Cap with PTFE/Butyl Septum w/8mm Hole, 100pk |
| 22836 | Magnetic Seal w/Septa | 20mm Magnetic Crimp Cap with PTFE/Butyl Septum w/8mm Hole, 1000pk |
| 22837 | Magnetic Seal w/Septa | Discontinue when stock is depleted 20mm Magnetic Crimp Cap with PTFE/Butyl S |
| 22839 | Restek Electronic | Leak Detector. Includes Storage/Carry Case and Universal Battery Charger Set (U |
| 22839-R | Leak Detector Conformance | Check: Probe, Internal Tubing and Batteries Replaced, Unit Tested and Certified, |
| 22840 | Sample Loop, Sulfinert | 5ul |
| 22841 | Sample Loop, Sulfinert | 10ul |
| 22842 | Sample Loop, Sulfinert | 20ul |
| 22843 | Sample Loop, Sulfinert | 25ul |
| 22844 | Sample Loop, Sulfinert | 50ul |
| 22845 | Sample Loop, Sulfinert | 100ul |
| 22846 | Sample Loop, Sulfinert | 250ul |
| 22847 | Sample Loop, Sulfinert | 500ul |
| 22848 | Sample Loop, Sulfinert | 1ml |
| 22849 | Sample Loop, Sulfinert | 2ml |
| 22850 | Sample Loop, Sulfinert | 5ml |
| 22855 | Turret Tray Assembly | Autosampler Turret Tray for the Agilent 5890/6890 GC |
| 22856 | Vial Storage Rack | for 12 x 32mm Vials, 50 Vial Capacity, Polypropylene, ea |
| 22857 | Vial Storage Rack | for 12 x 32mm Vials, 50 Vial Capacity, Polypropylene, 5-pk |
| 22858 | Capillary Column Caps | Silicone Caps, 10-pk |
| 22863 | Silcosteel-CR, Fitting | 1/16" Union |
| 22864 | Silcosteel-CR, Fitting | 1/8" Union |
| 22865 | Silcosteel-CR, Fitting | 1/4" Union |
| 22866 | Silcosteel-CR, Fitting | 1/16" Tee |
| 22867 | Silcosteel-CR, Fitting | 1/8" Tee |
| 22868 | Silcosteel-CR, Fitting | 1/4" Tee |
| 22869 | Silcosteel-CR, Fitting | 1/8" to 1/16" Reducer |
| 22870 | Silcosteel-CR, Fitting | 1/4" to 1/16" Reducer |
| 22871 | Silcosteel-CR, Fitting | 1/4" to 1/8" Reducer |
| 22872 | Silcosteel-CR, Fitting | 1/8" Cross |
| 22873 | Silcosteel-CR, Fitting | 1/4" Cross |
| 22875 | Silcosteel-CR, Fitting | 1/8" Elbow |
| 22876 | Silcosteel-CR, Fitting | 1/4" Elbow |
| 22878 | Silcosteel-CR, Fitting | 1/8" Plug |
| 22879 | Silcosteel-CR, Fitting | 1/4" Plug |
| 22880 | Silcosteel-CR, Fitting | 1/8" to 1/16" Tube End Reducer |
| 22881 | Silcosteel-CR, Fitting | 1/4" to 1/16" Tube End Reducer |
| 22882 | Silcosteel-CR, Fitting | 1/8" to 1/4" Tube End Reducer |
| 22883 | Silcosteel-CR, Fitting | 1/4" to 1/8" Tube End Reducer |
| 22884 | Silcosteel-CR, Fitting | 1/8" Port Connector |
| 22885 | Silcosteel-CR, Fitting | 1/4" Port Connector |
| 22886 | Silcosteel-CR, Fitting | 1/8" to 1/4" Port Connector |

| | | |
|---|---|---|
| 22887 | Silcosteel-CR, Fitting | 1/8" to 1/8" Male NPT Union |
| 22889 | Silcosteel-CR, Fitting | 1/16" to 1/8" Male NPT Union |
| 22890 | Silcosteel-CR, Fitting | 1/8" to 1/4" Male NPT Union |
| 22891 | Silcosteel-CR, Fitting | 1/4" to 1/8" Male NPT Union |
| 22892 | Silcosteel-CR, Fitting | 1/8" to 1/8" Female NPT Union |
| 22893 | Silcosteel-CR, Fitting | 1/4" to 1/4" Female NPT Union |
| 22894 | Silcosteel-CR, Fitting | 1/4" to 1/8" Female NPT Union |
| 22896 | Silcosteel-CR Tubing | 0.055" ID x 1/8" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22896 | Silcosteel-CR Tubing | 0.055" ID x 1/8" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22896 | Silcosteel-CR Tubing | 0.055" ID x 1/8" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22896 | Silcosteel-CR Tubing | 0.055" ID x 1/8" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22897 | Silcosteel-CR Tubing | 0.180" ID x 1/4" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22897 | Silcosteel-CR Tubing | 0.180" ID x 1/4" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22897 | Silcosteel-CR Tubing | 0.180" ID x 1/4" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22897 | Silcosteel-CR Tubing | 0.180" ID x 1/4" OD, Seamless 316L Grade, 0.035" Wall min. order qty: 5 |
| 22898 | Silcosteel-CR Tubing | 6' Straight Length, 1/8"OD 0.035" Wall 316L Seamless Treated Internally and Exte |
| 22899 | Silcosteel-CR Tubing | 6' Straight Length, 1/4"OD 0.035" Wall 316L Seamless Treated Internally and Exte |
| 22900 | Silcosteel-CR Tubing | 6' Straight Length, 3/8"OD 0.049" Wall 316L Seamless Treated Internally and Exte |
| 22901 | Siltek/Sulfinert Tubing | 6' Straight Length, 1/8"OD 0.035" Wall 316L Seamless Treated Internally and Exte |
| 22902 | Siltek/Sulfinert Tubing | 6' Straight Length, 1/4"OD 0.035" Wall 316L Seamless Treated Internally and Exte |
| 22903 | Siltek/Sulfinert Tubing | 6' Straight Length, 3/8"OD 0.049" Wall 316L Seamless Treated Internally and Exte |
| 22904 | Silcosteel-CR Fitting | 3/8" Union Silcosteel-CR Treated. Swagelok # SS-600-6 |
| 22905 | Silcosteel-CR Fitting | 3/8" Tee Silcosteel-CR Treated. Swagelok # SS-600-3 |
| 22906 | Silcosteel-CR Fitting | 3/8" to 1/4" Reducing Union. Silcosteel-CR Treated. Swagelok # SS-600-6-4 |
| 22907 | Silcosteel-CR Fitting | 3/8" Tube to 3/8" MNPT Male Connector Silcosteel-CR Treated. Swagelok # SS-6 |
| 22909 | Siltek/Sulfinert Fitting | 3/8" Union Siltek/Sulfinert Treated. Swagelok # SS-600-6 |
| 22910 | Siltek/Sulfinert Fitting | 3/8" Tee Siltek/Sulfinert Treated. Swagelok # SS-600-3 |
| 22911 | Siltek/Sulfinert Fitting | 3/8" to 1/4" Reducing Union Siltek/Sulfinert Treated Swagelok # SS-600-6-4 |
| 22912 | Siltek/Sulfinert Fitting | 3/8" Tube to 3/8" MNPT Male Connector Siltek/Sulfinert Treated. Swagelok # SS-( |
| 22914 | Tubing, Sulfinert/Siltek | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Siltek/Sulfinert Treated mi |
| 22914 | Tubing, Sulfinert/Siltek | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Siltek/Sulfinert Treated mi |
| 22914 | Tubing, Sulfinert/Siltek | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Siltek/Sulfinert Treated mi |
| 22914 | Tubing, Sulfinert/Siltek | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Siltek/Sulfinert Treated mi |
| 22915 | Tubing, Silcosteel-CR | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Silcosteel-CR Treated |
| 22915 | Tubing, Silcosteel-CR | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Silcosteel-CR Treated |
| 22915 | Tubing, Silcosteel-CR | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Silcosteel-CR Treated |
| 22915 | Tubing, Silcosteel-CR | 3/8" OD x 0.277" ID x 0.049" Seamless 316L Grade SS Silcosteel-CR Treated |
| 22916 | Canister Cleaning System | TO-Clean Oven, Capacity 12 x 6L Canisters, Includes Vacuum Pump 120v, 60Hz |
| 22917 | Canister Cleaning System | TO-Clean Oven, Capacity 12 x 6L Canisters, Includes Vacuum Pump 220/230V, 5 |
| 22918 | Canister Cleaning System | Dewar, Glass, 4300mL SS Tube Traps Domestic Orders Drop Ship from Manufac |
| 22919 | Canister Cleaning System | Oven Cart, 48 x 30in 12 Gauge Steel, Push Handle and Casters Ships FedEx Gro |
| 22920 | Canister Cleaning System | TO-Clean Oven 1L Option Includes Tubing, Fittings, and Inserts for 24-1L Caniste |
| 22921 | Sample Cylinder | 75cc, 1800psig, 304L, SS 1/4" Female NPT Ends |
| 22921-PI | Sample Cylinder | TPED, 75cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 22922 | Sample Cylinder | 150cc, 1800psig, 304L, SS 1/4" Female NPT Ends |
| 22922-PI | Sample Cylinder | TPED, 150cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 22923 | Sample Cylinder | 300cc, 1800psig, 304L, SS 1/4" Female NPT Ends |
| 22923-PI | Sample Cylinder | TPED, 300cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 22924 | Sample Cylinder | 500cc, 1800psig, 304L, SS 1/4" Female NPT Ends |
| 22924-PI | Sample Cylinder | TPED, 500cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 22925 | Sample Cylinder | 1000cc, 1800psig, 304L, SS 1/4" Female NPT Ends |
| 22925-PI | Sample Cylinder | TPED, 1000cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 22926 | Sample Cylinder | 2250cc, 1800psig, 304L, SS 1/4" Female NPT Ends |
| 22926-PI | Sample Cylinder | TPED, 2250cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 22927 | Sample Cylinder | 150cc, 5000psig, 316L, SS 1/4" Female NPT Ends |
| 22927-PI | Sample Cylinder | TPED, 150cc, 4350psig, 316L, SS, 1/4" Female NPT Ends |
| 22928 | Sample Cylinder | 300cc, 5000psig, 316L, SS 1/4" Female NPT Ends |
| 22928-PI | Sample Cylinder | TPED, 300cc, 4350psig, 316L, SS, 1/4" Female NPT Ends |
| 22929 | Sample Cylinder | 500cc, 5000psig, 316L, SS 1/4" Female NPT Ends |
| 22929-PI | Sample Cylinder | TPED, 500cc, 4350psig, 316L, SS, 1/4" Female NPT Ends |
| 22930 | Soil Gas Sampling Kit | 20 minute, Tee fitting w/0.0065" orifice |
| 22931 | Soil Gas Sampling Kit | 30 minute, Tee fitting w/0.0055" orifice |
| 22932 | Soil Gas Sampling Kit | 1 hour, Tee fitting w/0.0040" orifice |
| 22933 | Soil Gas Sampling Kit | 4 hour, Tee fitting w/0.0020" orifice |
| 22934 | Soil Gas Sampling Kit | 10 hour, Tee fitting w/0.0014" orifice |
| 22935 | Soil Gas Sampling Kit | 20 minute, Tee fitting w/0.0065" orifice Siltek treated |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 22936 | Soil Gas Sampling Kit | 30 minute, Tee fitting w/0.0055" orifice Siltek treated |
| 22937 | Soil Gas Sampling Kit | 1 hour, Tee fitting w/0.0040" orifice Siltek treated |
| 22938 | Soil Gas Sampling Kit | 4 hour, Tee fitting w/0.0020" orifice Siltek treated |
| 22939 | Soil Gas Sampling Kit | 10 hour, Tee fitting w/0.0014" orifice Siltek treated |
| 22940 | Soil Gas Sampler | 20 minute, Tee Fitting w/0.0065" orifice |
| 22941 | Soil Gas Sampler | 30 minute, Tee Fitting w/0.0055" orifice |
| 22942 | Soil Gas Sampler | 1 hour, Tee Fitting w/0.0040" orifice |
| 22943 | Soil Gas Sampler | 4 hour, Tee Fitting w/0.0020" orifice |
| 22944 | Soil Gas Sampler | 10 hour, Tee Fitting w/0.0014" orifice |
| 22945 | Soil Gas Sampler | 20 minute, Tee Fitting w/0.0065" orifice Siltek treated |
| 22946 | Soil Gas Sampler | 30 minute, Tee Fitting w/0.0055" orifice Siltek treated |
| 22947 | Soil Gas Sampler | 1 hour, Tee Fitting w/0.0040" orifice Siltek treated |
| 22948 | Soil Gas Sampler | 4 hour, Tee Fitting w/0.0020" orifice Siltek treated |
| 22949 | Soil Gas Sampler | 10 hour, Tee Fitting w/0.0014" orifice Siltek treated |
| 22950 | Gas Sampling Bag | Multi-Layer Foil, 1L, 7" x 7" w/polypropylene combo valve & septum, 1 eyelet, 5-pk |
| 22951 | Gas Sampling Bag | Multi-Layer Foil, 3L, 10" x 10" w/polypropylene combo valve & septum, 1 eyelet, 5- |
| 22952 | Gas Sampling Bag | Multi-Layer Foil, 5L, 12" x 12" w/polypropylene combo valve & septum, 1 eyelet, 5- |
| 22953 | Gas Sampling Bag | Multi-Layer Foil, 10L, 12" x 22" w/polypropylene combo valve & septum, 1 eyelet, 5 |
| 22954 | PUFs | Large PUF plug, unwashed, 6cm OD x 7.6cm L, 10-pk |
| 22955 | PUFs | Large PUF plug, unwashed, 6cm OD x 5.1cm L, 10-pk |
| 22956 | PUFs | Large PUF plug, unwashed, 6cm OD x 2.5cm L, 10-pk |
| 22957 | PUFs | Small PUF plug, unwashed, 22mm OD x 7.6cm L, 10-pk |
| 22958 | Gas Sampling Bag | ALTEF, 0.5L, 6"x6" w/polypropylene combo valve & septum, 1 eyelet, 10-pk |
| 22959 | Gas Sampling Bag | ALTEF, 1L, 7"x7" w/polypropylene combo valve & septum, 1 eyelet, 10-pk |
| 22960 | Gas Sampling Bag | ALTEF, 3L, 10"x10" w/polypropylene combo valve & septum, 1 eyelet, 10-pk |
| 22961 | Gas Sampling Bag | ALTEF, 5L, 12"x12" w/polypropylene combo valve & septum, 1 eyelet, 10-pk |
| 22962 | Gas Sampling Bag | ALTEF, 10L, 12"x22" w/polypropylene combo valve & septum, 1 eyelet, 10-pk |
| 22963 | Gas Sampling Bag | ALTEF, 25L, 18"x24" w/polypropylene combo valve & septum, 1 eyelet, 5-pk |
| 22964 | PUFs | Large PUF Glass Holder Fits 6cm OD PUF Plug |
| 22965 | PUFs | Small PUF Glass Holder Fits 22mm OD PUF Plug |
| 22966 | Gas Sampling Bag | Multi-Layer Foil, 12L, 13" x 24" w/ polypropylene combo valve & septum, 1 eyelet, |
| 22967 | Gas Sampling Bag | Multi-Layer Foil, 25L, 18" x 24" w/polypropylene combo valve & septum, 1 eyelet, 5 |
| 22968 | Gas Sampling Bag | Multi-Layer Foil, 40L, 24" x 24.5" w/polypropylene combo valve & septum, 1 eyelet |
| 22972 | Merlin Microseal | for Shimadzu GC-2010 and GC-2025, Includes: Nut, Adapter, and 2 Septum |
| 22973 | Gooseneck Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 22973-200.1 | Gooseneck Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact Wool, ea |
| 22973-231.1 | Gooseneck Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, Ea |
| 22974 | Gooseneck Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5-pk |
| 22974-200.5 | Gooseneck Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/ Deact. Wool, 5pk |
| 22974-231.5 | Gooseneck Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, 5pk |
| 22975 | Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., ea |
| 22975-200.1 | Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 22975-231.1 | Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., SV Wool, Ea |
| 22976 | Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., 5-pk |
| 22976-200.5 | Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact.,w/Deact. Wool, 5-pk |
| 22976-231.5 | Splitless Liner | 5.0mm x 6.5 x 78.5 for Agilent GCs IP Deact., w/ SV Wool, 5pk |
| 22979 | Drilled Cyclo Uniliner | Hole near Top, 4.0mm x 6.3 x 78.5 For Agilent GCs, IP Deact., ea |
| 22979-214.1 | Drilled Cyclo Uniliner | Hole near Top, 4.0mm x 6.3 x 78.5 For Agilent GCs, Siltek Deac., ea |
| 22980 | Drilled Cyclo Uniliner | Hole near Top, 4.0mm x 6.3 x 78.5 For Agilent GCs, IP Deact., 5-pk |
| 22980-214.5 | Drilled Cyclo Uniliner | Hole Near Top, 4.0mm x 6.3 x 78.5 for Agilent GCs, Siltek Deac., 5-pk |
| 22983 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, ea |
| 22983-211.1 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GCs Base Deact., w/Base Wool, e |
| 22983-213.1 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5, for Agilent GCs Siltek Deact., w/ Deact. Wool |
| 22983-214.1 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GC's Siltek Deact., ea |
| 22984 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 5pk |
| 22984-211.5 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 For Agilent GCs, Base Deact., Base Wool, 5p |
| 22984-213.5 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GCs Siltek Deact., w/Deact Wool, 5 |
| 22984-231.5 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 For Agilent GCs, IP Deact., SV Wool, 5pk |
| 22985 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GCs IP Deact., w/Deact. Wool, 25p |
| 22985-211.25 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5, For Agilent GCs Base Deact., Base Wool, 25 |
| 22985-213.25 | Single Gooseneck | Precision Liner, 4.0mm x 6.3 x 78.5 for Agilent GCs, Siltek Deact. w/ Deact. Wool, |
| 22986 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, IP Deact., ea |
| 22986-213.1 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact. w/ Deact. Wool, |
| 22986-214.1 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact., ea |
| 22986-216.1 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact., w/ Carbofrit, Ea |
| 22987 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, IP Deact., 5pk |

| | | |
|---|---|---|
| 22987-202.5 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, IP Deact., w/Glass Wool, 5pk |
| 22987-213.5 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact, w/ Deact Wool, 5 |
| 22987-214.5 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact., 5pk |
| 22987-216.5 | Drilled Uniliner Liner | Hole on Top, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact. w/ Carbofrit, 5pk |
| 22988 | Drilled Uniliner Liner | Hole on Bottom, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, IP Deact., ea |
| 22988-214.1 | Drilled Uniliner Liner | Hole on Bottom, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, Siltek Deact., ea |
| 22989 | Drilled Uniliner Liner | Hole on Bottom, 2.0mm x 4.0 x 86.2 for PE PSS Inlets, IP Deact., 5pk |
| 22990 | Zero Dilution Inner Liner | 1mm x 2 x 73 for PE GCs IP Deact., ea |
| 22991 | Zero Dilution Inner Liner | 1mm x 2 x 73 for PE GCs IP Deact., 5pk |
| 22991-214.5 | Zero Dilution Inner Liner | 1mm x 2 x 73 for PE GCs Siltek Deact., 5pk |
| 22992 | Zero Dilution Outer Liner | 2.5mm x 6.2 x 90 for PE GCs IP Deact., ea |
| 22992-214.1 | Zero Dilution Outer Liner | 2.5mm x 6.2 x 90 for PE GCs Siltek Deact., Ea |
| 22993 | Zero Dilution Outer Liner | 2.5mm x 6.2 x 90 for PE GCs IP Deact., 5pk |
| 22994 | Oven Flapper Assembly | For Agilent 5890 GCs |
| 22995 | Oven Flapper Assembly | For Agilent 6890 GCs |
| 22996 | Gasket and Hardware Kit | Replacement Kit for Oven Flapper Assembly, Agilent 5890/6890 |
| 22997 | Metric Wrench Set | 3pk, 6x7mm, 8x10mm, 16x17mm Double Open End Wrenches |
| 22998 | Hex Key Set | Std Inch, 12 Piece Ball-Point w/Plastic Indexed Caddy |
| 22999 | Hex Key Set | Metric, 9 Piece Ball-Point w/Plastic Indexed Caddy |
| 23001 | Tool Set | Wrench, Adjustable Set |
| 23002 | Tool | Screwdriver, 5 in 1 Magnetic |
| 23004 | Tool Set | 54 Piece Tool Set |
| 23009 | Tool | IMP Triple Head Tubing Bender |
| 23010 | FID Collector Assembly | Kit for HP 5890 FID |
| 23011 | Tool | Rigid Tubing Cutter for 1/8" or 1/4" Metal Tubing |
| 23012 | Tool | Rigid Tubing Cutter Replacement Wheels Pack of 2 |
| 23015 | Tool | Scoring Wafer with Handle, 2pk |
| 23016 | Re-threading Tool | for 1/16" Compression Fittings |
| 23017 | Re-threading Tool | for 1/8" Compression Fittings |
| 23018 | Re-threading Tool | for 1/4" Compression Fittings and Agilent Injectors |
| 23019 | Re-threading Tool | 7/16", for Varian Injection Ports |
| 23020 | PID Lamp | Model 108-BTEX |
| 23026 | Shortix Cutter | Capillary GC Column Cutter for 0.25mm to 0.53mm OD Capillary Tubing |
| 23027 | Shortix Cutter | Maintenance Kit |
| 23029 | Tool | SSI Tubing Cutter Machine 110-120/220-240 Volts |
| 23030 | Tool | SSI Replacement Cutting Wheels for use with Catalog #23029, 3pk |
| 23031 | Split Vent Trap Assembly | Optional Split Vent Trap Assembly for Agilent 6890/6850 GCs |
| 23032 | Replacement Trap | for use with the Optional Split Vent Trap Assembly (#23031) (2 Traps/4 O-rings) |
| 23033 | Plier Set | Side Cutter, Wire Cutter, and Pliers 3 Piece Set |
| 23034 | Torx Screwdriver Kit | Pack of 3 |
| 23035 | PRT Sensor | for Agilent 5890 GCs. For Use w/Split/Splitless Injection Ports & FIDs |
| 23036 | Collector Mount | for Agilent 5890 FID |
| 23037 | Collector Housing | for Agilent 5890 FID |
| 23038 | FID Jet | for PE Autosys XL and Clarus 500 |
| 23039 | Oven Temperature Sensor | for Agilent 6890 GC |
| 23040 | Oven Temperature Sensor | for Agilent 5890 GC |
| 23041 | Base Weldment | for Agilent 5890 FID. |
| 23042 | Retaining Nut | Heater Block Retaining Nut for Agilent 6850/6890 GCs |
| 23043 | FID Collector Mount | for use with Agilent 6890 GCs |
| 23044 | FID Collector Housing | for Agilent 6890 GCs (Collector Housing Only) |
| 23045 | FID Collector Housing | and Mount for Agilent 6890 GCs |
| 23046 | Sure Fit Injection Port | Siltek Split/Splitless Kit for Agilent 6890 GCs, Uses Resteks Enhanced Base Fittin |
| 23047 | Sure Fit Weldment | Siltek Split/Splitless Weldment for Agilent 6890 GCs |
| 23048 | Sure Fit Shell Weldment | Siltek, for Agilent 6890 GCs, Uses Resteks Enhanced Base Fitting |
| 23049 | Sure Fit Injection Port | Siltek Split/Splitless Kit for Agilent 6890 GCs, Uses Std Agilent Inlet Seals |
| 23050 | Sure Fit Shell Weldment | Siltek, for Agilent 6890 GCs, Uses Std Agilent Inlet Seals |
| 23051 | Sure Fit Weldment | Siltek Optional Split/Splitless Weldment for Agilent 6890 GCs |
| 23052 | Base Weldment | Pack Column FID, for use with Agilent 6890 GCs |
| 23053 | Base Weldment | Capillary Column FID, for use with Agilent 6890 GCs |
| 23057 | Silver Seal | for Thermo Split/Splitless Injector, 10pk |
| 23058 | Silver Seal | for Thermo Split/Splitless Injector, 20pk |
| 23061 | Auto-ignite FID | Replacement Part Kit for PE AutoSys XL and Clarus 500 GCs |
| 23062 | Nozzle Insulator | for Auto-Ignite FID, PE AutoSys XL and Clarus 500 GCs |
| 23063 | FID Body | for Auto-Ignite Flame Ionization Detector. For PE AutoSystem XL and Clarus 500( |
| 23064 | Replacement Washer | Silicone Washer for FID Collector Housing, 12pk, Agilent 5890/6890 GCs |
| 23065 | Generator, Hydrogen | PEM Model, H2PEM-100, 100cc/min Generating Capacity, 24mo. Warranty from I |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 23066 | Generator, Hydrogen | PEM Model, H2PEM-165, 165 cc/min Generating Capacity, 24mo. Warranty From |
| 23067 | Generator, Hydrogen | PEM Model, H2PEM-260, 260 cc/min Generating Capacity, 24mo. Warranty From |
| 23068 | Generator, Hydrogen | PEM Model, H2PEM-510, 510 cc/min Generating Capacity, 24mo. Warranty From |
| 23069 | Desiccant Cartridge | Replacement, for H2 PEM Generators |
| 23070 | 6 Month Maintenance Kit | for H2 PEM Generators, Kit Includes: 1 Deionizer Cartridge, 1 Water Filter, 3 Envi |
| 23071 | 24 Month Maintenance Kit | for H2 PEM Generators, Includes: 1 Deionizer Cartridge, 1 Water Filter, 3 Environ |
| 23072 | ETP Electron Multiplier | For Agilent 5970 GC-MS |
| 23073 | ETP Electron Multiplier | For Agilent 5971, 5972, GCD GC-MS |
| 23074 | ETP Electron Multiplier | For Agilent 5973 and 5975 GC-MS, Includes Mount for Installation |
| 23075 | ETP Electron Multiplier | For Agilent 5973 and 5975 GC-MS and LC-MSD Replacement Multiplier |
| 23077 | ETP Electron Multiplier | Discontinue When Stock is Depleted For API300, 3000, and 4000 Applied Biosyst |
| 23078 | FID Jet | High Temp, Capillary Dedicated for Agilent 5890/6890/6850 GCs, EA, (0.018" ID T |
| 23079 | FID Jet | High Temp, Capillary Dedicated for Agilent 5890/6890/6850 GCs, 3pk, (0.018" ID |
| 23080 | FID Jet | for Thermo Scientific Trace and Focus GCs |
| 23081 | ETP Electron Multiplier | for Thermo Finnigan Trace DSQ, DSQ II and Polaris G GC/MS |
| 23082 | Headspace Vials | 20mL (22x75) Screw Thread, Clear Glass, 100-pk Rounded Bottom |
| 23083 | Headspace Vials | 20mL (22x75) Screw Thread, Clear Glass, 1000-pk Rounded Bottom |
| 23084 | Headspace Vials | 10mL (22x45) Screw Thread, Clear Glass, 100-pk Rounded Bottom |
| 23085 | Headspace Vials | 10mL (22x45) Screw Thread, Clear Glass, 1000-pk Rounded Bottom |
| 23086 | Headspace Vials | 20mL (22x75) Screw Thread, Amber Glass, 100-pk Rounded Bottom |
| 23086-222 | Headspace Vials | 20mL (22x75) Screw Thread, Amber Glass, 100-pk, Siltek Deact. |
| 23087 | Headspace Vials | 20mL (22x75) Screw Thread, Amber Glass, 1000-pk Rounded Bottom |
| 23087-223 | Headspace Vials | 20mL (22x75) Screw Thread, Amber Glass, 1000pk Siltek Deact. |
| 23088 | Headspace Vials | 10mL (22x45) Screw Thread, Amber Glass, 100-pk Rounded Bottom |
| 23088-222 | Headspace Vials | 10mL (22x45) Screw Thread, Amber Glass, 100pk, Siltek Deact. |
| 23089 | Headspace Vials | 10mL (22x45) Screw Thread, Amber Glass, 1000-pk Rounded Bottom |
| 23090 | Headspace Vial Caps | 18mm Magnetic Screw Thread Cap with PTFE/Silicone 100-pk |
| 23091 | Headspace Vial Caps | 18mm Magnetic Screw Thread Cap with PTFE/Silicone 1000-pk |
| 23092 | Headspace Vial Caps | 18mm Magnetic Screw Thread Cap with PTFE/Silicone for SPME, 100-pk |
| 23093 | Headspace Vial Caps | 18mm Magnetic Screw Thread Cap with PTFE/Silicone for SPME, 1000-pk |
| 23094 | Headspace Vial Caps | 18mm Magnetic Screw Thread Cap with PTFE/Red Chlorobutyl, 100-pk |
| 23095 | Headspace Vial Caps | 18mm Magnetic Screw Thread Cap with PTFE/Red Chlorobutyl, 1000-pk |
| 23100 | Swagelok Fittng, Brass | 1/16" Nut, 20-pk |
| 23101 | Swagelok Fittng, Brass | 1/8" Nut, 40-pk |
| 23102 | Swagelok Fittng, Brass | 1/4" Nut, 40-pk |
| 23103 | Swagelok Fittng, Brass | 1/16" Front Ferrule, 20-pk |
| 23104 | Swagelok Fittng, Brass | 1/8" Front Ferrule, 40-pk |
| 23105 | Swagelok Fittng, Brass | 1/4" Front Ferrule, 40-pk |
| 23106 | Swagelok Fittng, Brass | 1/16" Back Ferrule, 20-pk |
| 23107 | Swagelok Fittng, Brass | 1/8" Back Ferrule, 40-pk |
| 23108 | Swagelok Fittng, Brass | 1/4" Back Ferrule, 40-pk |
| 23109 | Swagelok Fittng, Brass | 1/16" Nut and Ferrule Set, 10-pk |
| 23110 | Swagelok Fitting, Brass | 1/8" Nut and Ferrule Set, 20-pk |
| 23111 | Swagelok Fitting, Brass | 1/4" Nut and Ferrule Set, 20-pk |
| 23112 | Swagelok Fitting, Brass | 1/16" Plug, 5-pk |
| 23113 | Swagelok Fitting, Brass | 1/8" Plug, 10-pk |
| 23114 | Swagelok Fitting, Brass | 1/4" Plug, 10-pk |
| 23115 | Swagelok Fitting, Brass | 1/16" Union, 3-pk |
| 23116 | Swagelok Fitting, Brass | 1/8" Union, 5-pk |
| 23117 | Swagelok Fitting, Brass | 1/4" Union, 5-pk |
| 23118 | Swagelok Fitting, Brass | 1/8" to 1/16" Reducing Union, 5-pk |
| 23119 | Swagelok Fitting, Brass | 1/4" to 1/16" Reducing Union, 5-pk |
| 23120 | Swagelok Fitting, Brass | 1/4" to 1/8" Reducing Union, 5-pk |
| 23121 | Swagelok Fitting, Brass | 1/16" Tee, 2-pk |
| 23122 | Swagelok Fitting, Brass | 1/8" Tee, 2-pk |
| 23123 | Swagelok Fitting, Brass | 1/4" Tee, 2-pk |
| 23124 | Swagelok Fitting, Brass | 1/8" Cross, 2-pk |
| 23125 | Swagelok Fitting, Brass | 1/4" Cross, 2-pk |
| 23126 | Swagelok Fitting, Brass | 1/8" to 1/16" Tube End Reducer, 5-pk |
| 23127 | Swagelok Fitting, Brass | 1/4" to 1/16" Tube End Reducer, 5-pk |
| 23128 | Swagelok Fitting, Brass | 1/8" to 1/4" Tube End Reducer, 5-pk |
| 23129 | Swagelok Fitting, Brass | 1/4" to 1/8" Tube End Reducer, 5-pk |
| 23130 | Swagelok Fitting, Brass | 1/8" Port Connector, 5-pk |
| 23131 | Swagelok Fitting, Brass | 1/4" Port Connector, 10-pk |
| 23132 | Swagelok Fitting, Brass | 1/8" to 1/4" Port Connector, 5-pk |
| 23133 | Swagelok Fitting, Brass | 1/8" to 1/8" NPT Male Connector, 10-pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 23134 | Swagelok Fitting, Brass | 1/4" to 1/4" NPT Male Connector, 10-pk |
| 23135 | Swagelok Fitting, Brass | 1/16" to 1/8" NPT Male Connector, 5-pk |
| 23136 | Swagelok Fitting, Brass | 1/8" to 1/4" NPT Male Connector, 10-pk |
| 23137 | Swagelok Fitting, Brass | 1/4" to 1/8" NPT Male Connector, 10-pk |
| 23138 | Swagelok Fitting, Brass | 1/8" to 1/8" NPT Female Connector, 5-pk |
| 23139 | Swagelok Fitting, Brass | 1/4" to 1/4" NPT Female Connector, 5-pk |
| 23140 | Swagelok Fitting, Brass | 1/4" to 1/8" NPT Female Connector, 5-pk |
| 23141 | Swagelok Fitting Kit | Brass |
| 23142 | Swagelok Valve | 1/8" Brass Toggle |
| 23143 | Swagelok Valve | 1/4" Brass Toggle |
| 23144 | Swagelok Valve | 1/8" Brass Ball |
| 23145 | Swagelok Valve | 1/4" Brass Ball |
| 23146 | Swagelok Valve | 1/8" Brass Plug |
| 23147 | Swagelok Valve | 1/4" Brass Plug |
| 23148 | Swagelok Valve | 1/8" Brass Straight Metering |
| 23149 | Swagelok Valve | 1/4" Brass Straight Metering |
| 23150 | Swagelok Fitting | Stainless Steel, 1/16" Nut, 5-pk |
| 23151 | Swagelok Fitting | Stainless Steel, 1/8" Nut, 10-pk |
| 23152 | Swagelok Fitting | Stainless Steel, 1/4" Nut, 10-pk |
| 23153 | Swagelok Fitting | Stainless Steel, 1/16" Front Ferrule, 10-pk |
| 23154 | Swagelok Fitting | Stainless Steel, 1/8" Front Ferrule, 20-pk |
| 23155 | Swagelok Fitting | Stainless Steel, 1/4" Front Ferrule, 20-pk |
| 23156 | Swagelok Fitting | Stainless Steel, 1/16" Back Ferrule, 10-pk |
| 23157 | Swagelok Fitting | Stainless Steel, 1/8" Back Ferrule, 20-pk |
| 23158 | Swagelok Fitting | Stainless Steel, 1/4" Back Ferrule, 20-pk |
| 23159 | Swagelok Fitting | Stainless Steel, 1/16" Nut and Ferrule Set, 2-pk |
| 23160 | Swagelok Fitting | Stainless Steel, 1/8" Nut and Ferrule Set, 5-pk |
| 23161 | Swagelok Fitting | Stainless Steel, 1/4" Nut and Ferrule Set, 5-pk |
| 23162 | Swagelok Fitting | Stainless Steel, 1/16" Plug, 2-pk |
| 23163 | Swagelok Fitting | Stainless Steel, 1/8" Plug, 4-pk |
| 23164 | Swagelok Fitting | Stainless Steel, 1/4" Plug, 4-pk |
| 23165 | Swagelok Fitting | Stainless Steel, 1/16" Union, ea |
| 23166 | Swagelok Fitting | Stainless Steel, 1/8" Union, 2-pk |
| 23167 | Swagelok Fitting | Stainless Steel, 1/4" Union, 2-pk |
| 23168 | Swagelok Fitting | Stainless Steel, 1/8" to 1/16" Reducing Union, ea |
| 23169 | Swagelok Fitting | Stainless Steel, 1/4" to 1/16" Reducing Union, 2-pk |
| 23170 | Swagelok Fitting | Stainless Steel, 1/4" to 1/8" Reducing Union, 2-pk |
| 23171 | Swagelok Fitting | Stainless Steel, 1/16" Tee, ea |
| 23172 | Swagelok Fitting | Stainless Steel, 1/8" Tee, ea |
| 23173 | Swagelok Fitting | Stainless Steel, 1/4" Tee, ea |
| 23174 | Swagelok Fitting | Stainless Steel, 1/8" Cross, ea |
| 23175 | Swagelok Fitting | Stainless Steel, 1/4" Cross, ea |
| 23176 | Swagelok Fitting | Stainless Steel, 1/8" to 1/16" Tube End Reducer, 2-pk |
| 23177 | Swagelok Fitting | Stainless Steel, 1/4" to 1/16" Tube End Reducer, 2-pk |
| 23178 | Swagelok Fitting | Stainless Steel, 1/8" to 1/4" Tube End Reducer, 2-pk |
| 23179 | Swagelok Fitting | Stainless Steel, 1/4" to 1/8" Tube End Reducer, 2-pk |
| 23180 | Swagelok Fitting | Stainless Steel, 1/8" Port Connector, 2-pk |
| 23181 | Swagelok Fitting | Stainless Steel, 1/4" Port Connector, 2-pk |
| 23182 | Swagelok Fitting | Stainless Steel, 1/8" to 1/4" Port Connector, 2-pk |
| 23183 | Swagelok Fitting | Stainless Steel, 1/8" to 1/8" NPT Male Connector, 2-pk |
| 23184 | Swagelok Fitting | Stainless Steel, 1/4" to 1/4" NPT Male Connector, 2-pk |
| 23185 | Swagelok Fitting | Stainless Steel, 1/16" to 1/8" NPT Male Connector, 2-pk |
| 23186 | Swagelok Fitting | Stainless Steel, 1/8" to 1/4" NPT Male Connector, 2-pk |
| 23187 | Swagelok Fitting | Stainless Steel, 1/4" to 1/8" NPT Male Connector, 2-pk |
| 23188 | Swagelok Fitting | Stainless Steel, 1/8" to 1/8" NPT Female Connector, 2-pk |
| 23189 | Swagelok Fitting | Stainless Steel, 1/4" to 1/4" NPT Female Connector, 2-pk |
| 23190 | Swagelok Fitting | Stainless Steel, 1/4" to 1/8" NPT Female Connector, 2-pk |
| 23191 | Swagelok Fitting | Stainless Steel, 1/8" Male Quick Coupling w/Shutoff, ea |
| 23192 | Swagelok Fitting | Stainless Steel, 1/8" Male Quick Coupling w/o Shutoff, ea |
| 23193 | Swagelok Fitting | Stainless Steel, 1/8" Female Quick Coupling w/Shutoff, ea |
| 23194 | Swagelok Fitting | Stainless Steel, 1/4" Male Quick Coupling w/Shutoff, ea |
| 23195 | Swagelok Fitting | Stainless Steel, 1/4" Male Quick Coupling w/o Shutoff, ea |
| 23196 | Swagelok Fitting | Stainless Steel, 1/4" Female Quick Coupling w/Shutoff, ea |
| 23197 | Swagelok Fitting Kit | Stainless Steel |
| 23198 | Swagelok Valve | 1/8" Stainless Steel Toggle |
| 23199 | Swagelok Valve | 1/4" Stainless Steel Toggle |

| | | |
|---|---|---|
| 23200 | Swagelok Valve | 1/8" Stainless Steel Ball |
| 23201 | Swagelok Valve | 1/4" Stainless Steel Ball |
| 23202 | Swagelok Valve | 1/8" Stainless Steel Plug |
| 23203 | Swagelok Valve | 1/4" Stainless Steel Plug |
| 23204 | Swagelok Valve | 1/8" Stainless Steel Straight |
| 23205 | Swagelok Valve | 1/4" Stainless Steel Straight |
| 23206 | Swagelok Vernier Knob | for Metering Valves |
| 23207 | Swagelok Fitting | Stainless Steel 1/4" VCO to 1/4" Tube Adapter, 2-pk |
| 23208 | Swagelok Repl. O-ring | 70 Durometer Fluorocarbon FKM, VCO 1/4", Size 010 10-pk |
| 23209 | Swagelok Fitting, Siltek | 1/4" VCO to 1/4" Tube Adapter |
| 23210 | Swagelok Fitting | Stainless Steel 1/4" VCO to 1/4" Tube Fitting, 2-pk |
| 23211 | Swagelok Fitting, Siltek | 1/4" VCO to 1/4" Tube Fitting |
| 23212 | Swagelok Fitting | Stainless Steel 1/4" VCO Nut 2-pk |
| 23213 | Swagelok Fitting | Stainless Steel 1/4" VCO Nut Blind, 2-pk |
| 23214 | Swagelok Fitting | Stainless Steel 1/4" VCO Body Blind, 2-pk |
| 23215 | Swagelok Fitting | Stainless Steel 1/4" VCO to 1/8" Tube Fitting, 2-pk |
| 23216 | Swagelok Fitting, Siltek | 1/4" VCO to 1/8" Tube Fitting |
| 23300.1 | SKY Liner | Split/Splitless Straight w/Wool 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23300.25 | SKY Liner | Split/Splitless Straight w/Wool 4mm x 6.3 x 78.5 for Agilent GCs 25-pk |
| 23300.5 | SKY Liner | Split/Splitless Straight w/Wool 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23301.1 | SKY Liner, Splitless | Straight 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23301.25 | SKY Liner, Splitless | Straight 4mm x 6.3 x 78.5 for Agilent GCs 25-pk |
| 23301.5 | SKY Liner, Splitless | Straight 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23302.1 | SKY Liner, Splitless | Single Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs ea |
| 23302.25 | SKY Liner, Splitless | Single Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23302.5 | SKY Liner, Splitless | Single Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23303.1 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 4mm x 6.5 x 78.5 for Agilent GCs ea |
| 23303.25 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 4mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23303.5 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 4mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23305.1 | SKY Liner, Split | Precision Liner w/Wool 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23305.25 | SKY Liner, Split | Precision Liner w/Wool 4mm x 6.3 x 78.5 for Agilent GCs 25-pk |
| 23305.5 | SKY Liner, Split | Precision Liner w/Wool 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23306.1 | SKY Liner | Drilled Uniliner, hole near bottom 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23306.5 | SKY Liner | Drilled Uniliner, hole near bottom 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23307.1 | SKY Liner | Drilled Uniliner, hole near bottom 4mm x 6.3 x 78.5 for Agilent GCs w/Wool, ea |
| 23307.5 | SKY Liner | Drilled Uniliner, hole near bottom 4mm x 6.3 x 78.5 for Agilent GCs w/Wool, 5-pk |
| 23308.1 | SKY Liner, Splitless | Double Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs ea |
| 23308.25 | SKY Liner, Splitless | Double Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23308.5 | SKY Liner, Splitless | Double Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23309.1 | SKY Liner | Low Pressure Drop Precision Liner w/Wool 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23309.5 | SKY Liner | Low Pressure Drop Precision Liner w/Wool 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23310.1 | SKY Liner | Cyclo Double Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs ea |
| 23310.25 | SKY Liner | Cyclo Double Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23310.5 | SKY Liner | Cyclo Double Taper Gooseneck 4mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23311.1 | SKY Liner | Drilled Uniliner, hole near top 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23311.25 | SKY Liner | Drilled Uniliner, hole near top 4mm x 6.3 x 78.5 for Agilent GCs 25-pk |
| 23311.5 | SKY Liner | Drilled Uniliner, hole near top 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23312.1 | SKY Liner | Cyclosplitter 4mm x 6.3 x 78.5 for Agilent GCs ea |
| 23312.25 | SKY Liner | Cyclosplitter 4mm x 6.3 x 78.5 for Agilent GCs 25-pk |
| 23312.5 | SKY Liner | Cyclosplitter 4mm x 6.3 x 78.5 for Agilent GCs 5-pk |
| 23313.1 | SKY Liner, Splitless | 2mm x 6.5 x 78.5 for Agilent GCs ea |
| 23313.25 | SKY Liner, Splitless | 2mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23313.5 | SKY Liner, Splitless | 2mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23314.1 | SKY Liner, Splitless | 2mm x 6.5 x 78.5 for Agilent GCs w/Wool, ea |
| 23314.25 | SKY Liner, Splitless | 2mm x 6.5 x 78.5 for Agilent GCs w/Wool, 25-pk |
| 23314.5 | SKY Liner, Splitless | 2mm x 6.5 x 78.5 for Agilent GCs w/Wool, 5-pk |
| 23315.1 | SKY Liner, Splitless | Single Taper Gooseneck 2mm x 6.5 x 78.5 for Agilent GCs ea |
| 23315.25 | SKY Liner, Splitless | Single Taper Gooseneck 2mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23315.5 | SKY Liner, Splitless | Single Taper Gooseneck 2mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23316.1 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 2mm x 6.5 x 78.5 for Agilent GCs ea |
| 23316.25 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 2mm x 6.5 x 78.5 for Agilent GCs 25-pk |
| 23316.5 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 2mm x 6.5 x 78.5 for Agilent GCs 5-pk |
| 23317.1 | SKY Liner | Split/Splitless w/Wool 2mm x 4.0 x 86.2 for PE GCs ea |
| 23317.25 | SKY Liner | Split/Splitless w/Wool 2mm x 4.0 x 86.2 For PE GCs 25-pk |
| 23317.5 | SKY Liner | Split/Splitless w/Wool 2mm x 4.0 x 86.2 for PE GCs 5-pk |
| 23318.1 | SKY Liner, Split | 3.5mm x 5.0 x 95 for Shimadzu GCs ea |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 23318.25 | SKY Liner, Split | 3.5mm x 5.0 x 95 for Shimadzu GCs 25-pk |
| 23318.5 | SKY Liner, Split | 3.5mm x 5.0 x 95 for Shimadzu GCs 5-pk |
| 23319.1 | SKY Liner, Split | 3.5mm x 5.0 x 95 for Shimadzu GCs w/Wool, ea |
| 23319.25 | SKY Liner, Split | 3.5mm x 5.0 x 95 for Shimadzu GCs w/Wool, 25-pk |
| 23319.5 | SKY Liner, Split | 3.5mm x 5.0 x 95 for Shimadzu GCs w/Wool, 5-pk |
| 23320.1 | SKY Liner, Split | Precision Liner w/Wool 3.5mm x 5.0 x 95 for Shimadzu GCs ea |
| 23320.5 | SKY Liner, Split | Precision Liner w/Wool 3.5mm x 5.0 x 95 for Shimadzu GCs 5-pk |
| 23321.1 | SKY Liners, Splitless | Single Taper Gooseneck 3.5mm x 5.0 x 95 for Shimadzu GCs ea |
| 23321.25 | SKY Liners, Splitless | Single Taper Gooseneck 3.5mm x 5.0 x 95 for Shimadzu GCs 25-pk |
| 23321.5 | SKY Liners, Splitless | Single Taper Gooseneck 3.5mm x 5.0 x 95 for Shimadzu GCs 5-pk |
| 23322.1 | SKY Liners, Splitless | Single Taper Gooseneck w/wool 3.5mm x 5.0 x 95 for Shimadzu GCs ea |
| 23322.5 | SKY Liners, Splitless | Single Taper Gooseneck w/wool 3.5mm x 5.0 x 95 for Shimadzu GCs 5-pk |
| 23323.1 | SKY Liner, Split Straight | 5.0mm x 8.0 x 105 for Thermo GCs ea |
| 23323.25 | SKY Liner, Split Straight | 5.0mm x 8.0 x 105 for Thermo GCs 25-pk |
| 23323.5 | SKY Liner, Split Straight | 5.0mm x 8.0 x 105 for Thermo GCs 5-pk |
| 23324.1 | SKY Liner, Split | Straight w/Wool 5.0mm x 8.0 x 105 for Thermo GCs ea |
| 23324.25 | SKY Liner, Split | Straight w/Wool 5.0mm x 8.0 x 105 for Thermo GCs 25-pk |
| 23324.5 | SKY Liner, Split | Straight w/Wool 5.0mm x 8.0 x 105 for Thermo GCs 5-pk |
| 23325.1 | SKY Liner, Splitless | 5.0mm x 8.0 x 105 for Thermo GCs ea |
| 23325.25 | SKY Liner, Splitless | 5.0mm x 8.0 x 105 for Thermo GCs 25-pk |
| 23325.5 | SKY Liner, Splitless | 5.0mm x 8.0 x 105 for Thermo GCs 5-pk |
| 23326.1 | SKY Liner, Splitless | 5.0mm x 8.0 x 105 for Thermo GCs w/Wool, ea |
| 23326.25 | SKY Liner, Splitless | 5.0mm x 8.0 x 105 for Thermo GCs w/Wool, 25-pk |
| 23326.5 | SKY Liner, Splitless | 5.0mm x 8.0 x 105 for Thermo GCs w/Wool, 5-pk |
| 23327.1 | SKY Liner, Split | Precision Liner w/Wool 5.0mm x 8.0 x 105 for Thermo GCs ea |
| 23327.5 | SKY Liner, Split | Precision Liner w/Wool 5.0mm x 8.0 x 105 for Thermo GCs 5-pk |
| 23328.1 | SKY Liner, Split | Precision Liner w/Wool 4mm x 6.3 x 78.5 for Varian GCs ea |
| 23328.5 | SKY Liner, Split | Precision Liner w/Wool 4mm x 6.3 x 78.5 for Varian GCs 5-pk |
| 23329.1 | SKY Liner, Split | 3.4mm x 5.0 x 54 for Varian GCs ea |
| 23329.25 | SKY Liner, Split | 3.4mm x 5.0 x 54 for Varian GCs 25-pk |
| 23329.5 | SKY Liner, Split | 3.4mm x 5.0 x 54 for Varian GCs 5-pk |
| 23330.1 | SKY Liner | Split Liner w/Glass Frit 4mm x 6.3 x 78.5 for Varian GCs ea |
| 23330.5 | SKY Liner | Split Liner w/Glass Frit 4mm x 6.3 x 78.5 for Varian GCs 5-pk |
| 23331.1 | SKY Liner, Splitless | Single Taper Gooseneck 4mm x 6.5 x 78.5 for Varian GCs ea |
| 23331.5 | SKY Liner, Splitless | Single Taper Gooseneck 4mm x 6.5 x 78.5 for Varian GCs 5-pk |
| 23332.1 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 4mm x 6.5 x 78.5 for Varian GCs ea |
| 23332.5 | SKY Liner, Splitless | Single Taper Gooseneck w/Wool 4mm x 6.5 x 78.5 for Varian GCs 5-pk |
| 23333.1 | Sky Liner, Split | 1mm x 6.3 x 78.5 for Agilent GCs, ea |
| 23333.25 | Sky Liner, Split | 1mm x 6.3 x 78.5 for Agilent GCs, 25-pk |
| 23333.5 | Sky Liner, Split | 1mm x 6.3 x 78.5 for Agilent GCs, 5-pk |
| 23338 | Glass Apparatus Stopper | 24/40, Pennyhead Full Length |
| 23339 | Kuderna-Danish Evaporator | Concentrator, Complete, 250mL Flask Graduated 10mL Receiver Domestic Order |
| 23340 | Kuderna-Danish Evaporator | Concentrator, Complete, 500mL Flask Graduated 10mL Receiver Domestic Order |
| 23341 | 10mL Concentrator Tube | Graduated, Black, 19/22 Taper Domestic Orders Drop Ship from Tech Glass |
| 23342 | Extraction Apparatus | 30mm ID, 34/45 Taper Domestic Orders Drop Ship from Tech Glass |
| 23343 | Extraction Apparatus | 40mm ID, 45/50 Taper Domestic Orders Drop Ship from Tech Glass |
| 23344 | Extraction Apparatus | 50mm ID, 55/50 Taper Domestic Orders Drop Ship from Tech Glass |
| 23345 | 125mL Erlenmeyer Flask | 24/40 ST, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23346 | 250mL Erlenmeyer Flask | 24/40 ST, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23347 | 500mL Erlenmeyer Flask | 24/40 ST, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23348 | 1000mL Erlenmeyer Flask | 24/40 ST, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23349 | Erlenmeyer Iodine Flask | Complete, 125mL, 24/40 Domestic Orders Drop Ship from Tech Glass |
| 23350 | Erlenmeyer Iodine Flask | Complete, 250mL, 24/40 Domestic Orders Drop Ship from Tech Glass |
| 23351 | Erlenmeyer Iodine Flask | Complete, 500mL, 24/40 Domestic Orders Drop Ship from Tech Glass |
| 23352 | Class A Volumetric Flask | Amber, 10mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23353 | Class A Volumetric Flask | Amber, 25mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23354 | Class A Volumetric Flask | Amber, 50mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23355 | Class A Volumetric Flask | Amber, 100mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23356 | Class A Volumetric Flask | Amber, 250mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23357 | Class A Volumetric Flask | Amber, 500mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23358 | Class A Volumetric Flask | Amber, 1000mL w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23359 | 1mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23360 | 5mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23362 | 10mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23363 | 25mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23364 | 50mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 23365 | 100mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23366 | 200mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23367 | 250mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23368 | 500mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23369 | 1000mL Volumetric Flask | Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23370 | Micro Volumetric Flask | 1mL, Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23372 | Micro Volumetric Flask | 2mL, Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23373 | Micro Volumetric Flask | 5mL, Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23374 | Micro Volumetric Flask | 10mL, Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23375 | Micro Volumetric Flask | 25mL, Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23376 | Micro Volumetric Flask | 50mL, Class A, w/Stopper Domestic Orders Drop Ship from Tech Glass |
| 23377 | 25mL Auto-Zero Buret | w/Reservoir, Class A, Teflon Stopcock Domestic Orders Drop Ship from Tech Gla |
| 23378 | 50mL Auto-Zero Buret | w/Reservoir, Class A, Teflon Stopcock Domestic Orders Drop Ship from Tech Gla |
| 23379 | Squeeze-O-Matic Buret | 10mL, w/Poly Bottle, Teflon Plug, White Domestic Orders Drop Ship from Tech Gl |
| 23380 | Squeeze-O-Matic Buret | 25mL, w/Poly Bottle, Teflon Plug, White Domestic Orders Drop Ship from Tech Gl |
| 23381 | 30mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23382 | 60mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23383 | 125mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23384 | 250mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23385 | 500mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23386 | 1000mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23387 | 2000mL Seperatory Funnel | Squibb Type, Teflon Stopcock Domestic Orders Drop Ship from Tech Glass |
| 23388 | 30mL Gas Impinger | Complete w/Fritted Tube Domestic Orders Drop Ship from Tech Glass |
| 23389 | 30mL Gas Impinger | Complete w/Dispersion Tube Domestic Orders Drop Ship from Tech Glass |
| 23390 | 1mL Repeating Pipet | Complete Domestic Orders Drop Ship from Tech Glass |
| 23391 | 5mL Repeating Pipet | Complete Domestic Orders Drop Ship from Tech Glass |
| 23392 | 10mL Repeating Pipet | Complete Domestic Orders Drop Ship from Tech Glass |
| 23394 | 20mL Repeating Pipet | Complete Domestic Orders Drop Ship from Tech Glass |
| 23395 | 25mL Repeating Pipet | Complete Domestic Orders Drop Ship from Tech Glass |
| 23396 | 11mm Crimper | Hand Operated |
| 23397 | 11mm Decapper | Hand Operated |
| 23398 | 20mm Crimper | Hand Operated |
| 23399 | 20mm Decapper | Hand Operated |
| 23400 | Double Cylinder Holder | Wall-Mounted |
| 23401 | Triple Cylinder Holder | Wall-Mounted |
| 23402 | Four Cylinder Holder | Wall-Mounted |
| 23403 | O-rings, High Temp | Fits Split (6.3mm OD) or Splitless (6.5mm OD) Liners 10-pk |
| 23404 | O-rings, High Temp | Fits Split (6.3mm OD) or Splitless (6.5mm OD) Liners 25-pk |
| 23405 | O-rings, High Temp | for use w/EZ Twist Top Injection Port Weldment 10-pk |
| 23406 | Flip Seal Kit | Includes Adaptor and 0.8mm ID Gold Plated DVR Inlet Seal |
| 23407 | Gold-Plated Flip Seal | 0.8mm ID DVR Inlet Seal, 2-pk |
| 23408 | Siltek Flip Seal | 0.8mm ID DVR Inlet Seal, 2-pk |
| 23409 | Gold-Plated Flip Seal | 0.8mm ID DVR Inlet Seal, 10-pk |
| 23410 | Siltek Flip Seal | 0.8mm ID DVR Inlet Seal, 10-pk |
| 23411 | Gold-Plated Flip Seal | 1.2mm ID DVR Inlet Seal, 2-pk |
| 23412 | Siltek Flip Seal | 1.2mm ID DVR Inlet Seal, 2-pk |
| 23413 | Gold-Plated Flip Seal | 1.2mm ID DVR Inlet Seal, 10-pk |
| 23414 | Siltek Flip Seal | 1.2mm ID DVR Inlet Seal, 10-pk |
| 23415 | Gold Plated Inlet Seals | 0.8mmID, for HP GCs, 50-pk |
| 23416 | Siltek Inlet Seals | 0.8mmID, for HP GCs, 50-pk |
| 23417 | SS Inlet Seals | 0.8mmID, for HP GCs, 50-pk |
| 23418 | Gold Plated Inlet Seals | Dual Vespel Ring, 0.8mmID, for HP GCs, 50-pk |
| 23419 | Siltek Inlet Seals | Dual Vespel Ring, 0.8mmID, for HP GCs, 50-pk |
| 23420 | SS Inlet Seals | Dual Vespel Ring, 0.8mmID, for HP GCs, 50-pk |
| 23950 | Filter Vials | 0.2um Nylon w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Black Cap |
| 23951 | Filter Vials | 0.2um Nylon w/pre-slit cap, 500-pk,Thomson SINGLE StEP, Black Cap |
| 23952 | Filter Vials | 0.45um Nylon w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Pink Cap |
| 23953 | Filter Vials | 0.45um Nylon w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Pink Cap |
| 23954 | Filter Vials | 0.2um PTFE w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Green Cap |
| 23955 | Filter Vials | 0.2um PTFE w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Green Cap |
| 23956 | Filter Vials | 0.45um PTFE w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Blue Cap . |
| 23957 | Filter Vials | 0.45um PTFE w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Blue Cap |
| 23958 | Filter Vials | 0.2um PVDF w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Red Cap |
| 23959 | Filter Vials | 0.2um PVDF w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Red Cap |
| 23960 | Filter Vials | 0.45um PVDF w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Yellow Cap |
| 23961 | Filter Vials | 0.45um PVDF w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Yellow Cap |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 23962 | Filter Vials | 0.2um PES w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Grey Cap |
| 23963 | Filter Vials | 0.2um PES w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Grey Cap |
| 23964 | Filter Vials | 0.45um PES w/pre-slit cap, 200-pk, Thomson SINGLE StEP, Orange Cap |
| 23965 | Filter Vials | 0.45um PES w/pre-slit cap, 500-pk, Thomson SINGLE StEP, Orange Cap |
| 23966 | Syringe Filter, 13mm | 0.22um PES White Luer Lock 100-pk |
| 23966 | Syringe Filter, 13mm | 0.22um PES White Luer Lock 100-pk |
| 23966 | Syringe Filter, 13mm | 0.22um PES White Luer Lock 100-pk |
| 23967 | Syringe Filter, 13mm | 0.45um PES Blue Luer Lock 100-pk |
| 23967 | Syringe Filter, 13mm | 0.45um PES Blue Luer Lock 100-pk |
| 23967 | Syringe Filter, 13mm | 0.45um PES Blue Luer Lock 100-pk |
| 23968 | Syringe Filter, 25mm | 0.22um PES White Luer Lock 100-pk |
| 23968 | Syringe Filter, 25mm | 0.22um PES White Luer Lock 100-pk |
| 23968 | Syringe Filter, 25mm | 0.22um PES White Luer Lock 100-pk |
| 23969 | Syringe Filter, 25mm | 0.45um PES Blue Luer Lock 100-pk |
| 23969 | Syringe Filter, 25mm | 0.45um PES Blue Luer Lock 100-pk |
| 23969 | Syringe Filter, 25mm | 0.45um PES Blue Luer Lock 100-pk |
| 23970 | Syringe Filter, 4mm | 0.22um Nylon Yellow Luer Lock 100-pk |
| 23970 | Syringe Filter, 4mm | 0.22um Nylon Yellow Luer Lock 100-pk |
| 23970 | Syringe Filter, 4mm | 0.22um Nylon Yellow Luer Lock 100-pk |
| 23971 | Syringe Filter, 4mm | 0.45um Nylon Pink Luer Lock 100-pk |
| 23971 | Syringe Filter, 4mm | 0.45um Nylon Pink Luer Lock 100-pk |
| 23971 | Syringe Filter, 4mm | 0.45um Nylon Pink Luer Lock 100-pk |
| 23972 | Syringe Filter, 4mm | 0.22um Cellulose Green Luer Lock 100-pk |
| 23972 | Syringe Filter, 4mm | 0.22um Cellulose Green Luer Lock 100-pk |
| 23972 | Syringe Filter, 4mm | 0.22um Cellulose Green Luer Lock 100-pk |
| 23973 | Syringe Filter, 4mm | 0.45um Cellulose Blue Luer Lock 100-pk |
| 23973 | Syringe Filter, 4mm | 0.45um Cellulose Blue Luer Lock 100-pk |
| 23973 | Syringe Filter, 4mm | 0.45um Cellulose Blue Luer Lock 100-pk |
| 23974 | Syringe Filter, 4mm | 0.22um PTFE Purple Luer Lock 100-pk |
| 23974 | Syringe Filter, 4mm | 0.22um PTFE Purple Luer Lock 100-pk |
| 23974 | Syringe Filter, 4mm | 0.22um PTFE Purple Luer Lock 100-pk |
| 23975 | Syringe Filter, 4mm | 0.45um PTFE Orange Luer Lock 100-pk |
| 23975 | Syringe Filter, 4mm | 0.45um PTFE Orange Luer Lock 100-pk |
| 23975 | Syringe Filter, 4mm | 0.45um PTFE Orange Luer Lock 100-pk |
| 23976 | Syringe Filter, 4mm | 0.22um PVDF Coffee Luer Lock 100-pk |
| 23976 | Syringe Filter, 4mm | 0.22um PVDF Coffee Luer Lock 100-pk |
| 23976 | Syringe Filter, 4mm | 0.22um PVDF Coffee Luer Lock 100-pk |
| 23977 | Syringe Filter, 4mm | 0.45um PVDF Red Luer Lock 100-pk |
| 23977 | Syringe Filter, 4mm | 0.45um PVDF Red Luer Lock 100-pk |
| 23977 | Syringe Filter, 4mm | 0.45um PVDF Red Luer Lock 100-pk |
| 23978 | Syringe Filter, 4mm | 0.22um PES White Luer Lock 100-pk |
| 23978 | Syringe Filter, 4mm | 0.22um PES White Luer Lock 100-pk |
| 23978 | Syringe Filter, 4mm | 0.22um PES White Luer Lock 100-pk |
| 23979 | Syringe Filter, 4mm | 0.45um PES Blue Luer Lock 100-pk |
| 23979 | Syringe Filter, 4mm | 0.45um PES Blue Luer Lock 100-pk |
| 23979 | Syringe Filter, 4mm | 0.45um PES Blue Luer Lock 100-pk |
| 23980 | Syringe Filter, 30mm | 0.22um Nylon Yellow Luer Lock 100-pk |
| 23980 | Syringe Filter, 30mm | 0.22um Nylon Yellow Luer Lock 100-pk |
| 23980 | Syringe Filter, 30mm | 0.22um Nylon Yellow Luer Lock 100-pk |
| 23981 | Syringe Filter, 30mm | 0.45um Nylon Pink Luer Lock 100-pk |
| 23981 | Syringe Filter, 30mm | 0.45um Nylon Pink Luer Lock 100-pk |
| 23981 | Syringe Filter, 30mm | 0.45um Nylon Pink Luer Lock 100-pk |
| 23982 | Syringe Filter, 30mm | 0.22um Cellulose Green Luer Lock 100-pk |
| 23982 | Syringe Filter, 30mm | 0.22um Cellulose Green Luer Lock 100-pk |
| 23982 | Syringe Filter, 30mm | 0.22um Cellulose Green Luer Lock 100-pk |
| 23983 | Syringe Filter, 30mm | 0.45um Cellulose Blue Luer Lock |
| 23983 | Syringe Filter, 30mm | 0.45um Cellulose Blue Luer Lock |
| 23983 | Syringe Filter, 30mm | 0.45um Cellulose Blue Luer Lock |
| 23984 | Syringe Filter, 30mm | 0.22um PTFE Purple Luer Lock 100-pk |
| 23984 | Syringe Filter, 30mm | 0.22um PTFE Purple Luer Lock 100-pk |
| 23984 | Syringe Filter, 30mm | 0.22um PTFE Purple Luer Lock 100-pk |
| 23985 | Syringe Filter, 30mm | 0.45um PTFE Orange Luer Lock 100-pk |
| 23985 | Syringe Filter, 30mm | 0.45um PTFE Orange Luer Lock 100-pk |
| 23985 | Syringe Filter, 30mm | 0.45um PTFE Orange Luer Lock 100-pk |
| 23986 | Syringe Filter, 30mm | 0.22um PVDF Coffee Luer Lock 100-pk |
| 23986 | Syringe Filter, 30mm | 0.22um PVDF Coffee Luer Lock 100-pk |

| | | |
|---|---|---|
| 23986 | Syringe Filter, 30mm | 0.22um PVDF Coffee Luer Lock 100-pk |
| 23987 | Syringe Filter, 30mm | 0.45um PVDF Red Luer Lock 100-pk |
| 23987 | Syringe Filter, 30mm | 0.45um PVDF Red Luer Lock 100-pk |
| 23987 | Syringe Filter, 30mm | 0.45um PVDF Red Luer Lock 100-pk |
| 23988 | Syringe Filter, 30mm | 0.22um PES White Luer Lock 100-pk |
| 23988 | Syringe Filter, 30mm | 0.22um PES White Luer Lock 100-pk |
| 23988 | Syringe Filter, 30mm | 0.22um PES White Luer Lock 100-pk |
| 23989 | Syringe Filter, 30mm | 0.45um PES Blue Luer Lock 100-pk |
| 23989 | Syringe Filter, 30mm | 0.45um PES Blue Luer Lock 100-pk |
| 23989 | Syringe Filter, 30mm | 0.45um PES Blue Luer Lock 100-pk |
| 23993 | Q-sep Tube Rack | For 15mL Centrifuge Tube Holds 60, Polypropylene, White |
| 23994 | Q-sep Tube Rack | For 50mL Centrifuge Tube Holds 24, Polypropylene, White |
| 23995 | Q-sep Tube Rack | For 2mL Centrifuge Tube Holds 100, Polypropylene, White |
| 23996 | ASE Cell Carrier | Wire Basket 9"w x 5"h x 7"d |
| 23997 | Q-sep Teflon Tube | 50mL Centrifuge Tube Teflon FEP, 2-pk |
| 23998 | ASE Cell Organizer | blue 13-bin unit, 12"L x 12"H x 7.5"D |
| 23999 | ASE Cell Cleaning Brushes | For ASE 100, 200 and 300 Cells 3-pk fa |
| 24002 | SPE Vacuum/Pressure | Station, 115 volt. |
| 24003 | SPE vacuum stat.220V,EA | |
| 24004 | SPE C18-47mmdisks,20pk | |
| 24008 | Replacement Vacuum | Valve and Gauge Assembly. |
| 24011 | Vacuum Manifold, 12 port | 2pk, replacement lid gasket |
| 24014 | Waste Container, Resprep | Replacement Waste Container for 12-port Manifold |
| 24016 | Vacuum tubing,1/4"ID | 10ft roll |
| 24017 | Vac.manifold,6D | Diskcover tubing adapter 1/8"OD 6pk |
| 24020 | Diskcover-47 | EA, SPE 47mm disk holders |
| 24021 | Diskcover-47 | 6pk, SPE 47mm disk holders |
| 24025 | Vac.manifold,6D | 6pk,Tef. Sample tubing,(2' length, 1/8"OD) |
| 24027 | Diskcover-47 | EA, Teflon O-ring 47mm |
| 24028 | Diskcover-47 | 6pk, Teflon O-ring 47mm |
| 24029 | Diskcover-47 | EA, Sample reservoir,125mL |
| 24030 | Diskcover-47 | 6pk, Sample reservoir,125mL |
| 24031 | SPE Florisil, 3mL/500mg | 50pk |
| 24032 | SPE Florisil, 3mL/500mg | 50pk, Teflon Frit |
| 24034 | SPE Florisil, 6mL/1000mg | 30pk |
| 24035 | SPE Silica, 3mL/500mg | 50pk |
| 24036 | SPE Silica, 3mL/500mg | Teflon Frit, 50-pk |
| 24038 | SPE Silica, 6mL/1000mg | 30pk |
| 24048 | SPE C8-47mmdisks,24pk | |
| 24049 | SPE OrganoTin, 16pk | 60mL, mixed bed |
| 24050 | SPE C18,3mL/500mg, 50pk | |
| 24051 | SPE C18,6mL/1g, 30pk | |
| 24052 | SPE C18,6mL/500mg, 30pk | |
| 24053 | SDVB Resin | Equivalent to XAD-2, Untreated in 1kg Containers |
| 24054 | TDU Tubes, SS | Empty, 10pk |
| 24055 | TDU Tubes, Glass | Empty, 10pk |
| 24056 | TDU Tubes, SS | Tenax TA, Unconditioned, 10pk |
| 24057 | TDU Tubes, SS | Graphitized Carbon, Unconditioned, 10pk |
| 24058 | TDU Tubes, SS | Tenax GR/Carbopack B Unconditioned, 10pk |
| 24059 | TDU Tubes, SS | Carbopack B/Carbosieve SIII Unconditioned, 10pk |
| 24060 | TDU Tubes, SS | Tenax TA/Graphitized Carbon/Carboxen 1000, Unconditioned, 10pk |
| 24061 | TDU Tubes, SS | Carbopack C/Carbopack B Carbosieve SIII, Unconditioned 10pk |
| 24062 | TDU Tubes, Glass | Tenax TA, Unconditioned, 10pk |
| 24063 | TDU Tubes, Glass | Graphitized Carbon, Unconditioned, 10pk |
| 24064 | TDU Tubes, Glass | Tenax GR/Carbopack B, Unconditioned, 10pk |
| 24065 | TDU Tubes, Glass | Carbopack B/Carbosieve SIII, Unconditioned, 10pk |
| 24066 | TDU Tubes, Glass | Tenax TA/Graphitized Carbon/Carboxen 1000, Unconditioned, 10pk |
| 24067 | TDU Tubes, Glass | Carbopack C/Carbopack B Carbosieve SIII, Unconditioned 10pk |
| 24068 | TDU Tube Accessories | 1/4in Brass Cap and PTFE Ferrule, 20pk |
| 24069 | TDU Tube Accessories | 1/4in PTFE Ferrule, 20pk |
| 24070 | TDU Tube Accessories | CapLok Tool |
| 24071 | TDU Tube Accessories | Pen Clip, 10pk |
| 24072 | TDU Tube Accessories | TubeMate Tool |
| 24073 | TDU Tube Accessories | 1/4in SS Union and PTFE Ferrule, 10pk |
| 24074 | TDU Tube Accessories | Diffusion Cap, 10pk |
| 24075 | Calibration TDU Tubes | SS, Tenax TA 1cm Bed 10pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24076 | Calibration TDU Tubes | Glass, Tenax TA 1cm Bed 10pk |
| 24077 | Calibration TDU Tubes | Calibration Solution Loading Rig |
| 24078 | Calibration TDU Tubes | 9.5mm Replacement Septa 10pk, for Calibration Solution Loading Rig |
| 24079 | Calibration TDU Tubes | 10pk Certified Reference Std, SS 100mg BTX on Tenax TA |
| 24080 | TDU Tubes, SS | Tenax TA, Conditioned and Capped, 10pk |
| 24081 | TDU Tubes, SS | Graphitized Carbon, Conditioned and Capped, 10pk |
| 24082 | TDU Tubes, SS | 10pk, Tenax GR/Carbopack B Conditioned and Capped |
| 24083 | TDU Tubes, SS | 10pk, Carbopack B/Carbosieve SIII Conditioned and Capped |
| 24084 | TDU Tubes, SS | 10pk, Tenax TA/Graphitized Carbon/Carboxen 1000, Conditioned and Capped |
| 24085 | TDU Tubes, SS | 10pk, Carbopack C/Carbopack B Carbosieve SIII, Conditioned and Capped |
| 24086 | TDU Tubes, Glass | Tenax TA, Conditioned and Capped, 10pk |
| 24087 | TDU Tubes, Glass | 10pk, Graphitized Carbon, Conditioned and Capped |
| 24088 | TDU Tubes, Glass | 10pk, Tenax GR/Carbopack B Conditioned and Capped |
| 24089 | TDU Tubes, Glass | 10pk, Carbopack B/Carbosieve SIII Conditioned and Capped |
| 24090 | TDU Tubes, Glass | 10pk, Tenax TA/Graphitied Carbon/Carboxen 1000 Conditioned and Capped |
| 24091 | TDU Tubes, Glass | 10pk, Carbopack C/Carbopack B Carbosieve SIII, Conditioned and Capped |
| 24100 | Gauge, Vacuum/Pressure | 30" to 15 psig compound 1/8" NPT CBM, 2" diam, SS |
| 24104 | Gauge, Vacuum/Pressure | 30" to 30 psig Compound 1/8" NPT CBM, 2" diam, SS |
| 24108 | Gauge, Vacuum/Pressure | 30" to 60 psig Compound 1/8"NPT CBM, 2" diam, SS |
| 24120 | Gauge | 30" to 0 psig Vacuum, 1/8" NPT CBM, 1.5" Diam. 316 SS, Lexan Lens |
| 24121 | Fittings | Quick Connect Stem Protector, SS, For Miniature Air Sampling Canister |
| 24123 | Air Canister Jacket | Heating Jacket, 110 Volt |
| 24129 | Small Cylinder Stand | Support for Disposable 8cm Diameter Gas Cylinders |
| 24130 | Sample Cylinder,Sulfinert | 75cc, 1/4" Female NPT Threads |
| 24130-PI | Sample Cylinder,Sulfinert | TPED, 75cc, 1450psig, 304L SS, 1/4" Female NPT Ends |
| 24131 | Sample Cylinder,Sulfinert | 150cc, 1800psig, 304L, SS, 1/4" Female NPT Ends |
| 24131-PI | Sample Cylinder | Sulfinert, TPED, 150cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 24132 | Sample Cylinder,Sulfinert | 300cc, 1800psig, 304L, SS, 1/4" Female NPT Ends |
| 24132-PI | Sample Cylinder | Sulfinert, TPED, 300cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 24133 | Sample Cylinder,Sulfinert | 500cc, 1800psig, 304L, SS, 1/4" Female NPT Ends |
| 24133-PI | Sample Cylinder | Sulfinert, TPED, 500cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 24134 | Sample Cylinder,Sulfinert | 1000cc, 1800psig, 304L, SS, 1/4" Female NPT Ends |
| 24134-PI | Sample Cylinder | Sulfinert, TPED, 1000cc, 1450psig, 304L, SS, 1/4" Female NPT Ends |
| 24140 | SilcoCan Canister | 1 Liter 1/4" Valve w/Gauge |
| 24140-650 | SilcoCan Canister | 1 Liter w/Gauge and Siltek Treated 1/4" Valve |
| 24140-65065 | SilcoCan Canister | 1 Liter w/Gauge and 1/4" Silcosteel Valve 2" McDaniels Vacuum Pressure Gauge |
| 24140-65065 | SilcoCan Canister | 1 Liter w/Gauge and Siltek Treated 1/4in Valve ship under vacuum |
| 24140-651 | 1 Liter Silcocan | W/ 30 -15 vacuum gauge |
| 24140-652 | SilcoCan Canister | 1 Liter 1/4" Valve w/2" McDaniels Vacuum Pressure Gauge 30" HG to 30 PSI |
| 24141 | SilcoCan Canister | 3 Liter 1/4" Valve w/Gauge (cat #563646 is needed if connecting to a sampling kit) |
| 24141-650 | SilcoCan Canister | 3 Liter w/Gauge and Siltek Treated 1/4" Valve (cat #563646 is needed if connectir |
| 24141-65065 | SilcCan Canister | 3 Liter w/Gauge and 1/4" Silcosteel Valve Ship under vacuum (cat #563646 is nee |
| 24141-651 | SilcoCan Canister | 3 Liter 1/4" Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 15 PSI (cat #5 |
| 24142 | SilcoCan Canister | 6 Liter 1/4" Valve w/Gauge |
| 24142-650 | SilcoCan Canister | 6 Liter w/Gauge and Siltek Treated 1/4" Valve |
| 24142-65065 | SilcoCan Canister | 6 Liter, 1/4" Silcosteel Valve, 2" McDaniels Pressure Gauge 30HG to 15 PSI |
| 24142-65065 | SilcoCan Canister | 6Liter 1/4" SilcoSteel Valve w/2" McDaniels Vac Pres Gauge 30"HG to 30PSI |
| 24142-65065 | SilcoCan Canister | 6 Liter 1/4" Silcosteel Valve w/Gauge Ship under Vacuum |
| 24142-651 | SilcoCan Canister | 6 Liter 1/4" Valve w/Gauge 2" McDaniels Vacuum Pressure Gauge 30"HG to 15 P |
| 24142-652 | SilcoCan Canister | 6 Liter 1/4" Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 30 PSI |
| 24143 | SilcoCan Canister | 15 Liter 1/4" Valve w/Gauge |
| 24143-650 | SilcoCan Canister | 15 Liter w/Gauge and Siltek Treated 1/4" Valve |
| 24143-65065 | SilcoCan Canister | 15 Liter 1/4" Silcosteel Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 15 |
| 24143-65065 | SilcoCan Canister | 15 Liter 1/4" Silcosteel Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 30 |
| 24143-65065 | SilcoCan Canister | 15 Liter 1/4" Silcosteel Valve Ship under vacuum |
| 24143-651 | SilcoCan Canister | 15 Liter 1/4" Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 15" PSI |
| 24143-652 | SilcoCan Canister | 15 Liter 1/4" Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 30 PSI |
| 24143-653 | SilcoCan Canister | 15 Liter 1/4" Valve w/Gauge Ship under vacuum |
| 24144 | Valve | 2-Port Siltek Replacement 1/4" Valve for Air Monitoring Canisters |
| 24145 | Valve | 2-Port Replacement 1/4" Valve for Air Monitoring Canisters |
| 24146 | Valve | 3-Port Siltek Replacement 1/4" Valve for Air Monitoring Canisters |
| 24147 | Valve | 3-Port Replacement 1/4" Valve for Air Monitoring Canisters |
| 24148 | Canister Valve | SS4H Bellows Replacement Valve 2-port only, Stainless Steel only |
| 24151 | Air Canister Tripod | Holds two 1L, 3L, or 6L size canisters |
| 24160 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Siltek, Complete Kit .0012 Orific |
| 24161 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Siltek, Complete Kit .0016 Orific |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24162 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Siltek, Complete Kit .0020 Orific |
| 24163 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Siltek, Complete Kit .0030 Orific |
| 24164 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Siltek, Complete Kit .0060 Orific |
| 24165 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Non-Silcosteel, Complete Kit .0 |
| 24166 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Non-Silcosteel, Complete Kit .0 |
| 24167 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Non-Silcosteel, Complete Kit .0 |
| 24168 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Non-Silcosteel, Complete Kit .0 |
| 24169 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Non-Silcosteel, Complete Kit .0 |
| 24170 | Replacement Frits | for Passive Air Sampling Kit 3pk |
| 24171 | Replacement Frits | for Passive Air Sampling Kit 3pk, Siltek Treated |
| 24172 | TO-Can Canister | 1 Liter, 1/4" Valve |
| 24173 | TO-Can Canister | 3 Liter, 1/4" Valve (cat #563647 is needed if connecting to a sampling kit) |
| 24174 | TO-Can Canister | 6 Liter, 1/4" Valve |
| 24174-650 | TO-Can Canister | 6 Liter, 1/4" Valve w/Silcosteel |
| 24174-653 | TO-Can Canister | 6 Liter, 1/4" Valve Ship Under Vacuum |
| 24175 | TO-Can Canister | 15 Liter, 1/4" Valve |
| 24176 | TO-Can Canister | 1 Liter w/Gauge, 1/4" Valve |
| 24176-650 | TO-Can Canister | 1 Liter w/Gauge, 1/4" Silcosteel Valve |
| 24177 | TO-Can Canister | 3 Liter w/Gauge, 1/4" Valve (cat #563647 is needed if connecting to a sampling kit |
| 24178 | TO-Can Canister | 6 Liter w/Gauge, 1/4" Valve |
| 24178-652 | TO-Can Canister | 6 Liter 1/4" Valve 2" McDaniels Vacuum Pressure Gauge 30" HG to 30 PSI |
| 24179 | TO-Can Canister | 15 Liter w/Gauge, 1/4" Valve |
| 24180 | SilcoCan Canister | 1 Liter, 1/4" Valve |
| 24180-650 | SilcoCan Canister | 1 Liter w/Siltek Treated 1/4" Valve |
| 24181 | SilcoCan Canister | 3 Liter, 1/4" Valve (cat #563646 is needed if connecting to a sampling kit) |
| 24181-650 | SilcoCan Canister | 3 Liter w/Siltek Treated 1/4" Valve (cat #563646 is needed if connecting to a samp |
| 24182 | SilcoCan Canister | 6 Liter, 1/4" Valve |
| 24182-650 | SilcoCan Canister | 6 Liter w/Siltek Treated 1/4" Valve |
| 24182-65065 | SilcoCan Canister | 6 Liter w/Siltek 1/4" Valve ship under vacuum |
| 24183 | SilcoCan Canister | 15 Liter, 1/4" Valve |
| 24183-650 | SilcoCan Canister | 15 Liter w/Siltek Treated 1/4" Valve |
| 24183-65065 | SilcoCan Canister | 15 Liter, 1/4" Silcosteel Valve ship under vacuum |
| 24185 | Fittings | Quick Connect Stem Fitting for the miniature Air Sampling Canister |
| 24186 | Fittings | Quick Connect Stem Fitting Sulfinert Treated, for the Miniature Air Sampling Canis |
| 24187 | Fittings | Quick Connect Body Fitting for the Miniature Air Sampling Canister |
| 24188 | Miniature Canister | 400cc Electro Polished With Quick Connect Stem Fitting |
| 24189 | Miniature Canister | 400cc Sulfinert With Quick Connect Stem Fitting |
| 24190 | Miniature Canister | 400cc Sulfinert With Sulfinert Quick Connect Stem Fitting |
| 24191 | Miniature Canister | 400cc Electro Polished With Metal Seated Diaphragm Valve |
| 24192 | Miniature Canister | 400cc Sulfinert With Metal Seated Diaphragm Valve |
| 24193 | Miniature Canister | 400cc Sulfinert With Sulfinert Treated Diaphragm Valve |
| 24194 | Miniature Canister | 1000cc Electro Polished With Quick Connect Stem Fitting |
| 24195 | Miniature Canister | 1000cc Sulfinert With Quick Connect Stem Fitting |
| 24196 | Miniature Canister | 1000cc Sulfinert With Sulfinert Quick Connect Stem Fitting |
| 24197 | Miniature Canister | 1000cc Electro Polished With Metal Seated Diaphragm Valve |
| 24198 | Miniature Canister | 1000cc Sulfinert With Metal Seated Diaphragm Valve |
| 24199 | Miniature Canister | 1000cc Sulfinert With Sulfinert Treated Diaphragm Valve |
| 24205 | Miniature Canister | 400cc Electro Polished w/Nut and Ferrule |
| 24206 | Miniature Canister | 1000cc Electro Polished w/Nut and Ferrule |
| 24207 | Miniature Canister | 400cc Sulfinert w/Nut and Ferrule |
| 24208 | Miniature Canister | 1000cc Sulfinert w/Nut and Ferrule |
| 24215 | Canister Carrying Box Kit | 4 x 6-Liter Carrying Boxes w/Plastic Handles, 1 x 4pk Shipper |
| 24216 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Non-Silcosteel, Complete Kit, .0 |
| 24217 | Sampling Kit | CONFIRM DELIVERY WITH OPERATIONS > 25 Siltek, Complete Kit .0008 Orific |
| 24218 | Orifice | Replacement, .5-2sccm Non-Siltek |
| 24219 | Orifice | Replacement, .5-2sccm Siltek Treated |
| 24226 | Deluxe Carrying Case | for Two 6 Liter Canisters (14lbs, 20x14x14") Ships One per Box |
| 24229 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflow 423XL, 0.5-2sccm orfic |
| 24230 | Ultra Clean Resin | 100 gm bottle |
| 24230 | Ultra Clean Resin | 100 gm bottle |
| 24230 | Ultra Clean Resin | 100 gm bottle |
| 24232 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflow 423XL, 0.5-2sccm orifi |
| 24233 | Orifice | Replacement, 2-4 sccm Siltek-treated |
| 24234 | Orifice | Replacement, 4-8 sccm Siltek-treated |
| 24235 | Orifice | Replacement, 8-15 sccm Siltek-treated |
| 24236 | Orifice | Replacement, 15-30 sccm Siltek-treated |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24237 | Orifice | Replacement, 30-80 sccm Siltek-treated |
| 24238 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, no orifice Siltek-t |
| 24239 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, no orifice Non-Si |
| 24245 | Orifice | Replacement, 2-4 sccm Non-Siltek |
| 24246 | Orifice | Replacement, 4-8 sccm Non-Siltek |
| 24247 | Orifice | Replacement, 8-15 sccm Non-Siltek |
| 24248 | Orifice | Replacement, 15-30 sccm Non-Siltek |
| 24249 | Orifice | Replacement, 30-80 sccm Non-Siltek |
| 24255 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 2-4sccm orif. Silt |
| 24256 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 4-8sccm orif. Silt |
| 24257 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 8-15 sccm orif. S |
| 24258 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 15-30 sccm orif. |
| 24259 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 30-80 sccm orif. |
| 24260 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 2-4sccm orif. No |
| 24261 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 4-8sccm orif. No |
| 24262 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 8-15 sccm orif. N |
| 24263 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflow 423XL, 15-30 sccm ori |
| 24264 | Flow Controller | CONFIRM DELIVERY WITH OPERATIONS > 25 Veriflo 423XL, 30-80 sccm orif. |
| 24265 | Siltek 7um Filter | 7um In-Line Filter, Siltek Treated(5um no longer manufactured) |
| 24266 | Filter | 7um In-Line Filter, Non-Silcosteel (5um no longer manufactured) |
| 24267 | Air Sampling Timer | for Air Canisters |
| 24268 | Test Gauge | Digital, 3" Diameter, 1/4"NPT, 30"Hg to 60psig |
| 24269 | Gauge | 30" to 0 psig Vacuum 1/8" NPT CBM, 2" diam, SS |
| 24270 | Gauge | 30" to 0 psig Vacuum 1/4" NPT CBM, 2" diam, SS |
| 24282 | Humidification Chamber | |
| 24285 | Test Gauge | Analog, 6" Diameter, 1/4" NPT, 30"Hg to 60psig |
| 24295 | PUFs | Precleaned PUF plug for ORBO-2000 Assembly |
| 24298 | Rupture Disc | Replacement Rupture Disc 2850psi Substitute 26325 |
| 24323 | EPC Test Kit | Used for EPC Leak Checking. For Use w/Agilent 6890 GCs |
| 24324 | Deactivated Wool | 10 g |
| 24351 | Vials, Crimp Seal | 11mm Blue PTFE/RR Pack of 100 |
| 24352 | Vials, Crimp Seal | 11mm Blue PTFE/RR Pack of 1000 |
| 24353 | Vials, Crimp Seal | 11mm Green PTFE/RR Pack of 100 |
| 24354 | Vials, Crimp Seal | 11mm Green PTFE/RR Pack of 1000 |
| 24355 | Vials, Crimp Seal | 11mm Red PTFE/RR Pack of 100 |
| 24356 | Vials, Crimp Seal | 11mm Red PTFE/RR Pack of 1000 |
| 24357 | Vials, Crimp Seal | 11mm Yellow PTFE/RR Pack of 100 |
| 24358 | Vials, Crimp Seal | 11mm Yellow PTFE/RR Pack of 1000 |
| 24359 | Aluminum Crimp Seals | w/Septa, 11mm Silver PTFE/SIL Pack of 100 |
| 24360 | Aluminum Crimp Seals | w/Septa, 11mm Silver PTFE/SIL Pack of 1000 |
| 24361 | Vials, Crimp Seal | 11mm Blue PTFE/SIL Pack of 100 |
| 24362 | Vials, Crimp Seal | 11mm Blue PTFE/SIL Pack of 1000 |
| 24363 | Vials, Crimp Seal | 11mm Green PTFE/SIL Pack of 100 |
| 24364 | Vials, Crimp Seal | 11mm Green PTFE/SIL Pack of 1000 |
| 24365 | Vials, Crimp Seal | 11mm Red PTFE/SIL Pack of 100 |
| 24366 | Vials, Crimp Seal | 11mm Red PTFE/SIL Pack of 1000 |
| 24367 | Vials, Crimp Seal | 11mm Yellow PTFE/SIL Pack of 100 |
| 24368 | Vials, Crimp Seal | 11mm Yellow PTFE/SIL Pack of 1000 |
| 24369 | Aluminum Crimp Seals | 11mm Silver, PTFE/Silicone/PTFE Pack of 100 |
| 24370 | Aluminum Crimp Seals | 11mm Silver, PTFE/Silicone/PTFE Pack of 1000 |
| 24383 | Vials, Crimp Top | 12x32mm/2.0mL/11mm Clr w/Mark Pack of 100 |
| 24383-220 | Vials, Snap Seal | 12x32mm/2.0mL/11mm Clr w/Mark Deact 100PK |
| 24384 | Vials, Crimp Top | 12x32mm/2.0mL/11mm Clr w/Mark Pack of 1000 |
| 24384B | Vials, Snap Seal | 12x32mm/2.0mL/11mm Blue w/Mark Pack of 1000 |
| 24384G | Vials, Snap Seal | 12x32mm/2.0mL/11mm Green w/Mark Pack of 1000 |
| 24384R | Vials, Snap Seal | 12x32mm/2.0mL/11mm Rust w/Mark Pack of 1000 |
| 24384Y | Vials, Snap Seal | 12x32mm/2.0mL/11mm Yellow w/Mark Pack of 1000 |
| 24385 | Vials, Crimp Top | 12x32mm/2.0mL/11mm Ambr w/Mark Pack of 100 |
| 24386 | Vials, Crimp Top | 12x32mm/2.0mL/11mm Ambr w/Mark Pack of 1000 |
| 24386-221 | Vials, Snap Seal | 12x32mm/2.0ml/11mm Amber w/mark, 1000pk, Deactivated |
| 24433 | Seals, Poly Crimp | Clear, PTFE/Butyl Rubber Liner Pack of 100 |
| 24434 | Seals, Poly Crimp | Clear, PTFE/Butyl Rubber Liner Pack of 1000 |
| 24443 | Seals, Poly Crimp | Clear PTFE/Silicone Liner Pack of 100 |
| 24444 | Seals, Poly Crimp | Clear PTFE/Silicone Liner Pack of 1000 |
| 24445 | Seals, Poly Crimp | Blue PTFE/Silicone Liner Pack of 100 |
| 24446 | Seals, Poly Crimp | Blue PTFE/Silicone Liner Pack of 1000 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24453 | Seals, Poly Crimp | Clear PTFE/Sil/PTFE Liner Pack of 100 |
| 24454 | Seals, Poly Crimp | Clear PTFE/Sil/PTFE Liner Pack of 1000 |
| 24455 | Seals, Poly Crimp | Blue PTFE/Sil/PTFE Liner Pack of 100 |
| 24456 | Seals, Poly Crimp | Blue PTFE/Sil/PTFE Liner Pack of 1000 |
| 24473 | Caps, Short Screw | 9mm Blue PTFE/Red Rubber Liner Pack of 100 |
| 24474 | Caps, Short Screw | 9mm Blue PTFE/Red Rubber Liner Pack of 1000 |
| 24485 | Caps, Short Screw | 9mm Blue PTFE/Sil Pack of 100 |
| 24486 | Caps, Short Screw | 9mm Blue PTFE/Sil Pack of 1000 |
| 24487 | Caps, Short Screw | 9mm Green PTFE/Sil Pack of 100 |
| 24488 | Caps, Short Screw | 9mm Green PTFE/Sil Pack of 1000 |
| 24493 | Caps, Short Screw | 9mm Yellow PTFE/Sil Pack of 100 |
| 24494 | Caps, Short Screw | 9mm Yellow PTFE/Sil Pack of 1000 |
| 24495 | Caps, Short Screw | 9mm Black PTFE/Sil/PTFE Pack of 100 |
| 24496 | Caps, Short Screw | 9mm Black PTFE/Sil/PTFE Pack of 1000 |
| 24497 | Caps, Short Screw | 9mm Blue PTFE/Sil/PTFE Pack of 100 |
| 24498 | Caps, Short Screw | 9mm Blue PTFE/Sil/PTFE Pack of 1000 |
| 24499 | Caps, Short Screw | 9mm Green PTFE/Sil/PTFE Pack of 100 |
| 24500 | Caps, Short Screw | 9mm Green PTFE/Sil/PTFE Pack of 1000 |
| 24501 | Caps, Short Screw | 9mm Natural PTFE/Sil/PTFE Pack of 100 |
| 24502 | Caps, Short Screw | 9mm Natural PTFE/Sil/PTFE Pack of 1000 |
| 24503 | Caps, Short Screw | 9mm Red PTFE/Sil/PTFE Pack of 100 |
| 24504 | Caps, Short Screw | 9mm Red PTFE/Sil/PTFE Pack of 1000 |
| 24505 | Caps, Short Screw | 9mm Yellow PTFE/Sil/PTFE Pack of 100 |
| 24506 | Caps, Short Screw | 9mm Yellow PTFE/Sil/PTFE Pack of 1000 |
| 24508 | Vial Inserts | 100ul Glass LV w/PP Bot Spring Pack of 100 |
| 24510 | Vial Inserts | For SO Screw & Crimp Glass 250ul Flat Bottom 1000Pack |
| 24511 | Vial Inserts | For SO Screw & Crimp Poly 100ul No Spring Pack of 100 |
| 24512 | Vial Inserts | For SO Screw & Crimp Poly 100ul w/Bot Spring 100Pack |
| 24513 | Vial Inserts | For LO Crimp & Seal Glass 50ul w/Bot Spring 100Pack |
| 24516 | Vial Inserts | For LO Crimp Top Vial 250ul Glass Flange 100Pack |
| 24516-220 | Vial Inserts | For LO Crimp Top Vial Deact. 250ul Glass Flange 100pk |
| 24517 | Vial Inserts | For LO Crimp & Seal Glass 350ul Flat Bottom 1000Pack |
| 24517-221 | Vial Inserts | for Lo Crimp & Seal Glass, 1000 Pack Deactivated 350ul Flat Bottom |
| 24518 | Vial Inserts | 250ul Polypropylene with Bottom Spring 100PK |
| 24518A | Vial Inserts | 250ul,Graduated Markings,Polypropylene Bottom Spring, 100pk |
| 24519 | Vial Inserts | For LO Crimp & Seal Poly. 250ul Plas. Flange 100Pack |
| 24520 | Vial Inserts | For LO Crimp & Seal Poly. 250ul No Spring Pack of 100 |
| 24528 | Syringe, Hamilton | 1702 WISP Syringe, 25ul HPLC Autosampler |
| 24529 | Syringe, Hamilton | 1702 WISP Syringe, 250ul HPLC Autosampler |
| 24530 | Syringe, Hamilton | 701RN/10ul/26s/2in/2pt |
| 24531 | Syringe, Hamilton | 702N/25ul/22s/2in/2pt |
| 24532 | Syringe, Hamilton | 702RN/25ul/22s/2in/2pt |
| 24533 | Syringe, Hamilton | 705N/50ul/22s/2in/2pt |
| 24534 | Syringe, Hamilton | 705RN/50ul/22s/2in/2pt |
| 24535 | Syringe, Hamilton | 710N/100ul/22s/2in/2pt |
| 24536 | Syringe, Hamilton | 710RN/100ul/22s/2in/2pt |
| 24537 | Syringe, Hamilton | 725N/250ul/22s/2in/2pt |
| 24538 | Syringe, Hamilton | 725RN/250ul/22s/2in/2pt |
| 24539 | Syringe, Hamilton | 750N/500ul/22/2in/2pt |
| 24540 | Syringe, Hamilton | 750RN/500ul/22/2in/2pt |
| 24541 | Syringe, Hamilton | 95N/5ul/26s/2in/2pt |
| 24542 | Syringe, Hamilton | 95RN/R/5ul/26s/2in/2pt |
| 24543 | Syringe, Hamilton | 901N/10ul/26s/2in/2pt |
| 24544 | Syringe, Hamilton | 901RN/R/10ul/26s/2in/2pt |
| 24545 | Syringe, Hamilton | 7000.5KH/0.5ul/25/2.75in/2pt |
| 24546 | Syringe, Hamilton | 7000.5KH/0.5ul/25/2.75in/3pt |
| 24547 | Syringe, Hamilton | 7001KH/1ul/25s/2.75in/2pt |
| 24548 | Syringe, Hamilton | 7001KH/1ul/25s/2.75/3pt |
| 24549 | Syringe, Hamilton | 7101KH/1ul/22s/2.75in/2pt |
| 24550 | Syringe, Hamilton | 7101KH/1ul/22s/2.75in/3pt |
| 24551 | Syringe, Hamilton | 7002KH/2ul/25/2.75in/2pt |
| 24553 | Syringe, Hamilton | 7102KH/2ul/23/2.75in/2pt |
| 24554 | Syringe, Hamilton | 7102KH/2ul/23/2.75in/3pt |
| 24555 | Syringe, Hamilton | 7105KH/5ul/24/2.75in/2pt |
| 24556 | Syringe, Hamilton | 7105KH/5ul/24/2.75in/3pt |
| 24557 | Syringe, Hamilton | 1701N/10ul/26s/2in/2pt/GT |

| | | |
|---|---|---|
| 24558 | Syringe, Hamilton | 1701RN/10ul/26s/2in/2pt/GT |
| 24559 | Syringe, Hamilton | 1702N/25ul/22s/2in/2pt/GT |
| 24560 | Syringe, Hamilton | 1702RN/25ul/22s/2in/2pt/GT |
| 24561 | Syringe, Hamilton | 1705N/50ul/22s/2in/2pt/GT |
| 24562 | Syringe, Hamilton | 1705RN/50ul/22s/2in/2pt/GT |
| 24563 | Syringe, Hamilton | 1710N/100ul/22s/2in/2pt/GT |
| 24564 | Syringe, Hamilton | 1710RN/100ul/22s/2in/2pt/GT |
| 24565 | Syringe, Hamilton | 1710LT/100ul/GT |
| 24566 | Syringe, Hamilton | 1710TLL/100ul/GT |
| 24567 | Syringe, Hamilton | 1725N/250ul/22s/2in/2pt/GT |
| 24568 | Syringe, Hamilton | 1725RN/250ul/22/2in/2pt/GT |
| 24569 | Syringe, Hamilton | 1725LT/250ul/GT |
| 24570 | Syringe, Hamilton | 1725TLL/250ul/GT |
| 24571 | Syringe, Hamilton | 1750LTN/500ul/22/2in/2pt/GT |
| 24572 | Syringe, Hamilton | 1750RN/500ul/22/2in/2pt/GT |
| 24573 | Syringe, Hamilton | 1750LT/500ul/GT |
| 24574 | Syringe, Hamilton | 1750TLL/500ul/GT |
| 24575 | Syringe, Hamilton | 1001LTN/1ml/22/2in/2pt/GT |
| 24576 | Syringe, Hamilton | 1001RN/1ml/22/2in/2pt/GT |
| 24577 | Syringe, Hamilton | 1001LT/1ml/GT |
| 24578 | Syringe, Hamilton | 1001TLL/1ml/GT |
| 24579 | Syringe, Hamilton | 1001.25LTN/1.25ml/22/2in/2pt/GT |
| 24580 | Syringe, Hamilton | 1001.25LT/1.25ml/GT |
| 24581 | Syringe, Hamilton | 1002LTN/2.5ml/22/2in/2pt/GT |
| 24582 | Syringe, Hamilton | 1002RN 2.5ml GT (22/2"/2pt) |
| 24583 | Syringe, Hamilton | 1002LT/2.5ml/GT |
| 24584 | Syringe, Hamilton | 1002TLL/2.5ml/GT |
| 24585 | Syringe, Hamilton | 1005LTN/5ml/22/2in/2pt/GT |
| 24586 | Syringe, Hamilton | 1005RN 5ml GT (22/2"/2) |
| 24587 | Syringe, Hamilton | 1005LT/5ml/GT |
| 24588 | Syringe, Hamilton | 1010LTN/10ml/22/2in/2pt/GT |
| 24589 | Syringe, Hamilton | 1010RN 10ml GT(22/2"/2) |
| 24590 | Syringe, Hamilton | 1010LT/10ml/GT |
| 24591 | Syringe, Hamilton | 1025TLL/25ml/GT |
| 24592 | Syringe, Hamilton | HP AS 75ASN/5ul/26s |
| 24593 | Syringe, Hamilton | HP AS 75ASN/5ul/23s-26s |
| 24594 | Syringe, Hamilton | HP AS 75ASN/5ul/23s-26s Pack of 6 |
| 24595 | Syringe, Hamilton | HP AS 701ASN/10ul/26s |
| 24596 | Syringe, Hamilton | HP AS 701ASN/10ul/23s-26s |
| 24597 | Syringe, Hamilton | HP AS 701ASRN/10ul/26s |
| 24598 | Syringe, Hamilton | HP AS 701ASRN/10ul/23s-26s |
| 24599 | Syringe, Hamilton | HP AS 701ASN/10ul/26s Pack of 6 |
| 24600 | Syringe, Hamilton | HP AS 701ASN/10ul/23s-26s Pack of 6 |
| 24605 | Syr Needles, Hamilton | LT/TLL Metal Hub/25s/1.97"/3pt Pack of 6 |
| 24606 | Syr Needles, Hamilton | LT/TLL Metal Hub/22s/2in/2pt Pack of 6 |
| 24607 | Syr Needles, Hamilton | LT/TLL Kel-F/26s/2in/2pt Pack of 6 |
| 24608 | Syr Needles, Hamilton | LT/TLL Kel-F/25s/2in/3pt Pack of 6 |
| 24609 | Syr Needles, Hamilton | LT/TLL Kel-F/22s/2in/2pt Pack of 6 |
| 24613 | Chaney Adapter | For 700/1700/1000/5-10ul |
| 24615 | Syringe Guide | For 7000/.5-5ul or 700/1700/1000/25-500ul |
| 24616 | Syringe Guide | For 700/1700/1000/5-10ul |
| 24617 | Syringe, Hamilton | 75RN/5ul/26s/2in/2pt |
| 24619 | Vial, Screw Thread | 2ml Clr w/White Grad Mk Spot Pack of 100 |
| 24620 | Vial, Screw Thread | 2ml Clr w/White Grad Mk Spot Pack of 1000 |
| 24620-221 | Vial, Screw Thread | 2ml Clr w/White Grad Mk Spot IP Deact., Pack of 1000 |
| 24621 | Vial, Screw Thread | 2ml Ambr w/White Grad Mk Spot Pack of 100 |
| 24622 | Vial, Screw Thread | 2ml Ambr w/White Grad Mk Spot Pack of 1000 |
| 24623 | Vial, Limited Volume | 100ul Poly. w/8mm Thread Pack of 100 |
| 24624 | Vial, Limited Volume | 100ul Poly. w/8mm Thread Pack of 1000 |
| 24625 | Vial, Limited Volume | 100ul Glass/Clr Plastic w/8mm Thread Pack of 100 |
| 24626 | Vial, Step | 2ml Clr w/White Grad Mk Spot Pack of 100 |
| 24626-220 | Vial, Step | 2ml Clr w/White Grad Mk Spot Deactivated, Pk of 100 |
| 24626-222 | Vial, Step | 2ml Clr w/White Grad Mk Spot Siltek Deact. Pack of 100 |
| 24627 | Vial, Step | 2ml Clr w/White Grad Mk Spot Pack of 1000 |
| 24628 | Vial, Step | 2ml Ambr w/White Grad Mk Spot Pack of 100 |
| 24628-220 | Vial, Step | 2ml Ambr w/white Grad Mk Spot Pack of 100, Deactivated |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24629 | Vial, Step | 2ml Ambr w/White Grad Mk Spot Pack of 1000 |
| 24630 | Vial, Threaded w/Septa | 2ml Clr 8-425 w/Red PTFE/ Sil Septa 0.045" 100 Pack |
| 24631 | Vial, Threaded w/Septa | 2ml Clr 8-425 w/Red PTFE/ Sil Septa 0.045" 1000 Pack |
| 24632 | Vial, Threaded w/Septa | 2ml Ambr 8-425 w/Red PTFE/ Sil Septa 0.045" 100 Pack |
| 24633 | Vial, Threaded w/Septa | 2ml Ambr 8-425 w/Red PTFE/ Sil Septa 0.045" 1000 Pack |
| 24634 | Vial, Threaded w/Septa | 2ml Clr 8-425 w/Red PTFE/ Sil Septa 0.065" 100 Pack |
| 24635 | Vial, Threaded w/Septa | 2ml Clr 8-425 w/Red PTFE/ Sil Septa 0.065" 1000 Pack |
| 24636 | Vial, Threaded w/Septa | 2ml Ambr 8-425 w/Red PTFE/ Sil Septa 0.065" 100 Pack |
| 24637 | Vial, Threaded w/Septa | 2ml Ambr 8-425 w/Red PTFE/ Sil Septa 0.065" 1000 Pack |
| 24638 | Vial, Threaded w/Septa | 2ml Clr 8-425 SilCote Deact w/Red PTFE/Sil 0.065"100PK |
| 24639 | Vial, Threaded w/Septa | 2ml Clr 8-425 SilCote Deact w/Red PTFE/Sil 0.065"1000PK |
| 24640 | Vial, Threaded w/Septa | 2ml Ambr 8-425 Silcote Deac w/Red PTFE Sil 0.065"100PK |
| 24641 | Vial, Threaded w/Septa | 2ml Ambr 8-425 Silcote Deac w/Red PTFE/Sil 0.065"1000PK |
| 24642 | Vial Kit, Big Mouth | Clr 10-425 Threaded Blk Cap w/Red PTFE/Sil Pack of 100 |
| 24643 | Vial Kit, Big Mouth | Clr 10-425 Threaded Red PTFE/Sil 0.065" 1000 Pack |
| 24644 | Vial Kit, Big Mouth | Ambr 10-425 Threaded Red PTFE/Sil 0.065" Pack of 100 |
| 24645 | Vial Kit, Big Mouth | Ambr 10-425 Threaded Red PTFE/Sil 0.065" 1000 Pack |
| 24646 | Vial Kits | 2ml Clear w/PTFE Sil Septa Pack of 100 |
| 24647 | Vial Kits | 2ml Clear w/PTFE Sil Septa Pack of 1000 |
| 24648 | Vial Kits | 2.0ml Amber Vial w/PTFE Pack of 100 |
| 24649 | Vial Kits | 2.0ml Amber Vial w/PTFE Pack of 1000 |
| 24651 | Vial, Limited Volume | 100ul Poly 12x32 11mm Crmp Pack of 100 |
| 24652 | Vial, Limited Volume | 100ul Poly 12x32 11mm Crmp Pack of 1000 |
| 24653 | Vial, Limited Volume | 100ul Glass/Clear Plastic 12x32 11mm Crmp Pack of 100 |
| 24654 | Vial, Screw Thread Step | 4ml Clr 15x45mm Wisp Style 48 Pack of 100 |
| 24655 | Vial, Screw Thread Step | 4ml Clr 13/425 Wisp Style 48 Pack of 1000 |
| 24655-221 | Vial, Screw Thread Step | 4ml Clr 13/425 Wisp Style 48 Deactivation Pack of 1000 |
| 24656 | Vial, Screw Thread Step | 4ml Ambr 13/425 Wisp Style 48 Pack of 100 |
| 24656-222 | Vial, Screw Thread Step | 4ml Ambr 13/425 Wisp Style 48 Siltek Deact., Pack of 100 |
| 24657 | Vial, Screw Thread Step | 4ml Ambr 13/425 Wisp Style 48 Pack of 1000 |
| 24658 | Vial, Glass Snap Seal | 4mL Clr Glass Vial 13mm Crimp WISP Style 48 Pack of 100 |
| 24659 | Vial, Glass Snap Seal | 4mL Clr Glass Vial 13mm Crimp WISP Style 48 Pack of 1000 |
| 24662 | Vial, Shell | 1ml Clear WISP Style 96 Pack of 200 |
| 24663 | Vial, Shell | 1ml Clear WISP Style 96 Pack of 1000 |
| 24663-221 | Vial, Shell | 1ml Clear WISP Style 96 Deactivation Pack of 1000 |
| 24664 | Vial, Shell | 1ml Amber WISP Style 96 Pack of 200 |
| 24665 | Vial, Shell | 1ml Amber WISP Style 96 Pack of 1000 |
| 24668 | Vial Closures, Shrt Cap | 9/425 w/PTFE Red Rubr Liner Asst. Clrs Pack of 500 |
| 24669 | Vial Closures, Shrt Cap | 9/425 w/PTFE Silicone Liner Asst. Clrs Pack of 500 |
| 24670 | Vial Closures, Shrt Cap | 9/425 w/PTFE/Sil/PTFE Liner Cap Asst.Clrs Pack of 500 |
| 24671 | Vial, Cap & Septa Kit | SilCote Deact 2ml 11mm Clr Crmp Top Vial w/PTFE/Natural Rubber 100PK |
| 24672 | Vial, Cap & Septa Kit | SilCote Deact 2ml 11mm Clr Crmp Top Vial w/PTFE/Natural Rubber 1000PK |
| 24673 | Vial, Cap & Septa Kit | SilCote Deact 2mL 11mm Amber Crmp TopVial w/PTFE/Natural Rubber 100PK |
| 24674 | Vial, Cap & Septa Kit | SilCote Deact 2mL 11mm Amber Crmp TopVial w/PTFE/Natural Rubber 1000Pk |
| 24675 | Vial, Cap & Septa Kit | 2ml Clr Red PTFE/Silicone/Red PTFE Septa 0.040" Pack of 100 |
| 24676 | Vial, Cap & Septa Kit | 2ml Clr Red PTFE/Silicone/Red PTFE Septa 0.040" Pack of 1000 |
| 24677 | Vial Cap & Septa Kit | 10-425 Black Cap w/Red PTFE White Silicone Septa 1000PK |
| 24678 | Vial | 1.0ml Polypropylene Shell Vial Pack of 200 |
| 24679 | Vial | 1.0ml Polypropylene Shell Vial Pack of 1000 |
| 24680 | Vial, Limited Volume | 700ul Polypropylene Shell Vial Pack of 200 |
| 24681 | Vial, Limited Volume | 700ul Polypropylene Shell Vial Pack of 1000 |
| 24683 | Vials, Headspace | 10mL, 23x46mm, 20mm Crimp Flat Bottom 100 Pk |
| 24684 | Vials, Headspace | 10mL, 23x46mm, 20mm Crimp Flat Bottom 1000 Pk |
| 24684-221 | Vials, Headspace | 10mL, 23x46mm, 20mm Crimp Flat Bottom, 1000pk, Deactivated |
| 24685 | Vials, Headspace | 20mL, 23x75mm, 20mm Crimp Flat Bottom 100PK |
| 24685-220 | Vials, Headspace | 20mL, 23x75mm, 20mm Crimp Flat Bottom 100-pk, Deactivated |
| 24686 | Vials, Headspace | 20mL, 23X75, 20mm Crimp Flat Bottom 1000 Pk |
| 24691 | Vial Inserts | 250ul Glass Flat Bottom w/ID Ring, 1000pk |
| 24692 | Vial Inserts | 350ul Glass Flat Bottom w/ID Ring, 100pk |
| 24693 | Vial Inserts | 350ul Glass Flat Bottom w/ID Ring, 1000pk |
| 24693-221 | Vial Inserts | 350ul Glass Flat Bottom w/ID Ring, IP Deact., 1000pk |
| 24694 | VOA Vial Septa | Replacement, 24mm Teflon Faced 0.125" Silicone Septa, 100pk For use w/20,40, |
| 24699 | Gold Tip for Agilent MS | For use with Agilent 5971 and 5972 Mass Specs. |
| 24700 | Syringe, SGE | Model 5F 5ul/26/2 |
| 24701 | Syringe, SGE | Model 5R 5ul/26/2 |
| 24702 | Syringe, SGE | Model 10F 10ul/26/2 |

| | | |
|---|---|---|
| 24703 | Syringe, SGE | Model 10R 10ul/26/2 |
| 24704 | Syringe, SGE | Model 25F 25ul/25/2 |
| 24705 | Syringe, SGE | Model 25R 25ul/25/2 |
| 24706 | Syringe, SGE | Model 50F 50ul/25/2 |
| 24707 | Syringe, SGE | Model 50R 50ul/25/2 |
| 24708 | Syringe, SGE | Model 100F 100ul/25/2 |
| 24709 | Syringe, SGE | Model 100R 100ul/25/2 |
| 24710 | Syringe, SGE | Model 250F 250ul/25/2 |
| 24711 | Syringe, SGE | Model 250R 250ul/25/2 |
| 24712 | Syringe, SGE | Model 500F 500ul/25/2 |
| 24713 | Syringe, SGE | Model 500R 500ul/25/2 |
| 24715 | Syringe, SGE | Model SK-10F 10ul/26/2 Pack of 6 |
| 24716 | Syringe, SGE | 10ul RN Syr w/Plunger Protect. (6pk) Pack of 6 |
| 24717 | Syringe, Hamilton | 1050TLL 50.0ml Gastight |
| 24718 | Syringe, SGE | SuperfleX 10ul/26/FN Pack of 6 |
| 24719 | Syringe, SGE | SuperfleX 10ul/26/RN Pack of 6 |
| 24720 | Syringe, SGE | SuperfleX Plunger Model 5FX 5ul/26 |
| 24721 | Syringe, SGE | SuperfleX Plunger Model 5RX 5ul/26 |
| 24722 | Syringe, SGE | SuperfleX Plunger Model 10FX 10ul/26 |
| 24723 | Syringe, SGE | SuperfleX Plunger Model 10RX 10ul/26 |
| 24724 | Syringe, Hamilton | 1100TLL 100.0ml Gastight |
| 24725 | Syringe, SGE | Model 10F-GT 10ul/26/2 |
| 24726 | Syringe, SGE | Model 10R-GT 10ul/26/2 |
| 24727 | Syringe, SGE | Model 25F-GT 25ul/25/2 |
| 24728 | Syringe, SGE | Model 25R-GT 25ul/25/2 |
| 24729 | Syringe, SGE | Model 50F-GT 50ul/25/2 |
| 24730 | Syringe, SGE | Model 50R-GT 50ul/25/2 |
| 24731 | Syringe, SGE | Model 50F-LT-GT 50ul |
| 24732 | Syringe, SGE | Model 50F-LL-GT 50ul |
| 24734 | Syringe, SGE | Model 100F-GT 100ul/25/2 |
| 24735 | Syringe, SGE | Model 100R-GT 100ul/25/2 |
| 24736 | Syringe, SGE | Model 00F-LT-GT 100ul |
| 24737 | Syringe, SGE | Model100F-LL-GT 100ul |
| 24738 | Syringe, SGE | Model 250F-GT 250ul/25/2 |
| 24739 | Syringe, SGE | Model 250R-GT 250ul/25/2 |
| 24740 | Syringe, SGE | Model 50F-LT-GT 250ul |
| 24741 | Syringe, SGE | Model250F-LL-GT 250ul |
| 24742 | Syringe, SGE | Model 500F-GT 500ul/25/2 |
| 24743 | Syringe, SGE | Model 500R-GT 500ul/25/2 |
| 24744 | Syringe, SGE | Model 00F-LT-GT 500ul |
| 24745 | Syringe, SGE | Model500F-LL-GT 500ul |
| 24746 | Syr Needles, SGE | Model NP0.5B-S-0.47 .5ul/26 |
| 24747 | Syr Needles, SGE | Model NP0.5B-S-0.63 .5ul/23 |
| 24748 | Syr Needles, SGE | Model N10-S-0.47 10ul/26 Pack of 2 |
| 24749 | Syr Needles, SGE | Model N10-S-0.63 10ul/23 Pack of 2 |
| 24750 | Syringe, SGE | Model 1MR-GT 1ml/23/2 |
| 24751 | Syringe, SGE | Model 1MF-LT-GT 1ml |
| 24752 | Syringe, SGE | Model 1MDF-LL-GT 1ml |
| 24753 | Syringe, SGE | Model 2.5MDR-GT 2.5ml/23/2 |
| 24754 | Syringe, SGE | Model2.5MF-LT-GT 2.5ml |
| 24755 | Syringe, SGE | Model 2.5MDF-LL-GT 2.5ml |
| 24756 | Syringe, SGE | Model 5MDR-GT 5ml/23/2 |
| 24757 | Syringe, SGE | Model 5MDR-LL-GT 5ml |
| 24758 | Syringe, SGE | Model 10MDR-GT 10ml/23/2 |
| 24759 | Syringe, SGE | Model 10MDR-LL-GT 10ml |
| 24760 | Syringe, SGE | Model 25MDR-LL-GT 25ml |
| 24761 | Syringe, SGE | Model 50MR-LL-GT 50ml |
| 24762 | Syringe, SGE | Model 100MR-LL-GT 100ml |
| 24763 | Syr Needles, SGE | Luer Lock for GasTight Syr Pack of 5 |
| 24764 | Syr Needles, SGE | Luer Lock for GasTight Syr Pack of 5 |
| 24765 | Syr Needles, SGE | Luer Lock for GasTight Syr Pack of 2 |
| 24766 | Syringe, SGE | Guided Plunger Micro Syr Model 5R-GP 5ul/26/2 |
| 24767 | Syringe, SGE | Guided Plunger Micro Syr Model 10F-GP 10ul/26/2 |
| 24768 | Syringe, SGE | Guided Plunger Micro Syr Model 10R-GP 10ul/26/2 |
| 24769 | Syringe, SGE | Guided Plunger Syringe 5ul Model 5F-GP |
| 24770 | Syringe, SGE | Model 0.5BR-QC-7/0.47 .5ul/26/1 |

| | | |
|---|---|---|
| 24771 | Syringe, SGE | Model 0.5BR-7BV .5ul/23/2 |
| 24772 | Syringe, SGE | Model 0.5BR-7 .5ul/23/1 |
| 24773 | Syringe, SGE | Model 1BR-5 1.0ul/23/1 |
| 24774 | Syringe, SGE | Model 1BR-7 1.0ul/23/1 |
| 24775 | Syringe, SGE | Model 1BR-7BV 1.0ul/23/2 |
| 24776 | Syringe, SGE | Model 1BR-OC-7/0.47 1.0ul/26/1 |
| 24777 | Syringe, SGE | Model 5BR-5 5.0ul/23/1 |
| 24778 | Syringe, SGE | Model 5BR-7 5.0ul/23/1 |
| 24779 | Syringe, SGE | Model 5BR-7BV 5.0ul/23/2 |
| 24780 | Syringe, SGE | HP Autosampler Model 5F-HP-0.47 5ul/26/fixed |
| 24781 | Syringe, SGE | HP Autosampler Model 5F-HP-0.63 5ul/23/fixed |
| 24782 | Syringe, SGE | HP Autosampler, Pack of 6 SK-5F-HP-0.47 5ul/26/fixed |
| 24783 | Syringe, SGE | HP Autosampler Pack of 6 ModelSK-5F-HP-0.63 5ul/23fixed |
| 24784 | Syringe, SGE | HP Autosampler Model 10F-HP-0.47/10ul/26fixed |
| 24785 | Syringe, SGE | HP Autosampler Model 10F-HP-0.63 10ul/23fixed |
| 24786 | Syringe, SGE | HP Autosampler, Pack of 6 Model SK-10F-HP-0.47 10ul/26/F |
| 24787 | Syringe, SGE | HP Autosampler Pack of 6 Model SK-10F-HP-0.63 10ul/23/F |
| 24789 | Syringe, SGE | HP Autosampler Model 10F-HP-GT-0.63 10ul/23/F |
| 24790 | Syringe, SGE | HP Autosampler Model .5BR-HP-0.47 .5ul/26/R |
| 24791 | Syringe, SGE | HP Autosampler Model .5BR-HP-0.63 .5ul/23/R |
| 24792 | Syringe, SGE | HP Autosampler Model 5R-HP-0.47 5ul/26/R |
| 24793 | Syringe, SGE | HP Autosampler Model 5R-HP-0.63 5ul/23/R |
| 24794 | Syringe, SGE | HP Autosampler Model 10R-HP-0.47 10ul/26/R |
| 24795 | Syringe, SGE | HP Autosampler Model 10R-HP-0.63 10ul/23/R |
| 24796 | Syringe, SGE | HP Autosampler Model 10R-HP-GT-0.47 10ul/26/R |
| 24797 | Syringe, SGE | HP Autosampler Model 10R-HP-Gt-0.63 10ul/23/R |
| 24798 | Syringe, SGE | HP Autosampler Model 25R-HP-0.63 25ul/23/R |
| 24799 | Syringe, SGE | HP Autosampler Model 50R-HP-0.63 50ul 23/R |
| 24800 | Syringe, SGE | HP Autosampler Model 100R-HP-0.63 100ul/23/R |
| 24801 | Syringe, SGE | HP Autosampler Model 250R-HP-0.63 250ul/23/R |
| 24802 | Syr Needles, SGE | Model N5-5 5.0ul/260/26 Pack of 5 |
| 24803 | Syr Needles, SGE | Model N10-5 10ul/26 Pack of 5 |
| 24804 | Syr Needles, SGE | Model N10-5/0.63 10ul/23 Pack of 5 |
| 24805 | Syr Needles, SGE | Model 25-500ul 25 Pack of 5 |
| 24806 | Syr Needles, SGE | 25-500ul 23 Pack of 5 |
| 24807 | Syr Needles, SGE | Model NM1/2.5-5 Pack of 5 |
| 24808 | Syringe Needle, SGE | 10ul 22 Gauge, 5-pk |
| 24809 | Syringe Needle, SGE | 22S Gauge Pack of 5 25ul - 500ul |
| 24810 | Syringe, SGE | Model .5BR-PE-0.47 .5ul/26/R |
| 24811 | Syringe, SGE | Model .5BR-PE-0.63 .5ul/23/R |
| 24812 | Syringe, SGE | Model 5F-PE-0.47 5ul/26/F |
| 24813 | Syringe, SGE | Model 5F-PE-0.63 5ul/23/F |
| 24814 | Syringe, SGE | Model 5F-PE-GT-0.47 5ul/26/F |
| 24815 | Syringe, SGE | Model 5F-PE-GT-0.63 5ul/23/F |
| 24816 | Syringe, SGE | Model 50F-PE-0.63 50ul/23/F |
| 24817 | Syringe Needles, SGE | Model NP0.5B-PE-0.47 .5ul/26 |
| 24818 | Syringe Needles, SGE | Model NP0.5B-PE-0.63 .5ul/23 |
| 24819 | Inland 45 Rough Pump Oil | for MS Pumps, 1 Liter |
| 24820 | Syringe Needles, SGE | Model NP0.5B-HP-0.47 .5ul/26 |
| 24821 | Syringe Needles, SGE | Model NP0.5B-HP-0.63 .5ul/23 |
| 24822 | Syringe Needles, SGE | Model N5-HP-0.47 5ul/26 Pack of 2 |
| 24823 | Syringe Needles, SGE | Model N5-HP-0.63 5ul/23 Pack of 2 |
| 24824 | Syringe Needles, SGE | Model N10-HP-0.47 10ul/26 Pack of 2 |
| 24825 | Syringe Needles, SGE | Model N10-HP-0.63 10ul/23 Pack of 2 |
| 24826 | Syringe Needles, SGE | Model N25/500-HP-0.63 Pack of 2 |
| 24827 | Ferrules, Graphite | 0.4mm ID for 0.25 Columns and Smaller, for Shimadzu GCs, 10-pk |
| 24828 | Ferrules, Graphite | 0.5mm ID for 0.32 Columns, for Shimadzu GCs, 10-pk |
| 24829 | Ferrules, Graphite | 0.8mm ID for 0.53 Columns, for Shimadzu GCs, 10-pk |
| 24830 | Syringe Needles, SGE | Model NP0.5B-7C .5uL/23 |
| 24831 | Syringe Needles, SGE | Model NP0.5B-7BV .5ul/23 |
| 24832 | Syringe Needles, SGE | ModelNP0.5B-OC-7/0.47 .5ul/26 |
| 24833 | Syringe Needles, SGE | Model NP1B-5C 1.0ul/23 |
| 24834 | Syringe Needles, SGE | Model NP1B-7C 1.0ul/23 |
| 24835 | Syringe Needles, SGE | Model NP1B-7BV 1.0ul/23 |
| 24836 | Syringe Needles, SGE | Model NP1B-OC-7/0.47 1.0ul/26 |
| 24837 | Syringe Needle, SGE | Model NP5B-5 5ul/23 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24838 | Syringe Needles, SGE | Model NP5B-7 5.0ul/23 |
| 24839 | Syringe Needles, SGE | Model NP5B-7BV 5.0ul/23 |
| 24840 | Syringe, SGE | Shimadzu Autosampler Model .5BR-S-0.47 .5ul/26/R |
| 24841 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model .5BR-S-0.63 .5ul/23/R |
| 24842 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model 5F-S-0.47 5ul/26/F |
| 24843 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model 5F-S-0.63 5ul/23/F |
| 24844 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model 10R-S-0.47 10ul/26/R |
| 24845 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model 10R-S-0.63 10ul/23/R |
| 24846 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model 10R-S-GT-0.63 10ul/23/R |
| 24847 | Syringe, SGE | SGE Shimadzu Autosampler Syr Model 250F-S-GT-0.63 250ul/23 |
| 24848 | Ferrule, Vespel/Graphite | 2-Hole, 1/16" x 0.4mm 5pk |
| 24849 | Ferrule, Vespel/Graphite | 2-Hole, 1/16" x 0.5mm 5pk |
| 24850 | Syringe, SGE | SGE Varian Autosampler Syringe Model 10r-VA80-II 10ul 25/term |
| 24851 | Syringe, SGE | SGE Varian Autosampler Syringe Model 10F-VA8X-11 10ul 25/F |
| 24852 | Syringe, SGE | SGE Varian Autosampler Syringe Model 10R-VA8X-II 10ul/25/R |
| 24853 | Syringe, SGE | Varian Autosampler Model 100R-VA8X 100ul/25/R |
| 24854 | Syringe Needles, SGE | Model N10-VA8X00H-II 10ul/25 |
| 24855 | Syringe Needles, SGE | Model N10-VA8035-II 10ul/25 Pack of 2 |
| 24856 | Syringe Needles, SGE | ModelN10-VA8035-0.17-II 10ul Pack of 2 |
| 24857 | Syringe Needles, SGE | ModelN10-VA8100H-0.63-II 10ul 2pk |
| 24858 | Syringe Needles, SGE | Model N10-VA800H-II(0.2) 10ul |
| 24859 | Syringe Needles, SGE | Model N25/500-VA 100ul/25 |
| 24860 | Syringe, SGE | For Rheodyne & Valco Model 10F-LC 10ul/22s/3 |
| 24861 | Syringe, SGE | For Rheodyne & Valco Model 25F-LC 25ul/22s/3 |
| 24862 | Syringe, SGE | For Rheodyne & Valco Model 50F-LC 50ul/22s/3 |
| 24863 | Syringe, SGE | For Rheodyne & Valco Model 100F-LC 100ul/22s/3 |
| 24864 | Syringe, SGE | For Rheodyne & Valco Model 250F-LC 250ul/22s/3 |
| 24865 | Syringe, SGE | For Rheodyne & Valco Model 500F-LC 500ul/22s/3 |
| 24866 | Syringe, SGE | GasTght Syr/Rheodyne&Valco Model 10R-GT-LC 10ul/22/3 |
| 24867 | Syringe, SGE | GasTght Syr/Rheodyne&Valco Model 25R-GT-LC 25ul/22s/3 |
| 24868 | Syringe, SGE | GasTght Syr/Rheodyne&Valco Model 50R-GT-LC 50ul/22s/3 |
| 24869 | Syringe, SGE | GasTght Syr/Rheodyne&Valco Model 100R-GT-LC 100ul/22/3 |
| 24870 | Syringe, SGE | GasTght Syr/Rheodyne&Valco Model 250R-GT-LC 250ul/22s/3 |
| 24871 | Syringe, SGE | GasTght Syr/Rheodyne&Valco Model 500R-GT-LC 500ul/22s/3 |
| 24878 | Syringe Needles, SGE | Model N10-WLC 25guage 5PK |
| 24879 | Syringe Needles, SGE | Model n25/500-WLC 25gauge 5PK |
| 24880 | Syringe, SGE | Model 50R-V-GT 50ul/23 |
| 24881 | Syringe, SGE | Model 100R-V-GT 100ul/23 |
| 24882 | Syringe, SGE | Model 250R-V-GT 250ul/23 |
| 24883 | Syringe, SGE | Model 500R-V-GT 500ul/23 |
| 24884 | Syringe, SGE | Model 1MDR-V-GT 1ml/23 |
| 24885 | Syringe, SGE | Model 2.5MDR-V-GT 2.5ml/23 |
| 24886 | Syringe, SGE | Model 1MR-VLL-GT 1ml/Leur Lock |
| 24887 | Syringe, SGE | Model 2.5MDR-VLL-GT 2.5ml/LL |
| 24888 | Syringe, SGE | Model 5MDR-VLLMA-GT 5ml/LeurLo |
| 24889 | Syringe, SGE | Model 10MDR-VLLMA-GT 10ml/LL |
| 24890 | Syringe, SGE | Model 25MDR-VLLMA-GT 25ml/LL |
| 24891 | Syringe, SGE | Model 50MR-VLLMA-GT 50ml/LL |
| 24892 | Syringe, SGE | Model 100MR-VLLMA-GT 100ml |
| 24894 | Syringe, Hamilton | Model 1701 10ul N/F GT 23s gauge |
| 24895 | Syringe, Hamilton | Model 7000-5 0.5ul R |
| 24896 | Nut for Terminal Fitting | for Thermo Trace GCs, 2pk |
| 24898 | Syringe Valve | Model V fits SGE RN 25ul-2.5mL |
| 24899 | Viton O-rings | for Shimadzu 17A, 2010 and 2014 GCs, 10pk |
| 24900 | Miniert Valve | For 13mm Screw Cap Vials Pack of 12 |
| 24901 | Miniert Valve | For 15mm Screw Cap Vials Pack of 12 |
| 24902 | Miniert Valve | For 18mm Screw Cap Vials Pack of 12 |
| 24903 | Miniert Valve | For 20mm Screw Cap Vials Pack of 12 |
| 24904 | Miniert Valve | For 24mm Screw Cap Vials Pack of 12 |
| 24905 | Miniert Valve | For 20mm Crimp Top Vials Pack of 12 |
| 24906 | Mininert Septa | Replacement Septa Pack of 50 |
| 24907 | Septum Insertion Tool | |
| 24912 | Ferrule, Vespel/Graphite | 1/16" x 1.0mm ID Pack of 10 |
| 24913 | Generator, Hydrogen & Air | FID-2500 Gas Station Domestic Orders Drop Ship From Manufacturer Ships Via U |
| 24913-550 | Generator, Hydrogen & Air | FID-2500 Gas Station United Kingdom-230 VAC 50/50 Hz 12 month warranty fron |
| 24914 | Resin Bed Cartridge | for FID-1000 and FID-2500 Hydrogen Generators Parker/Balston |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24915 | FID Gas Station | Maintenance Kit Parker/Balson |
| 24916 | Capillary Column Adapter | for use on Thermo Trace and Focus SSL GC Detector Base, Uses Standard 1/16' |
| 24917 | Capillary Column Adapter | for use on Thermo Trace and Focus SSL GC Split/Splitless Injector,Uses Standar |
| 24918 | Septa Nut Removal Tool | for Agilent 5890/6890/6850/7890 GCs |
| 24919 | Syringe, Hamilton | Rep Teflon Tipped Plunger Assembly 10ul/GT ASN/ASRN for HP7673 |
| 24920 | Syringe, SGE | CE/CTC/Leap Autosampler SGE 5-C/F-5/0.47 5ul/ASN-F/26/50mm/Cone |
| 24921 | Syringe, SGE | CE/CTC/Leap Autosampler SGE 5-C/F-5/0.63 5ul/ASN-F/23/50mm/Cone |
| 24922 | Syringe, SGE | SGE 10F-C/F-5/0.47C 10ul/ASN-F/26/50mm/Cone |
| 24923 | Syringe, SGE | SGE 10-C/F-5/0.63 10ul/ASN-F/23/50/Cone |
| 24924 | Syringe, SGE | SGE 10F-C/F-8/0.47C 10ul/ASN-F/26/Cone |
| 24925 | Syringe, SGE | CE/CTC/Leap Autosampler 6pk SGE SK10F-C/F-5/0.47C 10ul/ASN-F/26/50mm/C |
| 24926 | Syringe, SGE | SGE 0.5BNR-C/F-0.47 0.5ul/ASRN-R/26/50mm/Cone |
| 24927 | Replacement Needles, SGE | SGE 0.47/C Replacement Needle 0.5ul/ASRN-R/26/50mm/Cone |
| 24928 | Syringe, SGE | SGE 0.5BNR-C/F-0.63 0.5ul/ASRN-R/23/50mm/Cone |
| 24929 | Replacement Needle, SGE | SGE 0.63/C 0.5ul/ASRN-R/23/50mm/Cone |
| 24930 | Syringe, SGE | SGE 10R-C/F-5/0-0.47C 10ul/ASRN-R/26/50mm/Cone |
| 24932 | Syringe, SGE | SGE 10R-C/F-0.63 10ul/ASRN-R/23/50mm/Cone |
| 24933 | Replacement Needle, SGE | SGE 0.63/C 10ul/ASRN-R/23/50mm/Cone, 2pk |
| 24934 | Syringe, SGE | SGE 10R-C/F-8/0-0.47 10ul/ASRN-R/26/80mm/Cone |
| 24935 | Replacement Needle, SGE | SGE 0.47/C 10ul/ASRN-R/26/80mm/Cone, 3pk |
| 24937 | Liner Cap Removing Tool | for Thermo GCs: Focus GC/ Trace GC Ultra/Trace GCxGC |
| 24938 | Syringe, Hamilton | 75N/5ul/26S/2"/2pt |
| 24939 | Syringe Needles, Hamilton | 26S/2"/2 Replacement Needle 5-100ul, Pack of 6 |
| 24940 | Syringe Needles, Hamilton | 22S/2"/2 Replacement Needle 5-100ul, Pack of 6 |
| 24941 | Syringe Needles, Hamilton | Rheodyne Style, 5-100ul Pack of 6 |
| 24942 | Syringe Needles, Hamilton | RN 250ul-10ml/22/2in/2pt Pack of 6 |
| 24943 | Syringe Needles, Hamilton | RN 250ul-10ml/26S/2in/2pt Pack of 6 |
| 24944 | Syringe Needles, Hamilton | RN 250ul-10ml/22S/2in/2pt Pack of 6 |
| 24945 | Syringe Needles, Hamilton | Rheodyne Style 250ul-10ml/22G Pack of 6 |
| 24952 | Syringe, Hamilton | PE Autosampler Syringe Hamilton 75ASN 5ul/ASN/26/3 |
| 24953 | Syringe, Hamilton | PE Autosampler Syringe Hamilton 75ASN 5ul/F/23/3 |
| 24956 | Syringe, Hamilton | Varian 8000 Series Autosampler Hamilton 701LF 10ul/RN/26s/2 |
| 24961 | Syringe, Hamilton | 701SN 10ul (25s/2"/2) |
| 24962 | Syringe, Hamilton | Hamilton 701SN 10ul/N/26s/C |
| 24967 | Syringe, Hamilton | Hamilton 701NPT5 10ul/N/26s/5 |
| 24968 | Syringe, Hamilton | Hamilton 701RN-HP 10ul/RN/26s/2 |
| 24969 | Capillary Column Adapter | for use on Thermo Trace and Focus SSL GC Detector Base Uses M4 Ferrules, 2p |
| 24970 | Capillary Column Adapter | for use on Thermo Trace and Focus SSL GC Split/Splitless Injector, Uses M4 Fer |
| 24971 | Septum Cap | for Split/Splitless Injector on Thermo Trace and Focus SSL |
| 24972 | Septa Holder | for Thermo Trace and Focus SSL, Silcosteel-AC |
| 24973 | Fixing Nut | for Cap. Column for Thermo Trace and Focus SSL Split/Splitless Injector, 5pk |
| 24974 | Drilled Uniliner Liner | Hole on top, 3.5mm x 5.0 x 54 for Varian GCs IP Deact., ea |
| 24974-210.1 | Drilled Uniliner Liner | Hole on Top, 3.5mm x 5.0 x 54 for Varian GCs, Base Deact., Ea |
| 24974-213.1 | Drilled Uniliner Liner | Hole on top, 3.5mm x 5.0 x 54 for Varian GCs, Siltek Deact., w/Deact. Wool, ea |
| 24974-214.1 | Drilled Uniliner Liner | Hole on Top, 3.5mm x 5.0 x 54 for Varian GCs, Siltek Deact., ea |
| 24975 | Drilled Uniliner Liner | Hole on top, 3.5mm x 5.0 x 54 for Varian GCs IP Deact., 5pk |
| 24975-200.5 | Drilled Uniliner Liner | Hole on top, 3.5mm x 5.0 x 54 for Varian GCs IP Deact., w/Deact. Wool, 5pk |
| 24975-210.5 | Drilled Uniliner Liner | Hole on top, 3.5mm x 5.0 x 54 for Varian GCs, Base Deact., 5pk |
| 24975-213.5 | Drilled Uniliner Liner | Hole on top, 3.5mm x 5.0 x 54 for Varian GCs, Siltek Deact., w/ Deact. Wool, 5pk |
| 24975-214.5 | Drilled Uniliner Liner | Hole on Top, 3.5mm x 5.0 x 54 for Varian GCs Siltek Deact., 5pk |
| 24976 | On Column PTV Liner | 1.7mm x 3.0 x 71 for Agilent GCs IP Deact., ea |
| 24977 | On Column PTV Liner | 1.7mm x 3.0 x 71 for Agilent GCs IP Deact., 5pk |
| 24977-214.5 | On Column PTV Liner | 1.7mm x 3.0 x 71 for Agilent GCs, Siltek Deact., 5pk |
| 24978 | Zero Dilution Outer Liner | 2.5mm x 4.2 x 83 for PE GCs with PSS Inlets IP Deact., ea |
| 24979 | Zero Dilution Outer Liner | 2.5mm x 4.2 x 83 for PE GCs with PSS Inlets IP Deact., 5pk |
| 24980 | Plunger Seal | for Shimadzu LC-10ADvp and LC-20AD Systems, |
| 24981 | Plunger Seal, Gold | for Shimadzu LC-10ADvp Systems |
| 24982 | Plunger Assembly | Sapphire, for Shimadzu LC-10ADvp |
| 24983 | Outlet Check Valve | for Shimadzu LC-10ADvp, LC-10ATvp Systems |
| 24984 | Inlet Check Valve | for Shimadzu LC-10ADvp Systems |
| 24985 | Plunger Seal | for Shimadzu SIL-10ADvp and LC-10ATvp Systems |
| 24986 | Rotor Seal | for Shimadzu SIL-10ADvp Systems |
| 24989 | Assembly Tool | Outlet Cap and Gold Seal Assembly Tool for Agilent 1050/1100 Systems |
| 24990 | Helium Tubing | PTFE 5m 0.057" ID |
| 24991 | LC Guard Cartridge Holder | Semi-Prep, 10mm x 10mm Check w Randy R |
| 24992 | LC Guard Cartridge Holder | Prep, 10mm x 21.2mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 24993 | UltraLine UHPLC | In-Line assembly with Filter |
| 24994 | UltraLine | Replacement Filter, 5pk |
| 24995 | UltraShield | UHPLC PreColumn Filter |
| 24996 | UltraShield | UHPLC PreColumn Filter, 5-pk |
| 24997 | UltraShield | UHPLC PreColumn Filter, 10-pk |
| 24998 | Dual Canister Manifold | For Sampling two 1L, 3L, 6L Air Canisters |
| 24999 | Dual Canister Manifold | For Sampling two 1L, 3L, 6L Air Canisters, Siltek treated |
| 25000 | Inline Filter 1/16" 0.5um | High Pressure Cup Type |
| 25001 | Inline Filter 1/16" 2.0um | High Pressure Cup Type |
| 25002 | Filter Elements 0.5um | Replacement Cup Type Pack of 2 |
| 25003 | Filter Elements 2.0um | Replacement Cup Type Pack of 2 |
| 25008 | Low-Pressure Inlet Filter | 1/8" 10um Slip-on |
| 25009 | Low-Pressure Inlet Filter | 1/8" 10um CPI |
| 25010 | Inlet Filter Element 10um | Replacement Pack of 2 |
| 25012 | Pulse Damper | Lo-Pulse, LP-21, Type 316SS Stainless Steel |
| 25013 | Pulse Damper Kit | Lo-Pulse, LP-21, Type 316SS Kit Version |
| 25014 | Solvent Debubbler | With Bracket |
| 25015 | PEEK Column Connector | Universal 10-32 Pack of 10 |
| 25016 | PEEK Column Plug | Universal 10-32 Pack of 10 |
| 25017 | Back Pressure Regulator | 1/16" Flanged Seat |
| 25018 | Back Pressure Regulator | High Pressure Seat |
| 25020 | Back Pressure Regulator | Inline PEEK |
| 25021 | Holder for 10mm Guard | Trident Guard System |
| 25022 | Cap Frits 4mm 2um | Replacement for Trident Guard System, Pack of 5 |
| 25023 | Cap Frits 4mm 0.5um | Replacement for Trident Guard System, Pack of 5 |
| 25024 | Trident XF Fitting 4mm | For Trident Guard System |
| 25025 | Trident XG Fitting 1cm | For Trident Guard System |
| 25026 | Trident XG-XF Fitting | 10mm, For Trident Guard System |
| 25027 | Conversion Kit | Trident Integral Guard |
| 25028 | GC Packing Material | ResSil C, 80/100 mesh PACKING MATERIAL ONLY MINIMUM ORDER 10 GRAI |
| 25030 | GC Packing Material | n-octane on ResSil C 80/100 PACKING MATERIAL ONLY MINIMUM QUANTITY |
| 25032 | GC Packing Material | Hayesep A, 80/100 mesh 24 gram bottle |
| 25033 | GC Packing Material | Hayesep A, 100/120 mesh 24 gram bottle |
| 25034 | GC Packing Material | Hayesep B, 80/100 mesh 24 gram bottle |
| 25035 | GC Packing Material | Hayesep B, 100/120 mesh 24 gram bottle |
| 25036 | GC Packing Material | Hayesep C, 80/100 mesh 24 gram bottle |
| 25037 | GC Packing Material | Hayesep C, 100/120 mesh 24 gram bottle |
| 25038 | GC Packing Material | Hayesep D, 80/100 mesh 24 gram bottle |
| 25039 | GC Packing Material | Hayesep D, 100/120 mesh 24 gram bottle |
| 25040 | Holder 10mm with Filter | For Trident 10mm Guard Cartridge |
| 25041 | Frit-Type Inline Filter | High Pressure, 2um |
| 25042 | GC Packing Material | OPN on ResSil C, 80/100 mesh PACKING MATERIAL ONLY Minimum order: 10 |
| 25043 | Ferrules, Stainless Steel | 1/16", for use w/Secure Fit Fittings, 10-pk |
| 25044 | GC Packing Material | 2% Carbowax 1540 on ResSil C 80/100 PACKING MATERIAL ONLY |
| 25045 | GC Packing Material | Hayesep N, 80/100 mesh 24 gram bottle |
| 25046 | GC Packing Material | Hayesep N, 100/120 mesh 24 gram bottle |
| 25047 | GC Packing Material | Hayesep P, 80/100 mesh 24 gram bottle |
| 25048 | GC Packing Material | Hayesep P, 100/120 mesh 24 gram bottle |
| 25049 | GC Packing Material | Hayesep Q, 80/100 mesh 24 gram bottle |
| 25050 | GC Packing Material | Hayesep Q, 100/120 mesh 24 gram bottle |
| 25051 | GC Packing Material | Hayesep R, 80/100 mesh 24 gram bottle |
| 25052 | GC Packing Material | Hayesep R, 100/120 mesh 24 gram bottle |
| 25053 | GC Packing Material | Hayesep S, 80/100 mesh 24 gram bottle |
| 25054 | GC Packing Material | Hayesep S, 100/120 mesh 24 gram bottle |
| 25055 | GC Packing Material | Hayesep T, 80/100 mesh 24 gram bottle |
| 25056 | GC Packing Material | Hayesep T, 100/120 mesh 24 gram bottle |
| 25057 | Cap Frits 2mm 2um | Replacement for Trident Guard System, Pack of 5 |
| 25058 | Connecting Tube | for 1050/1100 Pumps |
| 25059 | Bottle Head Assembly | |
| 25060 | Holder 20mm With Filter | For 20mm Trident Guard Cartidge |
| 25061 | Holder for 20mm Guard | For 20mm Trident Guard Cartridge |
| 25062 | Trident XG-XF Fitting | 20mm, For Trident Guard System |
| 25063 | Trident XG Fitting 2cm | For Trident 2cm Guard Cartridge |
| 25065 | PEEK Tubing, Red Stripe | 0.005"ID x 1/16"OD x 3m L |
| 25066 | PEEK Tubing Yellow Stripe | 0.007"ID x 1/16"OD x 3m L |
| 25067 | PEEK Tubing, Blue Stripe | 0.010"ID x 1/16"OD x 3m L |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 25068 | PEEK Tubing Orange Stripe | 0.020"ID x 1/16"OD x 3m L |
| 25069 | Tubing Cutter | Clean-Cut Cuts polymeric tubing up to 1/8"OD |
| 25070 | Replacement Blade | For Clean-Cut Tubing Cutter |
| 25071 | Frit 1/4" 4.6mm 2.0um | Replacement Pack of 10 |
| 25072 | Frit 1/4" 4.6mm 0.5um | Replacement Pack of 10 |
| 25073 | Frit 1/4" 3.2mm 2um | Replacement Pack of 10 |
| 25074 | Frit 1/4" 3.2mm 0.5um | Replacement Pack of 10 |
| 25075 | Frit 1/4" 2.1mm 2um | Replacement Pack of 10 |
| 25076 | Frit 1/4" 2.1mm 0.5um | Replacement Pack of 10 |
| 25077 | Endfitting 1/4" 4.6mm | Valco Style |
| 25078 | Endfitting 1/4" Flat | Valco Style |
| 25079 | Guard Body | 100x4.0mm, Stainless Steel |
| 25080 | GC Packing Material | ResSil B Packing, 80/100 mesh MINIMUM ORDER 10 GRAMS |
| 25081 | GC Packing Material | 1% TCEP on ResSil B 80/100 mesh MINIMUM ORDER 10 GRAMS |
| 25082 | Trident Direct Filter | High-Pressure |
| 25083 | Trident Direct Holder | For 10mm Guard Cartridge |
| 25084 | Trident Direct Holder | with filter, For 10mm Guard Cartridge |
| 25085 | Trident Direct Holder | For 20mm Guard Cartridge |
| 25086 | Trident Direct Holder | with filter, For 20mm Guard Cartridge |
| 25087 | Trident Direct PEEK Tip | Replacement for Standard Fittings |
| 25088 | Trident Direct PEEK Tip. | Replacement for Waters Fittings |
| 25095 | Rheodyne Style Long Nut | 1/16", 10pk |
| 25096 | Rheodyne Style Ferrule | 1/16", 10pk |
| 25097 | Survival Kit for HPLC | Stainless Steel |
| 25100 | HPLC Column Tubing | 30mm L x 2.1mmID x 1/4"OD |
| 25101 | HPLC Column Tubing | 50mm L x 2.1mmID x 1/4"OD |
| 25102 | HPLC Column Tubing | 100mm L x 2.1mmID x 1/4"OD |
| 25103 | HPLC Column Tubing | 150mm L x 2.1mmID x 1/4"OD |
| 25104 | HPLC Column Tubing | 200mm L x 2.1mmID x 1/4"OD |
| 25105 | HPLC Column Tubing | 250mm L x 2.1mmID x 1/4"OD |
| 25106 | HPLC Column Tubing | 30mm L x 3.2mmID x 1/4"OD |
| 25107 | HPLC Column Tubing | 50mm L x 3.2mmID x 1/4"OD |
| 25108 | HPLC Column Tubing | 100mm L x 3.2mmID x 1/4"OD |
| 25109 | HPLC Column Tubing | 150mm L x 3.2mmID x 1/4"OD |
| 25110 | HPLC Column Tubing | 200mm L x 3.2mmID x 1/4"OD |
| 25111 | HPLC Column Tubing | 250mm L x 3.2mmID x 1/4"OD |
| 25112 | HPLC Column Tubing | 30mm L x 4.6mmID x 1/4"OD |
| 25113 | HPLC Column Tubing | 50mm L x 4.6mmID x 1/4"OD |
| 25114 | HPLC Column Tubing | 100mm L x 4.6mmID x 1/4"OD |
| 25115 | HPLC Column Tubing | 150mm L x 4.6mmID x 1/4"OD |
| 25116 | HPLC Column Tubing | 200mm L x 4.6mmID x 1/4"OD |
| 25117 | HPLC Column Tubing | 250mm L x 4.6mmID x 1/4"OD |
| 25118 | HPLC Column Assembly | 30mm L x 2.1mmID x 1/4"OD |
| 25119 | HPLC Column Assembly | 50mm L x 2.1mmID x 1/4"OD |
| 25120 | HPLC Column Assembly | 100mm L x 2.1mmID x 1/4"OD |
| 25121 | HPLC Column Assembly | 150mm L x 2.1mmID x 1/4"OD |
| 25122 | HPLC Column Assembly | 200mm L x 2.1mmID x 1/4"OD |
| 25123 | HPLC Column Assembly | 250mm L x 2.1mmID x 1/4"OD |
| 25124 | HPLC Column Assembly | 30mm L x 3.2mmID x 1/4"OD |
| 25125 | HPLC Column Assembly | 50mm L x 3.2mmID x 1/4"OD |
| 25126 | HPLC Column Assembly | 100mm L x 3.2mmID x 1/4"OD |
| 25127 | HPLC Column Assembly | 150mm L x 3.2mmID x 1/4"OD |
| 25128 | HPLC Column Assembly | 200mm L x 3.2mmID x 1/4"OD |
| 25129 | HPLC Column Assembly | 250mm L x 3.2mmID x 1/4"OD |
| 25130 | HPLC Column Assembly | 30mm L x 4.6mmID x 1/4"OD |
| 25131 | HPLC Column Assembly | 50mm L x 4.6mmID x 1/4"OD |
| 25132 | HPLC Column Assembly | 100mm L x 4.6mmID x 1/4"OD |
| 25133 | HPLC Column Assembly | 150mm L x 4.6mmID x 1/4"OD |
| 25134 | HPLC Column Assembly | 200mm L x 4.6mmID x 1/4"OD |
| 25135 | HPLC Column Assembly | 250mm L x 4.6mmID x 1/4"OD |
| 25137 | LC/UV Method Development | Column Kit, 50 x 4.6mm, 5um Includes: 1 Pinnacle DB C18, 1 Ultra Aqueous, 1 Ul |
| 25138 | HyperShear Static Mixer | Ternary Tee Mixer Assembly, SS, 25uL |
| 25139 | Outlet Cap | For Agilent 1100 and 1050 Systems, 4pk |
| 25140 | Outlet Cap | and Gold Seal Assembly for Agilent 1100 and 1050 Systems 2pk |
| 25141 | HPLC Essentials Kit | Kit Contains: ValvTool Wrench, Piston Seal Insertion Tool, PEEK Fitting Extractor |
| 25143 | Preventative Maint. Kit | for Waters Alliance 2690 |

| | | |
|---|---|---|
| 25144 | Preventative Maint. Kit | for Waters 600 Pump |
| 25145 | Preventative Maint. Kit | for Waters 717 Autosampler |
| 25146 | Preventative Maint. Kit | for Waters 616 Pump |
| 25147 | Mini pHPerch | Storage Unit 13x12x6" |
| 25148 | TopLoader BalanceBank | Storage Unit 12x12x7" |
| 25149 | LCLocker HPLC Organizer | 24x12x6" |
| 25150 | Deluxe BenchBooster | Organizer 24x7x12" |
| 25151 | Book Holder Small .75" | |
| 25152 | Book Holder Large 1.5" | |
| 25153 | Open Supply Bin 4 bin | 24"Lx12"Hx10"D |
| 25154 | Open Supply Bin 5 bin | 12"Lx16"Hx10.5"D |
| 25155 | Open Supply Bin 13 bin | 12"Lx12"Hx7.5"D |
| 25156 | Glove Box Dispensers | single |
| 25157 | Glove Box Dispenser | double |
| 25158 | Glove Box Dispenser | triple |
| 25159 | HPLC 30 Column Storage | Cabinet 17 3/8"x 15" x 2 7/8" |
| 25160 | Inlet & Outlet Cartridge | Waters Alliance Model 2690, Sapphire & Ruby Ball, & Seat |
| 25162 | Inlet & Outlet Cartridge | Waters Alliance Model 2690 Ceramic Ball & Seat |
| 25164 | Inlet Check Valve | Waters 616 SS Sapphire & Ruby Ball & Seat |
| 25165 | Inlet Cartridge | Waters 616 SS Sapphire & Ruby Ball & Seat |
| 25166 | Inlet Housing | Waters 616 SS |
| 25167 | Outlet Check Valve | Waters 616 SS Sapphire & Ruby Ball & Seat |
| 25168 | Outlet Cartridge | Waters 616 SS Sapphire & Ruby Ball & Seat |
| 25169 | Outlet Housing | Waters 616 SS |
| 25170 | Outlet Check Valve | Agilent 1050 & 1100 Cartridge & Housing Sapphire & Ruby Ball & Seat |
| 25171 | Outlet Cartridge | Agilent 1050 & 1100 Sapphire & Ruby Ball & Seat |
| 25172 | Outlet Housing | Agilent 1050 & 1100 |
| 25173 | Outlet Check Valve | Agilent 1050 & 1100 Cartridge & Housing & Seat Ceramic Ball & Seat |
| 25174 | Outlet Cartridge | Agilent 1050 & 1100 Ceramic Ball & Seat |
| 25175 | Piston Seal | Agilent 1050 & 1100 Teflon |
| 25176 | Piston Seal | Agilent 1050 & 1100 Teflon, 10pk |
| 25177 | Inlet Check Valve | Waters 616 SS Ceramic Ball & Seat |
| 25178 | Inlet Cartridge | Waters 616 SS Ceramic Ball & Seat |
| 25179 | Outlet Check Valve | Waters 616 SS Ceramic Ball & Seat |
| 25180 | Outlet Cartridge | Waters 616 SS Ceramic Ball & Seat |
| 25181 | Secure-Fit Fitting | Stainless Steel Single End 6cm x 0.005" |
| 25182 | Secure-Fit Fitting | Stainless Steel Single End 10cm x 0.005" |
| 25183 | Secure-Fit Fitting | Stainless Steel Single End 20cm x 0.005" |
| 25184 | Secure-Fit Fitting | Stainless Steel Single End 30cm x 0.005" |
| 25185 | Secure-Fit Fitting | Stainless Steel Single End 6cm x 0.007" |
| 25186 | Secure-Fit Fitting | Stainless Steel Single End 10cm x 0.007" |
| 25187 | Secure-Fit Fitting | Stainless Steel Single End 20cm x 0.007" |
| 25188 | Secure-Fit Fitting | Stainless Steel Single End 30cm x 0.007" |
| 25189 | Mobile Phase Degasser | 110V 4 Channel 7ml/min/channel |
| 25190 | Secure-Fit Fitting | Stainless Steel Single End 6cm x 0.010" |
| 25191 | Secure-Fit Fitting | Stainless Steel Single End 10cm x 0.010" |
| 25192 | Secure-Fit Fitting | Stainless Steel Single End 20cm x 0.010" |
| 25193 | Secure-Fit Fitting | Stainless Steel Single End 30cm x 0.010" |
| 25194 | Mobile Phase Degasser | 220V, 4 Channel 7ml/min/channel |
| 25195 | Waters Pump Piston | Models 616, 625, 626 Sapphire Rod |
| 25196 | Waters Pump Piston | Alliance Model 2690 Sapphire Rod |
| 25197 | Agilent HPLC Pump Piston | Models 1050, 1100 Sapphire Rod |
| 25198 | Agilent HPLC Pump Piston | Model 1090 Sapphire Rod |
| 25208 | Secure-Fit Fitting | Stainless Steel Double Ended 10cm x 0.005" |
| 25209 | Secure-Fit Fitting | Stainless Steel Double Ended 20cm x 0.005" |
| 25210 | Secure-Fit Fitting | Stainless Steel Double Ended 30cm x 0.005" |
| 25211 | Secure-Fit Fitting | Stainless Steel Double Ended 10cm x 0.007" |
| 25212 | Secure-Fit Fitting | Stainless Steel Double Ended 20cm x 0.007" |
| 25213 | Secure-Fit Fitting | Stainless Steel Double Ended 30cm x 0.007" |
| 25214 | Secure-Fit Fitting | Stainless Steel Double Ended 10cm x 0.010" |
| 25215 | Secure-Fit Fitting | Stainless Steel Double Ended 20cm x 0.010" |
| 25216 | Secure-Fit Fitting | Stainless Steel Double Ended 30cm x 0.010" |
| 25217 | Secure-Fit Fitting | PEEK Single End 6cm x 0.010" |
| 25218 | Secure-Fit Fitting | PEEK Single End 10cm x 0.010" |
| 25219 | Secure-Fit Fitting | PEEK Single End 20cm x 0.010" |
| 25220 | Secure-Fit Fitting | PEEK Single End 30cm x 0.010" |

| | | |
|---|---|---|
| 25221 | Secure-Fit Fitting | PEEK Double Ended 10cm x 0.005" |
| 25222 | Secure-Fit Fitting | PEEK Double Ended 20cm x 0.005" |
| 25223 | Secure-Fit Fitting | PEEK Double Ended 30cm x 0.005" |
| 25224 | Secure-Fit Fitting | PEEK Double Ended 10cm x 0.007" |
| 25225 | Secure-Fit Fitting | PEEK Double Ended 20cm x 0.007" |
| 25226 | Secure-Fit Fitting | PEEK Double Ended 30cm x 0.007" |
| 25227 | Secure-Fit Fitting | PEEK Double Ended 10cm x 0.010" |
| 25228 | Secure-Fit Fitting | PEEK Double Ended 20cm x 0.010" |
| 25229 | Secure-Fit Fitting | PEEK Double Ended 30cm x 0.010" |
| 25230 | Secure-Fit Fitting | PEEK Single End 6cm x 0.005" |
| 25231 | Secure-Fit Fitting | PEEK Single End 10cm x 0.005" |
| 25232 | Secure-Fit Fitting | PEEK Single End 20cm x 0.005" |
| 25233 | Secure-Fit Fitting | PEEK Single End 30cm x 0.005" |
| 25234 | Secure-Fit Fitting | PEEK Single End 6cm x 0.007" |
| 25235 | Secure-Fit Fitting | PEEK Single End 10cm x 0.007" |
| 25236 | Secure-Fit Fitting | PEEK Single End 20cm x 0.007" |
| 25237 | Secure-Fit Fitting | PEEK Single End 30cm x 0.007" |
| 25238 | MiniPulse Pulse Damper | 160uL Dead Volume 316 Stainless Steel |
| 25239 | MiniPulse Pulse Damper | 160uL Dead Volume, PEEK |
| 25240 | Capillary Tubing, SS | 1/16"OD x 0.005 ID x 5cm L, 3pk |
| 25241 | Capillary Tubing, SS | 1/16"OD x 0.005 ID x 10cm L, 3pk |
| 25242 | Capillary Tubing, SS | 1/16"OD x 0.005 ID x 20cm L, 3pk |
| 25243 | Capillary Tubing, SS | 1/16"OD x 0.005 ID x 30cm L, 3pk |
| 25244 | Capillary Tubing, SS | 1/16"OD x 0.007 ID x 5cm L, 3pk |
| 25245 | Capillary Tubing, SS | 1/16"OD x 0.007 ID x 10cm L, 3pk |
| 25246 | Capillary Tubing, SS | 1/16" OD x 0.007 ID x 20cm L, 3pk |
| 25247 | Capillary Tubing, SS | 1/16" OD x 0.007 ID x 30cm L, 3pk |
| 25248 | Capillary Tubing, SS | 1/16" OD x 0.01 ID x 5cm L, 3pk |
| 25249 | Capillary Tubing, SS | 1/16"OD x 0.01 ID x 10cm L, 3pk |
| 25250 | Capillary Tubing, SS | 1/16" OD x 0.01 ID x 20cm L, 3pk |
| 25251 | Capillary Tubing, SS | 1/16" OD x 0.01 ID x 30cm L, 3pk |
| 25252 | Capillary Tubing, SS | 1/16"OD x 0.02 ID x 5cm L, 3pk |
| 25253 | Capillary Tubing, SS | 1/16"OD x 0.02 ID x 10cm L, 3pk |
| 25254 | Capillary Tubing, SS | 1/16"OD x 0.02 ID x 20cm L, 3pk |
| 25255 | Capillary Tubing, SS | 1/16"OD x 0.02 ID x 30cm L, 3pk |
| 25256 | PEEK Washer | for ASE 200 Extraction Unit 12pk, Replaces Dionex Part #049454 |
| 25257 | PEEK Washer | for ASE 200 Extraction Unit 48pk, Replaces Dionex Part #049454 |
| 25258 | Needle Seat | Agilent 1050 |
| 25259 | Preventative Maint. Kit | for Agilent 1050 Autosampler Similar to Agilent #01078-68721 |
| 25260 | Deuterium Lamp | Agilent 1050 VW/DA/MW, 1090 DA, 1040/1040M |
| 25261 | Deuterium Lamp | 1100 DAD G1315A, G1365A, Agilent 1100/1200 |
| 25262 | Deuterium Lamp | Agilent 1100/1200 VWD |
| 25263 | Deuterium Lamp | Agilent 8453 |
| 25264 | Lamp | G1321 Fluorescence Detector Flash Lamp |
| 25265 | Needle Seat Assembly | Agilent 1100 |
| 25266 | Sieves for Outlet Valve | Agilent 1050/1100/1200, 10pk |
| 25267 | Outlet Ball Valve | Binary Pump, Agilent 1100/1200 |
| 25268 | Seal Wash Kit | Binary Pump, Agilent 1100 4 Seals, 4 Gaskets |
| 25269 | Seal Wash Kit | 2 Seals, 2 Gaskets Agilent 1050/1100 |
| 25270 | Pump Maintenance Kit | Agilent 1050/1100 |
| 25271 | Maintenance Kit | Autosampler Preventative Maint. Kit, Agilent 1100 |
| 25272 | Rotor Seal | Agilent 1050, Not for use with 7125 |
| 25273 | Sapphire Piston | Agilent 1050/1100/1200 |
| 25275 | Rotor Seal | Agilent 1100 |
| 25276 | Outlet Ball Valve | Agilent 1050/1100/1200 |
| 25277 | Wash Seal | Agilent 1050/1100/1200 |
| 25278 | Needle Assembly | Agilent 1100 |
| 25279 | 7010 Vespel Rotor Seal | |
| 25280 | 7125 Vespel Rotor Seal | |
| 25281 | Isolation Seal, 7010 | Rheodyne Style |
| 25282 | Outlet Check Valve | LC-600, LC-9A, LC-10AD, 10AT |
| 25284 | Deuterium Lamp | Shimadzu SPD-10A, 10AVP 10AVVP |
| 25285 | Plunger Seal | LC-6A |
| 25287 | Inlet Check Valve | LC-6A, LC-10AS |
| 25288 | Outlet Check Valve | LC-6A, LC-10AS |
| 25289 | Check Valve Rebuild Kit | for Outlet Check Valve 2pk LC-6A, LC-10AS |

| | | |
|---|---|---|
| 25290 | Plunger Seal | Polyethylene, LC-10AS, 10AT, 10ATvp |
| 25291 | Sapphire Plunger | LC-10AS |
| 25292 | Plunger Rinse Seal | LC-10AS |
| 25293 | Plunger Seal | LC-600, LC-9A, LC-10AD |
| 25294 | Sapphire Plunger | LC-600, LC-9A, LC-10AD |
| 25295 | Inlet Check Valve | LC-600, LC-9A, LC-10AD |
| 25296 | Fast LC Development Kit | Four 30 x 2.1mm Fast LC Cartridges. Includes Catalog #s 91063320, 91743320, 9 |
| 25297 | Fast LC Development Kit | Four 30 x 4.0mm Fast LC Cartridges. Includes Catalog #s 91063340, 91743340, 9 |
| 25298 | Fast LC Cartridge Holder | Direct Connect, PEEK Tip |
| 25299 | Fast LC Cartridge Holder | Standard Fittings |
| 25300 | Opti-Cap | Including Cap and PEEK Plug |
| 25301 | Opti-Cap Kit | Opti-Cap, Teflon Tubing, Mobile Phase Filter and Sparging Filter |
| 25302 | Opti-Cap Kit w/1L Bottle | Opti-Cap Kit with 1L Graduated Safety Coated Bottle |
| 25303 | Opti-Cap Kit w/2L Bottle | Opti-Cap Kit with 2L Graduated Safety Coated Bottle |
| 25304 | 1L Safety Coated Bottle | Graduated, GL45 Threads |
| 25305 | 2L Safety Coated Bottle | Graduated, GL45 Threads |
| 25306 | Teflon Tubing 1/8" 0.063" | 1/8" OD x 0.063" ID x 3m L |
| 25307 | Teflon Tubing 1/8" 0.094" | 1/8" OD x 0.094" ID x 3m L |
| 25308 | PEEK Tubing Elbow 90 Deg | For 1/16" Tubing, Pack of 5 |
| 25309 | PEEK Tubing Elbow 180 Deg | For 1/16" Tubing, Pack of 5 |
| 25310 | Tubing Clip | For 1/16" and 1/8" Tubing Pack of 5 |
| 25311 | Inlet Filter | Helium Sparger, 2um Threaded |
| 25312 | Inlet Filter | Helium Sparger, 10um Threaded |
| 25313 | Inlet Filter | Helium Sparger, 20um Threaded |
| 25314 | LastDrop Inlet Filter 2um | Mobile Phase Filter |
| 25315 | LastDrop Inlet Filter | 10um Mobile Phase Filter |
| 25319 | PEEK Plug 1/4"-28 Thread | For Opti-Cap, Pack of 3 |
| 25320 | PEEK Tubing,Pink Dash | Pink Dash Stripe, 3pk, 0.0025"ID x 1/16" OD x 1m L |
| 25321 | ValvTool Wrench | For 1/4" Nuts Previously called Rheotool. |
| 25322 | Survival Kit for HPLC | PEEK |
| 25323 | PEEK Union 1/16" | Pack of 2 |
| 25324 | PEEK Fingertight Fittings | Universal 10-32 Pack of 10 |
| 25325 | Tool | PEEK Fitting Extractor HPLC |
| 25326 | QuickSplit Splitter | Binary Fixed Flow, Split Ratio 100:1, Post Column |
| 25327 | QuickSplit Splitter | Binary Fixed Flow, Split Ratio 50:1, Post Column |
| 25328 | QuickSplit Splitter | Binary Fixed Flow, Split Ratio 20:1, Post Column |
| 25329 | QuickSplit Splitter | Binary Fixed Flow, Split Ratio 10:1, Post Column |
| 25330 | QuickSplit Splitter | Binary Fixed Flow, Split Ratio 5:1, Post Column |
| 25331 | Fixed Flow Splitter | Resistor Set Split Ratio 100:1, Post Column |
| 25332 | Fixed Flow Splitter | Resistor Set Split Ratio 50:1, Post Column |
| 25333 | Fixed Flow Splitter | Resistor Set Split Ratio 20:1, Post Column |
| 25334 | Fixed Flow Splitter | Resistor Set Split Ratio 10:1, Post Column |
| 25335 | Fixed Flow Splitter | Resistor Set Split Ratio 5:1, Post Column |
| 25336 | QuickSplit Splitter | Adjustable Flow, Split Ratio 5:1 to 100:1, Post Column |
| 25337 | QuickSplit Splitter | Adjustable Flow, Split Ratio 1:1 to 20:1, Post Column |
| 25338 | Splitter Resistor | Adjustable Flow, Split Ratio 5:1 to 100:1, Post Column |
| 25339 | Splitter Resistor | Adjustable Flow, Split Ratio 1:1 to 20:1, Post Column |
| 25340 | FlatLine Pulse Damper | |
| 25341 | HyperShear Static Mixer | In-Line Mixer, 50uL Stainless Steel |
| 25342 | HyperShear Static Mixer | In-Line Mixer, 150uL Stainless Steel |
| 25343 | HyperShear Static Mixer | In-Line Mixer, 250uL Stainless Steel |
| 25344 | Check Valve Cartridge | Assembly, Agilent 1090, Similar to |
| 25345 | Sapphire Piston | Agilent 1090 |
| 25347 | Piston Seals (Black) | Agilent 1090, 4pk |
| 25348 | Needle Seat, Agilent 1090 | |
| 25349 | Rotor Seal | Rheodyne Style, Agilent 1090 |
| 25352 | HPLC Valid. Kit | Allure C18 150 x 4.6mm Kit of 3 Columns |
| 25354 | HPLC Valid. Kit | Allure Basix 150 x 4.6mm Kit of 3 Columns |
| 25355 | HPLC Valid. Kit | Ultra IBD 150 x 4.6mm Kit of 3 Columns |
| 25356 | LC/MS Valid. Kit | Allure C18 50 x 2.1mm Kit of 3 Columns |
| 25358 | LC/MS Valid. Kit | Allure Basix 50 x 2.1mm Kit of 3 Columns |
| 25359 | LC/MS Valid. Kit | Ultra IBD 50 x 2.1mm Kit of 3 Columns |
| 25360 | Inlet Check Valve Assy. | |
| 25361 | Inlet Check Valve Housing | |
| 25362 | Inlet Check Valve | Rebuild Kit 2pk |
| 25363 | Outlet Check Valve Assy | Actuator Style Similar to Waters # WAT025028 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 25364 | Outlet Housing | Actuator Style |
| 25365 | Outlet Check Valve | Rebuild Kit 2pk, Actuator Style |
| 25366 | Outlet Check Valve Assy. | Ball & Seat Style |
| 25367 | Outlet Check Valve | Housing, Ball & Seat Style |
| 25368 | Outlet Check Valve | Rebuild Kit 2pk Ball & Seat Style |
| 25369 | Extended Flow Inlet | Check Valve Assy. 225ul |
| 25370 | Check Valve Cartridge | Performance Plus, 2pk |
| 25371 | Check Valve Rebuild Kit | Extended Flow, 2pk |
| 25372 | Check Valve Housing | Performance Plus |
| 25373 | Check Valve Cartridges | Alliance, 2pk |
| 25374 | Super Seal | for Analytical Heads Similar to Waters #22946,22934 |
| 25375 | Plunger Seal, Gold | Analytical Heads |
| 25378 | Plunger Seal, Black | |
| 25379 | Plunger Seal, Black | EF Heads, 510, 590, 600E |
| 25380 | Plunger Seal, Gold | EF Heads, 510, 590, 600E |
| 25381 | Sapphire Plunger | M6KA, 510, 590, 600 |
| 25382 | Sapphire Plunger | Extended Flow 510, 590, 600E |
| 25384 | Sapphire Plunger | M515 Assembly Kit |
| 25385 | Sapphire Plunger | Alliance |
| 25386 | Seal Wash Plunger Seal | Alliance, 2pk |
| 25387 | Head Plunger Seal Kit | Alliance, 2pk |
| 25388 | Head Plunger Seal Kit | Alliance, 2pk, Black |
| 25389 | Insert Seal Parts Kit | |
| 25392 | Draw-Off Tube Assembly | for Models: 510, 515, 600, 610 |
| 25393 | PEEK Washer | for ASE 300 Extraction Unit 12pk, Replaces Dionex Part Number 061687 |
| 25394 | PEEK Washer | for ASE 300 Extraction Unit 48pk, Replaces Dionex Part Number 061687 |
| 25395 | Eco-Cap, PFTE | GL45, includes 1x Male Luer Plug |
| 25396 | Blue Washer, Small | (component of Outlet Check Valve Kit - Cat #25368)) |
| 25397 | Retainer | (Compatible w/Cat #25368) |
| 25398 | Filter Retainer | (Compatible w/Cat #25368) |
| 25399 | Deuterium Lamp | 1100, 1200, G1315A, G1365A Long Life(2000 hrs) Similar to Agilent PN 5181-153 |
| 25400 | GC Packing Material | ResSil C 60/80 mesh PACKING MATERIAL ONLY Minimum order: 10 Grams |
| 25401 | GC Packing Material | ResSil B 60/80 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25403 | Deuterium Lamp | Waters 480,481 UV/VIS Similar to Waters 99499 |
| 25404 | Xenon Lamp | Waters 470 w/o Holder or Mirror Fluoresence |
| 25405 | Xenon Lamp | Waters 474 Fluoresence |
| 25406 | Deuterium Lamp | Waters 484 UV/VIS |
| 25407 | Deuterium Lamp | Waters 486 UV/VIS |
| 25408 | Deuterium Lamp | Waters 996, 2996 |
| 25409 | Deuterium Lamp | Waters 2487 Detector |
| 25410 | Deuterium Lamp | Long Life (2000 Hours) Model 486, Waters |
| 25412 | Inlet Manifold Kit | Waters M45,501,510,590,600(E) |
| 25417 | Ferrule, Stainless Steel | Waters 515 |
| 25420 | Sapphire Plunger | Waters 616,626,625 |
| 25423 | Window Gasket | Waters 484,486,490 |
| 25424 | Lamp Side Gasket | Waters 484,486,490 |
| 25427 | Quartz Lens | Waters 486 |
| 25428 | Wash Face Seal | Waters Alliance 2690 |
| 25429 | Wash Tube Seal Kit | 4pk,Waters Alliance 2690 |
| 25431 | Deuterium Lamp | PE 200/785A |
| 25432 | Needle, PE Series 200 | |
| 25433 | High Pressure Seal Kit | PE Series 200 Pumps, Similar to PE #02540275, 1,2,3,3B, 4,10,250,400,410,620, |
| 25434 | Seal, Std. High Pressure | PE Series 200 Pumps, Similar to PE # 09907324, 1,2,3,3B, 4,10,250,400,410,620 |
| 25435 | Low Pressure Seal | PE Series 200 Pumps |
| 25436 | Deuterium Lamp | PE Lambda 2,5,7,8,10,11,12, 900 |
| 25437 | Outlet Check Valve | PE 200,4,250,400,410,620 |
| 25438 | Inlet Check Valve | PE 200,4,250,400,410,620 |
| 25439 | Inlet Check Valve Assy | for Beckman 110 A&B/112/114M /116/118/125/126/127/128 |
| 25440 | Outlet Check Valve Assy | for Beckman 110 A&B/112/114M /116/118/125/126/127/128 |
| 25441 | Inlet Ck Valve Cartridge | for Beckman Check Valve Assembly |
| 25442 | Outlet Ck Valve Cartridge | for Beckman Check Valve Assembly |
| 25444 | Guide Sleeve | for Graphite Plunger Guide Beckman 110 Series |
| 25445 | Outlet Check Filter Frit | Assembly for Beckman Pumps |
| 25446 | Piston Guide Assembly | for Beckman Pumps |
| 25447 | Plunger | for Beckman 110 Series and 112 Pumps |
| 25448 | Plunger Seal | for Beckman 110 Series |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 25450 | Sapphire Plunger | for Beckman 114M/116/118 /125/126/127/128 Pumps |
| 25451 | Plunger Seal | for Beckman 114M/116/118 /125/126/127/128 Pumps |
| 25452 | Pump Seal, Gold | for Beckman 114/116 /125/126/127/128 Pumps |
| 25453 | Plunger Wash Seal | for Beckman Pumps |
| 25454 | Deuterium Lamp | for Beckman DU60/62/64/65 |
| 25455 | SS Check Valve Cartridge | for OPT-MAX, 1/16" Ruby Ball, 2pk |
| 25456 | Inlet Check Valve Assy | for Hitachi 655/6000/6200 |
| 25457 | Outlet Check Valve Assy | for Hitachi 655/6000/6200 AN0-0834 & 885-1331 |
| 25458 | Plunger Assembly | Plunger Assembly for for Hitachi 655/6000/6200/7100 |
| 25459 | Plunger Seal | for Hitachi L655A/6000/6200 /7100 |
| 25460 | Plunger Seal, Gold | for Hitachi 655/6000/6200 /7100 |
| 25461 | Inlet Check Valve Assy | for Hitachi L-7100 |
| 25462 | Outlet Check Valve Assy. | for Hitachi L-7100 |
| 25463 | Rotor Assembly | for Dilutor Valve, Hitachi AS-7200 Autosampler |
| 25464 | Rotor Seal Kit | for Hitachi AS-7200, AS-7250 Injection Valve |
| 25465 | Deuterium Lamp | Prealigned for Hitachi L4000(H) /L4200(H)/L4250(H) |
| 25466 | Frits, PTFE | for Agilent 1050/1100/1200 Systems, 5pk |
| 25467 | Seal, Gold Disk | for Agilent 1050/1100/1200 Systems |
| 25468 | Needle Seal | for Shimadzu SIL-10A, 10XL, 10ADvp |
| 25469 | Rotor Seal Assembly | for Shimadzu SIL-10A, 10AXL |
| 25470 | Stator Assembly | for Shimadzu SIL-10A, 10AXL |
| 25471 | Syringe, 500ul | for Shimadzu SIL-10A, 10AXL |
| 25472 | Plunger Assembly, Ceramic | for Shimadzu LC-10ADvp |
| 25473 | Plunger Assembly, Ceramic | for Shimadzu LC-10ATvp |
| 25474 | Inlet Check Valve | Assembly, for SP8800 and P-Series Pumps |
| 25475 | Outlet Check Valve | Assembly, for SP8800 Series Pumps |
| 25476 | Piston | for SP8800 and P-Series Pumps |
| 25477 | Seal, Back-up | for SP8800 and P-Series Pumps |
| 25478 | Plunger Seal, Gold | Superseal for SP8800 and P-Series Pumps |
| 25479 | Check Valve | and Transducer Assembly for P-Series Pumps |
| 25480 | Washer, Kel-F | for P-Series Pumps |
| 25481 | Rotor Seal Assembly | Rheodyne 7010, for TSP AS100/300/1000/3000/3500/ 8875/8880 Autosamplers |
| 25482 | Syringe Assembly, 250ul | for TSP AS100/300/1000/3000/ 3500/8875/8880 Autosamplers |
| 25483 | Syringe, 500ul | for 8800 Series |
| 25484 | Lamp, UV | for Linear UV-200 203/204/205/206 and UV-100/150/1000/2000 Detectors |
| 25485 | Check Valve Cartridge | for TSP LDC Constametric Pumps |
| 25486 | Sapphire Plunger | for TSP LDS Constametric Pumps |
| 25487 | Plunger Seal Kit, Gold | for TSP LDS Constametric Pumps |
| 25488 | Plunger Seal, Black | for TSP LDS Constametric Pumps |
| 25489 | Plunger Seal, Gold | for TSP LDS Constametric Pumps |
| 25490 | Lamp, Deuterium | for TSP LDC SM-I/II/III/ 3000/3100/3100X/4000 Detectors |
| 25492 | Rebuild Kit | Reference Valve for Waters 600 Pump |
| 25493 | Compression Screws 2pk | Stainless Steel, for Alliance 2690 HPLC System, 2pk |
| 25494 | Battery | 2690, 717,486,484 For Alliance 2690 HPLC System |
| 25495 | Seal Pack Rebuild Kit | Without Seal, Wash Pack Assy. for Alliance 2690 HPLC System |
| 25496 | 717 Seal Pack | (rebuilt) w/Needle, for Waters 717 Autosampler |
| 25497 | Seal Kit | Pump - 616, 626, 625 For Waters 616 Pump |
| 25498 | Cartridge Assembly | Stainless Steel, for Waters 616 Pump |
| 25499 | Ultra Quat SPE Tubes | 6mL, 500mg, for Paraquat/Diquat 30pk, Restek Alternative to EPA Method 549.2 |
| 25500 | GC Packing Material | Carboblack B 60/80 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25501 | GC Packing Material | Carboblack B 80/120 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25502 | GC Packing Material | Carboblack C 60/80 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25503 | GC Packing Material | Carboblack C 80/100 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25504 | GC Packing Material | Carboblack BHT-100 40/60 MINIMUM ORDER 10 GRAMS PACKING MATERIAL |
| 25506 | GC Packing Material | Carboblack III (F) 80/100 MINIMUM ORDER 10 GRAMS PACKING MATERIAL C |
| 25507 | GC Packing Material | 5% Carbowax 20M on Carboblack B 80/120 MINIMUM ORDER 10 GRAMS PACK |
| 25508 | GC Packing Material | 6.6% Carbowax 20M on Carboblack B 80/120 MINIMUM ORDER 10 GRAMS PA |
| 25509 | GC Packing Material | 4% Carbowax 20M / 0.8% KOH on Carboblack B 60/80 MINIMUM ORDER 10 GR |
| 25510 | GC Packing Material | 0.19% Picric Acid on Carboblack C 80/100 MINIMUM ORDER 10 GRAMS PACKI |
| 25511 | GC Packing Material | 4% Carbowax 20M on Carboblack B-DA 80/120 MINIMUM ORDER 10 GRAMS P |
| 25550 | GC Packing Material | Tenax-TA 60/80 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25551 | GC Packing Material | Tenax-TA 80/100 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25552 | GC Packing Material | Tenax-GR 60/80 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25553 | GC Packing Material | Tenax-GR 80/100 MINIMUM ORDER 10 GRAMS PACKING MATERIAL ONLY |
| 25561 | GC Packing Material | HayeSep B 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25562 | GC Packing Material | HayeSep C 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 25563 | GC Packing Material | HayeSep D 60/80 one bottle - 24 grams |
| 25564 | GC Packing Material | HayeSep DIP 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25565 | GC Packing Material | HayeSep DIP 80/100 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25566 | GC Packing Material | HayeSep DIP 100/120 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25567 | GC Packing Material | HayeSep DB 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25568 | GC Packing Material | HayeSep DB 80/100 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25569 | GC Packing Material | HayeSep DB 100/120 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25570 | GC Packing Material | HayeSep N 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25571 | GC Packing Material | HayeSep P 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25572 | GC Packing Material | HayeSep Q 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25573 | GC Packing Material | HayeSep R 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25574 | GC Packing Material | HayeSep S 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25575 | GC Packing Material | Hayesep T 60/80 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25576 | GC Packing Material | Porapak P 50/80 one bottle - 20 grams PACKING MATERIAL ONLY |
| 25577 | GC Packing Material | Porapak P 80/100 one bottle - 20 grams PACKING MATERIAL ONLY |
| 25578 | GC Packing Material | Porapak P 100/120 one bottle - 20 grams PACKING MATERIAL ONLY |
| 25579 | GC Packing Material | Porapak PS 50/80 one bottle - 20 grams PACKING MATERIAL ONLY |
| 25580 | GC Packing Material | Porapak PS 80/100 one bottle - 20 grams PACKING MATERIAL ONLY |
| 25581 | GC Packing Material | Porapak PS 100/120 one bottle - 20 grams PACKING MATERIAL ONLY |
| 25582 | GC Packing Material | Porapak Q 50/80 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25583 | GC Packing Material | Porapak Q 80/100 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25584 | GC Packing Material | Porapak Q 100/120 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25585 | GC Packing Material | Porapak QS 50/80 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25586 | GC Packing Material | Porapak QS 80/100 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25587 | GC Packing Material | Porapak QS 100/120 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25588 | GC Packing Material | Porapak R 50/80 one bottle- 24 grams PACKING MATERIAL ONLY |
| 25589 | GC Packing Material | Porapak R 80/100 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25590 | GC Packing Material | Porapak R 100/120 one bottle - 24 grams PACKING MATERIAL ONLY |
| 25591 | GC Packing Material | Porapak S 50/80 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25592 | GC Packing Material | Porapak S 80/100 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25593 | GC Packing Material | Porapak S 100/120 one bottle - 26 grams PACKING MATERIAL ONLY |
| 25594 | GC Packing Material | Porapak N 50/80 one bottle - 29 grams PACKING MATERIAL ONLY |
| 25595 | GC Packing Material | Porapak N 80/100 one bottle - 29 grams PACKING MATERIAL ONLY |
| 25596 | GC Packing Material | Porapak N 100/120 one bottle - 29 grams PACKING MATERIAL ONLY |
| 25597 | GC Packing Material | Porapak T 50/80 one bottle - 31 grams PACKING MATERIAL ONLY |
| 25598 | GC Packing Material | Porapak T 80/100 one bottle - 31 grams PACKING MATERIAL ONLY |
| 25599 | GC Packing Material | Porapak T 100/120 one bottle - 31 grams PACKING MATERIAL ONLY |
| 25608 | GC Packing Material | INDEFINITE BACKORDER one bottle - 50 grams PACKING MATERIAL ONLY |
| 25609 | GC Packing Material | INDIFINITE BACKORDER one bottle - 50 grams INDEFINITE BACKORDER PAC |
| 25610 | GC Packing Material | Chromosorb 101 100/120 INDEFINITE BACKORDER one bottle - 50 grams PACI |
| 25611 | GC Packing Material | Chromosorb 102 60/80 INDEFINITE BACK ORDER one bottle - 50 grams PACKI |
| 25612 | GC Packing Material | Chromosorb 102 INDEFININTE BACKORDER one bottle - 50 grams PACKING M |
| 25613 | GC Packing Material | Chromosorb 102 100/120 INDEFINITE BACKORDER one bottle - 50 grams PACI |
| 25614 | GC Packing Material | Chromosorb 103 60/80 INDEFINITE BACKORDER one bottle - 50 grams PACKIN |
| 25615 | GC Packing Material | INDEFINITE BACKORDER one bottle - 50 grams PACKING MATERIAL ONLY |
| 25616 | GC Packing Material | Chromosorb 103 100/120 INDEFINITE BACKORDER one bottle - 50 grams PACI |
| 25620 | GC Packing Material | INDEFINITE BACKORDER one bottle - 50 grams PACKING MATERIAL ONLY |
| 25621 | GC Packing Material | Chromosorb 106 80/100 INDEFINITE BACKORDER one bottle - 50 grams PACK |
| 25622 | GC Packing Material | Chromosorb 106 100/120 INDEFINITE BACKORDER one bottle - 50 grams PACI |
| 25623 | GC Packing Material | Chromosorb 107 60/80 INDEFINITE BACKORDER one bottle - 50 grams PACKIN |
| 25624 | GC Packing Material | Chromosorb 107 80/100 INDEFINITE BACKORDER one bottle - 50 grams PACK |
| 25625 | GC Packing Material | Chromosorb 107 100/120 INDEFINITE BACKORDER one bottle - 50 grams PACI |
| 25626 | GC Packing Material | Chromosorb 108 60/80 INDEFINITE BACKORDER one bottle - 50 grams PACKIN |
| 25627 | GC Packing Material | INDEFINITE BACKORDER one bottle - 50 grams PACKING MATERIAL ONLY |
| 25628 | GC Packing Material | Chromosorb 108 100/120 INDEFINITE BACKORDER one bottle - 50 grams PACI |
| 25629 | GC Packing Material | INDEFINITE BACKORDER Chromosorb PNAW 45/60 One Bottle of 100 Grams ( |
| 25630 | GC Packing Material | INDEFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25631 | GC Packing Material | INDEFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25632 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams INDEFINITE BACKORDER ( |
| 25633 | INDIEFINITE BACKORDER | INDIFINITE BACKORDER One Bottle of 100g INDEFINITE BACKORDER (Pre-2 |
| 25634 | Indefinite Backorder | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25635 | Chromosorb PAW 80/100 | INDEFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25636 | Indefinite Backorder | Chromosorb PAW 100/120 One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25637 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25638 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25639 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams INDEFINITE BACKORDER |

| | | |
|---|---|---|
| 25640 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25641 | INDEFINITE BACKORDER | Silcoport P 80/100 MINIMUM ORDER 100 GRAMS PACKING MATERIAL ONLY |
| 25642 | GC Packing Material | Silcoport P 100END20INDEFINITE BACKORDER MINIMUM ORDER 100 GRAM |
| 25643 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25644 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams INDEFINITE BACKORDER |
| 25645 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25646 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25647 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25648 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25649 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25650 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25651 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25652 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25653 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25654 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25655 | GC Packing Material | INDIFINITE BACKORDER One Bottle of 100 Grams (Pre-2009 sold by the gm w/ |
| 25656 | GC Packing Material | INDEFINITE BACKORDER Chromosorb WNAW 45/60 One Bottle of 100 Grams |
| 25657 | GC Packing Material | INDEFINITE BACKORDER Chromosorb WNAW 60/80 One Bottle of 100 Grams |
| 25660 | GC Packing Material | INDEFINITE BACKORDER Chromosorb WAW 45/60 One Bottle of 100 Grams (F |
| 25661 | GC Packing Material | INDEFINITE BACKORDER Chromosorb WAW 60/80 One Bottle of 100 Grams (F |
| 25664 | GC Packing Material | INDEFINITE BACKORDER Chromosorb WAW/DMDCS 45/60 One Bottle of 100 |
| 25665 | GC Packing Material | INDEFINITE BACKORDER Chromosorb WAW/DMDCS 60/80 One Bottle of 100 |
| 25668 | GC Packing Material | INDEFINITE BACKORDER Chromosorb W-HP 60/80 One Bottle of 100 Grams (F |
| 25672 | GC Packing Material | Silcoport W 80/100 MINIMUM ORDER 100 GRAMS PACKING MATERIAL ONLY |
| 25675 | GC Packing Material | Chromosorb T 30/60 MINIMUM ORDER 100 GRAMS PACKING MATERIAL ONL |
| 25676 | GC Packing Material | Chromosorb T 40/60 One Bottle of 100 Grams (Pre-2009 sold by the gm w/100gm |
| 25678 | GC Packing Material | High Carbon n-octane on ResSil C 80/100, 10gm Minimum Order |
| 25693 | GC Packing Material | Chromosorb T 40/60 One Bottle of 100 Grams (Pre-2009 sold by the gm w/100gm |
| 25700 | GC Packing Material | Tenax-TA 20/35 Min Order 10 grams |
| 25701 | GC Packing Material | Tenax-TA 35/60 Min Order 10 grams |
| 25959 | Replacement Frits | For ASE 200 Extraction Unit, 100-pk |
| 25988 | SPE C18-90mm Disks | Pack of 12 |
| 25989 | DVB SPE Tubes, 6mL, 500mg | Teflon Frits, 50pk |
| 25990 | Cap Frits 2mm 0.5um | Replacement for Trident Guard System, Pack of 5 |
| 25991 | Glass Vacuum Chamber | w/ gauge & valve, Replacement for Resprep 6 & 12-port manifolds |
| 25992 | Resprep Disk Manifold | 6-port, Lid & Collection Plates, fits Resprep 12-port glass chamber (not included) |
| 26000 | Endcap, SPE Tube, 12pk | Universal female luer plug |
| 26001 | SPE Lid 1ml Tube, 12pk | |
| 26002 | SPE Lid 3ml Tube, 12pk | |
| 26003 | SPE Lid 6ml Tube, 12pk | |
| 26004 | SPE Lid 15ml Tube, 12pk | |
| 26005 | SPE Lid 25ml Tube, 12pk | |
| 26006 | SPE Lid 70ml Tube, 12pk | |
| 26007 | SPE Connector 1,3,6ml | 12pk |
| 26008 | SPE Connector 25ml | 12pk |
| 26009 | SPE Connector 60ml | 12pk |
| 26010 | SPE empty 1ml Tubes,50pk | |
| 26011 | SPE empty 3ml Tubes,50pk | |
| 26012 | SPE empty 6ml Tubes,50pk | |
| 26013 | SPE empty 15mlTubes,50pk | |
| 26014 | SPE sample reservoir 25ml | 12pk |
| 26015 | SPE sample reservoir 70ml | 12pk |
| 26016 | SPE PE Frits 1ml Tubes | 100pk,6mm polyethylene |
| 26017 | SPE PE Frits 3ml Tubes | 100pk,9mm polyethylene |
| 26018 | SPE PE Frits 6ml Tubes | 100pk,1.2cm polyethylene.513"+-.005OD x .062"+-.01 |
| 26019 | SPE PE Frits 15ml Tubes | 100pk,1.6cm polyethylene |
| 26020 | SPE PE Frits 25ml Tubes | 100pk,2.0cm polyethylene |
| 26021 | SPE PE Frits 70ml Tubes | 100pk,2.6cm polyethylene |
| 26022 | SPE Oil&Grease Fiber Disk | INDEFINITE BACKORDER 47mm 20pack |
| 26023 | SPE Resin-47mmdisks,pk 20 | styrene/DVB resin |
| 26024 | SPE Flowfilter-47mm,pk 20 | |
| 26029 | AH SPE Tubes 6mL, 500mg | for Phenoxy Acid Herbicides 30pk, EPA Method 8321 |
| 26030 | SPE C18,1mL/100mg,100pk | |
| 26031 | SPE C18,3mL/200mg, 50pk | |
| 26032 | SPE EPA Method 521 & 522 | 6mL/2g Activated Charcoal, 30pk |
| 26033 | Diatomaceous Earth | 1kg, Replaces Dionex PN 062819 |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 26034 | SPE C18,20mL/5g, 20pk | |
| 26035 | SPE C18,60mL/10g, 16pk | |
| 26036 | SPE C8,1mL/100mg,100pk | |
| 26037 | SPE C8,3mL/200mg, 50pk | |
| 26038 | SPE C8,3mL/500mg, 50pk | |
| 26039 | SPE C8,6mL/500mg, 30pk | |
| 26040 | SPE C8,6mL/1g, 30pk | |
| 26041 | SPE C2,1mL/100mg, 100pk | |
| 26042 | SPE C2,3mL/200mg, 50pk | |
| 26043 | SPE Cyclohexyl,6mL/1g | 30pk |
| 26044 | SPE DrugPrepI,3mL/200mg | 50pk,cation exchanger |
| 26045 | SPE DrugPrepI,10mL/200mg | 50pk,cation exchanger |
| 26046 | SPE DrugPrepII,3mL/200mg | 50pk,anion exchanger |
| 26047 | SPE DrugPrepII,10mL/200mg | 50pk,anion exchanger |
| 26048 | SPE CN,3mL/200mg, 50pk | |
| 26049 | SPE CN,3mL/500mg, 50pk | |
| 26050 | SPE NH2,1mL/100mg, 100pk | |
| 26051 | SPE NH2,3mL/200mg, 50pk | |
| 26052 | SPE NH2,3mL/500mg, 50pk | |
| 26053 | SPE NH2,6mL/500mg, 30pk | |
| 26054 | SPE SAX,1mL/100mg, 100pk | |
| 26055 | SPE SAX,3mL/500mg, 50pk | |
| 26056 | SPE SCX,1mL/100mg, 100pk | |
| 26057 | SPE SCX,3mL/500mg, 50pk | |
| 26058 | SPE BenzSCX,3mL/200mg | 50pk |
| 26059 | SPE BenzSCX,6mL/500mg | 30pk |
| 26060 | SPE BenzSCX,6mL/1g | 30pk |
| 26061 | SPE COOH,1mL/100mg, 100pk | |
| 26062 | SPE COOH,3mL/500mg, 50pk | |
| 26063 | SPE EPA 548.1,6mL, 30pk | BioRex resin, slurry pack |
| 26065 | SPE EPH Fractionation | 20mL, 5g Si, 20-pk |
| 26077 | Vac.manifold,12port | EA, complete |
| 26078 | Vac.manifold,12port | EA,replacement lid w/valves |
| 26079 | Vac.manifold,12port | EA,replacement collection rack |
| 26080 | Vac.manifold,24port | EA, Complete |
| 26081 | Vac.manifold,24port | EA,replacement lid w/valves |
| 26082 | Vac.manifold,24port | EA,replacement collection rack |
| 26083 | Vac.manifold replacement | 2pk, sample valves |
| 26084 | Vac.manifold replacement | 12pk, Tef. sample guides |
| 26085 | SPE Cartridge | Florisil Packing Glass Tube with Teflon Frits 6ml/1g, Pack of 30. |
| 26086 | SPE Cartridge | Florisil Packing Glass Tube with Teflon Frits 6ml/500mg, Pack of 30. |
| 26087 | SPE Cartridge | Carboprep 200 Packing 6ml, 500mg, 30pk 200 m2/gm surface |
| 26088 | SPE Cartridge | Carboprep 200 Packing 3ml, 250mg 50pk 200 m2/gm surface |
| 26091 | SPE Cartridge | CarboPrep 90 Packing 3ml, 250mg 50pk 90 m2/gm surface |
| 26092 | SPE Cartridge | CarboPrep 90 Packing 6ml, 500mg 30pk 90 m2/gm surface |
| 26093 | SPE Tubes | Resprep RDX 6ml/500mg 30 pack |
| 26096 | Replacement Caps | for ASE 200 Extraction Unit 2-pk |
| 26098 | 22mL Extraction Cell Body | for ASE 200 Extraction Unit |
| 26100 | Replacement Frits | for ASE 200 Extraction Unit 10pk |
| 26110 | 1ml Extraction Cell Body | for ASE 200 Extraction Unit |
| 26112 | 5ml Extraction Cell Body | for ASE 200 Extraction Unit |
| 26114 | 11ml Extraction Cell Body | for ASE 200 Extraction Unit |
| 26116 | 33ml Extraction Cell Body | for ASE 200 Extraction Unit |
| 26118 | Cellulose Filters | for ASE 200, Pack of 100 Replaces Dionex PN 049458 |
| 26119 | Glass Fiber Filters | for ASE 200, Pack of 100 Replaces Dionex PN 047017 |
| 26120 | PEEK Washer | for ASE 200 Extraction Unit, 250pk Replaces Dionex #049454 |
| 26121 | 60ml Collection Vial | Pre-Cleaned Clear Glass for ASE System, 72pk, Replaces Dionex #048784 |
| 26122 | 60ml Collection Vial | Precleaned Amber Glass for ASE System, 72pk. Replaces Dionex #048781 |
| 26123 | QuEChERS SPE | Q-sep Q253 2mL Micro-Centrifuge Tube, 150mg MgSO4, 50mg PSA, 50mg Carb |
| 26124 | QuEChERS SPE | Q-sep Q250 2mL Centrifuge Tube,150mg MgSO4, 50mg PSA, 100pk Packaged i |
| 26125 | QuEChERS SPE | Q-sep Q251 Micro-Centrifuge Tube 2mL, 150mg MgSO4, 50mg PSA, 50mg C18, |
| 26126 | QuEChERS SPE | Q-sep Q374 15mL Centrifuge Tube, 900mg MgSO4, 300mg PSA, 150mg Carbon |
| 26127 | Combo SPE Tube | 6ml SPE Tube Packed w/200mg Graphitized Carbon and 400mg PSA Teflon Frits |
| 26128 | Combo SPE Tube | 6ml SPE Tube Packed w/250mg Graphitized Carbon and 500mg PSA Teflon Frits |
| 26129 | Combo SPE Tube | 6ml SPE Tube Packed w/500mg Graphitized Carbon and 500mg PSA Teflon Frits |
| 26130 | SPE Manifold Part | Valve Attachment, 48pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 26131 | SPE Manifold Part | Needle Attachment, 48pk |
| 26132 | ASE 300 Tube, 100ml | Replacement Extraction Tube |
| 26134 | ASE 300/100 Snap Ring | for Caps, 12pk |
| 26135 | Florisil PR | 500 grams, 60/100 mesh |
| 26136 | Activated Copper | Granulated 30 mesh, 1kg |
| 26137 | Ottawa Sand | 5kg, 20/30 mesh |
| 26138 | Sparger, Fritted | 10mL, for Tekmar 2000, 3000, and 3100 |
| 26139 | Sparger, Non-Fritted | 5mL, for Tekmar 2000, 3000, and 3100 |
| 26140 | Sparger, Non-Fritted | 10mL, for Tekmar 2000, 3000, and 3100 |
| 26141 | Sparger, Non-Fritted | 25mL, for Tekmar 2000, 3000, and 3100 |
| 26142 | Syringe Filter, 13mm | 0.22um PTFE 100pk Purple Luer Lock Inlet |
| 26142 | Syringe Filter, 13mm | 0.22um PTFE 100pk Purple Luer Lock Inlet |
| 26142 | Syringe Filter, 13mm | 0.22um PTFE 100pk Purple Luer Lock Inlet |
| 26143 | Syringe Filter, 13mm | 0.45um PTFE 100pk Orange Luer Lock Inlet |
| 26143 | Syringe Filter, 13mm | 0.45um PTFE 100pk Orange Luer Lock Inlet |
| 26143 | Syringe Filter, 13mm | 0.45um PTFE 100pk Orange Luer Lock Inlet |
| 26144 | Syringe Filter, 25mm | 0.22um PTFE 100pk Purple Luer Lock Inlet |
| 26144 | Syringe Filter, 25mm | 0.22um PTFE 100pk Purple Luer Lock Inlet |
| 26144 | Syringe Filter, 25mm | 0.22um PTFE 100pk Purple Luer Lock Inlet |
| 26145 | Syringe Filter, 25mm | 0.45um PTFE 100pk Orange Luer Lock Inlet |
| 26145 | Syringe Filter, 25mm | 0.45um PTFE 100pk Orange Luer Lock Inlet |
| 26145 | Syringe Filter, 25mm | 0.45um PTFE 100pk Orange Luer Lock Inlet |
| 26146 | Syringe Filter, 13mm | 0.22um Nylon 100pk Luer Lock Inlet, Yellow |
| 26146 | Syringe Filter, 13mm | 0.22um Nylon 100pk Luer Lock Inlet, Yellow |
| 26146 | Syringe Filter, 13mm | 0.22um Nylon 100pk Luer Lock Inlet, Yellow |
| 26147 | Syringe Filter, 13mm | 0.45um Nylon 100pk Luer Lock Inlet, Pink |
| 26147 | Syringe Filter, 13mm | 0.45um Nylon 100pk Luer Lock Inlet, Pink |
| 26147 | Syringe Filter, 13mm | 0.45um Nylon 100pk Luer Lock Inlet, Pink |
| 26148 | Syringe Filter, 25mm | 0.22um Nylon 100pk Yellow Luer Lock Inlet |
| 26148 | Syringe Filter, 25mm | 0.22um Nylon 100pk Yellow Luer Lock Inlet |
| 26148 | Syringe Filter, 25mm | 0.22um Nylon 100pk Yellow Luer Lock Inlet |
| 26149 | Syringe Filter, 25mm | 0.45um Nylon 100pk Luer Lock Inlet, Pink |
| 26149 | Syringe Filter, 25mm | 0.45um Nylon 100pk Luer Lock Inlet, Pink |
| 26149 | Syringe Filter, 25mm | 0.45um Nylon 100pk Luer Lock Inlet, Pink |
| 26150 | Syringe Filter, 13mm | 0.22um PVDF 100pk Brown Luer Lock Inlet |
| 26150 | Syringe Filter, 13mm | 0.22um PVDF 100pk Brown Luer Lock Inlet |
| 26150 | Syringe Filter, 13mm | 0.22um PVDF 100pk Brown Luer Lock Inlet |
| 26151 | Syringe Filter, 13mm | 0.45um PVDF 100pk Red Luer Lock Inlet |
| 26151 | Syringe Filter, 13mm | 0.45um PVDF 100pk Red Luer Lock Inlet |
| 26151 | Syringe Filter, 13mm | 0.45um PVDF 100pk Red Luer Lock Inlet |
| 26152 | Syringe Filter, 25mm | 0.22um PVDF 100pk Brown Luer Lock Inlet |
| 26152 | Syringe Filter, 25mm | 0.22um PVDF 100pk Brown Luer Lock Inlet |
| 26152 | Syringe Filter, 25mm | 0.22um PVDF 100pk Brown Luer Lock Inlet |
| 26153 | Syringe Filter, 25mm | 0.45um PVDF 100pk Red Luer Lock Inlet |
| 26153 | Syringe Filter, 25mm | 0.45um PVDF 100pk Red Luer Lock Inlet |
| 26153 | Syringe Filter, 25mm | 0.45um PVDF 100pk Red Luer Lock Inlet |
| 26155 | Syringe Filter, 13mm | 0.45um Cellulose Acetate 100pk blue, luer lock |
| 26155 | Syringe Filter, 13mm | 0.45um Cellulose Acetate 100pk blue, luer lock |
| 26155 | Syringe Filter, 13mm | 0.45um Cellulose Acetate 100pk blue, luer lock |
| 26156 | Syringe Filter, 13mm | 0.22um Cellulose Acetate 100pk Green, luer lock |
| 26156 | Syringe Filter, 13mm | 0.22um Cellulose Acetate 100pk Green, luer lock |
| 26156 | Syringe Filter, 13mm | 0.22um Cellulose Acetate 100pk Green, luer lock |
| 26157 | Syringe Filter, 25mm | 0.45um Cellulose Acetate 100pk Blue, luer lock |
| 26157 | Syringe Filter, 25mm | 0.45um Cellulose Acetate 100pk Blue, luer lock |
| 26157 | Syringe Filter, 25mm | 0.45um Cellulose Acetate 100pk Blue, luer lock |
| 26158 | Syringe Filter, 25mm | 0.22um Cellulose Acetate 100pk Green, luer lock |
| 26158 | Syringe Filter, 25mm | 0.22um Cellulose Acetate 100pk Green, luer lock |
| 26158 | Syringe Filter, 25mm | 0.22um Cellulose Acetate 100pk Green, luer lock |
| 26159 | Pressure Relief Valve | for ASE 100, 200 and 300 Systems |
| 26160 | Static Valve | for ASE 100, 200 and 300 Systems |
| 26161 | Autoseal Tip Assembly | for ASE 200 Systems, Siltek Treated |
| 26162 | Autoseal Tip Assembly | for ASE 200 Systems, Stainless Steel |
| 26166 | ASE 200 Cap Insert | for use with Cat. #26096 only 2pk |
| 26167 | ASE 300 Cap Insert | for use with Cat. #26170 only 2pk |
| 26168 | Cellulose Filters | for ASE 300, 100pk Replaces Dionex #056780 |
| 26169 | ASE Funnel | For ASE 300 Sample Cells |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 26170 | ASE Caps | ASE 300 Extraction Replacement Caps, 2pk |
| 26172 | ASE 300 Tube, 10ml | Replacement Extraction Tube |
| 26174 | ASE Frits | ASE 300/100 Replacement Frits, 6pk |
| 26176 | ASE 300 Tube, 34ml | Replacement Extraction Tube |
| 26178 | ASE 300 Tube, 66ml | Replacement Extraction Tube |
| 26180 | ASE Tools | Funnel for ASE 200 |
| 26181 | ASE Tools | 2-in-1 Filter/O-Ring Insertion Tool for ASE 100/200/300 (includes Resprep Tool Ha |
| 26182 | ASE Tools | Resprep Tool Handle for ASE 100/200/300 |
| 26183 | ASE Tools | Filter Insertion Attachments for ASE 100/200/300 (1mL, 5mL, 11mL, 33mL) |
| 26184 | ASE 200 Snap Ring | for caps, 10pk |
| 26185 | ASE Pliers | ASE Internal Retaining Ring Pliers, for use with ASE 200 and 300 Sample Tubes |
| 26187 | O-rings, PTFE | for ASE 200 and 300 Caps, 100pk, Replaces Dionex #049457 |
| 26188 | O-rings, Viton | for ASE 200 and 300 Caps, 50pk Replaces Dionex #056325 |
| 26189 | Filters, Glass Fiber | for ASE 300, 100pk, Replaces Dionex #056781 |
| 26190 | Filters, Cellulose | for ASE 200, 1000pk, Replaces Dionex #049458 |
| 26191 | Collection Bottle | 250mL, Pre-cleaned Clear Glass for ASE 300, 12pk, Replaces Dionex #056284 |
| 26193 | Combo SPE Tube | 6ml/500mg Carboprep 90/500 Aminopropyl Polyethylene Frits 30pk |
| 26194 | Combo SPE Tube | 6ml/500mg Carboprep 90/500mg PSA Polyethylene Frits 30pk |
| 26195 | SPE Tube | 90/500mg PSA Polyethylene Frits 30pk |
| 26204 | Sodium Sulfate | 5kg |
| 26205 | SPE Florisil, 6mL/1000mg | 100pk |
| 26206 | Closed End SPE Cartridges | Carboprep 200, 500mg, 30pk |
| 26207 | Closed End SPE Cartridges | Activated Sodium Sulfate 2g, 50pk |
| 26208 | SPE GHB Tubes | 200mg, 10ml, 50pk |
| 26209 | 1/4" Sample Inlet | w/Nut and Ferrules, 6" Length |
| 26210 | 1/4" Sample Inlet | w/Nut and Ferrules, 6" Length, Siltek Treated |
| 26211 | 1/4" Sample Inlet | w/Nut and Ferrules, 1.5" Length |
| 26212 | 1/4" Sample Inlet | w/Nut and Ferrules, 1.5" Length Siltek Treated |
| 26215 | QuEChERS SPE | Q-sep Q210 Micro-Centrifuge Tube 2mL 150mg, MgSO4,25mg PSA, 100-pk Pack |
| 26216 | QuEChERS SPE | Q-sep Q211 2mL Micro-Centrifuge Tube, 150mg MgSO4, 25mg PSA, 25mg C18, |
| 26217 | QuEChERS SPE | Q-sep Q212 Micro-Centrifuge Tube, 2mL 150mg MgSO4, 25mg PSA, 2.5mg Carb |
| 26218 | QuEChERS SPE | Q-sep Q213 Micro-Centrifuge Tube, 2mL, 150mg MgSO4, 25mg PSA, 7.5mg Carl |
| 26219 | QuEChERS SPE | Q-sep Q252 Micro-Centrifuge Tube 2mL, 150mg MgSO4, 50mg PSA, 50mg C18, |
| 26220 | QuEChERS SPE | Q-sep Q350 15mL Centrifuge Tube, 1200mg MgSO4, 400mg PSA, 50pk, Packag |
| 26221 | QuEChERS SPE | Q-sep Q351, 15mL Centrifuge Tube, 1200mg MgSO4, 400mg PSA, 400mg C18, 5 |
| 26222 | QuEChERS SPE | Q-sep Q352 15mL Centrifuge Tube, 1200mg MgSO4, 400mg PSA, 400mg C18, 4 |
| 26223 | QuEChERS SPE | Q-sep Q370 15mL Centrifuge Tube, 900mg MgSO4, 150mg PSA, 50pk |
| 26224 | QuEChERS SPE | Q-sep Q371 15mL Centrifuge Tube, 900mg MgSO4, 150mg PSA, 15mg Carbon, 5 |
| 26225 | QuEChERS SPE | Q-sep Q372 15mL Centrifuge Tube 900mg MgSO4, 150mg PSA, 45mg Carbon, 5 |
| 26226 | QuEChERS SPE | Q-sep Q373 15mL Centrifuge Tube, 900mg MgSO4, 150mg PSA, 150mg C18, 50 |
| 26228 | SPE Tubes | 15mL/2g Florisil, 100-pk |
| 26229 | PEEK Washer | for ASE 200 Extraction Unit, 1000-pk, Replaces Dionex # 049454 |
| 26230 | Q-sep 3000 Centrifuge | 110V |
| 26231 | Q-sep 3000 Centrifuge | 220V |
| 26232 | 50mL Tube Carrier | for the Q-sep 3000 Centrifuge, 2-pk |
| 26233 | 4-place Tube Carrier | for the Q-sep 3000 Centrifuge, 2-pk |
| 26234 | 2mL Tube Adapters | for the Q-sep 3000 Centrifuge, 4-pk |
| 26235 | QuEChERS SPE | Q-sep Q110 Packet & 50mL Tube, 4gMgSO4,1gNaCl,1gTSCD,0.5gDHS, Box of 5 |
| 26236 | QuEChERS SPE | Q-sep Q110 Packet 4gMgSO4,1gNaCl,1gTSCD,0.5gDHS Box of 50 Packets |
| 26237 | QuEChERS SPE | Q-sep Q150 Packet & 50ml Tube 6g MgSO4, 1.5g NaOAc Box of 50 Packets and |
| 26238 | QuEChERS SPE | Q-sep Q150 Packet 6g MgSO4, 1.5g NaOAc Box of 50 Packets |
| 26239 | QuEChERS SPE | Q-sep Empty 50ml Tube, 50-pk |
| 26246 | Autoseal Tip Assembly | For Dionex ASE 300 Systems, Stainless Steel |
| 26247 | Autoseal Tip Assembly | For Dionex ASE 300 Systems, Siltek treated |
| 26248 | Tubing Assembly | For Dionex ASE 300 Systems |
| 26249 | 50mL Conical Tube Insert | for the Q-sep 3000 Centrifuge, 6-pk |
| 26250 | Sample Delivery System | Compatible with Resprep Tubes 1ml, 3ml, 6ml, 15ml and Diskcover-47, 6pk |
| 26251 | Tubing Assembly | for Dionex ASE 200 Systems |
| 26252 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Non-Siltek, 0.000 |
| 26253 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Siltek, 0.0008" Or |
| 26254 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Non-Siltek, 0.001 |
| 26255 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Siltek, 0.0012" Or |
| 26256 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Non-Siltek, 0.001 |
| 26257 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Siltek, 0.0016" Or |
| 26258 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Non-Siltek, 0.002 |
| 26259 | Mini Passive Air Sampling | CONFIRM DELIVERY WITH OPERATIONS > 25 Complete Kit, Siltek, 0.0020" Or |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 26260 | Collection Bottle | 250mL, Precleaned Amber Glass for ASE 300, 12-pk |
| 26261 | Tool | The Claw |
| 26262 | Tool | The Claw Holder Kit, Includes The Claw and Holder |
| 26263 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0018" orifice, 10 micron frit, Stainless Steel |
| 26264 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0020" orifice, 10 micron frit, Stainless Steel |
| 26265 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0030" orifice, 10 micron frit, Stainless Steel |
| 26266 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0040" orifice, 10 micron frit, Stainless Steel |
| 26267 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0055" orifice, 10 micron frit, Stainless Steel |
| 26268 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0080" orifice, 10 micron frit, Stainless Steel |
| 26269 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0090" orifice, 10 micron frit, Stainless Steel |
| 26270 | Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0130" orifice, 10 micron frit, Stainless Steel |
| 26271 | Replacement Fitting | w/ 0.0018" orifice, for Grab Sampling Kit, SS |
| 26272 | Replacement Fitting | w/ 0.0020" orifice, for Grab Sampling Kit, SS |
| 26273 | Replacement Fitting | w/ 0.0030" orifice, for Grab Sampling Kit, SS |
| 26274 | Replacement Fitting | w/ 0.0040" orifice, for Grab Sampling Kit, SS |
| 26275 | Replacement Fitting | w/ 0.0055" orifice, for Grab Sampling Kit, SS |
| 26276 | Replacement Fitting | w/ 0.0080" orifice, for Grab Sampling Kit, SS |
| 26277 | Replacement Fitting | w/ 0.0090" orifice, for Grab Sampling Kit, SS |
| 26278 | Replacement Fitting | w/ 0.0130" orifice, for Grab Sampling Kit, SS |
| 26279 | 10 Micron Frit | Replacement for Grab Sampling Kit, Stainless Steel, 3-pk |
| 26280 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0018" orifice, 10 micron frit, Siltek Treated |
| 26281 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/0.0020" orifice, 10 micron frit, Siltek Treated |
| 26282 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0030" orifice, 10 micron frit, Siltek Treated |
| 26283 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0040" orifice, 10 micron frit, Siltek Treated |
| 26284 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0055" orifice, 10 micron frit, stainless steel |
| 26285 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fittinge w/ 0.0080" orifice, 10 micron frit, stainless steel |
| 26286 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0090" orifice, 10 micron frit, stainless steel |
| 26287 | Siltek Grab Sampling Kit | Includes 6" sample inlet, fitting w/ 0.0130" orifice, 10 micron frit, stainless steel |
| 26288 | Replacement Fitting | w/ 0.0018" orifice, for Grab Sampling Kit, Siltek treated |
| 26289 | Replacement Fitting | w/ 0.0020" orifice, for Grab Sampling Kit, Siltek treated |
| 26290 | Replacement Fitting | w/ 0.0030" orifice, for Grab Sampling Kit, Siltek treated |
| 26291 | Replacement Fitting | w/ 0.0040" orifice, for Grab Sampling Kit, Siltek treated |
| 26292 | Replacement Fitting | w/ 0.0055" orifice, for Grab Sampling Kit, Siltek treated |
| 26293 | Replacement Fitting | w/ 0.0080" orifice, for Grab Sampling Kit, Siltek treated |
| 26294 | Replacement Fitting | w/ 0.0090" orifice, for Grab Sampling Kit, Siltek treated |
| 26295 | Replacement Fitting | w/ 0.0130" orifice, for Grab Sampling Kit, Siltek treated |
| 26296 | Siltek 10 micron Frit | Replacement for Grab Sampling Kit, Siltek Treated, 3-pk |
| 26297 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Male NPT 3500psig DOT press rating Stainless Steel |
| 26298 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Female NPT 3500psig DOT press rating, Stainless Steel |
| 26299 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Female NPT 3500psig DOT press rating, Sulfinert |
| 26300 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Male Compression, 3500psig DOT press rating, SS |
| 26301 | USE CTO.MISC TO PROCESS | USE CTO.MISC TO PROCESS ORDER Sample Cylinder Valve 1/4" Male NPT x |
| 26301-1 | Sample Cylinder Valve | SS, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 26301-2 | Sample Cylinder Valve | SS, 1/4"NPTx1/4"NPT w/Dip Tube 3-3/8 inches |
| 26302 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Male NPT w/1800psi Rupture Disc, 3500psig DOT press rat |
| 26303 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Male NPT w/1800psi Rupture Disc, 3500psig DOT press rat |
| 26304 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Female NPT w/1800psi Rupture Disc, 3500psig DOT press |
| 26305 | Sample Cylinder Valve | 1/4" Male NPT x 1/4" Female NPT w/1800psi Rupture Disc, 3500psig DOT press |
| 26306 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Male NPT 5000psig DOT press rating, Stainless Steel |
| 26307 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Male NPT 5000psig DOT press rating, Sulfinert |
| 26308 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Female NPT 5000psig DOT press rating, Stainless Steel |
| 26309 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Female NPT 5000psig DOT press rating, Sulfinert |
| 26310 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Male Compression, 5000psig DOT press rating, SS |
| 26311 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Male Compression, 5000psig DOT press rating, Sulfinert |
| 26312 | USE CTO.MISC TO PROCESS | USE CTO.MISC TO PROCESS ORDER Sample Cylinder Valve UHP 1/4" Male N |
| 26312-1 | Sample Cylinder Valve | SS, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 26313 | USE CTO.MISC TO PROCESS | USE CTO.MISC TO PROCESS ORDER Sample Cylinder Valve UHP 1/4" Male N |
| 26313-1 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 1-1/2 inches |
| 26313-2 | Sample Cylinder Valve | Sulfinert, 1/4"NPTx1/4"NPT w/Dip Tube 5-1/4 inches |
| 26314 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Male NPT w/2850psi Rupture Disc, 5000psig DOT press rat |
| 26315 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Male NPT w/2850psi Rupture Disc, 5000psig DOT press rat |
| 26316 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Female NPT w/2850psi Rupture Disc, 5000psig DOT press |
| 26317 | Sample Cylinder Valve UHP | 1/4" Male NPT x 1/4" Female NPT w/2850psi Rupture Disc, 5000psig DOT press |
| 26318 | Rupture Disc Tee | 1/4" Male NPT x 1/4" Female NPT 1800psig DOT press rating Stainless Steel |
| 26319 | Rupture Disc Tee | 1/4" Male NPT x 1/4" Female NPT 1800psig DOT press rating Sulfinert |
| 26320 | Rupture Disc Replacement | Fits Rupture Disc Tee 1800psig DOT press rating Stainless Steel |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 26322 | Rupture Disc Tee | 1/4" Male NPT x 1/4" Female NPT 2850psig DOT press rating Stainless Steel |
| 26323 | Rupture Disc Tee | 1/4" Male NPT x 1/4" Female NPT 2850psig DOT press rating Sulfinert |
| 26324 | Rupture Disc Replacement | Fits Rupture Disc Tee 2850psig DOT press rating Stainless Steel |
| 26326 | Metering Control Valve | 1/4" Male NPT x 1/4" Male NPT 3500psig DOT press rating, Stainless Steel |
| 26327 | Metering Control Valve | 1/4" Male NPT x 1/4" Male NPT 3500psig DOT press rating, Sulfinert |
| 26328 | Gas Sampling Bag | ALTEF, 12L, 13"x24" w/Polypropylene combo valve & septum, 1 eyelet, 10-pk |
| 26329 | Gas Sampling Bag | ALTEF, 40L, 24"x 24.25" w/Polypropylene combo valve & septum, 1 eyelet, 5-pk |
| 26330 | Gas Sampling Bag | ALTEF, 80L, 28.25" x 30.5" w/polypropylene combo valve & septum, 1 eyelet, 3-pk |
| 26331 | Gas Sampling Bag | ALTEF, 100L, 28" x 36" w/polypropylene combo valve & septum, 1 eyelet, 3-pk |
| 26393 | Active Inlet Cartridge | Designed for Agilent Models 1050, 1100, 1200 |
| 26394 | PEEK Performance Kit | Includes: Hub-Cap Adapter w/Cap, Clean-cut Tubing Cutter, Tubing Clips, Finger |
| 26395 | Hub-Cap Filter Kit | for HPLC, Used to prefilter the Mobil Phase |
| 26396 | Membrane Filters | Polypropylene, 47mm, 0.45um, 100pk |
| 26397 | Membrane Filters | Polypropylene, 47mm, 0.22um, 100pk |
| 26398 | Membrane Filters | Nylon, 47mm, 0.45um, 100pk |
| 26399 | Membrane Filters | Nylon, 47mm, 0.22um, 100pk |
| 26400 | HPLC Through Valve | 2-Way, 1/16" Fittings, 1/4-28, SS, Includes Nuts and Ferrules |
| 26401 | HPLC Angle Valve | 2-Way, 1/16" Fittings, SS, Includes Nuts and Ferrules |
| 26402 | HPLC Bottom Vent Valve | 3-Way, 1/16" Fittings, 1/4-28, SS, Includes Nuts and Ferrules |
| 26403 | HPLC Side Vent Valve | 1/16" Fittings, 1/4-28, SS, Includes Nuts and Ferrules |
| 26404 | HPLC Dual Stem Valve | 3-Way, 1/16" Fittings, 1/4-28, SS, Includes Nuts and Ferrules |
| 26405 | HPLC Check Valve | Soft Seat, 1/16" Fittings, SS, Includes Nuts and Ferrules |
| 26406 | HPLC Prime/Purge Valve | 1/4-28 Flanged Seat, SS, w/Tubing and Fittings |
| 26407 | Valve Repair Kit | For Prime/Purge Valve |
| 26408 | Pack in a Box | HPLC Column Packing Station Includes Pump, Reservoir, Column Hardware, Pac |
| 26409 | HyperShear Static Mixer | In-Line Mixer Assembly 1uL Stainless Steel |
| 26410 | HyperShear Static Mixer | In-Line Mixer Assembly 1uL Peek |
| 26411 | HyperShear Static Mixer | In-Line Mixer Assembly 25uL Stainless Steel |
| 26412 | HyperShear Static Mixer | In-Line Mixer Assembly 25uL PEEK |
| 26413 | HyperShear Static Mixer | In-Line Mixer Assembly 50uL PEEK |
| 26414 | HyperShear Static Mixer | In-Line Mixer Assembly 150uL PEEK |
| 26415 | HyperShear Static Mixer | In-Line Mixer Assembly 250uL PEEK |
| 26416 | QuickSplit Flow Splitter | Adjustable Flow Splitter Split Ratio 50:1 to 1000:1 Post Column |
| 26417 | In-Line Check Valve | With 1/8" Ball Cartridge 48uL intrenal volume, 15,000psi max pressure |
| 26418 | In-Line CV Cartridge | Replacement 1/8" Ball Cartridge 48uL internal volume, 15,000psi max pressure |
| 26419 | In-Line Check Valve, UHP | With 1/8" Ball Cartridge, Ultra High Pressure, 48uL internal volume, 30,000psi ma |
| 26420 | In-Line CV Cartridge, UHP | Replacement 1/8" Ball Cartridge, Ultra High Pressure 48uL internal volume, 30,00 |
| 26421 | In-Line Check Valve | With 3/16" Ball Cartridge, 60uL internal volume, 15,000psi max pressure |
| 26422 | In-Line CV Cartridge | Replacement 3/16" Ball Cartridge 60uL internal volume, 15,000psi max pressure |
| 26423 | Solvent Inlet Filter, SS | For Agilent 1040, 1050, 1090, 1100, 1200, 8452A, 8453, G1265A, G1311, G1312A |
| 26424 | Stator Face Assembly | For Agilent 1100 and 1200 |
| 26425 | Standard Pump Seals | For Perkin Elmer Kit S200 |
| 26426 | Check Valve, Inlet | For Shimadzu LC-20AD/B |
| 26427 | Check Valve, Outlet | For Shimadzu LC-20AD/B |
| 26428 | Head Plunger Seal | For Waters Acquity and nanoAcquity, 2-pk |
| 26429 | Wash Seal | For Waters Acquity and nanoAcquity, 2-pk |
| 26430 | Pump PM Kit | For Waters Pump PM Kit |
| 26510 | Secure-Fit Fitting | Stainless Steel Single Ended 50cm x 0.005" ID |
| 26511 | Secure-Fit Fitting | Stainless Steel Single Ended 50cm x 0.007" ID |
| 26512 | Secure-Fit Fitting | Stainless Steel Single Ended 50cm x 0.010" ID |
| 26513 | Secure-Fit Fitting | Stainless Steel Double Ended 50cm x 0.005" ID |
| 26514 | Secure-Fit Fitting | Stainless Steel Double Ended 50cm x 0.007" ID |
| 26515 | Secure-Fit Fitting | Stainless Steel Double Ended 50cm x 0.010" ID |
| 26516 | Sidewinder Column Heater | Temp. Control Module w/Long Column Holder (25cm) |
| 26517 | Sidewinder Column Heater | Temp. Control Module w/Short Column Holder (10cm) |
| 26518 | Sidewinder Column Module | Heater/Cooler Temp. Control Module, 30cm Holder |
| 26519 | Preventative Maint. Kit | for Waters 515 Pump. Kit Includes: 1 Solvent Filter 10um, 2 performance plus che |
| 26520 | Injector Lubricant | PTFE, 10 grams |
| 26521 | Inlet Check Valve | for Shimadzu LC-10AT, LC-10ATvp. |
| 26525 | Capillary SS Tubing | 130mm x 0.17mm ID, Green, 1/16" SS Male Nut, F/B Ferrule Set |
| 26526 | Capillary SS Tubing | 800mm x 0.17mm ID, Green 1/16" SS Male Nut, F/B Ferrule Set 1/16" Rheodyne |
| 26527 | Capillary SS Tubing | 180mm x 0.17mm ID, Green 1/16" SS Male Nut, F/B Ferrule Set |
| 26528 | Capillary SS Tubing | 700mm x 0.25mm ID, Blue 1/16" SS Male Nut, F/B Ferrule Set |
| 26529 | Capillary SS Tubing | 700mm x 0.25mm ID, Blue 1/16" SS Male Nut, F/B Ferrule Set 1/16" Rheodyne M |
| 26530 | Seat Capillary | SS Tubing 0.17mm ID, Green 1/16" SS Male Nut, F/B Ferrule Set 1/16" Rheodyne |
| 26531 | Capillary SS Tubing | 105mm x 0.17mm ID, Green |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 26532 | Mixing Capillary | 1/16" SS Male Nut, F/B Ferrule Set 1/16" Female Nut |
| 26533 | Tubing | Valve to Metering Head, Blue 1/16" SS Male Nut, F/B Ferrule Set 1/16" Rheodyne |
| 26534 | Capillary SS Tubing | 150mm x 0.17mm ID, Green |
| 26535 | Capillary SS Tubing | 280mm x 0.17mm ID, Green |
| 26536 | Capillary SS Tubing | 400mm x 0.17mm ID, Green |
| 26537 | Fitting, Stainless Steel | 1/16" Male Nut, 1/16" Front and Back Ferrule Set, 10pk |
| 26538 | Hub-Cap Adapter | Adapter to use the Opti-Cap on a 4 Liter Bottle |
| 26539 | Hub-Cap Adapter | Adapter to use the Opti-Cap on a 4 Liter Bottle, 3pk |
| 26540 | Hub-Cap Adapter | New 4 Liter Bottle Adapter and Opti-Cap |
| 26541 | Hub-Cap Assembly | Assembly of the Bottle Cap and Plug |
| 26542 | Hub-Cap Multi Pack | 3pk |
| 26543 | Mobile Phase Indicator | Waste Overflow Indicator for HPLC Systems, AA Battery Operated |
| 26544 | Replacement AA Battery | for the Mobile Phase Waste Indicator |
| 26545 | Replacement AA Batteries | for the Mobile Phase Waste Indicator, 3pk |
| 26546 | BioSafe Column System | PEEK, 4.6x30mm, 2um |
| 26547 | Face Seals | Replacement Kit, 4pk |
| 26548 | 1/16" Ferrule, 316 SST | 10pk, Component of Kit 25097 |
| 26549 | UHP Pulse Dampener | |
| 26550 | Waste Overflow Indicator | for HPLC Systems w/GL45 Bottles, Alerts user to empty the waste collection bottle |
| 26551 | Opti-cap adapter | w/Hub cap |
| 27100 | Septa, BTO | 5mm, CenterGuide, 50pk |
| 27101 | Septa, BTO | 5mm, CenterGuide, 100pk |
| 27102 | Septa, BTO | 6mm, 50pk |
| 27103 | Septa, BTO | 6mm, 100pk |
| 27104 | Septa, BTO | 9mm, CenterGuide, 50pk |
| 27105 | Septa, BTO | 9mm, CenterGuide, 100pk |
| 27106 | Septa, BTO | 9.5mm, 50pk |
| 27107 | Septa, BTO | 9.5mm, 100pk |
| 27108 | Septa, BTO | 10mm, 50pk |
| 27109 | Septa, BTO | 10mm, 100pk |
| 27110 | Septa, BTO | 11mm, CenterGuide, 50pk |
| 27111 | Septa, BTO | 11mm, CenterGuide,100pk |
| 27112 | Septa, BTO | 11.5mm, CenterGuide, 50pk |
| 27113 | Septa, BTO | 11.5mm, CenterGuide, 100pk |
| 27114 | Septa, BTO | 12.7mm (1/2"), CenterGuide, 50pk |
| 27115 | Septa, BTO | 12.7mm (1/2"), CenterGuide, 100pk |
| 27116 | Septa, BTO | 17mm, CenterGuide, 50pk |
| 27117 | Septa, BTO | 17mm, CenterGuide, 100pk |
| 27118 | Septa, BTO | Shimadzu Plug, 50pk |
| 27119 | Septa, BTO | Shimadzu Plug, 100pk |
| 27120 | Septa, Thermolite | 5mm (3/16"), 25pk |
| 27121 | Septa, Thermolite | 5mm (3/16"), 50pk |
| 27122 | Septa, Thermolite | 5mm (3/16"), 100pk |
| 27123 | Septa, Thermolite | 6mm (1/4"), 25pk |
| 27124 | Septa, Thermolite | 6mm (1/4"), 50pk |
| 27125 | Septa, Thermolite | 6mm (1/4"), 100pk |
| 27126 | Septa, Thermolite | 7mm, 25pk |
| 27127 | Septa, Thermolite | 7mm, 50pk |
| 27128 | Septa, Thermolite | 7mm, 100pk |
| 27129 | Septa, Thermolite | 8mm, 25pk |
| 27130 | Septa, Thermolite | 8mm, 50pk |
| 27131 | Septa, Thermolite | 8mm, 100pk |
| 27132 | Septa, Thermolite | 9mm, 25pk |
| 27133 | Septa, Thermolite | 9mm, 50pk |
| 27134 | Septa, Thermolite | 9mm, 100pk |
| 27135 | Septa, Thermolite | 9.5mm (3/8"), 25pk |
| 27136 | Septa, Thermolite | 9.5mm (3/8"), 50pk |
| 27137 | Septa, Thermolite | 9.5mm (3/8"), 100pk |
| 27138 | Septa, Thermolite | 10mm, 25pk |
| 27139 | Septa, Thermolite | 10mm, 50pk |
| 27140 | Septa, Thermolite | 10mm, 100pk |
| 27141 | Septa, Thermolite | 11mm (7/16"), 25pk |
| 27142 | Septa, Thermolite | 11mm (7/16"), 50pk |
| 27143 | Septa, Thermolite | 11mm (7/16"), 100pk |
| 27144 | Septa, Thermolite | 11.5mm, 25pk |
| 27145 | Septa, Thermolite | 11.5mm, 50pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 27146 | Septa, Thermolite | 11.5mm, 100pk |
| 27147 | Septa, Thermolite | 12.7mm (1/2"), 25pk |
| 27148 | Septa, Thermolite | 12.7mm (1/2"), 50pk |
| 27149 | Septa, Thermolite | 12.7mm (1/2"), 100pk |
| 27150 | Septa, Thermolite | 17mm, 25pk |
| 27151 | Septa, Thermolite | 17mm, 50pk |
| 27152 | Septa, Thermolite | 17mm, 100pk |
| 27153 | Septa, Thermolite | Shimadzu Plug, 25pk |
| 27154 | Septa, Thermolite | Shimadzu Plug, 50pk |
| 27155 | Septa, Thermolite | Shimadzu Plug, 100pk |
| 27156 | Septa, Ice Blue | 9mm, 50pk |
| 27157 | Septa, Ice Blue | 9mm, 100pk |
| 27158 | Septa, Ice Blue | 9.5mm, 50pk |
| 27159 | Septa, Ice Blue | 9.5mm, 100pk |
| 27160 | Septa, Ice Blue | 10mm, 50pk |
| 27161 | Septa, Ice Blue | 10mm, 100pk |
| 27162 | Septa, Ice Blue | 11mm, 50pk |
| 27163 | Septa, Ice Blue | 11mm, 100pk |
| 27164 | Septa, Ice Blue | 11.5mm, 50pk |
| 27165 | Septa, Ice Blue | 11.5mm, 100pk |
| 27166 | Septa, Ice Blue | 12.7mm (1/2"), 50pk |
| 27167 | Septa, Ice Blue | 12.7mm (1/2"), 100pk |
| 27168 | Septa, Ice Blue | 17mm, 50pk |
| 27169 | Septa, Ice Blue | 17mm, 100pk |
| 27170 | Septa, Ice Blue | Shimadzu Plug, 50pk |
| 27171 | Septa, Ice Blue | Shimadzu Plug, 100pk |
| 27184 | Inlet Adapter Kit | for Single Column Installation, for Agilent Capillary Injectors |
| 27185 | Inlet Adapter Kit | for Dual Column Installation, for Agilent Capillary Injectors |
| 27190 | Replacement Micro ECD | Liner, 1.0mm x 1.25 x 39, ea (Not IP Deactivated) |
| 27191 | Replacement Micro ECD | Liner, 1.0mm x 1.25 x 39, 5pk (Not IP Deactivated) |
| 27192 | Replacement ECD | Fused Silica Liner 1.0mm x 1.25 x 39, ea |
| 27193 | Replacement ECD | Fused Silica Liner 1.0mm x 1.25 x 39, 5pk |
| 27194 | Mass Spec Cleaning Kit | w/Dremel Tool |
| 27195 | Mass Spec Cleaning Kit | w/o Dremel Tool |
| 27196 | Mass Spec Cleaning Kit | Replacement Parts Kit, Includes Cloths, Micromesh Sheets, Small and Large Glov |
| 27197 | Opti-Cap Adapter | For using a 4L bottle cap with a GL 45 bottle |
| 27198 | Opti-Cap Adapter | For using a 4L bottle cap with a GL 45 bottle, 3-pk |
| 27199 | Heater Block | For use w/Agilent 6850/6890/7890 GC's with Split/Splitless Injection Ports |
| 27200 | Heater/Sensor Assembly | for Agilent 6850/6890/7890 FID, TCD, NPD, and Split/Splitless Inlets |
| 30001 | VOA Mix, CLP method | Screening Std #1 1000ug/ml, PTM, 1ml |
| 30002 | VOA Mix, CLP method | Screening Std #2 1000ug/ml, PTM, 1ml |
| 30003 | VOA Mix | GC/MS Tuning Std 4-bromofluorobenzene 5000ug/ml, PTM, 1ml |
| 30004 | VOA Mix, CLP method | Surrogate Spike Std 2500ug/ml, PTM, 1ml |
| 30005 | VOA Mix, CLP method | Matrix Spike Std 2500ug/ml, PTM, 1ml |
| 30006 | VOA Mix, CLP method | Calibration Std #1 ketones 5000ug/ml, PTM, 1ml |
| 30007 | VOA Mix, CLP method | Calibration Std #2 |
| 30008 | VOA Mix, CLP method | Calibration Std #3 2000ug/ml,PT&M,1ml/ampul |
| 30009 | VOA Mix, CLP method | Calibration Std #4 2000ug/ml,PT&M,1ml/ampul |
| 30010 | VOA Mix, CLP method | Calibration Std #5 gases (4 compounds) 2000ug/ml,PT&M,1ml/ampul |
| 30011 | VOA Mix, CLP method | Internal Std 2500ug/ml, PTM, 1ml |
| 30012 | HPLC OQ Gradient Standard | 1mL |
| 30020 | VOA Mix, 600 series | method 624 Calibration Std #1 gases (5 compounds) 2000ug/ml,PT&M,1ml/ampul |
| 30021 | VOA Mix, 600 series | method 624 Calibration Std #2 2000ug/ml,PT&M,1ml/ampul |
| 30022 | VOA Mix, 600 series | method 624 Calibration Std #3 2000ug/ml,PT&M,1ml/ampul |
| 30023 | VOA Mix, 600 series | method 624 Internal Std 1500ug/ml,PT&M,1ml/ampul |
| 30024 | VOA Mix, Solid Waste | TCLP Method 1311 Std 2000ug/ml,PTM/H2O 90:10,1ml/ampul |
| 30025 | VOA Mix | benzene-d6 2000ug/ml,P&T methanol,1ml |
| 30026 | VOA Mix | 4-bromofluorobenzene 2000ug/ml,P&T methanol,1ml |
| 30027 | VOA Mix | 1,2-dichloroethane-d4 2000ug/ml,P&T methanol,1ml |
| 30028 | VOA Mix | ethylbenzene-d5 2000ug/ml,P&T methanol,1ml |
| 30029 | VOA Mix | ethylbenzene-d10 2000ug/ml,P&T methanol,1ml |
| 30030 | VOA Mix | fluorobenzene 2000ug/ml,P&T methanol,1ml |
| 30031 | VOA Mix | pentafluorobenzene 2000ug/ml,P&T methanol,1ml |
| 30032 | VOA Mix | 1,4-difluorobenzene 2000ug/ml,P&T methanol,1ml |
| 30035 | VOA Mix,600 series method | 602 Purgeable aromatics 2000ug/ml,PT&M,1ml/ampul |
| 30036 | VOA Mix 500 series method | 501 Trihalomethane 200ug/ml PT&M 1ml/ampul |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 30037 | VOA Mix,500 series method | DW-VOC Std #1 200ug/ml,PT&M,1ml/ampul |
| 30038 | VOA Mix,500 series method | DW-VOC Std #2 200ug/ml,PT&M,1ml/ampul |
| 30040 | VOA Mix,500 series method | 502.2 Internal Std #1 1-chloro-2-fluorobenzene 2000ug/ml,PTM,1ml |
| 30041 | VOA Mix,500 series method | 502.2 Internal Std #2 2000ug/ml,PT&M,1ml/ampul |
| 30042 | VOA Mix,500 series method | 502.2 Calibration Std #1 gases (6 compounds) 2000ug/ml, PTM, 1ml |
| 30043 | VOA Mix,500 series method | 502.2 Calibration Std #2 2000ug/ml,PT&M,1ml/ampul |
| 30044 | VOA Mix,500 series method | 502.2 Calibration Std #3 2000ug/ml,PT&M,1ml/ampul |
| 30045 | VOA Mix,500 series method | 502.2 Calibration Std #4 2000ug/ml,PT&M,1ml/ampul |
| 30046 | VOA Mix,500 series method | 502.2 Calibration Std #5 2000ug/ml,PT&M,1ml/ampul |
| 30047 | VOA Mix,500 series method | 502.2 Calibration Std #6 2000ug/ml,PT&M,1ml/ampul |
| 30048 | VOA Mix | a,a,a-trifluorotoluene 2000ug/ml,P&T methanol,1ml |
| 30049 | VOA Mix | 1,2-dichlorobenzene-d4 2000ug/ml,P&T methanol,1ml |
| 30051 | VOA Mix | BTEX Std 200ug/ml,PT&M,1ml |
| 30055 | VOA Kit, 600 series | 624 Volatiles |
| 30056 | VOA Mix,8000 series | method 8010A Calibration Std #2 2000ug/ml,PT&M,1ml/ampul |
| 30057 | VOA Mix,8000 series | method 8010A Calibration Std #3 2000ug/ml,PT&M,1ml/ampul |
| 30061 | VOA Kit, 600 series | 601 Purgeable Halocarbons |
| 30062 | VOA Mix,8000 series | method 8011 Calibration Std 2000ug/ml,PT&M,1ml/ampul |
| 30065 | VOA Mix, UST Method | Gasoline Range Organics Std in PT&M,1ml/ampul |
| 30066 | VOA Mix | 1-chloro-4-fluorobenzene 2500ug/ml, P & T methanol,1ml |
| 30067 | VOA Mix | 4-bromofluorobenzene 2500ug/ml, P & T methanol,1ml |
| 30068 | VOA Mix | a,a,a-trifluorotoluene 2500ug/ml, P & T methanol,1ml |
| 30069 | VOA Mix, UST Method | Gasoline Range Organics Std 1000ug/ml,PT&M,1ml/ampul |
| 30073 | VOA Mix,8000 series | method 8260 Surrogate Std 2500ug/ml,PT&M,1ml/ampul |
| 30074 | VOA Mix,8000 series | method 8260 Internal Std 2500ug/ml,PT&M,1ml/ampul |
| 30075 | VOA Mix,8000 series | method 8240/60 System Perf. Ck 2000ug/ml,PT&m,1ml/ampul |
| 30076 | VOA Kit, 8000 Series | 8260 Volatile Organics |
| 30080 | VOA Mix | EPA 418.1 Calib.Std 1ml/ampul |
| 30081 | VOA Mix, UST Method | Unleaded gas composite 2500ug/ml,PT&M,1ml |
| 30082 | VOA Mix | 4-bromofluorobenzene 10,000ug/ml,P&T methanol,1ml |
| 30083 | VOA Mix | a,a,a-trifluorotoluene 10,000ug/ml,P&T methanol,1ml |
| 30084 | VOA Mix | 1-chlorooctane 10,000ug/ml,P&T methanol,1ml |
| 30086 | VOA Mix,8000 series | method 8021 Surrogate Std 1500ug/ml,PT&M,1ml/ampul |
| 30089 | VOA Mix, CLP method | Vinyl Chloride Mix (old description: QTM VOA Calibration Mix #2 vinyl chloride) 20 |
| 30090 | VOA Mix, CLP method | L/C Calibration Std #6 2000ug/ml,PT&M,1ml/ampul |
| 30091 | VOA Mix, CLP method | L/C Internal Std 2500ug/ml,PT&M,1ml/ampul |
| 30092 | VOA Mix, CLP method | L/C Lab Control Std #1 2500ug/ml,PT&M,1ml/ampul |
| 30093 | VOA Mix, CLP method | L/C Lab Control Std #2 2500ug/ml,PT&M,1ml/ampul |
| 30094 | VOA Mix, UST Method | Aviation Gas Std 2500ug/ml,PT&M,1ml |
| 30095 | VOA Mix, UST Method | PVOC/GRO (WI) Std (old description: Revised VPOC/GRO (WI) std) 1000ug/ml,F |
| 30096 | Unleaded Gasoline Std | Unweathered, ASTM Fire Debris Methods 5000 ug/mL P&T methanol, 1mL |
| 30097 | VOA Mix,Fire debris | method Unleaded gasoline Std 25% weathered 5000ug/ml,P&TM,1ml |
| 30098 | VOA Mix,Fire debris | method Unleaded gasoline Std 50% weathered 5000ug/ml,P&TM,1ml |
| 30099 | VOA Mix,Fire debris | method Unleaded gasoline Std 75% weathered 5000ug/ml,P&TM,1ml |
| 30100 | VOA Kit, ASTM method | Weathered Gasoline #1 Kit w/0%,25%,50%,75% weathered |
| 30112 | Tetrahydrofuran-d8 Std | |
| 30201 | VOA Mix,500 series method | 524 Internal Std/Surrogate Mix 2000ug/ml,PT&M,1ml/ampul |
| 30202 | VOA Mix,500 series method | 524 Calibration Std #7, 1mL, 2000ug/ml PT&M,2 ampul set |
| 30203 | VOA Mix,500 series method | 524 Calibration Std #8 2000ug/ml,PT&M,1ml/ampul |
| 30204 | VOA Kit, 500 Series | 524 Rev.4.0 Volatile Organics |
| 30205 | VOA Mix, UST Method | Unleaded gas composite (50,000ug/ml), 1ml (old description: unleaded gas compo |
| 30206 | VOA Mix, UST Method | Unleaded gas composite (50,000ug/ml), 5ml (old description: XHc unleaded gas c |
| 30207 | VOA Mix, UST Method | Aviation gas (50,000ug/ml), 1ml (old description: XHc aviation gas) |
| 30208 | VOA Mix, UST Method | Aviation gas (50,000ug/ml), 5ml (old description: XHc aviation gas std) |
| 30209 | VOA Mix,500 series method | Discontinue when stock is depleted DW-VOC Std #3 200ug/ml,PT&M,1ml/ampul |
| 30210 | VOA Kit, 500 Series | DW-VOC #1-K |
| 30211 | VOA Mix,500 series method | Trihalomethane Std 2000ug/ml,PT&M,1ml/ampul |
| 30212 | VOA Mix,8000 series | method Purgeable Halocarbon Std #1 2000ug/ml,PT&M,1ml/ampul |
| 30213 | VOA Mix | BTEX Std 2000ug/ml,PT&M,1ml/ampul |
| 30214 | VOA Mix,8000 series | method 8240 Alcohols Std 2000ug/ml,PT&M,1ml/ampul |
| 30215 | VOA Mix,8000 series | method 8240 Nitriles Std 2000ug/ml,PT&M,1ml/ampul |
| 30216 | VOA Mix | vinyl acetate 2000ug/ml,P&T methanol,1ml |
| 30217 | VOA Mix,8000 series | method 8240 Calibration Std #1A 2000ug/ml,PT&M,1ml/ampul |
| 30218 | VOA Mix,8000 series | method 8240 Calibration Std #2A 2000ug/ml,PT&M,1ml/ampul |
| 30219 | VOA Mix,500 series method | DW-VOC Std #1A 2000ug/ml,PT&M,1ml/ampul |
| 30220 | VOA Mix,500 series method | DW-VOC Std #2A 2000ug/ml,PT&M,1ml/ampul |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 30221 | VOA Kit, 500 Series | VOA Kit, 500 series DW-VOC #2-K |
| 30222 | VOA Mix,8000 series | method Method 8020A Calibration Mix (old description: Revised 8020A Calibratior |
| 30223 | VOA Mix | chlorobenzene-d5 2000ug/ml,P&T methanol,1ml |
| 30224 | VOA Mix | toluene-d8 2000ug/ml,P&T methanol,1ml |
| 30225 | VOA Mix | bromochloromethane 2000ug/ml,P&T methanol,1ml |
| 30226 | VOA Mix | 2-bromo-1-chloropropane 2000ug/ml,P&T methanol,1ml |
| 30227 | VOA Mix | 1,4-dichlorobutane 2000ug/ml,P&T methanol,1ml |
| 30228 | VOA Mix | 2-bromochlorobenzene 2000ug/ml,P&T methanol,1ml |
| 30230 | VOA Mix | 4-bromochlorobenzene 2000ug/ml,P&T methanol,1ml |
| 30231 | VOA Mix, UST Method | CA PVOC Std. . (old description: CA Revised PVOC Std) 1000ug/ml,PT&M,1ml/a |
| 30235 | VOA Mix,500 series method | DW-VOC Std #3A 2000ug/ml,PT&M,1ml/ampul |
| 30236 | VOA Mix, UST Method | CA WIP Std |
| 30237 | VOA Mix, UST Method | Cert.BTEX in unleaded gas 5500ug/ml,PT&M,1ml |
| 30238 | VOA Mix,8000 series | method Chloroprene 5000ug/ml,P&T methanol,1ml |
| 30239 | VOA Mix,500 series method | 504.1 Calibration Std 200ug/ml,PT&M,1ml/ampul |
| 30240 | VOA Mix,8000 series | method 8260A Surrogate Std 2500ug/ml,PT&M,1ml/ampul |
| 30241 | VOA Mix,8000 series | method 8260A Internal Std 2500ug/ml,PT&M,1ml/ampul |
| 30242 | VOA Kit, 8000 Series | VOA Kit, 8000 series 8260A Volatile Organics |
| 30243 | VOA Mix,600 series method | 624 Surrogate Std 2000ug/ml,PT&M,1ml/ampul |
| 30244 | VOA Kit, 600 Series | 624 Volatile Organics |
| 30245 | VOA Mix | acetone 5000ug/ml,P&T methanol,1ml |
| 30246 | VOA Mix | acrylonitrile 2000ug/ml,P&T methanol,1ml |
| 30248 | VOA Mix | allyl chloride 2000ug/ml,P&T methanol,1ml |
| 30249 | VOA Mix | benzene 2000ug/ml,P&T methanol,1ml |
| 30250 | VOA Mix | brombenzene 2000ug/ml,P&T methanol,1ml |
| 30251 | VOA Mix | bromodichloromethane 2000ug/ml,P&T methanol,1ml |
| 30252 | VOA Mix | bromoform 2000ug/ml,P&T methanol,1ml |
| 30253 | VOA Mix | bromomethane 2000ug/ml,P&T methanol,1ml |
| 30254 | VOA Mix | 2-butanone 5000ug/ml,P&T methanol,1ml |
| 30258 | VOA Mix | carbon disulfide 2000ug/ml,P&T methanol,1ml |
| 30259 | VOA Mix | carbon tetrachloride 2000ug/ml,P&T methanol,1ml |
| 30261 | VOA Mix | chlorobenzene 2000ug/ml,P&T methanol,1ml |
| 30263 | VOA Mix | chloroethane 2000ug/ml,P&T methanol,1ml |
| 30264 | VOA Mix | 2-chloroethanol 2000ug/ml,P&T methanol,1ml |
| 30265 | VOA Mix | 2-chloroethyl vinyl ether 2000ug/ml,P&T methanol,1ml |
| 30266 | VOA Mix | chloroform 2000ug/ml,P&T methanol,1ml |
| 30267 | VOA Mix | chloromethane 2000ug/ml,P&T methanol,1ml |
| 30270 | VOA Mix | 1,2-dibromo-3-chloropropane 2000ug/ml,P&T methanol,1ml |
| 30271 | VOA Mix | dibromochloromethane 2000ug/ml,P&T methanol,1ml |
| 30272 | VOA Mix | 1,2-dibromoethane 2000ug/ml,P&T methanol,1ml |
| 30274 | VOA Mix | trans-1,4-dichloro-2-butene 2000ug/ml,P&T methanol,1ml |
| 30275 | VOA Mix | dichlorodifluoromethane 2000ug/ml,P&T methanol,1ml |
| 30276 | VOA Mix | 1,1-dichloroethane 2000ug/ml,P&T methanol,1ml |
| 30277 | VOA Mix | 1,2-dichloroethane 2000ug/ml,P&T methanol,1ml |
| 30278 | VOA Mix | 1,1-dichloroethene 2000ug/ml,P&T methanol,1ml |
| 30279 | VOA Mix | cis-1,2-dichloroethene 2000ug/ml,P&T methanol,1ml |
| 30280 | VOA Mix | trans-1,2-dichloroethene 2000ug/ml,P&T methanol,1ml |
| 30281 | VOA Mix | 1,2-dichloropropane 2000ug/ml,P&T methanol,1ml |
| 30283 | VOA Mix | 2,2-dichloropropane 2000ug/ml,P&T methanol,1ml |
| 30284 | VOA Mix | cis-1,3-dichloropropene 2000ug/ml,P&T methanol,1ml |
| 30285 | VOA Mix | trans-1,3-dichloropropene 2000ug/ml,P&T methanol,1ml |
| 30286 | VOA Mix | diethyl ether 2000ug/ml,P&T methanol,1ml |
| 30287 | VOA Mix | 1,4-dioxane 2000ug/ml,P&T methanol,1ml |
| 30288 | VOA Mix | ethanol 2000ug/ml,P&T methanol,1ml |
| 30289 | VOA Mix | ethyl methacrylate 2000ug/ml,P&T methanol,1ml |
| 30290 | VOA Mix | ethylbenzene 2000ug/ml,P&T methanol,1ml |
| 30292 | VOA Mix | iodomethane 2000ug/ml,P&T methanol,1ml |
| 30293 | VOA Mix | isobutyl alcohol 2000ug/ml,P&T methanol,1ml |
| 30294 | VOA Mix | isopropylbenzene 2000ug/ml,P&T methanol,1ml |
| 30297 | VOA Mix | methacrylonitrile 2000ug/ml,P&T methanol,1ml |
| 30299 | VOA Mix | methyl methacrylate 2000ug/ml,P&T methanol,1ml |
| 30300 | VOA Mix,500 Series Method | 524 Calibration Mix 7A 1mL 2000ug/mL P&TM |
| 30304 | VOA Mix,500 Series Method | 524 Calibration Mix 7B 1mL 2000ug/mL P&TM |
| 30310 | SV Mix, CLP Method | L/C BN Lab Control Sample Ampul 1, 1mL, 1000ug/mL Methylene Chloride/Metha |
| 30400 | VOA Mix | 4-methyl-2-pentanone 5000ug/ml,P&T methanol,1ml |
| 30401 | VOA Mix | methylene chloride 2000ug/ml P&T methanol 1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 30402 | VOA Mix | methyl-tert-butyl ether 2000ug/ml,P&T methanol,1ml |
| 30403 | VOA Mix | 2-nitropropane 2000ug/ml,P&T methanol,1ml |
| 30404 | VOA Mix | pentachloroethane 2000ug/ml,P&T methanol,1ml |
| 30407 | VOA Mix | propionitrile 2000ug/ml,P&T methanol,1ml |
| 30409 | VOA Mix | pyridine 2000ug/ml,P&T methanol,1ml |
| 30410 | VOA Mix | styrene 2000ug/ml,P&T methanol,1ml |
| 30411 | VOA Mix | 1,1,1,2-tetrachloroethane 2000ug/ml,P&T methanol,1ml |
| 30412 | VOA Mix | 1,1,2,2-tetrachloroethane 2000ug/ml,P&T methanol,1ml |
| 30413 | VOA Mix | tetrachloroethene 2000ug/ml,P&T methanol,1ml |
| 30414 | VOA Mix | tetrahydrofuran 2000ug/ml,P&T methanol,1ml |
| 30415 | VOA Mix | toluene 2000ug/ml,P&T methanol,1ml |
| 30416 | VOA Mix | 1,2,3-trichlorobenzene 2000ug/ml,P&T methanol,1ml |
| 30418 | VOA Mix | 1,1,1-trichloroethane 2000ug/ml,P&T methanol,1ml |
| 30419 | VOA Mix | 1,1,2-trichloroethane 2000ug/ml,P&T methanol,1ml |
| 30420 | VOA Mix | trichloroethene 2000ug/ml,P&T methanol,1ml |
| 30421 | VOA Mix | trichlorofluoromethane 2000ug/ml,P&T methanol,1ml |
| 30422 | VOA Mix | 1,2,4-trimethylbenzene 2000ug/ml,P&T methanol,1ml |
| 30423 | VOA Mix | 1,3,5-trimethylbenzene 2000ug/ml,P&T methanol,1ml |
| 30424 | VOA Mix | m-xylene 2000ug/ml,P&T methanol,1ml |
| 30425 | VOA Mix | o-xylene 2000ug/ml,P&T methanol,1ml |
| 30426 | VOA Mix | p-xylene 2000ug/ml,P&T methanol,1ml |
| 30427 | VOA Mix,8000 series | method 8240/60 Calibration Check 2000ug/ml,PT&M,1ml/ampul |
| 30429 | VOA Mix | 1,2,3-trichloropropane 2000ug/ml,P&T methanol,1ml |
| 30430 | VOA Mix | dibromomethane 2000ug/ml,P&T methanol,1ml |
| 30431 | VOA Mix,500 series method | 502.2 CAL2000 MegaMix 2000ug/ml,PT&M,1ml/ampul |
| 30432 | VOA Mix,500 series method | 502.2 CAL200MegaMix 200ug/ml,PT&M,1ml/ampul |
| 30433 | VOA Mix, UST Method | PA DEP UST Std 2000ug/ml,PT&M,1ml |
| 30434 | VOA Mix, UST Method | MA VPH Std in PT&M,1ml |
| 30435 | VOA Mix, UST Method | 2,5-dibromotoluene MA VPH Surrogate Std 1000ug/ml,PT&M,1ml |
| 30436 | VOA Mix,Fire debris | method Unleaded Gas Std 99% weathered 5000ug/ml,P&TM,1ml |
| 30437 | Weathered Gasoline #2 | Kit w/0%,25%,50%,75%,99% weathered |
| 30438 | VOA Mix, CLP method | CLP VOA CAL2000 MegaMix Kit 1ml 2000ug/mL PTM 2 ampule kit Includes 1 x 3 |
| 30439 | VOA Mix,500 series method | 502.2 Calibration Std #1A 200ug/ml,PT&M,1ml/ampul |
| 30442 | VOA Kit, CLP Method | Calibration Standards Kit #2 |
| 30444 | VOA Kit, 500 Series | 502.2 Calibration Standards #1 |
| 30445 | VOA Kit, 500 Series | VOA Kit, 500 Series 502.2 Calibration Standards #2 |
| 30446 | VOA Kit, 500 Series | VOA Kit, 500 Series 502.2 Calibration Standards #3 |
| 30447 | VOA Kit, 500 Series | 524 Rev.4 Volatile Organics |
| 30450 | VOA Mix, UST Method | WA VPH Marker Std 1000ug/ml,PT&M,1ml |
| 30451 | VOA Mix, UST Method | WA VPH Std 1000ug/ml,PT&M,1ml/ampul |
| 30452 | VOA Mix, UST Method | MA VPH Std w/surrogate in PT&M,1ml |
| 30453 | VOA Mix, UST Method | 2,5-dibromotoluene MA VPH Surrogate Std 10,000ug/ml,PT&m,1ml |
| 30454 | VOA Mix, UST Method | MA VPH Matrix Spike Std 2500ug/ml,PT&M,1ml |
| 30455 | VOA Mix, UST Method | NWTPH-Gx Surrogate 2500ug/ml,PT&M,1ml |
| 30456 | VOA Mix, CLP Method | 04.1 CLP VOA CAL 2000 MegaMix 2000ug/ml, PTM, 1ml |
| 30457 | VOA Mix, CLP Method | CLP 04.1 Internal Standard/SMC Spike Mix 2500ug/ml, PTM, 1ml |
| 30460 | VOA Kit #3 | CLP 04.1 |
| 30461 | GRO Mix | Alaska Aliphatic/Aromatic 2000ug/ml,PT&M,1ml |
| 30462 | VOA Mix | 1,1,2-Trichlorotrifluoroethane Standard 2000ug/ml,PT&M,1ml/ampul |
| 30463 | VOA Mix, 8000/500 Series | 8021/502.2 Surrogate Mix #1 P&T Methanol, 1ml |
| 30464 | VOA Mix, 8000/500 Series | 8021/502.2 Surrogate Mix #2 P&T Methanol, 1ml |
| 30465 | VOA Mix | California Oxygenates Mixture P & T Methanol, 1ml |
| 30466 | VOA Mix | Ethanol Mixture DI Water, 1ml |
| 30467 | VOA Mix | Methanol Mixture DI Water, 1ml |
| 30468 | UST Method | Michigan GRO Mix P & T Methanol, 1ml |
| 30469 | VOA Stock Solution | 1-Bromo-2-Chloroethane Std, 1ml, P&TM |
| 30470 | VOA Stock Solution | tert-Butanol Std 1ml,P&TM |
| 30471 | VOA Stock Solution | Glycols Std 1ml, H2O |
| 30472 | UST Stock Solution | JP-4 Standard 1ml,P&TM |
| 30473 | VOA Stock Solution | 2-Propanol Std 1ml, H2O |
| 30474 | VOA Stock Solution | 1-Butanol Std 1ml,P&TM |
| 30475 | Volatiles Standard | 8260B MegaMix Kit 1ml, 2000ug/mL P&TM, |
| 30476 | VOA Stock Solution | 1,2-Dichlorotetrafluorethane (Freon 114) Mix |
| 30477 | VOA Stock Solution | 8260B Acetate Mix P&TM/H2O 90:10 |
| 30479 | VOA Stock Solution | Matrix Spike Mixture 1ml,P&TM |
| 30482 | VOA Stock Neat | PFTBA (MS Tuning Compound) 1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 30483 | VOA Mix | Retention Time Marker P&TM, 1ml |
| 30484 | VOA Mix | Surrogate Standard P&TM, 1ml |
| 30485 | VOA Mix | Certified Aromatics in Gasoline 1ml, P&TM |
| 30486 | VOA Mix | Gasoline Component Std. 1ml, P&TM |
| 30487 | VOA Mix | Stoddard Solvent Std. 1ml, P&TM |
| 30488 | UST Mix | BTEX Standard P&TM, 1ml |
| 30489 | VOA Mix | 8260B Acetates Mix P&TM, 1ml |
| 30491 | VOA Mix | Skinner List - Volatiles (19 components) methanol, 1ml |
| 30492 | VOA Mix | OLC 03.2 VOA Mega Mix 1ml, 2000ug/mL, P&TM |
| 30494 | VOA Stock Std | Acrylamide, 1ml 1000ug/mL, Methanol(dry) |
| 30495 | VOA Standard | Acetonitrile, 1ml 1000ug/mL P&TM |
| 30496 | UST Stock Standard | GRO P&T Retention Time Std CH2CL2 1000ug/mL 1mL |
| 30497 | Volatiles Mega Mix | EPA Method 624, 1mL 2000ug/mL P&TM |
| 30498 | Pesticide Stock Std | 1,4-dichlorobenzene 1mL 1000ug/mL Acetonitrile |
| 30540 | NJDEP EPH 10/08 Rev. 2 | Aliphatics Calibration Standard 1mL |
| 30541 | NJDEP EPH 10/08 Rev.2 | Aromatics Calibration Standard 1mL |
| 30542 | NJDEP EPH 10/08 Rev.2 | Aliphatics Matrix Spike Mix 5mL |
| 30543 | NJDEP EPH 10/08 Rev.2 | Aromatics Matrix Spike Mix 5mL |
| 30544 | NJDEP EPH 10/08 Rev.2 | Aliphatics Fractionation Check Mix 5mL |
| 30545 | NJDEP EPH 10/08 Rev.2 | Aromatics Fractionation Check Mix 5mL |
| 30600 | VOA Stock Std | Acrolein/Acrylonitrile 1mL MUST SHIP OVERNIGHT ON ICE. DO NOT SHIP FRI |
| 30601 | VOA Mega Mix | Drinking Water VOA Mega Mix 524.2 Rev 4.1, 1mL 2000ug/mL P&TM |
| 30602 | VOA Mix | Ketones Mix, 524.2 Rev 4.1 1ml, 5000ug/mL P&TM |
| 30603 | VOA Stock Standard | Volatiles MegaMix w/Gases 1mL, 200gu/mL PTM |
| 30604 | UST Stock Standard | MA VPH Std w/Surrogate Rev. 1.1 (July 2004) 1mL, 10000ug/mL PTM |
| 30605 | UST Stock Standard | MA VPH Matrix Spike Mix w/Surrogate Rev. 1.1 (July 2004) 1mL,50ug/mL PTM |
| 30607 | VOA Stock Standard | 524.2 Surrogate Std 1mL 2000ug/mL P&TM |
| 30608 | VOA Stock Standard | Geosmin and 2-methylisoborneol P&TM, 1mL, 100ug/mL |
| 30609 | Pesticide Stock Std | Chloral Hydrate, 1mL 1000 ug/mL Acetonitrile |
| 30611 | Intl Stock Solution | CCME F1 Retention Time Marker 1mL, 2000ug/mL Methanol |
| 30612 | Intl Stock Solution | Discontinue when stock is depleted CCME F1 Surrogate Std 1mL, 1000ug/mL Pu |
| 30613 | Intl Stock Solution | Atlantic RBCA VPH Surrogate Std 1mL,1000ug/mL P&TM |
| 30614 | VOA Stock Standard | 1,4-Dioxane-d8 1mL, 2000ug/mL P&TM |
| 30615 | VOA Stock Mixture | Disinfection by-Product and Chlorinated Solvents Mix 1mL 2000ug/mL Acetone |
| 30616 | VOA Stock Mixture | Disinfection by-Product Mix 1mL 2000ug/mL Acetone |
| 30617 | VOA Stock Standard | tert-Amyl ethyl ether, 1mL 2000ug/mL, P&TM |
| 30618 | VOA Standard | tert-butanol-d9, 1mL 20000ug/mL P&TM |
| 30619 | VOA Standard | Oxygenates Std, 1mL 2000-10000ug/mL P&TM |
| 30620 | Ethylene Oxide Standard | |
| 30621 | SV Stock Mixture | Acetophenone, 1mL 5000ug/mL, P&TM |
| 30622 | SV Stock Standard | 1,3-butadiene, 1mL 2000ug/mL P&TM |
| 30624 | VOA Stock Standard | OLC 3.2 VOA Non-Ketone Deuterated Monitoring Compounds 1mL, 500ug/mL Me |
| 30625 | VOA Stock Std | OLC 3.2 VOA Ketone Deuterated Monitoring Compounds 1mL, 500ug/mL D2O |
| 30626 | VOA Stock Standard | Oxygenates, 1mL 1000-2000ug/mL P&TM |
| 30627 | VOA Stock Standard | diisopropyl ether (DIPE) 1mL 2000ug/mL P&TM |
| 30628 | VOA Stock Standard | ethyl-tert-butyl ether (ETBE) 1mL, 2000ug/mL P&TM |
| 30629 | VOA Stock Standard | tert-Amyl methyl ether (TAME) 1mL, 2000ug/mL P&TM |
| 30630 | SV Stock Std | OLC 3.2 VOA DMC Kit 1mL, 100-500ug/mL Methanol -d (Replaces Catalog # 304 |
| 30631 | VOA Stock Standard | tert-amyl alcohol 1mL, 10,000ug/mL P&T methanol |
| 30632 | VOA Mix, CLP Method | CLP VOA CAL2000 MegaMix 1ml 2000ug/mL, PT&M |
| 30633 | VOA Stock Mix | 8260B MegaMix Calibration Mix 1mL 2000ug/mL PTM |
| 30634 | VOA Stock Neat | dibromofluoromethane 100mg Neat |
| 30642 | UCMR3 Method 524.3 Std | |
| 30645 | VOA Stock Standard | Acrolein in P&TM, 1mL 5000ug/mL MUST SHIP OVERNIGHT ON ICE -DO NOT |
| 30646 | VOA Stock Standard | Acrolein in H2O, 1mL 5000ug/mL MUST SHIP OVERNIGHT ON ICE -DO NOT S |
| 30647 | ASTM D3606 Calib. Std #1 | w/o Internal Std, 25mL, Isooctane |
| 30648 | ASTM D3606 Calib. Std #2 | w/o Internal Std, 25mL Isooctane |
| 30649 | ASTM D3606 Calib. Std #3 | w/o Internal Std, 25mL Isooctane |
| 30650 | ASTM D3606 Calib. Std #4 | w/o Internal Std, 25mL Isooctane |
| 30651 | ASTM D3606 Calib. Std #5 | w/o Internal Std, 25mL Isooctane |
| 30652 | ASTM D3606 Calib. Std #6 | w/o Internal Std, 25mL Isooctane |
| 30653 | ASTM D3606 Calib. Std #7 | w/o Internal Std, 25mL Isooctane |
| 30654 | ASTM D3606 Calib. Std #1 | w/MEK Internal Std, 1mL, Isooctane |
| 30655 | ASTM D3606 Calib. Std #2 | w/MEK Internal Std, 1mL, Isooctane |
| 30656 | ASTM D3606 Calib. Std #3 | w/MEK Internal Std, 1mL, Isooctane |
| 30657 | ASTM D3606 Calib. Std #4 | w/MEK Internal Std, 1mL, Isooctane |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 30658 | ASTM D3606 Calib. Std #5 | w/MEK Internal Std, 1mL, Isooctane |
| 30659 | ASTM D3606 Calib. Std #6 | w/MEK Internal Std, 1mL, Isooctane |
| 30660 | ASTM D3606 Calib. Std #7 | w/MEK Internal Std, 1mL, Isooctane |
| 30661 | ASTM D3606 Calib. Std #1 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30662 | ASTM D3606 Calib. Std #2 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30663 | ASTM D3606 Calib. Std #3 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30664 | ASTM D3606 Calib. Std #4 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30665 | ASTM D3606 Calib. Std #5 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30666 | ASTM D3606 Calib. Std #6 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30667 | ASTM D3606 Calib. Std #7 | w/sec-Butanol Internal Std 1mL, Isooctane |
| 30668 | ASTM D3606 QC Std | w/o Internal Std, 25mL Isooctane |
| 30669 | ASTM D3606 QC Std | w/MEK Internal Std, 25mL Isooctane |
| 30670 | ASTM D3606 QC Std | w/sec-Butanol Internal Std 25mL, Isooctane |
| 30671 | ASTM D3606 Backflush Std | 1mL, 2,2,4-trimethylpentane (isooctane) in nonane |
| 30672 | ASTM D3606 Calibration Kt | w/o Internal Standard, Includes 1 each: 30647, 30648, 30649, 30650, 30651, 3065 |
| 30673 | ASTM D3606 Calibration Kt | w/MEK Internal Std, Includes 1 each: 30654, 30655, 30656, 30657, 30658, 30659 |
| 30674 | ASTM D3606 Calibration Kt | w/sec-Butanol Internal Std, Includes 1 each: 30661 30662, 30663, 30664, 30665, |
| 30709 | PIANO Blend | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 30712 | PIANO Blend | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30713 | Paraffins Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30714 | Paraffins Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 30715 | Isoparaffins Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30716 | Isoparaffins Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 30717 | Aromatics Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30718 | Aromatics Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 30719 | Naphthenes Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30720 | Naphthenes Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 30721 | Olefins Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30722 | Olefins Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 30723 | PONA VI Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Autosampler Vial |
| 30724 | PONA VI Mix | for Detailed Hydrocarbon Analysis, 0.1mL Neat, in Vial w/Miniert Valve |
| 31001 | SV Mix, CLP method | Tuning Std decafluorotriphenylphosphine 2500ug/ml, CH2CL2, 1ml |
| 31002 | SV Mix, CLP method | Base Neutral Surrogate Std 3/90 Statement of work (SOW) 1000ug/ml, CH2CL2, |
| 31003 | SV Mix, CLP method | Acid Surrogate Std 3/90 Statement of work (SOW) 1500ug/ml, Methanol, 1ml |
| 31004 | SV Mix, CLP method | Base Neutral Matrix Spike 1000ug/ml,methanol,1ml/ampul |
| 31004.15 | SV Mix, CLP Method | Base Neutral Matrix Spike 1mL, 1000ug/mL Methanol, 15-pk |
| 31004.25 | SV Mix, CLP Method | Base Neutral Matrix Spike 1mL, 1000ug/mL Methanol, 25-pk |
| 31005 | SV Mix, CLP method | Acid Matrix Spike Std 1500ug/ml, Methanol, 1ml |
| 31006 | SV Mix, CLP method | Internal Std 4000ug/ml,CH2CL2, 1ml |
| 31006.15 | SV Mix, CLP Method | Internal Std, 1mL 4000ug/mL CH2CL2, 15-pk |
| 31006.25 | SV Mix, CLP Method | Internal Std, 1mL 4000ug/mL CH2CL2, 25-pk |
| 31007 | SV Mix, CLP method | Calibration Std #1 2000ug/ml,CH2Cl2,1ml |
| 31008 | SV Mix, CLP method | Calibration Std #2 2000ug/ml,CH2Cl2,1ml |
| 31009 | SV Mix, CLP method | Calibration Std #3 2000ug/ml,CH2Cl2,1ml |
| 31010 | SV Mix, CLP method | Calibration Std #4 2000ug/ml,CH2Cl2,1ml |
| 31011 | SV Mix, CLP method | Calibration Std #5 PAH Mixture 2000ug/ml,CH2Cl2,1ml |
| 31012 | SV Mix, CLP method | Calibration Std #6 Pestic. Mix 2000ug/ml,T/H,1ml |
| 31013 | SV Mix, CLP method | Calibration Std #7 2000ug/ml,CH2Cl2,1ml |
| 31014 | SV Mix, CLP method | Acid Matrix Spike Std 4/89 Statement of work (SOW) 2000ug/ml,methanol,1ml/am |
| 31014.15 | SV Mix, CLP Method | Acid Matrix Spike Std 4/89 Statement of work (SOW) 1mL, 2000ug/mL Methanol, |
| 31014.25 | SV Mix, CLP Method | Acid Matrix Spike Std 4/89 Statement of work (SOW) 1mL, 2000ug/mL Methanol, |
| 31024 | SV Mix, CLP method | Base Neutral Surrogate Std 4/89 Statement of work (SOW) 1000ug/ml,CH2Cl2,1r |
| 31024.15 | SV Mix, CLP Method | Base Neutral Surrogate Std 4/89 Statement of work(SOW) 1mL 1000ug/mL, CH2( |
| 31024.25 | SV Mix, CLP Method | Base Neutral Surrogate Std 4/89 Statement of work(SOW) 1mL 1000ug/mL, CH2( |
| 31025 | SV Mix, CLP method | Acid Surrogate Std 4/89 Statement of work (SOW) 2000ug/ml,methanol,1ml/ampu |
| 31025.15 | SV Mix, CLP Method | Acid Surrogate Std 4/89 Statement of work (SOW) 1mL, 2000ug/mL Methanol, 15 |
| 31025.25 | SV Mix, CLP Method | Acid Surrogate Std 4/89 Statement of work (SOW) 1mL, 2000ug/mL Methanol, 25 |
| 31026 | SV Mix, CLP method | 3,3'-dichlorobenzidine 2000ug/ml,methanol,1ml |
| 31027 | SV Mix, Solid Waste | TCLP Acids Method 1311 Std 2000ug/ml,methanol,1ml/ampul |
| 31028 | SV Mix, Solid Waste | TCLP B/N Method 1311 Std 2000ug/ml,acetone,1ml/ampul |
| 31029 | SV Mix, 600 series method | 604 Calibration Std phenols 2000ug/ml,methanol,1ml/ampul |
| 31030 | SV Mix, 600 series method | 605 Calibration Std benzidines 2000ug/ml,methanol,1ml/ampul |
| 31031 | SV Mix, 600 series method | 606 Calibration Std phthalate esters 2000ug/ml,methanol,1ml/ampul |
| 31032 | SV Mix, 600 series method | 607 Calibration Std nitrosamines 2000ug/ml,methanol,1ml/ampul |
| 31033 | SV Mix, 600 series method | 609 Calibration Std nitroaromatic & isophorone 2000ug/ml,hexane,1ml/ampul |
| 31034 | SV Mix, 600 series method | 611 Calibration Std haloethers 2000ug/ml,acetone,1ml/ampul |

| | | |
|---|---|---|
| 31035 | SV Mix, 600 series method | 612 Calibration Std chlorinated hydrocarbons 2000ug/ml,isooctane,1ml/ampul |
| 31036 | SV Kit, 600 Series | 625 Semi-volatile Organics |
| 31037 | SV Mix | anthracene-d10 2000ug/ml,CH2Cl2,1ml |
| 31039 | SV Mix | 4,4'-dibromobiphenyl 2000ug/ml,CH2Cl2,1ml |
| 31040 | SV Mix | 4,4'-dibromooctafluorobiphenyl 2000ug/ml,CH2Cl2,1ml |
| 31041 | SV Mix | decafluorobiphenyl 2000ug/ml,CH2Cl2,1ml |
| 31043 | SV Mix | naphthalene-d8 2000ug/ml,CH2Cl2,1ml |
| 31044 | SV Mix | nitrobenzene-d5 2000ug/ml,CH2Cl2,1ml |
| 31045 | SV Mix | phenanthrene-d10 2000ug/ml,CH2Cl2,1ml |
| 31046 | SV Mix | pyridine-d5 2000ug/ml,CH2Cl2,1ml |
| 31047 | SV Mix | 2-fluorophenol 2000ug/ml,CH2Cl2,1ml. |
| 31048 | SV Mix | pentafluorophenol 2000ug/ml,CH2Cl2,1ml |
| 31049 | SV Mix | phenol-d6 2000ug/ml,CH2Cl2,1ml |
| 31053 | HPLC OQ | Wavelength Accuracy Standard 5mL |
| 31061 | SV Mix,8000 series method | Acid Matrix Spike 10,000ug/ml,methanol,1ml/ampul |
| 31061.15 | SV Mix,8000 Series Method | Acid Matrix Spike Std 1mL, 10,000ug/mL Methanol, 15-pk |
| 31061.25 | SV Mix,8000 Series Method | Acid Matrix Spike Std 1mL, 10,000ug/mL Methanol, 25-pk |
| 31062 | SV Mix, CLP method | Base Neutral Surrogate 4/89(SOW) 5000ug/ml,CH2Cl2,1ml |
| 31062.15 | SV Mix, CLP Method | Base Neutral Surrogate Std 4/89 Statement of work(SOW) 1mL 5000ug/mL, CH2( |
| 31062.25 | SV Mix, CLP Method | Base Neutral Surrogate Std 4/89 Statement of work(SOW) 1mL 5000ug/mL, CH2( |
| 31063 | SV Mix, CLP method | Acid Surrogate 4/89(SOW) 10,000ug/ml,methanol,1ml/ampul |
| 31063.15 | SV Mix, CLP Method | Acid Surrogate Std 4/89 Statement of work (SOW) 1mL, 10,000ug/mL Methanol, 1 |
| 31063.25 | SV Mix, CLP Method | Acid Surrogate Std 4/89 Statement of work (SOW) 1mL, 10,000ug/mL Methanol, 2 |
| 31064 | SV Mix, UST method | Diesel Range Organics 2000ug/ml,CH2Cl2,1ml |
| 31065 | SV Mix | 5-alpha-androstane 2000ug/ml,CH2Cl2,1ml |
| 31066 | SV Mix | o-terphenyl 2000ug/ml,Acetone,1ml/ampul |
| 31068 | HPLC OQ | Linearity Test Kit containing 6 1mL ampules, varying concentration |
| 31069 | HPLC OQ Standards Kit | Containing 1- 1ml ampule, 1- 5ml ampule, and 1 kit containing 6- 1ml ampules |
| 31071 | SV Mix,8000 series method | Acid Matrix Spike 10,000ug/ml,methanol,5ml/ampul |
| 31071.15 | SV Mix,8000 Series Method | Acid Matrix Spike, 5mL 10,000ug/mL Methanol, 15-pk |
| 31071.25 | SV Mix,8000 Series Method | Acid Matrix Spike, 5mL 10,000ug/mL Methanol, 25-pk |
| 31072 | SV Mix, CLP method | Base Neutral Surrogate 3/90 SOW, 5000ug/ml,CH2CL2,1ml |
| 31073 | SV Mix, CLP method | Acid Surrogate 3/90 SOW, 7500ug/ml,M,1ml |
| 31074 | SV Mix,8000 series method | Base Neutral Matrix Spike 5000ug/ml,methanol,1ml/ampul |
| 31074.15 | SV Mix,8000 Series Method | Base Neutral Matrix Spike 1mL, 5000ug/mL Methanol, 15-pk |
| 31074.25 | SV Mix,8000 Series Method | Base Neutral Matrix Spike 1mL, 5000ug/mL Methanol, 25-pk |
| 31075 | SV Mix, CLP method | Acid Matrix Spike 7500ug/ml, Methanol, 1ml |
| 31082 | SV Mix, CLP method | Base Neutral Surrogate 5000ug/ml,CH2CL2,5ml |
| 31083 | SV Mix, CLP method | Acid Surrogate 7500ug/ml,M,5ml |
| 31084 | SV Mix,8000 series method | Base Neutral Matrix Spike 5000ug/ml,methanol,5ml/ampul |
| 31084.15 | SV Mix,8000 Series Method | Base Neutral Matrix Spike 5mL, 5000ug/mL Methanol, 15-pk |
| 31084.25 | SV Mix,8000 Series Method | Base Neutral Matrix Spike 5mL, 5000ug/mL Methanol, 25-pk |
| 31085 | SV Mix, CLP method | Acid Matrix Spike 7500ug/ml, Methanol, 5ml |
| 31086 | SV Mix,8000 series method | Base Neutral Surrogate 5000ug/ml,CH2Cl2,5ml |
| 31086.15 | SV Mix,8000 Series Method | Base Neutral Surrogate Std 5mL 5000ug/mL, CH2CL2, 15-pk |
| 31086.25 | SV Mix,8000 Series Method | Base Neutral Surrogate Std 5mL 5000ug/mL, CH2CL2, 25-pk |
| 31087 | SV Mix,8000 series method | Acid Surrogate 10,000ug/ml,methanol,5ml/ampul |
| 31087.15 | SV Mix,8000 Series Method | Acid Surrogate Std 5mL, 10,000ug/mL Methanol, 15-pk |
| 31087.25 | SV Mix,8000 Series Method | Acid Surrogate Std 5mL, 10,000ug/mL Methanol, 25-pk |
| 31088 | SV Mix,8000 series method | 8040 Calibration Std #1 phenols mix 2000ug/ml,Isopropanol,1ml/ampul |
| 31089 | SV Mix,8000 series method | 8040 Calibration Std #2 phenols mix 2000ug/ml,Isopropanol,1ml/ampul |
| 31090 | SV Mix,8000 series method | 8040 Surrogate Std 2000ug/ml,Isopropanol,1ml/ampul |
| 31091 | SV Mix | 2-fluorobiphenyl 2000ug/ml,CH2Cl2,1ml |
| 31092 | SV Mix | 1-fluoronaphthalene 2000ug/ml,CH2Cl2,1ml |
| 31093 | SV Mix, UST method | Diesel fuel #2 composite 5000ug/ml,CH2Cl2,1ml |
| 31094 | SV Mix, UST method | Kerosene fuel composite 5000ug/ml,CH2Cl2,1ml |
| 31095 | SV Mix | p-terphenyl 10,000ug/ml,CH2Cl2,1ml |
| 31096 | SV Mix | 2-fluorobiphenyl 10,000ug/ml,CH2Cl2,1ml |
| 31097 | SV Mix | o-terphenyl 10,000ug/ml,CH2Cl2,1ml |
| 31098 | SV Mix | 1-chlorooctadecane 10,000ug/ml,CH2Cl2,1ml |
| 31200 | SV Mix, UST method | LUST Retention Time Std 25ug/ml,CH2Cl2,1ml |
| 31206 | SV Mix, CLP method | Internal Std 2000ug/ml, CH2CL2, 1ml |
| 31206.15 | SV Mix, CLP Method | Internal Std, 1mL 2000ug/mL CH2CL2, 15-pk |
| 31206.25 | SV Mix, CLP Method | Internal Std, 1mL 2000ug/mL CH2CL2, 25-pk |
| 31207 | SV Mix, CLP method | Discontinue when stock is depleted L/C Acid Surrogate in Methanol,1ml/ampul |
| 31208 | SV Mix, CLP method | L/C Phenol Std A 2000ug/ml,CH2Cl2,1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 31210 | SV Mix, CLP method | L/C Aniline Std A 2000ug/ml,CH2Cl2,1ml |
| 31211 | SV Mix, CLP method | L/C Aniline Std B 4-chloroaniline 2000ug/ml,CH2Cl2,1ml |
| 31212 | SV Mix, CLP method | L/C Acid Lab Control Sample 2000ug/ml,methanol,1ml |
| 31214 | SV Mix, UST method | DRO Std, Tenn/Miss 1000ug/ml,CH2Cl2,1ml |
| 31215 | SV Mix, UST method | Jet Fuel A Std 5000ug/ml,CH2Cl2,1ml |
| 31216 | SV Mix, UST method | Fuel Oil #4 Std 5000ug/ml,CH2Cl2,1ml |
| 31217 | SV Mix, UST method | Fuel Oil #5 Std 5000ug/ml,CH2Cl2,1ml |
| 31218 | SV Mix, UST method | Fuel Oil #6 Std 5000ug/ml,CH2Cl2,1ml |
| 31219 | SV Mix, UST method | JP-4 Military Fuel Std 5000ug/ml,CH2Cl2,1ml |
| 31220 | SV Mix, UST method | JP-5 Military Fuel Std 5000ug/ml,CH2Cl2,1ml |
| 31222 | SV Mix, ASTM method | D2887 Calibration Std, 1mL |
| 31223 | SV Mix, ASTM method | D3710-95 Calibration Mix, 1mL (old descr: D3710 Calibration Mix) |
| 31224 | SV Mix,Fire debris method | E1387 Column Resolution Check Mix 2000ug/ml,CH2CL2,1ml |
| 31225 | SV Mix,Fire debris method | Mineral Spirits Std unweathered 5000ug/ml,CH2Cl2,1ml |
| 31226 | SV Mix,Fire debris method | Mineral Spirits Std 25% weathered 5000ug/ml,methylene chloride,1ml |
| 31227 | SV Mix,Fire debris method | Mineral Spirits Std 50% weathered 5000ug/ml,methylene chloride,1ml |
| 31228 | SV Mix,Fire debris method | Mineral Spirits Std 75% weathered 5000ug/ml,methylene chloride,1ml |
| 31229 | SV Mix,Fire debris method | Kerosene Std unweathered 5000ug/ml,methylene chloride,1ml |
| 31230 | SV Mix,Fire debris method | Kerosene Std 25% weathered 5000ug/ml,methylene chloride,1ml |
| 31231 | SV Mix,Fire debris method | Kerosene Std 50% Weathered 5000ug/ml,methylene chloride,1ml |
| 31232 | SV Mix,Fire debris method | Kerosene Std 75% weathered 5000ug/ml,methylene chloride,1ml |
| 31233 | SV Mix,Fire debris method | Diesel Fuel #2 Std unweathered 5000ug/ml,methylene chloride,1ml |
| 31234 | SV Mix,Fire debris method | Diesel Fuel #2 Std 25% weathered 5000ug/ml,methylene chloride,1ml |
| 31235 | SV Mix,Fire debris method | Diesel Fuel #2 Std 50% weathered 5000ug/ml,methylene chloride,1ml |
| 31236 | SV Mix,Fire debris method | Diesel Fuel #2 Std 75% weathered 5000ug/ml,methylene chloride,1ml |
| 31237 | SV Kit, ASTM method | Weathered Mineral Spirits Kit w/0%,25%,50%,75% weathered |
| 31238 | SV Kit, ASTM method | Weathered Kerosene Kit w/0%,25%,50%,75% weathered |
| 31239 | SV Kit, ASTM method | Weathered Diesel Fuel #2 Kit w/0%,25%,50%,75% weathered |
| 31240 | SV Mix, UST method | Fuel Oil Degradation Std 2000ug/ml,CH2Cl2,1ml |
| 31241 | SV Mix, CLP method | L/C B/N Lab Control Sample in CH2Cl2,1ml,2 ampul kit |
| 31242 | SV Mix, UST method | Jet Fuel A Std (50,000ug/ml), 1ml (old description: XHc jet fuel A std) |
| 31243 | SV Mix, UST method | Jet Fuel A Std (50,000ug/ml), 5ml (old description: XHc jet fuel A std) |
| 31244 | SV Mix, UST method | Fuel Oil #4 Std (50,000ug/ml), 1ml (old description: XHc Fuel oil #4) |
| 31246 | SV Mix, UST method | Fuel Oil #5 Std (50,000ug/ml), 1ml (old description: XHc fuel oil #5) |
| 31248 | SV Mix, UST method | Fuel Oil #6 Std (50,000ug/ml), 1ml (old description: XHc fuel oil #6) |
| 31249 | SV Mix, UST method | Fuel Oil #6 Std (50,000ug/ml), 5ml (old description: XHc fuel oil #6) |
| 31250 | SV Mix, UST method | JP-4 Std (50,000ug/ml), 1ml (old description XHc JP-4) |
| 31252 | SV Mix, UST method | JP-5 Std (50,000ug/ml), 1ml (old description: XHc JP-5) |
| 31253 | SV Mix, UST method | Discontinue when stock is depleted JP-5 Std (50,000ug/ml), 5ml (old description: X |
| 31254 | SV Mix, UST method | JP-8 Std (50,000ug/ml), 1ml (old description: XHc JP-8) |
| 31256 | SV Mix, UST method | Kerosene Std (50,000ug/ml), 1ml (old description: XHc kerosene std) |
| 31257 | SV Mix, UST method | Kerosene Std (50,000ug/ml), 5ml (old description: XHc kerosene std) |
| 31258 | SV Mix, UST method | Diesel Fuel #2 Std (50,000ug/ml), 1ml (old description: XHc diesel fuel #2) |
| 31259 | SV Mix, UST method | Diesel Fuel #2 Std (50,000ug/ml), 5ml (old description: XHc diesel fuel #2) |
| 31260 | SV Mix, UST method | Mineral Spirits Std (50,000ug/ml), 1ml (old desription: XHc mineral spirits) |
| 31261 | SV Mix, UST method | Mineral Spirits Std (50,000ug/ml), 5ml (old description: XHc mineral spirits) |
| 31262 | SV Mix, UST method | JP-8 Std 5000ug/ml,CH2Cl2,1ml |
| 31264 | SV Mix, 600 series method | 610 PAH Calibration Std CH2Cl2,1ml |
| 31266 | SV Mix, UST method | TRPH Std (Florida) 500ug/ml,hexane,1ml |
| 31267 | SV Mix | acenaphthene 1000ug/ml,methanol,1ml |
| 31268 | SV Mix | acenaphthylene 1000ug/ml,methanol,1ml |
| 31269 | SV Mix | anthracene 1000ug/ml,acetone,1ml |
| 31270 | SV Mix | benzo(a)anthracene 1000ug/ml,methanol,1ml |
| 31271 | SV Mix | benzo(a)pyrene 1000ug/ml,acetone,1ml |
| 31272 | SV Mix | benzo(b)fluoranthene 1000ug/ml,acetone,1ml |
| 31273 | SV Mix | benzo(ghi)perylene 1000ug/ml,methylene chloride,1ml |
| 31274 | SV Mix | benzo(k)fluoranthene 1000ug/ml,acetone,1ml |
| 31275 | SV Mix | chyrsene 1000ug/ml,acetone,1ml |
| 31276 | SV Mix | dibenzo(a,h)anthracene 1000ug/ml,methylene chloride,1ml |
| 31277 | SV Mix | fluoranthene 1000ug/ml,methanol,1ml |
| 31278 | SV Mix | fluorene 1000ug/ml,methanol,1ml |
| 31279 | SV Mix | indeno(1,2,3-cd)pyrene 1000ug/ml,methylene chloride,1ml |
| 31280 | SV Mix | naphthalene 1000ug/ml,methanol,1ml |
| 31281 | SV Mix | phenanthrene 1000ug/ml,methanol,1ml |
| 31282 | SV Mix | pyrene 1000ug/ml,methanol,1ml |
| 31283 | SV Mix | 1-methylnaphthalene 1000ug/ml,methanol,1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 31284 | SV Mix | 2-chloronaphthalene 1000ug/ml,methanol,1ml |
| 31285 | SV Mix | 2-methylnaphthalene 1000ug/ml,methylene chloride,1ml |
| 31291 | SV Mix | 2,4-dinitrophenol 1000ug/ml,methanol,1ml |
| 31292 | SV Mix | 2-methyl-4,6-dinitrophenol 1000ug/ml,methanol,1ml |
| 31296 | SV Mix | 4-nitrophenol 1000ug/ml,methanol,1ml |
| 31297 | SV Mix | pentachlorophenol 1000ug/ml,methanol,1ml |
| 31298 | SV Mix | phenol 1000ug/ml,methanol,1ml |
| 31299 | SV Mix | 2,4,5-trichlorophenol 1000ug/ml,methanol,1ml |
| 31400 | SV Mix | 2,4,6-trichlorophenol 1000ug/ml,methanol,1ml |
| 31401 | SV Mix | 2,4,6-tribromophenol 1000ug/ml,methanol,1ml |
| 31402 | SV Mix | 2,3,4,6-tetrachlorophenol 1000ug/ml,methanol,1ml |
| 31403 | SV Mix | 3-methylphenol 1000ug/ml,methanol,1ml |
| 31409 | SV Mix | 2,6-dichlorophenol 1000ug/ml,methanol,1ml |
| 31415 | SV Mix | benzoic acid 1000ug/ml,methanol,1ml |
| 31420 | SV Mix | bis(2-ethylhexyl)phthalate 1000ug/ml,methylene chloride, 1ml |
| 31426 | SV Mix | di-n-octyl phthalate 1000ug/ml,methanol,1ml |
| 31427 | SV Mix | N-nitrosodimethylamine 1000ug/ml,methanol,1ml |
| 31428 | SV Mix | N-nitroso-di-n-propylamine 1000ug/ml,methanol,1ml |
| 31429 | SV Mix | N-nitrosodiphenylamine 1000ug/ml,methanol,1ml |
| 31430 | SV Mix | carbazole 1000ug/ml,methanol,1ml |
| 31435 | SV Mix | hexachlorobutadiene 1000ug/ml,methanol,1ml |
| 31436 | SV Mix | hexachloroethane 1000ug/ml,methanol,1ml |
| 31439 | SV Mix | 1,2,4-trichlorobenzene 1000ug/ml,methanol,1ml |
| 31441 | SV Mix | benzidine 1000ug/ml,methanol,1ml |
| 31442 | SV Mix | 1,2-dichlorobenzene 1000ug/ml,methanol,1ml |
| 31443 | SV Mix | 1,3-dichlorobenzene 1000ug/ml,methanol,1ml |
| 31444 | SV Mix | 1,4-dichlorobenzene 1000ug/ml,methanol,1ml |
| 31449 | SV Mix | bis(2-ethylhexyl)adipate 1000ug/ml,methanol,1ml |
| 31450 | SV Mix 8000 Series Method | 8330 Calibration Std #1 1000ug/ml ea.,acetonitrile,1ml/ampul *PGI BOX REQUIRI |
| 31451 | SV Mix 8000 Series Method | 8330 Calibration Std #2 1000ug/ml ea.,acetonitrile,1ml/ampul *PGI BOX REQUIRI |
| 31452 | SV Mix 8000 Series Method | 8330 Internal Std 3,4-dinitrotoluene 1000ug/ml,methanol,1ml/ampul |
| 31453 | SV Mix 8000 Series Method | 8330 Surrogate Std 1,2-dinitrobenzene 1000ug/ml,methanol,1ml/ampul |
| 31454 | SV Kit 8000 Series | SV Kit 8000 series 8330 Nitroaromatics *PGI BOX REQUIRED* SHIP FED EX GF |
| 31455 | SV Mix, 600 series method | 610 PAH Calibration Std B methylene chloride/methanol50:50,1ml/ampul |
| 31456 | SV Mix, UST method | Florida TRPH Surrogate Std, Nonatriacontane MUST SHIP SEPARATELY SPEC |
| 31457 | SV Mix | 1664 Oil & Grease Std 4000ug/ml,acetone,5ml/ampul |
| 31458 | SV Mix, UST method | MA EPH Aromatic hydro. Std 1000ug/ml,Methylene Chloride,1ml/ampul |
| 31459 | SV Mix, UST method | MA EPH Aliphatic hydro. Std 1000ug/ml,hexane,1ml |
| 31460 | SV Mix, UST method | MA EPH Matrix Spike 250ug/ml,acetone,1ml |
| 31462 | SV Kit, CLP Method | SV Calibration Standards #2 Kit Without chlorinated pesticides |
| 31463 | SV Kit, 8000 Series | SV Calibration Standards #3 Kit w/Benzidine |
| 31464 | SV Mix, UST method | Motor Oil Composite 50,000ug/ml,Methylene chloride,1ml |
| 31465 | SV Mix, UST method | Used Motor Oil Composite 50,000ug/ml,methylene chloride,1ml |
| 31467 | SV Mix | 3,3',5,5'-Tetramethylbenzidine 1000ug/ml,ethyl acetate,1ml |
| 31469 | SV Mix, UST method | WA EPH Aromatic HYDRO. Std 1000ug/ml,methylene chloride,1ml/ampul |
| 31470 | SV Mix | aniline 1000ug/ml,Methanol,1ml/ampul |
| 31472 | SV Mix | Butyltin chlorides Cal Std 2000ug/ml,methylene chloride,1ml |
| 31473 | SV Mix | Phenyltin chlorides Cal Std 2000ug/ml,methylene chloride,1ml |
| 31474 | SV Mix | tetra-n-propyltin Std 2000ug/ml,methylene chloride,1ml |
| 31475 | SV Mix | Tetrapentyltin Std 2000ug/ml,methylene chloride,1ml |
| 31476 | SV Mix | Tri-n-propyltin Chloride Std 2000ug/ml,methylene chloride,1ml |
| 31477 | SV Mix | Tripentyltin Chloride Std 2000ug/ml,methylene chloride,1ml |
| 31478 | SV Mix | Tributyltin Chloride Std 2000ug/ml,methylene chloride,1ml |
| 31479 | SV Mix, UST method | MA EPH Surrogate Spike 4000ug/ml,acetone,1ml |
| 31480 | SV Mix, UST method | MA Fractionation Surrogate 4000ug/ml,hexane,1ml |
| 31481 | SV Mix, UST method | MA Fractionation Check 25ug/ml,hexane,1ml |
| 31482 | SV Mix, UST method | TX TPH Locator Std 200ug/ml,pentane,1ml |
| 31483 | SV Mix, UST method | TX TPH Calibration Std 10,000ug/ml,pentane,1ml |
| 31484 | SV Mix, UST method | TX TPH Matrix Spike 10,000ug/ml,PT&M,1ml |
| 31485 | SV Mix, UST method | NWTPH-HCID Retention Time Std 2500ug/ml,methylene chloride, 1ml |
| 31486 | SV Mix, UST method | NWTPH-HCID Surrogate 5000ug/ml,methylene chloride,1ml |
| 31487 | SV Mix | pentacosane 10,000ppm,methylene chloride,1ml |
| 31488 | SV Mix, UST method | WA EPH Aromatic Hydro. Std 1000ug/ml,methylene chloride,1ml |
| 31489 | SV Mix, UST method | WA EPH Aliphatic Hydro. Std 1000ug/ml,hexane,1ml |
| 31490 | SV Mix, UST method | WA EPH Matrix Spike 250ug/ml,acetone,1ml |
| 31491 | SV Mix, UST method | WA EPH Fractionation Check 25ug/ml,hexane,1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 31492 | SV Mix, CLP Method | CLP 4.1 B/N Matrix Spike Mix 1000ug/ml, Methanol, 1ml |
| 31493 | BNA Surrogate Mix | CLP 04.1 In methylene chloride, 1ml |
| 31494 | SV Mix, CLP Method | CLP 4.1 Phenols Calibration Mix 2000ug/ml, Methylene Chloride, 1ml |
| 31496 | SV Mix | Azobenzene Standard 1000ug/ml,methylene chloride,1ml/ampul |
| 31497 | SV Mix | INDEFINITE BACK ORDER 1,2-Diphenylhydrazine Standard 1000ug/ml,Methano |
| 31498 | Nitroglycerin Standard | 1000ug/ml,Methanol,1ml/ampul *PGI BOX REQUIRED* SHIP FED EX GROUND |
| 31499 | SV Mix Picric Acid Standard | 1000ug/ml,Methanol,1ml/ampul *PGI BOX REQUIRED* SHIP FED EX GROUND |
| 31600 | SV Mix, PETN Std | 1000ug/ml,Methanol,1ml/ampul *PGI BOX REQUIRED* SHIP FED EX GROUND |
| 31601 | SV Mix, EGDN Std | 1000ug/ml,methanol,1ml *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31602 | SV Mix | Nitroguanidine 1000ug/ml, Methanol,1ml/ampul *PGI BOX REQUIRED* SHIP FEI |
| 31607 | SV Mix, 8000 Series | 8095 Calibration Mix A *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31608 | SV Mix, 8000 Series | 8095 Calibration Mix B *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31609 | SV Mix, 8000 Series | 8095 Matrix Spike Mix A *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31610 | SV Mix, 8000 Series | 8095 Matrix Spike Mix B *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31612 | SV Stock Solution | 2-Methyl-4-Nitroaniline Standard 1mL, 1000ug/mL Methanol |
| 31613 | SV Mix, ASTM Method | E-1618 Test Mixture 1mL CH2CL2 |
| 31614 | SV Mix, UST Method | Connecticut ETPH Calibration Mixture Methylene Chloride, 1ml |
| 31615 | SV Mixture | GC/MS Tuning Mixture Methylene Chloride, 1ml |
| 31616 | SV Mixture | 8270 B/N Calibration Check Mix Methylene Chloride, 1ml |
| 31617 | SV Mixture | 8270 Acid Calibration Check Mix Methylene Chloride, 1ml |
| 31618 | 8270 SV Mix | 8270 Calibration Mix #1 Methylene Chloride, 1ml |
| 31619 | 8270 SV Mix | 8270 Calibration Mix #2 Methylene Chloride, 1ml |
| 31620 | 8270 SV Mix | 8270 Calibration Mix #3 Methylene Chloride, 1ml |
| 31621 | 8270 SV Mix | 8270 Calibration Mix #4 Methylene Chloride, 1ml *PG I BOX REQUIRED* |
| 31622 | 8270 SV Mix | 8270 Calibration Mix #5 Methylene Chloride, 1ml INDEFINITE BACKORDER |
| 31623 | 8270 SV Mix | 8270 Calibration Mix #6 Methylene Chloride, 1ml |
| 31624 | SV Mix | Aramite Standard 1mL, 2000 ug/mL Hexane |
| 31625 | SV Mix | Appendix IX Mix #1 Methylene Chloride, 1ml |
| 31626 | 8270 Calibration Kit | INDEFINITE BACKORDER 2000ug/mL, Includes 1mL 1mL each: 31618, 31619, 3 |
| 31627 | 8270/Appendix IX Kit | INDEFINITE BACKORDER 8270/Appendix IX Calibration Kit 2000ug/mL, Includes |
| 31628 | ASTM Mixture | ASTM D6042 Calibration Mix w/C of A 1ml,Isopropanol |
| 31629 | ASTM Mixture | ASTM D6042 Internal Std Mix w/C of A 1ml,Isopropanol |
| 31630 | International Stock Std | Standard Mixture Stock Solution 1ml, Cyclohexane |
| 31631 | International Stock Std | Quality Control Standard Mixture 1ml, Acetone |
| 31632 | International Stock Std | Florisil Cartridge Quality Control Standard Mixture 10ml, Cyclohexane |
| 31633 | International Stock Std | Standard Mixture of n-alkanes for System Performance Test 1ml, Cyclohexane |
| 31634 | International Stock Std | Extraction Solvent Stock Solution #1 5ml, Cyclohexane |
| 31636 | International Stock Std | Stearyl Stearate Test Solution 10ml Cyclohexane |
| 31637 | SV Mix | Retention Time Marker Std. 1ml, Hexane |
| 31638 | SV Mix | Surrogate Standard 1ml, methylene chloride |
| 31639 | SV Mix | Alternate BP/CN Distribution Marker Stock Std, 1ml pentane |
| 31641 | International Stock Std | Quality Control Standard Mixture Revised, 1ml, Acetone |
| 31644 | SV Mix, 552 Method | Haloacetic Acid Mix #1 1ml, MTBE |
| 31645 | SV Mix, 552 Method | Haloacetic Acid Methyl Ester Mix #1 1ml, MTBE |
| 31646 | SV Mix, 552 Method | Haloacetic Acid Mix #2 1ml, MTBE |
| 31647 | SV Mix, 552 Method | Haloacetic Acid Methyl Ester Mix #2 1ml, MTBE |
| 31648 | SV Mix, 552 Method | 1,2,3-Trichloropropane Internal Std, 1ml, MTBE |
| 31649 | SV Mix, 552 Method | 3,5-Dichlorobenzoic Acid Methyl Ester Surrogate Std. 1ml, MTBE |
| 31650 | SV Mix, 552 Method | 2,3-Dichloropropionic Acid Surrogate Std, 1ml, MTBE |
| 31651 | SV Mix, 552 Method | 2,3-Dichloropropionic Acid Methyl Ester Surrogate Std. 1ml, MTBE |
| 31652 | SV Mix, 552 Method | 3,5-Dichlorobenzoic Acid Surrogate Std, 1ml, MTBE |
| 31653 | SV Mix, 552 Method | 2-Bromopropionic Acid 552.2 Surrogate, 1ml, MTBE |
| 31654 | SV Mix, 552 Method | Discontinue when stock is depleted Methyl 2-Bromopropionate 552.2 Surrogate, 1 |
| 31655 | SV Mix, 552 Method | 2,3-Dibromopropionic Acid 552.2 Surrogate, 1ml, MTBE |
| 31656 | SV Mix, 552 Method | Methyl-2,3-Dibromopropionate 552.2 Surrogate, 1ml, MTBE |
| 31657 | SV Stock Solution | Nitrobenzene 1ml, acetonitrile |
| 31658 | SV Stock Solution | 4-Nitrotoluene Std 1ml, acetonitrile |
| 31659 | SV Stock Solution | 2-Nitrotoluene Std 1ml, acetonitrile |
| 31660 | SV Stock Solution | 3-Nitrotoluene Std 1ml, acetonitrile |
| 31661 | SV Stock Solution | 3,5-Dinitroaniline Std 1ml, acetonitrile |
| 31662 | SV Stock Solution | 1,3-Dinitrobenzene Std 1ml, acetonitrile |
| 31663 | SV Stock Solution | 2,4-Dinitrotoluene Std 1ml, acetonitrile |
| 31664 | SV Stock Solution | 2,6-Dinitrotoluene Std 1ml, acetonitrile |
| 31665 | SV Stock Solution | HMX Std 1ml, acetonitrile *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31666 | SV Stock Solution | RDX Std 1ml, acetonitrile *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |
| 31667 | SV Stock Solution | Tetryl Std 1ml, acetonitrile *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 31668 | SV Stock Solution | 1,3,5-Trinitrobenzene Std 1ml, acetonitrile *PGI BOX REQUIRED* SHIP FED EX |
| 31669 | SV Stock Solution | 2,4,6-Trinitrotoluene Std 1ml, acetonitrile *PGI BOX REQUIRED* SHIP FED EX G |
| 31670 | SV Stock Solution | 2-Amino-4,6-dinitrotoluene Std 1ml, acetonitrile |
| 31671 | SV Stock Solution | 4-Amino-2,6-dinitrotoluene Std 1ml, acetonitrile |
| 31672 | UST Stock Solution | Octacosane Std, 1mL 10,000ug/mL, CH2CL2 |
| 31673 | UST Stock Solution | Certified PAH in diesel 1ml, Methylene Chloride |
| 31674 | SV Mix, ASTM Method | ASTM D2887-01 Calibration Mix 1% w/w, 1ml, Carbon Disulfide |
| 31675 | SV Mix, ASTM Method | ASTM D2887-01 Calibration Mix 5% w/w, 1g, Neat |
| 31676 | ISO/DIS 9377-4 & H53 | Diesel #2/Mineral Oil in Hexane, 1ml |
| 31677 | ISO/DIS 9377-4 & H53 | Florisil Cartridge Quality Control Std. Mixture, Rev.2 10ml, Hexane |
| 31678 | ISO/DIS 9377-4 & H53 | System Performance Test Std.Mixture of n-Alkanes in Hexane, 1ml |
| 31679 | ISO/DIS 9377-4 & H53 | Extraction Solvent Stock Solution #1 in Hexane 5ml |
| 31680 | ISO/DIS 9377-4 & H53 | Extraction Solvent Stock Solution #2 in Hexane 20ml |
| 31681 | ISO/DIS 9377-4 & H53 | Stearyl Stearate Test Solution in Hexane 10ml |
| 31682 | ISO/DIS 9377-4 & H53 | Diesel #2/Motor Oil in Hexane, 1ml |
| 31684 | CCME PHC Calibration Mix | 1ml, Toluene |
| 31685 | Pentacontane (C50) | Retention and Response Std 1ml, Toluene |
| 31687 | 8270 SV Mix | 8270 Matrix Spike Mix 5ml, Methanol,Methylene Chloride (80:20) |
| 31687.15 | 8270 SV Mix | Matrix Spike Mix, 5mL, 200ug/mL Methanol, CH2CL2 (80:20), 15-pk |
| 31687.25 | 8270 SV Mix | Matrix Spike Mix, 5mL, 200ug/mL Methanol, CH2CL2 (80:20), 25-pk |
| 31688 | SV Mix | 8270 Benzidines Mix 1ml, Methanol |
| 31689 | Semivolatile Mix | SV System Performance Check Mix (SPCC) methylene chloride, 1ml |
| 31692 | SV Internal Std Mix | DISCONTINUE WHEN STOCK IS DEPLETED EPA 526, 1ml, 500ug/ml acetone |
| 31693 | SV Surrogate Std Mix | DISCONTINUE WHEN STOCK IS DEPLETED EPA 526, 1ml, 500ug/ml acetone |
| 31694 | Phenol Calibration Mix | EPA 528, 1ml, 2000ug/ml Methylene Chloride |
| 31695 | Phenols Fortification Mix | EPA 528, 1ml, 100-500ug/ml Methanol |
| 31696 | SV Internal Std Mix | EPA 528, 1ml, 1000-2000ug/ml Methylene Chloride |
| 31697 | Surrogate Std Mix | EPA 528, 1ml, 1000-2000ug/ml Methanol |
| 31698 | UST Mix | TNRCC 1005 Retention Time Markers Mix, 1ml, 200ug/mL Pentane |
| 31699 | HPLC Performance Test Mix | 1ml, Methanol |
| 31800 | SV Stock Standard | Caffeine, 1mL, 500ug/mL H2O |
| 31801 | SV Stock Standard | Caffeine, 1mL, 250ug/mL H2O |
| 31802 | SV Stock Standard | Caffeine, 1mL, 125ug/mL H2O |
| 31803 | SV Stock Standard | Caffeine, 1mL, 25ug/mL H2O |
| 31804 | SV Stock Standard | Caffeine, 1mL, 5ug/mL H2O |
| 31805 | Test Mix Kit | HPLC OQ Linearity Test Mix Kit, H2O |
| 31806 | SV Stock Solution | Appendix IX Mix #2, 1ml 1000 ug/mL, Methylene *PG I BOX REQUIRED* |
| 31807 | Fragrance Matls Test Mix | Fragrance Materials Test Mix, 0.5ml, Neat |
| 31808 | SV Mix | Aldehyde-Ketone-DNPH TO-11A Calibration Mix 1ml, 15ug/mL, Acetonitrile |
| 31809 | Performance Check Mix | Carbohydrate HPLC Performance Check Mix, 1ml, dry-neat |
| 31810 | SV Mix | OLC 03.2 SVOA Deuterated Monitoring Compounds, 1ml 2000ug/mL, Methylene C |
| 31811 | SV Stock Solution | Hexachlorophene 1ml,2000ug/ml,Methylene Chloride |
| 31813 | SV Mix | OLC 03.2 SVOA Fortification Mix 1ml,2000ug/ml,Methylene Chloride |
| 31814 | UST Mix | TNRCC 1006 Retention Time Marker Mix 1ml, 200ug/ml, Pentane |
| 31815 | 8270/Appendix IX Kit | Includes 1mL of each: 31850, 31834, 31625, 31806 *PGI BOX REQUIRED* |
| 31816 | UST Stock Std | n-Triacontane d62 Standard, 1ml 500ug/mL Methylene Chloride |
| 31817 | UST Stock Std | Residual Range Calib Std (RCS) 1ml 50,000ug/mL Methylene Chloride |
| 31818 | UST Stock Std | Residual Range Calibration Verification Std (CVS) 1ml 25,000ug/mL Methylene Cl |
| 31819 | UST Stock Std | Retention Time Marker -Alaska 1ml 1,000ug/mL Methylene Chloride |
| 31820 | UST Stock Std | Diesel Range Calibration Std (DCS) 1ml 50,000ug/mL Methylene Chloride |
| 31821 | SV Stock Solution | PGDN, 1000ug/mL, Methanol 1ml |
| 31822 | VOA Stock Neat | Antifoaming Agent for Purge and Trap, 1mL |
| 31823 | SV Stock Standard | Bank Dye Std (MAAQ) 1mL CH2CL2, 100ug/mL |
| 31825 | SV Mixture | Method 525.2 Internal Std Mix 1mL 1000ug/mL Acetone |
| 31826 | SV Mixture | Method 525.2 Surrogate Std Mix 1mL 1000ug/mL Acetone |
| 31827 | SV Mixture, Method 525.2 | GC/MS Performance Check Mix 1mL 1000ug/mL Acetone |
| 31828 | SV Stock Standard | Method 525.2 Fortification Recovery Std 1ml 1000ug/mL CH2CL2 |
| 31829 | SV Stock Mixture | MegaMix, EPA Method 625, 1mL CH2CL2, 1000ug/mL |
| 31830 | UST Stock Standard | Extraction Retention Time Std CH2CL2 2000ug/mL 1mL |
| 31831 | UST Stock Standard | DRO/GRO Calibration Std 1mL CH2CL2 25000ug/mL |
| 31832 | UST Stock Solution | DRO/GRO Range Calibration Std 2000ug/mL, CH2CL2, 1mL |
| 31833 | SV Stock Standard | Epsilon-caprolactam Std, 1mL 2000ug/mL CH2CL2 (methanol free) |
| 31834 | Pesticide Stock Mixture | Benzidine 1mL 2000ug/mL Methylene Chloride (methanol free) |
| 31835 | SV Stock Standard | 3,3`-dichlorobenzidine 1mL 2000ug/mL CH2CL2 (methanol free) |
| 31836 | SV Stock Standard | Carbazole 1mL 1000ug/mL CH2CL2 (methanol free) |
| 31837 | SV Stock Mixture | Formaldehyde-DNPH Mix 1mL, 500ug/mL, Acetonitrile |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 31838 | UST Stock Solution | Creosote Oil Std 1mL 50,000ug/mL CH2CL2 |
| 31839 | UST Stock Standard | Hydraulic Oil Std 1mL 50,000ug/mL CH2CL2 |
| 31840 | Reagent | Dimethyldichlorosilane (DMDCS) Neat, 20mL |
| 31841 | SV Stock Standard | EPA Method 8310 PAH Mix 1mL, 500ug/mL, Acetonitrile |
| 31842 | SV Stock Standard | EPA Method 8310 Surrogate Std, 1000ug/mL 1mL Acetonitrile |
| 31843 | SV Stock Standard | EPA Method 8310 Quality Control Check 1mL, 5-100ug/mL Acetonitrile |
| 31844 | SV Stock Mixture | 506 Lab Performance Ck Mix 1mL P&TM |
| 31845 | SV Stock Mixture | 506 Calibration Mix 1mL 1000ug/mL Isooctane |
| 31846 | SV Stock Standard | 8061A Matrix Spike 1mL 2000ug/mL Acetone |
| 31847 | SV Stock Standard | Benzyl benzoate 1mL 5000ug/mL Hexane |
| 31848 | SV Stock Standard | 8061A Surrogate Std 1mL Acetone 500ug/mL |
| 31850 | 8270 SV Mix | 8270 Mega Mix 1ml 1000ug/ml CH2CL2 (New Solvent: 100% Methylene Chloride) |
| 31852 | 8270 Benzidines mix | 8270 Benzidines Mix 1mL 2000ug/mL CH2CL2 |
| 31853 | SV Stock Standard | 1,4-Dioxane 1mL 2000ug/mL CH2CL2 |
| 31854 | Pesticide Stock Standard | Method 551.1 Internal Std 1mL 1000ug/mL Acetone |
| 31855 | SV Stock Standard | 551.1 Surrogate 1mL 1000ug/mL Acetone |
| 31856 | SV Stock Standard | 515.4 Internal Std 1mL 2000ug/mL MTBE |
| 31857 | SV Stock Mixture | PAH Supplement Mix for Method 8100 1mL 1000ug/mL CH2CL2 |
| 31858 | International Stock Neat | n-Decane Neat, 1mL |
| 31859 | International Stock Neat | n-Tetracontane Neat, 100mg |
| 31860 | International Stock Neat | Stearyl Stearate Neat, 100mg |
| 31864 | Intl Stock Solution | Canadian Drinking Water Triazine Herbicides Mix 1mL, 500ug/mL Acetone Note: ( |
| 31865 | Intl Stock Solution | Canadian Drinking Water Carbamates Mix 1mL, 100ug/mL Acetonitrile |
| 31867 | Intl Stock Solution | Canadian Drinking Water OP Pesticides Mix 1mL, 1000ug/mL Acetonitrile |
| 31868 | Intl Stock Solution | Canadian Drinking Water Phenoxyacid Herbicide Mix 1mL, 1000ug/mL Acetone |
| 31871 | Intl Stock Solution | Atlantic RBCA VPH Mix 1mL, 1000ug/mL P&TM |
| 31872 | Intl Stock Solution | Atlantic RBCA EPH Mix 1mL, 1000ug/mL Hexane/CH2CL2 |
| 31873 | Intl Stock Solution | Atlantic RBCA EPH Surrogate Std 1mL, 1000ug/mL CH2CL2 |
| 31877 | SV Stock Standard | Nonatriacontane (C39) 10mL MUST SHIP SEPARATELY 3000ug/mL Carbon Dis |
| 31878 | UST Stock Standard | Florida TRPH Std (HC) MUST SHIP SEPARATELY SPECIAL PERMIT PACKAGI |
| 31879 | SV Stock Standard | Benzoic Acid, 1mL 2000ug/mL CH2CL2 |
| 31880 | UST Stock Standard | Diesel/Biodiesel 80:20 Blend 1mL, 5000ug/mL CH2CL2 |
| 31881 | SV Stock Standard | 2-Bromobutanoic Acid, 1mL 2000ug/mL MTBE |
| 31882 | SV Stock Standard | 2-bromobutyrate, 1mL 2000ug/mL MTBE |
| 31885 | SV Stock Standard | Revised SV Internal Std Mix 1mL 2000ug/mL CH2CL2 |
| 31885.15 | SV Stock Standard | Revised SV Internal Std Mix 1mL 2000ug/mL CH2CL2, 15-pk |
| 31885.25 | SV Stock Standard | Revised SV Internal Std Mix 1mL 2000ug/mL CH2CL2, 25-pk |
| 31886 | SV Stock Standard | Revised SV Internal Std Mix 1mL 4000ug/mL CH2CL2 |
| 31886.15 | SV Stock Standard | Revised SV Internal Std Mix 1mL 4000ug/mL CH2CL2, 15-pk |
| 31886.25 | SV Stock Standard | Revised SV Internal Std Mix 1mL 4000ug/mL CH2CL2, 25-pk |
| 31887 | SV Stock Mixture | Revised B/N Surrogate Mix 1mL, 1000ug/mL, CH2CL2 |
| 31887.15 | SV Stock Mixture | Revised B/N Surrogate Mix 1mL, 1000ug/mL CH2CL2, 15-pk |
| 31887.25 | SV Stock Mixture | Revised B/N Surrogate Mix 1mL, 1000ug/mL CH2CL2, 25-pk |
| 31888 | SV Stock Standard | Revised B/N Surrogate Mix 1mL, 5000ug/mL CH2CL2 |
| 31888.15 | SV Stock Mixture | Revised B/N Surrogate Mix 1mL, 5000ug/mL CH2CL2, 15-pk |
| 31888.25 | SV Stock Mixture | Revised B/N Surrogate Mix 1mL, 5000ug/mL CH2CL2, 25-pk |
| 31889 | SV Stock Standard | Revised B/N Surrogate Mix 5mL, 5000ug/mL CH2CL2 |
| 31889.15 | SV Stock Mixture | Revised B/N Surrogate Mix 5mL, 5000ug/mL CH2CL2, 15-pk |
| 31889.25 | SV Stock Mixture | Revised B/N Surrogate Mix 5mL, 5000ug/mL CH2CL2, 25-pk |
| 31890 | SV Stock Solution | Ammonium Picrate, 1mL 2000ug/mL acetonitrile *PGI BOX REQUIRED* SHIP FE |
| 31891 | Glycerin Standard Mix | |
| 31892 | Propylene Glycol Std Mix | |
| 31893 | Sorbitol Standard Mix | |
| 31894 | Internal Standard Mix | |
| 31896 | SV Stock Standard | Haloacetic Acid Mix 1mL 1000ug/mL MTBE |
| 31897 | SV Stock Standard | Haloacetic Acid Methyl Ester Mix, 1mL, 1000ug/mL MTBE |
| 31898 | SV Stock Standard | Nitrosamine Calibration Mix Method 521, 1mL 1000ug/mL CH2CL2 |
| 31899 | SV Stock Mixture | Method 525.2 (Revised) 1mL 1000ug/mL Acetone (revised - replaces #31824) |
| 31900 | SOM01.1 SVOA Megamix | (revised) |
| 31902 | CLP/SVOA Additions Mix | |
| 31903 | CLP 04.1 B/N Megamix | (revision 2) |
| 31904 | SOM01.1 SVOA | MegaMix Kit |
| 31905 | CLP 04.1 B/N | MegaMix Kit |
| 31963 | AOAC QuEChERS IS Solution | |
| 31964 | AOAC QuEChERS | Triphenylphosphate Solution |
| 31998 | EPA 539 Calibration | Stock Standard |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 31999 | AOAC QuEChERS | QC Spike Mix |
| 32000 | Pesticide Mix, CLP method | Pesticide Surrogate Mix 200ug/mL, Acetone, 1mL |
| 32001 | Pesticide Mix, CLP method | Resolution Check Std 3/90 SOW Hexane, 1ml/ampul |
| 32002 | Pesticide Mix, CLP method | Performance Evaluation Ck 3/90 SOW, Hexane,1ml/ampul |
| 32003 | Pesticide Mix, CLP method | Standard Mix A 3/90 SOW Hexane, 1ml/ampul |
| 32004 | Pesticide Mix, CLP method | Standard Mix B 3/90 SOW Hexane, 1ml/ampul |
| 32005 | Pest Mix | toxaphene 1000ug/ml, hexane, 1ml |
| 32006 | PCB Mix | Aroclor 1016 1000ug/ml, hexane, 1ml |
| 32007 | PCB Mix | Aroclor 1221 1000ug/ml, hexane, 1ml |
| 32008 | PCB Mix | Aroclor 1232 1000ug/ml, hexane, 1ml |
| 32009 | PCB Mix | Aroclor 1242 1000ug/ml, hexane, 1ml |
| 32010 | PCB Mix | Aroclor 1248 1000ug/ml, hexane, 1ml |
| 32011 | PCB Mix | Aroclor 1254 1000ug/ml, hexane, 1ml |
| 32012 | PCB Mix | Aroclor 1260 1000ug/ml, hexane, 1ml |
| 32013 | Pesticide Mix, Solid | Waste TCLP Pesticide Std 2000ug/ml,methanol,1ml/ampul |
| 32014 | Pesticide Mix, Solid | Waste TCLP Herbicide Std 2000ug/ml,methanol,1ml/ampul |
| 32015 | Pesticide Mix, Solid | Waste toxaphene 2000ug/ml, methanol, 1ml |
| 32016 | Pesticide Mix, Solid | Waste chlordane (technical) 2000ug/ml, methanol, 1ml |
| 32017 | Pesticide Mix, CLP method | Florisil Cartridge Ck Std 1000ug/ml,Acetone,1ml/ampul |
| 32018 | Pesticide Mix, CLP method | Matrix Spike Std Acetone, 1ml/ampul |
| 32019 | Pesticide Mix, CLP method | GPC Calibration Std 1ml/ampul |
| 32021 | Pesticide Mix | chlordane (technical) 1000ug/ml, hexane, 1ml |
| 32022 | Pesticide mix, 600 series | 608 Calibration Std 200ug/ml,hexane:toluene1:1,1ml/ampul |
| 32023 | Pesticide Mix, CLP method | GPC Calibration Std 5ml/ampul |
| 32024 | Pesticide mix, 500 series | 505 Organohalide Std 200ug/ml,Methanol,1ml/ampul |
| 32025 | Pesticide Mix | dibutylchlorendate 200ug/ml,acetone,1ml/ampul |
| 32027 | Pesticide Mix | tetrachloro-m-xylene 200ug/ml,acetone,1ml/ampul |
| 32028 | Pesticide Mix | tetrachloro-m-xylene 200ug/ml,acetone,5ml/ampul |
| 32029 | Pesticide Mix | decachlorobiphenyl 200ug/ml,acetone,1ml/ampul |
| 32030 | Pesticide Mix | decachlorobiphenyl 200ug/ml,acetone,5ml/ampul |
| 32031 | Pesticide Mix, CLP method | Matrix Spike 2/88 SOW,methanol,1ml |
| 32032 | Pesticide Mix, CLP method | Performance Evaluation Ck 2/88 SOW,100ug/ml,hexane,1ml |
| 32033 | Pesticide Mix, CLP method | Standard Mix A 2/88 SOW,hexane,1ml |
| 32034 | Pesticide Mix, CLP method | Standard Mix B 2/88 SOW,hexane,1ml |
| 32039 | PCB Mix | Aroclor 1016/1260 1000ug/ml, hexane, 1ml |
| 32040 | Pesticide Mix, CLP method | L/C Lab Control Sample in Acetone,1ml |
| 32041 | Pesticide Mix, CLP method | Revised GPC Calibration Std 1ml/ampul |
| 32042 | Pesticide Mix, CLP method | Revised GPC Calibration Std 5ml/ampul |
| 32045 | Pesticide mix, 500 series | 508 Performance Check Std methyl tert-butyl ether,1ml/ampul |
| 32049 | 515.4 Surrogate Mix | 2,4-dichlorophenyl acetic acid 1mL, 200ug/ml, Methanol |
| 32050 | Herbicide, 8000 series | 515 Surrogate (ester) 2,4-dichlorophenyl acetic acid methyl ester, 1mL, 200ug/mL |
| 32053 | Herbicide series,8000 ser | 515 Internal Std 4,4'- Dibromooctafluorobiphenyl 250ug/ml,hexane,1ml/ampul |
| 32054 | Herbicide Mix, 500/8000 | Standard #1(free acid) 200ug/ml,methanol,1ml/ampul |
| 32055 | Herbicide Mix, 500/8000 | Standard #1 (methyl ester) 200ug/ml,hexane,1ml/ampul |
| 32056 | Herbicide Mix, 500/8000 | Standard #2(free acid) dalapon 2000ug/ml,methanol,1ml/ampul |
| 32057 | Herbicide Mix, 500/8000 | Standard #2 (methyl ester) dalapon methyl ester 2000ug/ml,hexane,1ml/ampul |
| 32058 | Herbicide Mix, 500/8000 | Standard #3(free acid) 20,000ug/ml,methanol,1ml/ampul |
| 32059 | Herbicide Mix, 500/8000 | Standard #3 (methyl ester) 20,000ug/ml,hexane,1ml/ampul |
| 32060 | Pesticide Kit, 600 Series | 608 Pesticides |
| 32061 | Herbicide Mix, 500/8000 | Standard #4(free acid) 200ug/ml,methanol,1ml/ampul |
| 32062 | Herbicide Mix, 500/8000 | Standard #4 (methyl ester) 200ug/ml,hexane,1ml/ampul |
| 32063 | Herbicide Mix, 500/8000 | Lab Performance Ck Std MTBE,1ml/ampul |
| 32064 | PCB Mix | Aroclor 1016 200ug/ml, isooctane, 1ml |
| 32065 | PCB Mix | Aroclor 1221 200ug/ml, isooctane, 1ml |
| 32066 | PCB Mix | Aroclor 1232 200ug/ml, isooctane, 1ml |
| 32067 | PCB Mix | Aroclor 1242 200ug/ml, isooctane, 1ml |
| 32068 | PCB Mix | Aroclor 1248 200ug/ml, isooctane, 1ml |
| 32069 | PCB Mix | Aroclor 1254 200ug/ml, isooctane, 1ml |
| 32070 | PCB Mix | Aroclor 1260 200ug/ml, isooctane, 1ml |
| 32071 | Pesticide Mix | toxaphene 5000ug/ml, isooctane, 1ml |
| 32072 | Pesticide Mix | chlordane (technical) 5000ug/ml, isooctane, 1ml |
| 32073 | Pesticide Mix, CLP method | Resolution Check Std 3/90 SOW w/surrogates, Hexane,1ml/ampul |
| 32074 | Pesticide Mix, CLP method | Performance Evaluation Std. 3/90 SOW w/surrogates, Hexane,1ml/ampul |
| 32075 | PCB Mix | Aroclor 1016 in oil 50mg/kg,transformer oil,1ml |
| 32076 | PCB Mix | Aroclor 1016 in oil 500mg/kg,transformer oil,1ml |
| 32077 | PCB Mix | Aroclor 1221 in oil 50mg/kg transformer oil 1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 32078 | PCB Mix | Aroclor 1221 in oil 500mg/kg,transformer oil,1ml |
| 32079 | PCB Mix | Aroclor 1232 in oil 50mg/kg,transformer oil,1ml |
| 32080 | PCB Mix | Aroclor 1232 in oil 500mg/kg,transformer oil,1ml |
| 32081 | PCB Mix | Aroclor 1242 in oil 50mg/kg,transformer oil,1ml |
| 32082 | PCB Mix | Aroclor 1242 in oil 500mg/kg,transformer oil,1ml |
| 32083 | PCB Mix | Aroclor 1248 in oil 50mg/kg,transformer oil,1ml |
| 32084 | PCB Mix | Aroclor 1248 in oil 500mg/kg,transformer oil,1ml |
| 32085 | PCB Mix | Aroclor 1254 in oil 50mg/kg,transformer oil,1ml |
| 32086 | PCB Mix | Aroclor 1254 in oil 500mg/kg,transformer oil,1ml |
| 32087 | PCB Mix | Aroclor 1260 in oil 50mg/kg,transformer oil,1ml |
| 32088 | PCB Mix | Aroclor 1260 in oil 500mg/kg,transformer oil,1ml |
| 32089 | PCB Kit #1 | Aroclors, 1000ug/ml in hexane |
| 32090 | PCB Kit #2 | Aroclors, 200ug/ml in isooctane |
| 32091 | Pesticide mix, 500 series | 508.1 Internal Std pentachloronitrobenzene 100ug/ml,ethyl acetate,1ml/ampul |
| 32092 | Pesticide mix, 500 series | 508.1 Surrogate 4,4'-dibromobiphenyl 500ug/ml,ethyl acetate,1ml/ampul |
| 32093 | Pesticide mix, 500 series | 508.1 GC Degradation Ck 100ug/ml,ethyl acetate,1ml/ampul |
| 32094 | Pesticide mix, 500 series | 508.1 Calibration Std #1 500ug/ml,ethyl acetate,1ml/ampul |
| 32095 | Pesticide mix, 500 series | 508.1 Calibration Std #2 500ug/ml,ethyl acetate,1ml/ampul |
| 32096 | Pesticide mix, 500 series | 508.1 Calibration Std #3 500ug/ml,ethyl acetate/1ml/ampul |
| 32097 | Pesticide Kit | 508.1 Pesticides |
| 32098 | Pesticide Mix | 2,4'-DDD 1000ug/ml, methanol, 1ml |
| 32099 | Pesticide Mix | 2,4'-DDE 1000ug/ml, methanol, 1ml |
| 32200 | Pesticide Mix | 2,4'-DDT 1000ug/ml, methanol, 1ml |
| 32201 | Pesticide Mix | 4,4'-DDD 1000ug/ml, methanol, 1ml |
| 32202 | Pesticide Mix | 4,4'-DDE 1000ug/ml, methanol, 1ml |
| 32203 | Pesticide Mix | 4,4'-DDT 1000ug/ml, methanol, 1ml |
| 32204 | Pesticide Mix | alachlor 1000ug/ml, methanol, 1ml |
| 32205 | Pesticide Mix | aldrin 1000ug/ml, methanol, 1ml |
| 32206 | Pesticide Mix | alpha-BHC 1000ug/ml, methanol, 1ml |
| 32207 | Pesticide Mix | alpha-chlordane 1000ug/ml, methanol, 1ml |
| 32208 | Pesticide Mix | atrazine 1000ug/ml, acetone, 1ml |
| 32209 | Pesticide Mix | beta-BHC 1000ug/ml, acetone, 1ml |
| 32211 | Pesticide Mix | chlorobenzilate 1000ug/ml, methanol, 1ml |
| 32212 | Pesticide Mix | chlorpyrifos 1000ug/ml, methanol, 1ml |
| 32215 | Pesticide Mix | cyanizine 1000ug/ml, acetone, 1ml |
| 32216 | Pesticide Mix | dacthal (DCPA dimethyl ester) 1000ug/ml, methanol, 1ml |
| 32217 | Pesticide Mix | delta-BHC 1000ug/ml, methanol, 1ml |
| 32218 | Pesticide Mix | dieldrin 1000ug/ml, methanol, 1ml |
| 32219 | Pesticide Mix | endrin 1000ug/ml, methanol, 1ml |
| 32220 | Pesticide Mix | endrin ketone 1000ug/ml, methanol, 1ml |
| 32221 | Pesticide Mix | endosulfan I 1000ug/ml, methanol, 1ml |
| 32222 | Pesticide Mix | endosulfan II 1000ug/ml, methanol, 1ml |
| 32223 | Pesticide Mix | endosulfan sulfate 1000ug/ml, methanol, 1ml |
| 32224 | Pesticide Mix | endrin aldehyde 1000ug/ml, methanol, 1ml |
| 32226 | Pesticide Mix | gamma-BHC (lindane) 1000ug/ml, methanol, 1ml |
| 32227 | Pesticide Mix | gamma-chlordane 1000ug/ml, methanol, 1ml |
| 32228 | Pesticide Mix | heptachlor 1000ug/ml, methanol, 1ml |
| 32230 | Pesticide Mix | heptachlor epoxide (isomer B) 1000ug/ml, methanol, 1ml |
| 32231 | Pesticide Mix | hexachlorobenzene 1000ug/ml, acetone, 1ml |
| 32232 | Pesticide Mix | hexachlorocyclopentadiene 1000ug/ml, methanol, 1ml |
| 32233 | Pesticide Mix | methoxychlor 1000ug/ml, methanol, 1ml |
| 32235 | Pesticide Mix | propachlor 1000ug/ml, methanol, 1ml |
| 32236 | Pesticide Mix | simazine 1000ug/ml, acetone, 1ml |
| 32238 | Pesticide Mix | trifluralin 1000ug/ml, methanol, 1ml |
| 32239 | Herbicide Mix | 2,4-D 1000ug/ml, methanol, 1ml |
| 32240 | Herbicide Mix | 2,4-D methyl ester 1000ug/ml, methanol, 1ml |
| 32241 | Herbicide Mix | 2,4-DB 1000ug/ml, methanol, 1ml |
| 32243 | Herbicide Mix | 2,4,5-T 200ug/ml, methanol, 1ml |
| 32244 | Herbicide Mix | 2,4,5-T methyl ester 1000ug/ml, methanol, 1ml |
| 32245 | Herbicide Mix | 2,4,5-TP(silvex) 1000ug/ml, methanol, 1ml |
| 32246 | Herbicide Mix | 2,4,5-TP(silvex)methyl ester 1000ug/ml, methanol, 1ml |
| 32247 | Herbicide Mix | dicamba 1000ug/ml, methanol, 1ml |
| 32248 | Herbicide Mix | dicamba methyl ester 1000ug/ml, methanol, 1ml |
| 32249 | Herbicide Mix | dichlorprop 1000ug/ml, methanol, 1ml |
| 32250 | Herbicide Mix | dichlorprop methyl ester 1000ug/ml, methanol, 1ml |
| 32251 | Herbicide Mix | dinoseb 1000ug/ml, methanol, 1ml |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 32252 | Herbicide Mix | dinoseb methyl ether 1000ug/ml, methanol, 1ml |
| 32253 | Herbicide Mix | dalapon 1000ug/ml, methanol, 1ml |
| 32254 | Herbicide Mix | dalapon methyl ester 1000ug/ml, methanol, 1ml |
| 32255 | Herbicide Mix | acifluorfen 1000ug/ml, methanol, 1ml |
| 32256 | Herbicide Mix | acifluorfen methyl ester 1000ug/ml, methanol, 1ml |
| 32257 | Herbicide Mix | bentazon 1000ug/ml, methanol, 1ml |
| 32261 | Herbicide Mix | DCPA (diacid) 200ug/ml, methanol, 1ml |
| 32264 | Herbicide Mix | 3,5-dichlorobenzoic acid methyl ester, 1000ug/ml,methanol,1ml |
| 32265 | Herbicide Mix | picloram 1000ug/ml, methanol, 1ml |
| 32266 | Herbicide Mix | picloram methyl ester 1000ug/ml, methanol, 1ml |
| 32268 | Herbicide Mix | pentachloroanisole 1000ug/ml, methanol, 1ml |
| 32269 | Herbicide Mix | MCPA 1000ug/ml, methanol, 1ml |
| 32271 | Herbicide Mix | MCPP 1000ug/ml, methanol, 1ml |
| 32273 | Pesticide mix, 500 series | 531.1 Calibration Std Carbamate Pesticides 100ug/ml,methanol,1ml/ampul |
| 32274 | Pesticide mix, 500 series | 4-bromo-3,5-dimethylphenyl N-methylcarbamate (BDMC) 100ug/ml,methanol,1ml/ |
| 32275 | Pesticide mix, 500 series | 531.1 Performance Ck Std methanol,1ml/ampul |
| 32277 | Pesticide Mix, 8000 | series 8140/41 Calibration Std A OP Pesticides 200ug/ml,hexane/acetone,1ml/am |
| 32278 | Pesticide Mix, 8000 | series 8141 Calibration Std B OP Pesticides 200ug/ml,hexane/acetone,1ml/ampul |
| 32279 | Pesticide Mix, 8000 | series 8141A NPD Internal Std 1-bromo-2-nitrobenzene 1000ug/ml,Acetone,1ml |
| 32280 | Pesticide Mix, 8000 | series 8141A FPD Surrogate tributylphosphate 1000ug/ml,Acetone,1ml/ampul |
| 32281 | Pesticide Mix, 8000 | series 8141A FPD Surrogate triphenylphosphate 1000ug/ml,Acetone,1ml/ampul |
| 32282 | Pesticide Mix, 8000 | series 8141A NPD Surrogate 4-chloro-3-nitrobenzotrifluoride 1000ug/ml,Acetone, |
| 32283 | PCB Mix | trichlorobiphenyl BZ#28,10ug/ml,isooctane,1ml |
| 32284 | PCB Mix | tetrachlorbiphenyl BZ#52,10ug/ml,isooctane,1ml |
| 32285 | PCB Mix | pentachlorobiphenyl BZ#101,10ug/ml,isooctane,1ml |
| 32286 | PCB Mix | hexachlorobiphenyl BZ#138,10ug/ml,isooctane,1ml |
| 32287 | PCB Mix | hexachlorobiphenyl BZ#153,10ug/ml,isooctane,1ml |
| 32288 | PCB Mix | heptachlorobiphenyl BZ#180,10ug/ml,isooctane,1ml |
| 32289 | PCB Mix | decachlorobiphenyl BZ#209,10ug/ml,isooctane,1ml |
| 32290 | PCB Mix | PCB Congener Std #1 10ug/ml,isooctane,1ml/ampul |
| 32291 | Pesticide Mix, CLP method | Organochlorine Std AB#1 200ug/ml,Hexane/toluene,1ml/ampul |
| 32292 | Pesticide Mix, CLP method | Organochlorine Std AB#2 hexane/toluene,1ml/ampul |
| 32293 | PCB Mix | pentachlorobiphenyl BZ#118,10ug/ml,isooctane,1ml |
| 32294 | PCB Mix | PCB Congener Std #2 10ug/ml,isooctane,1ml/ampul |
| 32296 | Pesticide Mix C #1 | Organochlorine |
| 32297 | Pesticide Standard Mix A | Hexane/Toluene 90:10, 1ml/ampul |
| 32298 | Pesticide Standard Mix B | Hexane/Toluene 90:10, 1ml/ampul |
| 32299 | Aroclor 1016/1260 Mix | 200ug/ml, Isooctane, 1ml/ampul |
| 32400 | PCB Kit #3 | PCB Kit #3 1000ug/ml, Hexane, 1ml/ampul |
| 32401 | PCB Kit #4 | 200ug/ml, Isooctane, 1ml/ampul |
| 32404 | CLP Pesticides Kit | Pesticide Kit #3 |
| 32406 | Pesticide Mix, Minnesota | MN Ag List 1 Pesticides Mix A Acetone, 1ml |
| 32407 | Pesticide Mix, Minnesota | MN Ag List 1 Pesticides Mix B Acetone, 1ml |
| 32408 | Pesticide Kit, Minnesota | MN Ag List 1 Pesticide Kit |
| 32409 | PCB Stock Solution | Aroclor 1262 Std 1ml, Hexane |
| 32410 | PCB Stock Solution | Aroclor 1268 Std 1ml, Hexane |
| 32412 | Pesticide Standard | Series 5 OC Pesticide Mix #1 |
| 32413 | Pesticide Standard | Series 9 OP Pesticide Mix #1 |
| 32414 | Pesticide Standard | Series 5 OC Pesticide Mix #2, Acetone, 1ml |
| 32415 | Pesticides Mix | Organochlorine Pesticide Mix AB#3 (20 components) hexane:toluene, 1ml |
| 32416 | PCB Mix | PCB Congener Mix, Method 8082A (19 components) isooctane, 1ml |
| 32417 | OrganoChlorine Pesticide | System Evaluation Mix 1ml, MTBE |
| 32418 | Pesticide Mix | Organophosphorous Pesticide Mix European Formulation, 1ml 1000-100ug/ml, Ac |
| 32419 | Pesticide Mix | Organophosphorous Pesticide Mix 8270/Appendix IX 1ml, 2000ug/ml, Methylene C |
| 32420 | SV Mixture | Method 525.2 PCB Congener Mix 1mL 200ug/mL Acetone |
| 32423 | SV Mixture, Method 525.2 | Nitrogen/Phosphorous Pesticide Mix #2 1mL 1000ug/mL Acetone |
| 32424 | PCB Stock Neat | PCB Free Transformer Oil 5mL, Neat |
| 32425 | PCB Stock Neat | PCB Free Transformer Oil 50mL, Neat |
| 32426 | Herbicide Stock Std | Glyphosate, 1mL, 1000ug/mL DI Water |
| 32427 | Pesticide Stock Std | Glyphosate, 5mL, 1000ug/mL DI Water |
| 32428 | Pesticide Stock Std | AMPA (Glypohosate Metabolite) 100ug/mL, DI Water, 1mL |
| 32429 | Pesticide Stock Mixture | Chlorinated Acid Herbicide 1000ug/mL Acetonitrile 1mL |
| 32430 | Pesticide Stock Mixture | Chlorinated Acids by HPLC Mix B,1000ug/mL Acetonitrile 1mL |
| 32431 | Pesticide Stock Mixture | Chlorinated Acids by HPLC Mix A,1000ug/mL Acetonitrile 1mL |
| 32432 | Pesticide Stock Mixture | Dalapon, 1mL 1000ug/mL Acetonitrile |
| 32433 | Pesticide Stock Mixture | Phenyl Urea Surrogate Mix 500ug/mL methanol/acetonitrile 1mL |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 32434 | Pesticide Stock Mixture | Phenyl Urea Pest. Mix 200ug/mL Acetonitrile 1mL |
| 32435 | Pesticide Stock Mix | 531.2 Carbamate Pesticide Calibration Mix 1mL, 100ug/mL, Acetonitrile |
| 32436 | Pesticide Stock Std | Metribuzin, 1mL 1000ug/mL Acetone |
| 32437 | Pesticide Stock Mixture | Paraquat & Diquat Calibration Mix 1mL 1000ug/mL H2O |
| 32438 | Pesticide Stock Mixture | Method 551.1 Pesticide Herbicide Mix 1mL 1000ug/mL Acetone |
| 32439 | 515.4 Surrogate Mix | 2,4-dichlorophenylacetic acid 1mL 1000ug/mL Acetone |
| 32441 | Ultra Quat Solution | Ultra Quat Reagent Solution In Water, 20mL/Ampule |
| 32443 | Pesticide Stock Mixture | 515.4 Calibration Mix 1mL, Acetone |
| 32444 | Pesticide Stock Mixture | 515.4 Methylated Chlorinated Acids Mix, 1mL MTBE |
| 32445 | Pesticide Stock Standard | Desethyl-atrazine 1mL, 1000ug/mL Acetone |
| 32446 | Pesticide Stock Standard | Desisopropylatrazine 1mL, 1000ug/mL Acetone |
| 32447 | Pesticide Stock Standard | Terbuthylazine 1mL, 1000ug/mL Acetone |
| 32448 | Pesticide Stock Standard | Propazine 1mL, 1000ug/mL Acetone |
| 32449 | Pesticide Stock Standard | Prometryne 1mL, 1000ug/mL Acetone |
| 32450 | UST Stock Solution | Diuron, 1mL, 200ug/mL Acetonitrile |
| 32453 | Pesticide Stock Standard | Pesticide Surrogate Mix 1mL, 100-200ug/mL, acetone |
| 32454 | Pesticide Stock Standard | Organochlorine Pesticide Resolution Check Mix 1mL, 10-100ug/mL Hexane/Toluе |
| 32456 | Pesticide Stock Standard | Aroclor 1016/1260, 1mL 400ug/mL Acetone |
| 32457 | Pesticide Mix, CLP Method | Pesticide Surrogate Mix 200ug/mL, Acetone, 5mL |
| 33000 | SV Stock Standard | 2,6-TDIP 1mL, 1000ug/mL DMSO |
| 33001 | SV Stock Standard | 2,4-TDIP 1mL, 1000ug/mL DMSO |
| 33002 | SV Stock Standard | 1,6-HDIP 1mL, 1000ug/mL DMSO |
| 33003 | SV Stock Standard | 4,4'-MDIP 1mL, 1000ug/mL DMSO |
| 33004 | SV Stock Standard | Formaldehyde Oxazoladine 1mL, 2000ug/mL toluene |
| 33007 | SV Stock Standard | Pesticides Mix #1, Method 527 1mL, 500ug/mL Ethyl Acetate |
| 33008 | SV Stock Standard | Pesticides Mix #2, Method 527 1mL, 500ug/mL Ethyl Acetate |
| 33009 | SV Stock Standard | Surrogate Std, Method 527 1mL, 500ug/mL Acetone |
| 33010 | SV Stock Standard | Internal Std, Method 527 1mL, 500ug/mL Acetone |
| 33011 | Pesticide Mixture | OrganoChlorine Pesticide Mix #2 (Rev) Method 525.2 1mL, 500ug/mL Acetone |
| 33012 | Pesticide Mixture | OrganoNitrogen Pesticide Mix #1 (Rev) Method 525.2 1mL, 500ug/mL Acetone |
| 33013 | Pesticide Mixture | OrganoPhosphorous Pesticide Mix #1 (Rev) Method 525.2 1mL, 500ug/mL Acetoı |
| 33017 | SV Stock Standard | Benzaldehyde, 1mL 2000ug/mL CH2CL2 (methanol free) |
| 33020 | ASTM Stock Solution | Glycerin, 1mL 500ug/mL Pyridine |
| 33021 | ASTM Stock Solution | Monolein Std, 1mL 5000ug/mL Pyridine |
| 33022 | ASTM Stock Solution | Diolein Std, 1mL 5000ug/mL Pyridine |
| 33023 | ASTM Stock Solution | Triolein Std, 1mL 5000ug/mL Pyridine |
| 33024 | ASTM Stock Solution | (s)-(-)1,2,4,-butanetriol Std 1mL, 1000ug/mL Pyridine |
| 33025 | ASTM Stock Solution | Tricaprin Std, 1mL 8000ug/mL Pyridine |
| 33026 | ASTM Stock Solution | Monopalmitin Std, 1mL 5000ug/mL Pyridine |
| 33027 | VOA Stock Neat | Penfluorotributylamine (PFTBA) 1g Neat |
| 33028 | SV Stock Standard | B/N Surrogate Mix (4/89 SOW) 10mL 5000ug/mL CH2CL2 |
| 33028.15 | SV Stock Standard | Base Neutral Surrogate Mix 4/89 Statement of work (SOW) 10mL 5000ug/mL, CH |
| 33028.25 | SV Stock Standard | Base Neutral Surrogate Mix 4/89 Statement of work (SOW) 10mL, 5000ug/mL CH |
| 33029 | SV Stock Mixture | Acid Surrogate Mix (4/89 SOW) 10mL 10000ug/mL MEOH |
| 33029.15 | SV Stock Mixture | Acid Surrogate Mix (4/89 SOW) 10mL, 10,000ug/mL CH2CL2, 15-pk |
| 33029.25 | SV Stock Mixture | Acid Surrogate Mix (4/89 SOW) 10mL, 10,000ug/mL CH2CL2, 25-pk |
| 33030 | SV Stock Mixture | B/N Matrix Spike Mix (4/89 SOW) 10mL 5000ug/mL CH2CL2 |
| 33030.15 | SV Stock Mixture | Base Neutral Matrix Spike 10mL, 5000ug/mL CH2CL2, 15-pk |
| 33030.25 | SV Stock Mixture | Base Neutral Matrix Spike 10mL, 5000ug/mL CH2CL2, 25-pk |
| 33031 | SV Stock Mixture | Acid Matrix Spike Mix 10mL 10000ug/mL CH2CL2 |
| 33031.15 | SV Stock Mixture | Acid Matrix Spike, 10mL 10,000ug/mL CH2CL2, 15-pk |
| 33031.25 | SV Stock Mixture | Acid Matrix Spike, 10mL 10,000ug/mL CH2CL2, 25-pk |
| 33032 | ASTM Stock Solution | (s)-(-)1,2,4,-butanetriol Std 5mL, 1000ug/mL Pyridine |
| 33033 | ASTM Stock Solution | Tricaprin Std, 5mL 8000ug/mL Pyridine |
| 33034 | DCG Drop Ship Product | DCG Mixture Oxy Set-up Blend, 2mL ASTM D 6730 SCE Mix DOMESTIC ORDEI |
| 33035 | DCG Drop Ship Product | Cal Kit SISO 0.125-2.5 Kit of 6 x 1mL Ampoules DOMESTIC ORDERS SHIP FED |
| 33036 | DCG Drop Ship Product | Check Std SISO 0.75 Pack of 5 x 1mL Ampoules DOMESTIC ORDERS SHIP FE |
| 33037 | DCG Drop Ship Product | Cal Kit SISO 2.5-50 Kit of 8 x 1mL Ampoules DOMESTIC ORDERS SHIP FED E) |
| 33038 | DCG Drop Ship Product | Check Std SISO 30 Pack of 5 x 1mL Ampoules DOMESTIC ORDERS SHIP FED |
| 33039 | DCG Drop Ship Product | Cal Kit SISO 50-1000 Kit of 7 x 1mL Ampoules DOMESTIC ORDERS SHIP FED |
| 33040 | DCG Drop Ship Product | Check Std SISO 300 Pack of 5 x 1mL Ampoules DOMESTIC ORDERS SHIP FEI |
| 33041 | DCG Drop Ship Product | Cal Kit SISO 1000-6000 Kit of 6 x 1mL Ampoules DOMESTIC ORDERS SHIP FE |
| 33042 | DCG Drop Ship Product | Check Std SISO 3000 Pack of 5 x 1mL Ampoules DOMESTIC ORDERS SHIP FE |
| 33043 | DCG Drop Ship Product | Cal Kit SG 10-50 Kit of 6 x 5mL Bottles DOMESTIC ORDERS SHIP FED EX ONL |
| 33044 | DCG Drop Ship Product | Check Std SG 25 Pack of 5 x 5mL Bottles DOMESTIC ORDERS SHIP FED EX C |
| 33045 | DCG Drop Ship Product | Cal Kit SG 50-125 Kit of 7 x 5mL Bottles DOMESTIC ORDERS SHIP FED EX ON |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 33046 | DCG Drop Ship Product | Check Std SG 75 Pack of 5 x 5mL Bottles DOMESTIC ORDERS SHIP FED EX C |
| 33047 | DCG Drop Ship Product | Cal Kit SG 110-500 Kit of 6 x 5mL Bottles DOMESTIC ORDERS SHIP FED EX O |
| 33048 | DCG Drop Ship Product | Check Std SG 175 Pack of 5 x 5mL Bottles DOMESTIC ORDERS SHIP FED EX |
| 33049 | DCG Drop Ship Product | SSDS - Sulfur Simulated Distillation Std, 1mL DOMESTIC ORDERS SHIP FED E |
| 33050 | DCG Drop Ship Product | SSSSCS - Speciated Sulfur System Suitability Checkout Std, 1mL DOMESTIC OI |
| 33051 | DCG Drop Ship Product | EPA Ultra Low Diesel Precision Sample #1, 5-15ppm Sulfur, 200mL Bottle DOME |
| 33052 | DCG Drop Ship Product | EPA Ultra Low Diesel Precision Sample #2, 200-500ppm Sulfur, 200mL Bottle DC |
| 33053 | DCG Drop Ship Product | EPA Ultra Low Sulfur Diesel Accuracy Std #1, 1-10ppm Total Sulfur, 200mL Bottle |
| 33054 | DCG Drop Ship Product | EPA Ultra Low Sulfur Diesel Accuracy Std #2, 10-20ppm Total Sulfur, 200mL Bott |
| 33055 | DCG Drop Ship Product | EPA Ultra Low Sulfur Diesel Accuracy Std #3, 100-200ppm Total Sulfur, 200mL B |
| 33056 | DCG Drop Ship Product | EPA Ultra Low Sulfur Diesel Accuracy Std #4, 400-500ppm Total Sulfur, 200mL B |
| 33057 | DCG Drop Ship Product | Cal Kit SNISO 0.125-5.0 Kit of 7 x 1mL Ampoules DOMESTIC ORDERS SHIP FE |
| 33058 | DCG Drop Ship Product | Cal Kit SNISO 5.0-50 Kit of 5 x 1mL Ampoules DOMESTIC ORDERS SHIP FED I |
| 33059 | DCG Drop Ship Product | Cal Kit SNISO 50-1000 Kit of 7 x 1mL Ampoules DOMESTIC ORDERS SHIP FED |
| 33060 | DCG Drop Ship Product | Cal Kit ULSD 1-20 Kit of 7 x 20mL Bottles DOMESTIC ORDERS SHIP FED EX O |
| 33061 | DCG Drop Ship Product | Cal Kit ULSD 20-100 Kit of 6 x 20mL Bottles DOMESTIC ORDERS SHIP FED EX |
| 33062 | DCG Drop Ship Product | Cal Kit LSD 100-500 Kit of 6 x 20mL Bottles DOMESTIC ORDERS SHIP FED EX |
| 33063 | DCG Drop Ship Product | Cal Kit SMO 2-20 Kit of 7 x 100mL Bottles DOMESTIC ORDERS SHIP FED EX C |
| 33064 | DCG Drop Ship Product | Check Std SMO 11 1L Bottle DOMESTIC ORDERS SHIP FED EX ONLY |
| 33065 | DCG Drop Ship Product | Cal Kit SMO 10-100 Kit of 5 x 100mL Bottles DOMESTIC ORDERS SHIP FED EX |
| 33066 | DCG Drop Ship Product | Check Std SMO 30 1L Bottle DOMESTIC ORDERS SHIP FED EX ONLY |
| 33067 | DCG Drop Ship Product | Cal Kit SMO 100-1000 Kit of 9 x 100mL Bottles DOMESTIC ORDERS SHIP FED |
| 33068 | DCG Drop Ship Product | Check Std SMO 350 1L Bottle DOMESTIC ORDERS SHIP FED EX ONLY |
| 33069 | DCG Drop Ship Product | Cal Kit SMO 1000-25,000 Kit of 8 x 100mL Bottles DOMESTIC ORDERS SHIP FI |
| 33070 | DCG Drop Ship Product | Check Std SMO 3000 1L Bottle DOMESTIC ORDERS SHIP FED EX ONLY |
| 33071 | DCG Drop Ship Product | Cal Kit SMO 25,000-50,000 Kit of 7 x 100mL Bottles DOMESTIC ORDERS SHIP |
| 33072 | DCG Drop Ship Product | Check Std SMO 37000 1L Bottle DOMESTIC ORDERS SHIP FED EX ONLY |
| 33073 | SV Stock Mixture | 8270 Matrix Spike Mix, 10mL 200ug/mL Methanol/Methylene Chloride (80:20) 76 ( |
| 33073.15 | 8270 SV Mix | Matrix Spike Mix, 10mL 200ug/mL Methanol, CH2CL2 (80:20), 15-pk |
| 33073.25 | 8270 SV Mix | Matrix Spike Mix, 10mL 200ug/mL Methanol, CH2CL2 (80:20), 25-pk |
| 33074 | SV Stock Standard | Acetaldehyde-2,4-DNPH 1mL 100ug/mL Acetonitrile |
| 33082 | SV Stock Standard | formaldehyde-2,4-DNPH 1mL 100ug/mL Acetonitrile |
| 33091 | Pesticide Std, Method 535 | glycolaldehyde-2,4-DNPH 1mL 100ug/mL Acetonitrile |
| 33092 | Pesticide Stock Std | Acetochlor ESA Sodium Salt 100ug/mL in MeOH, 1mL |
| 33093 | SV Stock Standard | Aldehyde/Ketone-DNPH Calibration Std, 1mL 3.0ug/mL Acetonitrile |
| 33094 | Pesticide Std, Method 535 | Acetochlor OA 100ug/mL in MeOH, 1mL |
| 33096 | Pesticide Std, Method 535 | Alachlor ESA Sodium Salt 100ug/mL in MeOH, 1mL |
| 33098 | SV Stock Mixture | PBDE Mix, 1mL 50ug/mL Isooctane:ethyl acetate (4:1) Replaces Cat # 33006 |
| 33099 | Pesticide Std, Method 535 | Alachlor OA 100ug/mL in MeOH, 1mL |
| 33105 | Fragrance Allergen | Standards Kit |
| 33200 | Pesticide Std, Method 535 | Metolachlor ESA Sodium Salt 100ug/mL in MeOH, 1mL |
| 33201 | Pesticide Std, Method 535 | Metolachlor OA 100ug/mL in MeOH, 1mL |
| 33202 | Method 535 Internal Std | Butachlor ESA Sodium Salt 100ug/mL in MeOH, 1mL |
| 33203 | Method 535 Surrogate Std | Dimethachlor ESA Sodium Salt 100ug/mL in MeOH, 1mL |
| 33204 | SV Stock Solution | 8330B Nitroaromatics and Nitramine Mix Explosives by HPLC, EPA 8330B 1mL 1( |
| 33205 | SV Stock Solution | 1,4-dinitrobenzene, 1mL 2000ug/mL Acetonitrile |
| 33207 | Pesticide Std, Method 525 | Alachlor, 100ug/mL in MeOH, 1mL |
| 33208 | Pesticide Std, Method 525 | Acetochlor, 100ug/mL in MeOH, 1mL |
| 33209 | Pesticide Std, Method 525 | Metolachlor, 100ug/mL in MeOH, 1mL |
| 33211 | Method 525.2 Herbicide | Acetochlor/Alachlor/Metoachlor Herbicide Mix, 1mL, 100ug/mL in MeOH |
| 33227 | SV Stock Mixture | EPA 8061A Phthalate Esters Mix, 1mL, 1000ug/mL Hexane/Acetone (80:20) |
| 33228 | SV Stock Standard | Discontinue when stock is depleted EPA 8061A Hexyl 2-Ethylhexyl Phthalate Std, |
| 33229 | SV Stock Kit | EPA 8061A Phthalate Esters Kit, Includes 1mL of 33227 and 33228, 1000ug/mL H |
| 33247 | Melamine Stock Std | 1mL, 1000ug/mL DEA/H2O |
| 33248 | Cyanuric Acid Stock Std | 1mL, 1000ug/mL DEA/H2O |
| 33249 | Ammelide Stock Std | 1mL, 1000ug/mL DEA/H2O |
| 33250 | Ammeline Stock Std | 1mL, 1000ug/mL DEA/H2O |
| 33251 | Benzoguanamine Std | Internal Standard 1mL, 1000ug/mL Pyridine |
| 33252 | Benzoguanamine Std | Internal Standard 5mL, 1000ug/mL Pyridine |
| 33253 | Melamine/Analogs Stk Soln | Melamine and Related Analogs Std, 1mL, 1000ug/mL DEA/H2O |
| 33254 | Melamine Complete Kit | Includes 1 ea: 33247, 33248 33249, 33250, 33251, 33253 35607, 13623-124, 262 |
| 33255 | PCB 18 Stock Solution | 5mL, 50ug/mL, in Acetonitrile |
| 33256 | PCB 28 Stock Solution | 5mL, 50ug/mL, in Acetonitrile |
| 33257 | PCB 52 Stock Solution | 5mL, 50ug/mL, in Acetonitrile |
| 33258 | Food Safety Solution | Triphenylphosphate, 5mL 20ug/mL in Acetonitrile |
| 33259 | Food Safety Solution | Tris (1,3-dichloroisopropyl) phosphate, 5mL, 50ug/mL in Acetonitrile |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 33260 | Food Safety Solution | Triphenylmethane, 5mL 10ug/mL in Acetonitrile |
| 33261 | QuEChERS Internal Std Mix | for LC/MS-MS Analysis, 5mL, 10ug/mL in Acetonitrile |
| 33262 | PCB 138 Stock Solution | 5mL, 50ug/mL in Acetonitrile |
| 33263 | PCB 153 Stock Solution | 5mL, 50ug/mL in Acetonitrile |
| 33264 | QuEChERS QC Standard | Quality Control Std for GC/MS Analysis, 5mL, 100ug/mL in Acetonitrile |
| 33265 | QuEChERS Internal Std Mix | for GC-ECD Analysis, 5mL 50ug/mL in Acetonitrile |
| 33266 | QuEChERS Internal Std Mix | for GC-NPD and LC-MS/MS Analysis, 5mL in Acetonitrile |
| 33267 | QuEChERS Internal Std Mix | for GC/MS Analysis, 5mL 50ug/mL in Acetonitrile |
| 33268 | QuEChERS QC Standard | Quality Control Std for GC/MS Analysis, 5mL, 50ug/mL in Acetonitrile |
| 33900 | SV Stock Solution | Nitroaromatics and Nitramine Explosives in Drinking Water 1mL 1000ug/mL aceto |
| 33901 | SV Stock Solution | 529 Internal Standard Mix, 3,4-dinitrotoluene, 1mL 2000ug/mL Ethyl Acetate |
| 33902 | SV Stock Standard | 529 Surrogate Standard #1, 2-nitromesitylene 1mL, 2000ug/mL Methanol |
| 33903 | SV Stock Standard | 529 Surrogate Standard #2, 1,2,4-trimethyl-5-nitrobenzene 1mL, 2000ug/mL Meth |
| 33905 | SV Stock Solution | Nitroaromatics and Nitramine Explosives by HPLC, 1mL 1000ug/mL acetonitrile *F |
| 33906 | Column Test Mixture | OQ Response Linearity Test Std 1mL Isooctane |
| 33908 | Column Test Standard | FID Performance Evaluation Standard 1mL Hexane |
| 33909 | Column Test Standard | OQ/PV Headspace Standard 1mL 200ug/mL Ethanol |
| 33910 | SV Stock Standard | N-nitrosodimethylamine-d6 1mL, 1000ug/mL CH2CL2 |
| 33911 | SV Stock Standard | N-Nitrosodi-n-propylamine-d14 1mL, 1000ug/mL CH2CL2 |
| 33912 | SV Stock Standard | alpha-terpineol, 1mL 2000ug/mL CH2CL2 |
| 33913 | SV Stock Standard | SOM01.1 Deuterated Monitoring Compound Mix SIM Compounds 1mL, 2000ug/m |
| 34000 | Drug Stock Standard | Codeine 1mg/mL P&TM, 1mL |
| 34002 | Drug Stock Standard | Hydrocodone 1mg/mL P&TM, 1mL |
| 34003 | Drug Stock Standard | Levorphanol 1000ug/mL P&TM, 1mL |
| 34004 | Drug Stock Standard | Meperidine 1mg/mL P&TM, 1mL |
| 34005 | Drug Stock Standard | Methadone 1mg/mL P&TM, 1mL |
| 34006 | Drug Stock Standard | Morphine 1mg/mL P&TM, 1mL |
| 34007 | Drug Stock Standard | Oxycodone 1mg/mL P&TM, 1mL |
| 34008 | Drug Stock Standard | Dextro-propoxyphene 1mg/mL P&TM, 1mL |
| 34009 | Drug Stock Standard | Thebaine 1mg/mL P&TM, 1mL |
| 34010 | Drug Stock Standard | Cannabinol 1mg/mL P&TM, 1mL |
| 34011 | Drug Stock Standard | Cannabidiol 1mg/mL P&TM, 1mL |
| 34014 | Cannabinoids Standard | 1000 ug/ml |
| 34015 | Drug Stock Standard | Cocaine 1mg/mL P&TM, 1mL |
| 34016 | Drug Stock Standard | Benzoylecgonine 1mg/mL P&TM, 1mL |
| 34017 | Drug Stock Standard | Ecgonine 1mg/mL P&TM, 1mL |
| 34018 | Drug Stock Standard | Ecgonine Methyl Ester 1mg/mL P&TM, 1mL |
| 34020 | Drug Stock Standard | d-Amphetamine 1mg/mL P&TM, 1mL |
| 34021 | Drug Stock Standard | (+) Methamphetamine 1mg/mL P&TM, 1mL |
| 34022 | Drug Stock Standard | Benzphetamine 1mg/mL P&TM, 1mL |
| 34023 | Drug Stock Standard | Discontinue when stock is depleted Fenfluamine 1mg/mL P&TM, 1mL |
| 34024 | Drug Stock Standard | Phentermine 1mg/mL P&TM, 1mL |
| 34025 | Drug Stock Standard | Phendimetrazine 1mg/mL P&TM, 1mL |
| 34026 | Drug Stock Standard | Phenmetrazine 1mg/mL P&TM, 1mL |
| 34027 | Drug Stock Standard | Phencyclidine 1mg/mL P&TM, 1mL |
| 34028 | Drug Stock Standard | Amobarbital 1mg/mL P&TM, 1mL |
| 34029 | Drug Stock Standard | Aprobarbital 1mg/mL P&TM, 1mL |
| 34030 | Drug Stock Standard | Barbital 1mg/mL P&TM, 1mL |
| 34031 | Drug Stock Standard | Butabarbital 1mg/mL P&TM, 1mL |
| 34032 | Drug Stock Standard | Butalbital 1mg/mL P&TM, 1mL |
| 34033 | Drug Stock Standard | Hexobarbital 1mg/mL P&TM, 1mL |
| 34034 | Drug Stock Standard | Mephobarbital 1mg/mL P&TM, 1mL |
| 34035 | Drug Stock Standard | Methohexital 1mg/mL P&TM, 1mL |
| 34036 | Drug Stock Standard | Pentobarbital 1mg/mL P&TM, 1mL |
| 34037 | Drug Stock Standard | Phenobarbital 1mg/mL P&TM, 1mL |
| 34038 | Drug Stock Standard | Secobarbital 1mg/mL P&TM, 1mL |
| 34039 | Drug Stock Standard | Talbutal 1mg/mL P&TM, 1mL |
| 34041 | Drug Stock Standard | Thiopental 1mg/mL P&TM, 1mL |
| 34042 | Drug Stock Standard | Alprazolam, 1000ug/ml P&TM, 1mL |
| 34043 | Drug Stock Standard | Bromazepam 1mg/mL P&TM, 1mL |
| 34044 | Drug Stock Standard | Chlordiazepoxide 1mL 1000ug/mL |
| 34045 | Drug Stock Standard | Clobazam, 1mg/mL P&TM 1mL |
| 34046 | Drug Stock Standard | Clonazepam 1mg/mL P&TM, 1mL |
| 34047 | Drug Stock Standard | Diazepam 1mg/mL P&TM, 1mL |
| 34049 | Drug Stock Standard | Flunitrazepam 1mg/mL P&TM, 1mL |
| 34050 | Drug Stock Standard | Flurazepam 1mg/mL P&TM, 1mL |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 34051 | Drug Stock Standard | Lorazepam 1mg/mL P&TM, 1mL |
| 34053 | Drug Stock Standard | Nitrazepam 1mg/mL P&TM, 1mL |
| 34054 | Drug Stock Standard | Oxazepam 1mg/mL P&TM, 1mL |
| 34055 | Drug Stock Standard | Prazepam 1mg/mL P&TM, 1mL |
| 34056 | Drug Stock Standard | Temazepam 1mg/mL P&TM, 1mL |
| 34057 | Drug Stock Standard | Triazolam 1mg/mL P&TM, 1mL |
| 34058 | Drug Stock Standard | DL-Glutethimide 1mg/mL P&TM, 1mL |
| 34059 | Drug Stock Standard | Meprobamate 1mg/mL P&TM, 1mL |
| 34060 | Drug Stock Standard | Methyprylon 1mg/mL P&TM, 1mL |
| 34062 | Drug Stock Standard | Pentazocine 1mg/mL P&TM, 1mL |
| 34063 | Drug Stock Standard | Hydromorphone 1mg/mL P&TM, 1mL |
| 34064 | Drug Stock Standard | Methaqualone 1mg/mL P&TM, 1mL |
| 34065 | Drug Stock Standard | Oxymorphone 1mg/mL P&TM, 1mL |
| 34066 | Drug Stock Standard | Cocaethylene, 1mL 1mg/mL Acetonitrile |
| 34067 | Drug Stock Standard | Delta-9-THC Std, 1mL 1000ug/mL Methanol |
| 34068 | Drug Stock Standard | (+/-)11-nor-9-Carboxy-delta9- THC Std, 1ml 100ug/mL Methanol |
| 34069 | Drug Stock Standard | EDDP Perchlorate, 1mL 1000ug/mL Methanol |
| 34070 | Drug Stock Standard | 3,4-MDA HCl, 1mL 1000ug/mL Methanol |
| 34071 | Drug Stock Standard | 3,4-MDMA HCl, 1mL 1000ug/mL Methanol |
| 34072 | Drug Stock Standard | 3,4-MDEA HCl, 1mL 1000ug/mL Methanol |
| 34073 | Drug Stock Standard | Phenylpropanolamine HCL 1mL 1000ug/mL Methanol |
| 34077 | Drug Stock Standard | gamma-butyrolactone 1mL 1000ug/mL Acetonitrile |
| 34078 | Drug Stock Standard | 1,4-butanediol, 1mL 1000ug/mL Methanol |
| 34079 | Drug Stock Standard | alpha-methylene-gamma- butyrolactone, 1mL 1000ug/mL Acetonitrile |
| 34080 | Drug Stock Standard | gamma-valerolactone 1mL 1000ug/mL Acetonitrile |
| 34081 | Drug Stock Standard | Dextromethorphan HBr Monohydrate 1mL 1000ug/mL Methanol |
| 34082 | Drug Stock Standard | Fentanyl, 1mL 1000ug/mL Methanol |
| 34083 | Drug Stock Standard | nor-fentanyl oxalate 1mL 1000ug/mL Methanol |
| 34084 | Drug Stock Standard | Caffeine, 1mL 1000ug/mL Methanol |
| 34085 | Drug Stock Standard | Nicotine, 1mL 1000ug/mL Methanol |
| 34086 | Drug Stock Standard | Continine, 1mL 1000ug/mL Methanol |
| 34090 | Delta-8 | Tetrahydrocannabinol (THC)Standard |
| 34091 | Cannabigerol Standard | |
| 34092 | Cannabichromene Standard | |
| 34093 | THCA Standard | 1000 ug/ml |
| 34400 | Spectra/Linde Air Std Drop Ship | TO-14A Calibration Mix 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fee |
| 34400-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Calibration Mix 110L 1 ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34402 | Spectra/Linde Air Std Drop Ship | TO-14A Chlorinated Hydrocarbon 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPL |
| 34402-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Chlorinated Hydrocarbon 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees |
| 34404 | Spectra/Linde Air Std Drop Ship | TO-14A Aromatics 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fee Incl |
| 34404-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Aromatics 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34406 | Spectra/Linde Air Std Drop Ship | TO-14A GC/MS Tuning Standard 1ppmv in N2 FEDEX ONLY, HAZ FEES APPLY |
| 34406-PI | Scott/Air Liquide Air Std. EU Version | TO-14A GC/MS Tuning Std 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Appl |
| 34408 | Spectra/Linde Air Std Drop Ship | TO-14A Internal Stnd/Tune Mix 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY H |
| 34408-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Internal Std/Tuning Mix 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees A |
| 34410 | Spectra/Linde Air Std Drop Ship | TO-14A CFC/HCFC Subset 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ |
| 34410-PI | Scott/Air Liquide Air Std EU version | TO-14A CFC/HCFC Subset 110L 1ppmv in N2 Ship FedEx Only - Haz Fees Apply |
| 34412 | Spectra/Linde Air Std Drop Ship | TO-14A Internal Std Mix 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fe |
| 34412-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Internal Standard 110L 1ppmv in N2 Ship FedEx Only - Haz Fees Apply |
| 34414 | Spectra/Linde Air Std Drop Ship | BTEX Gas Mixture 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fee Incl |
| 34414-PI | Scott/Air Liquide Air Std. EU Version | BTEX Gas Mixture 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34418 | Spectra/Linde Air Std Drop Ship | Japan Calibration Mix 1 ppmv in N2 104L FEDEX ONLY, HAZ FEES APPLY HAZ |
| 34418-PI | Scott/Air Liquide Air Std. EU Version | Japan Calibration Mix 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34420 | Spectra/Linde Air Std Drop Ship | Ozone Precursor/PAMS 1 ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fe |
| 34420-PI | Scott/Air Liquide Air Std. EU Version | Ozone Precursor/PAMS 110L 1ppmv in N2, Partial Pressure @ 400psi, Ship FedE |
| 34421 | Spectra/Linde Air Std Drop Ship | TO-14A Calibration Mix 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fe |
| 34421-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Calibration Mix 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34422 | Spectra/Linde Air Std Drop Ship | TO-14A Chlorinated Hydrocarbon 100ppbv in N2 FEDEX ONLY, HAZ FEES APPI |
| 34422-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Chlorinated Hydrocarbon 110L 100ppbv in N2 Ship FedEx Only - HAZ Fe |
| 34423 | Spectra/Linde Air Std Drop Ship | TO-14A Aromatics 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fee In |
| 34423-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Aromatics 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34424 | Spectra/Linde Air Std Drop Ship | TO-14A GC/MS Tuning Mix 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HA |
| 34424-PI | Scott/Air Liquide Air Std. EU Version | TO-14A GC/MS Tuning Std 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Ap |
| 34425 | Spectra/Linde Air Std Drop Ship | TO-14A Internal Stnd/Tune Mix 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY |
| 34425-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Internal Std/Tuning Mix 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees |
| 34426 | Spectra/Linde Air Std Drop Ship | TO-14A CFC/HCFC Subset 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HA |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 34426-PI | Scott/Air Liquide Air Std. EU Version | TO-14A CFC/HCFC Subset 110L 100ppbv in N2 Ship FedEx Only - Haz Fees Ap |
| 34427 | Spectra/Linde Air Std Drop Ship | TO-14A Internal Std Mix 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ F |
| 34427-PI | Scott/Air Liquide Air Std. EU Version | TO-14A Internal Standard 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Appl |
| 34428 | Spectra/Linde Air Std Drop Ship | BTEX Gas Mixture 100ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ Fee In |
| 34428-PI | Scott/Air Liquide Air Std. EU Version | BTEX Gas Mixture 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34429 | Spectra/Linde Air Std Drop Ship | Enviro-Mat Ozone Precursor Mix 100ppbv in N2 FEDEX ONLY, HAZ FEES APPL |
| 34429-PI | Scott/Air Liquide Air Std. EU Version | Ozone Precursor/PAMS 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34430 | Spectra/Linde Air Std Drop Ship | TO-14A 41 component mix 1ppmv in N2 39 components mix + 1,3 butadiene and |
| 34430-PI | Scott/Air Liquide Air Std. EU Version | TO-14A 41 Component Mix 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34431 | Spectra/Linde Air Std Drop Ship | TO-14A 41 component mix 100ppbv in N2 39 components mix + 1,3 butadiene an |
| 34431-PI | Scott/Air Liquide Air Std. EU Version | TO-14A 41 Component Mix 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Ap |
| 34432 | Spectra/Linde Air Std Drop Ship | TO-14A 43 component mix 1ppmv in N2 41 components + 3-chloroprene and 4-et |
| 34432-PI | Scott/Air Liquide Air Std. EU Version | TO-14A 43 Component Mix 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34433 | Spectra/Linde Air Std Drop Ship | TO-14A 43 component mix 100ppbv in N2 41 components + 3-chloroprene and 4- |
| 34433-PI | Scott/Air Liquide Air Std. EU Version | TO-14A 43 Component Mix 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Ap |
| 34434 | Spectra/Linde Air Std Drop Ship | TO-15 Subset 25 component mix 1ppmv in N2 FEDEX ONLY, HAZ FEES APPLY |
| 34434-PI | Scott/Air Liquide Air Std. EU Version | TO-15 Subset 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34435 | Spectra/Linde Air Std Drop Ship | TO-15 Subset 25 component mix 100 ppbv in N2 FEDEX ONLY, HAZ FEES APP |
| 34435-PI | Scott/Air Liquide Air Std. EU Version | TO-15 Subset 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34436 | Spectra/Linde Air Std Drop Ship | TO-15, 65 component mix 1ppmv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ F |
| 34436-PI | Scott/Air Liquide Air Std. EU Version | TO-15, 65 component mix 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34437 | Air Std Drop Ship | TO-15, 65 component mix 100 ppbv in N2 FEDEX ONLY, HAZ FEES APPLY HAZ |
| 34437-PI | Scott/Air Liquide Air Std. EU Version | TO-15 65 component mix 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34438 | DCG Drop Ship Gas Std | Natural Gas Std #1 CGA 170, 1048 Gross, Dry BTU/SCF @ 14.696psia and 60F |
| 34439 | DCG Drop Ship Gas Std | Natural Gas Std #2 CGA 170, 1142 Gross Dry BTU/SCF @ 14.696psia and 60F S |
| 34440 | DCG Drop Ship Gas Std | Natural Gas Std #3 CGA 170, 1317 Gross, Dry BTU/SCF @ 14.696 psia and 60F |
| 34441 | DCG Drop Ship Gas Std | Refinery Gas Std #1 CGA 170 Ship FedEx Only - HAZ Fees Apply |
| 34442 | DCG Drop Ship Gas Std | Refinery Gas Std #2 CGA 170 Ship FedEx Only - HAZ Fees Apply |
| 34443 | DCG Drop Ship Gas Std | Refinery Gas Std #5 CGA 170 Ship FedEx Only - HAZ Fees Apply |
| 34444 | Spectra/Linde Air Std Drop Ship | VOA-CYL-4 Volatile Organics in Nitrogen FEDEX ONLY, HAZ FEES APPLY HAZ |
| 34445 | Spectra/Linde Air Std Drop Ship | Ozone Precursor/PAMS Mix in N2 FEDEX ONLY, HAZ FEES APPLY |
| 34445-PI | Scott/Air Liquide Air Std. EU Version | Ozone Precursor/PAMS 110L 20-60 ppbv in N2 Ship FedEx Only - HAZ Fees App |
| 34448 | Scott/Air Liquide Air Std. Drop Ship | Air, Zero, 14L size, THC < 1ppm; 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34449 | Scott/Air Liquide Air Std. Drop Ship | Air, Zero, 48L size , THC < 1ppm; 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34449-PI | Scott/Air Liquide Air Std. EU Version | Air, Zero, 110L, THC<1ppm, 2yr Shelf Life Ship FedEx Only - HAZ Fees Apply |
| 34451 | Scott/Air Liquide Air Std. Drop Ship | Carbon Dioxide,14L size, 99.80%, 2yr shelf life Ship FedEx Only - HAZ Fees Appl |
| 34452 | Scott/Air Liquide Air Std. Drop Ship | Carbon Dioxide, 48L size, 99.80%,2yr shelf life Ship FedEx Only - HAZ Fees Appl |
| 34452-PI | Scott/Air Liquide Air Std. EU Version | CO2, 110L, 99.80% 2yr Shelf Life Ship FedEx Only - HAZ Fees Apply |
| 34453 | Scott/Air Liquide Air Std. Drop Ship | Hydrogen ,14L size, 99.99%, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34453-PI | Scott/Air Liquide Air Std. EU Version | Hydrogen, 110L, 99.99% 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34454 | Scott/Air Liquide Air Std. Drop Ship | Methane, 14L size, 99.00%, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34454-PI | Scott/Air Liquide Air Std. EU Version | Methane, 110L, 99.00% 2yr shelf life Ship Fed Ex Only - HAZ Fees Apply |
| 34455 | Scott/Air Liquide Air Std. Drop Ship | Oxygen, 14L size, 99.60%, 2yr shelf life CAN NOT SHIP TO INTERNATIONAL C |
| 34457 | Scott/Air Liquide Air Std. Drop Ship | Argon, 14L size, 99.995%, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34457-PI | Scott/Air Liquide Air Std. EU Version | Argon, 110L, 99.995% 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34458 | Scott/Air Liquide Air Std. Drop Ship | 1ppm Benzene in Air, 48L size,1yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34458-PI | Scott/Air Liquide Air Std. EU Version | 1ppm Benzene in Air, 110L 1yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34459 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Benzene in Air, 48L size, 1yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34459-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Benzene in Air, 110L 1yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34460 | Scott/Air Liquide Air Std. Drop Ship | 10ppm 1,3-Butadiene in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ F |
| 34461 | Scott/Air Liquide Air Std. Drop Ship | 10ppm 1,3-Butadiene in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HAZ F |
| 34461-PI | Scott/Air Liquide Air Std. EU Version | 10ppm 1,3-Butadiene in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees |
| 34462 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Carbon Dioxide in Helium, 14L size 2yr shelf life, Ship FedEx Only - HAZ |
| 34462-PI | Scott/Air Liquide Air Std. EU Version | 100ppm CO2 in Helium 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34463 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Carbon Dioxide in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HA |
| 34464 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Carbon Dioxide in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HA |
| 34464-PI | Scott/Air Liquide Air Std. EU Version | 100ppm CO2 in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34465 | Scott/Air Liquide Air Std. Drop Ship | 1000ppm Carbon Dioxide in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - H |
| 34466 | Scott/Air Liquide Air Std. Drop Ship | 1000ppm Carbon Dioxide in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - H |
| 34466-PI | Scott/Air Liquide Air Std. EU Version | 1000ppm CO2 in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34467 | Scott/Air Liquide Air Std. Drop Ship | 8-10ppm Ethylene in Air, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees Appl |
| 34468 | Scott/Air Liquide Air Std. Drop Ship | 8-10ppm Ethylene in Air, 48L size, 2yr shelf life Ship FedEx Only - HAZ Fees Appl |
| 34468-PI | Scott/Air Liquide Air Std. EU Version | 8-10ppm Ethylene in Air 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34469 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Hydrogen in Helium, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees |
| 34469-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Hydrogen in Helium 110L 2yr shelf life Ship FedEx Only - HAZ Fees Appl |
| 34471 | Scott/Air Liquide Air Std. Drop Ship | 1% Hydrogen in Nitrogen, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees Ap |

| | | |
|---|---|---|
| 34472 | Scott/Air Liquide Air Std. Drop Ship | 1% Hydrogen in Nitrogen, 48L size, 2yr shelf life Ship FedEx Only - HAZ Fees Ap |
| 34472-PI | Scott/Air Liquide Air Std. EU Version | 1% Hydrogen in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34473 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Hydrogen in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ Fee |
| 34474 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Hydrogen in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HAZ Fee |
| 34474-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Hydrogen in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Ap |
| 34476 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Methane in Helium, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees A |
| 34477 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Methane in Helium, 48L size, 2yr shelf life Ship FedEx Only - HAZ Fees A |
| 34477-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Methane in Helium 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34478 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Methane in Nitrogen,14L size,2yr shelf life Ship FedEx Only - HAZ Fees A |
| 34478-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Methane in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees App |
| 34479 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Nitrogen in Helium,14L size,2yr shelf life, Ship FedEx Only - HAZ Fees A |
| 34479-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Nitrogen in Helium 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34480 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Oxygen in Helium, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees Ap |
| 34480-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Oxygen in Helium 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34482 | Scott/Air Liquide Air Std. Drop Ship | 1% Methane in Nitrogen, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees App |
| 34483 | Scott/Air Liquide Air Std. Drop Ship | 1% Methane in Nitrogen, 48L size, 2yr shelf life Ship FedEx Only - HAZ Fees App |
| 34483-PI | Scott/Air Liquide Air Std. EU Version | 1% Methane in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34484 | Scott/Air Liquide Air Std. Drop Ship | 1ppm Nitrous Oxide in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ Fe |
| 34485 | Scott/Air Liquide Air Std. Drop Ship | 1ppm Nitrous Oxide in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HAZ Fe |
| 34485-PI | Scott/Air Liquide Air Std. EU Version | 1ppm Nitrous Oxide in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees A |
| 34487 | Scott/Air Liquide Air Std. Drop Ship | 2% Oxygen in Nitrogen, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34488 | Scott/Air Liquide Air Std. Drop Ship | 2% Oxygen in Nitrogen, 48L size, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34488-PI | Scott/Air Liquide Air Std. EU Version | 2% Oxygen in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34489 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Ethylene in Helium, 14L size 2yr shelf life, Ship FedEx Only - HAZ Fees A |
| 34489-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Ethylene in Helium 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34491 | Scott/Air Liquide Air Std. Drop Ship | 6% Oxygen in Nitrogen, 14L size, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34492 | Scott/Air Liquide Air Std. Drop Ship | 6% Oxygen in Nitrogen, 48L size, 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34492-PI | Scott/Air Liquide Air Std. EU Version | 6% Oxygen in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees Apply |
| 34493 | Scott/Air Liquide Air Std. Drop Ship | 10ppm 1,1,1-Trichloroethane in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only |
| 34493-PI | Scott/Air Liquide Air Std. EU Version | 10ppm 1,1,1-Trichloroethane in Nitrogen 110L 2yr shelf life Ship FedEx Only - HA |
| 34494 | Scott/Air Liquide Air Std. Drop Ship | 10ppm Trichloroethylene in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HA |
| 34495 | Scott/Air Liquide Air Std. Drop Ship | 10ppm Trichloroethylene in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HA |
| 34495-PI | Scott/Air Liquide Air Std. EU Version | 10ppm Trichloroethylene in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fe |
| 34496 | Scott/Air Liquide Air Std. Drop Ship | 1ppm Vinyl Chloride in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ Fe |
| 34497 | Scott/Air Liquide Air Std. Drop Ship | 1ppm Vinyl Chloride in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HAZ Fe |
| 34497-PI | Scott/Air Liquide Air Std. EU Version | 1ppm Vinyl Chloride in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees A |
| 34498 | Scott/Air Liquide Air Std. Drop Ship | 10ppm Vinyl Chloride in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ F |
| 34499 | Scott/Air Liquide Air Std. Drop Ship | 10ppm Vinyl Chloride in Nitrogen, 48L size 2yr shelf life, Ship FedEx Only - HAZ F |
| 34499-PI | Scott/Air Liquide Air Std. EU Version | 10ppm Vinyl Chloride in Nitrogen, 110L 2yr shelf life Ship FedEx Only - HAZ Fee A |
| 34500 | Scott/Air Liquide Air Std. Drop Ship | 50ppm Vinyl Chloride in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ F |
| 34500-PI | Scott/Air Liquide Air Std. EU Version | 50ppm Vinyl Chloride in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees |
| 34501 | Scott/Air Liquide Air Std. Drop Ship | 100ppm Vinyl Chloride in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ |
| 34501-PI | Scott/Air Liquide Air Std. EU Version | 100ppm Vinyl Chloride in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fees |
| 34502 | Scott/Air Liquide Air Std. Drop Ship | 1000ppm Vinyl Chloride in Nitrogen, 14L size 2yr shelf life, Ship FedEx Only - HAZ |
| 34502-PI | Scott/Air Liquide Air Std. EU Version | 1000ppm Vinyl Chloride in Nitrogen 110L 2yr shelf life Ship FedEx Only - HAZ Fee |
| 34504 | Scott/Air Liquide Air Std. Drop Ship | 14L size, 0.5% ea of Carbon Monoxide, Carbon Dioxide, Hydrogen, Oxygen in Nit |
| 34505 | Scott/Air Liquide Air Std. Drop Ship | 48L size, 0.5% ea of Carbon Monoxide, Carbon Dioxide, Hydrogen, Oxygen in Nit |
| 34505-PI | Scott/Air Liquide Air Std. EU Version | 0.5% ea of Carbon Monoxide,Carbon Dioxide,Hydrogen,Oxygen in Nitrogen 110L |
| 34507 | Scott/Air Liquide Air Std. Drop Ship | 14L size, 1% ea of Carbon Monoxide, Carbon Dioxide, Hydrogen, Oxygen in Nitro |
| 34508 | Scott/Air Liquide Air Std. Drop Ship | 48L size, 1% ea of Carbon Monoxide, Carbon Dioxide, Hydrogen, Oxygen in Nitro |
| 34508-PI | Scott/Air Liquide Air Std. EU Version | 1% ea of Carbon Monoxide, Carbon Dioxide, Hydrogen, Oxygen in Nitrogen, 110L |
| 34511 | Scott/Air Liquide Air Std. Drop Ship | 48L size, 1% ea of Carbon Monoxide, Carbon Dioxide, Methane, Ethane, Ethylene |
| 34511-PI | Scott/Air Liquide Air Std. EU Version | 1% ea of Carbon Monoxide, Carbon Dioxide, Methane, Ethane, Ethylene and Ace |
| 34512 | Scott/Air Liquide Air Std. Drop Ship | 14L size,5% ea of Carbon Monoxide, Carbon Dioxide, Nitrogen, and oxygen, 4% c |
| 34512-PI | Scott/Air Liquide Air Std. EU Version | 5% ea of Carbon Monoxide, Carbon Dioxide, Nitrogen, Oxygen, 4% of Methane a |
| 34514 | Scott/Air Liquide Air Std. Drop Ship | 14L size, 7% Carbon Monoxide,15% Carbon Dioxide and 5% Oxygen in Nitrogen, |
| 34514-PI | Scott/Air Liquide Air Std. EU Version | 7% Carbon Monoxide, 15% Carbon Dioxide, 5% Oxygen in Nitrogen 110L 2yr she |
| 34515 | Scott/Air Liquide Air Std. Drop Ship | 14L size,7% Carbon Monoxide, 4% Oxygen, 15% Carbon Dioxide and 4.5% Meth |
| 34516 | Scott/Air Liquide Air Std. Drop Ship | 48L size,7% Carbon Monoxide,4% Oxygen, 15% Carbon Dioxide and 4.5% Metha |
| 34516-PI | Scott/Air Liquide Air Std. EU Version | 7% Carbon Monoxide, 4% Oxygen, 15% Carbon Dioxide, 4.5% Methane in Nitrog |
| 34518 | Scott/Air Liquide Air Std. Drop Ship | 14L size, C1-C6 n-Paraffins:15ppm ea of Methane, Ethane, Propane, Butane, Per |
| 34519 | Scott/Air Liquide Air Std. Drop Ship | 48L size, C1-C6 n-Paraffins:15ppm ea of Methane, Ethane, Propane, Butane, Per |
| 34519-PI | Scott/Air Liquide Air Std. EU Version | C1-C6 n-Paraffins, 15ppm ea of Methane, Ethane, Propane, Butane, Pentane, He |
| 34521 | Scott/Air Liquide Air Std. Drop Ship | 14L size, C1-C6 n-Paraffins:100ppm ea of Methane, Ethane, Propane, Butane, Pe |
| 34522 | Scott/Air Liquide Air Std. Drop Ship | 48L size, C1-C6 n-Paraffins:100ppm ea of Methane, Ethane, Propane, Butane, Pe |
| 34522-PI | Scott/Air Liquide Air Std. EU Version | C1-C6 n-Paraffins:100ppm ea of Methane,Ethane,Propane,Butane,Pentane,Hexa |

| | | |
|---|---|---|
| 34524 | Scott/Air Liquide Air Std. Drop Ship | 14L size, C1-C6 n-Paraffins:1000ppm ea of Methane, Ethane, Propane, Butane, F |
| 34525 | Scott/Air Liquide Air Std. Drop Ship | 48L size, C1-C6 n-Paraffins:1000ppm ea of Methane, Ethane, Propane, Butane, F |
| 34525-PI | Scott/Air Liquide Air Std. EU Version | C1-C6 n-Paraffins:1000ppm ea of Methane, Ethane, Propane, Butane, Pentane, H |
| 34527 | Scott/Air Liquide Air Std. Drop Ship | 14L size, C1-C6 n-Paraffins:100ppm ea of Methane, Ethane, Propane, Butane, Pe |
| 34528 | Scott/Air Liquide Air Std. Drop Ship | 48L size, C1-C6 n-Paraffins:100ppm ea of Methane, Ethane, Propane, Butane, Pe |
| 34528-PI | Scott/Air Liquide Air Std. EU Version | C1-C6 n-Paraffins:100ppm ea of Methane, Ethane,Propane,Butane,Pentane,Hexa |
| 34529 | Scott/Air Liquide Air Std. Drop Ship | 14L size, C2-C6 Olefins:100ppm ea of Ethylene, Propylene, 1-Butene, 1-Pentene, |
| 34530 | Scott/Air Liquide Air Std. Drop Ship | 48L size, C2-C6 Olefins:100ppm ea of Ethylene, Propylene, 1-Butene, 1-Pentene, |
| 34530-PI | Scott/Air Liquide Air Std. EU Version | C2-C6 Olefins: 100ppm ea of Ethylene, Propylene, 1-Butene, 1-Pentene, 1-Hexen |
| 34531 | Scott/Air Liquide Air Std. Drop Ship | 14L size, C2-C6 Olefins:100ppm ea of Ethylene, Propylene, 1-Butene, 1-Pentene, |
| 34532 | Scott/Air Liquide Air Std. Drop Ship | 48L size, C2-C6 Olefins:100ppm ea of Ethylene, Propylene, 1-Butene, 1-Pentene, |
| 34532-PI | Scott/Air Liquide Air Std. EU Version | C2-C6 Olefins:100ppm ea of Ethylene Propylene, 1-Butene, 1-Pentene, 1-Hexene |
| 34534 | Scott/Air Liquide Air Std. Drop Ship | 14L size, Branched Paraffins:15ppm ea of 2,2-Dimethylbutane, 2,2-Dimethylpropa |
| 34534-PI | Scott/Air Liquide Air Std. EU Version | Branched Paraffins: 15ppm ea of 2,2-Dimethylbutane, 2,2-Dimethylpropane, Iso-B |
| 34537 | Scott/Air Liquide Air Std. Drop Ship | 48L size, 15ppm ea of Methane, Ethane, Ethylene, Acetylene, Propane, Propylene |
| 34537-PI | Scott/Air Liquide Air Std. EU Version | 15ppm ea of Methane, Ethane, Ethylene, Acetylene, Propane, Propylene, Propyne |
| 34539 | Scott/Air Liquide Air Std. Drop Ship | 48L size, 15ppm ea of n-Butane, Iso-Butane, cis-2-Butene, trans-2-Butene, 1-Bute |
| 34539-PI | Scott/Air Liquide Air Std. EU Version | 15ppm ea of n-Butane, Iso-Butane, cis-2-Butene, trans-2-Butene, 1-Butene, Iso-B |
| 34540 | Spectra/Linde Air Std Drop Ship | Massachusetts APH Mix 1ppm in Nitrogen FEDEX ONLY, HAZ FEES APPLY HA |
| 34540-PI | Scott/Air Liquide Air Std | Massachusetts APH Mix 140-450ppb in N2, 90L, 1500psig Ship FedEx Only - HA |
| 34541 | Spectra/Linde Air Std Drop Ship | BTEX + MTBE, 1ppm in Nitrogen, 104 Liters @1800psi FEDEX ONLY, HAZ FEES |
| 34541-PI | Scott/Air Liquide Air Std. EU Version | BTEX + MTBE 110L 1ppmv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34542 | Spectra/Linde Air Std Drop Ship | BTEX + MTBE, 100ppb in Nitrogen, 104 Liters @1800psi FEDEX ONLY, HAZ FE |
| 34542-PI | Scott/Air Liquide Air Std. EU Version | BTEX + MTBE 110L 100ppbv in N2 Ship FedEx Only - HAZ Fees Apply |
| 34560 | Spectra/Linde Air Std.Drop Ship | TO-14A/TO-15/TO-17 Performance Test Standard, 7 Unknown Components, 175 |
| 34561 | Scott/Air Liquide Air Std.Drop Ship | Sulfur 5-Component Mix, 1ppm in Nitrogen, 110L Size, CGA 180, 6 month stability |
| 34561-PI | Scott/Air Liquide Air Std.Drop Ship | Sulfur 5-Component Mix, 1ppm in Nitrogen, 110L PI Marked Cylinder, CGA 180, 6 |
| 35000 | Column Test Mixture | Grob Test Mix in CH2Cl2,1ml |
| 35002 | Column Test Mixture | Amine Column Test Mix in CH2Cl2/methanol,(50:50), 1ml |
| 35003 | Column Test Mixture | Isothermal Column Test Mix in CH2Cl2,1ml |
| 35004 | Column Test Mixture | HPLC Normal Phase Test Mix #1 in Hexane,1ml |
| 35005 | Column Test Mixture | HPLC Reverse Phase Test Mix #1 in Methanol/water (75:25) 1ml |
| 35008 | Column Test Mix | Volatile Amine Column Test Mix 1mL |
| 35010 | Fatty acid methyl ester | FAME Std #1 50mg neat, non-hazardous |
| 35011 | Fatty acid methyl ester | FAME Std #2 50mg neat, non-hazardous |
| 35012 | Fatty acid methyl ester | FAME Std #3 50mg neat, non-hazardous |
| 35013 | Fatty acid methyl ester | FAME Std #4 50mg neat, non-hazardous |
| 35014 | Fatty acid methyl ester | FAME Std #5 50mg neat, non-hazardous |
| 35015 | Fatty acid methyl ester | FAME Std #6 50mg neat, non-hazardous |
| 35016 | Fatty acid methyl ester | FAME Std #7 50mg neat |
| 35017 | Fatty acid methyl ester | FAME Std #8 50mg neat, non-hazardous |
| 35018 | Fatty acid methyl ester | FAME Std #9 50mg neat, non-hazardous |
| 35021 | Fatty acid methyl ester | FAME Std #12 50mg neat, non-hazardous |
| 35022 | Fatty acid methyl ester | AOCS Std #1 50mg neat, non-hazardous |
| 35023 | Fatty acid methyl ester | AOCS Std #2 50mg neat, non-hazardous |
| 35024 | Fatty acid methyl ester | AOCS Std #3 50mg neat |
| 35025 | Fatty acid methyl ester | AOCS Std #4 50mg neat, non-hazardous |
| 35026 | Fatty acid methyl ester | AOCS Std #5 50mg neat, non-hazardous |
| 35027 | Fatty acid methyl ester | AOCS Std #6 50mg neat, non-hazardous |
| 35034 | Fatty acid methyl ester | FAME Std #13 50mg neat |
| 35035 | Fatty acid methyl ester | FAME Std #14 50mg neat, non-hazardous |
| 35036 | Fatty acid methyl ester | FAME Std #15 50mg neat, non-hazardous |
| 35037 | Fatty acid methyl ester | Methyl caproate (C6:0) 100mg neat, non-hazardous |
| 35038 | Fatty acid methyl ester | Methyl heptanoate (C7:0) 100mg neat, non-hazardous |
| 35039 | Fatty acid methyl ester | Methyl Caprylate (C8:0) 100mg neat, non-hazardous |
| 35040 | Fatty acid methyl ester | Methyl nonanoate (C9:0) 100mg neat, non-hazardous |
| 35041 | Fatty acid methyl ester | Methyl caprate (C10:0) 100mg neat, non-hazardous |
| 35042 | Fatty acid methyl ester | Methyl undecanoate(C11:0) 100mg neat, non-hazardous |
| 35043 | Fatty acid methyl ester | Methyl laurate(C12:0) 100mg neat, non-hazardous |
| 35044 | Fatty acid methyl ester | Methyl tridecanoate (C13:0) 100mg neat, non-hazardous |
| 35045 | Fatty acid methyl ester | Methyl myristate (C14:0) 100mg neat, non-hazardous |
| 35046 | Fatty acid methyl ester | Methyl myristoleate (C14:1) 100mg neat, non-hazardous |
| 35047 | Fatty acid methyl ester | Methyl pentadecanoate (C15:0) 100mg neat, non-hazardous |
| 35048 | Fatty acid methyl ester | Methyl palmitate (C16:0) 100mg neat, non-hazardous |
| 35049 | Fatty acid methyl ester | Methyl palmitoleate (C16:1) 100mg neat, non-hazardous |
| 35050 | Fatty acid methyl ester | Methyl heptadecanoate (C17:0) 100mg neat, non-hazardous |

| | | |
|---|---|---|
| 35051 | Fatty acid methyl ester | Methyl stearate (C18:0) 100mg neat, non-hazardous |
| 35052 | Fatty acid methyl ester | Methyl oleate (C18:1) 100mg neat, non-hazardous |
| 35053 | Fatty acid methyl ester | Methyl linoleate (C18:2) 100mg neat, non-hazardous |
| 35054 | Fatty acid methyl ester | Methyl linolenate (C18:3) 100mg neat, non-hazardous |
| 35055 | Fatty acid methyl ester | Methyl nonadecanoate (C19:0) 100mg neat, non-hazardous |
| 35056 | Fatty acid methyl ester | Methyl arachidate (C20:0) 100mg neat, non-hazardous |
| 35057 | Fatty acid methyl ester | Methyl eicosenoate (C20:1) 100mg neat, non-hazardous |
| 35058 | Fatty acid methyl ester | Methyl eicosadienoate(C20:2) 100mg neat, non-hazardous |
| 35059 | Fatty acid methyl ester | Methyl eicosatrienoate (C20:3) 100mg neat, non-hazardous |
| 35060 | Fatty acid methyl ester | Methyl arachidonate (C20:4) 100mg neat, non-hazardous |
| 35061 | Fatty acid methyl ester | Methyl heneicosanoate (C21:0) 100mg neat, non-hazardous |
| 35062 | Fatty acid methyl ester | Methyl behenate (C22:0) 100mg neat, non-hazardous |
| 35063 | Fatty acid methyl ester | Methyl erucate (C22:1) 100mg neat, non-hazardous |
| 35064 | Fatty acid methyl ester | Methyl lignocerate (C24:0) 100mg neat, non-hazardous |
| 35065 | Fatty acid methyl ester | Methyl nervonate (C24:1) 100mg neat, non-hazardous |
| 35066 | Fatty Acid Methyl Ester | Marine Oil FAME Mix 100mg |
| 35076 | Column Test Mix | Inter-Polar Column Test Mix, 1ml, 250ppm in Methylene Chloride |
| 35077 | FAME Mix | Food Industry FAME Mix |
| 35078 | FAME Mix | NLEA FAME Mix (28 components) methylene chloride, 1ml |
| 35079 | FAME Mix | cis/trans FAME Mix (8 components) methylene chloride, 1ml |
| 35080 | Food Safety Stock Soln | Fruit Juice Organic Acid Std, H20, 1ml |
| 35081 | Food Safety Stock Soln | Fruit Juice Organic Acid Std, H20, 5ml |
| 35098 | Column Test Mix | Chiral Column Test Mix 1mL, 160-500 ug/mL CH2CL2 |
| 35100 | EP 2.4.22 | Composition of Fatty Acids by GC Mix 1 100 mg |
| 35101 | EP 2.4.22 | Composition of Fatty Acids by GC Mix 2 100 mg |
| 35103 | Column Test Mix | Polar ISO Column Test Mix |
| 35203 | Column Test Mix | Rtx-1 PONA Test Mix 35 degree Isothermal Test Mix 1mL, 56.8-388.3ug/ml in Hex |
| 35222 | Column Test Mix | 0.32 Revised Grob-DB Mix B 1mL 540ug/mL Methanol |
| 35224 | Column Test Mix | NPI-1000 Column Test Mix 1 mL, 1000ug/mL CH2CL2 |
| 35225 | Column Test Mix | NPI-350 Column Test Mix 1mL, 350ug/mL CH2CL2 |
| 35226 | Column Test Mix | XIL-350 Column Test Mix Test Mix, 1mL, 350ug/mL CH2CL2 |
| 35227 | Column Test Mix | Grob Mix 280, 1mL 280-530ug/ml in Ch2Cl2 |
| 35235 | Column Test Mix | Amine 900 Test Mix, 1mL 900-1800ug/ml in Ch2Cl2/ MeOh (50/50) |
| 35241 | Column Test Mix | Rxi Test Mix (Rev A) 1000ug/mL ea in Toluene |
| 35242 | Column Test Mix | Breakdown Test Mix (50ppb) 1mL, 50ng/mL Hexane |
| 35245 | Column Test Mix | Phenols/Anilines/Pesticides Test Mix 1mL 50ug/mL CH2CL2 |
| 35246 | Column Test Mix | XTI 420 Mix, 1mL 420-1050ug/mL CH2CL2 |
| 35247 | Column Test Mix | XERT-500 Column Test Mix 1mL, 500ug/mL Toluene |
| 35248 | Column Test Mix | Rxi Test Mix (250ppm) 1mL 250mg/mL Toluene |
| 35249 | Column Test Mix | Marine Oil Test Mix 100-1600 isooctane |
| 35252 | Column Test Mix | Grob DA Mix 280, 1mL in Methylene Chloride |
| 35258 | Column Test Std | Kovats Probes Test Std 1mL 1000ug/ml CH2CL2 |
| 35259 | Column Test Mix | C6-C9 Hydrocarbons Test Mix 1mL 1000ug/mL CH2CL2 |
| 35262 | Column Test Std | Benzene Kovats Probe Std 1mL 250ug/mL CH2CL2 |
| 35264 | Column Test Mix | ISO-TM Column Test Mix 1mL, 1000ug/mL Toluene |
| 35268 | Column Test Mixture | PCB-500 Test Mixture 1mL, 500ug/mL Toluene |
| 35269 | Column Test Mix | Kovats Test Mix #1, 1mL 250mg/ml CH2CL2 |
| 35270 | Column Text Mix | Kovats Test Mix #2, 1mL 250mg/ml CH2CL2 |
| 35271 | Column Test Mix | Kovats Test Mix #3, 1mL 250mg/ml CH2CL2 |
| 35272 | Column Test Mixture | Free Fatty Acid Test Mix 1mL, 1000ug/mL H2O |
| 35600 | Silylation Reagents | MSTFA, 1g Vial (0.93mL), 10pk (N-Methyl-N-trimetylsily trifluoroacetamide) |
| 35601 | Silylation Reagents | MSTFA, 25g vial (23.26mL) (N-Methyl-N-trimetylsily trifluoroacetamide) |
| 35602 | Silylation Reagents | MSTFA W/1% TMCS, 1g Vial (0.95mL), 10pk (N-Methyl-N-trimethylsily trifluoroac |
| 35603 | Silylation Reagents | MSTFA W/1% TMCS, 25g Vial (23.26mL) (N-Methyl-N-trimethylsily trifluoroacetan |
| 35604 | Silylation Reagents | BSTFA, 1g Vial (1.03mL), 10pk (N,O-bis<Trimentylsilyl >trifluoroacetamide) |
| 35605 | Silylation Reagents | BSTFA, 25g Vial (25.77mL) (N,O-bis<Trimentylsilyl >trifluoroacetamide) |
| 35606 | Silylation Reagents | BSTFA w/1% TMCS, 1g Vial (1.03mL) 10pk, (N,0-bis(Trimethylsilytri fluoroacetam |
| 35607 | Silylation Reagents | BSTFA w/1% TMCS, 25g Vial (25.77mL) (N,O-bis(Trimethylsilytri fluoroacetamide |
| 35608 | Silylation Reagents | MTBSTFA w/1% TBDMCS, 1g Vial (0.98mL), 10pk, (N-Methyl-N-(tert-butyl dimeth |
| 35610 | Silylation Reagents | MTBSTFA w/1% TBDMCS, 25g Vial (24.44mL) (N-Methyl-N-(tert-butyl dimethylsil |
| 35611 | Silylation Reagents | TMCS, 1g Vial (1.17mL), 10pk (Trimethylchlorosilane) |
| 35612 | Silylation Reagents | TMCS, 25g Vial (29.21mL) (Trimethylchlorosilane) |
| 35614 | Alkylation Reagents | TMPAH 1g Vial, 10pk 0.2 M Trimethylanilinum Hydroxide in Methanol |
| 35615 | Alkylation Reagents | TMPAH 25g Vial (0.2 M Trimethylanilinum Hydroxide in Methanol) |
| 35616 | Acylation Reagents | MBTFA, 1g Vial (0.65mL), 10pk (N-methyl-bis-trifluoroacetamide) |
| 35617 | Acylation Reagents | MBTFA, 25g Vial (16.13mL) (N-methyl-bis-trifluoroacetamide) |

| | | |
|---|---|---|
| 35618 | Acylation Reagents | TFAA, 1g Vial (0.61mL), 10pk FED EX ONLY (Trifluoroacetic acid anhydride) HAZ |
| 35619 | Acylation Reagents | TFAA, 25g Vial (15.23mL) HAZ FEES APPLY (Trifluoroacetic acid anhydride) |
| 35620 | Acylation Reagents | PFAA, 1g Vial (0.64mL), 10pk (Pentafluoropropionic acid anhydride) |
| 35621 | Acylation Reagents | PFAA, 25g Vial (15.91mL) (Pentafluoropropionic acid anhydride) |
| 35622 | Acylation Reagents | HFAA, 1g Vial (0.60mL), 10pk (Heptafluorobutyric acid anhydride) |
| 35623 | Acylation Reagents | HFAA, 25g Vial (15.12mL) (Heptafluorobutyric acid anhydride) |
| 35624 | Acylation Reagents | PFPOH,1g vial (0.66mL), 10pk (Pentafluoropropanol) |
| 35625 | Acylation Reagents | PFPOH,25g vial (16.61mL) (Pentafluoropropanol) |
| 36004 | Solvents, USP Method | 467 Calibration Std. #3 1mL, in DMSO |
| 36005 | Solvents, USP Method | ethylene oxide 500ug/ml in DMSO,1ml |
| 36006 | Solvents, USP Method | USP 467 Calibration Mix #4 P&TM, 1ml |
| 36007 | Solvents, USP Method | USP 467 Calibration Mix #5 dmso, 1ml |
| 36008 | Solvents, USP Method | USP 467 Calibration Mix #6 P&TM, 1ml |
| 36009 | Solvents, USP Method | USP 467 Calibration Mix #7 DMSO, 1ml |
| 36224 | Reference waxes | Polywax 500 1 gram |
| 36225 | Reference waxes | Polywax 655 1 gram |
| 36226 | Reference waxes | Polywax 850 1 gram |
| 36227 | Reference waxes | Polywax 1000 1 gram |
| 36228 | Residual Solvents - Pharm | European Pharmocopeia ICH Class 1 Mix water:dimethylsulfoxide 80:20,1ml/ampu |
| 36229 | Residual Solvents - Pharm | European Pharmocopeia ICH Class 2 Mix A dimethylsulfoxide,1ml/ampul |
| 36231 | Residual Solvents - Pharm | ICH Class 2 Mix C water,1ml |
| 36232 | Blood Alcohol Mix | 0.015g/dl forensic ethanol solution, 1ml 5pk |
| 36233 | Blood Alcohol Mix | 0.02g/dl forensic ethanol solution 1mL 5pk |
| 36234 | Blood Alcohol Mix | 0.025g/dl forensic ethanol solution 1ml, 5pk |
| 36235 | Blood Alcohol Mix | 0.04g/dl forensic ethanol solution 1ml, 5pk |
| 36236 | Blood Alcohol Mix | 0.1g/dl forensic ethanol solution 1ml, 5pk |
| 36237 | Blood Alcohol Mix | 0.15g/dl forensic ethanol solution 1ml, 5pk |
| 36238 | Blood Alcohol Mix | 0.2g/dl forensic ethanol solution 1ml, 5pk |
| 36239 | Blood Alcohol Mix | 0.3g/dl forensic ethanol solution 1ml, 5pk |
| 36242 | Blood Alcohol Mix | 0.025g/dl forensic ethanol solution 5ml w/DP |
| 36243 | Blood Alcohol Mix | 0.04g/dl forensic ethanol solution 5ml w/DP |
| 36244 | Blood Alcohol Mix | 0.1g/dl forensic ethanol solution 5ml w/DP |
| 36245 | Blood Alcohol Mix | 0.15g/dl forensic ethanol solution 5ml w/DP |
| 36246 | Blood Alcohol Mix | 0.2g/dl forensic ethanol solution 5ml w/DP |
| 36247 | Blood Alcohol Mix | 0.3g/dl forensic ethanol solution 5ml w/DP |
| 36248 | Blood Alcohol Mix | 0.015g/dl forensic ethanol standard 20ml w/DP |
| 36249 | Blood Alcohol Mix | 0.02g/dl forensic ethanol solution 20ml w/DP |
| 36251 | Blood Alcohol Mix | 0.04g/dl forensic ethanol solution 20ml w/DP |
| 36252 | Blood Alcohol Mix | 0.1g/dl forensic ethanol solution 20ml w/DP |
| 36253 | Blood Alcohol Mix | 0.15g/dl forensic ethanol solution 20ml w/DP |
| 36254 | Blood Alcohol Mix | 0.2g/dl forensic ethanol solution 20ml w/DP |
| 36255 | Blood Alcohol Mix | 0.3g/dl forensic ethanol solution 20ml w/DP |
| 36256 | Resolution Control Std | Resolution Control Std 0.100 g/dl in H2O |
| 36257 | Blood Alcohol Mix | 0.05g/dL Forensic Ethanol Solution, 1ml, H2O, 5pk |
| 36258 | Blood Alcohol Mix | 0.05g/dL Forensic Ethanol Solution, 5ml, H2O |
| 36259 | Blood Alcohol Mix | 0.05g/dL Forensic Ethanol Solution, 1ml, H2O, 10pk |
| 36260 | Blood Alcohol Mix | 0.05g/dL Forensic Ethanol Solution, 20ml, H2O |
| 36261 | Residual Solvents - Pharm | European Pharmacopoeia ICH Class 1 Mix (revised) dimethylsulfoxide:water 90:1 |
| 36262 | Blood Alcohol Mix | 0.08g/dL Forensic Ethanol Solution, DI H2O, 1mL 5pk |
| 36263 | Blood Alcohol Mix | 0.08g/dL Forensic Ethanol Solution, DI H2O, 5mL w/DP |
| 36264 | Blood Alcohol Mix | 0.08g/dL Forensic Ethanol Solution, DI H2O, 1mL 10pk |
| 36265 | Blood Alcohol Mix | 0.08g/dL Forensic Ethanol Solution, DI H2O, 20mL w/DP |
| 36266 | Blood Alcohol Mix | 0.40g/dL Forensic Ethanol Solution, DI H2O, 1mL 5pk |
| 36267 | Blood Alcohol Mix | 0.40g/dL Forensic Ethanol Solution, DI H2O, 5mL w/DP |
| 36268 | Blood Alcohol Mix | 0.40g/dL Forensic Ethanol Solution, DI H2O, 1mL 10pk |
| 36269 | Blood Alcohol Mix | 0.40g/dL Forensic Ethanol Solution, DI H2O, 20mL w/DP |
| 36270 | EP/ICH Class 2 Mix B | REVISED |
| 36271 | USP Stock Standard | Residual Solvents Class 2 - Mix A, 1mL DMSO |
| 36272 | USP Stock Standard | Residual Solvents Class 2 - Mix B, 1mL DMSO |
| 36273 | USP Stock Standard | Residual Solvents Class 2 - Mix C, 1mL DMSO |
| 36274 | USP Stock Solution | European Pharmocopeia/ICH Q3C(M) Class 2 Mix A Revised 1mL, DMSO (Revis |
| 36276 | Blood Alcohol Mix | Forensic Ethanol, 5 x 1mL, 0.010g/dL DI Water |
| 36277 | Blood Alcohol Mix | Forensic Ethanol, 5mL, 0.010g/dL DI Water |
| 36278 | Blood Alcohol Mix | Forensic Ethanol, 10 x 1mL, 0.010g/dL DI Water |
| 36279 | USP Stock Mixture | USP 467 Residual Solvents Class 1 Mix, 1mL, DMSO |
| 36280 | USP Stock Standard | Residual Solvents Class 2 Mix B, 1mL, DMSO |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 36281 | USP Stock Solution | Acetonitrile 1mL 2.05mg/mL DMSO |
| 36282 | USP Stock Solution | Benzene 1mL 10mg/mL DMSO |
| 36283 | USP Stock Solution | Carbon Tetrachloride 1mL 20mg/mL DMSO |
| 36284 | USP Stock Solution | Chlorobenzene 1mL 1.8mg/mL DMSO |
| 36285 | USP Stock Solution | Chloroform 1mL 0.3mg/mL DMSO |
| 36286 | USP Stock Solution | Cyclohexane 1mL 19.4mg/mL DMSO |
| 36287 | USP Stock Solution | 1,1-Dichloroethene 1mL 40mg/mL DMSO |
| 36288 | USP Stock Solution | 1,2-Dichloroethane 1mL 25mg/mL DMSO |
| 36289 | USP Stock Solution | cis-1,2-Dichloroethylene 1mL 4.67mg/mL DMSO |
| 36290 | USP Stock Solution | trans-1,2-Dichloroethylene 1mL 4.67mg/mL DMSO |
| 36291 | USP Stock Solution | 1,2-Dimethoxyethane 1mL 0.5mg/mL DMSO |
| 36292 | USP Stock Solution | N,N-Dimethylacetamide 1mL 5.45mg/mL DMSO |
| 36293 | USP Stock Solution | N,N-Dimethylformamide 1mL 4.4mg/mL DMSO |
| 36294 | USP Stock Solution | 1,4-Dioxane 1mL 1.9mg/mL DMSO |
| 36295 | USP Stock Solution | 2-Ethoxyethanol 1mL 0.8mg/mL DMSO |
| 36296 | USP Stock Solution | Ethylbenzene 1mL 1.84mg/mL DMSO |
| 36297 | USP Stock Solution | Ethylene glycol 1mL 3.1mg/mL DMSO |
| 36298 | USP Stock Solution | Formamide 1mL 1.1mg/mL DMSO |
| 36299 | USP Stock Solution | Hexane 1mL 1.45mg/mL DMSO |
| 36332 | Blood Alcohol Mix | 0.015g/dl forensic ethanol solution, 1ml 10pk |
| 36333 | Blood Alcohol Mix | 0.02g/dl forensic ethanol solution 1ml, 10pk |
| 36334 | Blood Alcohol Mix | 0.025g/dl forensic ethanol solution 1ml, 10pk |
| 36335 | Blood Alcohol Mix | 0.04g/dl forensic ethanol solution 1ml, 10pk |
| 36336 | Blood Alcohol Mix | 0.1g/dl forensic ethanol solution 1ml, 10pk |
| 36337 | Blood Alcohol Mix | 0.15g/dl forensic ethanol solution 1ml, 10pk |
| 36338 | Blood Alcohol Mix | 0.2g/dl forensic ethanol solution 1ml, 10pk |
| 36339 | Blood Alcohol Mix | 0.3g/dl forensic ethanol solution 1ml, 10pk |
| 36340 | Forensic Drug Screen | System Test Mix #1, 1mL, 1/10ug/mL, PTM |
| 36341 | Forensic Drug Screen | Internal Std Solution #1, 10mL, 10ug/mL PTM |
| 36400 | USP Stock Solution | Methylbutylketone, 1mL 0.25mg/mL DMSO |
| 36401 | USP Stock Solution | Methanol 1mL 15mg/mL DMSO |
| 36402 | USP Stock Solution | 2-Methoxyethanol 1mL 0.25mg/mL DMSO |
| 36403 | USP Stock Solution | Methylcyclohexane 1mL 5.9mg/mL DMSO |
| 36404 | USP Stock Solution | Methylene chloride 1mL 3mg/mL DMSO |
| 36405 | USP Stock Solution | N-Methylpyrrolidone 1mL 2.65mg/mL DMSO |
| 36406 | USP Stock Solution | Nitromethane 1mL 0.25mg/mL DMSO |
| 36407 | USP Stock Solution | Pyridine 1mL 1.0mg/mL DMSO |
| 36408 | USP Stock Solution | Tetrahydrofuran 1mL 3.6mg/mL DMSO |
| 36409 | USP Stock Solution | Tetralin 1mL 0.5mg/mL DMSO |
| 36410 | USP Stock Solution | Toluene 1mL 4.45mg/mL DMSO |
| 36411 | USP Stock Solution | 1,1,1-Trichloroethane 1mL 50mg/mL DMSO |
| 36412 | USP Stock Solution | Trichloroethene 1mL 0.4mg/mL DMSO |
| 36413 | USP Stock Solution | Sulfolane 1mL 0.8mg/mL DMSO |
| 36414 | USP Stock Solution | m-Xylene 1mL 6.51mg/mL DMSO |
| 36415 | USP Stock Solution | o-Xylene 1mL 0.97mg/mL DMSO |
| 36416 | USP Stock Solution | p-Xylene 1mL 1.52mg/mL DMSO |
| 36417 | Blood Alcohol Mix | 0.16 g/dL Forensic Ethanol, Di Water, 1mL, 5pk |
| 36418 | Blood Alcohol Mix | 0.16 g/dL Forensic Ethanol, Di Water, 1mL, 10pk |
| 36419 | Blood Alcohol Mix | 0.16 g/dL Forensic Ethanol, Di Water, 5mL |
| 36420 | Blood Alcohol Mix | 0.16 g/dL Forensic Ethanol, Di Water, 20mL |
| 40001 | Rtx-BAC1 Cap. Column | 10m, 0.18mm ID, 1.0um |
| 40101 | Rtx-1 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 40102 | Rtx-1 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 40102-134 | Rtx-1 Cap. Column | 15m, 0.18mm ID, 0.20um |
| 40102-6850 | Rtx-1 Cap. Column | 20m, 0.18mm ID, 0.20um 5" cage for HP 6850 |
| 40103 | Rtx-1 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 40103-302 | Rtx-1 Cap. Column | 40m, 0.18mm ID, 0.20um w/5m x 0.18mm ID Guard Column Presstight with glue |
| 40110 | Rtx-1 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 40110-6850 | Rtx-1 Cap. Column | 10m, 0.18mm ID, 0.40um 5" HP6850 Cage |
| 40111 | Rtx-1 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 40112 | Rtx-1 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 40112-088 | Rtx-1 Cap. Column | 4 x 10m, 0.18mm ID, 0.40um |
| 40201 | Rtx-5 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 40201-6850 | Rtx-5 Cap. Column | 10m, 0.18mm ID, 0.20um w/5" Cage for HP 6850 |
| 40202 | Rtx-5 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 40202-031 | Rtx-5 Cap. Column | 20m, 0.18mm ID, 0.20um On Customers Cage, P/A & PO #s Required |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 40202-301 | Rtx-5 Cap. Column | 20m, 0.18mm ID, 0.20um w/5m x 0.15mm ID Guard Column Presstight with glue |
| 40202-302 | Rtx-5 Cap. Column | 20m, 0.18mm ID, 0.20um w/5m x 0.18mm ID Guard Column Presstight with glue |
| 40202-6850 | Rtx-5 Cap. Column | 20m, 0.18mm ID, 0.20um 5" Cage for HP6850 |
| 40203 | Rtx-5 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 40210 | Rtx-5 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 40210-302 | Rtx-5 Cap. Column | 10m, 0.18mm ID, 0.40um w/5m x 0.18mm ID Guard Column Presstight with glue |
| 40210-6850 | Rtx-5 Cap. Column | 10m, 0.18mm ID, 0.40um w/5" HP6850 Cage |
| 40211 | Rtx-5 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 40212 | Rtx-5 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 40301 | Rtx-20 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 40302 | Rtx-20 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 40303 | Rtx-20 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 40310 | Rtx-20 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 40311 | Rtx-20 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 40312 | Rtx-20 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 40401 | Rtx-35 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 40402 | Rtx-35 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 40403 | Rtx-35 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 40410 | Rtx-35 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 40411 | Rtx-35 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 40412 | Rtx-35 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 40501 | Rtx-50 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 40501-067 | Rtx-50 Cap. Column | 5 x 2m, 0.18mm ID, 0.20um |
| 40502 | Rtx-50 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 40502-051 | Rtx-50 Cap. Column | 20m, 0.18mmID, 0.20um No cage, No guarantee for breakage |
| 40503 | Rtx-50 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 40510 | Rtx-50 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 40511 | Rtx-50 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 40511-089 | Rtx-50 Cap. Column | 2 x 10m, 0.18mm ID, 0.40um |
| 40511-302 | Rtx-50 Cap. Column | 20m, 0.18mm ID, 0.40um w/5m x 0.18mm ID Guard Column Presstight with glue |
| 40601 | Stabilwax Cap. Column | 10m, 0.18mm ID, 0.15um |
| 40602 | Stabilwax Cap. Column | 20m, 0.18mm ID, 0.18um |
| 40602-600 | Stabilwax Cap. Column | 20m, 0.18mm ID, 0.18um Pack of 6 |
| 40602-6850 | Stabilwax Cap. Column | 20m, 0.18mm ID, 0.18um For HP 6850 |
| 40701 | Rtx-2330 Cap. Column | 10m, 0.18mm ID, 0.10um |
| 40702 | Rtx-2330 Cap. Column | 20m, 0.18mm ID, 0.10um |
| 40702-6850 | Rtx-2330 Cap. Column | 20m, 0.18mmID, 0.10um 5" cage for HP 6850 |
| 40703 | Rtx-2330 Cap. Column | 40m, 0.18mm ID, 0.10um |
| 40914 | Rtx-502.2 Cap. Column | 20m, 0.18mm ID, 1.00um |
| 40914-6850 | Rtx-502.2 Cap. Column | 20m, 0.18mm ID, 1.00um 5in cage for HP 6850 |
| 40915 | Rtx-502.2 Cap. Column | 40m, 0.18mm ID, 1.00um |
| 40924 | Rtx-624 Cap. Column | 20m, 0.18mm ID, 1.00um |
| 40924-6850 | Rtx-624 Cap. Column | 20m, 0.18mm ID, 1.00um 5" Cage for HP 6850 |
| 40925 | Rtx-624 Cap. Column | 40m, 0.18mm ID, 1.00um |
| 40925-600 | Rtx-624 Cap. Column | 40m, 0.18mm ID, 1.00um 6pk |
| 40925-6850 | Rtx-624 Cap. Column | 40m, 0.18mm ID, 1.00um 5" Cage for HP6850 |
| 41101 | Rtx-1 Cap. Column | 10m, 0.10mm ID, 0.10um |
| 41101-6850 | Rtx-1 Cap. Column | 10m, 0.10mm ID, 0.10um w/5" HP6850 Cage |
| 41102 | Rtx-1 Cap. Column | 20m, 0.10mm ID, 0.10um |
| 41102-134 | Rtx-1 Cap. Column | 15m, 0.10mm ID, 0.10um |
| 41103 | Rtx-1 Cap. Column | 10m, 0.10mm ID, 0.40um |
| 41103-6850 | Rtx-1 Cap. Column | 10m, 0.10mm ID, 0.40um 5" Cage for HP 6850 GC |
| 41104 | Rtx-1 Cap. Column | 20m, 0.10mm ID, 0.40um |
| 41104-134 | Rtx-1 Cap. Column | 15m, 0.10mm ID, 0.40um |
| 41104-600 | Rtx-1 Cap. Column | 20m, 0.10mm ID, 0.40um Pack of 6 |
| 41201 | Rtx-5 Cap. Column | 10m, 0.10mm ID, 0.10um |
| 41201-051 | Rtx-5 Cap. Column | 10m, 0.10mm ID, 0.10um No Cage |
| 41201-067 | Rtx-5 Cap. Column | 5 x 2m, 0.10mm ID, 0.10um |
| 41201-6850 | Rtx-5 Cap. Column | 10m, 0.10mm ID, 0.10um 5" Cage for HP6850 |
| 41202 | Rtx-5 Cap. Column | 20m, 0.10mm ID, 0.10um |
| 41202-089 | Rtx-5 Cap. Column | 2 10m, 0.10mmID, 0.10um |
| 41203 | Rtx-5 Cap. Column | 10m, 0.10mm ID, 0.40um |
| 41203-051 | Rtx-5 Cap. Column | 10m, 0.10mm ID, 0.40um No Cage |
| 41203-149 | Rtx-5 Cap. Column | 5m, 3m & 2m, 0.10mm ID, 0.40um |
| 41203-6850 | Rtx-5 Cap. Column | 10m, 0.10mm ID, 0.40um 5" Cage for HP6850 |
| 41204 | Rtx-5 Cap. Column | 20m, 0.10mm ID, 0.40um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 41302 | Rtx-PCB Cap. Column | 20m, 0.18mm ID, 0.18um |
| 41303 | Rtx-PCB Cap. Column | 40m, 0.18mm ID, 0.18um |
| 41303-6850 | Rtx-PCB Cap. Column | 40m, 0.18mm ID, 0.18um For HP 6850 GCs |
| 41304 | Rtx-PCB Cap. Column | 60m, 0.18mm ID, 0.18um |
| 41601 | Rtx-Wax Cap. Column | 10m, 0.10mm ID, 0.10um |
| 41601-023 | Rtx-Wax Cap. Column | 10m, 0.10mm ID, 0.10um w/full Grob Mix test |
| 41601-071 | Rtx-Wax Cap. Column | 10 x 1m, 0.10mm ID, 0.10um No Cages |
| 41601-076 | Rtx-Wax Cap. Column | 2 x 5m, 0.10mm ID, 0.10um |
| 41601-149 | Rtx-Wax Cap. Column | 5m/3m/2m, 0.10mm ID, 0.10um |
| 41602 | Rtx-Wax Cap. Column | 20m, 0.10mm ID, 0.10um |
| 41603 | Rtx-Wax Cap. Column | 10m, 0.10mm ID, 0.20um |
| 41604 | Rtx-Wax Cap. Column | 20m, 0.10mm ID, 0.20um |
| 41604-089 | Rtx-Wax Cap. Column | 2 x 10m, 0.10mm ID, 0.20um |
| 42001 | Rtx-1701 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 42001-6850 | Rtx-1701 Cap. Column | 10m, 0.18mm ID, 0.20um For HP 6850 GC's |
| 42002 | Rtx-1701 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 42003 | Rtx-1701 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 42010 | Rtx-1701 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 42010-600 | Rtx-1701 Cap. Column | 10m, 0.18mm ID, 0.40um Package of 6 |
| 42011 | Rtx-1701 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 42012 | Rtx-1701 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 42101 | Rtx-CLP I Cap. Column | 10m, 0.18mm ID, 0.18um |
| 42102 | Rtx-CLP I Cap. Column | 20m, 0.18mm ID, 0.18um |
| 42201 | Rtx-1701 Cap. Column | 10m, 0.1mm, 0.1um |
| 42201-067 | Rtx-1701 Cap. Column | 5 x 2m, 0.1mm, 0.1um |
| 42202 | Rtx-1701 Cap. Column | 20m, 0.1mm, 0.1um |
| 42301 | Rtx-CLP II Cap. Column | 10m, 0.18mm ID, 0.14um |
| 42302 | Rtx-CLP II Cap. Column | 20m, 0.18mm ID, 0.14um |
| 42601 | Stabilwax Cap. Column | 10m, 0.10mm ID, 0.10um |
| 42702 | Rtx-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.18um |
| 42702-600 | Rtx-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.18um Pack of 6 |
| 42703 | Rtx-5Sil MS Cap. Column | 10m, 0.18mm ID, 0.18um |
| 42704 | Rtx-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.36um |
| 42705 | Rtx-5Sil MS Cap. Column | 12m, 0.20mm ID, 0.33um |
| 42706 | Rtx-5Sil MS Cap. Column | 25m, 0.20mm ID, 0.20um |
| 42706-600 | Rtx-5Sil MS Cap. Column | 25m, 0.20mm ID, 0.20um Pack of 6 |
| 42707 | Rtx-5Sil MS Cap. Column | 50m, 0.20mm ID, 0.20um |
| 42708 | Rtx-5Sil MS Cap. Column | 12m, 0.20mm ID, 0.35um |
| 42709 | Rtx-5Sil MS Cap. Column | 50m, 0.20mm ID, 0.35um |
| 42902 | Rtx-440 Cap. Column | 20m, 0.18mm ID, 0.18um |
| 42903 | Rtx-440 Cap. Column | 40m, 0.18mm ID, 0.18um |
| 43101 | Rtx-CLP Cap. Column | 10m, 0.10mm ID, 0.10um |
| 43301 | Rtx-CLPII Cap. Column | 10m, 0.10mm ID, 0.10um |
| 43302 | Rtx-CLPII Cap. Column | 20m, 0.10mm ID, 0.10um |
| 43601 | Rxi-5Sil MS Cap. Column | 10m, 0.10mm ID, 0.10um |
| 43601-067 | Rxi-5Sil MS Cap. Column | 2 x 5m, 0.10mm ID, 0.10um |
| 43602 | Rxi-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.18um |
| 43602-600 | Rxi-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.18um Pack of 6 |
| 43602-6850 | Rxi-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.18um 5in cage for HP 6850 |
| 43604 | Rxi-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.36um |
| 43604-600 | Rxi-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.36um Pack of 6 |
| 43604-6850 | Rxi-5Sil MS Cap. Column | 20m, 0.18mm ID, 0.36um |
| 43605 | Rxi-5Sil MS Cap. Column | 40m, 0.18mm ID, 0.18um |
| 43607 | Rxi-5Sil MS Cap. Column | 60m, 0.18mm ID, 0.10um |
| 43701 | Rxi-XLB Cap. Column | 10m, 0.10mm ID, 0.10um |
| 43702 | Rxi-XLB Cap. Column | 20m, 0.18mmID, 0.18um |
| 43800 | Rxi-1ms Cap. Column | 10m, 0.15mm ID, 0.15um |
| 43801 | Rxi-1ms Cap. Column | 20m, 0.15mm ID, 0.15um |
| 43802 | Rxi-1ms Cap. Column | 20m, 0.15mm ID, 2.0um |
| 43815 | Rxi-5Sil MS Cap. Column | 10m, 0.15mm ID, 0.15um |
| 43816 | Rxi-5Sil MS Cap. Column | 20m, 0.15mm ID, 0.15um |
| 43817 | Rxi-5Sil MS Cap. Column | 20m, 0.15mm ID, 2.0um |
| 43820 | Rxi-17Sil MS Cap. Column | 10m, 0.15mm ID, 0.15um |
| 43821 | Rxi-17Sil MS Cap. Column | 20m, 0.15mm ID, 0.15um |
| 43830 | Stabilwax Cap. Column | 10m, 0.15mm ID, 0.15um |
| 43831 | Stabilwax Cap. Column | 20m, 0.15mm ID, 0.15um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 43835 | Rtx-200 Cap. Column | 10m, 0.15mm ID, 0.15um |
| 43836 | Rtx-200 Cap. Column | 20m, 0.15mm ID, 0.15um |
| 45001 | Rtx-200 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 45001-067 | Rtx-200 Cap. Column | 5 x 2m, 0.18mm ID, 0.20um |
| 45001-076 | Rtx-200 Cap. Column | 2-5m, 0.18mm ID, 0.20um |
| 45002 | Rtx-200 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 45002-600 | Rtx-200 Cap. Column | 20m, 0.18mm ID, 0.20um, 6-pk |
| 45003 | Rtx-200 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 45010 | Rtx-200 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 45010-600 | Rtx-200 Cap. Column | 10m, 0.18mmID, 0.40um Pack of 6 |
| 45010-6850 | Rtx-200 Cap. Column | 10m, 0.18mm ID, 0.40um 5" cage for HP 6850 |
| 45011 | Rtx-200 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 45011-134 | Rtx-200 Cap. Column | 15m, 0.18mm ID, 0.40um |
| 45011-6850 | Rtx-200 Cap. Column | 20m, 0.18mm ID, 0.40um 5in cage for HP 6850 |
| 45012 | Rtx-200 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 49314 | Rtx-VRX Cap. Column | 20m, 0.18mm ID, 1.00um |
| 49314-280 | Rtx-VRX Cap. Column | 20m, 0.18mm ID, 1.00um 4" Star Cage, No Guarantee for Breakage |
| 49314-600 | Rtx-VRX Cap. Column | 20m, 0.18mm ID, 1.00um 6pk |
| 49314-6850 | Rtx-VRX Cap. Column | 20m, 0.18mm ID, 1.00um For HP 6850 |
| 49315 | Rtx-VRX Cap. Column | 40m, 0.18mm ID, 1.00um |
| 49414 | Rtx-VGC Cap. Column | 20m, 0.18mm ID, 1.00um |
| 49415 | Rtx-VGC Cap. Column | 40m, 0.18mm ID, 1.00um |
| 49914 | Rtx-VMS Cap. Column | 20m, 0.18mm ID, 1.00um |
| 49914-042 | Rtx-VMS Cap. Column | 20m, 0.18mm ID, 1.00um 5" Nordion Cage |
| 49914-600 | Rtx-VMS Cap. Column | 20m, 0.18mmID, 1.00um Pack of 6 |
| 49914-6850 | Rtx-VMS Cap. Column | 20m, 0.18mm ID, 1.00um w/5" Cage for HP 6850 |
| 49915 | Rtx-VMS Cap. Column | 40m, 0.18mm ID, 1.00um |
| 49915-6850 | Rtx-VMS Cap. Column | 40m, 0.18mm ID, 1.00um 5" HP6850 Cage |
| 70044 | MXT Guard Column | 5m, 0.28mm ID |
| 70044-600 | MXT Guard Column | MXT-Guard Column 5m, 0.28mm ID Package of 6 |
| 70045 | MXT Guard Column | MXT-Guard Column 5m, 0.53mm ID |
| 70045-273 | MXT Guard Column | 5m, 0.53mm ID 3.5"OD w/o Cage, |
| 70045-600 | MXT Guard Column | MXT-Guard Col 5m, 0.53mm ID Package of 6 |
| 70046 | MXT Guard Column | MXT-Guard Col 10m, 0.28mm ID |
| 70046-6850 | MXT Guard Column | MXT-Guard Col 5" coil 10m, 0.28mm ID |
| 70047 | MXT Guard Column | MXT-Guard Col 10m, 0.53mm ID |
| 70047-273 | MXT Guard Column | MXT-Guard Col 10m, 0.53mm ID 3.5"OD w/o Cage, |
| 70047-280 | MXT Guard Column | 10m, 0.53mm ID w/4" Star Cage |
| 70047-600 | MXT Guard Column | MXT-Guard Col 10m, 0.53mm ID 6PK |
| 70067 | MXT Guard Column | MXT-Polar Deact. 5m, 0.53mm ID |
| 70080 | MXT Guard Column | MXT-Hydroguard 5m, 0.28mm ID |
| 70081 | MXT Guard Column | MXT-Hydroguard 5m, 0.53mm ID |
| 70081-273 | MXT Guard Column | MXT-Hydroguard 5m, 0.53mm ID 3.5"OD w/o Cage, |
| 70081-600 | MXT Guard Column | MXT-Hydroguard, 6pk |
| 70083 | MXT Guard Column | MXT-Hydroguard 10m, 0.28mm ID |
| 70084 | MXT Guard Column | MXT-Hydroguard 10m, 0.53mm ID |
| 70086 | MXT Guard Column | MXT-Hydroguard 30m, 0.28mm ID |
| 70087 | MXT Guard Column | MXT-Hydroguard 30m, 0.53mm ID |
| 70089 | MXT Guard Column | MXT-Hydroguard 60m, 0.28mm ID |
| 70090 | MXT Guard Column | Hydroguard MXT 60m, 0.53mm ID |
| 70100 | MXT-1HT SimDist | 5m, 0.53mm ID, 0.10um |
| 70100-065 | MXT-1HT SimDist | 5m, 0.53mm ID, 0.10um Coil on 11 Pin Cage |
| 70100-273 | MXT-1HT SimDist | 5m, 0.53mm ID, 0.10um 3.5"OD w/o Cage, |
| 70100-600 | MXT-1HT SimDist | 5m, 0.53mmID, 0.10um Pack of 6 |
| 70100-6850M | MXT-1HT SimDist | 5m, 0.53mm ID, 0.10um 5"ID Coil banded w/ Copper Wire |
| 70101 | MXT-1 SimDist Cap. Column | 6m, 0.53mm ID, 0.15um |
| 70101-133 | MXT-1 Cap. Column | 5m, 0.53mm ID, 0.15um |
| 70101-147 | MXT-1 SimDist Cap. Column | 3 x 2m, 0.53mm ID, 0.15um |
| 70101-273 | MXT-1 Cap. Column | 6m, 0.53mm ID, 0.15um 3.5"OD w/o Cage, |
| 70101-274 | MXT-1 Cap. Column | 6m, 0.53mm ID, 0.15um 2.5" Coil |
| 70101-600 | MXT-1 SimDist Cap. Column | 6m, 0.53mm ID, 0.15um 6pk |
| 70102 | MXT-1 Cap. Column | 6m, 0.28mm ID, 0.1um |
| 70104 | MXT-500 Sim Dist Cap. Col | 6m, 0.53mm ID, 0.15um |
| 70104-271 | MXT-500 Sim Dist Cap. Col | 6m, 0.53mm ID, 0.15um 6" Config. w/o cage |
| 70104-600 | MXT-500 Sim Dist Cap. Col | 6m, 0.53mm ID, 0.15um 6pk |
| 70105 | MXT-1 Cap. Column | 15m, 0.25mm ID, 0.10um |

| | | |
|---|---|---|
| 70105-600 | MXT-1 Cap. Column | 15m, 0.25mm ID, 0.10um 6pk |
| 70106 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.10um |
| 70106-600 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.10um Pack of 6 |
| 70106-6850M | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.10um 5in coil banded w/copper wire no cage |
| 70107 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.15um |
| 70107-6850M | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.15um 5in coil banded w/copper wire no cage |
| 70108 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.20um |
| 70108-137 | MXT-1 Cap. Column | 8m, 0.53mm ID, 0.20um |
| 70108-276 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.20um 6 inch Diameter Cage |
| 70108-600 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.20um Package of 6 |
| 70109 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.10um |
| 70109-273 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.10um 3.5"OD w/o Cage, |
| 70109-6850M | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.10um on 6850 Cage |
| 70111 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.20um |
| 70112 | MXT-1HT SimDist Column | 5m, 0.53mm ID, 0.10um on 11-Pin Cage |
| 70112-600 | MXT-1HT SimDist Column | 5m, 0.53mm ID, 0.10um On 11-Pin Cage, Pack of 6 |
| 70114 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.10um |
| 70114-283 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.10um 3.5" Inside Diameter w/o Cage |
| 70115 | MXT-1HT SimDist Column | 5m, 0.53mm ID, 0.20um on 11-Pin Cage |
| 70115-273 | MXT-1HT Sim Dist Column | 5m, 0.53mm ID, 0.20um Coil into 3.5"OD w/out cage |
| 70116 | MXT-1 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 70116-101 | MXT-1 Cap. Column | 3-10m, 0.25mm ID, 0.10um |
| 70117 | MXT-1 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 70117-283 | MXT-1 Cap. Column | 60m, 0.25mm ID, 0.10um 3.5" Inside Diameter w/o Cage |
| 70118 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 0.21um on 11-Pin Cage |
| 70119 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 1.2um on 11-Pin Cage |
| 70120 | MXT-1 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 70120-273 | MXT-1 Cap. Column | 15m, 0.25mm ID, 0.25um 3.5"OD w/o Cage, |
| 70121 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.25um |
| 70121-273 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.25um 3.5"OD w/o Cage, |
| 70122 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 70122-104 | MXT-1 Cap. Column | 3-5m, 0.53mm ID, 0.25um |
| 70122-10427 | MXT-1 Cap. Column | 3-5m, 0.53mm ID, 0.25um 6in coil w/out cage |
| 70122-107 | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.25um |
| 70122-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.25um 6 inch coil |
| 70122-10728 | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.25um 3.5"ID Coil w/o Cage |
| 70122-123 | MXT-1 Cap. Column | 5m & 10m, 0.53mm ID, 0.25um |
| 70122-12327 | MXT-1 Cap. Column | 5m & 10m, 0.53mm ID, 0.25um 6" Conf w/out cage |
| 70122-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.25um 6" Config. w/o Cage |
| 70122-273 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, |
| 70122-274 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.25um 2.5" Coil |
| 70122-600 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.25um Pack of 6 |
| 70123 | MXT-1 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 70123-273 | MXT-1 Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD without cage Fits SRI GCs |
| 70123-6850M | MXT-1 Cap. Column | 30m, 0.25mm ID, 0.25um 5" Coil for Agilent 6850, Banded w/ copper wire |
| 70124 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.25um |
| 70124-111 | MXT-1 Cap. Column | 2 - 15m, 0.28mm ID, 0.25um |
| 70124-273 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.25um 3.5"OD w/o Cage, |
| 70125 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 70125-111 | MXT-1 Cap. Column | 2x15m, 0.53mm ID, 0.25um |
| 70125-11127 | MXT-1 Cap. Column | 2x15m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, |
| 70125-112 | MXT-1 Cap.Column | 20m, 0.53mm ID, 0.25um |
| 70125-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.25um 6" Config. w/o Cage |
| 70125-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, |
| 70125-600 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.25um Pack of 6 |
| 70126 | MXT-1 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 70126-273 | MXT-1 Cap. Column | 60m, 0.25mmID, 0.25um 3.5"OD w/o Cage, |
| 70126-283 | MXT-1 Cap. Column | 60m, 0.25mm ID, 0.25um 3.5" Inner Diameter w/o Cage |
| 70127 | MXT-1 Cap. Column | 60m, 0.28mm ID, 0.25um |
| 70127-271 | MXT-1 Cap. Column | 60m, 0.28mm ID, 0.25um 6" Config. w/Cage |
| 70127-272 | MXT-1 Cap. Column | 60m, 0.28mmID, 0.25um 4 1/2"ID w/out cage (4.5"ID/5.0"OD) |
| 70127-273 | MXT-1 Cap. Column | 60m, 0.28mmID, 0.25um 3.5"OD w/o Cage, |
| 70127-350 | MXT-1 Cap. Column | 60m, 0.28mm ID, 0.25um w/LDV Con. to 0.28mmID MXT GC |
| 70128 | MXT-1 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 70128-351 | MXT-1 Cap. Column | 60m, 0.53mm ID, 0.25um w/5mMXTGuard&MXTLDVConnector |
| 70129 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.25um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 70129-283 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.25um 3.5" Inner Diameter w/o Cage |
| 70130 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 1.0um |
| 70130-600 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 1.0um Pack of 6 |
| 70131 | MXT-1HT SimDist Column | 5m, 0.53mm ID, 0.88um |
| 70132 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 2.65um |
| 70132-6850M | MXT-1HT SimDist Column | 10m, 0.53mm ID, 2.65um For HP 6850 |
| 70133 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 5.0um |
| 70134 | MXT-1HT SimDist Column | 10m, 0.53mm ID, 0.88um, 11-Pin Cage |
| 70135 | MXT-1 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 70136 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.50um |
| 70136-273 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70136-283 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.50um 3.5in ID w/out cage |
| 70136-2830 | MXT-1 Cap. Column | 15m, 0.28mm ID, 0.50um 3.5"ID Coil Banded w/Copper Wire |
| 70137 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 70137-104 | MXT-1 Cap. Column | 3x5m, 0.53mm ID, 0.50um |
| 70137-10427 | MXT-1 Cap. Column | 3x5m, 0.53mm ID, 0.5um 6" Coil |
| 70137-10427[illegible] | MXT-1 Cap. Column | 3x5m, 0.53mm ID, 0.50um 2.5in OD without Cage |
| 70137-10428[illegible] | MXT-1 Cap. Column | 3x5m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70137-107 | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.50um |
| 70137-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.50um 6" Coil |
| 70137-10727[illegible] | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.50um 3.5"OD w/o cage |
| 70137-10728[illegible] | MXT-1 Cap. Column | 10m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70137-119 | MXT-1 Cap. Column | 2 x 7.5m, 0.53mm ID, 0.50um |
| 70137-12327 | MXT-1 Cap. Column | 10m&5m, 0.53mm ID, 0.50um 6" Coil |
| 70137-12327[illegible] | MXT-1 Cap. Column | 5m and 10m, 0.53mm ID, 0.50um 3.5"OD Coil w/o Cage |
| 70137-12328[illegible] | MXT-1 Cap. Column | 5m&10m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70137-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.50um 6" Coil |
| 70137-273 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"OD w/o Cage, |
| 70137-283 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70137-2830 | MXT-1 Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"ID Coil Banded w/Copper Wire |
| 70137-600 | MXT-1 Cap. Column | 15m, 0.53mmID, 0.50um Pack of 6 |
| 70137-6850M | MXT-1 Cap Column | 15m, 0.53mm ID, 0.50um For HP 6850 |
| 70138 | MXT-1 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 70138-273 | MXT-1 Cap. Column | 30m, 0.25mm ID, 0.50um 3.5"OD w/o Cage, |
| 70139 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.50um |
| 70139-273 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70139-283 | MXT-1 Cap. Column | 30m, 0.28mm ID, 0.50um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 70140 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 70140-087 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um Break into 6 x 5m Columns |
| 70140-101 | MXT-1 Cap. Column | 3 x 10m, 0.53mm ID, 0.50um |
| 70140-10128[illegible] | MXT-1 Cap. Column | 3 x 10m, 0.53mmID, 0.5um 3.5" Inside Diameter w/Cage |
| 70140-102 | MXT-1 Cap. Column | 10m & 20m, 0.53mm ID, 0.50um |
| 70140-10228[illegible] | MXT-1 Cap. Column | 10m & 20m, 0.53mm ID, 0.50um 3.5"ID w/o Cage |
| 70140-106 | MXT-1 Cap. Column | 25m, 0.53mm ID, 0.50um |
| 70140-11127[illegible] | MXT-1 Cap. Column | (2) 15m, 0.53mm ID, 0.50um 3.5"OD w/o Cage, |
| 70140-112 | MXT-1 Cap. Column | 20m, 0.53mm ID, 0.50um |
| 70140-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um 6" Coil w/Cage |
| 70140-272 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um 4.5" Coil |
| 70140-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"OD w/o Cage, |
| 70140-283 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70140-6850 | MXT-1 Cap. Column | 30m, 0.53mm ID, 0.50um For HP 6850 |
| 70141 | MXT-1 Cap. Column | 60m, 0.25mm ID ,0.50um |
| 70141-105 | MXT-1 Cap. Column | 50m, 0.25mm ID, 0.50um |
| 70141-271 | MXT-1 Cap. Column | 60m, 0.25mmID, 0.50um 6" Configuration |
| 70141-6850M | MXT-1 Cap. Column | 60m, 0.25mm ID, 0.50um For HP 6850 |
| 70142 | MXT-1 Cap. Column | 60m, 0.28mm ID, 0.50um |
| 70142-271 | MXT-1 Cap. Column | 60m, 0.28mm ID, 0.50um 6" Coil |
| 70142-273 | MXT-1 Cap. Column | 60m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70143 | MXT-1 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 70143-105 | MXT-1 Cap. Column | 50m, 0.53mm ID, 0.50um |
| 70143-109 | MXT-1 Cap. Column | 10m and 50m, 0.53mm ID, 0.50um |
| 70143-271 | MXT-1 Cap. Column | 60m, 0.53mm ID, 0.50um 6" Coil |
| 70143-283 | MXT-1 Cap. Column | 60m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70144 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.50um |
| 70144-271 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.50um 6" Config w/cage |
| 70144-273 | MXT-1 Cap. Column | 105m, 0.25mm ID, 0.50um 3.5"OD w/o Cage |

| | | |
|---|---|---|
| 70150 | MXT-1 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 70150-273 | MXT-1 Cap. Column | 15m, 0.25mm ID, 1.00um Coil on 3.5" OD without cage |
| 70150-2770 | MXT-1 Cap. Column | 15m, 0.25mm ID, 1.00um 7.0"ID coil banded w/copper wire |
| 70151 | MXT-1 Cap. Column | 15m, 0.28mm ID, 1.00um |
| 70151-097 | MXT-1 Cap. Column | 8m, 0.28mm ID, 1.00um |
| 70151-107 | MXT-1 Cap. Column | 10m, 0.28mm ID, 1.00um |
| 70151-10728 | MXT-1 Cap. Column | 10m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70151-123 | MXT-1 Cap. Column | 10m & 5m 0.28mm ID, 1.00um |
| 70151-271 | MXT-1 Cap. Column | 15m, 0.28mm ID, 1.00um 6" Config w/cage |
| 70151-283 | MXT-1 Cap. Column | 15m, 0.28mm ID, 1.00um 3.5" Coil |
| 70152 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 70152-104 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 1.00um |
| 70152-10427 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 1.00um 6" Coil |
| 70152-10428 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70152-107 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.00um |
| 70152-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.00um 6" Coil |
| 70152-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70152-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.00um 7" Coil |
| 70152-10728 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70152-10760 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.00um 6pk |
| 70152-119 | MXT-1 Cap. Column | 2-7.5m, 0.53mm ID, 1.00um |
| 70152-123 | MXT-1 Cap. Column | 10m x 5m, 0.53mm ID, 1.0um |
| 70152-12327 | MXT-1 Cap. Column | 5m & 10m, 0.53mmID, 1.00um 6" Coils |
| 70152-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 6" Coil |
| 70152-273 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70152-2730 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.0um 3.5"OD banded w/copper wire |
| 70152-274 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 2.5" OD without cage |
| 70152-277 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 7" Coil |
| 70152-283 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70152-2830 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 3 1/2" diameter coil/Cage w/Copper Wire Only |
| 70152-28306 | MXT-1 Cap. Column | 15m, 0.53mmID, 1.00um, 3.5" Coil/Cage, Copper Wire Only,Pack of 6 |
| 70152-2831 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5" ID without cage w/ 18" leads |
| 70152-351 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um w/5m,0.53mmIDMXTGuard/LDVCon. |
| 70152-600 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.00um Pack of 6 |
| 70153 | MXT-1 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 70153-273 | MXT-1 Cap. Column | 30m, 0.25mm ID, 1.00um 3.5"OD w/o Cage, |
| 70153-274 | MXT-1 Cap. Column | 30m, 0.25mmID, 1.00um Coil into 2 1/2"OD w/out cage |
| 70153-2760 | MXT-1 Cap. Column | 30m, 0.25mm ID, 1.00um 6"ID Coil, banded with copper wire |
| 70153-6850 | MXT-1 Cap. Column | 30m, 0.25mm ID, 1.00um 5" Cage for HP 6850 |
| 70154 | MXT-1 Cap. Column | 30m, 0.28mm ID, 1.00um |
| 70154-10127 | MXT-1 Cap. Column | 3-10m, 0.28mm ID, 1.00um 6" Conf w/out cage |
| 70154-102 | MXT-1 Cap. Column | 10m & 20m, 0.28mm ID, 1.00um |
| 70154-271 | MXT-1 Cap. Column | 30m, 0.28mm ID, 1.00um 6" Coil |
| 70154-273 | MXT-1 Cap. Column | 30m, 0.28mm ID, 1.00um 3.5"OD w/o Cage, |
| 70154-278 | MXT-1 Cap. Column | 30m w/o Phase or Deact Silcosteel w/o deact |
| 70154-283 | MXT-1 Cap. Column | 30m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70154-600 | MXT-1 Cap. Column | 30m, 0.28mmID, 1.00um Pack of 6 |
| 70155 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 70155-101 | MXT-1 Cap. Column | 3 x 10m, 0.53mm ID, 1.00um |
| 70155-10127 | MXT-1 Cap. Column | 3 x 10m, 0.53mm ID, 1.00um 6in coil w/out cage |
| 70155-10128 | MXT-1 Cap. Column | 3 x 10m, 0.53mm ID, 1.00um 3.5"ID Coil w/o Cage |
| 70155-102 | MXT-1 Cap. Column | 10m & 20m, 0.53mm ID, 1.00um |
| 70155-10228 | MXT-1 Cap. Column | 10m & 20m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70155-106 | MXT-1 Cap. Column | 25m, 0.53mm ID, 1.00um |
| 70155-10627 | MXT-1 Cap. Column | 25m, 0.53mm ID, 1.00um 6" Coil |
| 70155-10627 | MXT-1 Cap. Column | 25m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70155-10628 | MXT-1 Cap. Column | 25m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70155-112 | MXT-1 Cap. Column | 20m, 0.53mm ID, 1.00um |
| 70155-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 6" Coil |
| 70155-272 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 4.5"ID Coil w/o Cage |
| 70155-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70155-274 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 2.5" OD without cage |
| 70155-278 | MXT-1 Cap. Column | 30m w/o Phase or Deact. Silcosteel w/o deact |
| 70155-280 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 4" Coil |
| 70155-283 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70155-600 | MXT-1 Cap. Column | 30m, 0.53mmID, 1.00um Pack of 6 |

| | | |
|---|---|---|
| 70155-6850M | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.00um 5"ID Coil Banded w/Copper Wire |
| 70156 | MXT-1 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 70156-273 | MXT-1 Cap. Column | 60m, 0.25mm ID, 1.0um 3.5"OD w/o Cage, |
| 70157 | MXT-1 Cap. Column | 60m, 0.28mm ID, 1.00um |
| 70157-031 | MXT-1 Cap. Column | 60m, 0.28mm ID, 1.00um Cage in Customer-Supplied Cage |
| 70157-10528 | MXT-1 Cap. Column | 50m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70157-10928 | MXT-1 Cap. Column | 10m & 50m, 0.28mm ID, 1.00um 3.5" ID w/o Cage |
| 70157-11527 | MXT-1 Cap. Column | 40m & 20m, 0.28mm ID, 1.00um 6" Conf w/out cage |
| 70157-271 | MXT-1 Cap. Column | 60m, 0.28mm ID, 1.00um 6" Coil |
| 70157-273 | MXT-1 Cap. Column | 60m, 0.28mm ID, 1.00um 3.5"OD w/o Cage, |
| 70157-277 | MXT-1 Cap. Column | 60m, 0.28mm ID, 1.00um 7" Coil |
| 70157-283 | MXT-1 Cap. Column | 60m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70158 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70158-10328 | MXT-1 Cap. Column | (3) 20m, 0.53mm ID, 1.00um 3.5" ID w/out cage |
| 70158-105 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.00um |
| 70158-10527 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.00um 6" Config w/out cage |
| 70158-10527 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70158-10528 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70158-109 | MXT-1 Cap. Column | 50m & 10m, 0.53mm ID, 1.00um |
| 70158-10927 | MXT-1 Cap. Column | 50m & 10m, 0.53mm ID, 1.00um 6" Config w/out cage |
| 70158-11528 | MXT-1 Cap. Column | 20m & 40m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70158-120 | MXT-1 Cap. Column | 10m/20m/30m, 0.53mm ID, 1.00um |
| 70158-121 | MXT-1 Cap. Column | (1)40m &( 2)10m, 0.53mm ID,1.0um |
| 70158-140 | MXT-1 Cap. Column | 45m, 0.53mmID, 1.00um |
| 70158-14028 | MXT-1 Cap. Column | 45m, 0.53mmID, 1.00um 3.5"ID Coil,banded w/copper wire (3.5"ID/4.0"OD) |
| 70158-271 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70158-272 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 4.5"ID Coil w/o Cage |
| 70158-2720 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 4 1/2"ID coil banded w/copper wire |
| 70158-273 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70158-2731 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5" OD without Cage For SRI Only |
| 70158-274 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 2.5" OD without cage |
| 70158-277 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 7" Coil |
| 70158-283 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70158-2830 | MXT-1 Cap. Column | 60m, 0.53mmID, 1.00um 3.5"ID Coil,banded w/copper wire (3.5"ID/4.0"OD) |
| 70158-600 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70159 | MXT-1 Cap. Column | 105m, 0.25mm ID, 1.00um |
| 70159-273 | MXT-1 Cap. Column | 105m, 0.25mm ID, 1.00um 3.5"OD w/o Cage, |
| 70167 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 70167-104 | MXT-1 Cap. Column | 3-5m, 0.53mm ID, 1.50um |
| 70167-10427 | MXT-1 Cap. Column | (3) x 5m, 0.53mm ID, 1.50um 6" Coil |
| 70167-10728 | MXT-1 Cap. Column | 10m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70167-119 | MXT-1 Cap. Column | 2 7.5m, 0.53mmID, 1.50um |
| 70167-123 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um Break into 1-10m and 1-5m col. |
| 70167-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.5um 6" Config |
| 70167-2720 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um 4 1/2"ID coil banded w/copper wire |
| 70167-273 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70167-2730 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um 3.5"OD banded w/copper wire |
| 70167-274 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um 2.5" Coil |
| 70167-283 | MXT-1 Cap. Column | 15m, 0.53mm ID, 1.50um w/3.5"ID without cage |
| 70170 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 70170-10128 | MXT-1 Cap. Column | 3x10m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70170-10228 | MXT-1 Cap. Column | 10 and 20m, 0.53mm ID, 1.50um 3.5in ID w/out cage |
| 70170-106 | MXT-1 Cap. Column | 25m, 0.53mm ID, 1.50um |
| 70170-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.50um 6" Coil |
| 70170-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70170-2730 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5in OD banded w/copper wire |
| 70170-283 | MXT-1 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70173 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 70173-072 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um Wind on Styrofoam reel |
| 70173-105 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.50um |
| 70173-10527 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.50um 6" Config w/o cage |
| 70173-10528 | MXT-1 Cap. Column | 50m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70173-10927 | MXT-1 Cap. Column | 50m & 10m 0.53mm ID, 1.50um 6" Coil |
| 70173-271 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 6" Coil |
| 70173-273 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70173-2730 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5in OD banded w/copper wire |

| | | |
|---|---|---|
| 70173-276 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 6" Coil |
| 70173-277 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 7" Coil |
| 70173-283 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70173-600 | MXT-1 Cap. Column | 60m, 0.53mm ID, 1.50um 6pk |
| 70177 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um |
| 70177-073 | MXT-1 Cap. Column | 9m, 0.53mm ID, 5.00um |
| 70177-085 | MXT-1 Cap. Column | 3m & 12m, 0.53mm ID, 5.0um |
| 70177-097 | MXT-1 Cap. Column | 8m, 0.53mm ID, 5.00um |
| 70177-104 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 5.00um |
| 70177-10427 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 5.00um 6" Coil |
| 70177-10428 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 5.00um 3.5"ID without Cage |
| 70177-107 | MXT-1 Cap. Column | 10m, 0.53mm ID, 5.00um |
| 70177-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 5.00um 6" Coil |
| 70177-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70177-10728 | MXT-1 Cap. Column | 10m, 0.53mm ID, 5.00um 3 1/2 inch Diameter Cage |
| 70177-123 | MXT-1 Cap. Column | 1-10m and 1-5m 0.53mmID 5.00um |
| 70177-139 | MXT-1 Cap. Column | 12m, 0.53mm ID, 5.00um |
| 70177-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um 6" Coil |
| 70177-272 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um 4.5" Coil |
| 70177-273 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70177-274 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um 2.5" Coil |
| 70177-283 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um 3.5" ID Coil |
| 70177-600 | MXT-1 Cap. Column | 15m, 0.53mm ID, 5.00um Pack of 6 |
| 70179 | MXT-1 Cap. Column | 30m, 0.53mm ID, 5.00um |
| 70179-101 | MXT-1 Cap. Column | 3 x 10m, 0.53mm ID, 5.00um |
| 70179-10127 | MXT-1 Cap. Column | 3 x 10m, 0.53mm ID, 5.00um 6" Coil |
| 70179-102 | MXT-1 Cap. Column | 10m & 20m, 0.53mm ID, 5.00um |
| 70179-106 | MXT-1 Cap. Column | 25m, 0.53mm ID, 5.00um |
| 70179-10627 | MXT-1 Cap. Column | 25m, 0.53mm ID, 5.00um 6" Configuration w/Cage |
| 70179-10628 | MXT-1 Cap. Column | 25m, 0.53mm ID, 5.00um 3.5" ID Coil |
| 70179-112 | MXT-1 Cap. Column | 20m, 0.53mm ID, 5.00um |
| 70179-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 5.00um 6" Coil |
| 70179-272 | MXT-1 Cap. Column | 30m, 0.53mm ID, 5.00um 4.5" Coil |
| 70179-27260( | MXT-1 Cap. Column | 30m, 0.53mmID, 5.00um 4.5" Coil, Pack of 6 |
| 70179-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70179-274 | MXT-1 Cap. Column | 30m, 0.53mm ID, 5.00um 2 1/2in OD w/out cage |
| 70179-283 | MXT-1 Cap. Column | 30m, 0.53mm ID, 5.00um 3.5" ID Coil |
| 70181 | MXT-1 Cap. Column | 15m, 0.28mm ID, 3.00um |
| 70181-097 | MXT-1 Cap. Column | 8m, 0.28mm ID, 3.00um |
| 70181-271 | MXT-1 Cap. Column | 15m, 0.28mm ID, 3.00um 6 inch Diameter Cage |
| 70181-273 | MXT-1 Cap. Column | 15m, 0.25mm ID, 3.00um 3.5"OD w/o Cage, |
| 70181-6850 | MXT-1 Cap. Column | 15m, 0.28mm ID, 3.00um 5" cage for HP 6850 |
| 70182 | MXT-1 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 70182-104 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 3.00um |
| 70182-10428 | MXT-1 Cap. Column | 3 x 5m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70182-107 | MXT-1 Cap. Column | 10m, 0.53mm ID, 3.00um |
| 70182-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 3.00um 6" Coil |
| 70182-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 3.00um 4.5" Coil |
| 70182-10727 | MXT-1 Cap. Column | 10m, 0.53mm ID, 3.00um 3.5" Coil |
| 70182-10728 | MXT-1 Cap. Column | 10m, 0.53mm ID, 3.00um 3.5" ID w/o Cage, 0.5m loose at each end |
| 70182-119 | MXT-1 Cap. Column | 2 x 7.5m, 0.53mm ID, 3.00um |
| 70182-123 | MXT-1 Cap. Column | 1-10m and 1-5m 0.53mmID, 3.00um |
| 70182-12327 | MXT-1 Cap. Column | 5m & 10m, 0.53mm ID, 3.00um 6" Coil w/o Cage |
| 70182-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 3.00um 6" Coil |
| 70182-273 | MXT-1 Cap. Column | 15m, 0.53mmID, 3.0um 3.5"OD w/o Cage, |
| 70182-274 | MXT-1 Cap. Column | 15m, 0.53mm ID, 3.00um 2 1/2"OD w/out cage |
| 70182-283 | MXT-1 Cap. Column | 15m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70182-600 | MXT-1 Cap. Column | 15m, 0.53mm ID, 3.00um Pack of 6 |
| 70183 | MXT-1 Cap. Column | 60m, 0.53mm ID, 5.00um |
| 70183-105 | MXT-1 Cap. Column | 50m, 0.53mm ID, 5.00um |
| 70183-10527 | MXT-1 Cap. Column | 50m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70183-10527 | MXT-1 Cap. Column | 50m, 0.53mm ID, 5.00um 7" Coil |
| 70183-10528 | MXT-1 Cap. Column | 50m, 0.53mm ID, 5.00um 3.5" ID Coil |
| 70183-109 | MXT-1 Cap. Column | 10m & 50m, 0.53mm ID, 5.00um |
| 70183-271 | MXT-1 Cap. Column | 60m, 0.53mm ID, 5.00um 6" Coil |
| 70183-272 | MXT-1 Cap. Column | 60m, 0.53mm ID, 5.00um 4.5" Coil |

Chromalytic Tech
Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
03 9762 2034

| | | |
|---|---|---|
| 70183-27260( | MXT-1 Cap. Column | 60m, 0.53mm ID, 5.00um 4.5" Coil, Pack of 6 |
| 70183-273 | MXT-1 Cap. Column | 60m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70183-283 | MXT-1 Cap. Column | 60m, 0.53mmID, 5.00um 3.5" Inside Diameter |
| 70183-2830 | MXT-1 Cap. Column | 60m, 0.53mmID, 5.00um 3.5" Coil Banded w/Copper Wire |
| 70183-600 | MXT-1 Cap. Column | 60m, 0.53mm ID, 5.00um Pack of 6 |
| 70184 | MXT-1 Cap. Column | 30m, 0.28mm ID, 3.00um |
| 70184-10628( | MXT-1 Cap. Column | 25m, 0.28mm ID, 3.00um 3.5" ID Coil |
| 70184-271 | MXT-1 Cap. Column | 30m, 0.28mm ID, 3.00um 6" Coil |
| 70184-272 | MXT-1 Cap. Column | 30m, 0.28mm ID, 3.00um 4 1/2in ID w/out cage |
| 70184-273 | MXT-1 Cap. Column | 30m, 0.28mm ID, 3.00um 3.5"OD w/o Cage, |
| 70184-274 | MXT-1 Cap. Column | 30m, 0.28mm ID, 3.00um 2 1/2"OD w/out cage |
| 70184-283 | MXT-1 Cap. Column | 30m, 0.28mm ID, 3.00um 3.5" ID Coil |
| 70185 | MXT-1 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70185-101 | MXT-1 Cap. Column | 3 x 10m, 0.53mmID, 3.00um |
| 70185-102 | MXT-1 Cap. Column | 10 & 20m, 0.53mm ID, 3.00um |
| 70185-10227 | MXT-1 Cap. Column | 20m x 10m, 0.53mm ID, 3.00um 6" Coil |
| 70185-10228( | MXT-1 Cap. Column | 10m & 20m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70185-106 | MXT-1 Cap. Column | 25m, 0.53mm ID, 3.00um |
| 70185-10627( | MXT-1 Cap. Column | 25m, 0.53mm ID, 3.00um 3.5"OD w/o Cage, |
| 70185-10628( | MXT-1 Cap. Column | 25m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70185-112 | MXT-1 Cap. Column | 20m, 0.53mm ID, 3.00um |
| 70185-11228( | MXT-1 Cap. Column | 20m, 0.53mm ID, 3.00um 3.5"ID without Cage |
| 70185-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 3.00um 6" Coil |
| 70185-272 | MXT-1 Cap. Column | 30m, 0.53mm ID, 3.00um without cage |
| 70185-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage, |
| 70185-274 | MXT-1 Cap. Column | 30m, 0.53mm ID, 3.00um 2.5" Coil |
| 70185-283 | MXT-1 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70187 | MXT-1 Cap. Column | 60m, 0.28mm ID, 3.00um |
| 70187-10528( | MXT-1 Cap. Column | 50m, 0.28mm ID, 3.00um 3.5" ID Coil |
| 70187-271 | MXT-1 Cap. Column | 60m, 0.28mm ID, 3.00um 6" Coil |
| 70187-273 | MXT-1 Cap. Column | 60m, 0.28mm ID, 3.00um 3.5"OD w/o Cage, |
| 70188 | MXT-1 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70188-103 | MXT-1 Cap. Column | 3-20m, 0.53mm ID, 3.00um |
| 70188-10328( | MXT-1 Cap. Column | 3 x 20m, 0.53mm ID, 3.00um 3.5" Inside Diameter w/o Cage |
| 70188-105 | MXT-1 Cap. Column | 50m, 0.53mm ID, 3.00um |
| 70188-10527( | MXT-1 Cap. Column | 50m, 0.53mm ID, 3.00um 3.5"OD w/o Cage, |
| 70188-10528( | MXT-1 Cap. Column | 50m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70188-109 | MXT-1 Cap. Column | 10m & 50m, 0.53mm ID, 3.00um |
| 70188-11528( | MXT-1 Cap. Column | 20m & 40m, 0.53mmID, 3.0um |
| 70188-11540( | MXT-1 Cap. Column | 40 & 20m, 0.53mm ID, 3.00um 4.0" ID without cage |
| 70188-118 | MXT-1 Cap. Column | 2 x 30m, 0.53mm ID, 3.00um |
| 70188-271 | MXT-1 Cap. Column | 60m, 0.53mm ID, 3.00um 6" Coil |
| 70188-272 | MXT-1 Cap. Column | 60m, 0.53mm ID, 3.00um 4.5" ID Coil w/o Cage |
| 70188-273 | MXT-1 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5"OD w/o Cage, |
| 70188-283 | MXT-1 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70188-600 | MXT-1 Cap. Column | 60m, 0.53mm ID, 3.00um Pack of 6 |
| 70189 | MXT-1 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 70189-272 | MXT-1 Cap. Column | 105m, 0.53mm ID, 3.00um 4.5" ID Coil w/o Cage |
| 70189-2730 | MXT-1 Cap. Column | 105m, 0.53mm ID, 3.00um 3.5"OD banded w/copper wire |
| 70189-283 | MXT-1 Cap. Column | 105m, 0.53mm ID, 3.00um 3.5"ID Coil w/o Cage |
| 70191 | MXT-1 Cap. Column | 15m, 0.53mm ID, 7.00um |
| 70191-119 | MXT-1 Cap. Column | 2 x 7.5m, 0.53mm, 7.00um |
| 70191-11927( | MXT-1 Cap. Column | 2-7.5m, 0.53mm ID, 7.00um 3.5"OD banded w/copper wire |
| 70191-123 | MXT-1 Cap. Column | 10m & 5m, 0.53mm ID, 7.00um |
| 70191-271 | MXT-1 Cap. Column | 15m, 0.53mm ID, 7.00um 6" Config w/o Cage |
| 70191-273 | MXT-1 Cap. Column | 15m, 0.53mmID, 7.00um 3.5"OD w/o Cage, |
| 70191-2730 | MXT-1 Cap. Column | 15m, 0.53mm ID, 7.00um 2.75in ID coil banded w/copper wire |
| 70191-2731 | MXT-1 Cap. Column | 15m, 0.53mm ID, 7.00um 3.5"OD Without cage, 18" Column ends For SRI Only |
| 70191-274 | MXT-1 Cap. Column | 15m, 0.53mmID, 7.00um coil into 2 1/2"OD w/out cage |
| 70192 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um |
| 70192-106 | MXT-1 Cap. Column | 25m, 0.53mm ID, 7.00um |
| 70192-11127( | MXT-1 Cap. Column | 2-15m, 0.53mm ID, 7.00um 3.5"OD banded w/copper wire |
| 70192-112 | MXT-1 Cap. Column | 20m, 0.53mm ID, 7.00um |
| 70192-14427( | MXT-1 Cap. Column | 25m & 5m, 0.53mmID, 7.00um 3.5"OD w/o Cage, |
| 70192-271 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um 6" Coil |
| 70192-2720 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um 4 1/2in ID banded w/copper wire |

| | | |
|---|---|---|
| 70192-273 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um 3.5"OD w/o Cage, |
| 70192-2730 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um 3.5"OD banded w/copper wire |
| 70192-274 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um Coil into 2/12" OD w/out cage |
| 70192-283 | MXT-1 Cap. Column | 30m, 0.53mm ID, 7.00um 3.5" ID Coil |
| 70193 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um |
| 70193-115 | MXT-1 Cap. Column | 20 & 40m, 0.53mm ID, 7.00um |
| 70193-271 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 6" Coil |
| 70193-272 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 4.5" Coil |
| 70193-2720 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 4 1/2in ID banded w/copper wire |
| 70193-273 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 3.5"OD w/o Cage, |
| 70193-2730 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 3.5"OD banded w/copper wire |
| 70193-274 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 2.5"OD Coil w/o Cage |
| 70193-283 | MXT-1 Cap. Column | 60m, 0.53mm ID, 7.00um 3.5"ID Coil w/o Cage |
| 70199 | MXT-2887 Cap. Column | 10m, 0.53mm ID, 2.65um |
| 70199-051 | MXT-2887 Cap. Column | 10m, 0.53mmID, 2.65um No Cage (No guarantee for breakage) |
| 70199-076 | MXT-2887 Cap. Column | 2-5m, 0.53mm ID, 2.65um |
| 70199-07668 | MXT-2887 Cap. Column | 2-5m, 0.53mm ID, 2.65um 5in coil banded w/copper wire |
| 70199-271 | MXT-2887 Cap. Column | 10m, 0.53mm ID, 2.65um 6in conf w/out cage |
| 70199-273 | MXT-2887 Cap. Column | 10m, 0.53mm ID, 2.65um 3.5"OD w/o Cage, |
| 70199-274 | MXT-2887 Cap. Column | 10m, 0.53mm ID, 2.65um 2.5" Coil |
| 70199-283 | MXT-2887 Cap. Column | 10m, 0.53mm ID, 2.65um 3.5" ID Coil |
| 70199-6850M | MXT-2887 Cap. Column | 10m, 0.53mm ID, 2.65um 5in coil, banded w/copper wire |
| 70205 | MXT-5 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 70208 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 70211 | MXT-5 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 70220 | MXT-5 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 70220-273 | MXT-5 Cap. Column | 15m, 0.25mm ID, 0.25um 3.5"OD w/o Cage, |
| 70221 | MXT-5 Cap. Column | 15m, 0.28mm ID, 0.25um |
| 70221-350 | MXT-5 Cap. Column | 15m, 0.28mm ID, 0.25um Connect 0.28mm ID MXT GC with LDV |
| 70222 | MXT-5 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 70222-107 | MXT-5 Cap. Column | 10m, 0.53mm ID, 0.25um |
| 70222-271 | MXT-5 Cap. Column | 15m, 0.53mm ID, 0.25um 6in conf w/out cage |
| 70222-273 | MXT-5 Cap. Column | 15m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, |
| 70222-274 | MXT-5 Cap. Column | 15m, 0.53mmID, 0.25um Coil MXT columns into 2 1/2" OD w/out cage |
| 70222-600 | MXT-5 Cap. Column | 15m, 0.53mm ID, 0.25um 6pk |
| 70223 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 70223-273 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD w/o Cage, |
| 70223-283 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"ID/4.0"OD Coil |
| 70223-400 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.25um 4.0"ID, 4.5"OD Coil w/o Cage |
| 70223-6850M | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.25um 5" Coil |
| 70224 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.25um |
| 70224-273 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.25um 3.5"OD w/o Cage, |
| 70225 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 70225-272 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.25um 4.5"Coil |
| 70225-273 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, |
| 70225-351 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.25um w/5m, 0.53mm Guard&MXTLDV Con. |
| 70226 | MXT-5 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 70226-271 | MXT-5 Cap. Column | 60m, 0.25mm ID, 0.25um 6" Config w/o Cage |
| 70226-273 | MXT-5 Cap. Column | 60m, 0.25mm ID, 0.25um 3.5"OD w/o Cage, |
| 70227 | MXT-5 Cap. Column | 60m, 0.28mm ID, 0.25um |
| 70227-273 | MXT-5 Cap. Column | 60m, 0.28mm ID, 0.25um 3.5"OD w/o Cage, |
| 70228 | MXT-5 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 70228-6850 | MXT-5 Cap. Column | 60m, 0.53mm ID, 0.25um w/5" 6850 Cage |
| 70228-6850M | MXT-5 Cap. Column | 60m, 0.53mm ID, 0.25um 5in coil banded w/copper wire |
| 70235 | MXT-5 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 70236 | MXT-5 Cap. Column | 15m, 0.28mm ID, 0.50um |
| 70236-10728 | MXT-5 Cap. Column | 10m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70236-11928 | MXT-5 Cap. Column | 2 x 7.5m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70236-273 | MXT-5 Cap. Column | 15m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70236-283 | MXT-5 Cap. Column | 15m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70237 | MXT-5 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 70237-107 | MXT-5 Cap. Column | 10m, 0.53mm ID, 0.50um |
| 70237-12328 | MXT-5 Cap. Column | 1-10m & 1-5m 0.53mm ID, 0.50um 3.5"ID w/out cage |
| 70237-273 | MXT-5 Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"OD w/o Cage, |
| 70238 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 70238-106 | MXT-5 Cap. Column | 25m, 0.25mm ID, 0.50um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 70238-273 | MXT-5 Cap. Column | 30m, 0.25mm ID, 0.50um 3.5"OD w/o Cage, |
| 70239 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.50um |
| 70239-271 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.50um 6" Coil |
| 70239-273 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70239-274 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.50um 2.5"Coil |
| 70239-283 | MXT-5 Cap. Column | 30m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70240 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 70240-111 | MXT-5 Cap. Column | 2 x 15m, 0.53mmID, 0.50um |
| 70240-271 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 6" Coil |
| 70240-272 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 4 1/2in ID w/out cage |
| 70240-273 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"OD w/o Cage, |
| 70240-2730 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"OD banded w/copper wire |
| 70240-274 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 2.5"Coil |
| 70240-283 | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5" Inside Diameter w/o Cage |
| 70240-6850M | MXT-5 Cap. Column | 30m, 0.53mm ID, 0.50um 5.0" Cage, Banded w/Copper Wire |
| 70241 | MXT-5 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 70241-105 | MXT-5 Cap. Column | 50m, 0.25mm ID, 0.50um |
| 70242 | MXT-5 Cap. Column | 60m, 0.28mm ID, 0.50um |
| 70242-271 | MXT-5 Cap. Column | 60m, 0.28mmID, 0.50um 6" Configuration w/cage |
| 70242-273 | MXT-5 Cap. Column | 60m, 0.28mm ID, 0.50um 3.5"OD w/o Cage |
| 70242-283 | MXT-5 Cap. Column | 60m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70243 | MXT-5 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 70243-273 | MXT-5 Cap. Column | 60m, 0.53mm ID, 0.50um 3.5"OD w/o Cage |
| 70243-283 | MXT-5 Cap. Column | 60m, 0.53mm ID, 0.50um 3.5" Inside Diameter w/o Cage |
| 70250 | MXT-5 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 70250-273 | MXT-5 Cap. Column | 15m, 0.25mm ID, 1.00um 3.5"OD w/o Cage |
| 70251 | MXT-5 Cap. Column | 15m, 0.28mm ID, 1.00um |
| 70252 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 70252-104 | MXT-5 Cap. Column | 3 x 5m, 0.53mm ID, 1.00um |
| 70252-10427 | MXT-5 Cap. Column | 3-5m, 0.53mmID, 1.00um 3.5"OD banded w/copper wire |
| 70252-107 | MXT-5 Cap. Column | 10m, 0.53mm ID, 1.00um |
| 70252-10728 | MXT-5 Cap. Column | 10m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70252-12328 | MXT-5 Cap. Column | 1-10m & 1-5m 0.53mm ID, 1.00um 3.5"ID w/out cage |
| 70252-273 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage |
| 70252-2730 | MXT-5 Cap. Column | 15m, 0.53mmID, 1.00um 3.5"OD banded w/copper wire |
| 70252-283 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70253 | MXT-5 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 70253-6850M | MXT-5 Cap. Column | 30m, 0.25mm ID, 1.00um 5in coil banded w/copper wire no cage |
| 70254 | MXT-5 Cap. Column | 30m, 0.28mm ID, 1.00um |
| 70254-106 | MXT-5 Cap. Column | 25m, 0.28mm ID, 1.00um |
| 70254-271 | MXT-5 Cap. Column | 30m, 0.28mm ID, 1.00um 6 inch Diameter Cage |
| 70254-272 | MXT-5 Cap. Column | 30m, 0.28mm ID, 1.00um 4.5"Coil |
| 70254-273 | MXT-5 Cap. Column | 30m, 0.28mm ID, 1.00um 3.5"OD w/o Cage, |
| 70254-277 | MXT-5 Cap. Column | 30m, 0.28mm ID, 1.00um 7" Coil |
| 70254-283 | MXT-5 Cap. Column | 30m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70255 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 70255-051 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um No Cage No Guarantee For Breakage |
| 70255-102 | MXT-5 Cap. Column | 10m & 20m, 0.53mm ID, 1.00um |
| 70255-10228 | MXT-5 Cap. Column | 10m & 20m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70255-271 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um 6" Coil |
| 70255-273 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70255-2730 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD banded w/copper wire |
| 70255-27335 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um Connect 0.28mm ID MXT GC with LDV, 3.5"OD w/o Ca |
| 70255-283 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70256 | MXT-5 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 70257 | MXT-5 Cap. Column | 60m, 0.28mm ID, 1.00um |
| 70257-105 | MXT-5 Cap. Column | 50m, 0.28mm ID, 1.00um |
| 70257-271 | MXT-5 Cap. Column | 60m, 0.28mm ID, 1.00um 6" Coil |
| 70257-283 | MXT-5 Cap. Column | 60m, 0.28mm ID, 1.00um 3.5"ID w/out cage |
| 70258 | MXT-5 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70258-10528 | MXT-5 Cap. Column | 50m, 0.53mm ID, 1.00um 3.5in ID Coil |
| 70258-109 | MXT-5 Cap. Column | 50m & 10m 0.53ID, 1.00um |
| 70258-273 | MXT-5 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70258-283 | MXT-5 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70267 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 70267-272 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.50um 4.5"Coil |

| | | |
|---|---|---|
| 70267-273 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70267-274 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.50um 2.5"Coil |
| 70267-283 | MXT-5 Cap. Column | 15m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70270 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 70270-271 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.50um 6" Conf w/out cage |
| 70270-272 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.50um 4.5"Coil, w/out Cage |
| 70270-273 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70270-283 | MXT-5 Cap. Column | 30m, 0.53mmID, 1.5um 3.5" Coil |
| 70270-351 | MXT-5 Cap. Column | 30m, 0.53mm, 1.50um w/MXT GC w /MXT LDV Connector |
| 70270-6850 | MXT-5 Cap. Column | 30m, 0.53mm ID, 1.50um 5" cage for HP 6850 |
| 70273 | MXT-5 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 70273-072 | MXT-5 Cap. Column | 60m, 0.53mm ID, 1.50um wind on Styrofoam Reel |
| 70273-273 | MXT-5 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70277 | MXT-5 Cap. Column | 15m, 0.53mm ID, 5.00um |
| 70277-273 | MXT-5 Cap. Column | 15m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70279 | MXT-5 Cap. Column | 30m, 0.53mm ID, 5.00um |
| 70279-271 | MXT-5 Cap. Column | 30m, 0.53mm ID, 5.00um 6"Coil |
| 70279-272 | MXT-5 Cap. Column | 30m, 0.53mm ID, 5.00um 4.5"Coil |
| 70279-273 | MXT-5 Cap. Column | 30m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70279-283 | MXT-5 Cap. Column | 30m, 0.53mm ID, 5.00um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 70279-351 | MXT-5 Cap. Column | 30m, 0.53mm ID, 5.00um w/5m, 0.53mm Guard&MXTLDV Con. |
| 70281 | MXT-5 Cap. Column | 15m, 0.28mm ID, 3.00um |
| 70281-272 | MXT-5 Cap. Column | 15m, 0.28mm ID, 3.00um 4.5"ID Coil w/o Cage |
| 70282 | MXT-5 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 70282-273 | MXT-5 Cap. Column | 15m, 0.53mm ID, 3.00um 3.5"OD w/o Cage, |
| 70283 | MXT-5 Cap. Column | 60m, 0.53mm ID, 5.00um |
| 70283-10527 | MXT-5 Cap. Column | 50m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70283-118 | MXT-5 Cap. Column | 2 x 30m, 0.53mm ID, 5.00um |
| 70283-273 | MXT-5 Cap. Column | 60m, 0.53mm ID, 5.00um 3.5"OD w/o Cage, |
| 70283-351 | MXT-5 Cap. Column | 60m, 0.53mm ID, 5.00um with 5m MXT Guard Col w/ MXT LDV Connector |
| 70284 | MXT-5 Cap. Column | 30m, 0.28mm ID, 3.00um |
| 70284-272 | MXT-5 Cap. Column | 30m, 0.28mm ID, 3.00um 4 1/2in ID w/out cage |
| 70285 | MXT-5 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70285-102 | MXT-5 Cap. Column | 10m & 20m, 0.53mm ID, 3.00um |
| 70285-271 | MXT-5 Cap. Column | 30m, 0.53mm ID, 3.00um 6"Coil |
| 70285-272 | MXT-5 Cap. Column | 30m, 0.53mm ID, 3.00um 4.5"Coil |
| 70285-273 | MXT-5 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage, |
| 70285-2770 | MXT-5 Cap. Column | 30m, 0.53mm ID, 3.00um 7.0in ID Coil, banded w/copper wire |
| 70287 | MXT-5 Cap. Column | 60m, 0.28mm ID, 3.00um |
| 70287-274 | MXT-5 Cap. Column | 60m, 0.28mm ID, 3.00um 2.5"Coil |
| 70288 | MXT-5 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70288-272 | MXT-5 Cap. Column | 60m, 0.53mm ID, 3.00um 4.5"Coil |
| 70289 | MXT-Biodiesel TG Column | 14m, 0.53mm ID, 0.16um w/2m Integra-Gap Inlet Tag Needed |
| 70289-273 | MXT-Biodiesel TG Column | 14m, 0.53mm ID, 0.16um w/2m Integra-Gap 3.5"OD w/o Cage, |
| 70290 | MXT-Biodiesel TG Column | 10m, 0.32mm ID, 0.10um w/2m x 0.53mm ID Guard Column |
| 70290-273 | MXT-Biodiesel TG Column | 10m, 0.32mm ID, 0.10um w/2m 0.53mm ID Guard Column 3.5in OD w/out cage |
| 70291 | MXT-Biodiesel TG Column | 15m, 0.32mm ID, 0.10um w/2m x 0.53mm Guard Column |
| 70291-273 | MXT-Biodiesel TG Column | 15m, 0.32mm ID, 0.10um w/2m x 0.53mm Guard Column 3.5in OD w/out cage |
| 70291-2730 | MXT-Biodiesel TG Column | 15m, 0.32mm ID, 0.10um w/2m x 0.53mm Guard Column Coil 3.5" OD banded w/ |
| 70292 | MXT-Biodiesel TG Column | 10m, 0.32mm ID, 0.10um |
| 70293 | MXT-Biodiesel TG Column | 15m, 0.32mm ID, 0.10um |
| 70294 | MXT-Biodiesel TG | Retention Gap, 2m x 0.53mm |
| 70305 | MXT-20 Cap. Column | 15m, 0.25mm ID, 0.10um |
| 70308 | MXT-20 Cap. Column | 30m, 0.25mm ID, 0.10um |
| 70311 | MXT-20 Cap. Column | 60m, 0.25mm ID, 0.10um |
| 70320 | MXT-20 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 70321 | MXT-20 Cap. Column | 15m, 0.28mm ID, 0.25um |
| 70322 | MXT-20 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 70323 | MXT-20 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 70324 | MXT-20 Cap. Column | 30m, 0.28mm ID, 0.25um |
| 70325 | MXT-20 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 70326 | MXT-20 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 70327 | MXT-20 Cap. Column | 60m, 0.28mm ID, 0.25um |
| 70328 | MXT-20 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 70335 | MXT-20 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 70336 | MXT-20 Cap. Column | 15m, 0.28mm ID, 0.50um |

| | | |
|---|---|---|
| 70337 | MXT-20 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 70337-2830 | MXT-20 Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"ID Coil Banded w/Copper Wire |
| 70338 | MXT-20 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 70339 | MXT-20 Cap. Column | 30m, 0.28mm ID, 0.50um |
| 70339-283 | MXT-20 Cap. Column | 30m, 0.28mm ID, 0.50um 3.5" Inside Diameter w/o Cage |
| 70340 | MXT-20 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 70341 | MXT-20 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 70342 | MXT-20 Cap. Column | 60m, 0.28mm ID, 0.50um |
| 70342-283 | MXT-20 Cap. Column | 60m, 0.28mm ID, 0.50um 3.5" Inside Diameter w/o Cage |
| 70343 | MXT-20 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 70350 | MXT-20 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 70351 | MXT-20 Cap. Column | 15m, 0.28mm ID, 1.00um |
| 70351-273 | MXT-20 Cap. Column | 15m, 0.28mm ID, 1.00um 3.5"OD w/o Cage, |
| 70352 | MXT-20 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 70352-273 | MXT-20 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70353 | MXT-20 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 70354 | MXT-20 Cap. Column | 30m, 0.28mm ID, 1.00um |
| 70355 | MXT-20 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 70356 | MXT-20 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 70357 | MXT-20 Cap. Column | 60m, 0.28mm ID, 1.00um |
| 70358 | MXT-20 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70358-283 | MXT-20 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70366 | MXT-20 Cap. Column | 15m, 0.28mm ID, 1.50um |
| 70367 | MXT-20 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 70367-137 | MXT-20 Cap. Column | 8m, 0.53mm ID, 1.50um |
| 70369 | MXT-20 Cap. Column | 30m, 0.28mm ID, 1.50um |
| 70370 | MXT-20 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 70372 | MXT-20 Cap. Column | 60m, 0.28mm ID, 1.50um |
| 70373 | MXT-20 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 70381 | MXT-20 Cap. Column | 15m, 0.28mm ID, 3.00um |
| 70382 | MXT-20 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 70384 | MXT-20 Cap. Column | 30m, 0.28mm ID, 3.00um |
| 70385 | MXT-20 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70387 | MXT-20 Cap. Column | 60m, 0.28mm ID, 3.00um |
| 70388 | MXT-20 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70435 | MXT-35 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 70438 | MXT-35 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 70450 | MXT-35 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 70452 | MXT-35 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 70452-107 | MXT-35 Cap. Column | 10m, 0.53mm ID, 1.00um |
| 70452-12328( | MXT-35 Cap. Column | 1-10m & 1-5m, 0.53mm ID, 1.00um 3.5in ID w/out cage |
| 70452-273 | MXT-35 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70452-283 | MXT-35 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5in ID w/out cage |
| 70453 | MXT-35 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 70455 | MXT-35 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 70455-273 | MXT-35 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70458 | MXT-35 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70467 | MXT-35 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 70470 | MXT-35 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 70473 | MXT-35 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 70482 | MXT-35 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 70485 | MXT-35 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70485-274 | MXT-35 Cap. Column | 30m, 0.53mmID, 3.00um coil column into 2 1/2"OD w/out cage |
| 70485-6850M | MXT-35 Cap. Column | 30m, 0.53mm ID, 3.00um 5" coil banded w/copper wire no cage required |
| 70488 | MXT-35 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70552 | MXT-50 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 70552-10728( | MXT-50 Cap. Column | 10m, 0.53mm ID, 1.00um 3.5" ID Coil, No Cage |
| 70552-12328( | MXT-50 Cap. Column | 5m & 10m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70552-283 | MXT-50 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"ID Coil, No Cage |
| 70555 | MXT-50 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 70555-106 | MXT-50 Cap. Column | 25m, 0.53mm ID, 1.00um |
| 70555-273 | MXT-50 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70558 | MXT-50 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70558-10928( | MXT-50 Cap. Column | 50m & 10m, 0.53mm ID, 1.00um 3.5in ID w/out cage |
| 70558-283 | MXT-50 Cap. Calumn | 60m, 0.53mm ID, 1.00um 3.5in ID w/out cage |
| 70567 | MXT-50 Cap. Column | 15m, 0.53mm ID, 1.50um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 70569 | MXT-50 Cap. Column | 30m, 0.53mm ID, 0.83um |
| 70569-10128 | MXT-50 Cap. Column | 3 x 10m, 0.53mm ID, 0.83um 3.5"ID Coil w/o Cage |
| 70569-10228 | MXT-50 Cap. Column | 10 & 20m, 0.53mm ID, 0.83um 3.5" Coil w/o Cage |
| 70569-11228 | MXT-50 Cap. Column | 20m, 0.53mm ID, 0.83um 3.5"ID w/out cage (3.5"ID,4.0"OD) |
| 70569-273 | MXT-50 Cap. Column | 30m, 0.53mm ID, 0.83um 3.5"OD w/o Cage, |
| 70569-283 | MXT-50 Cap. Column | 30m, 0.53mm ID, 0.83um 3.5"ID Coil w/o Cage |
| 70570 | MXT-50 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 70570-273 | MXT-50 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70570-283 | MXT-50 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5"ID w/out cage |
| 70573 | MXT-50 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 70605 | MXT-WAX Cap. Column | 15m, 0.25mm ID, 0.10um |
| 70608 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.10um |
| 70608-273 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.10um 3.5in OD w/out cage |
| 70611 | MXT-WAX Cap. Column | 60m, 0.25mm ID, 0.10um |
| 70620 | MXT-WAX Cap. Column | 15m, 0.25mm ID, 0.25um |
| 70621 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 0.25um |
| 70622 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.25um |
| 70622-273 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.25um 3.5in OD w/out cage |
| 70623 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.25um |
| 70623-273 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD w/o Cage, |
| 70623-283 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"ID Coil w/o Cage |
| 70624 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 0.25um |
| 70624-273 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 0.25um 3.5"OD w/o Cage, |
| 70625 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.25um |
| 70625-273 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, |
| 70625-27360( | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.25um 3.5"OD w/o Cage, 0.5m loose at each end 6pk |
| 70625-283 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.25um 3.5"ID Coil, No Cage |
| 70626 | MXT-WAX Cap. Column | 60m, 0.25mm ID, 0.25um |
| 70626-271 | MXT-WAX Cap. Column | 60m, 0.25mm ID, 0.25um 6 inch Diameter Cage |
| 70626-273 | MXT-WAX Cap. Column | 60m, 0.25mm ID, 0.25um 3.5"OD without cage, SRI GCs |
| 70627 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 0.25um |
| 70627-271 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 0.25um 6" Config w/Cage |
| 70627-273 | MXT-WAX Cap. Column | 60m x 0.28mm x 0.25um 3.5"OD w/o Cage, |
| 70628 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 0.25um |
| 70635 | MXT-WAX Cap. Column | 15m, 0.25mm ID, 0.50um |
| 70636 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 0.50um |
| 70636-12328 | MXT-WAX Cap. Column | 1-10m & 1-5m, 0.28mm ID, 0.50um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 70636-283 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70637 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.50um |
| 70637-095 | MXT-WAX Cap. Column | 2-2.5m and 2-5m, 0.53mm ID, 0.50um |
| 70637-104 | MXT-WAX Cap. Column | 3 x 5m, 0.53mm ID, 0.50um |
| 70637-10428 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.50um Break Column into three 5m pieces 3 1/5 inch Diameter |
| 70637-107 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 0.50um |
| 70637-10728 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 0.50um 3.5"ID w/out cage |
| 70637-12327 | MXT-WAX Cap. Column | 10m & 5m, 0.53mm ID, 0.50um 6" Coil |
| 70637-12328 | Mxt-WAX Cap. Column | 10m and 5m, 0.53mm ID, 0.50um 3.5" ID without cage |
| 70637-271 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.50um 6" Coil |
| 70637-273 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"OD w/o Cage, |
| 70637-283 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 70637-285 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 0.50um Connect to G.Col w/LDV Conn. |
| 70638 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.50um |
| 70638-273 | MXT-WAX Cap. Column | 30m, 0.25mm ID, 0.50um 3.5"OD w/o Cage, |
| 70639 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 0.50um |
| 70639-10227 | MXT-WAX Cap. Column | 10m & 20m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70639-273 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70640 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um |
| 70640-074 | MXT-WAX Cap. Column | 5m/10m/15m, 0.53mm ID, 0.50um |
| 70640-098 | MXT-WAX Cap. Column | 5m, 10m, 15m, 0.53mm ID, 0.50um Unconnected on Single Cage |
| 70640-101 | MXT-WAX Cap. Column | 3 x 10m, 0.53mm ID, 0.50um |
| 70640-102 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 0.50um |
| 70640-10228 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70640-11227 | MXT-WAX Cap. Column | 20m, 0.53mm ID, 0.50um 6"Coil |
| 70640-117 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um Break into 2 x 5m and 1 x 20m Columns |
| 70640-11728 | MXT-WAX Cap. Column | (2)5m, (1)20m 0.53mm ID, 0.50um 3.5" ID Coil |
| 70640-271 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um 6"Coil |
| 70640-273 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"OD w/o Cage |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 70640-2730 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um 3.5in OD coil banded w/copper wire |
| 70640-283 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um 3.5" ID Coil |
| 70640-2830 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"ID Coil, Banded w/ copper wire |
| 70640-6850M | MXT-WAX Cap. Column | 30m, 0.53mm ID, 0.50um 5"ID Coil Banded w/Copper Wire |
| 70641 | MXT-WAX Cap. Column | 60m, 0.25mm ID, 0.50um |
| 70642 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 0.50um |
| 70642-10928 | MXT-WAX Cap. Column | 10m & 50m, 0.28mm ID, 0.50um 3.5"ID Coil w/o Cage |
| 70642-271 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 0.50um 6" Config w/Cage |
| 70642-273 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 0.50um 3.5"OD w/o Cage, |
| 70643 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 0.50um |
| 70643-271 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 0.50um 6"Coil |
| 70643-273 | MXT-WAX Cap. Column | 60m, 0.53mmID, 0.50um 3.5"OD w/o Cage, |
| 70651 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 1.00um |
| 70651-10728 | MXT-WAX Cap. Column | 10m, 0.28mm ID, 1.00um 3.5"ID w/o cage |
| 70651-123 | MXT-WAX Cap. Column | 10m and 5m, 0.28mm ID, 1.00um |
| 70651-271 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 1.00um 6" Coil |
| 70651-273 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 1.0um 3.5"OD w/o Cage, |
| 70651-283 | MXT-WAX Cap. Column | 15m, 0.28mm ID, 1.00um 3.5 "ID w/o cage |
| 70652 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um |
| 70652-095 | MXT-WAX Cap. Column | 15m, 0.53mmID, 1.00um Break into 2,2 1/2m columns and 2 5m columns |
| 70652-09528 | MXT-WAX Cap. Column | 2 x 2.5m, 2 x 5m 0.53mm ID, 1.00um 3.5"ID Coil w/o Cage |
| 70652-104 | MXT-WAX Cap. Column | 3 x 5m, 0.53mm ID, 1.00um |
| 70652-10427 | MXT-WAX Cap. Column | 3 x 5m, 0.53mmID, 1.00um 6" Configuration for MXT column w/o cage |
| 70652-10428 | MXT-WAX Cap. Column | 3 x 5m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70652-10428 | MXT-WAX Cap. Column | 3 x 5m, 0.53mm ID, 1.00um 3.5"ID without cage w/ 18" coils |
| 70652-107 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 1.00um |
| 70652-10727 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 1.00um 6"Coil |
| 70652-10727 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 1.00um 3.5"Coil |
| 70652-10728 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, 0.5m loose at each end |
| 70652-10728 | MXT-WAX Cap. Column | 10m, 0.53mmID, 1.00um 3.5"ID Coil,banded w/ copper wire (3.5"ID/4.0"OD) |
| 70652-10760 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 1.00um Pack of 6 |
| 70652-123 | MXT-WAX Cap. Column | 5m & 10m, 0.53mm ID, 1.00um |
| 70652-12327 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um w/(1)10m & (1)5m w 6" Config |
| 70652-12328 | MXT-WAX Cap. Column | 5m & 10m, 0.53mmID, 1.0um, 3.5" Inside Diameter |
| 70652-271 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um 6"Coil |
| 70652-272 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um 4.5"Coil |
| 70652-27260 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um 4.5" Coil Pack of 6 |
| 70652-273 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70652-283 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70652-28335 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"IDCoil w/5m,MXTGC/LDV Conn |
| 70652-600 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.00um Pack of 6 |
| 70654 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 1.00um |
| 70654-10128 | MXT-WAX Cap. Column | 3 x 10m, 0.28mm ID, 1.00um 3.5" ID w/o Cage |
| 70654-141 | MXT-WAX Cap. Column | 2 5m and 2 10m, 0.28mm ID, 1.00um |
| 70654-271 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 1.0um 6"Coil |
| 70654-273 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 1.00um 3.5"OD w/o Cage, |
| 70654-283 | MXT-WAX Cap. Column | 30m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70655 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um |
| 70655-083 | MXT-WAX Cap. Column | 2m, 3m, 25m, 0.53mm ID, 1.00um |
| 70655-101 | MXT-WAX Cap. Column | 3-10m, 0.53mm ID, 1.00um |
| 70655-10128 | MXT-WAX Cap. Column | 3 x 10m, .53mmID, 1.0um 3.5" Config |
| 70655-102 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 1.00um |
| 70655-10228 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70655-106 | MXT-WAX Cap. Column | 25m, 0.53mm ID, 1.00um |
| 70655-10627 | MXT-WAX Cap. Column | 25m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70655-10628 | MXT-WAX Cap. Column | 25m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70655-111 | MXT-WAX Cap. Column | 2 x 15m, 0.53mm ID, 1.00um |
| 70655-112 | MXT-WAX Cap. Column | 20m, 0.53mm ID, 1.00um |
| 70655-11227 | MXT-WAX Cap. Column | 20m, 0.53mm ID, 1.0um 4.5"ID Coil w/o Cage |
| 70655-122 | MXT-WAX Cap. Column | 15x10x5, 0.53mm ID, 1.00um |
| 70655-271 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 6" Coil |
| 70655-272 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 4.5" Coil |
| 70655-273 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70655-283 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70655-2830 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 3.5" Coil Banded w/Copper Wire |
| 70655-2831 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"ID without cage w/ 18" leads |

| | | |
|---|---|---|
| 70655-600 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um Pack of 6 |
| 70655-6850M | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.00um 5" Coil, Banded w/ Copper Wire |
| 70657 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 1.00um |
| 70657-10528 | MXT-WAX Cap. Column | 50m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70657-121 | MXT-WAX Cap. Column | 40m & 2x10m, 0.28mm ID, 1.00um |
| 70657-271 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 1.00um 6" Conf w/out cage |
| 70657-273 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 1.00um 3.5"OD w/o Cage, |
| 70657-283 | MXT-WAX Cap. Column | 60m, 0.28mm ID, 1.00um 3.5" ID Coil |
| 70658 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um |
| 70658-068 | MXT-WAX Cap. Column | 22m & 38m, 0.53mm ID, 1.00um |
| 70658-105 | MXT-WAX Cap. Column | 50m, 0.53mm ID, 1.00um |
| 70658-10527 | MXT-WAX Cap. Column | 50m, 0.53mm ID, 1.00um 6" Coil |
| 70658-10527 | MXT-WAX Cap. Column | 50m, 0.53mm ID, 1.00um 4.5in OD without Cage |
| 70658-10528 | MXT-WAX Cap. Column | 50m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70658-109 | MXT-WAX Cap. Column | 50m & 10m, 0.53mm ID, 1.00um |
| 70658-10928 | MXT-WAX Cap. Column | 50m & 10m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70658-11528 | MXT-WAX Cap. Column | 40m & 20m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70658-120 | MXT-WAX Cap. Column | 30m & 20m & 10m, 0.53mm ID, 1.00um |
| 70658-13227 | MXT-WAX Cap. Column | 2x25m,1x10m, 0.53mm ID, 1.00um 6" Coil |
| 70658-138 | MXT-WAX Cap. Column | 15m, 45m, 0.53mm ID, 1.00um |
| 70658-140 | MXT-WAX Cap. Column | 45m, 0.53mm ID, 1.00um |
| 70658-271 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um 6" Coil |
| 70658-272 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um 4.5" Coil |
| 70658-273 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um 3.5"OD w/o Cage, |
| 70658-276 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um 6" Coil |
| 70658-277 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um 7" Coil |
| 70658-283 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 70658-351 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um w/5m, 0.53mm ID MXT GC LDV Connector |
| 70658-600 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.00um Pack of 6 |
| 70666 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.50um |
| 70666-104 | MXT-WAX Cap. Column | 3x5m, 0.53mm ID, 1.50um |
| 70666-12328 | MXT-WAX Cap. Column | 5m & 10m, 0.53mm ID, 1.50um 3.5" Coil |
| 70666-271 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.50um 6" Configuration w/o Cage |
| 70666-273 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.50um 3.5"OD w/o Cage, |
| 70666-283 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70667 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 2.00um |
| 70667-104 | MXT-WAX Cap. Column | 3 x 5m, 0.53mm ID, 2.00um |
| 70667-107 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 2.00um |
| 70667-10728 | MXT-WAX Cap. Column | 10m, 0.53mm ID, 2.00um 3.5" ID Coil |
| 70667-123 | MXT-WAX Cap. Column | 10m & 5m, 0.53mm ID, 2.00um |
| 70667-12327 | MXT-WAX Cap. Column | 10m & 5m, 0.53mm ID, 2.00um 3.5"OD banded w/copper wire |
| 70667-12327 | MXT-WAX Cap. Column | 1-10m & 1-5m, 0.53mm ID, 2.00um 2.5"OD coil banded with copper wire |
| 70667-143 | MXT-WAX Cap. Column | 12.5m, 0.53mm ID, 2.00um |
| 70667-272 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 2.00um 4.5" ID w/out Cage |
| 70667-273 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 2.00um 3.5"OD w/o Cage |
| 70667-274 | MXT-WAX Cap. Column | 15m, 0.53mmID, 2.00um coil into 2 1/2"OD w/out cage |
| 70667-2740 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 2.00um 2.5: OD Coil Banded w/ copper wire |
| 70667-283 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 2.00um 3.5" ID Coil |
| 70667-600 | MXT-WAX Cap. Column | 15m, 0.53mm ID, 2.00um 6pk |
| 70669 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.50um |
| 70669-072 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.50um Wind on Styrofoam reel |
| 70669-101 | MXT-WAX Cap. Column | 3 X 10m, 0.53mm ID, 1.50um |
| 70669-271 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.50um 6" Config. w/o Cage |
| 70669-273 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.50um 3.5"OD w/o Cage |
| 70669-274 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.50um 2.5" Coil |
| 70669-283 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 1.50um 3.5" Inside Diameter Coil w/o Cage |
| 70670 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 2.00um |
| 70670-101 | MXT-WAX Cap.Column | 3 x 10m, 0.53mmID, 2.0um |
| 70670-102 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 2.00um |
| 70670-10227 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 2.00um 3.5"OD w/o Cage |
| 70670-10228 | MXT-WAX Cap. Column | 10m & 20m, 0.53mm ID, 2.00um 3.5" Inside Diameter w/o Cage |
| 70670-10627 | MXT-WAX Cap. Column | 25m, 0.53mmID, 2.0um 3.5"OD w/o Cage |
| 70670-111 | MXT-WAX Cap. Column | 2 x 15m, 0.53mm ID, 2.00um |
| 70670-112 | MXT-WAX Cap. Column | 20m, 0.53mm ID, 2.00um |
| 70670-122 | MXT-WAX Cap. Column | 5m,10m,15m, 0.53mm ID, 2.00um |
| 70670-271 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 2.00um 6"Coil |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 70670-2720 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 2.00Um 4.5" ID, Banded w/copper wire |
| 70670-273 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 2.00um 3.5"OD w/o Cage |
| 70670-2730 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 2.00um 3.5"OD banded w/copper wire |
| 70670-283 | MXT-WAX Cap. Column | 30m, 0.53mm ID, 2.00um 3.5" ID Coil |
| 70672 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.50um |
| 70672-072 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.50um Wind on Styrofoam reel |
| 70672-120 | MXT-WAX Cap. Column | 10m,20m,30m, 0.53mm ID, 1.50um |
| 70672-273 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.5um 3.5" OD without cage |
| 70672-2730 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.50um 3.5in OD coil banded w/copper wire |
| 70672-283 | MXT-WAX Cap. Column | 60m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 70900 | MXT-Volatiles Cap. Column | 30m, 0.25mm ID, 1.00um |
| 70903 | MXT-Volatiles Cap. Column | 60m, 0.25mm ID, 1.00um |
| 70908 | MXT-502.2 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70908-272 | MXT-502.2 Cap. Column | 30m, 0.53mm ID, 3.00um 4.5"Coil |
| 70908-273 | MXT-502.2 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70908-276 | MXT-502.2 Cap. Column | 30m, 0.53mm ID, 3.00um 6"Coil No Cage |
| 70908-283 | MXT-502.2 Cap. Column | 30m, 0.53mm ID, 3.00um w/3.5" ID Coil w/o Cage |
| 70909 | MXT-502.2 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70909-273 | MXT-502.2 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70910 | MXT-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 70910-2720 | MXT-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um 4 1/2"ID coil banded w/copper wire |
| 70910-273 | MXT-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70910-351 | MXT-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um w/5m, 0.53mmGuard&MXTLDV Con. |
| 70910-6850 | MXT-502.2 Cap. Column | 105m, 0.53mm ID, 3.00um For HP 6850 GCs |
| 70915 | MXT-502.2 Cap. Column | 30m, 0.25mm ID, 1.40um |
| 70916 | MXT-502.2 Cap. Column | 60m, 0.25mm ID, 1.40um |
| 70919 | MXT-502.2 Cap. Column | 30m, 0.28mm ID, 1.60um |
| 70919-273 | MXT-502.2 Cap. Column | 30m, 0.28mm ID, 1.60um 3.5"OD w/o Cage |
| 70920 | MXT-502.2 Cap. Column | 60m, 0.28mm ID, 1.60um |
| 70920-272 | MXT-502.2 Cap. Column | 60m, 0.28mm ID, 1.60um, 4.5" ID coil w/o cage |
| 70921 | MXT-502.2 Cap. Column | 105m, 0.28mm ID, 1.60um |
| 70922 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70922-111 | MXT-Volatiles Cap. Column | 2 x 15m, 0.53mm ID, 3.00um |
| 70922-11127 | MXT-Volatiles Cap. Column | 2 x 15m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70922-11127 | MXT-Volatiles Cap. Column | 2 x 15m, 0.53mm ID, 3.00um 3.5"OD, 2.75"ID Coil w/o Cage, 18" Ends SOLD TO |
| 70922-272 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 3.00um 4.5"Coil |
| 70922-273 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70922-274 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 3.00um 2.5"Coil |
| 70923 | MXT-Volatiles Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70923-272 | MXT-Volatiles Cap. Column | 60m, 0.53mm ID, 3.00um 4.5"Coil |
| 70923-273 | MXT-Volatiles Cap. Column | 60m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70924 | MXT-Volatiles Cap. Column | 30m, 0.28mm ID, 1.25um |
| 70924-273 | MXT-Volatiles Cap. Column | 30m, 0.28mm ID, 1.25um 3.5"OD w/o Cage |
| 70925 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um |
| 70925-101 | MXT-Volatiles Cap. Column | Three 10m, 0.53mmID, 2.00um |
| 70925-102 | MXT-Volatiles Cap. Column | 10m & 20m, 0.53mm ID, 2.00um |
| 70925-106 | MXT-Volatiles Cap. Column | 25m, 053mm ID, 2.00um |
| 70925-111 | MXT-Volatiles Cap.Column | 2 x 15m, 0.53mmID, 2.00um |
| 70925-11127 | MXT-Volatiles Cap.Column | 2 x 15m, 0.53mmID, 2.00um 4.5"ID/5.0"OD w/o Cage |
| 70925-112 | MXT-Volatiles Cap. Column | 20m, 0.53mmID, 2.00um |
| 70925-130 | MXT-Volatiles Cap. Column | 1-15m and 3-5m 0.53mmID, 2.00um |
| 70925-13028 | MXT-Volatiles Cap. Column | 1-15m and 3-5m 0.53mmID, 2.00um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 70925-141 | MXT-Volatiles Cap. Column | 2x5m & 2x10m, 0.53mm ID, 2.00um |
| 70925-144 | MXT-Volatiles Cap. Column | 25m & 5m, 0.53mm ID, 2.0um |
| 70925-271 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um 6"Coil |
| 70925-273 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um 3.5"OD w/o Cage |
| 70925-276 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um 6"ID Coil w/o Cage |
| 70925-600 | MXT-Volatiles Cap. Column | 30m, 0.53mm ID, 2.00um Pack of 6 |
| 70926 | MXT-Volatiles Cap. Column | 60m, 0.28mm ID, 1.25um |
| 70927 | MXT-Volatiles Cap. Column | 60m, 0.53mm ID, 2.00um |
| 70927-105 | MXT-Volatiles Cap. Column | 50m, 0.53mm ID, 2.00um |
| 70927-109 | MXT-Volatiles Cap.Column | 10m & 50m, 0.53mmID, 2.0um |
| 70927-138 | MXT-Volatiles Cap. Column | 15m and 45m, 0.53mm ID, 2.00um |
| 70927-148 | MXT-Volatiles Cap. Column | 5m & 55m, 0.53mm ID, 2.00um |
| 70927-271 | MXT-Volatiles Cap. Column | 60m, 0.53mm ID, 2.00um 6"Coil |
| 70927-273 | MXT-Volatiles Cap. Column | 60m, 0.53mm ID, 2.00um 3.5"OD w/o Cage |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 70927-283 | MXT-Volatiles Cap. Column | 60m, 0.53mmID, 2.00um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 70928 | MXT-Volatiles Cap. Column | 105m, 0.28mm ID, 1.25um |
| 70929 | MXT-Volatiles Cap. Column | 105m, 0.53mm ID, 2.00um |
| 70929-271 | MXT-Volatiles Cap. Column | 105m, 0.53mm ID, 2.00um 6"Coil |
| 70929-2720 | MXT-Volatiles Cap. Column | 105m, 0.53mm ID, 2.00um 4 1/2"ID coil banded w/copper wire |
| 70929-273 | MXT-Volatiles Cap. Column | 105m, 0.53mm ID, 2.00um 3.5"OD w/o Cage |
| 70953 | MXT-Pest.Col.Kit 50/1701 | MXT Pesticide Col. Kit 50/1701 (70569, 72025, 70045 & 20395) |
| 70954 | MXT-Pest.Col.Kit 50/1701 | MXT Pesticide Col Kit 50/1701 (70569, 72040, 70045 & 20395) |
| 70968 | MXT-624 Cap. Column | 30m, 0.25mm ID, 1.40um |
| 70968-10627 | MXT-624 Cap. Column | 25m, 0.25mm ID, 1.40um 3.5"OD w/o Cage |
| 70968-273 | MXT-624 Cap. Column | 30m, 0.25mm ID, 1.40um 3.5"OD w/o Cage |
| 70969 | MXT-624 Cap. Column | 60m, 0.25mm ID, 1.40um |
| 70969-273 | MXT-624 Cap. Column | 60m, 0.25mm ID, 1.40um 3.5" OD without Cage |
| 70969-6850M | MXT-624 Cap. Column | 60m, 0.25mm ID, 1.4um 5"ID Coil Banded w/Copper Wire |
| 70971 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 70971-101 | MXT-624 Cap. Column | 3 x 10m, 0.53mm ID, 3.00um |
| 70971-10128 | MXT-624 Cap. Column | 3 x 10m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70971-10228 | MXT-624 Cap. Column | 30m, 0.853mm ID, 3.00um 10m and 20m Columns 3.5" Cage |
| 70971-14428 | MXT-624 Cap. Column | 25m&5m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70971-271 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um 6"Coil |
| 70971-272 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um 4.5"Coil |
| 70971-273 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70971-2730 | MXT-624 Cap. Column | 30m, 0.53mmID, 3.00um 2.75"ID coil, banded w/copper wire (2.75"ID,3.5"OD) |
| 70971-276 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um 6"Coil No Cage |
| 70971-283 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70971-351 | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um w/5m, 0.53mmGuard&MXTLDV Con. |
| 70971-6850M | MXT-624 Cap. Column | 30m, 0.53mm ID, 3.00um 5" Coil banded w/ copper wire |
| 70973 | MXT-624 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 70973-10528 | MXT-624 Cap. Column | 50m, 0.53mm ID, 3.00um 3.5"OD w/o Cage 0.5m loose at each end |
| 70973-272 | MXT-624 Cap. Column | 60m, 0.53mm ID, 3.00um 4.5"Coil |
| 70973-273 | MXT-624 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 70973-283 | MXT-624 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 70973-355 | MXT-624 Cap. Column | 60m, 0.53mm ID, 3.00um w/10mGuardCol w/LDV Con. |
| 70974 | MXT-624 Cap. Column | 75m, 0.53mm ID, 3.00um |
| 70974-6850M | MXT-624 Cap. Column | 75m, 0.53mm ID 3.00um 5.0" Coil, Banded w/ Copper Wire |
| 70975 | MXT-624 Cap. Column | 105m, 0.53mmID, 3.00um |
| 70975-116 | MXT-624 Cap. Column | 2x52.5m, 0.53mm ID, 3.00um |
| 70975-272 | MXT-624 Cap. Column | 105m, 0.53mm ID, 3.00um 4 1/2in ID w/out cage |
| 70975-273 | MXT-624 Cap. Column | 105m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 71801 | MXT-65 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71802 | MXT-65 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71803 | MXT-65 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71804 | MXT-65 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71805 | MXT-65 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71806 | MXT-65 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71811 | MXT-1 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71812 | MXT-1 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71813 | MXT-1 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71814 | MXT-1 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71814-273 | MXT-1 Cap. Column | 10m, 0.18mm ID, 0.40um 3.5"OD w/o Cage |
| 71815 | MXT-1 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71816 | MXT-1 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71821 | MXT-5 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71822 | MXT-5 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71822-273 | MXT-5 Cap. Column | 20m, 0.18mm ID, 0.2um 3.5"OD w/o Cage |
| 71823 | MXT-5 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71824 | MXT-5 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71825 | MXT-5 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71826 | MXT-5 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71831 | MXT-20 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71832 | MXT-20 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71833 | MXT-20 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71834 | MXT-20 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71835 | MXT-20 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71836 | MXT-20 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71841 | MXT-35 Cap. Column | 10m, 0.18mm ID, 0.20um |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 71842 | MXT-35 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71843 | MXT-35 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71844 | MXT-35 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71845 | MXT-35 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71846 | MXT-35 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71851 | MXT-50 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71852 | MXT-50 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71853 | MXT-50 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71854 | MXT-50 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71855 | MXT-50 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71856 | MXT-50 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71861 | MXT-WAX Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71862 | MXT-WAX Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71863 | MXT-WAX Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71864 | MXT-WAX Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71865 | MXT-WAX Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71866 | MXT-WAX Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71871 | MXT-1701 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71872 | MXT-1701 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71873 | MXT-1701 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71874 | MXT-1701 Cap. Column | 10m 0.18mm ID, 0.40um |
| 71875 | MXT-1701 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71876 | MXT-1701 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71881 | MXT-200 Cap. Column | 10m, 0.18mm ID, 0.20um |
| 71882 | MXT-200 Cap. Column | 20m, 0.18mm ID, 0.20um |
| 71883 | MXT-200 Cap. Column | 40m, 0.18mm ID, 0.20um |
| 71884 | MXT-200 Cap. Column | 10m, 0.18mm ID, 0.40um |
| 71885 | MXT-200 Cap. Column | 20m, 0.18mm ID, 0.40um |
| 71886 | MXT-200 Cap. Column | 40m, 0.18mm ID, 0.40um |
| 71891 | MXT-502.2 Cap. Column | 10m, 0.18mm ID, 1.00um |
| 71892 | MXT-502.2 Cap. Column | 20m, 0.18mm ID, 1.00um |
| 71893 | MXT-624 Cap. Column | 10m, 0.18mm ID, 1.00um |
| 71894 | MXT-624 Cap. Column | 20m, 0.18mm ID, 1.00um |
| 71894-273 | MXT-624 Cap. Column | 20m, 0.18mm ID, 1.0um 3.5"OD w/o Cage |
| 72020 | MXT-1701 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 72021 | MXT-1701 Cap. Column | 15m, 0.28mm ID, 0.25um |
| 72022 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 72022-273 | MXT-1701 Cap. Column | 15m, 0.53mmID, 0.25um 3.5"OD w/o Cage |
| 72023 | MXT-1701 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 72023-273 | MXT-1701 Cap. Column | 30m, 0.25mm ID, 0.25um 3.5"OD w/o Cage |
| 72024 | MXT-1701 Cap. Column | 30m, 0.28mm ID, 0.25um |
| 72025 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 72025-273 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 0.25um 3.5"OD w/o Cage |
| 72026 | MXT-1701 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 72027 | MXT-1701 Cap. Column | 60m, 0.28mm ID, 0.25um |
| 72028 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 72035 | MXT-1701 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 72036 | MXT-1701 Cap. Column | 15m, 0.28mm ID, 0.50um |
| 72037 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 72037-273 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 0.50um 3.5"OD w/o Cage |
| 72038 | MXT-1701 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 72039 | MXT-1701 Cap. Column | 30m, 0.28mm ID, 0.50um |
| 72039-273 | MXT-1701 Cap. Column | 30m, 0.28mm ID, 0.50um 3.5"OD w/o Cage |
| 72040 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 72040-273 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"OD w/o Cage |
| 72041 | MXT-1701 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 72042 | MXT-1701 Cap. Column | 60m, 0.28mm ID, 0.50um |
| 72043 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 72050 | MXT-1701 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 72051 | MXT-1701 Cap. Column | 15m, 0.28mm ID, 1.00um |
| 72051-274 | MXT-1701 Cap. Column | 15m, 0.28mm ID, 1.00um 2.5" OD Coil w/o Cage |
| 72052 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 72052-107 | MXT-1701 Cap. Column | 10m, 0.53mm ID, 1.00um |
| 72052-271 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 1.00um 6"Coil |
| 72052-273 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage |
| 72053 | MXT-1701 Cap. Column | 30m, 0.25mm ID, 1.00um |

| | | |
|---|---|---|
| 72054 | MXT-1701 Cap. Column | 30m, 0.28mm ID, 1.00um |
| 72054-271 | MXT-1701 Cap. Column | 30m, .028mm ID, 1.00um 6 inch Diameter Cage |
| 72055 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 72055-273 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage |
| 72055-283 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 72055-6850M | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.00um 5in coil banded w/copper wire |
| 72056 | MXT-1701 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 72057 | MXT-1701 Cap. Column | 60m, 0.28mm ID, 1.00um |
| 72058 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 72058-105 | MXT-1701 Cap. Column | 50m, 0.53mm ID, 1.00um |
| 72058-10527 | MXT-1701 Cap. Column | 50m, 0.53mm ID, 1.00um 6"Coil |
| 72058-109 | MXT-1701 Cap. Column | 10m & 50m, 0.53mmID, 1.00um |
| 72058-273 | MXT-1701 Cap Column | 60m, 0.53mmID, 1.00um 3.5"OD w/o Cage |
| 72058-283 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 72066 | MXT-1701 Cap. Column | 15m, 0.28mm ID, 1.50um |
| 72067 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 72069 | MXT-1701 Cap. Column | 30m, 0.28mm ID, 1.50um |
| 72069-272 | MXT-1701 Cap. Column | 30m, 0.28mm ID, 1.50um Coiled 4.5" ID without cage |
| 72070 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 72070-273 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5"OD w/o Cage |
| 72070-283 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 72072 | MXT-1701 Cap. Column | 60m, 0.28mm ID, 1.50um |
| 72073 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 72073-283 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 72082 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 72082-107 | MXT-1701 Cap. Column | 10m, 0.53mm ID, 3.00um |
| 72082-271 | MXT-1701 Cap. Column | 15m, 0.53mm ID, 3.00um 6"Coil |
| 72085 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 72085-101 | MXT-1701 Cap. Column | Three 10m, 0.53mm ID, 3.00um |
| 72085-112 | MXT-1701 Cap. Column | 20m, 0.53mm ID, 3.00um |
| 72085-271 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 3.00um 6"Coil |
| 72085-272 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 3.00um No Cage |
| 72085-283 | MXT-1701 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 72088 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 72088-109 | MXT-1701 Cap. Column | 10m and 50m, 0.53mm ID, 3.00um |
| 72088-118 | MXT-1701 Cap. Column | 2 x 30m, 0.53mm ID, 3.00um |
| 72088-271 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 3.00um 6"Coil |
| 72088-283 | MXT-1701 Cap. Column | 60m, 0.53mmID, 3.0um 3.5" Inside Diameter w/Cage |
| 72088-351 | MXT-1701 Cap. Column | 60m, 0.53mm ID, 3.00um Connect 5m, 0.53mm ID GC Use LDV Connector |
| 73198 | MXT-1 Cap. Column | 30m, 0.32mm ID, 4.00um |
| 75035 | MXT-200 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 75038 | MXT-200 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 75038-273 | MXT-200 Cap. Column | 30m, 0.25mm ID, 0.50um 3.5"OD w/o Cage |
| 75050 | MXT-200 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 75052 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 75052-07027 | MXT-200 Cap. Column | 10m and 2 x 2.5m, 0.53mm ID, 1.00um 4 1/2"ID coil banded w/copper wire |
| 75052-10727 | MXT-200 Cap. Column | 10m, 0.53mm ID, 1.00um 4 1/2"ID banded w/copper wire (4.5"ID,5.0"OD) |
| 75052-273 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"OD w/o Cage |
| 75052-2730 | MXT-200 Cap. Column | 15m. 0.53mmID 1.00um 3.5"OD banded w/copper wire |
| 75052-283 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"ID w/out cage (3.5"ID/4.0"OD) |
| 75052-2830 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5"ID Coil Banded w/Copper Wire |
| 75052-6850M | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.00um 5" Coil w/Copper Wire |
| 75053 | MXT-200 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 75053-272 | MXT-200 Cap. Column | 30m, 0.25mm ID, 1.00um 4 1/2in OD w/out cage |
| 75053-2740 | MXT-200 Cap. Column | 30m, 0.25mm ID, 1.00um 2.5"OD Coil Banded w/Copper Wire |
| 75053-2760 | MXT-200 Cap. Column | 30m, 0.25mm ID, 1.00um 6"ID Coil, Banded with Copper Wire |
| 75055 | MXT-200 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 75055-112 | MXT-200 Cap. Column | 30m, 0.53mmID, 1.00um Break 30m into 20m column |
| 75055-11227 | MXT-200 Cap. Column | 20m, 0.53mmID, 1.00um 3.5"OD w/o Cage |
| 75055-273 | MXT-200 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage |
| 75055-283 | MXT-200 Cap Column | 30m, 0.53mm ID, 1.00um 3.5" inside diameter |
| 75058 | MXT-200 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 75058-283 | MXT-200 Cap. Column | 60m, 0.53mmID, 1.0um 3.5" inside diameter |
| 75067 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 75067-051 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.50um No cage (no guarantee for breakage) |
| 75067-273 | MXT-200 Cap. Column | 15m, 0.53mm ID, 1.50um 3.5"OD w/o Cage |

| | | |
|---|---|---|
| 75070 | MXT-200 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 75070-273 | MXT-200 Cap. Column | 30m, 0.53mmID, 1.5um 3.5"OD w/o Cage |
| 75070-2730 | MXT-200 Cap. Column | 30m, 0.53mm ID, 1.50um 3.5in OD banded w/copper wire |
| 75073 | MXT-200 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 75073-273 | MXT-200 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5"OD w/o Cage |
| 75073-2730 | MXT-200 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5in OD banded w/copper wire |
| 75073-277 | MXT-200 Cap. Column | 60m, 0.53mm ID, 1.50um Coil into 7.25"OD w/ out cage |
| 75073-2770 | MXT-200 Cap. Column | 60m, 0.53mm ID, 1.50um 7in coil banded w/copper wire |
| 75082 | MXT-200 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 75082-10727 | MXT-200 Cap. Column | 10m, 0.53mm ID, 3.00um 4 1/2"ID banded w/copper wire (4.5"ID,5.0"OD) |
| 75082-12327 | MXT-200 Cap. Column | 10m & 5m, 0.53mm ID, 3.00um 4 1/2"ID banded w/copper wire (4.5"ID,5.0"OD) |
| 75082-273 | MXT-200 Cap. Column | 15m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 75082-2730 | MXT-200 Cap. Column | 15m, 0.53mmID, 3.00um 3.5"OD banded w/copper wire 0.5m loose at each end |
| 75082-277 | MXT-200 Cap. Column | 15m,0.53mm ID, 3.00um 7.25"OD Coil without cage |
| 75082-283 | MXT-200 Cap. Column | 15m, 0.53mm ID, 3.00um 3.5" ID w/o Cage |
| 75085 | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 75085-072 | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um Wind on a styrofoam reel |
| 75085-112 | MXT-200 Cap. Column | 20m, 0.53mm ID, 3.00um |
| 75085-271 | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um 6"Coil |
| 75085-272 | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um 4.5"Coil |
| 75085-2720 | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um 4 1/2"ID banded w/copper wire (4.5"ID,5.0"OD) |
| 75085-273 | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 75085-283 | MXT-200 Cap. Column | 30m, 0.53mmID, 3.00um 3.5" Inside Diameter w/Cage |
| 75085-6850M | MXT-200 Cap. Column | 30m, 0.53mm ID, 3.00um 5.0"ID Coil Banded w/Copper Wire |
| 75088 | MXT-200 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 75088-078 | MXT-200 Cap. Column | 2x2.5m, 2x5m, 1x10m, 1x15m, 1x20m, 0.53mm ID, 3.00um |
| 75088-109 | MXT-200 Cap. Column | 50m and 10m, 0.53mm ID, 3.00um |
| 75088-138 | MXT-200 Cap. Column | 45m and 15m, 0.53mm ID, 3.00um |
| 75088-271 | MXT-200 Cap. Column | 60m, 0.53mm ID, 3.00um 6" Config w/o Cage |
| 75088-272 | MXT-200 Cap. Column | 60m, 0.53mm ID, 3.00um 4.5"Coil |
| 75088-273 | MXT-200 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 75088-277 | MXT-200 Cap. Column | 60m, 0.53mm ID, 3.00um 7.25"OD Coil without cage |
| 75088-283 | MXT-200 Cap. Column | 60m, 0.53mmID, 3.00um 3.5" Inside Diameter w/Cage |
| 75091 | MXT-200 Cap. Column | 105m, 0.53mm ID, 3.00um |
| 76020 | MXT-1301 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 76021 | MXT-1301 Cap. Column | 15m, 0.28mm ID, 0.25um |
| 76022 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 0.25um |
| 76023 | MXT-1301 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 76024 | MXT-1301 Cap. Column | 30m, 0.28mm ID, 0.25um |
| 76025 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 0.25um |
| 76026 | MXT-1301 Cap. Column | 60m, 0.25mm ID, 0.25um |
| 76027 | MXT-1301 Cap. Column | 60m, 0.28mm ID, 0.25um |
| 76028 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 0.25um |
| 76035 | MXT-1301 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 76036 | MXT-1301 Cap. Column | 15m, 0.28mm ID, 0.50um |
| 76037 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 0.50um |
| 76038 | MXT-1301 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 76039 | MXT-1301 Cap. Column | 30m, 0.28mm ID, 0.50um |
| 76040 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 0.50um |
| 76040-273 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 0.50um 3.5"OD w/o Cage |
| 76041 | MXT-1301 Cap. Column | 60m, 0.25mm ID, 0.50um |
| 76042 | MXT-1301 Cap. Column | 60m, 0.28mm ID, 0.50um |
| 76042-273 | MXT-1301 Cap. Column | 60m, 0.28mm ID, 0.50um 3.5"OD w/o Cage |
| 76043 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 0.50um |
| 76050 | MXT-1301 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 76051 | MXT-1301 Cap. Column | 15m, 0.28mm ID, 1.00um |
| 76052 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 1.00um |
| 76052-273 | MXT- 1301 Cap. Column | 15m, 0.53mm ID, 1.00um 3.5" Coil w/out cage |
| 76053 | MXT-1301 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 76054 | MXT-1301 Cap. Column | 30m, 0.28mm ID, 1.00um |
| 76055 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 1.00um |
| 76055-273 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5"OD w/o Cage |
| 76055-283 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 1.00um 3.5" ID Coil |
| 76056 | MXT-1301 Cap. Column | 60m, 0.25mm ID, 1.00um |
| 76057 | MXT-1301 Cap. Column | 60m, 0.28mm ID, 1.00um |
| 76057-283 | MXT-1301 Cap. Column | 60m, 0.28mm ID, 1.00um 3.5in ID w/out cage |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 76058 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 1.00um |
| 76066 | MXT-1301 Cap. Column | 15m, 0.28mm ID, 1.50um |
| 76067 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 1.50um |
| 76067-283 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 76069 | MXT-1301 Cap. Column | 30m, 0.28mm ID, 1.50um |
| 76070 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 1.50um |
| 76072 | MXT-1301 Cap. Column | 60m, 0.28mm ID, 1.50um |
| 76073 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 1.50um |
| 76073-283 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 1.50um 3.5" ID Coil |
| 76082 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 3.00um |
| 76082-104 | MXT-1301 Cap. Column | 3x5m, 0.53mm ID, 3.00um |
| 76082-107 | MXT-1301 Cap. Column | 10m, 0.53mm ID, 3.00um |
| 76082-273 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 3.00um 3.5in OD w/out cage |
| 76082-283 | MXT-1301 Cap. Column | 15m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 76085 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 76085-273 | MXT-1301 Cap. Column | 30m, 0.53mm, 3.00um 3.5"OD w/o Cage |
| 76085-283 | MXT-1301 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 76088 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 3.00um |
| 76088-10528 | MXT-1301 Cap. Column | 50m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 76088-273 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 76088-283 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 3.00um 3.5" ID Coil |
| 76088-351 | MXT-1301 Cap. Column | 60m, 0.53mm ID, 3.00um w/5m, 0.53mm Guard&MXTLDV Con. |
| 77005 | MXT-65TG Cap. Column | 15m, 0.25mm ID, 0.10um |
| 77005-107 | MXT-65TG Cap. Column | 10m, 0.25mm ID, 0.10um |
| 77007 | MXT-65TG Cap. Column | 15m, 0.53mm ID, 0.10um |
| 77008 | MXT-65TG Cap. Column | 30m, 0.25mm ID, 0.10um |
| 77008-112 | MXT-65TG Cap. Column | 20m, 0.25mm ID, 0.10um |
| 77010 | MXT-65TG Cap. Column | 30m, 0.53mm ID, 0.10um |
| 77010-273 | MXT-65TG Cap. Column | 30m, 0.53mm ID, 0.10um 3.5"OD w/o Cage |
| 77020 | MXT-65 Cap. Column | 15m, 0.25mm ID, 0.25um |
| 77023 | MXT-65 Cap. Column | 30m, 0.25mm ID, 0.25um |
| 77035 | MXT-65 Cap. Column | 15m, 0.25mm ID, 0.50um |
| 77038 | MXT-65 Cap. Column | 30m, 0.25mm ID, 0.50um |
| 77050 | MXT-65 Cap. Column | 15m, 0.25mm ID, 1.00um |
| 77053 | MXT-65 Cap. Column | 30m, 0.25mm ID, 1.00um |
| 78000-272 | MXT-BAC2 Cap. Column | 30m, 0.53mm ID, 2.00um Recoil to 4 1/2 inch Diameter No Cage |
| 78000-6850M | MXT-BAC2 Cap. Column | 30m, 0.53mm ID, 2.00um 5" Coil Banded w/Copper Wire |
| 78001 | MXT-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um |
| 78001-273 | MXT-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um 3.5"OD w/o Cage |
| 78001-2830 | MXT-BAC1 Cap. Column | 30m, 0.53mmID, 3.00um 3.5"ID Coil w/Copper Bands |
| 78001-6850M | MXT-BAC1 Cap. Column | 30m, 0.53mm ID, 3.00um 5" Coil, Banded w/ Copper Wire |
| 79712 | MXT-S-BOND Column | 30m, 0.53mmID, 20um |
| 79712-273 | MXT-S-BOND Column | 30m, 0.53mmID, 20um, w/3.5" Coil |
| 79714 | MXT-Alumina BOND/Na2SO4 | 30m, 0.53mm ID, 10um |
| 79714-11127 | MXT-Alumina BOND/Na2SO4 | 2 - 15m, 0.53mm ID, 10um SRI GCs 3.5" OD w/o Cage |
| 79714-273 | MXT-Alumina BOND / Na2SO4 | 30m, 0.53mm ID, 10um 3.5" Config |
| 79716 | MXT-Q-BOND Column | 30m, 0.53mmID, 20um |
| 79718 | MXT-Q-BOND Column | 15m, 0.25mm ID, 8um |
| 79718-273 | MXT-Q BOND Column | 15m, 0.25mm ID, 8um 3.5" OD without cage |
| 79723 | MXT-Msieve 5A Plot Column | 30m, 0.53mm ID, 50um CAN NOT RECONFIGURE/RECOIL |
| 79723-273 | MXT-Msieve 5A PLOT Column | 30m, 0.53mm ID, 50um 3.5" Config |
| 79728 | MXT-Alumina BOND/MAPD | 30m, 0.53mm ID, 10um |
| 80000-800 | Packed Column | Rtx-1HT SIMDIST 2887 PC 25", 2mmID Silco General Configuration, OnCol |
| 80000-810 | Packed Column | Rtx-1HT SIMDIST 2887 PC 25", 2mmID, Silco Hewlett Packard |
| 80000-81090 | Packed Column | Rtx-SIMDIST 2887PC 25", 2mm, Silco, NOC |
| 80000-840 | Packed Column | Rtx-1HT SIMDIST 2887 PC 25", 2mmID, Silco PE Autosys |
| 80105-800 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID, Silco General Configuration, OnCo |
| 80105-80090 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID, NOC, Silco |
| 80105-810 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID Hewlett Packard |
| 80105-81090 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID, HP, Preconditioned |
| 80105-81090 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m 2mm ID HP NOC |
| 80105-811 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m 2mmID Silco HP 6850 |
| 80105-820 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID Varian 3700, Vista Series, FID |
| 80105-821 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID, Silco, OnCol, Varian 3800 |
| 80105-830 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80105-83090 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mm ID PE 900-3920 Sigma 1,2,3 NOC |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80105-840 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID PE |
| 80105-850 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID Shimadzu 17A |
| 80105-853 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mm, Silco, Shimadzu 17A |
| 80105-895 | Packed Column | 5% Carbowax 20M CBK B 80/120 2m, 2mmID SRI 8610C |
| 80105-896 | Packed Column | 5% Carbowax 20m CarboBlack B |
| 80106-800 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m 2mmID General Configuration, OnCol |
| 80106-810 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mmID Hewlett Packard |
| 80106-81090 | Packed Column | 5% Carbowax 20M Carbblk B 60/80 1.8m, 2mm, Silco, NOC, HP |
| 80106-820 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mmID Varian 3700, Vista Series, FID |
| 80106-830 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80106-840 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mmID PE Autosys |
| 80106-845 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mm ID ABB 3100 |
| 80106-850 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mmID Shimadzu 17A |
| 80106-851 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m 2mm ID Shimadzu 8A |
| 80106-892 | Packed Column | 5% Carbowax 20M CBK B 60/80 1.8m, 2mmID Gow MAC 750 |
| 80106-894 | Packed Column | 5% Carbowax 20M, Carboblack B 60/80 1.8m, 2mmID, Silco, OC, Gow Mac 580 |
| 80107-800 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m, 2mmID General Configuration, OnCol |
| 80107-810 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m, 2mmID Hewlett Packard |
| 80107-811 | Packed Column | 6.6% Carbowax 20M Carboblack B 80/120 2m, 2mm, Silco, ONCOL, HP6850 |
| 80107-820 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m, 2mmID Varian 3700, Vista Series, FID |
| 80107-830 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80107-840 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m, 2mmID OC/PE Autosys |
| 80107-850 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m 2mm ID Shimadzu 14A |
| 80107-895 | Packed Column | 6.6% Carbowax 20M CBK B 80/120 2m, 2mmID SRI 8610C OC |
| 80111-800 | Packed Column | 0.3% Carbowax 20M, 0.1% H3PO4 60/80 CBK C/0.75m,3/16"OD General Configu |
| 80111-810 | Packed Column | 0.3% Carbowax 20M, 0.1% H3PO4 60/80 CBK C/0.75m,3/16"OD,4mm 60/80 CBK |
| 80111-820 | Packed Column | 0.3% Carbowax 20M, 0.1% H3PO4 60/80 CBK C/0.75m,3/16"OD,4mm 60/80 CBK |
| 80111-830 | Packed Column | 0.3% Carbowax 20M, 0.1% H3PO4 60/80 CBK C/0.75m,3/16"OD,4mm 60/80 CBK |
| 80116-800 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID General Configuration, C |
| 80116-810 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID Hewlett Packard |
| 80116-81090 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mm ID HP NOC |
| 80116-820 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID Varian 3700, Vista Series |
| 80116-830 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID PE 900-3920, Sigma 1,2 |
| 80116-840 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID PE Autosys |
| 80116-852 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID Shimadzu 9A, OC |
| 80116-895 | Packed Column | 4% Carbowax 20M, 0.8% KOH CBKB 60/80 2m, 2mmID OC/SRI8610C |
| 80116-896 | Packed Column | 4% Carbowax 20M, 0.8% KOH, Carboblk B 60/80 2m, 2mm, Silco |
| 80121-800 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID General Configuration, OnCol |
| 80121-810 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID Hewlett Packard |
| 80121-81090 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID HP NOC |
| 80121-820 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID Varian 3700, Vista Series, FID |
| 80121-830 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80121-840 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID PE Autosys |
| 80121-84090 | Packed Column | 0.2% Carbowax 1500 60/80 CBK C 2m, 2mmID Not on Column PE 8700 |
| 80122-800 | Packed Column | 0.2% Carbowax1500 80/100 CBK C 2m, 1/8"OD, 2mmID, Silco, General Configur |
| 80122-810 | Packed Column | 0.2% Carbowax1500 80/100 CBK C 2m, 2mmID Hewlett Packard |
| 80122-81090 | Packed Column | 0.2% Carbowax 1500 Carboblack C 80/100 2m, 1/8", Silco, NOC, HP |
| 80122-820 | Packed Column | 0.2% Carbowax1500 80/100 CBK C 2m, 2mmID Varian 3700, Vista Series, FID |
| 80122-830 | Packed Column | 0.2% Carbowax1500 80/100 CBK C 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80122-840 | Packed Column | 0.2% Carbowax1500 80/100 CBK C 2m, 2mmID PE Autosys |
| 80122-850 | Packed Column | 0.2% Carbowax 1500, 80/100, CBK C, 2m, 2mmID, SILCO, For Shimadzu 14A, 2( |
| 80125-800 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID Silco, General C |
| 80125-80090 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID, Silco, NOC |
| 80125-810 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID Hewlett Packard |
| 80125-820 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID Varian 3700, Vis |
| 80125-830 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID PE 900-3920, Si |
| 80125-83090 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mm ID, NOC PE 900-3 |
| 80125-840 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID PE Autosys |
| 80125-84090 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m 2mmID PE Autosys NOC |
| 80125-845 | Packed Column | 5%Rt-1200 1.75%Bentone 34, Silcoport W 100/120, 2m, 2.0mm ID, Silco, ABB 31 |
| 80125-850 | Packed Column | 5% Rt-1200 1.75% Bentone 34 Silcoport W 100/120 2m, 2mmID Silco Shimadzu |
| 80126-800 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID Silco, General Configuration |
| 80126-810 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID Hewlett Packard |
| 80126-820 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID Varian 3700, Vista Series, Fl |
| 80126-830 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80126-840 | Packed Column | 10% TCEP 100/120 Chromsorb PAW 2.5m, 2mmID, PE |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80126-85090 | Packed Column | 10% TCEP 100/120 Chromsorb PAW 2.5m, 2mmID, Silco, NOC |
| 80126-893 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID, SILCO, GOW MAC 816 |
| 80126-895 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID SRI 8610C |
| 80126-89590 | Packed Column | 10%TCEP 100/120 Chromosorb PAW 2.5m, 2mmID, NOC |
| 80127-800 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel General Configuration |
| 80127-80090 | Packed Column | 5% Krytox 60/80 Carboblack B 3.05m, 2.1mm, Nickel, NOC, General Configuratio |
| 80127-810 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel Hewlett Packard |
| 80127-81090 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel/NOC Hewlett Packard |
| 80127-820 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel Varian 3700, Vista Series, F |
| 80127-821 | Packed Column | 5% Krytox 60/80 Carboblack B 3.05m, 2mm, Nickel, Varian 3800 |
| 80127-82190 | Packed Column | 5% Krytox 60/80 Carboblack B 3.05m, 2mm, Nickel, NOC, Varian 3800 |
| 80127-830 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel PE 900-3920, Sigma 1,2,3 |
| 80127-840 | Packed Column | 5% Krytox 60/80 Carboblack B 3.05m, 2.1mm Nickel |
| 80127-845 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm, Nickel, ABB3100 4" Coil |
| 80127-85190( | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel NOC Precond Shimadzu 8A |
| 80127-860 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel Finnigan Trace 2000 |
| 80127-870 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Nickel Tremetrics/ Tracor |
| 80127-890 | Packed Column | 5% Krytox 60/80 Carboblack B 3.05m, 2.1mm, Nickel, GM-590 |
| 80127-89090( | Packed Column | 5% Krytox CarboBlack B 60/80 3.05m, 1/8" Nickel Gow Mac 590 NOC Pre Cond |
| 80127-89090 | Packed Column | 5% Krytox CarboBlack B 60/80 3.05m, 1/8" Nickel Gow Mac 590 NOC |
| 80127-895 | Packed Column | 5% Krytox 60/80 CarboBlack B 3.05m, 2.1mm Silco SRI 8610C |
| 80128-800 | Packed Column | 23% Rt-1700 Chrom PAW 80/100 9.2m, 2mmID Silco, General Configuration |
| 80128-810 | Packed Column | 23% Rt-1700 Chrom PAW 80/100 9.2m, 2mmID Hewlett Packard |
| 80128-820 | Packed Column | 23% Sebaconitrile Chrom PAW 80/100 9.2m, 2mmID Varian 3700, Vista Series, F |
| 80128-830 | Packed Column | 23% Sebaconitrile Chrom PAW 80/100 9.2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80129-800 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt W 100/120 2m, 2m |
| 80129-810 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mmI |
| 80129-81090( | Packed Column | 5% Rt-1200 5% Bentone 34 Silcoport 100/120 2m, 2mmID Pre-Cond |
| 80129-81090 | Packed Column | 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mm ID, NOC, HP |
| 80129-820 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mmI |
| 80129-830 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mmI |
| 80129-840 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mmI |
| 80129-845 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5% Bentone 34 Silcoport W 100/120 2m 1 |
| 80129-851 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mmI |
| 80129-852 | Packed Column | INDEFINITE BACKORDER 5%Rt 1200 5%Bentone 34 Silcopt 100/120 2m, 2mmI |
| 80129-870 | Packed Column | INDEFINITE BACKORDER 5% Rt-1200, 5% Bentone-34 Silcoport W 100/120 2m |
| 80129-89590 | Packed Column | 5%Rt 1200 5%Bentone 34 Silcoport W 100/120 2m, 2mm ID Silco NOC SRI 8610 |
| 80205-800 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID General Configuration |
| 80205-810 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID Hewlett Packard |
| 80205-820 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID Varian 3700, Vista Series, FID |
| 80205-821 | Packed Column | 0.1% Rt-1000 Carboblack C 80/100 1.8m, 2mm, Silco, Varian 3600 |
| 80205-830 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80205-840 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID PE Autosys |
| 80205-84090 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID Silco NOC PE Autosys |
| 80205-865 | Packed Column | 0.1% Rt-1000 80/100 CBK C 1.8m, 2mmID, Carlo Erba |
| 80205-895 | Packed Column | 0.1% Rt-1000 Carboblk C 80/100 1.8m, 2mm, Silco, 4"Coil SRI |
| 80206-800 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID Silco General Configuration |
| 80206-80090 | Packed Column | 1% Rt-1000 60/80 Carboblack B 2.4m, 1/8", Silco, NOC |
| 80206-810 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID Hewlett Packard |
| 80206-81090 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID Hewlett Packard / NOC |
| 80206-820 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID Varian 3700, Vista Series, FID |
| 80206-82090 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID Varian 3700, Vista Series, Silco, N |
| 80206-830 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80206-840 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m 1/8" Silco PE |
| 80206-84090 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 1/8", Silco, NOC, PE AutoSys |
| 80206-84590 | Packed Column | 1% Rt-1000 Carboblack B 60/80 2.4m, 2mm, Silco, NOC, PE |
| 80206-85090 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mm ID Silco NOC, Shimadzu 14B Config |
| 80206-851 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID Silco Shimadzu 8A |
| 80206-895 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2.4m, 2mmID, Silco SRI 8610C |
| 80207-800 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 2mmID General Configuration |
| 80207-810 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 2mmID Hewlett Packard |
| 80207-820 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 2mmID Varian 3700, Vista Series, FID |
| 80207-82090 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 2mmID NOC/Var 3500 |
| 80207-830 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80207-840 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 2mmID PE Autosys |
| 80207-850 | Packed Column | 1% Rt-1000 60/80 CarboBlack B 2m, 1/8" Shimadzu 14A |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80211-800 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID General Configuration |
| 80211-810 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID Hewlett Packard |
| 80211-820 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID Varian 3700, Vista Series, FID |
| 80211-830 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80211-840 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID PE Autosys |
| 80211-850 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID, Shimadzu 14A, 2014 |
| 80211-895 | Packed Column | 3% Rt-1500 80/120 CarboBlack B 3.05m, 2mmID, SRI 8610C |
| 80216-800 | Packed Column | 1% Rt-1510 60/80 CarboBlack B 3.05m, 2mmID General Configuration |
| 80216-810 | Packed Column | 1% Rt-1510 60/80 CarboBlack B 3.05m, 2mmID Hewlett Packard |
| 80216-81090( | Packed Column | 1% Rt-1510 60/80 CarboBlack B 3.05m, 2mm ID, HP, Pre-Conditioning |
| 80216-820 | Packed Column | 1% Rt-1510 60/80 CarboBlack B 3.05m, 2mmID Varian |
| 80216-830 | Packed Column | 1% Rt-1510 60/80 CarboBlack B 3.05m, 2mmID PE 900-3920 |
| 80220-800 | Packed Column | 1.5% Rt-608 2m, 3/16" General Configuration |
| 80220-810 | Packed Column | 1.5% Rt-608 2m, 4mmID Hewlett Packard |
| 80220-820 | Packed Column | 1.5% Rt-608 2m, 4mmID Varian |
| 80220-830 | Packed Column | 1.5% Rt-608 2m, 4mmID PE 900-3920 |
| 80220-840 | Packed Column | 1.5% Rt-608 2m 3/16" PE |
| 80220-870 | Packed Column | 1.5% Rt-608 2m, 4mmID ON COL/ Tracor 550 |
| 80221-800 | Packed Column | 1.5% Rt-608 2m, 2mmID, Silco General Configuration |
| 80221-810 | Packed Column | 1.5% Rt-608 2m, 2mmID Hewlett Packard |
| 80221-820 | Packed Column | 1.5% Rt-608 2m, 2mmID Varian |
| 80221-830 | Packed Column | 1.5% Rt-608 2m, 2mmID PE 900-3920 |
| 80221-840 | Packed Column | 1.5% Rt-608 2m, 2mmID PE Autosystem |
| 80221-852 | Packed Column | 1.5% Rt-608 2m 2mm ID Silco Shimadzu 9A |
| 80221-85390· | Packed Column | 1.5% Rt-608 2m, 2mm ID, Silco Shimadzu 17A NOC |
| 80250-800 | Packed Column | Rt-Sulfur (Packed) 2m, 3/16" General Configuration |
| 80250-810 | Packed Column | Rt-Sulfur (Packed) 2m, 3.2mm ID Hewlett Packard |
| 80250-820 | Packed Column | Rt-Sulfur (Packed) 2m, 4mmID Varian 3700, Vista Series, FID |
| 80250-830 | Packed Column | Rt-Sulfur (Packed) 2m, 4mmID PE 900-3920, Sigma 1,2,3 |
| 80250-840 | Packed Column | Rt-Sulfur (Packed) 2m, 4mmID PE Autosys |
| 80251-800 | Packed Column | Rt-Sulfur (Packed) 1m, 3/16" General Configuration |
| 80251-810 | Packed Column | Rt-Sulfur (Packed) 1m, 4mmID Hewlett Packard |
| 80251-820 | Packed Column | Rt-Sulfur (Packed) 1m, 4mmID Varian 3700, Vista Series, FID |
| 80251-830 | Packed Column | Rt-Sulfur (Packed) 1m, 4mmID PE 900-3920, Sigma 1,2,3 |
| 80252-800 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID, Silco General Configuration |
| 80252-80090( | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID, Silco, PreCond General Configuration |
| 80252-80090· | Packed Column | Rt-Sulfur (Packed) 2m 2mmID Silco Gen. Config. NOC |
| 80252-810 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID Hewlett Packard |
| 80252-81090· | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID, NOC |
| 80252-820 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID Varian 3700 |
| 80252-830 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID PE 900-3920 |
| 80252-840 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID PE Autosystem |
| 80252-850 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID, Silco Shimadzu 14A |
| 80252-85390· | Packed Column | Rt-Sulfur (Packed) 2m, 2mm ID, Silco, NOC |
| 80252-860 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID Finnigan |
| 80252-895 | Packed Column | Rt-Sulfur (Packed) 2m, 2mmID SRI w/3.5" coil |
| 80253-800 | Packed Column | Rt-Sulfur (Packed) 1m, 2mmID General Configuration |
| 80253-810 | Packed Column | Rt-Sulfur (Packed) 1m, 2mmID Hewlett Packard |
| 80253-820 | Packed Column | Rt-Sulfur (Packed) 1m, 2mmID Varian 3700 |
| 80253-830 | Packed Column | Rt-Sulfur (Packed) 1m, 2mmID PE 900-3920 |
| 80253-840 | Packed Column | Rt-Sulfur (Packed) 1m, 2mmID PE Autosys |
| 80253-851 | Packed Column | Rt-Sulfur (Packed) 1m, 2mmID Shimadzu 8A |
| 80253-895 | Packed Column | Rt-Sulfur (Packed) 1m, 2mm ID |
| 80254-800 | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 100/120 Silcoprt 2m,3/16" General Configuration |
| 80254-810 | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 100/120 Silcoprt 2m,4mmID Hewlett Packard |
| 80254-81090· | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 Silcoport 100/120 2m, 3/16" Silco, NOC, HP |
| 80254-820 | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 100/120 Silcoprt 2m,4mmID Varian 3700 |
| 80254-82090( | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 100/120 Silcoprt 2m,4mmID Varian 3700, PreCond |
| 80254-830 | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 100/120 Silcoprt 2m,4mmID PE 900-3920 |
| 80254-840 | Packed Column | 1.5% Rt2250/1.95% Rt-2401 100/120 Silcoprt 2m,4mmID PE Autosystem |
| 80254-870 | Packed Column | 1.5% Rt-2250/1.95% Rt-2401 100/120 Silcoprt 2m,4mmID Tremetrics / Tracor |
| 80305-800 | Packed Column | 1.5% XE60, 1%H3PO4 60/80 CBK B 1.8m, 2mmID General Configuration |
| 80305-810 | Packed Column | 1.5% XE60, 1%H3PO4 60/80 CBK B 1.8m, 2mmID Hewlett Packard |
| 80305-820 | Packed Column | 1.5% XE60, 1%H3PO4 60/80 CBK B 1.8m, 2mmID Varian 3700 |
| 80305-830 | Packed Column | 1.5% XE60, 1%H3PO4 60/80 CBK B 1.8m, 2mmID PE900-3920 |
| 80305-840 | Packed Column | 1.5% XE60, 1%H3PO4 60/80 CBK B 1.8mm, 2mm ID |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80305-895 | Packed Column | 1.5% XE60 1% H3PO4 60/80 CBK B 1.8m 2mm ID SRI 8610C |
| 80305-89590 | Packed Column | 1.5% XE60 1%H3PO4 60/80 CBK B 1.8m 2mm ID SRI 8610C NOC |
| 80311-800 | Packed Column | 0.19% Picric Acid 80/100 CBK C 2m, 2mmID, Silco General Configuration |
| 80311-810 | Packed Column | 0.19% Picric Acid 80/100 CBK C 2m, 2mmID Hewlett Packard |
| 80311-820 | Packed Column | 0.19% Picric Acid 80/100 CBK C 2m, 2mmID Varian 3700 |
| 80311-830 | Packed Column | 0.19% Picric Acid 80/100 CBK C 2m, 2mmID PE 900-3920 |
| 80311-840 | Packed Column | 0.19% Picric Acid CarboBlack C 80/100 2m, 2mm ID, Silco |
| 80311-841 | Packed Column | 0.19% Picric Acid 80/100 CBK C 2m, 2mmID, Silco PE Auto Sys XL |
| 80400-800 | Packed Column | 3% Rt-101 Silcoport W 100/120 2m, 2mmID Silco, General Configuration |
| 80400-810 | Packed Column | 3% Rt-101 Silcoport 100/120 2m, 2mmID Hewlett Packard |
| 80400-81090 | Packed Column | 3% Rt-101 Silcoport 100/120 2m, 2mm, Silco, HP, NOC |
| 80400-820 | Packed Column | 3% Rt-101 Silcoport 100/120 2m, 2mmID Varian 3700 |
| 80400-830 | Packed Column | 3% Rt-101 Silcoport 100/120 2m, 2mmID PE 900-3920 |
| 80400-840 | Packed Column | 3% Rt-101 Silcoport 100/120 2m, 2mmID PE Autosystem |
| 80400-850 | Packed Column | 3% Rt-101 Silcoport 100/120 2m, 2mmID Shimadzu 14A |
| 80401-800 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID, Silcosteel General Configuration |
| 80401-80090 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID Silco Gen Conf NOC |
| 80401-810 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID Hewlett Packard |
| 80401-81090 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID Hewlett Packard NOC |
| 80401-820 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID Varian 3700 |
| 80401-82090 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mm, Silco, NOC, Varian |
| 80401-830 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID PE900-3920 |
| 80401-840 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mm, Silco, PE AutoSys |
| 80401-845 | Packed Column | 3% Rtx-1 Silcoport 100/120 2m, 1/8", Silco, OC, ABB |
| 80401-888 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mm, Silco, OC, Fig.7 X=10.5", Y=7", S=6" |
| 80401-896 | Packed Column | 3% Rtx-1 Silcoport W 100/120 2m, 2mmID OC |
| 80402-800 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 2mmID General Configuration |
| 80402-80090 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 2mm ID Preconditioned |
| 80402-810 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 2mmID Hewlett Packard |
| 80402-820 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 2mmID Varian |
| 80402-830 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 2mmID PE 900 |
| 80402-840 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 2mmID |
| 80403-800 | Packed Column | 3% Rtx-1 Silcoport 100/120 2m, 4mmID General Configuration |
| 80403-810 | Packed Column | 3% Rtx-1 Silcoport 100/120 2m, 4mmID Hewlett Packard |
| 80403-820 | Packed Column | 3% Rtx-1 Silcoport 100/120 2m, 4mmID Varian 3700 |
| 80403-830 | Packed Column | 3% Rtx-1 Silcoport 100/120 2m, 4mmID PE 900-3920 |
| 80404-800 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 4mmID General Configuration |
| 80404-810 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 4mmID Hewlett Packard |
| 80404-820 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 4mmID Varian |
| 80404-830 | Packed Column | 3% Rtx-1 Silcoport 100/120 3.05m, 4mmID PE 900 |
| 80405-800 | Packed Column | 10% Rtx-1 Silcoport W 100/120 2m, 2mmID, Silco General Configuration |
| 80405-80090 | Packed Column | 10% Rtx-1 Silcoport W 100/120 2m, 2mmID, Silco, NOC |
| 80405-810 | Packed Column | 10% Rtx-1 Silcoport W 100/120 2m, 2mmID Hewlett Packard |
| 80405-81090 | Packed Column | 10% Rtx-1 Silcoport W 100/120 2m, 2.0mm ID, SS, HP, NOC |
| 80405-820 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 2mmID Varian |
| 80405-830 | Packed Column | 10% Rtx-1 Silcoport W 100/120 2m, 2mmID PE 900-3920 |
| 80405-840 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 2mmID PE Auto Sys |
| 80405-84090 | Packed Column | 10% Rtx-1 Silcoport W 100/120 2m 2mm ID PE Auto Sys NOC |
| 80405-850 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m 2mmID Silco Shimadzu 14A |
| 80405-85390 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m 2mmID Silco Shimadzu 17A NOC |
| 80405-893 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 2mm ID, Silco, GowMac 816 |
| 80405-894 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 2mm, Silco/Gow Mac 580 |
| 80405-895 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 2mm, Silco, SRI 8610C |
| 80406-800 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 2mmID General Configuration |
| 80406-810 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 2mmID Hewlett Packard |
| 80406-820 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 2mmID Varian |
| 80406-830 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 2mmID PE 900 |
| 80406-895 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 2mmID SRI |
| 80407-800 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 4mmID General Configuration |
| 80407-810 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 4mmID Hewlett Packard |
| 80407-820 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 4mmID Varian 3700 |
| 80407-830 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 4mmID PE 900-3920 |
| 80407-840 | Packed Column | 10% Rtx-1 Silcoport 100/120 2m, 4mmID PE Auto Sys |
| 80408-800 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 4mmID General Configuration |
| 80408-810 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 4mmID Hewlett Packard |
| 80408-820 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 4mmID Varian |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80408-830 | Packed Column | 10% Rtx-1 Silcoport 100/120 3.05m, 4mmID PE 900 |
| 80409-800 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mmID, Silco General Configuration |
| 80409-810 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mmID Hewlett Packard |
| 80409-81090 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m 2mm ID HP NOC |
| 80409-820 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mmID Varian 3700 |
| 80409-82090 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mm, Silco, NOC, Varian |
| 80409-830 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mmID PE 900-3920 |
| 80409-840 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mmID PE |
| 80409-85090 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 1/8", Silco, NOC |
| 80409-895 | Packed Column | 20% Rtx-1 Silcoport W 100/120 2m, 2mm ID, Silco SRI 8610C |
| 80410-800 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 2mm General Configuration |
| 80410-810 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 2mmIDX Hewlett Packard |
| 80410-820 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 2mmID Varian |
| 80410-830 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 2mmID PE 900 |
| 80411-800 | Packed Column | 20% Rtx-1 Silcoport 100/120 2m, 4mmID General Configuration |
| 80411-810 | Packed Column | 20% Rtx-1 Silcoport 100/120 2m, 4mmID Hewlett Packard |
| 80411-820 | Packed Column | 20% Rtx-1 Silcoport 100/120 2m, 4mmID Varian 3700 |
| 80411-830 | Packed Column | 20% Rtx-1 Silcoport 100/120 2m, 4mmID PE 900-3920 |
| 80412-800 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 4mmID General Configuration |
| 80412-810 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 4mmID Hewlett Packard |
| 80412-820 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 4mmID Varian |
| 80412-830 | Packed Column | 20% Rtx-1 Silcoport 100/120 3.05m, 4mmID PE 900 |
| 80415-800 | Packed Column | 5% Rtx-Stabilwax Silcoport W 100/120 Silco, General Configuration 2m, 2mmID |
| 80415-810 | Packed Column | 5% Stabilwax Silcoport W 100/120 2m, 2mm, Silco, HP, OC Hewlett Packard |
| 80415-820 | Packed Column | 5% Stabilwax Silcoport 100/120 Varian |
| 80415-830 | Packed Column | 5% Stabilwax Silcoport W 100/120 PE 900-3920Sig |
| 80415-840 | Packed Column | 5% Stabilwax Silcoport W 100/120 PE Auto System |
| 80415-851 | Packed Column | 5% Stabilwax Silcoport W 100/120 2m, 1/8", Silco, Shdzu 8A |
| 80416-800 | Packed Column | 10% Rtx-Stabilwax Silcoprt W 100/120 Silco, General Configuration 2m, 2mmID |
| 80416-80090 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120, 2m, 2mm, Silco, NOC |
| 80416-810 | Packed Column | 10% Stabilwax Silcoprt W 100/120 2m 2mm Silco HP |
| 80416-81090 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 2m, 2mm ID, Silco, NOC, HP |
| 80416-820 | Packed Column | 10% Stabilwax Silcoprt W 100/120 2m 2mm Silco Varian |
| 80416-830 | Packed Column | 10% Stabilwax Silcoprt W 100/120 2m 2mm Silco PE 900-3920Sig |
| 80416-840 | Packed Column | 10% Stabilwax Silcoprt W 100/120 2m 2mm Silco PE Auto System |
| 80416-845 | Packed Column | 10% Rtx-Stabilwax Silcoprt W 100/120 Silco ABB 3100 2m, 2mm ID |
| 80416-850 | Packed Column | 10% Stabilwax Silcoprt W 100/120 2m 2mm Silco Shimadzu 14A |
| 80416-851 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 Silco, Shimadzu 8A, 2m, 2mm ID |
| 80416-86090 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 Silco Finnigan-Trace 2000 NOC |
| 80416-895 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 2m, 2mm, Silco, SRI 8610C |
| 80417-800 | Packed Column | 20% Rtx-Stabilwax Silcoprt W 100/120 Silco, General Configuration 2m, 2mmID |
| 80417-80090 | Packed Column | 20% Rtx-Stabilwax Silcoport W 100/120 Silco, Gen Conf 2m 2mmID NOC |
| 80417-810 | Packed Column | 20% Stabilwax Silcoprt W 100/120 2m 2mm Silco Hewlett Packard |
| 80417-81090 | Packed Column | 20% Stabilwax Silcoport W 100/120 2m 2mm Silco HP NOC |
| 80417-820 | Packed Column | 20% Stabilwax Silcoprt W 100/120 2m 2mm Silco Varian |
| 80417-830 | Packed Column | 20% Stabilwax Silcoprt W 100/120 2m 2mm Silco PE 900-3920Sig |
| 80417-840 | Packed Column | 20% Stabilwax Silcoprt W 100/120 2m 2mm Silco PE Auto System |
| 80417-85090 | Packed Column | 20% Stabilwax Silcoprt W 100/120 2m, 1/8", Silco, NOC |
| 80420-800 | Packed Column | 3% Rt-2100 Silcoport W 100/120 2m, 2mmID Silco, General Configuration |
| 80420-810 | Packed Column | 3% Rt-2100 Silcoport 100/120 2m, 2mmID Hewlett Packard |
| 80420-820 | Packed Column | 3% Rt-2100 Silcoport 100/120 2m, 2mmID Varian 3700, Vista Series, FID |
| 80420-830 | Packed Column | 3% Rt-2100 Silcoport 100/120 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80420-841 | Packed Column | 3% Rt-2100 Silcoport W 100/120 2m, 2mm ID, Silco, PE Auto System XL |
| 80425-800 | Packed Column | Porapak R 80/100 2m, 2mmID General Configuration |
| 80425-80090 | Packed Column | Porapak R 80/100 2m, 2mmID General Conf NOC |
| 80425-810 | Packed Column | Porapak R 80/100 2m, 2mmID Hewlett Packard |
| 80425-820 | Packed Column | Porapak R 80/100 2m, 2mmID Varian 3700, Vista Series, FID |
| 80425-830 | Packed Column | Porapak R 80/100 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80425-840 | Packed Column | Porapak R 80/100 2m, 2mmID PE Autosys |
| 80425-84090 | Packed Column | Porapak R 80/100 2m, 2mm, Silco, NOC |
| 80425-888 | Packed Column | Porapak R 80/100 2m, 2mm ID, Figure 12 |
| 80426-800 | Packed Column | Porapak QS 80/100 2m, 2mmID, Silco General Configuration |
| 80426-80090 | Packed Column | Porapak QS 80/100 2m 2mm ID Silco Gen Conf NOC |
| 80426-810 | Packed Column | Porapak QS 80/100 2m, 2mmID Hewlett Packard |
| 80426-81090 | Packed Column | Porapak QS, 80/100, 2m 2mm ID, SILCO, HP, NOC |
| 80426-820 | Packed Column | Porapak QS 80/100 2m, 2mmID Varian 3700, Vista Series, FID |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80426-830 | Packed Column | Porapak QS 80/100 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80426-840 | Packed Column | Porapak QS 80/100 2m, 2mmID PE Autosys |
| 80426-850 | Packed Column | Porapak QS 80/100 2m 2mmID Shimadzu 14A |
| 80426-853 | Packed Column | Porapak QS 80/100 2m, 2mmID, Silco Config for Shimadzu 17A, 2010 |
| 80426-874 | Packed Column | Porapak QS 80/100 2m, 2mmID, Silco, HNU 310/311 |
| 80426-895 | Packed Column | Porapak QS 80/100 2m, 2mmID SRI |
| 80427-800 | Packed Column | Porapak Q 80/100 2m, 2mmID General Configuration |
| 80427-80090 | Packed Column | Porapak Q 80/100 2m, 2mmID NOT on Column - Hewlett Packard |
| 80427-810 | Packed Column | Porapak Q 80/100 2m, 2mmID Hewlett Packard |
| 80427-81090( | Packed Column | Porapak Q 80/100 2m 1/8" HP Pre Cond |
| 80427-81090 | Packed Column | Porapak Q 80/100 2m, 2mmID NOT on Column - Hewlett Packard |
| 80427-820 | Packed Column | Porapak Q 80/100 2m, 2mmID Varian 3700/Visa Series, FID |
| 80427-82090 | Packed Column | Porapak Q 80/100 2m, 2mm Silco, NOC, Varian |
| 80427-821 | Packed Column | Porapak Q 80/100, 2m, 2mmID, Silco, Varian 3800 |
| 80427-830 | Packed Column | Porapak Q 80/100 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80427-840 | Packed Column | Porapak Q 80/100 2m, 2mmID PE Autosys |
| 80427-84090 | Packed Column | Porapak Q 80/100 NOC, PE Autosys 2m, 2mmID |
| 80427-850 | Packed Column | Porapak Q 80/100 2m, 2mmID, Shimadzu GC |
| 80427-85090 | Packed Column | Porapak Q 80/100 2m, 2mmID Shimadzu 14A - Not on col/Silco |
| 80427-853 | Packed Column | Porapak Q 80/100 2m, 2mmID |
| 80427-86590 | Packed Column | Porapak Q 80/100 2m, 2mm ID, Silco, NOC |
| 80427-895 | Packed Column | Porapak Q 80/100 2m, 2mmID SRI 8610C |
| 80428-800 | Packed Column | Molesieve 5A 60/80 2m, 2mmID General Configuration |
| 80428-80090 | Packed Column | Molesieve 5A 60/80 2m, 2mm ID Gen Conf NOC |
| 80428-810 | Packed Column | Molesieve 5A 60/80 2m, 2mmID Hewlett Packard |
| 80428-820 | Packed Column | Molesieve 5A 60/80 2m, 2mmID Varian 3700, Vista Series, FID |
| 80428-830 | Packed Column | Molesieve 5A 60/80 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80428-840 | Packed Column | Molesieve 5A 60/80 2m, 2mmID PE Autosys |
| 80428-85090 | Packed Column | Molesieve 5A 60/80, 2m, 2mmID for Shimadzu 14A, 2014, NOC |
| 80428-89590 | Packed Column | Molesieve 5A 60/80 2m 2mm ID SRI 8610C NOC |
| 80429-800 | Packed Column | Molesieve 5A 80/100 2m, 2mmID Silco, General Configuration |
| 80429-80090 | Packed Column | Molsieve 5A Silco 80/100 NOC 2m, 2mmID |
| 80429-810 | Packed Column | Molesieve 5A 80/100 2m, 2mmID Hewlett Packard |
| 80429-81090 | Packed Column | Molesieve 5A 80/100 2m, 2mm ID Silco HP NOC |
| 80429-820 | Packed Column | Molesieve 5A 80/100 2m, 2mmID Varian 3700, Vista Series, FID |
| 80429-830 | Packed Column | Molesieve 5A 80/100 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80429-840 | Packed Column | Molesieve 5A 80/100 2m, 2mmID PE Autosys |
| 80429-853 | Packed Column | Molesieve 5A 80/100 2m 2mm ID Silco Shimadzu 17A/2010 |
| 80429-86590 | Packed Column | Molesieve 5A 80/100 2m, 2mm ID, Silco, NOC |
| 80429-874 | Packed Column | Molesieve 5A 80/100 2m, 2mmID, HNU 310/311 |
| 80429-888 | Packed Column | Molesieve 5A 80/100 2m 2mm ID Silco Dim Customer Supplied |
| 80429-890 | Packed Column | Molesieve 5A 80/100 2m, 2mmID GowMac 590 |
| 80429-895 | Packed Column | Molesieve 5A 80/100 2m, 2mm, Silco, SRI 8610C |
| 80429-895R | Packed Column | Molesieve 5A 80/100 2m, 2mmID, Silco, SRI/RightSide |
| 80430-800 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm General Configuration |
| 80430-80090 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm, NOC General Configuration |
| 80430-810 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm Hewlett Packard |
| 80430-81090 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm, HP NOC |
| 80430-820 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm Varian 3700, Vista Series, FID |
| 80430-830 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm PE 900-3920, Sigma 1,2,3 |
| 80430-840 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm PE Autosys |
| 80430-84090 | Packed Column | Molesieve 5A 80/100 3.05m, 2mm, Silco, NOC, PE |
| 80430-895 | Packed Column | Molesieve 5A 80/100 3.05m 2mmID SRI |
| 80433-800 | Packed Column | HAYESEP Q 80/100 2m, 2mmID General Configuration |
| 80433-80090 | Packed Column | Hayesep Q Silco 80/100 NOC Gen Config 2m, 2mmID |
| 80433-810 | Packed Column | HAYESEP Q 80/100 2m, 2mmID Hewlett Packard |
| 80433-81090 | Packed Column | Hayesep Q 80/100 2m, 2mm Silco, NOC, HP |
| 80433-820 | Packed Column | HAYESEP Q 80/100 2m, 2mmID Varian 3700, Vista Series, FID |
| 80433-82090 | Packed Column | Hayesep Q 80/100 2m, 1/8" Silco, NOC, Varian |
| 80433-830 | Packed Column | HAYESEP Q 80/100 2m, 2mmID PE 900-3920, Sigma 1,2,3 |
| 80433-840 | Packed Column | HAYESEP Q 80/100 2m, 2mmID PE Autosys |
| 80433-850 | Packed Column | Haysep Q 80/100, 2m, 2mm ID Shimadzu 14A, 2014 |
| 80433-851 | Packed Column | Hayesep Q 80/100, 2m, 2mm ID, For Shimadzu 8A |
| 80433-85390 | Packed Column | HAYESEP Q 80/100 2m, 2mm ID Shimadzu 17A NOC |
| 80433-860 | Packed Column | HAYESEP Q 80/100 2m, 2mm ID, Finnigan |
| 80433-89090( | Packed Column | Hayesep Q 80/100 2m 1/8" Silco Gow Mac 590 NOC Pre Condition |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80434-800 | Packed Column | Chromosorb 102 80/100 2m, 2mmID General Config. |
| 80434-80090 | Packed Column | Chromosorb 102 80/100 2m, 2mmID NOC |
| 80434-810 | Packed Column | Chromosorb 102 80/100 2m, 2mmID Hewlett Packard |
| 80434-820 | Packed Column | Chromosorb 102 80/100 2m, 2mmID Varian 3700, Vista |
| 80434-830 | Packed Column | Chromosorb 102 80/100 2m, 2mmID PE 900-3920 Sigma123 |
| 80434-840 | Packed Column | Chromosorb 102 80/100 2m, 2mmID PE Autosys |
| 80435-800 | Packed Column | Chromosorb 101 80/100 2m, 2mmID General Config. |
| 80435-810 | Packed Column | Chromosorb 101 80/100 2m, 2mmID HP GCs |
| 80435-820 | Packed Column | Chromosorb 101 80/100 2m, 2mmID Varian 3700, Vista |
| 80435-830 | Packed Column | Chromosorb 101 80/100 2m, 2mmID PE 900-3920 Sigma123 |
| 80435-840 | Packed Column | Chromosorb 101 80/100 2m, 2mmID PE Autosys |
| 80435-84090 | Packed Column | Chromosorb 101 80/100 2m, 2mm, Silco, NOC, PE |
| 80435-853 | Packed Column | Chromosorb 101 80/100 2m, 1/8", Silco, OC, Shimadzu 17A |
| 80436-800 | Packed Column | n-Octane on ResSil C 80/100 20', 2mmID, 1/8"OD, Silco |
| 80436-80080 | Packed Column | n-Octane on ResSil C 80/100 20', 2mmID, Silco, 1/8" Welded Column Extensions |
| 80436-80090( | Packed Column | n-Octane on ResSil C 80/100 20ft 2mmID, Silco Gen Conf NOC Pre Cond |
| 80436-80090 | Packed Column | n-Octane on ResSil C 80/100 20', 2mm, Silco, NOC |
| 80436-810 | Packed Column | n-Octane ResSil C 80/100 20', 2mmID, 1/8"OD, Silco, HP |
| 80436-81090 | Packed Column | n-Octane, ResSil C 80/100 20', 2mmID, 1/8"OD, Silco, HP, NOC |
| 80436-850 | Packed Column | n-Octane on ResSil C 80/100 20', 2mmID, 1/8"OD, Silco For Shimadzu 14A, 2014 |
| 80436-85090 | Packed Column | n-Octane on ResSil C 80/100 20ft, 2mmID, Silco Shimadzu 14A NOC |
| 80436-85290( | Packed Column | n-Octane on ResSil C 80/100 20' 2mmID, Silco Shimadzu 9A Pre Cond |
| 80436-888 | Packed Column | n-Octane on ResSil C 80/100 20', 1/8", Silco, Fig.1, B=4"Max, X&Y=5" |
| 80436-895 | Packed Column | n-Octane ResCil C 80/100 20ft 2mm ID, Silco SRI 8610C |
| 80436-89990( | Packed Column | n-Octane ResSil C 80/100 20',2mm,Silco,NOC,PreCond, Pancake Coil 6"OD Max |
| 80437-800 | Packed Column | OPN on ResSil C 80/100 12', 2mmID, 1/8"OD Silco |
| 80437-80090 | Packed Column | OPN on ResSil C 80/100 12', 1/8", Silco, NOC |
| 80437-810 | Packed Column | OPN on ResSil C 80/100 12', 2mmID, 1/8" |
| 80437-811 | Packed Column | OPN on ResSil C 80/100 12ft 2mm ID Silco HP 6850 |
| 80437-840 | Packed Column | OPN on ResSil C 80/100 12' 2mmID Silco PE AutoSys |
| 80437-84590( | Packed Column | OPN on ResSil C 80/100 12', 2mmID, Silco, For ABB 3100 Precond. |
| 80437-84590 | Packed Column | opn ResSil C 80/100 12', 1/8", Silco, NOC, ABB |
| 80437-850 | Packed Column | OPN on ResSil C 80/100 12', 2mmID, 1/8"OD, Silco For Shimadzu 14A, 2014 |
| 80437-85090 | Packed Column | OPN on ResSil C 80/100 12',1/8",Silco,NOC,Shdzu-14A |
| 80437-88890 | Packed Column | OPN on ResSil C 80/100 12' 2mmID, 1/8" Custom Conf NOC Fig11 X&Y = 15cm S |
| 80437-89990( | Packed Column | OPN on ResSil C 80/100 12',1/8",Silco,NOC, PreCond, Pancake Coil |
| 80437-89990 | Packed Column | OPN on ResSil C 80/100 12',1/8",Silco,NOC,Pancake Coil |
| 80439-800 | Packed Column | Molesieve 13X 80/100 2m 1/8", 2mmID/Silcosteel/Gen Config |
| 80439-80090( | Packed Column | Molesieve 13X 80/100 2m 1/8", 2mmID/Silcosteel/Gen Config/PreCond |
| 80439-80090 | Packed Column | Molesieve 13X 80/100 2m 2mm ID Silco Gen Conf NOC |
| 80439-810 | Packed Column | Molesieve 13X 80/100 2m, 1/8", Silco, OC, HP |
| 80439-81090( | Packed Column | Moleseive 13X 80/100 2m 1/8" Silco OC HP Precondition |
| 80439-81090 | Packed Column | Molesieve 13X 80/100 2m 2mm ID Silco HP NOC |
| 80439-820 | Packed Column | Molesieve 13X 80/100 2m 1/8" Silco Varian 3700 |
| 80439-821 | Packed Column | Molesieve 13X 80/100 2m 1/8", Silco, Varian 3800 |
| 80439-840 | Packed Column | Molesieve 13X 80/100 2m 1/8", 2mmID, Silco, PE |
| 80439-885 | Packed Column | Molesieve 13X 80/100 2m, 1/8", Silco, Pye Unicam 4500 |
| 80439-89090( | Packed Column | Molesieve 13X 80/100 2m 1/8" Silco Gow Mac 590 NOC Pre Condition |
| 80439-89090 | Packed Column | Molesieve 13X 80/100 2m 1/8" Silco Gow Mac 590 NOC |
| 80439-893 | Packed Column | Molesieve 13X 80/100 2m, 1/8", Silco, GowMac 816 |
| 80439-89590 | Packed Column | Molesieve 13X 80/100 2m 1/8" Silco SRI 8610C NOC |
| 80440-800 | Packed Column | Molesieve 5A 80/100 1m 1/8", 2mmID/Silcosteel/Gen Config |
| 80440-80090 | Packed Column | Molesieve 5A 80/100 1m 2mm, Silco, NOC |
| 80440-810 | Packed Column | Molesieve 5A 80/100 1m, 2mm Silco, HP |
| 80440-81090 | Packed Column | Molesieve 5A 80/100 1m, 2mm, Silco, NOC, HP |
| 80440-820 | Packed Column | Molesieve 5A 80/100 1m 2mm ID Silco Varian 3700 |
| 80440-82090 | Packed Column | Molesieve 5A 80/100 1m 2mm, Silco, NOC, Varian |
| 80440-840 | Packed Column | Molesieve 5A 80/100 1m 1/8", 2mmID, SILCO, Config for PE Auto System 8300,8 |
| 80440-850 | Packed Column | Molesieve 5A 80/100 1m, 2mm Silco Shimadzu 14A |
| 80440-85190 | Packed Column | Molesieve 5A 80/100 1m, 2mm Silco Shimadzu 8A NOC |
| 80440-888 | Packed Column | Molesieve 5A, 80/100, 1m 1/8", 2mm ID, Silco Customer Supplied Dimensions |
| 80440-895 | Packed Column | Molesieve 5A 80/100 1m, 2mmID Silcosteel SRI 8610C |
| 80440-89590 | Packed Column | Molesieve 5A 80/100 1m 1/8", 2mmID/Silcosteel/NOC/HP |
| 80441-800 | Packed Column | 3% Rtx-1 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80441-810 | Packed Column | 3% Rtx-1 Silcoport W 100/120 6', 1/8", SS, HP |
| 80441-820 | Packed Column | 3% Rtx-1 Silcoport 100/120 6', 1/8", SS, Var |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80441-82090 | Packed Column | 3% Rtx-1 Silcoport W 100/120 6',2mm, SS, NOC, Varian |
| 80442-800 | Packed Column | 10% Rtx-1 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80442-810 | Packed Column | 10% Rtx-1 Silcoport W 100/120 6', 1/8", SS, HP |
| 80442-81090 | Packed Column | 10% Rtx-1 Silcoport W 100/120 6', 1/8", SS, HP, NOC |
| 80442-840 | Packed Column | 10% Rtx-1 Silcoport W 100/120 6ft, 2mmID, Stainless |
| 80442-84090 | Packed Column | 10% Rtx-1 Silcoport W 100/120 6ft, 2mmID, SS, NOC |
| 80442-85090( | Packed Column | 10% Rtx-1 Silcoport 100/120 6', 1/8", SS, OC, PreCond, Shdzu-14A |
| 80443-800 | Packed Column | 20% Rtx-1 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80443-810 | Packed Column | 20% Rtx-1 Silcoport W 100/120 6', 1/8", SS, HP |
| 80443-82090 | Packed Column | 20% Rtx-1 Silcoport W 100/120 6',2mm, SS, NOC, Varian |
| 80443-850 | Packed Column | 20% Rtx-1 Silcoport W 100/120 6ft, 2mm ID, SS, Shimadzu 14A, 2014 |
| 80443-851 | Packed Column | 20% Rtx-1 Silcoport W 100/120 6',1/8",SS,Shdzu 8A |
| 80444-800 | Packed Column | 3% Rtx-5 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80444-810 | Packed Column | 3% Rtx-5 Silcoport 100/120 6ft, 2mm ID, Stainless |
| 80444-82090 | Packed Column | 3% Rtx-5 Silcoport W 100/120 6',2mm, SS, NOC, Varian |
| 80445-800 | Packed Column | 10% Rtx-5 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80445-810 | Packed Column | 10% Rtx-5 Silcoport 100/120 6', 2mm, SS, HP |
| 80445-820 | Packed Column | 10% Rtx-5 Silcoport 100/120 6ft, 2mm ID, Stainless |
| 80445-840 | Packed Column | 10% Rtx-5 SilcoportW 100/120 6ft, 2mmID, SS PE |
| 80445-845 | Packed Column | 10% Rtx-5 Silcoport W 100/120 6ft 2mm ID SS ABB 3100 |
| 80446-800 | Packed Column | 20% Rtx-5 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80446-80090 | Packed Column | 20% Rtx-5 Silcoport W 100/120 6ft, 2mm ID, SS, NOC |
| 80446-810 | Packed Column | 20% Rtx-5 Silcoport W 100/120 6ft, 2mm ID, Stainless, Agilent |
| 80446-84090 | Packed Column | 20% Rtx-5 Silcoport W 100/120 6', 1/8", SS, NOC, PE AutoSys |
| 80447-800 | Packed Column | 5% Rtx-Stabilwax Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80447-810 | Packed Column | 5% Rtx-Stabilwax Silcoport 100/120 6', 2mm, SS, HP |
| 80447-84090 | Packed Column | 5% Rtx-Stabilwax Silcoport W 100/120 6', 2mmID, SS, NOC, PE |
| 80448-800 | Packed Column | INDEFINITE BACKORDER 10% Rtx-Stabilwax Silcoport W 100/120 6ft, 2mm ID, |
| 80448-810 | Packed Column | INDEFINITE BACKORDER 10% Rtx-Stabilwax Silcoport W 100/120 6', 2mm, SS, |
| 80448-81090 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 6' 2mm SS NOC HP |
| 80448-820 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 6', 2mm, SS, Varian |
| 80448-840 | Packed Column | 10% Rtx-Stabilwax Silcoport W 100/120 6ft, 2mm ID, SS PE AutoSys |
| 80448-85090( | Packed Column | 10% Rtx-Stabilwax Silcoport 100/120 6', 1/8", SS, OC, PreCond, Shdzu-14A |
| 80449-800 | Packed Column | 20% Rtx-Stabilwax Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80449-810 | Packed Column | 20% Rtx-Stabilwax Silcoport W 100/120 6', 1/8", 2mmID, SS, HP |
| 80449-851 | Packed Column | 20% Rtx-Stabilwax Silcoport W 100/120 6ft, 2mm ID, Stainless for Shimadzu 8A |
| 80450-800 | Packed Column | Rtx-1HT SimDist 2887 Silcoport W 100/120 25" 2mm ID, Stainless |
| 80450-810 | Packed Column | Rtx-1HT SimDist 2887 Silcoport W 100/120 25", 2mm ID, SS, HP |
| 80450-81090 | Packed Column | Rtx-1HT SimDist 2887 Silcoport W 100/120 25", 2mmID, SS,HP NOC |
| 80450-830 | Packed Column | Rtx-1HT SimDist 2887 Silcoport W 100/120 25", 2mm ID, SS, For PE 900-3920 |
| 80450-84090 | Packed Column | Rtx-1HT SimDist 2887 Silcoport W 100/120 25" 2mm ID, SS ABB 3100 NOC |
| 80451-800 | Packed Column | 6.6% Carbowax 20M CarboBlack 80/120 6ft, 2mm ID, Stainless |
| 80451-80090 | Packed Column | 6.6% Carbowax 20M CarboBlack 80/120 6ft, 2mm ID, Stainless, NOC |
| 80451-810 | Packed Column | 6.6% Carbowax 20M CarboBlack 80/120 6' 1/8" SS HP |
| 80451-820 | Packed Column | 6.6% Carbowax 20M Carbblk 80/120 6', 1/8", SS, Varian |
| 80451-840 | Packed Column | 6.6% Carbowax 20M CarboBlack 80/120 6ft 2mm ID, SS PE Auto Sys |
| 80451-84590 | Packed Column | 6.6% Carbowax 20M, Carboblack B 80/120 6', 1/8", SS, NOC, AAI |
| 80451-85290 | Packed Column | 6.6% Carbowax 20M CarboBlack 80/120 6ft 2mm ID Shimadzu 9A NOC |
| 80452-800 | Packed Column | 1% Rt-1000 CarboBlack 60/80 6ft, 2mm ID, Stainless |
| 80452-810 | Packed Column | 1% Rt-1000 Carboblack 60/80 6', 1/8", SS, HP |
| 80452-888 | Packed Column | 1% Rt-1000 Carboblack B 60/80 6', 1/8", SS, OC, Varian 2" Void at Inlet, 1" Void a |
| 80453-800 | Packed Column | 3% Rt-1500 CarboBlack B 80/120 10ft, 2mm ID, Stainless |
| 80453-810 | Packed Column | 3% Rt-1500 Carboblack 80/120 10', 1/8", SS |
| 80453-84090 | Packed Column | 3% Rt-1500 Carboblack 80/120 10', 1/8", SS, NOC, PE |
| 80454-800 | Packed Column | 1% Rt-1510 CarboBlack 60/80 10ft, 2mm ID, Stainless |
| 80454-810 | Packed Column | 1% Rt-1510 Cblk 60/80 10', 1/8", SS |
| 80454-81090 | Packed Column | 1% Rt-1510 CBlk 60/80 10', 1/8", SS, NOC |
| 80455-800 | Packed Column | 1.5% XE-60/1% H3PO4 CarboBlack 60/80 6ft, 2mm ID, Stainless |
| 80456-800 | Packed Column | 0.2% Carbowax 1500 CarboBlack C 60/80 6ft, 2mm ID, Stainless |
| 80456-810 | Packed Column | 0.2% Carbowax 1500 CarboBlack C 60/80 6ft, 2mm ID SS HP 5890 |
| 80456-82190 | Packed Column | 0.2% Carbowax 1500 CarboBlack C 60/80 6ft 2mm ID SS Varian 3800 NOC |
| 80457-800 | Packed Column | 0.2% Carbowax 1500 CarboBlack C 80/100 6ft, 2mm ID, Stainless |
| 80457-810 | Packed Column | 0.2% Carbowax 1500, Carboblack C 80/100 6', 1/8", SS, HP 5890 |
| 80457-820 | Packed Column | 0.2% Carbowax 1500 Cblk C 80/100 6' 2mm SS Varian |
| 80457-830 | Packed Column | 0.2% Carbowax 1500 Carboblack C 80/100 6ft, 1/8", SS, PE 900-3920, Sigma 1,2 |
| 80457-840 | Packed Column | 0.2% C-1500 CarboBlack C 80/100 6' 1/8" SS PE |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80457-894 | Packed Column | 0.2% Carbowax 1500 CarboBlk C 80/100 6', 1/8", SS, OC, Gow Mac 580 |
| 80458-800 | Packed Column | 0.1% Rt-1000 CarboBlack C 80/100 6ft, 2mm ID, Stainless |
| 80458-810 | Packed Column | 0.1% Rt-1000 Carboblk C 80/100 6', 1/8", SS, OC |
| 80458-820 | Packed Column | 0.1% Rt-1000 Carboblack C 80/100 6ft, 2mm ID, Stainless, Varian |
| 80458-830 | Packed Column | 0.1% Rt-1000 Carboblack C 80/100 6ft, 1/8", SS, PE 900-3920, Sigma 1,2,3 |
| 80459-800 | Packed Column | 0.19% Picric Acid CarboBlack C 80/100 6ft, 2mm ID, Stainless |
| 80459-810 | Packed Column | 0.19% Picric Acid CarboBlack C 80/100 6ft, 2mm ID, Stainless |
| 80459-820 | Packed Column | 0.19% Picric Acid CarboBlack C 80/100 6' 2mmID SS Varian 3700 |
| 80459-853 | Packed Column | 0.19% Picric Acid CarboBlack C 80/100 6ft, 2mm ID, SS Shimadzu 17A, 2010 |
| 80460-800 | Packed Column | 0.3% Carbowax 20M/0.1% H3PO4 CarboBlack C 60/80 2.5ft, 3.2mm ID, Stainless |
| 80460-810 | Packed Column | 0.3% Carbowax 20M, 0.1% H3PO4 Carboblack C 60/80 2.5', 3.2mm ID, SS, HP |
| 80461-800 | Packed Column | 3% Rt-101 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80462-800 | Packed Column | 3% Rt-2100 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80463-800 | Packed Column | 5% Rt-1200/1.75% Bentone 34 Silcoport W 100/120 6ft, 2mm ID, Stainless |
| 80463-80090( | Packed Column | 5% Rt-1200, 1.75% Bentone 34 Silcoport W 100/120 6', 1/8" SS, OC, PreCond |
| 80463-810 | Packed Column | 5% Rt-1200/1.75% Bentone 34 Silcoport W 100/120 6', 1/8", SS |
| 80463-888 | Packed Column | 5% Rt-1200, 1.75% Bentone 34 Silcoport W 100/120 6', 1/8", SS Config for SRI-3 |
| 80464-800 | Packed Column | INDEFINITE BACKORDER 5% Rt-1200/5% Bentone 34 Silcoport W 100/120 6ft, |
| 80464-845 | Packed Column | INDEFINITE BACKORDER 5% Rt-1200/5% Bentone34 Silcoport W 100/120 6ft, 2 |
| 80465-800 | Packed Column | 10% TCEP Chromosorb PAW 100/120 8ft, 2mm ID, Stainless |
| 80465-810 | Packed Column | 10% TCEP Chromosorb PAW 100/120 8ft, 2mmID, SS HP |
| 80465-84090 | Packed Column | 10% TCEP Chromosorb PAW 100/120 8', 2mm ID, SS, NOC, PE 8700 |
| 80465-895 | Packed Column | 10% TCEP Chrmsrb PAW 100/120 8', 2mm ID, SS |
| 80466-800 | Packed Column | 23% Rt-1700 Chromosorb PAW 80/100 30ft, 2mm ID, Stainless |
| 80466-810 | Packed Column | 23% Rt-1700 Chromosorb PAW 80/100 30', 2mm ID, Stainless |
| 80466-895 | Packed Column | 23% Sebaconitrile (Rt-1700) Chromosorb PAW 80/100 30ft 2mm ID SS SRI 8610 |
| 80467-800 | Packed Column | HayeSep Q 80/100 6ft, 2mm ID, Stainless |
| 80467-80090( | Packed Column | HayeSep Q 80/100 6ft, 2mm ID SS NOC Pre Cond |
| 80467-80090 | Packed Column | HayeSep Q 80/100 6ft 2mm ID SS NOC |
| 80467-810 | Packed Column | Hayesep Q 80/100 6', 1/8", SS, HP |
| 80467-81090 | Packed Column | Hayesep Q 80/100 6', 1/8", SS,HP NOC |
| 80467-820 | Packed Column | HayeSep Q 80/100 6ft 2mmID SS Varian 3700 |
| 80467-821 | Packed Column | HayeSep Q 80/100 6ft, 2mm ID, Stainless Varian 3800 |
| 80467-840 | Packed Column | Hayesep Q 80/100 6', 2mm ID, Stainless |
| 80467-84090 | Packed Column | Hayesep Q 80/100 6', 2mm ID, SS, NOC |
| 80467-841 | Packed Column | HayeSep Q 80/100, 6ft, 2mm ID SS, Config for PE Auto Sys XL |
| 80467-84590 | Packed Column | Hayesep Q 80/100 6', 1/8", SS, NOC, AAI |
| 80467-850 | Packed Column | Hayesep Q 80/100 6', 1/8", SS, Shimadzu 14A, 2014 |
| 80467-851 | Packed Column | HayeSep Q 80/100 6ft 2mm ID SS Shimadzu 8A |
| 80467-893 | Packed Column | HS-Q, 80/100, 6ft, 2mm ID SS, Gow Mac 816 |
| 80468-800 | Packed Column | Porapak Q 80/100 6ft, 2mm ID, Stainless |
| 80468-80090( | Packed Column | Porapak Q 80/100 6', 2mm ID, SS, NOC Precondition |
| 80468-80090 | Packed Column | Porapak Q 80/100 6', 1/8", SS, NOC |
| 80468-810 | Packed Column | Porapak Q 80/100 6ft, 2mm ID, SS |
| 80468-81090( | Packed Column | Porapak Q 80/100 6ft 2mm ID SS HP 5890 Pre Cond |
| 80468-81090 | Packed Column | Porapak Q 80/100 6', 1/8", SS, NOC |
| 80468-820 | Packed Column | Porapak Q 80/100 6ft, 2mmID, SS Varian 3700 |
| 80468-82090 | Packed Column | Porapak Q 80/100 6ft, 2mm ID, Stainless, NOC, Varian 3700 |
| 80468-840 | Packed Column | Porapak Q 80/100 6ft, 2mm ID, Stainless, PE |
| 80468-84090 | Packed Column | Porapak Q 80/100 6' 1/8" SS PE NOC |
| 80468-850 | Packed Column | Porapak Q 80/100 6ft, 2mmID, SS Shimadzu 14A, 2014 |
| 80468-851 | Packed Column | Porapak Q 80/100 6 ft, 2mm ID, SS, Shimadzu 8A, |
| 80468-853 | Packed Column | Porapak Q, 80/100, 6ft 2mm ID, SS, Shimadzu 17A 2010 |
| 80468-888 | Packed Column | Porapak Q 80/100 6', 2mm SS, Varian 3700 Inlet = 5cm Outlet = 1cm |
| 80468-894 | Packed Column | Porapak Q, 80/100, 6ft 2mmID, SS, For Gow Mac 580 |
| 80468-89490 | Packed Column | Porapak Q 80/100 6', 1/8", SS, NOC, GM-580 |
| 80468-895 | Packed Column | Porapak Q 80/100 6ft, 2mm ID, Stainless |
| 80468-895R | Packed Column | Porapak Q 80/100 6' 1/8" SS SRI 8610C Dual GC Right Side |
| 80469-800 | Packed Column | Porapak QS 80/100 6ft, 2mm ID, Stainless |
| 80469-810 | Packed Column | Porapak QS 80/100 6', 1/8", SS, HP |
| 80469-81090 | Packed Column | Porapak QS, 80/100, 6ft 1/8" OD, SS, HP, NOC |
| 80469-820 | Packed Column | Porapak QS 80/100 6', 2mm, SS |
| 80469-830 | Packed Column | Porapak QS 80/100 6ft, 2mm ID, SS, PE |
| 80469-840 | Packed Column | Porapak QS 80/100 6ft, 2mm ID, Stainless, PE Auto System |
| 80469-860 | Packed Column | Porapak QS 80/100 6ft, 2mm ID, Stainless Finnigan |
| 80470-800 | Packed Column | Porapak R 80/100 6ft, 2mm ID, Stainless |

| | | |
|---|---|---|
| 80470-80090 | Packed Column | Porapak R 80/100 6ft, 2mm ID SS NOC |
| 80470-810 | Packed Column | Porapak R 80/100 6', 1/8", SS, HP |
| 80470-81090 | Packed Column | Porapak R 80/100 6ft 1/8in SS HP NOC |
| 80470-840 | Packed Column | Porapak R 80/100 6', 1/8", SS, PE |
| 80470-84090 | Packed Column | Porapak R 80/100 6', 1/8", SS, NOC, PE |
| 80471-800 | Packed Column | Chromosorb 101 80/100 6ft, 2mm ID, Stainless |
| 80471-810 | Packed Column | Chromosorb 101 80/100 6ft, 2mm ID, SS, HP |
| 80471-81090( | Packed Column | Chromosorb 101 80/100 6ft 2mm ID SS HP PreCond NOC |
| 80471-81090 | Packed Column | Chromosorb 101 80/100 6ft 2mm ID SS HP NOC |
| 80471-820 | Packed Column | Chromosorb 101 80/100 6ft, 2mm ID, Stainless |
| 80471-821 | Packed Column | Chromosorb 101 80/100 6ft, 2mm ID, SS Config for Varian 3800 |
| 80471-84090 | Packed Column | Chromsorb 101 80/100 6', 1/8" SS, NOC, PE AutoSys |
| 80471-895R | Packed Column | Chromosorb 101 80/100 6ft, 2mm ID, Stainless, SRI 8610C Right |
| 80472-800 | Packed Column | Chromosorb 102 80/100 6ft, 2mm ID, Stainless |
| 80472-80090 | Packed Column | Chromosorb 102 80/100 6' 2mmID SS NOC |
| 80472-810 | Packed Column | Chromsorb 102 80/100 6', 1/8", SS, OC, HP |
| 80472-81090 | Packed Column | Chromosorb 102 80/100 6ft, 2mm ID, Stainless, NOC, HP |
| 80472-820 | Packed Column | Chromosorb 102 80/100 6ft 2mm ID, Stainless, Varian |
| 80473-800 | Packed Column | Molesieve 5A 60/80 6ft, 2mm ID, Stainless |
| 80473-80090 | Packed Column | Molesieve 5A 60/80 6ft 2mm ID SS NOC |
| 80473-810 | Packed Column | Molesieve 5A 60/80 6', 2mm ID, SS, HP |
| 80473-81090 | Packed Column | Molesieve 5A 60/80 6', 2mm ID, SS, NOC (Pack Full to Ends) |
| 80473-820 | Packed Column | Molesieve 5A, 60/80 6ft, 2mm ID, Stainless Config for Varian 3700 GC |
| 80473-821 | Packed Column | Molesieve 5A 60/80 6ft, 2mmID, SS, Varian 3800 |
| 80473-840 | Packed Column | Molesieve 5A 60/80 6ft, 2mm ID SS AutoSys |
| 80473-850 | Packed Column | Molesieve 5A, 60/80 6ft, 2mm ID, SS For Shimadzu 14A, 2014 |
| 80473-88890 | Packed Column | Molesieve 5A 60/80, 6ft, 2mm ID, SS, Special Config, NOC |
| 80473-893 | Packed Column | Molesieve 5A 60/80 6', 2mm, SS, GM-816 1" Voids at Ends |
| 80473-895 | Packed Column | Molesieve 5A, 60/80, 6ft 2mm ID, SS, For SRI 8610 GC |
| 80473-895R | Packed Column | Molesieve 5A 60/80 6', 1/8", 2mm, SS, SRI8610C Dual GC Right Side |
| 80474-800 | Packed Column | MoleSieve 5A 80/100 6ft, 2mm ID, Stainless |
| 80474-80090 | Packed Column | MoleSieve 5A 80/100 6ft, 2mm ID, Stainless, NOC |
| 80474-810 | Packed Column | Molesieve 5A 80/100 6', 1/8" SS, HP |
| 80474-81090 | Packed Column | Molesieve 5A 80/100 6', 2mm ID, SS, NOC |
| 80474-820 | Packed Column | MoleSieve 5A 80/100 6ft, 2mm ID SS Varian 3700 |
| 80474-830 | Packed Column | Molesieve 5A 80/100 6', 1/8", SS, PE |
| 80474-840 | Packed Column | MoleSieve 5A 80/100 6ft, 2mm ID, Stainless PE AutoSys 8300,8400,8700 |
| 80474-84090 | Packed Column | MoleSieve 5A 80/100 6', 1/8", SS, NOC, PE Auto |
| 80474-845 | Packed Column | Molesieve 5A 80/100 6ft, 2mm ID, Stainless, ABB 3100 |
| 80474-84590 | Packed Column | Molesieve 5A 80/100 6', 1/8" SS, NOC, ABB |
| 80474-850 | Packed Column | MoleSieve 5A 80/100 6ft 2mm ID SS Shimadzu 14A |
| 80474-875 | Packed Column | MoleSieve 5A 80/100 6ft, 2mm ID, Stainless, AC |
| 80474-89090 | Packed Column | Molesieve 5A 80/100 6', 1/8", SS, NOC, Gow Mac 590 |
| 80474-895 | Packed Column | MoleSieve 5A 80/100 6ft, 1/8", SS, SRI8610C |
| 80474-89590 | Packed Column | MoleSieve 5A 80/100 6ft 2mm ID SS SRI 8610C NOC |
| 80475-800 | Packed Column | MoleSieve 13X 60/80 6ft, 2mm ID, Stainless |
| 80475-80090 | Packed Column | Molesieve 13X 60/80 6', 1/8", SS, NOC |
| 80475-810 | Packed Column | Molesieve 13X 60/80 6', 2mm ID, SS, HP |
| 80475-81090( | Packed Column | Molesieve 13X 60/80 6', 2mm ID, SS, HP, NOC, PreCond |
| 80475-820 | Packed Column | Molesieve 13X 60/80 6', 1/8", SS, OC, Var |
| 80475-821 | Packed Column | MoleSieve 13X, 60/80, 6ft, 2mm ID, SS, Varian 3800 |
| 80475-840 | Packed Column | MoleSieve 13X 60/80 6ft, 2mm ID, Stainless, PE 8300 |
| 80475-84090( | Packed Column | MoleSieve 13X 60/80 6ft, 2mm ID, SS, PE8300 Preconditioning |
| 80475-85090 | Packed Column | MoleSieve 13X, 60/80, 6ft, 2mm ID, SS, NOC, for Shimadzu 2014 and 14A GCs |
| 80476-800 | Packed Column | MoleSieve 13X 80/100 6ft, 2mm ID, Stainless |
| 80476-80090( | Packed Column | MoleSieve 13X 80/100 6', 2mm ID, SS, NOC Preconditioned |
| 80476-80090 | Packed Column | MoleSieve 13X 80/100 6ft, 2mm ID SS NOC |
| 80476-810 | Packed Column | MoleSieve 13X 80/100 6ft, 2mm ID, Stainless, HP |
| 80476-81090 | Packed Column | MoleSieve 13X 80/100 6ft, 2mm ID, Stainless, HP, NOC |
| 80476-820 | Packed Column | MoleSieve 13X 80/100 6' 2mmID SS Varian 3700 |
| 80476-821 | Packed Column | MoleSieve 13X 80/100 6f, 2mmID, SS, Varian 3800 |
| 80476-840 | Packed Column | MoleSieve 13X 80/100 6ft, 2mm ID, Stainless, PE Config |
| 80476-84590 | Packed Column | MoleSieve 13X 80/100 6', 1/8", SS, ABB, NOC |
| 80476-88890 | Packed Column | MoleSieve 13X 80/100, 6ft, 2mm ID SS, Special Config., NOC |
| 80476-89490 | Packed Column | MoleSieve 13X 80/100 6', 1/8", SS, GowMac 580, NOC |
| 80476-895L | Packed Column | MoleSieve 13X 80/100 6ft 2mm ID SS SRI 8610C Left Side |

| | | |
|---|---|---|
| 80476-895R | Packed Column | MoleSieve 13X 80/100 6ft, 2mm ID, Stainless, SRI 8610C Right |
| 80477-800 | Packed Column | 3% Rtx-5 Silcoport 100/120 2m, 2mm ID, Silco |
| 80477-80090 | Packed Column | 3% Rtx-5 Silcoport 100/120 2m, 2mmID, Silco, NOC |
| 80477-810 | Packed Column | 3% Rtx-5 Silcoport W 100/120 2m, 2mm, Silco, HP |
| 80477-82090 | Packed Column | 3% Rtx-5 Silcoport W 100/120 2m, 2mm, Silco, NOC, Varian |
| 80477-840 | Packed Column | 3% Rtx-5 Silcoport W 100/120 2m, 2mm ID, Silco |
| 80477-84090 | Packed Column | 3% Rtx-5 Silcoport W 100/120 2m, 2mm ID, Silco, NOC PE |
| 80477-851 | Packed Column | 3% Rtx-5 Silcoport W 100/120 2m, 1/8", Silco, Shdzu 8A |
| 80477-888 | Packed Column | 3% Rtx-5 Silcoport 100/120 2m, 2mm, Silco, Fig.7 X=10.5"/Y=7"/S=6" |
| 80478-800 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m, 2mm ID, Silco |
| 80478-80090 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m, 2mm ID, Silco NOC |
| 80478-810 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m, 2mm, Silco, HP |
| 80478-82090 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m 2mm ID Silco Varian 3700 NOC |
| 80478-84090 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m 2mm ID Silco PE Auto Sys NOC |
| 80478-84190 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m 2mm Silco NOC PE |
| 80478-850 | Packed Column | 10% Rtx-5 Silcoport W 100/120 2m 2mm ID Silco Shimadzu 14A |
| 80479-800 | Packed Column | 20% Rtx-5 Silcoport W 100/120 2m, 2mm ID, Silco |
| 80479-80090 | Packed Column | 20% Rtx-5, Silcoport W, 100/120 2m, 2mm ID, Silco, NOC |
| 80479-810 | Packed Column | 20% Rtx-5 Silcoport W 100/120 2m, 2mm, Silco, HP |
| 80479-81090 | Packed Column | 20% Rtx-5 Silcoport W 100/120 2m, 2mm, Silco, NOC, HP |
| 80479-851 | Packed Column | 20% Rtx-5, Silcoport W, 100/120 2m, 2mm ID, SILCO, Shimadzu 8A |
| 80480-800 | Packed Column | MoleSieve 13X 60/80 2m, 2mm ID, Silco |
| 80480-80090 | Packed Column | MoleSieve 13X 60/80 2m, 2mmID Silco NOC |
| 80480-810 | Packed Column | MoleSieve 13X 60/80 2m, 2mm ID, Silco Hewlett Packard |
| 80480-81090 | Packed Column | MoleSieve 13X 60/80 2m 2mm ID Silco HP NOC |
| 80480-82090 | Packed Column | Molesieve 13X 60/80 2m 2mmID Silco Varian NOC |
| 80480-895 | Packed Column | MoleSieve 13X 60/80, 2m 2mm ID, Silco, For SRI 8610GC |
| 80481-800 | Packed Column | MoleSieve 13X 80/100 2m, 2mm ID, Silco |
| 80481-82090 | Packed Column | Molesieve 13X 80/100 2m, 1/8" Silco, NOC, Varian |
| 80482-800 | Packed Column | Rt-XLSulfur 1m, 3.2mm ID, 3/16" OD |
| 80483-800 | Packed Column | Rt-XLSulfur 2m, 3.2mm ID, 3/16" OD |
| 80484-800 | Packed Column | Rt-XLSulfur 1m, 2.0mm ID, 1/8" OD Column Does Not Include Ferrules and Nuts, |
| 80484-80090 | Packed Column | Rt-XLSulfur 1m 2mm NOC Column Does Not Include Ferrules and Nuts, Installati |
| 80484-810 | Packed Column | Rt-XLSulfur 1m, 2.0mm ID, 1/8" OD Column Does Not Include Ferrules and Nuts, |
| 80484-81090 | Packed Column | Rt-XLSulfur 1m 1/8" HP NOC Column Does Not Include Ferrules and Nuts, Install |
| 80484-820 | Packed Column | Rt-XLSulfur 1m, 2.0mm ID, 1/8"OD Varian 3700, Vista Series Column Does Not Ir |
| 80484-830 | Packed Column | Rt-XLSulfur 1m, 2mm ID 1/8in OD PE 900-3920 Column Does Not Include Ferrule |
| 80484-840 | Packed Column | Rt-XLSulfur 1m, 2.0mm ID, 1/8" OD, PE Autosystem **For Valve Applications,Inst |
| 80484-850 | Packed Columns | Rt-XLSulfur 1m, 2.0mm ID, 1/8"OD Shimadzu 14A, 2014 Column Does Not Includ |
| 80484-895 | Packed Column | Rt-XLSulfur 1m 2mm ID SRI 8610C Column Does Not Include Ferrules and Nuts, |
| 80485-800 | Packed Column | Rt-XLSulfur 2m, 2.00mm ID, 1/8" OD, Sulfinert Tubing Column Does Not Include F |
| 80485-80090 | Packed Column | Rt-XLSulfur 2m, 1/8"OD Sulfinert, NOC Column Does Not Include Ferrules and Nu |
| 80485-810 | Packed Column | Rt-XLSulfur 2m, 2.00mm ID, 1/8" OD, Sulfinert, HP Column Does Not Include Ferı |
| 80485-81090( | Packed Column | Rt-XLSulfur, 2m, 1/8" OD, Sulfinert HP, Preconditioned Column Does Not Include |
| 80485-81090 | Packed Column | Rt-XLSulfur 2m, 1/8",NOC,Sulfinert,HP Column Does Not Include Ferrules and Nu |
| 80485-820 | Packed Column | Rt-XLSulfur 2m, 2mm ID, Sulfinert, OC, Varian Column Does Not Include Ferrules |
| 80485-821 | Packed Column | Rt-XLSulfur 2m, 2.00mm ID, 1/8"OD, Sulfinert Tubing Varian 3800 Column Does I |
| 80485-830 | Packed Column | Rt-XLSulfur 2m 2mm ID Sulfinert PE 900-3920 Column Does Not Include Ferrules |
| 80485-840 | Packed Column | Rt-XLSulfur 2m, 1/8", PE Column Does Not Include Ferrules and Nuts, Installation |
| 80485-84090 | Packed Column | Rt-XLSulfur 2m, 2mm ID, PE, NOC Column Does Not Include Ferrules and Nuts, |
| 80485-850 | Packed Column | Rt-XLSulfur 2m, 2mm ID 1/8in OD Sulfinert Column Does Not Include Ferrules an |
| 80485-853 | Packed Column | Rt-XLSulfur 2m, 2.0mmID, Sulfinert, Shimadzu 17A, 2010 Column does not includ |
| 80485-860 | Packed Column | Rt-XLSulfur 2m, 2.00mm ID, 1/8" OD Column Does Not Include Ferrules and Nuts |
| 80485-870 | Packed Column | Rt-XLSulfur 2m, 1/8" Sulfinert Tremetrics/Tracor Column Does Not Include Ferrule |
| 80485-874 | Packed Column | Rt-XLSulfur 2m, 2.00mm ID, 1/8" OD, Sulfinert Tubing, HNU 310/311 **Install Kit # |
| 80485-875 | Packed Column | Rt-XLSulfur 2m, 2mm ID, 1/8"OD AC CONTROLS Column Does Not Include Ferr |
| 80485-888 | Packed Column | Rt-XLSulfur 2m, 2.00mm ID, 1/8" OD, Sulfinert Special Configuration, Customer S |
| 80485-895 | Packed Column | Rt-XLSulfur 2m, 2mm, Sulfinert SRI8610C Column Does Not Include Ferrules and |
| 80485-89590 | Packed Column | Rt-XLSulfur 2m, 2mm ID Sulfinert SRI 8610C NOC Column Does Not Include Ferı |
| 80486-800 | Packed Column | ShinCarbon ST 80/100 2m,2mmID,1/8"OD,Silco |
| 80486-80090( | Packed Column | ShinCarbon ST 80/100 2m, 2mmID 1/8"OD Silco Pre Cond |
| 80486-80090 | Packed Column | ShinCarbon ST 80/100 2m,2mm,1/8"OD,Silco,NOC |
| 80486-810 | Packed Column | ShinCarbon ST 80/100 2m,2mID,1/8"OD,Silco,HP |
| 80486-81090 | Packed Column | ShinCarbon ST 80/100 2m 2mmID Silco HP NOC |
| 80486-811 | Packed Column | ShinCarbon ST 80/100 2m, 2mm ID Silco HP 6850 |
| 80486-820 | Packed Column | ShinCarbon ST 80/100 2m 2mmID 1/8"OD Silco, Varian |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 80486-82090 | Packed Column | ShinCarbon ST 80/100, 2m 2mmID, SILCO, Varian 3700, NOC |
| 80486-821 | Packed Column | ShinCarbon ST 80/100 2m 1/8" Silco Varian 3800 |
| 80486-82190 | Packed Column | ShinCarbon ST 80/100 2m 2mm ID Silco Varian 3800 NOC |
| 80486-840 | Packed Column | ShinCarbon ST 80/100 2m,2mmID,1/8"OD,Silco, PE |
| 80486-841 | Packed Column | ShinCarbon ST 80/100 2m, 2mmID, 1/8"OD, Silco For PE Auto Sys XL |
| 80486-850 | Packed Column | ShinCarbon ST 80/100 2m 2mmID Silco Shimadzu 14A |
| 80486-851 | Packed Column | ShinCarbon ST 80/100 2m,2mm,1/8",Silco,Shdzu-8A |
| 80486-85190( | Packed Column | ShinCarbon ST 80/100 2m 1/8" Silco Shdzu-8A Pre Cond |
| 80486-85190 | Packed Column | ShinCarbon ST 80/100 2m, 2mm 1/8" Silco Shdzu-8A NOC |
| 80486-853 | Packed Column | ShinCarbon ST 80/100, 2m, 2mm ID, Silco, For Shimadzu 17A, 2010 |
| 80486-85390 | Packed Column | ShinCarbon ST 80/100 2m, 2mm ID Silco Shimadzu 17A NOC |
| 80486-860 | Packed Column | ShinCarbon ST 80/100 2m 2mmID 1/8"OD Silco Trace 2000 or Finnigan |
| 80486-890 | Packed Column | ShinCarbon ST 80/100 2m 2mm ID Silco Gow Mac 590 |
| 80486-89090 | Packed Column | ShinCarbon ST 80/100 2m, 2mmID 1/8"OD Silco Gow Mac 590 NOC |
| 80486-894 | Packed Column | ShinCarbon ST, 80/100, 2m 2mmID, Silco, Gow Mac 580 |
| 80486-89490 | Packed Column | ShinCarbon ST 80/100 2m, 2mm ID Silco Gow Mac 580 NOC |
| 80486-895 | Packed Column | ShinCarbon ST 80/100 2m, 2mmID, Silco SRI 8610C |
| 80486-895L | Packed Column | ShinCarbon ST 80/100 2m, 2mm ID Silco SRI 8610 Duel GC left side |
| 80486-896 | Packed Column | ShinCarbon ST 80/100 2m, 2mmID, 1/8"OD, Silco, SRI 9300 |
| 83606-800 | D3606 Column Set | Rt-D3606-1, 1.8m 2mmID Rt-D3606-2, 4.9m 2mmID Sulfinert Gen Config |
| 83606-80090 | D3606 Column Set | Rt-D3606-1, 1.8m 2mmID Rt-D3606-2, 4.9m 2mmID Sulfinert Gen Config NOC In |
| 83606-810 | D3606 Column Set | Rt-D3606-1, 1.8m 2mmID Rt-D3606-2, 4.9m 2mmID HP |
| 83606-81090 | D3606 Column Set | Rt-D3606, 1.8m 2mm ID Rt-D3606, 4.9 2mm ID Sulfinert, HP Conf |
| 83606-821 | D3606 Column Set | Rt-D3606-1, 1.8m, 2mm ID Rt-D3606-2, 4.9m, 2mm ID Sulfinert, Varian 3800 |
| 83606-840 | D3606 Column Set | Rt-D3606-1, 1.8m 2mmID Rt-D3606-2, 4.9m 2mmID Sulfinert PE Auto Sys |
| 83606-841 | D3606 Column Set | Rt-D3606-1, 1.8m 2mm ID Rt-D3606-2, 4.9m 2mm ID PE Auto Sys XL |
| 83606-850 | D3606 Column Set | Rt-D3606-1, 1.8m 2mmID Rt-D3606-2, 4.9m 2mmID Sulfinert Shimadzu 14A |
| 83606-888 | D3606 Column Set | Rt-D3606-1, 1.8m 2mmID Rt-D3606-2, 4.9m 2mm ID Sulfinert Special Configurati |
| 88000-800 | Packed Column | Phase 2a, 2b, 2c on Silcosteel Tubing Gen Conf |
| 88000-810 | Packed Column | Phase 2a, 2b, 2c on Silcosteel Tubing |
| 88000-81090 | Packed Column | Phase 2a, 2b, 2c on Silcosteel Tubing NOC |
| 88000-841 | Packed Column | Phase 2a,2b,2c on Silcosteel Tubing PE Auto Sys XL |
| 88000-875 | Packed Column | Phase 2a 2b 2c on Silcosteel Tubing |
| 88000-880 | Packed Column | Phase 2a, 2b, 2c on Silcosteel Tubing |
| 88000-895 | Packed Column | Phase 2a, 2b, 2c on Silcosteel Tubing SRI 8610C |
| 88004-810 | Packed Column | 2.1% Carbowax 1540 Porasil C 80/100 2', 2mm ID, Silco, NOC, HP Config |
| 88004-875 | Packed Column | 2.1% Carbowax 1540 Porasil C 80/100 2' 2mmID/Silco/ NOC/AC |
| 88005-810 | Packed Column | Hayesep Q, 60/80, 9', 2mm ID, Silco, NOC, HP Config |
| 88005-875 | Packed Column | HAYESEP Q 60/80 9', 2mmID, Silco NOC/AC |
| 88006-810 | Packed Column | Molesieve 13X, 45/60, 9', 2mm ID, Silco, NOC, HP Config |
| 88006-875 | Packed Column | Molesieve 13X 45/60 9' 2mmID /Silco/ NOC/AC |
| 88007-810 | Packed Column | Hayesep Q, 60/80, 4', 2mm ID, NOC, HP Config |
| 88007-875 | Packed Column | HAYESEP Q 60/80 4' 2mmID NOC/AC |
| 88008-875 | Packed Column | Molesieve 5A 45/60 9' 2mmID/ NOC/AC |
| 88009-810 | Packed Column | Chromosorb PAW 60/80 3' 2mmID, Silco, NOC, HP Config |
| 88009-81090 | Packed Column | Chromsorb PAW 60/80 3', 1/8", Silco, NOC, HP |
| 88009-875 | Packed Column | Chromosorb PAW 60/80 3' 2mmID, Silco NOC/AC |
| 88010-800 | Packed Column | HAYESEP T 80/100 6' 1/8" Silco NOC Gen Conf |
| 88010-810 | Packed Column | HS-T, 80/100, 6', 1/8" Silco, HP Config |
| 88010-875 | Packed Column | HAYESEP T 80/100 Silco 6' 1/8" NOC/AC |
| 88012-800 | Packed Column | 5% Carbowax 20m on CarboBlack B 60/80, 6ftx1/8in, 2.1mm ID, Stainless |
| 88012-810 | Packed Column | 5% Carbowax 20m on CarboBlack B 60/80, 6ftx1/8in, 2.1mm ID, Stainless, HP |
| 88012-820 | Packed Column | 5% Carbowax 20m on CarboBlack B 60/80 6ft 2.1mm ID, SS, Varian 3700 Vista S |
| 88012-840 | Packed Column | 5% Carbowax 20M Carboblack B 60/80 6', 1/8", SS, OC |
| 88012-84090 | Packed Column | 5% Carbowax 20m on CarboBlack B 60/80 6ft, 2mmID SS PE AutoSys NOC |
| 88012-893 | Packed Column | 5% Carbowax 20m on CarboBlack B 60/80, 6ft, 1/8in, 2.1mmID, SS For Gow Mac |
| 88012-895R | Packed Column | 5% Carbowax 20M CarboBlack B 60/80 6' 1/8" SS SRI 8610C Dual GC Right Side |
| 88013-800 | Packed Column | 1% Rt-1000 on CarboBlack B 60/80, 8ftx1/8in, 2.1mm ID, Stainless |
| 88013-810 | Packed Column | 1% Rt-1000 Carboblk B 60/80 8', 1/8", SS, HP |
| 88013-888 | Packed Column | 1% Rt-1000 Carboblack B 60/80 8', 1/8", SS, Config for SRI-310 Notch 1/4" from e |
| 88013-895 | Packed Column | 1% Rt-1000 on CarboBlack B 60/80, 8ftx1/8in, 2.1mm ID, Stainless, SRI 8610C |
| 88014-800 | Packed Column | Molesieve 5A 80/100 10ftx1/8in 2.1mm ID SS |
| 88014-80090 | Packed Column | Molesieve 5A, 80/100 10ftx1/8in, 2.1mm ID, SS, NOC |
| 88014-810 | Packed Column | Molesieve 5A 80/100 10', 1/8", SS |
| 88014-81090 | Packed Column | Molesieve 5A 80/100 10', 1/8", SS, NOC |
| 88014-820 | Packed Column | Molesieve 5A 80/100 10'x 1/8" 2.1mmID SS |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 88014-821 | Packed Column | Molesieve 5A 80/100 10' 1/8" SS Varian 3800 |
| 88014-840 | Packed Column | Molesieve 5A 80/100 10ft 1/8in SS PE Auto System |
| 88014-850 | Packed Column | Molesieve 5A 80/100 10ft, 2.1mm ID, SS, for Shimadzu 14A and 2014 GCs |
| 88014-85090 | Packed Column | Molesieve 5A, 80/100, 10ft, 2.1mm ID SS, NOC, for Shimadzu 14A and 2014 GCs |
| 88014-851 | Packed Column | Molesieve 5A 80/100 10ft 2mm ID SS Shimadzu 8A |
| 88014-893 | Packed Column | MS-5A, 80/100, 10ft 2.0mmID, SS, Gow Mac 816 |
| 88014-894 | Packed Column | Molesieve 5A, 80/100 10' x 1/8", 2.1mm ID SS GowMac580 |
| 88014-895 | Packed Column | Molesieve 5A, 80/100 10ft 2mmID SS SRI 8610C |
| 88015-800 | Packed Column | Molesieve 5A, 80/100 3ftx1/8in, 2.1mm ID, Stainless |
| 88015-810 | Packed Column | Molesieve 5A 80/100 3', 1/8", SS, HP |
| 88015-820 | Packed Column | Molesieve 5A, 80/100, 3ft, 2.1mm ID, SS, For Varian 3700, Vista Series, FID |
| 88015-840 | Packed Column | Molesieve 5A, 80/100 3ft, 2mm ID SS PE AutoSys |
| 88015-84090 | Packed Column | Molesieve 5A 80/100 3' 1/8" SS NOC PE |
| 88015-845 | Packed Column | Molesieve 5A 80/100 3', 1/8" SS, OnCol |
| 88015-895 | Packed Column | Molesieve 5A 80/100 3', 1/8" SS, OnCol, SRI |
| 88015-89590 | Packed Column | Molesieve 5A 80/100 3', 1/8", SS, NOC |
| 88015-895L | Packed Column | Molesieve 5A 80/100 3', 1/8", SS, SRI Dual Left Side |
| 9100311 | Ultra Silica 3um | 100 x 1.0mm |
| 9100312 | Ultra Silica 3um | 100 x 2.1mm |
| 9100312-700 | Ultra Silica 3um | 100 x 2.1mm with Trident |
| 9100313 | Ultra Silica 3um | 100 x 3.2mm |
| 9100313-700 | Ultra Silica 3um | 100 x 3.2mm with Trident |
| 9100315 | Ultra Silica 3um | 100 x 4.6mm |
| 9100315-700 | Ultra Silica 3um | 100 x 4.6mm with Trident |
| 9100331 | Ultra Silica 3um | 30 x 1.0mm |
| 9100332 | Ultra Silica 3um | 30 x 2.1mm |
| 9100332-700 | Ultra Silica 3um | 30 x 2.1mm with Trident |
| 9100333 | Ultra Silica 3um | 30 x 3.2mm |
| 9100333-700 | Ultra Silica 3um | 30 x 3.2mm with Trident |
| 9100335 | Ultra Silica 3um | 30 x 4.6mm |
| 9100335-700 | Ultra Silica 3um | 30 x 4.6mm with Trident |
| 9100351 | Ultra Silica 3um | 50 x 1.0mm |
| 9100352 | Ultra Silica 3um | 50 x 2.1mm |
| 9100352-700 | Ultra Silica 3um | 50 x 2.1mm with Trident |
| 9100353 | Ultra Silica 3um | 50 x 3.2mm |
| 9100353-700 | Ultra Silica 3um | 50 x 3.2mm with Trident |
| 9100355 | Ultra Silica 3um | 50 x 4.6mm |
| 9100355-700 | Ultra Silica 3um | 50 x 4.6mm with Trident |
| 9100361 | Ultra Silica 3um | 150 x 1.0mm |
| 9100362 | Ultra Silica 3um | 150 x 2.1mm |
| 9100362-700 | Ultra Silica 3um | 150 x 2.1mm with Trident |
| 9100363 | Ultra Silica 3um | 150 x 3.2mm |
| 9100363-700 | Ultra Silica 3um | 150 x 3.2mm with Trident |
| 9100365 | Ultra Silica 3um | 150 x 4.6mm |
| 9100365-700 | Ultra Silica 3um | 150 x 4.6mm with Trident |
| 91005 | Ultra Silica 5um | Bulk Packing Material 10 grams |
| 91005 | Ultra Silica 5um | Bulk Packing Material 10 grams |
| 91005 | Ultra Silica 5um | Bulk Packing Material 10 grams |
| 91005 | Ultra Silica 5um | Bulk Packing Material 10 grams |
| 910050210 | Ultra Silica | 10 x 4.0mm 3-pk |
| 910050212 | Ultra Silica | 10 x 2.1mm 3-pk |
| 910050220 | Ultra Silica | 20 x 4.0mm 2-pk |
| 910050222 | Ultra Silica | 20 x 2.1mm 2-pk |
| 9100510 | Ultra Silica 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9100511 | Ultra Silica 5um | 100 x 1.0mm |
| 9100512 | Ultra Silica 5um | 100 x 2.1mm |
| 9100512-700 | Ultra Silica 5um | 100 x 2.1mm with Trident |
| 9100513 | Ultra Silica 5um | 100 x 3.2mm |
| 9100513-700 | Ultra Silica 5um | 100 x 3.2mm with Trident |
| 9100515 | Ultra Silica 5um | 100 x 4.6mm |
| 9100515-700 | Ultra Silica 5um | 100 x 4.6mm with Trident |
| 9100517 | Ultra Silica 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9100518 | Ultra Silica 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9100519 | Ultra Silica 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9100521 | Ultra Silica 5um | 200 x 1.0mm |
| 9100522 | Ultra Silica 5um | 200 x 2.1mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9100522-700 | Ultra Silica 5um | 200 x 2.1mm with Trident |
| 9100523 | Ultra Silica 5um | 200 x 3.2mm |
| 9100523-700 | Ultra Silica 5um | 200 x 3.2mm with Trident |
| 9100525 | Ultra Silica 5um | 200 x 4.6mm |
| 9100525-700 | Ultra Silica 5um | 200 x 4.6mm with Trident |
| 9100531 | Ultra Silica 5um | 30 x 1.0mm |
| 9100532 | Ultra Silica 5um | 30 x 2.1mm |
| 9100532-700 | Ultra Silica 5um | 30 x 2.1mm with Trident |
| 9100533 | Ultra Silica 5um | 30 x 3.2mm |
| 9100533-700 | Ultra Silica 5um | 30 x 3.2mm with Trident |
| 9100535 | Ultra Silica 5um | 30 x 4.6mm |
| 9100535-700 | Ultra Silica 5um | 30 x 4.6mm with Trident |
| 9100550 | Ultra Silica 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9100551 | Ultra Silica 5um | 50 x 1.0mm |
| 9100552 | Ultra Silica 5um | 50 x 2.1mm |
| 9100552-700 | Ultra Silica 5um | 50 x 2.1mm with Trident |
| 9100553 | Ultra Silica 5um | 50 x 3.2mm |
| 9100553-700 | Ultra Silica 5um | 50 x 3.2mm with Trident |
| 9100555 | Ultra Silica 5um | 50 x 4.6mm |
| 9100555-700 | Ultra Silica 5um | 50 x 4.6mm with Trident |
| 9100557 | Ultra Silica 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9100558 | Ultra Silica 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9100559 | Ultra Silica 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9100560 | Ultra Silica 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9100561 | Ultra Silica 5um | 150 x 1.0mm |
| 9100562 | Ultra Silica 5um | 150 x 2.1mm |
| 9100562-700 | Ultra Silica 5um | 150 x 2.1mm with Trident |
| 9100563 | Ultra Silica 5um | 150 x 3.2mm |
| 9100563-700 | Ultra Silica 5um | 150 x 3.2mm with Trident |
| 9100565 | Ultra Silica 5um | 150 x 4.6mm |
| 9100565-700 | Ultra Silica 5um | 150 x 4.6mm with Trident |
| 9100567 | Ultra Silica 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9100568 | Ultra Silica 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9100569 | Ultra Silica 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9100570 | Ultra Silica 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9100571 | Ultra Silica 5um | 250 x 1.0mm |
| 9100572 | Ultra Silica 5um | 250 x 2.1mm |
| 9100572-700 | Ultra Silica 5um | 250 x 2.1mm with Trident |
| 9100573 | Ultra Silica 5um | 250 x 3.2mm |
| 9100573-700 | Ultra Silica 5um | 250 x 3.2mm with Trident |
| 9100575 | Ultra Silica 5um | 250 x 4.6mm |
| 9100575-700 | Ultra Silica 5um | 250 x 4.6mm with Trident |
| 9100577 | Ultra Silica 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9100578 | Ultra Silica 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9100579 | Ultra Silica 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9101311 | Ultra C1 3um | 100 x 1.0mm |
| 9101312 | Ultra C1 3um | 100 x 2.1mm |
| 9101312-700 | Ultra C1 3um | 100 x 2.1mm with Trident |
| 9101313 | Ultra C1 3um | 100 x 3.2mm |
| 9101313-700 | Ultra C1 3um | 100 x 3.2mm with Trident |
| 9101315 | Ultra C1 3um | 100 x 4.6mm |
| 9101315-700 | Ultra C1 3um | 100 x 4.6mm with Trident |
| 9101331 | Ultra C1 3um | 30 x 1.0mm |
| 9101332 | Ultra C1 3um | 30 x 2.1mm |
| 9101332-700 | Ultra C1 3um | 30 x 2.1mm with Trident |
| 9101333 | Ultra C1 3um | 30 x 3.2mm |
| 9101333-700 | Ultra C1 3um | 30 x 3.2mm with Trident |
| 9101335 | Ultra C1 3um | 30 x 4.6mm |
| 9101335-700 | Ultra C1 3um | 30 x 4.6mm with Trident |
| 9101351 | Ultra C1 3um | 50 x 1.0mm |
| 9101352 | Ultra C1 3um | 50 x 2.1mm |
| 9101352-700 | Ultra C1 3um | 50 x 2.1mm with Trident |
| 9101353 | Ultra C1 3um | 50 x 3.2mm |
| 9101353-700 | Ultra C1 3um | 50 x 3.2mm with Trident |
| 9101355 | Ultra C1 3um | 50 x 4.6mm |
| 9101355-700 | Ultra C1 3um | 50 x 4.6mm with Trident |

| | | |
|---|---|---|
| 9101361 | Ultra C1 3um | 150 x 1.0mm |
| 9101362 | Ultra C1 3um | 150 x 2.1mm |
| 9101362-700 | Ultra C1 3um | 150 x 2.1mm with Trident |
| 9101363 | Ultra C1 3um | 150 x 3.2mm |
| 9101363-700 | Ultra C1 3um | 150 x 3.2mm with Trident |
| 9101365 | Ultra C1 3um | 150 x 4.6mm |
| 9101365-700 | Ultra C1 3um | 150 x 4.6mm with Trident |
| 91015 | Ultra C1 5um | Bulk Packing Material 10 grams |
| 91015 | Ultra C1 5um | Bulk Packing Material 10 grams |
| 91015 | Ultra C1 5um | Bulk Packing Material 10 grams |
| 91015 | Ultra C1 5um | Bulk Packing Material 10 grams |
| 910150210 | Ultra C1 | 10 x 4.0mm 3-pk |
| 910150212 | Ultra C1 | 10 x 2.1mm 3-pk |
| 910150220 | Ultra C1 | 20 x 4.0mm 2-pk |
| 910150222 | Ultra C1 | 20 x 2.1mm 2-pk |
| 9101511 | Ultra C1 5um | 100 x 1.0mm |
| 9101512 | Ultra C1 5um | 100 x 2.1mm |
| 9101512-700 | Ultra C1 5um | 100 x 2.1mm with Trident |
| 9101513 | Ultra C1 5um | 100 x 3.2mm |
| 9101513-700 | Ultra C1 5um | 100 x 3.2mm with Trident |
| 9101515 | Ultra C1 5um | 100 x 4.6mm |
| 9101515-700 | Ultra C1 5um | 100 x 4.6mm with Trident |
| 9101521 | Ultra C1 5um | 200 x 1.0mm |
| 9101522 | Ultra C1 5um | 200 x 2.1mm |
| 9101522-700 | Ultra C1 5um | 200 x 2.1mm with Trident |
| 9101523 | Ultra C1 5um | 200 x 3.2mm |
| 9101523-700 | Ultra C1 5um | 200 x 3.2mm with Trident |
| 9101525 | Ultra C1 5um | 200 x 4.6mm |
| 9101525-700 | Ultra C1 5um | 200 x 4.6mm with Trident |
| 9101531 | Ultra C1 5um | 30 x 1.0mm |
| 9101532 | Ultra C1 5um | 30 x 2.1mm |
| 9101532-700 | Ultra C1 5um | 30 x 2.1mm with Trident |
| 9101533 | Ultra C1 5um | 30 x 3.2mm |
| 9101533-700 | Ultra C1 5um | 30 x 3.2mm with Trident |
| 9101535 | Ultra C1 5um | 30 x 4.6mm |
| 9101535-700 | Ultra C1 5um | 30 x 4.6mm with Trident |
| 9101551 | Ultra C1 5um | 50 x 1.0mm |
| 9101552 | Ultra C1 5um | 50 x 2.1mm |
| 9101552-700 | Ultra C1 5um | 50 x 2.1mm with Trident |
| 9101553 | Ultra C1 5um | 50 x 3.2mm |
| 9101553-700 | Ultra C1 5um | 50 x 3.2mm with Trident |
| 9101555 | Ultra C1 5um | 50 x 4.6mm |
| 9101555-700 | Ultra C1 5um | 50 x 4.6mm with Trident |
| 9101561 | Ultra C1 5um | 150 x 1.0mm |
| 9101562 | Ultra C1 5um | 150 x 2.1mm |
| 9101562-700 | Ultra C1 5um | 150 x 2.1mm with Trident |
| 9101563 | Ultra C1 5um | 150 x 3.2mm |
| 9101563-700 | Ultra C1 5um | 150 x 3.2mm with Trident |
| 9101565 | Ultra C1 5um | 150 x 4.6mm |
| 9101565-700 | Ultra C1 5um | 150 x 4.6mm with Trident |
| 9101571 | Ultra C1 5um | 250 x 1.0mm |
| 9101572 | Ultra C1 5um | 250 x 2.1mm |
| 9101572-700 | Ultra C1 5um | 250 x 2.1mm with Trident |
| 9101573 | Ultra C1 5um | 250 x 3.2mm |
| 9101573-700 | Ultra C1 5um | 250 x 3.2mm with Trident |
| 9101575 | Ultra C1 5um | 250 x 4.6mm |
| 9101575-700 | Ultra C1 5um | 250 x 4.6mm with Trident |
| 9102311 | Ultra C4 3um | 100 x 1.0mm |
| 9102312 | Ultra C4 3um | 100 x 2.1mm |
| 9102312-700 | Ultra C4 3um | 100 x 2.1mm with Trident |
| 9102313 | Ultra C4 3um | 100 x 3.2mm |
| 9102313-700 | Ultra C4 3um | 100 x 3.2mm with Trident |
| 9102315 | Ultra C4 3um | 100 x 4.6mm |
| 9102315-700 | Ultra C4 3um | 100 x 4.6mm with Trident |
| 9102331 | Ultra C4 3um | 30 x 1.0mm |
| 9102332 | Ultra C4 3um | 30 x 2.1mm |

| | | |
|---|---|---|
| 9102332-700 | Ultra C4 3um | 30 x 2.1mm with Trident |
| 9102333 | Ultra C4 3um | 30 x 3.2mm |
| 9102333-700 | Ultra C4 3um | 30 x 3.2mm with Trident |
| 9102335 | Ultra C4 3um | 30 x 4.6mm |
| 9102335-700 | Ultra C4 3um | 30 x 4.6mm with Trident |
| 9102351 | Ultra C4 3um | 50 x 1.0mm |
| 9102352 | Ultra C4 3um | 50 x 2.1mm |
| 9102352-700 | Ultra C4 3um | 50 x 2.1mm with Trident |
| 9102353 | Ultra C4 3um | 50 x 3.2mm |
| 9102353-700 | Ultra C4 3um | 50 x 3.2mm with Trident |
| 9102355 | Ultra C4 3um | 50 x 4.6mm |
| 9102355-700 | Ultra C4 3um | 50 x 4.6mm with Trident |
| 9102361 | Ultra C4 3um | 150 x 1.0mm |
| 9102362 | Ultra C4 3um | 150 x 2.1mm |
| 9102362-700 | Ultra C4 3um | 150 x 2.1mm with Trident |
| 9102363 | Ultra C4 3um | 150 x 3.2mm |
| 9102363-700 | Ultra C4 3um | 150 x 3.2mm with Trident |
| 9102365 | Ultra C4 3um | 150 x 4.6mm |
| 9102365-700 | Ultra C4 3um | 150 x 4.6mm with Trident |
| 91025 | Ultra C4 5um | Bulk Packing Material 10 grams |
| 91025 | Ultra C4 5um | Bulk Packing Material 10 grams |
| 91025 | Ultra C4 5um | Bulk Packing Material 10 grams |
| 91025 | Ultra C4 5um | Bulk Packing Material 10 grams |
| 910250210 | Ultra C4 | 10 x 4.0mm 3-pk |
| 910250212 | Ultra C4 | 10 x 2.1mm 3-pk |
| 910250220 | Ultra C4 | 20 x 4.0mm 2-pk |
| 910250222 | Ultra C4 | 20 x 2.1mm 2-pk |
| 9102511 | Ultra C4 5um | 100 x 1.0mm |
| 9102512 | Ultra C4 5um | 100 x 2.1mm |
| 9102512-700 | Ultra C4 5um | 100 x 2.1mm with Trident |
| 9102513 | Ultra C4 5um | 100 x 3.2mm |
| 9102513-700 | Ultra C4 5um | 100 x 3.2mm with Trident |
| 9102515 | Ultra C4 5um | 100 x 4.6mm |
| 9102515-700 | Ultra C4 5um | 100 x 4.6mm with Trident |
| 9102521 | Ultra C4 5um | 200 x 1.0mm |
| 9102522 | Ultra C4 5um | 200 x 2.1mm |
| 9102522-700 | Ultra C4 5um | 200 x 2.1mm with Trident |
| 9102523 | Ultra C4 5um | 200 x 3.2mm |
| 9102523-700 | Ultra C4 5um | 200 x 3.2mm with Trident |
| 9102525 | Ultra C4 5um | 200 x 4.6mm |
| 9102525-700 | Ultra C4 5um | 200 x 4.6mm with Trident |
| 9102531 | Ultra C4 5um | 30 x 1.0mm |
| 9102532 | Ultra C4 5um | 30 x 2.1mm |
| 9102532-700 | Ultra C4 5um | 30 x 2.1mm with Trident |
| 9102533 | Ultra C4 5um | 30 x 3.2mm |
| 9102533-700 | Ultra C4 5um | 30 x 3.2mm with Trident |
| 9102535 | Ultra C4 5um | 30 x 4.6mm |
| 9102535-700 | Ultra C4 5um | 30 x 4.6mm with Trident |
| 9102551 | Ultra C4 5um | 50 x 1.0mm |
| 9102552 | Ultra C4 5um | 50 x 2.1mm |
| 9102552-700 | Ultra C4 5um | 50 x 2.1mm with Trident |
| 9102553 | Ultra C4 5um | 50 x 3.2mm |
| 9102553-700 | Ultra C4 5um | 50 x 3.2mm with Trident |
| 9102555 | Ultra C4 5um | 50 x 4.6mm |
| 9102555-700 | Ultra C4 5um | 50 x 4.6mm with Trident |
| 9102561 | Ultra C4 5um | 150 x 1.0mm |
| 9102562 | Ultra C4 5um | 150 x 2.1mm |
| 9102562-700 | Ultra C4 5um | 150 x 2.1mm with Trident |
| 9102563 | Ultra C4 5um | 150 x 3.2mm |
| 9102563-700 | Ultra C4 5um | 150 x 3.2mm with Trident |
| 9102565 | Ultra C4 5um | 150 x 4.6mm |
| 9102565-700 | Ultra C4 5um | 150 x 4.6mm with Trident |
| 9102571 | Ultra C4 5um | 250 x 1.0mm |
| 9102572 | Ultra C4 5um | 250 x 2.1mm |
| 9102572-700 | Ultra C4 5um | 250 x 2.1mm with Trident |
| 9102573 | Ultra C4 5um | 250 x 3.2mm |

| | | |
|---|---|---|
| 9102573-700 | Ultra C4 5um | 250 x 3.2mm with Trident |
| 9102575 | Ultra C4 5um | 250 x 4.6mm |
| 9102575-700 | Ultra C4 5um | 250 x 4.6mm with Trident |
| 9103311 | Ultra C8 3um | 100 x 1.0mm |
| 9103312 | Ultra C8 3um | 100 x 2.1mm |
| 9103312-700 | Ultra C8 3um | 100 x 2.1mm with Trident |
| 9103313 | Ultra C8 3um | 100 x 3.2mm |
| 9103313-700 | Ultra C8 3um | 100 x 3.2mm with Trident |
| 9103315 | Ultra C8 3um | 100 x 4.6mm |
| 9103315-700 | Ultra C8 3um | 100 x 4.6mm with Trident |
| 9103331 | Ultra C8 3um | 30 x 1.0mm |
| 9103332 | Ultra C8 3um | 30 x 2.1mm |
| 9103332-700 | Ultra C8 3um | 30 x 2.1mm with Trident |
| 9103333 | Ultra C8 3um | 30 x 3.2mm |
| 9103333-700 | Ultra C8 3um | 30 x 3.2mm with Trident |
| 9103335 | Ultra C8 3um | 30 x 4.6mm |
| 9103335-700 | Ultra C8 3um | 30 x 4.6mm with Trident |
| 9103351 | Ultra C8 3um | 50 x 1.0mm |
| 9103352 | Ultra C8 3um | 50 x 2.1mm |
| 9103352-700 | Ultra C8 3um | 50 x 2.1mm with Trident |
| 9103353 | Ultra C8 3um | 50 x 3.2mm |
| 9103353-700 | Ultra C8 3um | 50 x 3.2mm with Trident |
| 9103355 | Ultra C8 3um | 50 x 4.6mm |
| 9103355-700 | Ultra C8 3um | 50 x 4.6mm with Trident |
| 9103361 | Ultra C8 3um | 150 x 1.0mm |
| 9103362 | Ultra C8 3um | 150 x 2.1mm |
| 9103362-700 | Ultra C8 3um | 150 x 2.1mm with Trident |
| 9103363 | Ultra C8 3um | 150 x 3.2mm |
| 9103363-700 | Ultra C8 3um | 150 x 3.2mm with Trident |
| 9103365 | Ultra C8 3um | 150 x 4.6mm |
| 9103365-700 | Ultra C8 3um | 150 x 4.6mm with Trident |
| 91035 | Ultra C8 5um | Bulk Packing Material 10 grams |
| 91035 | Ultra C8 5um | Bulk Packing Material 10 grams |
| 91035 | Ultra C8 5um | Bulk Packing Material 10 grams |
| 91035 | Ultra C8 5um | Bulk Packing Material 10 grams |
| 910350210 | Ultra C8 | 10 x 4.0mm 3-pk |
| 910350212 | Ultra C8 | 10 x 2.1mm 3-pk |
| 910350220 | Ultra C8 | 20 x 4.0mm 2-pk |
| 910350222 | Ultra C8 | 20 x 2.1mm 2-pk |
| 9103510 | Ultra C8 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9103511 | Ultra C8 5um | 100 x 1.0mm |
| 9103512 | Ultra C8 5um | 100 x 2.1mm |
| 9103512-700 | Ultra C8 5um | 100 x 2.1mm with Trident |
| 9103513 | Ultra C8 5um | 100 x 3.2mm |
| 9103513-700 | Ultra C8 5um | 100 x 3.2mm with Trident |
| 9103514 | Ultra C8 5um | 100 x 4.0mm |
| 9103515 | Ultra C8 5um | 100 x 4.6mm |
| 9103515-700 | Ultra C8 5um | 100 x 4.6mm with Trident |
| 9103517 | Ultra C8 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9103518 | Ultra C8 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9103519 | Ultra C8 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9103521 | Ultra C8 5um | 200 x 1.0mm |
| 9103522 | Ultra C8 5um | 200 x 2.1mm |
| 9103522-700 | Ultra C8 5um | 200 x 2.1mm with Trident |
| 9103523 | Ultra C8 5um | 200 x 3.2mm |
| 9103523-700 | Ultra C8 5um | 200 x 3.2mm with Trident |
| 9103525 | Ultra C8 5um | 200 x 4.6mm |
| 9103525-700 | Ultra C8 5um | 200 x 4.6mm with Trident |
| 9103531 | Ultra C8 5um | 30 x 1.0mm |
| 9103532 | Ultra C8 5um | 30 x 2.1mm |
| 9103532-700 | Ultra C8 5um | 30 x 2.1mm with Trident |
| 9103533 | Ultra C8 5um | 30 x 3.2mm |
| 9103533-700 | Ultra C8 5um | 30 x 3.2mm with Trident |
| 9103535 | Ultra C8 5um | 30 x 4.6mm |
| 9103535-700 | Ultra C8 5um | 30 x 4.6mm with Trident |
| 9103550 | Ultra C8 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9103551 | Ultra C8 5um | 50 x 1.0mm |
| 9103552 | Ultra C8 5um | 50 x 2.1mm |
| 9103552-700 | Ultra C8 5um | 50 x 2.1mm with Trident |
| 9103553 | Ultra C8 5um | 50 x 3.2mm |
| 9103553-700 | Ultra C8 5um | 50 x 3.2mm with Trident |
| 9103555 | Ultra C8 5um | 50 x 4.6mm |
| 9103555-700 | Ultra C8 5um | 50 x 4.6mm with Trident |
| 9103557 | Ultra C8 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9103558 | Ultra C8 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9103559 | Ultra C8 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9103560 | Ultra C8 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9103561 | Ultra C8 5um | 150 x 1.0mm |
| 9103562 | Ultra C8 5um | 150 x 2.1mm |
| 9103562-700 | Ultra C8 5um | 150 x 2.1mm with Trident |
| 9103563 | Ultra C8 5um | 150 x 3.2mm |
| 9103563-700 | Ultra C8 5um | 150 x 3.2mm with Trident |
| 9103564 | Ultra C8 5um | 150 x 4.0mm |
| 9103564-700 | Ultra C8 5um | 150 x 4.0mm w/ Trident |
| 9103565 | Ultra C8 5um | 150 x 4.6mm |
| 9103565-700 | Ultra C8 5um | 150 x 4.6mm with Trident |
| 9103567 | Ultra C8 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9103568 | Ultra C8 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9103569 | Ultra C8 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9103570 | Ultra C8 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9103571 | Ultra C8 5um | 250 x 1.0mm |
| 9103572 | Ultra C8 5um | 250 x 2.1mm |
| 9103572-700 | Ultra C8 5um | 250 x 2.1mm with Trident |
| 9103573 | Ultra C8 5um | 250 x 3.2mm |
| 9103573-700 | Ultra C8 5um | 250 x 3.2mm with Trident |
| 9103575 | Ultra C8 5um | 250 x 4.6mm |
| 9103575-700 | Ultra C8 5um | 250 x 4.6mm with Trident |
| 9103577 | Ultra C8 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9103578 | Ultra C8 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9103579 | Ultra C8 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9105311 | Ultra Phenyl 3um | 100 x 1.0mm |
| 9105312 | Ultra Phenyl 3um | 100 x 2.1mm |
| 9105312-700 | Ultra Phenyl 3um | 100 x 2.1mm with Trident |
| 9105313 | Ultra Phenyl 3um | 100 x 3.2mm |
| 9105313-700 | Ultra Phenyl 3um | 100 x 3.2mm with Trident |
| 9105315 | Ultra Phenyl 3um | 100 x 4.6mm |
| 9105315-700 | Ultra Phenyl 3um | 100 x 4.6mm with Trident |
| 9105331 | Ultra Phenyl 3um | 30 x 1.0mm |
| 9105332 | Ultra Phenyl 3um | 30 x 2.1mm |
| 9105332-700 | Ultra Phenyl 3um | 30 x 2.1mm with Trident |
| 9105333 | Ultra Phenyl 3um | 30 x 3.2mm |
| 9105333-700 | Ultra Phenyl 3um | 30 x 3.2mm with Trident |
| 9105335 | Ultra Phenyl 3um | 30 x 4.6mm |
| 9105335-700 | Ultra Phenyl 3um | 30 x 4.6mm with Trident |
| 9105351 | Ultra Phenyl 3um | 50 x 1.0mm |
| 9105352 | Ultra Phenyl 3um | 50 x 2.1mm |
| 9105352-700 | Ultra Phenyl 3um | 50 x 2.1mm with Trident |
| 9105353 | Ultra Phenyl 3um | 50 x 3.2mm |
| 9105353-700 | Ultra Phenyl 3um | 50 x 3.2mm with Trident |
| 9105355 | Ultra Phenyl 3um | 50 x 4.6mm |
| 9105355-700 | Ultra Phenyl 3um | 50 x 4.6mm with Trident |
| 9105361 | Ultra Phenyl 3um | 150 x 1.0mm |
| 9105362 | Ultra Phenyl 3um | 150 x 2.1mm |
| 9105362-700 | Ultra Phenyl 3um | 150 x 2.1mm with Trident |
| 9105363 | Ultra Phenyl 3um | 150 x 3.2mm |
| 9105363-700 | Ultra Phenyl 3um | 150 x 3.2mm with Trident |
| 9105365 | Ultra Phenyl 3um | 150 x 4.6mm |
| 9105365-700 | Ultra Phenyl 3um | 150 x 4.6mm with Trident |
| 91055 | Ultra Phenyl 5um | Bulk Packing Material 10 grams |
| 91055 | Ultra Phenyl 5um | Bulk Packing Material 10 grams |
| 91055 | Ultra Phenyl 5um | Bulk Packing Material 10 grams |
| 91055 | Ultra Phenyl 5um | Bulk Packing Material 10 grams |

| | | |
|---|---|---|
| 910550210 | Ultra Phenyl | 10 x 4.6mm 3-pk |
| 910550212 | Ultra Phenyl | 10 x 2.1mm 3-pk |
| 910550220 | Ultra Phenyl | 20 x 4.0mm 2-pk |
| 910550222 | Ultra Phenyl | 20 x 2.1mm 2-pk |
| 9105510 | Ultra Phenyl 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9105511 | Ultra Phenyl 5um | 100 x 1.0mm |
| 9105512 | Ultra Phenyl 5um | 100 x 2.1mm |
| 9105512-700 | Ultra Phenyl 5um | 100 x 2.1mm with Trident |
| 9105513 | Ultra Phenyl 5um | 100 x 3.2mm |
| 9105513-700 | Ultra Phenyl 5um | 100 x 3.2mm with Trident |
| 9105515 | Ultra Phenyl 5um | 100 x 4.6mm |
| 9105515-700 | Ultra Phenyl 5um | 100 x 4.6mm with Trident |
| 9105517 | Ultra Phenyl 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9105518 | Ultra Phenyl 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9105519 | Ultra Phenyl 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9105521 | Ultra Phenyl 5um | 200 x 1.0mm |
| 9105522 | Ultra Phenyl 5um | 200 x 2.1mm |
| 9105522-700 | Ultra Phenyl 5um | 200 x 2.1mm with Trident |
| 9105523 | Ultra Phenyl 5um | 200 x 3.2mm |
| 9105523-700 | Ultra Phenyl 5um | 200 x 3.2mm with Trident |
| 9105525 | Ultra Phenyl 5um | 200 x 4.6mm |
| 9105525-700 | Ultra Phenyl 5um | 200 x 4.6mm with Trident |
| 9105531 | Ultra Phenyl 5um | 30 x 1.0mm |
| 9105532 | Ultra Phenyl 5um | 30 x 2.1mm |
| 9105532-700 | Ultra Phenyl 5um | 30 x 2.1mm with Trident |
| 9105533 | Ultra Phenyl 5um | 30 x 3.2mm |
| 9105533-700 | Ultra Phenyl 5um | 30 x 3.2mm with Trident |
| 9105535 | Ultra Phenyl 5um | 30 x 4.6mm |
| 9105535-700 | Ultra Phenyl 5um | 30 x 4.6mm with Trident |
| 9105550 | Ultra Phenyl 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9105551 | Ultra Phenyl 5um | 50 x 1.0mm |
| 9105552 | Ultra Phenyl 5um | 50 x 2.1mm |
| 9105552-700 | Ultra Phenyl 5um | 50 x 2.1mm with Trident |
| 9105553 | Ultra Phenyl 5um | 50 x 3.2mm |
| 9105553-700 | Ultra Phenyl 5um | 50 x 3.2mm with Trident |
| 9105555 | Ultra Phenyl 5um | 50 x 4.6mm |
| 9105555-700 | Ultra Phenyl 5um | 50 x 4.6mm with Trident |
| 9105557 | Ultra Phenyl 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9105558 | Ultra Phenyl 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9105559 | Ultra Phenyl 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9105560 | Ultra Phenyl 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9105561 | Ultra Phenyl 5um | 150 x 1.0mm |
| 9105562 | Ultra Phenyl 5um | 150 x 2.1mm |
| 9105562-700 | Ultra Phenyl 5um | 150 x 2.1mm with Trident |
| 9105563 | Ultra Phenyl 5um | 150 x 3.2mm |
| 9105563-700 | Ultra Phenyl 5um | 150 x 3.2mm with Trident |
| 9105565 | Ultra Phenyl 5um | 150 x 4.6mm |
| 9105565-700 | Ultra Phenyl 5um | 150 x 4.6mm with Trident |
| 9105567 | Ultra Phenyl 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9105568 | Ultra Phenyl 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9105569 | Ultra Phenyl 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9105570 | Ultra Phenyl 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9105571 | Ultra Phenyl 5um | 250 x 1.0mm |
| 9105572 | Ultra Phenyl 5um | 250 x 2.1mm |
| 9105572-700 | Ultra Phenyl 5um | 250 x 2.1mm with Trident |
| 9105573 | Ultra Phenyl 5um | 250 x 3.2mm |
| 9105573-700 | Ultra Phenyl 5um | 250 x 3.2mm with Trident |
| 9105575 | Ultra Phenyl 5um | 250 x 4.6mm |
| 9105575-700 | Ultra Phenyl 5um | 250 x 4.6mm with Trident |
| 9105577 | Ultra Phenyl 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9105578 | Ultra Phenyl 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9105579 | Ultra Phenyl 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9106311 | Ultra Cyano 3um | 100 x 1.0mm |
| 9106312 | Ultra Cyano 3um | 100 x 2.1mm |
| 9106312-700 | Ultra Cyano 3um | 100 x 2.1mm with Trident |
| 9106313 | Ultra Cyano 3um | 100 x 3.2mm |

| | | |
|---|---|---|
| 9106313-700 | Ultra Cyano 3um | 100 x 3.2mm with Trident |
| 9106315 | Ultra Cyano 3um | 100 x 4.6mm |
| 9106315-700 | Ultra Cyano 3um | 100 x 4.6mm with Trident |
| 9106331 | Ultra Cyano 3um | 30 x 1.0mm |
| 9106332 | Ultra Cyano 3um | 30 x 2.1mm |
| 9106332-700 | Ultra Cyano 3um | 30 x 2.1mm with Trident |
| 9106333 | Ultra Cyano 3um | 30 x 3.2mm |
| 9106333-700 | Ultra Cyano 3um | 30 x 3.2mm with Trident |
| 9106335 | Ultra Cyano 3um | 30 x 4.6mm |
| 9106335-700 | Ultra Cyano 3um | 30 x 4.6mm with Trident |
| 9106351 | Ultra Cyano 3um | 50 x 1.0mm |
| 9106352 | Ultra Cyano 3um | 50 x 2.1mm |
| 9106352-700 | Ultra Cyano 3um | 50 x 2.1mm with Trident |
| 9106353 | Ultra Cyano 3um | 50 x 3.2mm |
| 9106353-700 | Ultra Cyano 3um | 50 x 3.2mm with Trident |
| 9106355 | Ultra Cyano 3um | 50 x 4.6mm |
| 9106355-700 | Ultra Cyano 3um | 50 x 4.6mm with Trident |
| 9106361 | Ultra Cyano 3um | 150 x 1.0mm |
| 9106362 | Ultra Cyano 3um | 150 x 2.1mm |
| 9106362-700 | Ultra Cyano 3um | 150 x 2.1mm with Trident |
| 9106363 | Ultra Cyano 3um | 150 x 3.2mm |
| 9106363-700 | Ultra Cyano 3um | 150 x 3.2mm with Trident |
| 9106365 | Ultra Cyano 3um | 150 x 4.6mm |
| 9106365-700 | Ultra Cyano 3um | 150 x 4.6mm with Trident |
| 91065 | Ultra Cyano 5um | Bulk Packing Material 10 grams |
| 91065 | Ultra Cyano 5um | Bulk Packing Material 10 grams |
| 91065 | Ultra Cyano 5um | Bulk Packing Material 10 grams |
| 91065 | Ultra Cyano 5um | Bulk Packing Material 10 grams |
| 910650210 | Ultra Cyano | 10 x 4.0mm 3-pk |
| 910650212 | Ultra Cyano | 10 x 2.1mm 3-pk |
| 910650220 | Ultra Cyano | 20 x 4.0mm 2-pk |
| 910650222 | Ultra Cyano | 20 x 2.1mm 2-pk |
| 9106510 | Ultra Cyano 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9106511 | Ultra Cyano 5um | 100 x 1.0mm |
| 9106512 | Ultra Cyano 5um | 100 x 2.1mm |
| 9106512-700 | Ultra Cyano 5um | 100 x 2.1mm with Trident |
| 9106513 | Ultra Cyano 5um | 100 x 3.2mm |
| 9106513-700 | Ultra Cyano 5um | 100 x 3.2mm with Trident |
| 9106515 | Ultra Cyano 5um | 100 x 4.6mm |
| 9106515-700 | Ultra Cyano 5um | 100 x 4.6mm with Trident |
| 9106517 | Ultra Cyano 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9106518 | Ultra Cyano 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9106519 | Ultra Cyano 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9106521 | Ultra Cyano 5um | 200 x 1.0mm |
| 9106522 | Ultra Cyano 5um | 200 x 2.1mm |
| 9106522-700 | Ultra Cyano 5um | 200 x 2.1mm with Trident |
| 9106523 | Ultra Cyano 5um | 200 x 3.2mm |
| 9106523-700 | Ultra Cyano 5um | 200 x 3.2mm with Trident |
| 9106525 | Ultra Cyano 5um | 200 x 4.6mm |
| 9106525-700 | Ultra Cyano 5um | 200 x 4.6mm with Trident |
| 9106531 | Ultra Cyano 5um | 30 x 1.0mm |
| 9106532 | Ultra Cyano 5um | 30 x 2.1mm |
| 9106532-700 | Ultra Cyano 5um | 30 x 2.1mm with Trident |
| 9106533 | Ultra Cyano 5um | 30 x 3.2mm |
| 9106533-700 | Ultra Cyano 5um | 30 x 3.2mm with Trident |
| 9106535 | Ultra Cyano 5um | 30 x 4.6mm |
| 9106535-700 | Ultra Cyano 5um | 30 x 4.6mm with Trident |
| 9106550 | Ultra Cyano 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9106551 | Ultra Cyano 5um | 50 x 1.0mm |
| 9106552 | Ultra Cyano 5um | 50 x 2.1mm |
| 9106552-700 | Ultra Cyano 5um | 50 x 2.1mm with Trident |
| 9106553 | Ultra Cyano 5um | 50 x 3.2mm |
| 9106553-700 | Ultra Cyano 5um | 50 x 3.2mm with Trident |
| 9106555 | Ultra Cyano 5um | 50 x 4.6mm |
| 9106555-700 | Ultra Cyano 5um | 50 x 4.6mm with Trident |
| 9106557 | Ultra Cyano 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9106558 | Ultra Cyano 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9106559 | Ultra Cyano 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9106560 | Ultra Cyano 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9106561 | Ultra Cyano 5um | 150 x 1.0mm |
| 9106562 | Ultra Cyano 5um | 150 x 2.1mm |
| 9106562-700 | Ultra Cyano 5um | 150 x 2.1mm with Trident |
| 9106563 | Ultra Cyano 5um | 150 x 3.2mm |
| 9106563-700 | Ultra Cyano 5um | 150 x 3.2mm with Trident |
| 9106565 | Ultra Cyano 5um | 150 x 4.6mm |
| 9106565-700 | Ultra Cyano 5um | 150 x 4.6mm with Trident |
| 9106567 | Ultra Cyano 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9106568 | Ultra Cyano 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9106569 | Ultra Cyano 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9106570 | Ultra Cyano 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9106571 | Ultra Cyano 5um | 250 x 1.0mm |
| 9106572 | Ultra Cyano 5um | 250 x 2.1mm |
| 9106572-700 | Ultra Cyano 5um | 250 x 2.1mm with Trident |
| 9106573 | Ultra Cyano 5um | 250 x 3.2mm |
| 9106573-700 | Ultra Cyano 5um | 250 x 3.2mm with Trident |
| 9106575 | Ultra Cyano 5um | 250 x 4.6mm |
| 9106575-700 | Ultra Cyano 5um | 250 x 4.6mm with Trident |
| 9106577 | Ultra Cyano 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9106578 | Ultra Cyano 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9106579 | Ultra Cyano 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9107311 | Ultra Amino 3um | 100 x 1.0mm |
| 9107312 | Ultra Amino 3um | 100 x 2.1mm |
| 9107312-700 | Ultra Amino 3um | 100 x 2.1mm with Trident |
| 9107313 | Ultra Amino 3um | 100 x 3.2mm |
| 9107313-700 | Ultra Amino 3um | 100 x 3.2mm with Trident |
| 9107315 | Ultra Amino 3um | 100 x 4.6mm |
| 9107315-700 | Ultra Amino 3um | 100 x 4.6mm with Trident |
| 9107331 | Ultra Amino 3um | 30 x 1.0mm |
| 9107332 | Ultra Amino 3um | 30 x 2.1mm |
| 9107332-700 | Ultra Amino 3um | 30 x 2.1mm with Trident |
| 9107333 | Ultra Amino 3um | 30 x 3.2mm |
| 9107333-700 | Ultra Amino 3um | 30 x 3.2mm with Trident |
| 9107335 | Ultra Amino 3um | 30 x 4.6mm |
| 9107335-700 | Ultra Amino 3um | 30 x 4.6mm with Trident |
| 9107351 | Ultra Amino 3um | 50 x 1.0mm |
| 9107352 | Ultra Amino 3um | 50 x 2.1mm |
| 9107352-700 | Ultra Amino 3um | 50 x 2.1mm with Trident |
| 9107353 | Ultra Amino 3um | 50 x 3.2mm |
| 9107353-700 | Ultra Amino 3um | 50 x 3.2mm with Trident |
| 9107355 | Ultra Amino 3um | 50 x 4.6mm |
| 9107355-700 | Ultra Amino 3um | 50 x 4.6mm with Trident |
| 9107361 | Ultra Amino 3um | 150 x 1.0mm |
| 9107362 | Ultra Amino 3um | 150 x 2.1mm |
| 9107362-700 | Ultra Amino 3um | 150 x 2.1mm with Trident |
| 9107363 | Ultra Amino 3um | 150 x 3.2mm |
| 9107363-700 | Ultra Amino 3um | 150 x 3.2mm with Trident |
| 9107365 | Ultra Amino 3um | 150 x 4.6mm |
| 9107365-700 | Ultra Amino 3um | 150 x 4.6mm with Trident |
| 91075 | Ultra Amino 5um | Bulk Packing Material 10 grams |
| 91075 | Ultra Amino 5um | Bulk Packing Material 10 grams |
| 91075 | Ultra Amino 5um | Bulk Packing Material 10 grams |
| 91075 | Ultra Amino 5um | Bulk Packing Material 10 grams |
| 910750210 | Ultra Amino | 10 x 4.0mm 3-pk |
| 910750212 | Ultra Amino | 10 x 2.1mm 3-pk |
| 910750220 | Ultra Amino | 20 x 4.0mm 2-pk |
| 910750222 | Ultra Amino | 20 x 2.1mm 2-pk |
| 9107511 | Ultra Amino 5um | 100 x 1.0mm |
| 9107512 | Ultra Amino 5um | 100 x 2.1mm |
| 9107512-700 | Ultra Amino 5um | 100 x 2.1mm with Trident |
| 9107513 | Ultra Amino 5um | 100 x 3.2mm |
| 9107513-700 | Ultra Amino 5um | 100 x 3.2mm with Trident |
| 9107515 | Ultra Amino 5um | 100 x 4.6mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9107515-700 | Ultra Amino 5um | 100 x 4.6mm with Trident |
| 9107521 | Ultra Amino 5um | 200 x 1.0mm |
| 9107522 | Ultra Amino 5um | 200 x 2.1mm |
| 9107522-700 | Ultra Amino 5um | 200 x 2.1mm with Trident |
| 9107523 | Ultra Amino 5um | 200 x 3.2mm |
| 9107523-700 | Ultra Amino 5um | 200 x 3.2mm with Trident |
| 9107525 | Ultra Amino 5um | 200 x 4.6mm |
| 9107525-700 | Ultra Amino 5um | 200 x 4.6mm with Trident |
| 9107531 | Ultra Amino 5um | 30 x 1.0mm |
| 9107532 | Ultra Amino 5um | 30 x 2.1mm |
| 9107532-700 | Ultra Amino 5um | 30 x 2.1mm with Trident |
| 9107533 | Ultra Amino 5um | 30 x 3.2mm |
| 9107533-700 | Ultra Amino 5um | 30 x 3.2mm with Trident |
| 9107535 | Ultra Amino 5um | 30 x 4.6mm |
| 9107535-700 | Ultra Amino 5um | 30 x 4.6mm with Trident |
| 9107551 | Ultra Amino 5um | 50 x 1.0mm |
| 9107552 | Ultra Amino 5um | 50 x 2.1mm |
| 9107552-700 | Ultra Amino 5um | 50 x 2.1mm with Trident |
| 9107553 | Ultra Amino 5um | 50 x 3.2mm |
| 9107553-700 | Ultra Amino 5um | 50 x 3.2mm with Trident |
| 9107555 | Ultra Amino 5um | 50 x 4.6mm |
| 9107555-700 | Ultra Amino 5um | 50 x 4.6mm with Trident |
| 9107561 | Ultra Amino 5um | 150 x 1.0mm |
| 9107562 | Ultra Amino 5um | 150 x 2.1mm |
| 9107562-700 | Ultra Amino 5um | 150 x 2.1mm with Trident |
| 9107563 | Ultra Amino 5um | 150 x 3.2mm |
| 9107563-700 | Ultra Amino 5um | 150 x 3.2mm with Trident |
| 9107565 | Ultra Amino 5um | 150 x 4.6mm |
| 9107565-700 | Ultra Amino 5um | 150 x 4.6mm with Trident |
| 9107571 | Ultra Amino 5um | 250 x 1.0mm |
| 9107572 | Ultra Amino 5um | 250 x 2.1mm |
| 9107572-700 | Ultra Amino 5um | 250 x 2.1mm with Trident |
| 9107573 | Ultra Amino 5um | 250 x 3.2mm |
| 9107573-700 | Ultra Amino 5um | 250 x 3.2mm with Trident |
| 9107575 | Ultra Amino 5um | 250 x 4.6mm |
| 9107575-700 | Ultra Amino 5um | 250 x 4.6mm with Trident |
| 9109311 | Ultra BiPh 3um | 100 x 1.0mm |
| 9109312 | Ultra BiPh 3um | 100 x 2.1mm |
| 9109312-700 | Ultra BiPh 3um | 100 x 2.1mm with Trident |
| 9109313 | Ultra BiPh 3um | 100 x 3.2mm |
| 9109313-700 | Ultra BiPh 3um | 100 x 3.2mm with Trident |
| 9109315 | Ultra BiPh 3um | 100 x 4.6mm |
| 9109315-700 | Ultra BiPh 3um | 100 x 4.6mm with Trident |
| 9109331 | Ultra BiPh 3um | 30 x 1.0mm |
| 9109332 | Ultra BiPh 3um | 30 x 2.1mm |
| 9109332-700 | Ultra BiPh 3um | 30 x 2.1mm with Trident |
| 9109333 | Ultra BiPh 3um | 30 x 3.2mm |
| 9109333-700 | Ultra BiPh 3um | 30 x 3.2mm with Trident |
| 9109335 | Ultra BiPh 3um | 30 x 4.6mm |
| 9109335-700 | Ultra BiPh 3um | 30 x 4.6mm with Trident |
| 9109351 | Ultra BiPh 3um | 50 x 1.0mm |
| 9109352 | Ultra BiPh 3um | 50 x 2.1mm |
| 9109352-700 | Ultra BiPh 3um | 50 x 2.1mm with Trident |
| 9109353 | Ultra BiPh 3um | 50 x 3.2mm |
| 9109353-700 | Ultra BiPh 3um | 50 x 3.2mm with Trident |
| 9109355 | Ultra BiPh 3um | 50 x 4.6mm |
| 9109355-700 | Ultra BiPh 3um | 50 x 4.6mm with Trident |
| 9109361 | Ultra BiPh 3um | 150 x 1.0mm |
| 9109362 | Ultra BiPh 3um | 150 x 2.1mm |
| 9109362-700 | Ultra BiPh 3um | 150 x 2.1mm with Trident |
| 9109363 | Ultra BiPh 3um | 150 x 3.2mm |
| 9109363-700 | Ultra BiPh 3um | 150 x 3.2mm with Trident |
| 9109365 | Ultra BiPh 3um | 150 x 4.6mm |
| 9109365-700 | Ultra BiPh 3um | 150 x 4.6mm with Trident |
| 910950210 | Ultra BiPh | 10 x 4.0mm 3-pk |
| 910950212 | Ultra BiPh | 10 x 2.1mm 3-pk |

| | | |
|---|---|---|
| 910950220 | Ultra BiPh | 20 x 4.6mm 2-pk |
| 910950222 | Ultra BiPh | 20 x 2.1mm 2-pk |
| 9109511 | Ultra BiPh 5um | 100 x 1.0mm |
| 9109512 | Ultra BiPh 5um | 100 x 2.1mm |
| 9109512-700 | Ultra BiPh 5um | 100 x 2.1mm with Trident |
| 9109513 | Ultra BiPh 5um | 100 x 3.2mm |
| 9109513-700 | Ultra BiPh 5um | 100 x 3.2mm with Trident |
| 9109515 | Ultra BiPh 5um | 100 x 4.6mm |
| 9109515-700 | Ultra BiPh 5um | 100 x 4.6mm with Trident |
| 9109521 | Ultra BiPh 5um | 200 x 1.0mm |
| 9109522 | Ultra BiPh 5um | 200 x 2.1mm |
| 9109522-700 | Ultra BiPh 5um | 200 x 2.1mm with Trident |
| 9109523 | Ultra BiPh 5um | 200 x 3.2mm |
| 9109523-700 | Ultra BiPh 5um | 200 x 3.2mm with Trident |
| 9109525 | Ultra BiPh 5um | 200 x 4.6mm |
| 9109525-700 | Ultra BiPh 5um | 200 x 4.6mm with Trident |
| 9109531 | Ultra BiPh 5um | 30 x 1.0mm |
| 9109532 | Ultra BiPh 5um | 30 x 2.1mm |
| 9109532-700 | Ultra BiPh 5um | 30 x 2.1mm with Trident |
| 9109533 | Ultra BiPh 5um | 30 x 3.2mm |
| 9109533-700 | Ultra BiPh 5um | 30 x 3.2mm with Trident |
| 9109535 | Ultra BiPh 5um | 30 x 4.6mm |
| 9109535-700 | Ultra BiPh 5um | 30 x 4.6mm with Trident |
| 9109551 | Ultra BiPh 5um | 50 x 1.0mm |
| 9109552 | Ultra BiPh 5um | 50 x 2.1mm |
| 9109552-700 | Ultra BiPh 5um | 50 x 2.1mm with Trident |
| 9109553 | Ultra BiPh 5um | 50 x 3.2mm |
| 9109553-700 | Ultra BiPh 5um | 50 x 3.2mm with Trident |
| 9109555 | Ultra BiPh 5um | 50 x 4.6mm |
| 9109555-700 | Ultra BiPh 5um | 50 x 4.6mm with Trident |
| 9109561 | Ultra BiPh 5um | 150 x 1.0mm |
| 9109562 | Ultra BiPh 5um | 150 x 2.1mm |
| 9109562-700 | Ultra BiPh 5um | 150 x 2.1mm with Trident |
| 9109563 | Ultra BiPh 5um | 150 x 3.2mm |
| 9109563-700 | Ultra BiPh 5um | 150 x 3.2mm with Trident |
| 9109565 | Ultra BiPh 5um | 150 x 4.6mm |
| 9109565-700 | Ultra BiPh 5um | 150 x 4.6mm with Trident |
| 9109571 | Ultra BiPh 5um | 250 x 1.0mm |
| 9109572 | Ultra BiPh 5um | 250 x 2.1mm |
| 9109572-700 | Ultra BiPh 5um | 250 x 2.1mm with Trident |
| 9109573 | Ultra BiPh 5um | 250 x 3.2mm |
| 9109573-700 | Ultra BiPh 5um | 250 x 3.2mm with Trident |
| 9109575 | Ultra BiPh 5um | 250 x 4.6mm |
| 9109575-700 | Ultra BiPh 5um | 250 x 4.6mm with Trident |
| 9127311 | Ultra Aromax 3um | 100x1.0mm |
| 9127312 | Ultra Aromax 3um | 100 x 2.1mm |
| 9127312-700 | Ultra Aromax 3um | 100 x 2.1mm, with Trident |
| 9127313 | Ultra Aromax 3um | 100 x 3.2mm |
| 9127313-700 | Ultra Aromax 3um | 100 x 3.2mm, with Trident |
| 9127315 | Ultra Aromax 3um | 100 x 4.6mm |
| 9127315-700 | Ultra Aromax 3um | 100 x 4.6mm, with Trident |
| 9127331 | Ultra Aromax 3um | 30 x 1.0mm |
| 9127332 | Ultra Aromax 3um | 30 x 2.1mm |
| 9127332-700 | Ultra Aromax 3um | 30 x 2.1mm, with Trident |
| 9127333 | Ultra Aromax 3um | 30 x 3.2mm |
| 9127333-700 | Ultra Aromax 3um | 30 x 3.2mm, with Trident |
| 9127335 | Ultra Aromax 3um | 30 x 4.6mm |
| 9127335-700 | Ultra Aromax 3um | 30 x 4.6mm, with Trident |
| 9127351 | Ultra Aromax 3um | 50 x 1.0mm |
| 9127352 | Ultra Aromax 3um | 50 x 2.1mm |
| 9127352-700 | Ultra Aromax 3um | 50 x 2.1mm, with Trident |
| 9127353 | Ultra Aromax 3um | 50 x 3.2mm |
| 9127353-700 | Ultra Aromax 3um | 50 x 3.2mm, with Trident |
| 9127355 | Ultra Aromax 3um | 50 x 4.6mm |
| 9127355-700 | Ultra Aromax 3um | 50 x 4.6mm, with Trident |
| 9127361 | Ultra Aromax 3um | 150 x 1.0mm |

| | | |
|---|---|---|
| 9127362 | Ultra Aromax 3um | 150 x 2.1mm |
| 9127362-700 | Ultra Aromax 3um | 150 x 2.1mm, with Trident |
| 9127363 | Ultra Aromax 3um | 150 x 3.2mm |
| 9127363-700 | Ultra Aromax 3um | 150 x 3.2mm, with Trident |
| 9127365 | Ultra Aromax 3um | 150 x 4.6mm |
| 9127365-700 | Ultra Aromax 3um | 150 x 4.6mm, with Trident |
| 912750210 | Ultra Aromax 5um | 10 x 4.0mm Guard Cartridge Pack of 3 |
| 912750212 | Ultra Aromax 5um | 10 x 2.1mm Guard Cartridge Pack of 3 |
| 912750220 | Ultra Aromax 5um | 20 x 4.0mm Guard Cartridge Pack of 2 |
| 912750222 | Ultra Aromax 5um | 20 x 2.1mm Guard Cartridge Pack of 2 |
| 9127510 | Ultra Aromax 5um | 100x50mm |
| 9127511 | Ultra Aromax 5um | 100 x 1.0mm |
| 9127512 | Ultra Aromax 5um | 100 x 2.1mm |
| 9127512-700 | Ultra Aromax 5um | 100 x 2.1mm, with Trident |
| 9127513 | Ultra Aromax 5um | 100 x 3.2mm |
| 9127513-700 | Ultra Aromax 5um | 100 x 3.2mm, with Trident |
| 9127515 | Ultra Aromax 5um | 100 x 4.6mm |
| 9127515-700 | Ultra Aromax 5um | 100 x 4.6mm, with Trident |
| 9127517 | Ultra Aromax 5um | 100x10mm |
| 9127518 | Ultra Aromax 5um | 100x21.2mm |
| 9127519 | Ultra Aromax 5um | 100x30mm |
| 9127521 | Ultra Aromax 5um | 200 x 1.0mm |
| 9127522 | Ultra Aromax 5um | 200 x 2.1mm |
| 9127522-700 | Ultra Aromax 5um | 200 x 2.1mm, with Trident |
| 9127523 | Ultra Aromax 5um | 200 x 3.2mm |
| 9127523-700 | Ultra Aromax 5um | 200 x 3.2mm, with Trident |
| 9127525 | Ultra Aromax 5um | 200 x 4.6mm |
| 9127525-700 | Ultra Aromax 5um | 200 x 4.6mm, with Trident |
| 9127531 | Ultra Aromax 5um | 30 x 1.0mm |
| 9127532 | Ultra Aromax 5um | 30 x 2.1mm |
| 9127532-700 | Ultra Aromax 5um | 30 x 2.1mm, with Trident |
| 9127533 | Ultra Aromax 5um | 30 x 3.2mm |
| 9127533-700 | Ultra Aromax 5um | 30 x 3.2mm, with Trident |
| 9127535 | Ultra Aromax 5um | 30 x 4.6mm |
| 9127535-700 | Ultra Aromax 5um | 30 x 4.6mm, with Trident |
| 9127550 | Ultra Aromax 5um | 50x50mm |
| 9127551 | Ultra Aromax 5um | 50 x 1.0mm |
| 9127552 | Ultra Aromax 5um | 50 x 2.1mm |
| 9127552-700 | Ultra Aromax 5um | 50 x 2.1mm, with Trident |
| 9127553 | Ultra Aromax 5um | 50 x 3.2mm |
| 9127553-700 | Ultra Aromax 5um | 50 x 3.2mm, with Trident |
| 9127555 | Ultra Aromax 5um | 50 x 4.6mm |
| 9127555-700 | Ultra Aromax 5um | 50 x 4.6mm, with Trident |
| 9127557 | Ultra Aromax 5um | 50x10mm |
| 9127558 | Ultra Aromax 5um | 50x21.2mm |
| 9127559 | Ultra Aromax 5um | 50x30mm |
| 9127560 | Ultra Aromax 5um | 150x50mm |
| 9127561 | Ultra Aromax 5um | 150 x 1.0mm |
| 9127562 | Ultra Aromax 5um | 150 x 2.1mm |
| 9127562-700 | Ultra Aromax 5um | 150 x 2.1mm, with Trident |
| 9127563 | Ultra Aromax 5um | 150 x 3.2mm |
| 9127563-700 | Ultra Aromax 5um | 150 x 3.2mm, with Trident |
| 9127565 | Ultra Aromax 5um | 150 x 4.6mm |
| 9127565-700 | Ultra Aromax 5um | 150 x 4.6mm, with Trident |
| 9127567 | Ultra Aromax 5um | 150x10mm |
| 9127568 | Ultra Aromax 5um | 150x21.2mm |
| 9127569 | Ultra Aromax 5um | 150x30mm |
| 9127570 | Ultra Aromax 5um | 250x50mm |
| 9127571 | Ultra Aromax 5um | 250 x 1.0mm |
| 9127572 | Ultra Aromax 5um | 250 x 2.1mm |
| 9127572-700 | Ultra Aromax 5um | 250 x 2.1mm, with Trident |
| 9127573 | Ultra Aromax 5um | 250 x 3.2mm |
| 9127573-700 | Ultra Aromax 5um | 250 x 3.2mm, with Trident |
| 9127575 | Ultra Aromax 5um | 250 x 4.6mm |
| 9127575-700 | Ultra Aromax 5um | 250 x 4.6mm, with Trident |
| 9127577 | Ultra Aromax 5um | 250x10mm |

| | | |
|---|---|---|
| 9127578 | Ultra Aromax 5um | 250x21.2mm |
| 9127579 | Ultra Aromax 5um | 250x30mm |
| 915950210 | Allure AK | 10 x 4.0mm 3-pk |
| 9159523-700 | Allure AK 5um | 200 x 3.2mm (only available w/Trident) |
| 9159525-700 | Allure AK 5um | 200 x 4.6mm (only available w/Trident) |
| 916050210 | Allure Silica | 10 x 4.0mm 3-pk |
| 916050212 | Allure Silica | 10 x 2.1mm 3-pk |
| 916050220 | Allure Silica | 20 x 4.0mm 2-pk |
| 916050222 | Allure Silica | 20 x 2.1mm 2-pk |
| 9160510 | Allure Silica 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9160511 | Allure Silica 5um | 100 x 1.0mm |
| 9160512 | Allure Silica 5um | 100 x 2.1mm |
| 9160512-700 | Allure Silica 5um | 100 x 2.1mm with Trident |
| 9160513 | Allure Silica 5um | 100 x 3.2mm |
| 9160513-700 | Allure Silica 5um | 100 x 3.2mm with Trident |
| 9160515 | Allure Silica 5um | 100 x 4.6mm |
| 9160515-700 | Allure Silica 5um | 100 x 4.6mm with Trident |
| 9160517 | Allure Silica 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9160518 | Allure Silica 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9160519 | Allure Silica 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9160521 | Allure Silica 5um | 200 x 1.0mm |
| 9160522 | Allure Silica 5um | 200 x 2.1mm |
| 9160522-700 | Allure Silica 5um | 200 x 2.1mm with Trident |
| 9160523 | Allure Silica 5um | 200 x 3.2mm |
| 9160523-700 | Allure Silica 5um | 200 x 3.2mm with Trident |
| 9160525 | Allure Silica 5um | 200 x 4.6mm |
| 9160525-700 | Allure Silica 5um | 200 x 4.6mm with Trident |
| 9160531 | Allure Silica 5um | 30 x 1.0mm |
| 9160532 | Allure Silica 5um | 30 x 2.1mm |
| 9160532-700 | Allure Silica 5um | 30 x 2.1mm with Trident |
| 9160533 | Allure Silica 5um | 30 x 3.2mm |
| 9160533-700 | Allure Silica 5um | 30 x 3.2mm with Trident |
| 9160535 | Allure Silica 5um | 30 x 4.6mm |
| 9160535-700 | Allure Silica 5um | 30 x 4.6mm with Trident |
| 9160550 | Allure Silica 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9160551 | Allure Silica 5um | 50 x 1.0mm |
| 9160552 | Allure Silica 5um | 50 x 2.1mm |
| 9160552-700 | Allure Silica 5um | 50 x 2.1mm with Trident |
| 9160553 | Allure Silica 5um | 50 x 3.2mm |
| 9160553-700 | Allure Silica 5um | 50 x 3.2mm with Trident |
| 9160555 | Allure Silica 5um | 50 x 4.6mm |
| 9160555-700 | Allure Silica 5um | 50 x 4.6mm with Trident |
| 9160557 | Allure Silica 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9160558 | Allure Silica 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9160559 | Allure Silica 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9160560 | Allure Silica 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9160561 | Allure Silica 5um | 150 x 1.0mm |
| 9160562 | Allure Silica 5um | 150 x 2.1mm |
| 9160562-700 | Allure Silica 5um | 150 x 2.1mm with Trident |
| 9160563 | Allure Silica 5um | 150 x 3.2mm |
| 9160563-700 | Allure Silica 5um | 150 x 3.2mm with Trident |
| 9160565 | Allure Silica 5um | 150 x 4.6mm |
| 9160565-700 | Allure Silica 5um | 150 x 4.6mm with Trident |
| 9160567 | Allure Silica 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9160568 | Allure Silica 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9160569 | Allure Silica 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9160570 | Allure Silica 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9160571 | Allure Silica 5um | 250 x 1.0mm |
| 9160572 | Allure Silica 5um | 250 x 2.1mm |
| 9160572-700 | Allure Silica 5um | 250 x 2.1mm with Trident |
| 9160573 | Allure Silica 5um | 250 x 3.2mm |
| 9160573-700 | Allure Silica 5um | 250 x 3.2mm with Trident |
| 9160575 | Allure Silica 5um | 250 x 4.6mm |
| 9160575-700 | Allure Silica 5um | 250 x 4.6mm with Trident |
| 9160577 | Allure Silica 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9160578 | Allure Silica 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9160579 | Allure Silica 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 91615 | Allure Basix 5um | Bulk Packing Material |
| 91615 | Allure Basix 5um | Bulk Packing Material |
| 91615 | Allure Basix 5um | Bulk Packing Material |
| 91615 | Allure Basix 5um | Bulk Packing Material |
| 916150210 | Allure Basix | 10 x 4.0mm 3-pk |
| 916150212 | Allure Basix | 10 x 2.1mm 3-pk |
| 916150220 | Allure Basix | 20 x 4.0mm 2-pk |
| 916150222 | Allure Basix | 20 x 2.1mm 2-pk |
| 9161510 | Allure Basix 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9161511 | Allure Basix 5um | 100 x 1.0mm |
| 9161512 | Allure Basix 5um | 100 x 2.1mm |
| 9161512-700 | Allure Basix 5um | 100 x 2.1mm with Trident |
| 9161513 | Allure Basix 5um | 100 x 3.2mm |
| 9161513-700 | Allure Basix 5um | 100 x 3.2mm with Trident |
| 9161515 | Allure Basix 5um | 100 x 4.6mm |
| 9161515-700 | Allure Basix 5um | 100 x 4.6mm with Trident |
| 9161517 | Allure Basix 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9161518 | Allure Basix 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9161519 | Allure Basix 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9161521 | Allure Basix 5um | 200 x 1.0mm |
| 9161522 | Allure Basix 5um | 200 x 2.1mm |
| 9161522-700 | Allure Basix 5um | 200 x 2.1mm with Trident |
| 9161523 | Allure Basix 5um | 200 x 3.2mm |
| 9161523-700 | Allure Basix 5um | 200 x 3.2mm with Trident |
| 9161525 | Allure Basix 5um | 200 x 4.6mm |
| 9161525-700 | Allure Basix 5um | 200 x 4.6mm with Trident |
| 9161531 | Allure Basix 5um | 30 x 1.0mm |
| 9161532 | Allure Basix 5um | 30 x 2.1mm |
| 9161532-700 | Allure Basix 5um | 30 x 2.1mm with Trident |
| 9161533 | Allure Basix 5um | 30 x 3.2mm |
| 9161533-700 | Allure Basix 5um | 30 x 3.2mm with Trident |
| 9161535 | Allure Basix 5um | 30 x 4.6mm |
| 9161535-700 | Allure Basix 5um | 30 x 4.6mm with Trident |
| 9161550 | Allure Basix 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9161551 | Allure Basix 5um | 50 x 1.0mm |
| 9161552 | Allure Basix 5um | 50 x 2.1mm |
| 9161552-700 | Allure Basix 5um | 50 x 2.1mm with Trident |
| 9161553 | Allure Basix 5um | 50 x 3.2mm |
| 9161553-700 | Allure Basix 5um | 50 x 3.2mm with Trident |
| 9161555 | Allure Basix 5um | 50 x 4.6mm |
| 9161555-700 | Allure Basix 5um | 50 x 4.6mm with Trident |
| 9161557 | Allure Basix 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9161558 | Allure Basix 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9161559 | Allure Basix 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9161560 | Allure Basix 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9161561 | Allure Basix 5um | 150 x 1.0mm |
| 9161562 | Allure Basix 5um | 150 x 2.1mm |
| 9161562-700 | Allure Basix 5um | 150 x 2.1mm with Trident |
| 9161563 | Allure Basix 5um | 150 x 3.2mm |
| 9161563-700 | Allure Basix 5um | 150 x 3.2mm with Trident |
| 9161565 | Allure Basix 5um | 150 x 4.6mm |
| 9161565-700 | Allure Basix 5um | 150 x 4.6mm with Trident |
| 9161567 | Allure Basix 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9161568 | Allure Basix 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9161569 | Allure Basix 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9161570 | Allure Basix 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9161571 | Allure Basix 5um | 250 x 1.0mm |
| 9161572 | Allure Basix 5um | 250 x 2.1mm |
| 9161572-700 | Allure Basix 5um | 250 x 2.1mm with Trident |
| 9161573 | Allure Basix 5um | 250 x 3.2mm |
| 9161573-700 | Allure Basix 5um | 250 x 3.2mm with Trident |
| 9161575 | Allure Basix 5um | 250 x 4.6mm |
| 9161575-700 | Allure Basix 5um | 250 x 4.6mm with Trident |
| 9161577 | Allure Basix 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9161578 | Allure Basix 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9161579 | Allure Basix 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 91645 | Allure C18 5um | Bulk Packing Material |
| 91645 | Allure C18 5um | Bulk Packing Material |
| 91645 | Allure C18 5um | Bulk Packing Material |
| 91645 | Allure C18 5um | Bulk Packing Material |
| 916450210 | Allure C18 | 10 x 4.0mm 3-pk |
| 916450212 | Allure C18 | 10 x 2.1mm 3-pk |
| 916450220 | Allure C18 | 20 x 4.0mm 2-pk |
| 916450222 | Allure C18 | 20 x 2.1mm 2-pk |
| 9164510 | Allure C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9164511 | Allure C18 5um | 100 x 1.0mm |
| 9164512 | Allure C18 5um | 100 x 2.1mm |
| 9164512-700 | Allure C18 5um | 100 x 2.1mm with Trident |
| 9164513 | Allure C18 5um | 100 x 3.2mm |
| 9164513-700 | Allure C18 5um | 100 x 3.2mm with Trident |
| 9164515 | Allure C18 5um | 100 x 4.6mm |
| 9164515-700 | Allure C18 5um | 100 x 4.6mm with Trident |
| 9164517 | Allure C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9164518 | Allure C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9164519 | Allure C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9164521 | Allure C18 5um | 200 x 1.0mm |
| 9164522 | Allure C18 5um | 200 x 2.1mm |
| 9164522-700 | Allure C18 5um | 200 x 2.1mm with Trident |
| 9164523 | Allure C18 5um | 200 x 3.2mm |
| 9164523-700 | Allure C18 5um | 200 x 3.2mm with Trident |
| 9164525 | Allure C18 5um | 200 x 4.6mm |
| 9164525-700 | Allure C18 5um | 200 x 4.6mm with Trident |
| 9164531 | Allure C18 5um | 30 x 1.0mm |
| 9164532 | Allure C18 5um | 30 x 2.1mm |
| 9164532-700 | Allure C18 5um | 30 x 2.1mm with Trident |
| 9164533 | Allure C18 5um | 30 x 3.2mm |
| 9164533-700 | Allure C18 5um | 30 x 3.2mm with Trident |
| 9164535 | Allure C18 5um | 30 x 4.6mm |
| 9164535-700 | Allure C18 5um | 30 x 4.6mm with Trident |
| 9164550 | Allure C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9164551 | Allure C18 5um | 50 x 1.0mm |
| 9164552 | Allure C18 5um | 50 x 2.1mm |
| 9164552-700 | Allure C18 5um | 50 x 2.1mm with Trident |
| 9164553 | Allure C18 5um | 50 x 3.2mm |
| 9164553-700 | Allure C18 5um | 50 x 3.2mm with Trident |
| 9164555 | Allure C18 5um | 50 x 4.6mm |
| 9164555-700 | Allure C18 5um | 50 x 4.6mm with Trident |
| 9164557 | Allure C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9164558 | Allure C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9164559 | Allure C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9164560 | Allure C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9164561 | Allure C18 5um | 150 x 1.0mm |
| 9164561-700 | Allure C18 5um | 150 x 1.0mm with Trident |
| 9164562 | Allure C18 5um | 150 x 2.1mm |
| 9164562-700 | Allure C18 5um | 150 x 2.1mm with Trident |
| 9164563 | Allure C18 5um | 150 x 3.2mm |
| 9164563-700 | Allure C18 5um | 150 x 3.2mm with Trident |
| 9164565 | Allure C18 5um | 150 x 4.6mm |
| 9164565-700 | Allure C18 5um | 150 x 4.6mm with Trident |
| 9164567 | Allure C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9164568 | Allure C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9164569 | Allure C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9164570 | Allure C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9164571 | Allure C18 5um | 250 x 1.0mm |
| 9164572 | Allure C18 5um | 250 x 2.1mm |
| 9164572-700 | Allure C18 5um | 250 x 2.1mm with Trident |
| 9164573 | Allure C18 5um | 250 x 3.2mm |
| 9164573-700 | Allure C18 5um | 250 x 3.2mm with Trident |
| 9164575 | Allure C18 5um | 250 x 4.6mm |
| 9164575-700 | Allure C18 5um | 250 x 4.6mm with Trident |
| 9164577 | Allure C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9164578 | Allure C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9164579 | Allure C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 916550210 | Allure Organic Acids | 10 x 4.0mm 3-pk |
| 916550212 | Allure Organic Acids | 10 x 2.1mm 3-pk |
| 916550220 | Allure Organic Acids | 20 x 4.0mm 2-pk |
| 916550222 | Allure Organic Acids | 20 x 2.1mm 2-pk |
| 9165563 | Allure Organic Acids 5um | 150 x 3.2mm |
| 9165563-700 | Allure Organic Acids 5um | 150 x 3.2mm with Trident |
| 9165565 | Allure Organic Acids 5um | 150 x 4.6mm |
| 9165565-700 | Allure Organic Acids 5um | 150 x 4.6mm with Trident |
| 9165572 | Allure Organic Acids 5um | 250 x 2.1mm |
| 9165572-700 | Allure Organic Acids 5um | 250 x 2.1mm with Trident |
| 9165575 | Allure Organic Acids 5um | 250 x 4.6mm |
| 9165575-700 | Allure Organic Acids 5um | 250 x 4.6mm with Trident |
| 9165579 | Allure Organic Acids 5um | 300 x 30mm Confirm customer has evaluated an analytical size column |
| 9165585 | Allure Organic Acids 5um | 300 x 4.6mm |
| 9165585-700 | Allure Organic Acids 5um | 300 x 4.6mm with Trident |
| 916650210 | Allure BiPh | 10 x 4.0mm 3-pk |
| 916650212 | Allure BiPh | 10 x 2.1mm 3-pk |
| 916650220 | Allure BiPh | 20 x 4.0mm 2-pk |
| 916650222 | Allure BiPh | 20 x 2.1mm 2-pk |
| 9166510 | Allure BiPh 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9166511 | Allure BiPh 5um | 100 x 1.0mm |
| 9166512 | Allure BiPh 5um | 100 x 2.1mm |
| 9166512-700 | Allure BiPh 5um | 100 x 2.1mm with Trident |
| 9166513 | Allure BiPh 5um | 100 x 3.2mm |
| 9166513-700 | Allure BiPh 5um | 100 x 3.2mm with Trident |
| 9166515 | Allure BiPh 5um | 100 x 4.6mm |
| 9166515-700 | Allure BiPh 5um | 100 x 4.6mm with Trident |
| 9166517 | Allure BiPh 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9166518 | Allure BiPh 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9166519 | Allure BiPh 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9166521 | Allure BiPh 5um | 200 x 1.0mm |
| 9166522 | Allure BiPh 5um | 200 x 2.1mm |
| 9166522-700 | Allure BiPh 5um | 200 x 2.1mm with Trident |
| 9166523 | Allure BiPh 5um | 200 x 3.2mm |
| 9166523-700 | Allure BiPh 5um | 200 x 3.2mm with Trident |
| 9166525 | Allure BiPh 5um | 200 x 4.6mm |
| 9166525-700 | Allure BiPh 5um | 200 x 4.6mm with Trident |
| 9166531 | Allure BiPh 5um | 30 x 1.0mm |
| 9166532 | Allure BiPh 5um | 30 x 2.1mm |
| 9166532-700 | Allure BiPh 5um | 30 x 2.1mm with Trident |
| 9166533 | Allure BiPh 5um | 30 x 3.2mm |
| 9166533-700 | Allure BiPh 5um | 30 x 3.2mm with Trident |
| 9166535 | Allure BiPh 5um | 30 x 4.6mm |
| 9166535-700 | Allure BiPh 5um | 30 x 4.6mm with Trident |
| 9166550 | Allure BiPh 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9166551 | Allure BiPh 5um | 50 x 1.0mm |
| 9166552 | Allure BiPh 5um | 50 x 2.1mm |
| 9166552-700 | Allure BiPh 5um | 50 x 2.1mm with Trident |
| 9166553 | Allure BiPh 5um | 50 x 3.2mm |
| 9166553-700 | Allure BiPh 5um | 50 x 3.2mm with Trident |
| 9166555 | Allure BiPh 5um | 50 x 4.6mm |
| 9166555-700 | Allure BiPh 5um | 50 x 4.6mm with Trident |
| 9166557 | Allure BiPh 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9166558 | Allure BiPh 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9166559 | Allure BiPh 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9166560 | Allure BiPh 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9166561 | Allure BiPh 5um | 150 x 1.0mm |
| 9166562 | Allure BiPh 5um | 150 x 2.1mm |
| 9166562-700 | Allure BiPh 5um | 150 x 2.1mm with Trident |
| 9166563 | Allure BiPh 5um | 150 x 3.2mm |
| 9166563-700 | Allure BiPh 5um | 150 x 3.2mm with Trident |
| 9166565 | Allure BiPh 5um | 150 x 4.6mm |
| 9166565-700 | Allure BiPh 5um | 150 x 4.6mm with Trident |
| 9166567 | Allure BiPh 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9166568 | Allure BiPh 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9166569 | Allure BiPh 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9166570 | Allure BiPh 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9166571 | Allure BiPh 5um | 250 x 1.0mm |
| 9166572 | Allure BiPh 5um | 250 x 2.1mm |
| 9166572-700 | Allure BiPh 5um | 250 x 2.1mm with Trident |
| 9166573 | Allure BiPh 5um | 250 x 3.2mm |
| 9166573-700 | Allure BiPh 5um | 250 x 3.2mm with Trident |
| 9166575 | Allure BiPh 5um | 250 x 4.6mm |
| 9166575-700 | Allure BiPh 5um | 250 x 4.6mm with Trident |
| 9166577 | Allure BiPh 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9166578 | Allure BiPh 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9166579 | Allure BiPh 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 916850210 | Allure AQ C18 | 10 x 4.0mm 3-pk |
| 916850212 | Allure AQ C18 | 10 x 2.1mm 3-pk |
| 916850220 | Allure AQ C18 | 20 x 4.0mm 2-pk |
| 916850222 | Allure AQ C18 | 20 x 2.1mm 2-pk |
| 9168511 | Allure AQ C18 5um | 100 x 1.0mm |
| 9168512 | Allure AQ C18 5um | 100 x 2.1mm |
| 9168512-700 | Allure AQ C18 5um | 100 x 2.1mm with Trident |
| 9168513 | Allure AQ C18 5um | 100 x 3.2mm |
| 9168513-700 | Allure AQ C18 5um | 100 x 3.2mm with Trident |
| 9168515 | Allure AQ C18 5um | 100 x 4.6mm |
| 9168515-700 | Allure AQ C18 5um | 100 x 4.6mm with Trident |
| 9168521 | Allure AQ C18 5um | 200 x 1.0mm |
| 9168522 | Allure AQ C18 5um | 200 x 2.1mm |
| 9168522-700 | Allure AQ C18 5um | 200 x 2.1mm with Trident |
| 9168523 | Allure AQ C18 5um | 200 x 3.2mm |
| 9168523-700 | Allure AQ C18 5um | 200 x 3.2mm with Trident |
| 9168525 | Allure AQ C18 5um | 200 x 4.6mm |
| 9168525-700 | Allure AQ C18 5um | 200 x 4.6mm with Trident |
| 9168531 | Allure AQ C18 5um | 30 x 1.0mm |
| 9168532 | Allure AQ C18 5um | 30 x 2.1mm |
| 9168532-700 | Allure AQ C18 5um | 30 x 2.1mm with Trident |
| 9168533 | Allure AQ C18 5um | 30 x 3.2mm |
| 9168533-700 | Allure AQ C18 5um | 30 x 3.2mm with Trident |
| 9168535 | Allure AQ C18 5um | 30 x 4.6mm |
| 9168535-700 | Allure AQ C18 5um | 30 x 4.6mm with Trident |
| 9168551 | Allure AQ C18 5um | 50 x 1.0mm |
| 9168552 | Allure AQ C18 5um | 50 x 2.1mm |
| 9168552-700 | Allure AQ C18 5um | 50 x 2.1mm with Trident |
| 9168553 | Allure AQ C18 5um | 50 x 3.2mm |
| 9168553-700 | Allure AQ C18 5um | 50 x 3.2mm with Trident |
| 9168555 | Allure AQ C18 5um | 50 x 4.6mm |
| 9168555-700 | Allure AQ C18 5um | 50 x 4.6mm with Trident |
| 9168561 | Allure AQ C18 5um | 150 x 1.0mm |
| 9168562 | Allure AQ C18 5um | 150 x 2.1mm |
| 9168562-700 | Allure AQ C18 5um | 150 x 2.1mm with Trident |
| 9168563 | Allure AQ C18 5um | 150 x 3.2mm |
| 9168563-700 | Allure AQ C18 5um | 150 x 3.2mm with Trident |
| 9168565 | Allure AQ C18 5um | 150 x 4.6mm |
| 9168565-700 | Allure AQ C18 5um | 150 x 4.6mm with Trident |
| 9168571 | Allure AQ C18 5um | 250 x 1.0mm |
| 9168572 | Allure AQ C18 5um | 250 x 2.1mm |
| 9168572-700 | Allure AQ C18 5um | 250 x 2.1mm with Trident |
| 9168573 | Allure AQ C18 5um | 250 x 3.2mm |
| 9168573-700 | Allure AQ C18 5um | 250 x 3.2mm with Trident |
| 9168575 | Allure AQ C18 5um | 250 x 4.6mm |
| 9168575-700 | Allure AQ C18 5um | 250 x 4.6mm with Trident |
| 916950210 | Allure PFPP | 10 x 4.0mm 3-pk |
| 916950212 | Allure PFPP | 10 x 2.1mm 3-pk |
| 916950220 | Allure PFPP | 20 x 4.0mm 2-pk |
| 916950222 | Allure PFPP | 20 x 2.1mm 2-pk |
| 9169510 | Allure PFPP 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9169511 | Allure PFPP 5um | 100 x 1.0mm |
| 9169512 | Allure PFPP 5um | 100 x 2.1mm |

| | | |
|---|---|---|
| 9169512-700 | Allure PFPP 5um | 100 x 2.1mm with Trident |
| 9169513 | Allure PFPP 5um | 100 x 3.2mm |
| 9169513-700 | Allure PFPP 5um | 100 x 3.2mm with Trident |
| 9169515 | Allure PFPP 5um | 100 x 4.6mm |
| 9169515-700 | Allure PFPP 5um | 100 x 4.6mm with Trident |
| 9169517 | Allure PFPP 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9169518 | Allure PFPP 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9169519 | Allure PFPP 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9169521 | Allure PFPP 5um | 200 x 1.0mm |
| 9169522 | Allure PFPP 5um | 200 x 2.1mm |
| 9169522-700 | Allure PFPP 5um | 200 x 2.1mm with Trident |
| 9169523 | Allure PFPP 5um | 200 x 3.2mm |
| 9169523-700 | Allure PFPP 5um | 200 x 3.2mm with Trident |
| 9169525 | Allure PFPP 5um | 200 x 4.6mm |
| 9169525-700 | Allure PFPP 5um | 200 x 4.6mm with Trident |
| 9169531 | Allure PFPP 5um | 30 x 1.0mm |
| 9169532 | Allure PFPP 5um | 30 x 2.1mm |
| 9169532-700 | Allure PFPP 5um | 30 x 2.1mm with Trident |
| 9169533 | Allure PFPP 5um | 30 x 3.2mm |
| 9169533-700 | Allure PFPP 5um | 30 x 3.2mm with Trident |
| 9169535 | Allure PFPP 5um | 30 x 4.6mm |
| 9169535-700 | Allure PFPP 5um | 30 x 4.6mm with Trident |
| 9169550 | Allure PFPP 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9169551 | Allure PFPP 5um | 50 x 1.0mm |
| 9169552 | Allure PFPP 5um | 50 x 2.1mm |
| 9169552-700 | Allure PFPP 5um | 50 x 2.1mm with Trident |
| 9169553 | Allure PFPP 5um | 50 x 3.2mm |
| 9169553-700 | Allure PFPP 5um | 50 x 3.2mm with Trident |
| 9169555 | Allure PFPP 5um | 50 x 4.6mm |
| 9169555-700 | Allure PFPP 5um | 50 x 4.6mm with Trident |
| 9169557 | Allure PFPP 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9169558 | Allure PFPP 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9169559 | Allure PFPP 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9169560 | Allure PFPP 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9169561 | Allure PFPP 5um | 150 x 1.0mm |
| 9169562 | Allure PFPP 5um | 150 x 2.1mm |
| 9169562-700 | Allure PFPP 5um | 150 x 2.1mm with Trident |
| 9169563 | Allure PFPP 5um | 150 x 3.2mm |
| 9169563-700 | Allure PFPP 5um | 150 x 3.2mm with Trident |
| 9169565 | Allure PFPP 5um | 150 x 4.6mm |
| 9169565-700 | Allure PFPP 5um | 150 x 4.6mm with Trident |
| 9169567 | Allure PFPP 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9169568 | Allure PFPP 5um | 150 x 21.2mm |
| 9169569 | Allure PFPP 5um | 150 x 30mm |
| 9169570 | Allure PFPP 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9169571 | Allure PFPP 5um | 250 x 1.0mm |
| 9169572 | Allure PFPP 5um | 250 x 2.1mm |
| 9169572-700 | Allure PFPP 5um | 250 x 2.1mm with Trident |
| 9169573 | Allure PFPP 5um | 250 x 3.2mm |
| 9169573-700 | Allure PFPP 5um | 250 x 3.2mm with Trident |
| 9169575 | Allure PFPP 5um | 250 x 4.6mm |
| 9169575-700 | Allure PFPP 5um | 250 x 4.6mm with Trident |
| 9169577 | Allure PFPP 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9169578 | Allure PFPP 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9169579 | Allure PFPP 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 917400210 | Ultra C18 10um | 10 x 4.0mm 3-pk |
| 9174075 | Ultra C18 10um | 250 x 4.6mm |
| 9174075-700 | Ultra C18 10um | 250 x 4.6mm with Trident |
| 9174311 | Ultra C18 3um | 100 x 1.0mm |
| 9174312 | Ultra C18 3um | 100 x 2.1mm |
| 9174312-700 | Ultra C18 3um | 100 x 2.1mm with Trident |
| 9174313 | Ultra C18 3um | 100 x 3.2mm |
| 9174313-700 | Ultra C18 3um | 100 x 3.2mm with Trident |
| 9174315 | Ultra C18 3um | 100 x 4.6mm |
| 9174315-700 | Ultra C18 3um | 100 x 4.6mm with Trident |
| 9174331 | Ultra C18 3um | 30 x 1.0mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9174332 | Ultra C18 3um | 30 x 2.1mm |
| 9174332-700 | Ultra C18 3um | 30 x 2.1mm with Trident |
| 9174333 | Ultra C18 3um | 30 x 3.2mm |
| 9174333-700 | Ultra C18 3um | 30 x 3.2mm with Trident |
| 9174335 | Ultra C18 3um | 30 x 4.6mm |
| 9174335-700 | Ultra C18 3um | 30 x 4.6mm with Trident |
| 9174351 | Ultra C18 3um | 50 x 1.0mm |
| 9174352 | Ultra C18 3um | 50 x 2.1mm |
| 9174352-700 | Ultra C18 3um | 50 x 2.1mm with Trident |
| 9174353 | Ultra C18 3um | 50 x 3.2mm |
| 9174353-700 | Ultra C18 3um | 50 x 3.2mm with Trident |
| 9174355 | Ultra C18 3um | 50 x 4.6mm |
| 9174355-700 | Ultra C18 3um | 50 x 4.6mm with Trident |
| 917435B | Ultra C18 3um | 50 x 0.3mm Capillary Column |
| 9174361 | Ultra C18 3um | 150 x 1.0mm |
| 9174362 | Ultra C18 3um | 150 x 2.1mm |
| 9174362-700 | Ultra C18 3um | 150 x 2.1mm with Trident |
| 9174363 | Ultra C18 3um | 150 x 3.2mm |
| 9174363-700 | Ultra C18 3um | 150 x 3.2mm with Trident |
| 9174365 | Ultra C18 3um | 150 x 4.6mm |
| 9174365-700 | Ultra C18 3um | 150 x 4.6mm with Trident |
| 917436B | Ultra C18 3um | 150 x 0.3mm Capillary Column |
| 91745 | Ultra C18 5um | Bulk Packing Material 10 grams |
| 91745 | Ultra C18 5um | Bulk Packing Material 10 grams |
| 91745 | Ultra C18 5um | Bulk Packing Material 10 grams |
| 91745 | Ultra C18 5um | Bulk Packing Material 10 grams |
| 917450210 | Ultra C18 | 10 x 4.0mm 3-pk |
| 917450212 | Ultra C18 | 10 x 2.1mm 3-pk |
| 917450220 | Ultra C18 | 20 x 4.0mm 2-pk |
| 917450222 | Ultra C18 | 20 x 2.1mm 2-pk |
| 9174510 | Ultra C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9174511 | Ultra C18 5um | 100 x 1.0mm |
| 9174512 | Ultra C18 5um | 100 x 2.1mm |
| 9174512-700 | Ultra C18 5um | 100 x 2.1mm with Trident |
| 9174513 | Ultra C18 5um | 100 x 3.2mm |
| 9174513-700 | Ultra C18 5um | 100 x 3.2mm with Trident |
| 9174514 | Ultra C18 5um | 100 x 4.0mm |
| 9174514-700 | Ultra C18 5um | 100 x 4.0mm with Trident |
| 9174515 | Ultra C18 5um | 100 x 4.6mm |
| 9174515-700 | Ultra C18 5um | 100 x 4.6mm with Trident |
| 9174517 | Ultra C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9174518 | Ultra C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9174519 | Ultra C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9174521 | Ultra C18 5um | 200 x 1.0mm |
| 9174522 | Ultra C18 5um | 200 x 2.1mm |
| 9174522-700 | Ultra C18 5um | 200 x 2.1mm with Trident |
| 9174523 | Ultra C18 5um | 200 x 3.2mm |
| 9174523-700 | Ultra C18 5um | 200 x 3.2mm with Trident |
| 9174525 | Ultra C18 5um | 200 x 4.6mm |
| 9174525-700 | Ultra C18 5um | 200 x 4.6mm with Trident |
| 9174531 | Ultra C18 5um | 30 x 1.0mm |
| 9174532 | Ultra C18 5um | 30 x 2.1mm |
| 9174532-700 | Ultra C18 5um | 30 x 2.1mm with Trident |
| 9174533 | Ultra C18 5um | 30 x 3.2mm |
| 9174533-700 | Ultra C18 5um | 30 x 3.2mm with Trident |
| 9174535 | Ultra C18 5um | 30 x 4.6mm |
| 9174535-700 | Ultra C18 5um | 30 x 4.6mm with Trident |
| 9174550 | Ultra C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9174551 | Ultra C18 5um | 50 x 1.0mm |
| 9174552 | Ultra C18 5um | 50 x 2.1mm |
| 9174552-700 | Ultra C18 5um | 50 x 2.1mm with Trident |
| 9174553 | Ultra C18 5um | 50 x 3.2mm |
| 9174553-700 | Ultra C18 5um | 50 x 3.2mm with Trident |
| 9174555 | Ultra C18 5um | 50 x 4.6mm |
| 9174555-700 | Ultra C18 5um | 50 x 4.6mm with Trident |
| 9174557 | Ultra C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9174558 | Ultra C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9174559 | Ultra C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9174560 | Ultra C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9174561 | Ultra C18 5um | 150 x 1.0mm |
| 9174562 | Ultra C18 5um | 150 x 2.1mm |
| 9174562-700 | Ultra C18 5um | 150 x 2.1mm with Trident |
| 9174563 | Ultra C18 5um | 150 x 3.2mm |
| 9174563-700 | Ultra C18 5um | 150 x 3.2mm with Trident |
| 9174564 | Ultra C18 5um | 150 x 4.0mm |
| 9174564-700 | Ultra C18 5um | 150 x 4.0mm with Trident |
| 9174565 | Ultra C18 5um | 150 x 4.6mm |
| 9174565-700 | Ultra C18 5um | 150 x 4.6mm with Trident |
| 9174567 | Ultra C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9174568 | Ultra C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9174569 | Ultra C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9174570 | Ultra C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9174571 | Ultra C18 5um | 250 x 1.0mm |
| 9174572 | Ultra C18 5um | 250 x 2.1mm |
| 9174572-700 | Ultra C18 5um | 250 x 2.1mm with Trident |
| 9174573 | Ultra C18 5um | 250 x 3.2mm |
| 9174573-700 | Ultra C18 5um | 250 x 3.2mm with Trident |
| 9174575 | Ultra C18 5um | 250 x 4.6mm |
| 9174575-700 | Ultra C18 5um | 250 x 4.6mm with Trident |
| 9174577 | Ultra C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9174578 | Ultra C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9174579 | Ultra C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9175311 | Ultra IBD 3um | 100 x 1.0mm |
| 9175312 | Ultra IBD 3um | 100 x 2.1mm |
| 9175312-700 | Ultra IBD 3um | 100 x 2.1mm with Trident |
| 9175313 | Ultra IBD 3um | 100 x 3.2mm |
| 9175313-700 | Ultra IBD 3um | 100 x 3.2mm with Trident |
| 9175315 | Ultra IBD 3um | 100 x 4.6mm |
| 9175315-700 | Ultra IBD 3um | 100 x 4.6mm with Trident |
| 917531E | Ultra IBD 3um | 100 x 3.0mm |
| 9175331 | Ultra IBD 3um | 30 x 1.0mm |
| 9175332 | Ultra IBD 3um | 30 x 2.1mm |
| 9175332-700 | Ultra IBD 3um | 30 x 2.1mm with Trident |
| 9175333 | Ultra IBD 3um | 30 x 3.2mm |
| 9175333-700 | Ultra IBD 3um | 30 x 3.2mm with Trident |
| 9175335 | Ultra IBD 3um | 30 x 4.6mm |
| 9175335-700 | Ultra IBD 3um | 30 x 4.6mm with Trident |
| 917533E | Ultra IBD 3um | 30 x 3.0mm |
| 9175351 | Ultra IBD 3um | 50 x 1.0mm |
| 9175352 | Ultra IBD 3um | 50 x 2.1mm |
| 9175352-700 | Ultra IBD 3um | 50 x 2.1mm with Trident |
| 9175353 | Ultra IBD 3um | 50 x 3.2mm |
| 9175353-700 | Ultra IBD 3um | 50 x 3.2mm with Trident |
| 9175355 | Ultra IBD 3um | 50 x 4.6mm |
| 9175355-700 | Ultra IBD 3um | 50 x 4.6mm with Trident |
| 917535E | Ultra IBD 3um | 50 x 3.0mm |
| 9175361 | Ultra IBD 3um | 150 x 1.0mm |
| 9175362 | Ultra IBD 3um | 150 x 2.1mm |
| 9175362-700 | Ultra IBD 3um | 150 x 2.1mm with Trident |
| 9175363 | Ultra IBD 3um | 150 x 3.2mm |
| 9175363-700 | Ultra IBD 3um | 150 x 3.2mm with Trident |
| 9175365 | Ultra IBD 3um | 150 x 4.6mm |
| 9175365-700 | Ultra IBD 3um | 150 x 4.6mm with Trident |
| 917536E | Ultra IBD 3um | 150 x 3.0mm |
| 91755 | Ultra IBD 5um | Bulk Packing Material |
| 91755 | Ultra IBD 5um | Bulk Packing Material |
| 91755 | Ultra IBD 5um | Bulk Packing Material |
| 91755 | Ultra IBD 5um | Bulk Packing Material |
| 917550210 | Ultra IBD | 10 x 4.0mm 3-pk |
| 917550212 | Ultra IBD | 10 x 2.1mm 3-pk |
| 917550220 | Ultra IBD | 20 x 4.0mm 2-pk |
| 917550222 | Ultra IBD | 20 x 2.1mm 2-pk |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9175510 | Ultra IBD 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9175511 | Ultra IBD 5um | 100 x 1.0mm |
| 9175512 | Ultra IBD 5um | 100 x 2.1mm |
| 9175512-700 | Ultra IBD 5um | 100 x 2.1mm with Trident |
| 9175513 | Ultra IBD 5um | 100 x 3.2mm |
| 9175513-700 | Ultra IBD 5um | 100 x 3.2mm with Trident |
| 9175515 | Ultra IBD 5um | 100 x 4.6mm |
| 9175515-700 | Ultra IBD 5um | 100 x 4.6mm with Trident |
| 9175517 | Ultra IBD 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9175518 | Ultra IBD 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9175519 | Ultra IBD 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9175521 | Ultra IBD 5um | 200 x 1.0mm |
| 9175522 | Ultra IBD 5um | 200 x 2.1mm |
| 9175522-700 | Ultra IBD 5um | 200 x 2.1mm with Trident |
| 9175523 | Ultra IBD 5um | 200 x 3.2mm |
| 9175523-700 | Ultra IBD 5um | 200 x 3.2mm with Trident |
| 9175525 | Ultra IBD 5um | 200 x 4.6mm |
| 9175525-700 | Ultra IBD 5um | 200 x 4.6mm with Trident |
| 9175531 | Ultra IBD 5um | 30 x 1.0mm |
| 9175532 | Ultra IBD 5um | 30 x 2.1mm |
| 9175532-700 | Ultra IBD 5um | 30 x 2.1mm with Trident |
| 9175533 | Ultra IBD 5um | 30 x 3.2mm |
| 9175533-700 | Ultra IBD 5um | 30 x 3.2mm with Trident |
| 9175535 | Ultra IBD 5um | 30 x 4.6mm |
| 9175535-700 | Ultra IBD 5um | 30 x 4.6mm with Trident |
| 9175550 | Ultra IBD 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9175551 | Ultra IBD 5um | 50 x 1.0mm |
| 9175552 | Ultra IBD 5um | 50 x 2.1mm |
| 9175552-700 | Ultra IBD 5um | 50 x 2.1mm with Trident |
| 9175553 | Ultra IBD 5um | 50 x 3.2mm |
| 9175553-700 | Ultra IBD 5um | 50 x 3.2mm with Trident |
| 9175555 | Ultra IBD 5um | 50 x 4.6mm |
| 9175555-700 | Ultra IBD 5um | 50 x 4.6mm with Trident |
| 9175557 | Ultra IBD 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9175558 | Ultra IBD 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9175559 | Ultra IBD 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9175560 | Ultra IBD 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9175561 | Ultra IBD 5um | 150 x 1.0mm |
| 9175561-720 | Ultra IBD 5um | 150 x 1mm with Trident w/PCR Fitting |
| 9175562 | Ultra IBD 5um | 150 x 2.1mm |
| 9175562-700 | Ultra IBD 5um | 150 x 2.1mm with Trident |
| 9175563 | Ultra IBD 5um | 150 x 3.2mm |
| 9175563-700 | Ultra IBD 5um | 150 x 3.2mm with Trident |
| 9175565 | Ultra IBD 5um | 150 x 4.6mm |
| 9175565-700 | Ultra IBD 5um | 150 x 4.6mm with Trident |
| 9175567 | Ultra IBD 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9175568 | Ultra IBD 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9175569 | Ultra IBD 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9175570 | Ultra IBD 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9175571 | Ultra IBD 5um | 250 x 1.0mm |
| 9175572 | Ultra IBD 5um | 250 x 2.1mm |
| 9175572-700 | Ultra IBD 5um | 250 x 2.1mm with Trident |
| 9175573 | Ultra IBD 5um | 250 x 3.2mm |
| 9175573-700 | Ultra IBD 5um | 250 x 3.2mm with Trident |
| 9175575 | Ultra IBD 5um | 250 x 4.6mm |
| 9175575-700 | Ultra IBD 5um | 250 x 4.6mm with Trident |
| 9175577 | Ultra IBD 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9175578 | Ultra IBD 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9175579 | Ultra IBD 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9176311 | Ultra PFP 3um | 100 x 1.0mm |
| 9176312 | Ultra PFP 3um | 100 x 2.1mm |
| 9176312-700 | Ultra PFP 3um | 100 x 2.1mm with Trident |
| 9176313 | Ultra PFP 3um | 100 x 3.2mm |
| 9176313-700 | Ultra PFP 3um | 100 x 3.2mm with Trident |
| 9176315 | Ultra PFP 3um | 100 x 4.6mm |
| 9176315-700 | Ultra PFP 3um | 100 x 4.6mm with Trident |

| | | |
|---|---|---|
| 9176331 | Ultra PFP 3um | 30 x 1.0mm |
| 9176332 | Ultra PFP 3um | 30 x 2.1mm |
| 9176332-700 | Ultra PFP 3um | 30 x 2.1mm with Trident |
| 9176333 | Ultra PFP 3um | 30 x 3.2mm |
| 9176333-700 | Ultra PFP 3um | 30 x 3.2mm with Trident |
| 9176335 | Ultra PFP 3um | 30 x 4.6mm |
| 9176335-700 | Ultra PFP 3um | 30 x 4.6mm with Trident |
| 9176351 | Ultra PFP 3um | 50 x 1.0mm |
| 9176352 | Ultra PFP 3um | 50 x 2.1mm |
| 9176352-700 | Ultra PFP 3um | 50 x 2.1mm with Trident |
| 9176353 | Ultra PFP 3um | 50 x 3.2mm |
| 9176353-700 | Ultra PFP 3um | 50 x 3.2mm with Trident |
| 9176355 | Ultra PFP 3um | 50 x 4.6mm |
| 9176355-700 | Ultra PFP 3um | 50 x 4.6mm with Trident |
| 9176361 | Ultra PFP 3um | 150 x 1.0mm |
| 9176362 | Ultra PFP 3um | 150 x 2.1mm |
| 9176362-700 | Ultra PFP 3um | 150 x 2.1mm with Trident |
| 9176363 | Ultra PFP 3um | 150 x 3.2mm |
| 9176363-700 | Ultra PFP 3um | 150 x 3.2mm with Trident |
| 9176365 | Ultra PFP 3um | 150 x 4.6mm |
| 9176365-700 | Ultra PFP 3um | 150 x 4.6mm with Trident |
| 917650210 | Ultra PFP | 10 x 4.0mm 3-pk |
| 917650212 | Ultra PFP | 10 x 2.1mm 3-pk |
| 917650220 | Ultra PFP | 20 x 4.0mm 2-pk |
| 917650222 | Ultra PFP | 20 x 2.1mm 2-pk |
| 9176510 | Ultra PFP 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9176511 | Ultra PFP 5um | 100 x 1.0mm |
| 9176512 | Ultra PFP 5um | 100 x 2.1mm |
| 9176512-700 | Ultra PFP 5um | 100 x 2.1mm with Trident |
| 9176513 | Ultra PFP 5um | 100 x 3.2mm |
| 9176513-700 | Ultra PFP 5um | 100 x 3.2mm with Trident |
| 9176515 | Ultra PFP 5um | 100 x 4.6mm |
| 9176515-700 | Ultra PFP 5um | 100 x 4.6mm with Trident |
| 9176517 | Ultra PFP 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9176518 | Ultra PFP 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9176519 | Ultra PFP 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9176521 | Ultra PFP 5um | 200 x 1.0mm |
| 9176522 | Ultra PFP 5um | 200 x 2.1mm |
| 9176522-700 | Ultra PFP 5um | 200 x 2.1mm with Trident |
| 9176523 | Ultra PFP 5um | 200 x 3.2mm |
| 9176523-700 | Ultra PFP 5um | 200 x 3.2mm with Trident |
| 9176525 | Ultra PFP 5um | 200 x 4.6mm |
| 9176525-700 | Ultra PFP 5um | 200 x 4.6mm with Trident |
| 9176531 | Ultra PFP 5um | 30 x 1.0mm |
| 9176532 | Ultra PFP 5um | 30 x 2.1mm |
| 9176532-700 | Ultra PFP 5um | 30 x 2.1mm with Trident |
| 9176533 | Ultra PFP 5um | 30 x 3.2mm |
| 9176533-700 | Ultra PFP 5um | 30 x 3.2mm with Trident |
| 9176535 | Ultra PFP 5um | 30 x 4.6mm |
| 9176535-700 | Ultra PFP 5um | 30 x 4.6mm with Trident |
| 9176550 | Ultra PFP 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9176551 | Ultra PFP 5um | 50 x 1.0mm |
| 9176552 | Ultra PFP 5um | 50 x 2.1mm |
| 9176552-700 | Ultra PFP 5um | 50 x 2.1mm with Trident |
| 9176553 | Ultra PFP 5um | 50 x 3.2mm |
| 9176553-700 | Ultra PFP 5um | 50 x 3.2mm with Trident |
| 9176555 | Ultra PFP 5um | 50 x 4.6mm |
| 9176555-700 | Ultra PFP 5um | 50 x 4.6mm with Trident |
| 9176557 | Ultra PFP 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9176558 | Ultra PFP 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9176559 | Ultra PFP 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9176560 | Ultra PFP 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9176561 | Ultra PFP 5um | 150 x 1.0mm |
| 9176562 | Ultra PFP 5um | 150 x 2.1mm |
| 9176562-700 | Ultra PFP 5um | 150 x 2.1mm with Trident |
| 9176563 | Ultra PFP 5um | 150 x 3.2mm |

| | | |
|---|---|---|
| 9176563-700 | Ultra PFP 5um | 150 x 3.2mm with Trident |
| 9176565 | Ultra PFP 5um | 150 x 4.6mm |
| 9176565-700 | Ultra PFP 5um | 150 x 4.6mm with Trident |
| 9176567 | Ultra PFP 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9176568 | Ultra PFP 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9176569 | Ultra PFP 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9176570 | Ultra PFP 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9176571 | Ultra PFP 5um | 250 x 1.0mm |
| 9176572 | Ultra PFP 5um | 250 x 2.1mm |
| 9176572-700 | Ultra PFP 5um | 250 x 2.1mm with Trident |
| 9176573 | Ultra PFP 5um | 250 x 3.2mm |
| 9176573-700 | Ultra PFP 5um | 250 x 3.2mm with Trident |
| 9176575 | Ultra PFP 5um | 250 x 4.6mm |
| 9176575-700 | Ultra PFP 5um | 250 x 4.6mm with Trident |
| 9176577 | Ultra PFP 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9176578 | Ultra PFP 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9176579 | Ultra PFP 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9177311 | Ultra Carbamate 3um | 100 x 1.0mm |
| 9177312 | Ultra Carbamate 3um | 100 x 2.1mm |
| 9177313 | Ultra Carbamate 3um | 100 x 3.2mm |
| 9177315 | Ultra Carbamate 3um | 100 x 4.6mm |
| 9177315-700 | Ultra Carbamate 3um | 100 x 4.6mm with Trident |
| 9177351 | Ultra Carbamate 3um | 50 x 1.0mm |
| 9177352 | Ultra Carbamate 3um | 50 x 2.1mm |
| 9177353 | Ultra Carbamate 3um | 50 x 3.2mm |
| 9177354 | Ultra Carbamate 3um | 50 x 4.0mm |
| 9177355 | Ultra Carbamate 3um | 50 x 4.6mm |
| 9177355-700 | Ultra Carbamate 3um | 50 x 4.6mm with Trident |
| 917750210 | Ultra Carbamate | 10 x 4.0mm 3-pk |
| 917750212 | Ultra Carbamate | 10 x 2.1mm 3-pk |
| 917750220 | Ultra Carbamate | 20 x 4.0mm 2-pk |
| 917750222 | Ultra Carbamate | 20 x 2.1mm 2-pk |
| 9177575 | Ultra Carbamate 5um | 250 x 4.6mm |
| 9177575-700 | Ultra Carbamate 5um | 250 x 4.6mm with Trident |
| 9178311 | Ultra AQ C18 3um | 100 x 1.0mm |
| 9178312 | Ultra AQ C18 3um | 100 x 2.1mm |
| 9178312-700 | Ultra AQ C18 3um | 100 x 2.1mm with Trident |
| 9178313 | Ultra AQ C18 3um | 100 x 3.2mm |
| 9178313-700 | Ultra AQ C18 3um | 100 x 3.2mm with Trident |
| 9178315 | Ultra AQ C18 3um | 100 x 4.6mm |
| 9178315-700 | Ultra AQ C18 3um | 100 x 4.6mm with Trident |
| 9178331 | Ultra AQ C18 3um | 30 x 1.0mm |
| 9178332 | Ultra AQ C18 3um | 30 x 2.1mm |
| 9178332-700 | Ultra AQ C18 3um | 30 x 2.1mm with Trident |
| 9178333 | Ultra AQ C18 3um | 30 x 3.2mm |
| 9178333-700 | Ultra AQ C18 3um | 30 x 3.2mm with Trident |
| 9178335 | Ultra AQ C18 3um | 30 x 4.6mm |
| 9178335-700 | Ultra AQ C18 3um | 30 x 4.6mm with Trident |
| 9178351 | Ultra AQ C18 3um | 50 x 1.0mm |
| 9178352 | Ultra AQ C18 3um | 50 x 2.1mm |
| 9178352-700 | Ultra AQ C18 3um | 50 x 2.1mm with Trident |
| 9178353 | Ultra AQ C18 3um | 50 x 3.2mm |
| 9178353-700 | Ultra AQ C18 3um | 50 x 3.2mm with Trident |
| 9178355 | Ultra AQ C18 3um | 50 x 4.6mm |
| 9178355-700 | Ultra AQ C18 3um | 50 x 4.6mm with Trident |
| 917835B | Ultra AQ C18 3um | 50 x 0.3mm Capillary Column |
| 9178361 | Ultra AQ C18 3um | 150 x 1.0mm |
| 9178362 | Ultra AQ C18 3um | 150 x 2.1mm |
| 9178362-700 | Ultra AQ C18 3um | 150 x 2.1mm with Trident |
| 9178363 | Ultra AQ C18 3um | 150 x 3.2mm |
| 9178363-700 | Ultra AQ C18 3um | 150 x 3.2mm with Trident |
| 9178365 | Ultra AQ C18 3um | 150 x 4.6mm |
| 9178365-700 | Ultra AQ C18 3um | 150 x 4.6mm with Trident |
| 917836B | Ultra AQ C18 3um | 150 x 0.3mm Capillary Column |
| 917850210 | Ultra AQ C18 | 10 x 4.0mm 3-pk |
| 917850212 | Ultra AQ C18 | 10 x 2.1mm 3-pk |

| | | |
|---|---|---|
| 917850220 | Ultra AQ C18 | 20 x 4.6mm 2-pk |
| 917850222 | Ultra AQ C18 | 20 x 2.1mm 2-pk |
| 9178510 | Ultra AQ C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9178511 | Ultra AQ C18 5um | 100 x 1.0mm |
| 9178512 | Ultra AQ C18 5um | 100 x 2.1mm |
| 9178512-700 | Ultra AQ C18 5um | 100 x 2.1mm with Trident |
| 9178513 | Ultra AQ C18 5um | 100 x 3.2mm |
| 9178513-700 | Ultra AQ C18 5um | 100 x 3.2mm with Trident |
| 9178515 | Ultra AQ C18 5um | 100 x 4.6mm |
| 9178515-700 | Ultra AQ C18 5um | 100 x 4.6mm with Trident |
| 9178517 | Ultra AQ C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9178518 | Ultra AQ C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9178519 | Ultra AQ C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9178521 | Ultra AQ C18 5um | 200 x 1.0mm |
| 9178522 | Ultra AQ C18 5um | 200 x 2.1mm |
| 9178522-700 | Ultra AQ C18 5um | 200 x 2.1mm with Trident |
| 9178523 | Ultra AQ C18 5um | 200 x 3.2mm |
| 9178523-700 | Ultra AQ C18 5um | 200 x 3.2mm with Trident |
| 9178525 | Ultra AQ C18 5um | 200 x 4.6mm |
| 9178525-700 | Ultra AQ C18 5um | 200 x 4.6mm with Trident |
| 9178531 | Ultra AQ C18 5um | 30 x 1.0mm |
| 9178532 | Ultra AQ C18 5um | 30 x 2.1mm |
| 9178532-700 | Ultra AQ C18 5um | 30 x 2.1mm with Trident |
| 9178533 | Ultra AQ C18 5um | 30 x 3.2mm |
| 9178533-700 | Ultra AQ C18 5um | 30 x 3.2mm with Trident |
| 9178535 | Ultra AQ C18 5um | 30 x 4.6mm |
| 9178535-700 | Ultra AQ C18 5um | 30 x 4.6mm with Trident |
| 9178550 | Ultra AQ C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9178551 | Ultra AQ C18 5um | 50 x 1.0mm |
| 9178552 | Ultra AQ C18 5um | 50 x 2.1mm |
| 9178552-700 | Ultra AQ C18 5um | 50 x 2.1mm with Trident |
| 9178553 | Ultra AQ C18 5um | 50 x 3.2mm |
| 9178553-700 | Ultra AQ C18 5um | 50 x 3.2mm with Trident |
| 9178555 | Ultra AQ C18 5um | 50 x 4.6mm |
| 9178555-700 | Ultra AQ C18 5um | 50 x 4.6mm with Trident |
| 9178557 | Ultra AQ C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9178558 | Ultra AQ C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9178559 | Ultra AQ C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9178560 | Ultra AQ C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9178561 | Ultra AQ C18 5um | 150 x 1.0mm |
| 9178562 | Ultra AQ C18 5um | 150 x 2.1mm |
| 9178562-700 | Ultra AQ C18 5um | 150 x 2.1mm with Trident |
| 9178563 | Ultra AQ C18 5um | 150 x 3.2mm |
| 9178563-700 | Ultra AQ C18 5um | 150 x 3.2mm with Trident |
| 9178565 | Ultra AQ C18 5um | 150 x 4.6mm |
| 9178565-700 | Ultra AQ C18 5um | 150 x 4.6mm with Trident |
| 9178567 | Ultra AQ C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9178568 | Ultra AQ C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9178569 | Ultra AQ C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9178570 | Ultra AQ C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9178571 | Ultra AQ C18 5um | 250 x 1.0mm |
| 9178572 | Ultra AQ C18 5um | 250 x 2.1mm |
| 9178572-700 | Ultra AQ C18 5um | 250 x 2.1mm with Trident |
| 9178573 | Ultra AQ C18 5um | 250 x 3.2mm |
| 9178573-700 | Ultra AQ C18 5um | 250 x 3.2mm with Trident |
| 9178575 | Ultra AQ C18 5um | 250 x 4.6mm |
| 9178575-700 | Ultra AQ C18 5um | 250 x 4.6mm with Trident |
| 9178577 | Ultra AQ C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9178578 | Ultra AQ C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9178579 | Ultra AQ C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9178584 | Ultra AQ C18 5um | 300 x 4.0mm |
| 9179311 | Ultra PFPP 3um | 100 x 1.0mm |
| 9179312 | Ultra PFPP 3um | 100 x 2.1mm |
| 9179312-700 | Ultra PFPP 3um | 100 x 2.1mm with Trident |
| 9179313 | Ultra PFPP 3um | 100 x 3.2mm |
| 9179313-700 | Ultra PFPP 3um | 100 x 3.2mm with Trident |

| | | |
|---|---|---|
| 9179315 | Ultra PFPP 3um | 100 x 4.6mm |
| 9179315-700 | Ultra PFPP 3um | 100 x 4.6mm with Trident |
| 9179331 | Ultra PFPP 3um | 30 x 1.0mm |
| 9179332 | Ultra PFPP 3um | 30 x 2.1mm |
| 9179332-700 | Ultra PFPP 3um | 30 x 2.1mm with Trident |
| 9179333 | Ultra PFPP 3um | 30 x 3.2mm |
| 9179333-700 | Ultra PFPP 3um | 30 x 3.2mm with Trident |
| 9179335 | Ultra PFPP 3um | 30 x 4.6mm |
| 9179335-700 | Ultra PFPP 3um | 30 x 4.6mm with Trident |
| 9179351 | Ultra PFPP 3um | 50 x 1.0mm |
| 9179352 | Ultra PFPP 3um | 50 x 2.1mm |
| 9179352-700 | Ultra PFPP 3um | 50 x 2.1mm with Trident |
| 9179353 | Ultra PFPP 3um | 50 x 3.2mm |
| 9179353-700 | Ultra PFPP 3um | 50 x 3.2mm with Trident |
| 9179355 | Ultra PFPP 3um | 50 x 4.6mm |
| 9179355-700 | Ultra PFPP 3um | 50 x 4.6mm with Trident |
| 9179361 | Ultra PFPP 3um | 150 x 1.0mm |
| 9179362 | Ultra PFPP 3um | 150 x 2.1mm |
| 9179362-700 | Ultra PFPP 3um | 150 x 2.1mm with Trident |
| 9179363 | Ultra PFPP 3um | 150 x 3.2mm |
| 9179363-700 | Ultra PFPP 3um | 150 x 3.2mm with Trident |
| 9179365 | Ultra PFPP 3um | 150 x 4.6mm |
| 9179365-700 | Ultra PFPP 3um | 150 x 4.6mm with Trident |
| 917950210 | Ultra PFPP | 10 x 4.0mm 3-pk |
| 917950212 | Ultra PFPP | 10 x 2.1mm 3-pk |
| 917950220 | Ultra PFPP | 20 x 4.0mm 2-pk |
| 917950222 | Ultra PFPP | 20 x 2.1mm 2-pk |
| 9179510 | Ultra PFPP 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9179511 | Ultra PFPP 5um | 100 x 1.0mm |
| 9179512 | Ultra PFPP 5um | 100 x 2.1mm |
| 9179512-700 | Ultra PFPP 5um | 100 x 2.1mm with Trident |
| 9179513 | Ultra PFPP 5um | 100 x 3.2mm |
| 9179513-700 | Ultra PFPP 5um | 100 x 3.2mm with Trident |
| 9179515 | Ultra PFPP 5um | 100 x 4.6mm |
| 9179515-700 | Ultra PFPP 5um | 100 x 4.6mm with Trident |
| 9179517 | Ultra PFPP 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9179518 | Ultra PFPP 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9179519 | Ultra PFPP 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9179521 | Ultra PFPP 5um | 200 x 1.0mm |
| 9179522 | Ultra PFPP 5um | 200 x 2.1mm |
| 9179522-700 | Ultra PFPP 5um | 200 x 2.1mm with Trident |
| 9179523 | Ultra PFPP 5um | 200 x 3.2mm |
| 9179523-700 | Ultra PFPP 5um | 200 x 3.2mm with Trident |
| 9179525 | Ultra PFPP 5um | 200 x 4.6mm |
| 9179525-700 | Ultra PFPP 5um | 200 x 4.6mm with Trident |
| 9179531 | Ultra PFPP 5um | 30 x 1.0mm |
| 9179532 | Ultra PFPP 5um | 30 x 2.1mm |
| 9179532-700 | Ultra PFPP 5um | 30 x 2.1mm with Trident |
| 9179533 | Ultra PFPP 5um | 30 x 3.2mm |
| 9179533-700 | Ultra PFPP 5um | 30 x 3.2mm with Trident |
| 9179535 | Ultra PFPP 5um | 30 x 4.6mm |
| 9179535-700 | Ultra PFPP 5um | 30 x 4.6mm with Trident |
| 9179550 | Ultra PFPP 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9179551 | Ultra PFPP 5um | 50 x 1.0mm |
| 9179552 | Ultra PFPP 5um | 50 x 2.1mm |
| 9179552-700 | Ultra PFPP 5um | 50 x 2.1mm with Trident |
| 9179553 | Ultra PFPP 5um | 50 x 3.2mm |
| 9179553-700 | Ultra PFPP 5um | 50 x 3.2mm with Trident |
| 9179555 | Ultra PFPP 5um | 50 x 4.6mm |
| 9179555-700 | Ultra PFPP 5um | 50 x 4.6mm with Trident |
| 9179557 | Ultra PFPP 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9179558 | Ultra PFPP 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9179559 | Ultra PFPP 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9179560 | Ultra PFPP 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9179561 | Ultra PFPP 5um | 150 x 1.0mm |
| 9179562 | Ultra PFPP 5um | 150 x 2.1mm |

| | | |
|---|---|---|
| 9179562-700 | Ultra PFPP 5um | 150 x 2.1mm with Trident |
| 9179563 | Ultra PFPP 5um | 150 x 3.2mm |
| 9179563-700 | Ultra PFPP 5um | 150 x 3.2mm with Trident |
| 9179565 | Ultra PFPP 5um | 150 x 4.6mm |
| 9179565-700 | Ultra PFPP 5um | 150 x 4.6mm with Trident |
| 9179567 | Ultra PFPP 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9179568 | Ultra PFPP 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9179569 | Ultra PFPP 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9179570 | Ultra PFPP 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9179571 | Ultra PFPP 5um | 250 x 1.0mm |
| 9179572 | Ultra PFPP 5um | 250 x 2.1mm |
| 9179572-700 | Ultra PFPP 5um | 250 x 2.1mm with Trident |
| 9179573 | Ultra PFPP 5um | 250 x 3.2mm |
| 9179573-700 | Ultra PFPP 5um | 250 x 3.2mm with Trident |
| 9179575 | Ultra PFPP 5um | 250 x 4.6mm |
| 9179575-700 | Ultra PFPP 5um | 250 x 4.6mm with Trident |
| 9179577 | Ultra PFPP 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9179578 | Ultra PFPP 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9179579 | Ultra PFPP 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9181352 | Ultra Quat 3um | 50 x 2.1mm |
| 918150210 | Ultra Quat | 10 x 4.0mm 3-pk |
| 918150212 | Ultra Quat | 10 x 2.1mm 3-pk |
| 918150220 | Ultra Quat | 20 x 4.0mm 2-pk |
| 918150222 | Ultra Quat | 20 x 2.1mm 2-pk |
| 9181565 | Ultra Quat 5um | 150 x 4.6mm |
| 9181565-700 | Ultra Quat 5um | 150 x 4.6mm with Trident |
| 920950210 | Pinnacle II BiPh | 10 x 4.0mm 3-pk |
| 920950220 | Pinnacle II BiPh | 20 x 4.0mm 2-pk |
| 9209565 | Pinnacle II BiPh 5um | 150 x 4.6mm |
| 9209565-700 | Pinnacle II BiPh 5um | 150 x 4.6mm with Trident |
| 9209575 | Pinnacle II BiPh 5um | 250 x 4.6mm |
| 9209575-700 | Pinnacle II BiPh 5um | 250 x 4.6mm with Trident |
| 92103 | Pinnacle II Silica 3um | Bulk Packing Material |
| 92103 | Pinnacle II Silica 3um | Bulk Packing Material |
| 92103 | Pinnacle II Silica 3um | Bulk Packing Material |
| 92103 | Pinnacle II Silica 3um | Bulk Packing Material |
| 9210311 | Pinnacle II Silica 3um | 100 x 1.0mm |
| 9210312 | Pinnacle II Silica 3um | 100 x 2.1mm |
| 9210312-700 | Pinnacle II Silica 3um | 100 x 2.1mm with Trident |
| 9210313 | Pinnacle II Silica 3um | 100 x 3.2mm |
| 9210313-700 | Pinnacle II Silica 3um | 100 x 3.2mm with Trident |
| 9210315 | Pinnacle II Silica 3um | 100 x 4.6mm |
| 9210315-700 | Pinnacle II Silica 3um | 100 x 4.6mm with Trident |
| 9210331 | Pinnacle II Silica 3um | 30 x 1.0mm |
| 9210332 | Pinnacle II Silica 3um | 30 x 2.1mm |
| 9210332-700 | Pinnacle II Silica 3um | 30 x 2.1mm with Trident |
| 9210333 | Pinnacle II Silica 3um | 30 x 3.2mm |
| 9210333-700 | Pinnacle II Silica 3um | 30 x 3.2mm with Trident |
| 9210335 | Pinnacle II Silica 3um | 30 x 4.6mm |
| 9210335-700 | Pinnacle II Silica 3um | 30 x 4.6mm with Trident |
| 9210351 | Pinnacle II Silica 3um | 50 x 1.0mm |
| 9210352 | Pinnacle II Silica 3um | 50 x 2.1mm |
| 9210352-700 | Pinnacle II Silica 3um | 50 x 2.1mm with Trident |
| 9210353 | Pinnacle II Silica 3um | 50 x 3.2mm |
| 9210353-700 | Pinnacle II Silica 3um | 50 x 3.2mm with Trident |
| 9210355 | Pinnacle II Silica 3um | 50 x 4.6mm |
| 9210355-700 | Pinnacle II Silica 3um | 50 x 4.6mm with Trident |
| 9210361 | Pinnacle II Silica 3um | 150 x 1.0mm |
| 9210362 | Pinnacle II Silica 3um | 150 x 2.1mm |
| 9210362-700 | Pinnacle II Silica 3um | 150 x 2.1mm with Trident |
| 9210363 | Pinnacle II Silica 3um | 150 x 3.2mm |
| 9210363-700 | Pinnacle II Silica 3um | 150 x 3.2mm with Trident |
| 9210365 | Pinnacle II Silica 3um | 150 x 4.6mm |
| 9210365-700 | Pinnacle II Silica 3um | 150 x 4.6mm with Trident |
| 92105 | Pinnacle II Silica 5um | Bulk Packing Material |
| 92105 | Pinnacle II Silica 5um | Bulk Packing Material |

| | | |
|---|---|---|
| 92105 | Pinnacle II Silica 5um | Bulk Packing Material |
| 92105 | Pinnacle II Silica 5um | Bulk Packing Material |
| 921050210 | Pinnacle II Silica | 10 x 4.0mm 3-pk |
| 921050212 | Pinnacle II Silica | 10 x 2.1mm 3-pk |
| 921050220 | Pinnacle II Silica | 20 x 4.0mm 2-pk |
| 921050222 | Pinnacle II Silica | 20 x 2.1mm 2-pk |
| 9210510 | Pinnacle II Silica 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9210511 | Pinnacle II Silica 5um | 100 x 1.0mm |
| 9210512 | Pinnacle II Silica 5um | 100 x 2.1mm |
| 9210512-700 | Pinnacle II Silica 5um | 100 x 2.1mm with Trident |
| 9210513 | Pinnacle II Silica 5um | 100 x 3.2mm |
| 9210513-700 | Pinnacle II Silica 5um | 100 x 3.2mm with Trident |
| 9210515 | Pinnacle II Silica 5um | 100 x 4.6mm |
| 9210515-700 | Pinnacle II Silica 5um | 100 x 4.6mm with Trident |
| 9210517 | Pinnacle II Silica 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9210518 | Pinnacle II Silica 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9210519 | Pinnacle II Silica 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9210521 | Pinnacle II Silica 5um | 200 x 1.0mm |
| 9210522 | Pinnacle II Silica 5um | 200 x 2.1mm |
| 9210522-700 | Pinnacle II Silica 5um | 200 x 2.1mm with Trident |
| 9210523 | Pinnacle II Silica 5um | 200 x 3.2mm |
| 9210523-700 | Pinnacle II Silica 5um | 200 x 3.2mm with Trident |
| 9210525 | Pinnacle II Silica 5um | 200 x 4.6mm |
| 9210525-700 | Pinnacle II Silica 5um | 200 x 4.6mm with Trident |
| 9210531 | Pinnacle II Silica 5um | 30 x 1.0mm |
| 9210532 | Pinnacle II Silica 5um | 30 x 2.1mm |
| 9210532-700 | Pinnacle II Silica 5um | 30 x 2.1mm with Trident |
| 9210533 | Pinnacle II Silica 5um | 30 x 3.2mm |
| 9210533-700 | Pinnacle II Silica 5um | 30 x 3.2mm with Trident |
| 9210535 | Pinnacle II Silica 5um | 30 x 4.6mm |
| 9210535-700 | Pinnacle II Silica 5um | 30 x 4.6mm with Trident |
| 9210550 | Pinnacle II Silica 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9210551 | Pinnacle II Silica 5um | 50 x 1.0mm |
| 9210552 | Pinnacle II Silica 5um | 50 x 2.1mm |
| 9210552-700 | Pinnacle II Silica 5um | 50 x 2.1mm with Trident |
| 9210553 | Pinnacle II Silica 5um | 50 x 3.2mm |
| 9210553-700 | Pinnacle II Silica 5um | 50 x 3.2mm with Trident |
| 9210555 | Pinnacle II Silica 5um | 50 x 4.6mm |
| 9210555-700 | Pinnacle II Silica 5um | 50 x 4.6mm with Trident |
| 9210557 | Pinnacle II Silica 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9210558 | Pinnacle II Silica 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9210559 | Pinnacle II Silica 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9210560 | Pinnacle II Silica 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9210561 | Pinnacle II Silica 5um | 150 x 1.0mm |
| 9210562 | Pinnacle II Silica 5um | 150 x 2.1mm |
| 9210562-700 | Pinnacle II Silica 5um | 150 x 2.1mm with Trident |
| 9210563 | Pinnacle II Silica 5um | 150 x 3.2mm |
| 9210563-700 | Pinnacle II Silica 5um | 150 x 3.2mm with Trident |
| 9210565 | Pinnacle II Silica 5um | 150 x 4.6mm |
| 9210565-700 | Pinnacle II Silica 5um | 150 x 4.6mm with Trident |
| 9210567 | Pinnacle II Silica 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9210568 | Pinnacle II Silica 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9210569 | Pinnacle II Silica 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9210570 | Pinnacle II Silica 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9210571 | Pinnacle II Silica 5um | 250 x 1.0mm |
| 9210572 | Pinnacle II Silica 5um | 250 x 2.1mm |
| 9210572-700 | Pinnacle II Silica 5um | 250 x 2.1mm with Trident |
| 9210573 | Pinnacle II Silica 5um | 250 x 3.2mm |
| 9210573-700 | Pinnacle II Silica 5um | 250 x 3.2mm with Trident |
| 9210575 | Pinnacle II Silica 5um | 250 x 4.6mm |
| 9210575-700 | Pinnacle II Silica 5um | 250 x 4.6mm with Trident |
| 9210577 | Pinnacle II Silica 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9210578 | Pinnacle II Silica 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9210579 | Pinnacle II Silica 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9212078 | Pinnacle II C4 10um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 92133 | Pinnacle II C8 3um | Bulk Packing Material |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 92133 | Pinnacle II C8 3um | Bulk Packing Material |
| 92133 | Pinnacle II C8 3um | Bulk Packing Material |
| 92133 | Pinnacle II C8 3um | Bulk Packing Material |
| 9213311 | Pinnacle II C8 3um | 100 x 1.0mm |
| 9213312 | Pinnacle II C8 3um | 100 x 2.1mm |
| 9213312-700 | Pinnacle II C8 3um | 100 x 2.1mm with Trident |
| 9213313 | Pinnacle II C8 3um | 100 x 3.2mm |
| 9213313-700 | Pinnacle II C8 3um | 100 x 3.2mm with Trident |
| 9213315 | Pinnacle II C8 3um | 100 x 4.6mm |
| 9213315-700 | Pinnacle II C8 3um | 100 x 4.6mm with Trident |
| 9213325-700 | Pinnacle II C8 3um | 200 x 4.6mm with Trident |
| 9213331 | Pinnacle II C8 3um | 30 x 1.0mm |
| 9213332 | Pinnacle II C8 3um | 30 x 2.1mm |
| 9213332-700 | Pinnacle II C8 3um | 30 x 2.1mm with Trident |
| 9213333 | Pinnacle II C8 3um | 30 x 3.2mm |
| 9213333-700 | Pinnacle II C8 3um | 30 x 3.2mm with Trident |
| 9213335 | Pinnacle II C8 3um | 30 x 4.6mm |
| 9213335-700 | Pinnacle II C8 3um | 30 x 4.6mm with Trident |
| 9213351 | Pinnacle II C8 3um | 50 x 1.0mm |
| 9213352 | Pinnacle II C8 3um | 50 x 2.1mm |
| 9213352-700 | Pinnacle II C8 3um | 50 x 2.1mm with Trident |
| 9213353 | Pinnacle II C8 3um | 50 x 3.2mm |
| 9213353-700 | Pinnacle II C8 3um | 50 x 3.2mm with Trident |
| 9213355 | Pinnacle II C8 3um | 50 x 4.6mm |
| 9213355-700 | Pinnacle II C8 3um | 50 x 4.6mm with Trident |
| 9213361 | Pinnacle II C8 3um | 150 x 1.0mm |
| 9213362 | Pinnacle II C8 3um | 150 x 2.1mm |
| 9213362-700 | Pinnacle II C8 3um | 150 x 2.1mm with Trident |
| 9213363 | Pinnacle II C8 3um | 150 x 3.2mm |
| 9213363-700 | Pinnacle II C8 3um | 150 x 3.2mm with Trident |
| 9213365 | Pinnacle II C8 3um | 150 x 4.6mm |
| 9213365-700 | Pinnacle II C8 3um | 150 x 4.6mm with Trident |
| 92135 | Pinnacle II C8 5um | Bulk Packing Material |
| 92135 | Pinnacle II C8 5um | Bulk Packing Material |
| 92135 | Pinnacle II C8 5um | Bulk Packing Material |
| 92135 | Pinnacle II C8 5um | Bulk Packing Material |
| 921350210 | Pinnacle II C8 | 10 x 4.0mm 3-pk |
| 921350212 | Pinnacle II C8 | 10 x 2.1mm 3-pk |
| 921350220 | Pinnacle II C8 | 20 x 4.0mm 2-pk |
| 921350222 | Pinnacle II C8 | 20 x 2.1mm 2-pk |
| 9213510 | Pinnacle II C8 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9213511 | Pinnacle II C8 5um | 100 x 1.0mm |
| 9213512 | Pinnacle II C8 5um | 100 x 2.1mm |
| 9213512-700 | Pinnacle II C8 5um | 100 x 2.1mm with Trident |
| 9213513 | Pinnacle II C8 5um | 100 x 3.2mm |
| 9213513-700 | Pinnacle II C8 5um | 100 x 3.2mm with Trident |
| 9213514 | Pinnacle II C8 5um | 100 x 4.0mm |
| 9213515 | Pinnacle II C8 5um | 100 x 4.6mm |
| 9213515-700 | Pinnacle II C8 5um | 100 x 4.6mm with Trident |
| 9213517 | Pinnacle II C8 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9213518 | Pinnacle II C8 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9213519 | Pinnacle II C8 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9213521 | Pinnacle II C8 5um | 200 x 1.0mm |
| 9213522 | Pinnacle II C8 5um | 200 x 2.1mm |
| 9213522-700 | Pinnacle II C8 5um | 200 x 2.1mm with Trident |
| 9213523 | Pinnacle II C8 5um | 200 x 3.2mm |
| 9213523-700 | Pinnacle II C8 5um | 200 x 3.2mm with Trident |
| 9213525 | Pinnacle II C8 5um | 200 x 4.6mm |
| 9213525-700 | Pinnacle II C8 5um | 200 x 4.6mm with Trident |
| 9213531 | Pinnacle II C8 5um | 30 x 1.0mm |
| 9213532 | Pinnacle II C8 5um | 30 x 2.1mm |
| 9213532-700 | Pinnacle II C8 5um | 30 x 2.1mm with Trident |
| 9213533 | Pinnacle II C8 5um | 30 x 3.2mm |
| 9213533-700 | Pinnacle II C8 5um | 30 x 3.2mm with Trident |
| 9213535 | Pinnacle II C8 5um | 30 x 4.6mm |
| 9213535-700 | Pinnacle II C8 5um | 30 x 4.6mm with Trident |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9213550 | Pinnacle II C8 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9213551 | Pinnacle II C8 5um | 50 x 1.0mm |
| 9213552 | Pinnacle II C8 5um | 50 x 2.1mm |
| 9213552-700 | Pinnacle II C8 5um | 50 x 2.1mm with Trident |
| 9213553 | Pinnacle II C8 5um | 50 x 3.2mm |
| 9213553-700 | Pinnacle II C8 5um | 50 x 3.2mm with Trident |
| 9213555 | Pinnacle II C8 5um | 50 x 4.6mm |
| 9213555-700 | Pinnacle II C8 5um | 50 x 4.6mm with Trident |
| 9213557 | Pinnacle II C8 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9213558 | Pinnacle II C8 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9213559 | Pinnacle II C8 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9213560 | Pinnacle II C8 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9213561 | Pinnacle II C8 5um | 150 x 1.0mm |
| 9213562 | Pinnacle II C8 5um | 150 x 2.1mm |
| 9213562-700 | Pinnacle II C8 5um | 150 x 2.1mm with Trident |
| 9213563 | Pinnacle II C8 5um | 150 x 3.2mm |
| 9213563-700 | Pinnacle II C8 5um | 150 x 3.2mm with Trident |
| 9213564 | Pinnacle II C8 5um | 150 x 4.0mm |
| 9213565 | Pinnacle II C8 5um | 150 x 4.6mm |
| 9213565-700 | Pinnacle II C8 5um | 150 x 4.6mm with Trident |
| 9213567 | Pinnacle II C8 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9213568 | Pinnacle II C8 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9213569 | Pinnacle II C8 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9213570 | Pinnacle II C8 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9213571 | Pinnacle II C8 5um | 250 x 1.0mm |
| 9213572 | Pinnacle II C8 5um | 250 x 2.1mm |
| 9213572-700 | Pinnacle II C8 5um | 250 x 2.1mm with Trident |
| 9213573 | Pinnacle II C8 5um | 250 x 3.2mm |
| 9213573-700 | Pinnacle II C8 5um | 250 x 3.2mm with Trident |
| 9213574 | Pinnacle II C8 5um | 250 x 4.0mm |
| 9213574-700 | Pinnacle II C8 5um | 250 x 4.0mm with Trident |
| 9213575 | Pinnacle II C8 5um | 250 x 4.6mm |
| 9213575-700 | Pinnacle II C8 5um | 250 x 4.6mm with Trident |
| 9213577 | Pinnacle II C8 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9213578 | Pinnacle II C8 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9213579 | Pinnacle II C8 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 92143 | Pinnacle II C18 3um | Bulk Packing Material |
| 92143 | Pinnacle II C18 3um | Bulk Packing Material |
| 92143 | Pinnacle II C18 3um | Bulk Packing Material |
| 92143 | Pinnacle II C18 3um | Bulk Packing Material |
| 9214311 | Pinnacle II C18 3um | 100 x 1.0mm |
| 9214311-700 | Pinnacle II C18 3um | 100 x 1.0mm with Trident |
| 9214312 | Pinnacle II C18 3um | 100 x 2.1mm |
| 9214312-700 | Pinnacle II C18 3um | 100 x 2.1mm with Trident |
| 9214313 | Pinnacle II C18 3um | 100 x 3.2mm |
| 9214313-700 | Pinnacle II C18 3um | 100 x 3.2mm with Trident |
| 9214315 | Pinnacle II C18 3um | 100 x 4.6mm |
| 9214315-700 | Pinnacle II C18 3um | 100 x 4.6mm with Trident |
| 9214331 | Pinnacle II C18 3um | 30 x 1.0mm |
| 9214332 | Pinnacle II C18 3um | 30 x 2.1mm |
| 9214332-700 | Pinnacle II C18 3um | 30 x 2.1mm with Trident |
| 9214333 | Pinnacle II C18 3um | 30 x 3.2mm |
| 9214333-700 | Pinnacle II C18 3um | 30 x 3.2mm with Trident |
| 9214335 | Pinnacle II C18 3um | 30 x 4.6mm |
| 9214335-700 | Pinnacle II C18 3um | 30 x 4.6mm with Trident |
| 9214351 | Pinnacle II C18 3um | 50 x 1.0mm |
| 9214352 | Pinnacle II C18 3um | 50 x 2.1mm |
| 9214352-700 | Pinnacle II C18 3um | 50 x 2.1mm with Trident |
| 9214353 | Pinnacle II C18 3um | 50 x 3.2mm |
| 9214353-700 | Pinnacle II C18 3um | 50 x 3.2mm with Trident |
| 9214355 | Pinnacle II C18 3um | 50 x 4.6mm |
| 9214355-700 | Pinnacle II C18 3um | 50 x 4.6mm with Trident |
| 9214361 | Pinnacle II C18 3um | 150 x 1.0mm |
| 9214362 | Pinnacle II C18 3um | 150 x 2.1mm |
| 9214362-700 | Pinnacle II C18 3um | 150 x 2.1mm with Trident |
| 9214363 | Pinnacle II C18 3um | 150 x 3.2mm |

| | | |
|---|---|---|
| 9214363-700 | Pinnacle II C18 3um | 150 x 3.2mm with Trident |
| 9214365 | Pinnacle II C18 3um | 150 x 4.6mm |
| 9214365-700 | Pinnacle II C18 3um | 150 x 4.6mm with Trident |
| 92145 | Pinnacle II C18 5um | Bulk Packing Material |
| 92145 | Pinnacle II C18 5um | Bulk Packing Material |
| 92145 | Pinnacle II C18 5um | Bulk Packing Material |
| 92145 | Pinnacle II C18 5um | Bulk Packing Material |
| 921450210 | Pinnacle II C18 | 10 x 4.0mm 3-pk |
| 921450212 | Pinnacle II C18 | 10 x 2.1mm 3-pk |
| 921450220 | Pinnacle II C18 | 20 x 4.0mm 2-pk |
| 921450222 | Pinnacle II C18 | 20 x 2.1mm 2-pk |
| 9214510 | Pinnacle II C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9214511 | Pinnacle II C18 5um | 100 x 1.0mm |
| 9214512 | Pinnacle II C18 5um | 100 x 2.1mm |
| 9214512-700 | Pinnacle II C18 5um | 100 x 2.1mm with Trident |
| 9214513 | Pinnacle II C18 5um | 100 x 3.2mm |
| 9214513-700 | Pinnacle II C18 5um | 100 x 3.2mm with Trident |
| 9214514 | Pinnacle II C18 5um | 100 x 4.0mm |
| 9214515 | Pinnacle II C18 5um | 100 x 4.6mm |
| 9214515-700 | Pinnacle II C18 5um | 100 x 4.6mm with Trident |
| 9214517 | Pinnacle II C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9214518 | Pinnacle II C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9214519 | Pinnacle II C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9214521 | Pinnacle II C18 5um | 200 x 1.0mm |
| 9214522 | Pinnacle II C18 5um | 200 x 2.1mm |
| 9214522-700 | Pinnacle II C18 5um | 200 x 2.1mm with Trident |
| 9214523 | Pinnacle II C18 5um | 200 x 3.2mm |
| 9214523-700 | Pinnacle II C18 5um | 200 x 3.2mm with Trident |
| 9214525 | Pinnacle II C18 5um | 200 x 4.6mm |
| 9214525-700 | Pinnacle II C18 5um | 200 x 4.6mm with Trident |
| 9214531 | Pinnacle II C18 5um | 30 x 1.0mm |
| 9214532 | Pinnacle II C18 5um | 30 x 2.1mm |
| 9214532-700 | Pinnacle II C18 5um | 30 x 2.1mm with Trident |
| 9214533 | Pinnacle II C18 5um | 30 x 3.2mm |
| 9214533-700 | Pinnacle II C18 5um | 30 x 3.2mm with Trident |
| 9214535 | Pinnacle II C18 5um | 30 x 4.6mm |
| 9214535-700 | Pinnacle II C18 5um | 30 x 4.6mm with Trident |
| 9214550 | Pinnacle II C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9214551 | Pinnacle II C18 5um | 50 x 1.0mm |
| 9214552 | Pinnacle II C18 5um | 50 x 2.1mm |
| 9214552-700 | Pinnacle II C18 5um | 50 x 2.1mm with Trident |
| 9214553 | Pinnacle II C18 5um | 50 x 3.2mm |
| 9214553-700 | Pinnacle II C18 5um | 50 x 3.2mm with Trident |
| 9214555 | Pinnacle II C18 5um | 50 x 4.6mm |
| 9214555-700 | Pinnacle II C18 5um | 50 x 4.6mm with Trident |
| 9214557 | Pinnacle II C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9214558 | Pinnacle II C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9214559 | Pinnacle II C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9214560 | Pinnacle II C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9214561 | Pinnacle II C18 5um | 150 x 1.0mm |
| 9214562 | Pinnacle II C18 5um | 150 x 2.1mm |
| 9214562-700 | Pinnacle II C18 5um | 150 x 2.1mm with Trident |
| 9214563 | Pinnacle II C18 5um | 150 x 3.2mm |
| 9214563-700 | Pinnacle II C18 5um | 150 x 3.2mm with Trident |
| 9214564 | Pinnacle II C18 5um | 150 x 4.0mm |
| 9214564-700 | Pinnacle II C18 5um | 150 x 4.0mm with Trident |
| 9214565 | Pinnacle II C18 5um | 150 x 4.6mm |
| 9214565-700 | Pinnacle II C18 5um | 150 x 4.6mm with Trident |
| 9214567 | Pinnacle II C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9214568 | Pinnacle II C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9214569 | Pinnacle II C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9214570 | Pinnacle II C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9214571 | Pinnacle II C18 5um | 250 x 1.0mm |
| 9214572 | Pinnacle II C18 5um | 250 x 2.1mm |
| 9214572-700 | Pinnacle II C18 5um | 250 x 2.1mm with Trident |
| 9214573 | Pinnacle II C18 5um | 250 x 3.2mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9214573-700 | Pinnacle II C18 5um | 250 x 3.2mm with Trident |
| 9214575 | Pinnacle II C18 5um | 250 x 4.6mm |
| 9214575-700 | Pinnacle II C18 5um | 250 x 4.6mm with Trident |
| 9214577 | Pinnacle II C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9214578 | Pinnacle II C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9214579 | Pinnacle II C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 92153 | Pinnacle II Phenyl 3um | Bulk Packing Material |
| 92153 | Pinnacle II Phenyl 3um | Bulk Packing Material |
| 92153 | Pinnacle II Phenyl 3um | Bulk Packing Material |
| 92153 | Pinnacle II Phenyl 3um | Bulk Packing Material |
| 9215311 | Pinnacle II Phenyl 3um | 100 x 1.0mm |
| 9215312 | Pinnacle II Phenyl 3um | 100 x 2.1mm |
| 9215312-700 | Pinnacle II Phenyl 3um | 100 x 2.1mm with Trident |
| 9215313 | Pinnacle II Phenyl 3um | 100 x 3.2mm |
| 9215313-700 | Pinnacle II Phenyl 3um | 100 x 3.2mm with Trident |
| 9215315 | Pinnacle II Phenyl 3um | 100 x 4.6mm |
| 9215315-700 | Pinnacle II Phenyl 3um | 100 x 4.6mm with Trident |
| 9215331 | Pinnacle II Phenyl 3um | 30 x 1.0mm |
| 9215332 | Pinnacle II Phenyl 3um | 30 x 2.1mm |
| 9215332-700 | Pinnacle II Phenyl 3um | 30 x 2.1mm with Trident |
| 9215333 | Pinnacle II Phenyl 3um | 30 x 3.2mm |
| 9215333-700 | Pinnacle II Phenyl 3um | 30 x 3.2mm with Trident |
| 9215335 | Pinnacle II Phenyl 3um | 30 x 4.6mm |
| 9215335-700 | Pinnacle II Phenyl 3um | 30 x 4.6mm with Trident |
| 9215351 | Pinnacle II Phenyl 3um | 50 x 1.0mm |
| 9215352 | Pinnacle II Phenyl 3um | 50 x 2.1mm |
| 9215352-700 | Pinnacle II Phenyl 3um | 50 x 2.1mm with Trident |
| 9215353 | Pinnacle II Phenyl 3um | 50 x 3.2mm |
| 9215353-700 | Pinnacle II Phenyl 3um | 50 x 3.2mm with Trident |
| 9215355 | Pinnacle II Phenyl 3um | 50 x 4.6mm |
| 9215355-700 | Pinnacle II Phenyl 3um | 50 x 4.6mm with Trident |
| 9215361 | Pinnacle II Phenyl 3um | 150 x 1.0mm |
| 9215362 | Pinnacle II Phenyl 3um | 150 x 2.1mm |
| 9215362-700 | Pinnacle II Phenyl 3um | 150 x 2.1mm with Trident |
| 9215363 | Pinnacle II Phenyl 3um | 150 x 3.2mm |
| 9215363-700 | Pinnacle II Phenyl 3um | 150 x 3.2mm with Trident |
| 9215365 | Pinnacle II Phenyl 3um | 150 x 4.6mm |
| 9215365-700 | Pinnacle II Phenyl 3um | 150 x 4.6mm with Trident |
| 92155 | Pinnacle II Phenyl 5um | Bulk Packing Material |
| 92155 | Pinnacle II Phenyl 5um | Bulk Packing Material |
| 92155 | Pinnacle II Phenyl 5um | Bulk Packing Material |
| 92155 | Pinnacle II Phenyl 5um | Bulk Packing Material |
| 921550210 | Pinnacle II Phenyl | 10 x 4.0mm 3-pk |
| 921550212 | Pinnacle II Phenyl | 10 x 2.1mm 3-pk |
| 921550220 | Pinnacle II Phenyl | 20 x 4.0mm 2-pk |
| 921550222 | Pinnacle II Phenyl | 20 x 2.1mm 2-pk |
| 9215511 | Pinnacle II Phenyl 5um | 100 x 1.0mm |
| 9215512 | Pinnacle II Phenyl 5um | 100 x 2.1mm |
| 9215512-700 | Pinnacle II Phenyl 5um | 100 x 2.1mm with Trident |
| 9215513 | Pinnacle II Phenyl 5um | 100 x 3.2mm |
| 9215513-700 | Pinnacle II Phenyl 5um | 100 x 3.2mm with Trident |
| 9215515 | Pinnacle II Phenyl 5um | 100 x 4.6mm |
| 9215515-700 | Pinnacle II Phenyl 5um | 100 x 4.6mm with Trident |
| 9215521 | Pinnacle II Phenyl 5um | 200 x 1.0mm |
| 9215522 | Pinnacle II Phenyl 5um | 200 x 2.1mm |
| 9215522-700 | Pinnacle II Phenyl 5um | 200 x 2.1mm with Trident |
| 9215523 | Pinnacle II Phenyl 5um | 200 x 3.2mm |
| 9215523-700 | Pinnacle II Phenyl 5um | 200 x 3.2mm with Trident |
| 9215525 | Pinnacle II Phenyl 5um | 200 x 4.6mm |
| 9215525-700 | Pinnacle II Phenyl 5um | 200 x 4.6mm with Trident |
| 9215531 | Pinnacle II Phenyl 5um | 30 x 1.0mm |
| 9215532 | Pinnacle II Phenyl 5um | 30 x 2.1mm |
| 9215532-700 | Pinnacle II Phenyl 5um | 30 x 2.1mm with Trident |
| 9215533 | Pinnacle II Phenyl 5um | 30 x 3.2mm |
| 9215533-700 | Pinnacle II Phenyl 5um | 30 x 3.2mm with Trident |
| 9215535 | Pinnacle II Phenyl 5um | 30 x 4.6mm |

| | | |
|---|---|---|
| 9215535-700 | Pinnacle II Phenyl 5um | 30 x 4.6mm with Trident |
| 9215551 | Pinnacle II Phenyl 5um | 50 x 1.0mm |
| 9215552 | Pinnacle II Phenyl 5um | 50 x 2.1mm |
| 9215552-700 | Pinnacle II Phenyl 5um | 50 x 2.1mm with Trident |
| 9215553 | Pinnacle II Phenyl 5um | 50 x 3.2mm |
| 9215553-700 | Pinnacle II Phenyl 5um | 50 x 3.2mm with Trident |
| 9215555 | Pinnacle II Phenyl 5um | 50 x 4.6mm |
| 9215555-700 | Pinnacle II Phenyl 5um | 50 x 4.6mm with Trident |
| 9215561 | Pinnacle II Phenyl 5um | 150 x 1.0mm |
| 9215562 | Pinnacle II Phenyl 5um | 150 x 2.1mm |
| 9215562-700 | Pinnacle II Phenyl 5um | 150 x 2.1mm with Trident |
| 9215563 | Pinnacle II Phenyl 5um | 150 x 3.2mm |
| 9215563-700 | Pinnacle II Phenyl 5um | 150 x 3.2mm with Trident |
| 9215565 | Pinnacle II Phenyl 5um | 150 x 4.6mm |
| 9215565-700 | Pinnacle II Phenyl 5um | 150 x 4.6mm with Trident |
| 9215571 | Pinnacle II Phenyl 5um | 250 x 1.0mm |
| 9215572 | Pinnacle II Phenyl 5um | 250 x 2.1mm |
| 9215572-700 | Pinnacle II Phenyl 5um | 250 x 2.1mm with Trident |
| 9215573 | Pinnacle II Phenyl 5um | 250 x 3.2mm |
| 9215573-700 | Pinnacle II Phenyl 5um | 250 x 3.2mm with Trident |
| 9215575 | Pinnacle II Phenyl 5um | 250 x 4.6mm |
| 9215575-700 | Pinnacle II Phenyl 5um | 250 x 4.6mm with Trident |
| 92163 | Pinnacle II Cyano 3um | Bulk Packing Material |
| 92163 | Pinnacle II Cyano 3um | Bulk Packing Material |
| 92163 | Pinnacle II Cyano 3um | Bulk Packing Material |
| 92163 | Pinnacle II Cyano 3um | Bulk Packing Material |
| 9216311 | Pinnacle II Cyano 3um | 100 x 1.0mm |
| 9216312 | Pinnacle II Cyano 3um | 100 x 2.1mm |
| 9216312-700 | Pinnacle II Cyano 3um | 100 x 2.1mm with Trident |
| 9216313 | Pinnacle II Cyano 3um | 100 x 3.2mm |
| 9216313-700 | Pinnacle II Cyano 3um | 100 x 3.2mm with Trident |
| 9216315 | Pinnacle II Cyano 3um | 100 x 4.6mm |
| 9216315-700 | Pinnacle II Cyano 3um | 100 x 4.6mm with Trident |
| 9216331 | Pinnacle II Cyano 3um | 30 x 1.0mm |
| 9216332 | Pinnacle II Cyano 3um | 30 x 2.1mm |
| 9216332-700 | Pinnacle II Cyano 3um | 30 x 2.1mm with Trident |
| 9216333 | Pinnacle II Cyano 3um | 30 x 3.2mm |
| 9216333-700 | Pinnacle II Cyano 3um | 30 x 3.2mm with Trident |
| 9216335 | Pinnacle II Cyano 3um | 30 x 4.6mm |
| 9216335-700 | Pinnacle II Cyano 3um | 30 x 4.6mm with Trident |
| 9216351 | Pinnacle II Cyano 3um | 50 x 1.0mm |
| 9216352 | Pinnacle II Cyano 3um | 50 x 2.1mm |
| 9216352-700 | Pinnacle II Cyano 3um | 50 x 2.1mm with Trident |
| 9216353 | Pinnacle II Cyano 3um | 50 x 3.2mm |
| 9216353-700 | Pinnacle II Cyano 3um | 50 x 3.2mm with Trident |
| 9216355 | Pinnacle II Cyano 3um | 50 x 4.6mm |
| 9216355-700 | Pinnacle II Cyano 3um | 50 x 4.6mm with Trident |
| 9216361 | Pinnacle II Cyano 3um | 150 x 1.0mm |
| 9216362 | Pinnacle II Cyano 3um | 150 x 2.1mm |
| 9216362-700 | Pinnacle II Cyano 3um | 150 x 2.1mm with Trident |
| 9216363 | Pinnacle II Cyano 3um | 150 x 3.2mm |
| 9216363-700 | Pinnacle II Cyano 3um | 150 x 3.2mm with Trident |
| 9216365 | Pinnacle II Cyano 3um | 150 x 4.6mm |
| 9216365-700 | Pinnacle II Cyano 3um | 150 x 4.6mm with Trident |
| 92165 | Pinnacle II Cyano 5um | Bulk Packing Material |
| 92165 | Pinnacle II Cyano 5um | Bulk Packing Material |
| 92165 | Pinnacle II Cyano 5um | Bulk Packing Material |
| 92165 | Pinnacle II Cyano 5um | Bulk Packing Material |
| 921650210 | Pinnacle II Cyano | 10 x 4.0mm 3-pk |
| 921650212 | Pinnacle II Cyano | 10 x 2.1mm 3-pk |
| 921650220 | Pinnacle II Cyano | 20 x 4.0mm 2-pk |
| 921650222 | Pinnacle II Cyano | 20 x 2.1mm 2-pk |
| 9216510 | Pinnacle II Cyano 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9216511 | Pinnacle II Cyano 5um | 100 x 1.0mm |
| 9216512 | Pinnacle II Cyano 5um | 100 x 2.1mm |
| 9216512-700 | Pinnacle II Cyano 5um | 100 x 2.1mm with Trident |

| | | |
|---|---|---|
| 9216513 | Pinnacle II Cyano 5um | 100 x 3.2mm |
| 9216513-700 | Pinnacle II Cyano 5um | 100 x 3.2mm with Trident |
| 9216515 | Pinnacle II Cyano 5um | 100 x 4.6mm |
| 9216515-700 | Pinnacle II Cyano 5um | 100 x 4.6mm with Trident |
| 9216517 | Pinnacle II Cyano 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9216518 | Pinnacle II Cyano 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9216519 | Pinnacle II Cyano 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9216521 | Pinnacle II Cyano 5um | 200 x 1.0mm |
| 9216522 | Pinnacle II Cyano 5um | 200 x 2.1mm |
| 9216522-700 | Pinnacle II Cyano 5um | 200 x 2.1mm with Trident |
| 9216523 | Pinnacle II Cyano 5um | 200 x 3.2mm |
| 9216523-700 | Pinnacle II Cyano 5um | 200 x 3.2mm with Trident |
| 9216525 | Pinnacle II Cyano 5um | 200 x 4.6mm |
| 9216525-700 | Pinnacle II Cyano 5um | 200 x 4.6mm with Trident |
| 9216531 | Pinnacle II Cyano 5um | 30 x 1.0mm |
| 9216532 | Pinnacle II Cyano 5um | 30 x 2.1mm |
| 9216532-700 | Pinnacle II Cyano 5um | 30 x 2.1mm with Trident |
| 9216533 | Pinnacle II Cyano 5um | 30 x 3.2mm |
| 9216533-700 | Pinnacle II Cyano 5um | 30 x 3.2mm with Trident |
| 9216535 | Pinnacle II Cyano 5um | 30 x 4.6mm |
| 9216535-700 | Pinnacle II Cyano 5um | 30 x 4.6mm with Trident |
| 9216550 | Pinnacle II Cyano 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9216551 | Pinnacle II Cyano 5um | 50 x 1.0mm |
| 9216552 | Pinnacle II Cyano 5um | 50 x 2.1mm |
| 9216552-700 | Pinnacle II Cyano 5um | 50 x 2.1mm with Trident |
| 9216553 | Pinnacle II Cyano 5um | 50 x 3.2mm |
| 9216553-700 | Pinnacle II Cyano 5um | 50 x 3.2mm with Trident |
| 9216555 | Pinnacle II Cyano 5um | 50 x 4.6mm |
| 9216555-700 | Pinnacle II Cyano 5um | 50 x 4.6mm with Trident |
| 9216557 | Pinnacle II Cyano 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9216558 | Pinnacle II Cyano 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9216559 | Pinnacle II Cyano 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9216560 | Pinnacle II Cyano 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9216561 | Pinnacle II Cyano 5um | 150 x 1.0mm |
| 9216562 | Pinnacle II Cyano 5um | 150 x 2.1mm |
| 9216562-700 | Pinnacle II Cyano 5um | 150 x 2.1mm with Trident |
| 9216563 | Pinnacle II Cyano 5um | 150 x 3.2mm |
| 9216563-700 | Pinnacle II Cyano 5um | 150 x 3.2mm with Trident |
| 9216565 | Pinnacle II Cyano 5um | 150 x 4.6mm |
| 9216565-700 | Pinnacle II Cyano 5um | 150 x 4.6mm with Trident |
| 9216567 | Pinnacle II Cyano 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9216568 | Pinnacle II Cyano 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9216569 | Pinnacle II Cyano 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9216570 | Pinnacle II Cyano 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9216571 | Pinnacle II Cyano 5um | 250 x 1.0mm |
| 9216572 | Pinnacle II Cyano 5um | 250 x 2.1mm |
| 9216572-700 | Pinnacle II Cyano 5um | 250 x 2.1mm with Trident |
| 9216573 | Pinnacle II Cyano 5um | 250 x 3.2mm |
| 9216573-700 | Pinnacle II Cyano 5um | 250 x 3.2mm with Trident |
| 9216575 | Pinnacle II Cyano 5um | 250 x 4.6mm |
| 9216575-700 | Pinnacle II Cyano 5um | 250 x 4.6mm with Trident |
| 9216577 | Pinnacle II Cyano 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9216578 | Pinnacle II Cyano 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9216579 | Pinnacle II Cyano 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9217311 | Pinnacle II Amino 3um | 100 x 1.0mm |
| 9217312 | Pinnacle II Amino 3um | 100 x 2.1mm |
| 9217312-700 | Pinnacle II Amino 3um | 100 x 2.1mm with Trident |
| 9217313 | Pinnacle II Amino 3um | 100 x 3.2mm |
| 9217313-700 | Pinnacle II Amino 3um | 100 x 3.2mm with Trident |
| 9217315 | Pinnacle II Amino 3um | 100 x 4.6mm |
| 9217315-700 | Pinnacle II Amino 3um | 100 x 4.6mm with Trident |
| 9217322 | Pinnacle II Amino 3um | 200 x 2.1mm |
| 9217331 | Pinnacle II Amino 3um | 30 x 1.0mm |
| 9217332 | Pinnacle II Amino 3um | 30 x 2.1mm |
| 9217332-700 | Pinnacle II Amino 3um | 30 x 2.1mm with Trident |
| 9217333 | Pinnacle II Amino 3um | 30 x 3.2mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9217333-700 | Pinnacle II Amino 3um | 30 x 3.2mm with Trident |
| 9217335 | Pinnacle II Amino 3um | 30 x 4.6mm |
| 9217335-700 | Pinnacle II Amino 3um | 30 x 4.6mm with Trident |
| 9217351 | Pinnacle II Amino 3um | 50 x 1.0mm |
| 9217352 | Pinnacle II Amino 3um | 50 x 2.1mm |
| 9217352-700 | Pinnacle II Amino 3um | 50 x 2.1mm with Trident |
| 9217353 | Pinnacle II Amino 3um | 50 x 3.2mm |
| 9217353-700 | Pinnacle II Amino 3um | 50 x 3.2mm with Trident |
| 9217355 | Pinnacle II Amino 3um | 50 x 4.6mm |
| 9217355-700 | Pinnacle II Amino 3um | 50 x 4.6mm with Trident |
| 9217361 | Pinnacle II Amino 3um | 150 x 1.0mm |
| 9217362 | Pinnacle II Amino 3um | 150 x 2.1mm |
| 9217362-700 | Pinnacle II Amino 3um | 150 x 2.1mm with Trident |
| 9217363 | Pinnacle II Amino 3um | 150 x 3.2mm |
| 9217363-700 | Pinnacle II Amino 3um | 150 x 3.2mm with Trident |
| 9217365 | Pinnacle II Amino 3um | 150 x 4.6mm |
| 9217365-700 | Pinnacle II Amino 3um | 150 x 4.6mm with Trident |
| 92175 | Pinnacle II Amino, 5um | Bulk Packing Material |
| 92175 | Pinnacle II Amino, 5um | Bulk Packing Material |
| 92175 | Pinnacle II Amino, 5um | Bulk Packing Material |
| 92175 | Pinnacle II Amino, 5um | Bulk Packing Material |
| 921750210 | Pinnacle II Amino | 10 x 4.0mm 3-pk |
| 921750212 | Pinnacle II Amino | 10 x 2.1mm 3-pk |
| 921750220 | Pinnacle II Amino | 20 x 4.0mm 2-pk |
| 921750222 | Pinnacle II Amino | 20 x 2.1mm 2-pk |
| 9217511 | Pinnacle II Amino 5um | 100 x 1.0mm |
| 9217512 | Pinnacle II Amino 5um | 100 x 2.1mm |
| 9217512-700 | Pinnacle II Amino 5um | 100 x 2.1mm with Trident |
| 9217513 | Pinnacle II Amino 5um | 100 x 3.2mm |
| 9217513-700 | Pinnacle II Amino 5um | 100 x 3.2mm with Trident |
| 9217515 | Pinnacle II Amino 5um | 100 x 4.6mm |
| 9217515-700 | Pinnacle II Amino 5um | 100 x 4.6mm with Trident |
| 9217521 | Pinnacle II Amino 5um | 200 x 1.0mm |
| 9217522 | Pinnacle II Amino 5um | 200 x 2.1mm |
| 9217522-700 | Pinnacle II Amino 5um | 200 x 2.1mm with Trident |
| 9217523 | Pinnacle II Amino 5um | 200 x 3.2mm |
| 9217523-700 | Pinnacle II Amino 5um | 200 x 3.2mm with Trident |
| 9217525 | Pinnacle II Amino 5um | 200 x 4.6mm |
| 9217525-700 | Pinnacle II Amino 5um | 200 x 4.6mm with Trident |
| 9217531 | Pinnacle II Amino 5um | 30 x 1.0mm |
| 9217532 | Pinnacle II Amino 5um | 30 x 2.1mm |
| 9217532-700 | Pinnacle II Amino 5um | 30 x 2.1mm with Trident |
| 9217533 | Pinnacle II Amino 5um | 30 x 3.2mm |
| 9217533-700 | Pinnacle II Amino 5um | 30 x 3.2mm with Trident |
| 9217535 | Pinnacle II Amino 5um | 30 x 4.6mm |
| 9217535-700 | Pinnacle II Amino 5um | 30 x 4.6mm with Trident |
| 9217551 | Pinnacle II Amino 5um | 50 x 1.0mm |
| 9217552 | Pinnacle II Amino 5um | 50 x 2.1mm |
| 9217552-700 | Pinnacle II Amino 5um | 50 x 2.1mm with Trident |
| 9217553 | Pinnacle II Amino 5um | 50 x 3.2mm |
| 9217553-700 | Pinnacle II Amino 5um | 50 x 3.2mm with Trident |
| 9217555 | Pinnacle II Amino 5um | 50 x 4.6mm |
| 9217555-700 | Pinnacle II Amino 5um | 50 x 4.6mm with Trident |
| 9217561 | Pinnacle II Amino 5um | 150 x 1.0mm |
| 9217562 | Pinnacle II Amino 5um | 150 x 2.1mm |
| 9217562-700 | Pinnacle II Amino 5um | 150 x 2.1mm with Trident |
| 9217563 | Pinnacle II Amino 5um | 150 x 3.2mm |
| 9217563-700 | Pinnacle II Amino 5um | 150 x 3.2mm with Trident |
| 9217565 | Pinnacle II Amino 5um | 150 x 4.6mm |
| 9217565-700 | Pinnacle II Amino 5um | 150 x 4.6mm with Trident |
| 9217571 | Pinnacle II Amino 5um | 250 x 1.0mm |
| 9217572 | Pinnacle II Amino 5um | 250 x 2.1mm |
| 9217572-700 | Pinnacle II Amino 5um | 250 x 2.1mm with Trident |
| 9217573 | Pinnacle II Amino 5um | 250 x 3.2mm |
| 9217573-700 | Pinnacle II Amino 5um | 250 x 3.2mm with Trident |
| 9217575 | Pinnacle II Amino 5um | 250 x 4.6mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9217575-700 | Pinnacle II Amino 5um | 250 x 4.6mm with Trident |
| 9219412 | Pinnacle II PAH 4um | 100 x 2.1mm |
| 9219412-700 | Pinnacle II PAH 4um | 100 x 2.1mm with Trident |
| 9219413 | Pinnacle II PAH 4um | 100 x 3.2mm |
| 9219413-700 | Pinnacle II PAH 4um | 100 x 3.2mm with Trident |
| 9219415 | Pinnacle II PAH 4um | 100 x 4.6mm |
| 9219415-700 | Pinnacle II PAH 4um | 100 x 4.6mm with Trident |
| 9219422 | Pinnacle II PAH 4um | 200 x 2.1mm |
| 9219422-700 | Pinnacle II PAH 4um | 200 x 2.1mm with Trident |
| 9219423 | Pinnacle II PAH 4um | 200 x 3.2mm |
| 9219423-700 | Pinnacle II PAH 4um | 200 x 3.2mm with Trident |
| 9219425 | Pinnacle II PAH 4um | 200 x 4.6mm |
| 9219425-700 | Pinnacle II PAH 4um | 200 x 4.6mm with Trident |
| 9219452 | Pinnacle II PAH 4um | 50 x 2.1mm |
| 9219452-700 | Pinnacle II PAH 4um | 50 x 2.1mm with Trident |
| 9219453 | Pinnacle II PAH 4um | 50 x 3.2mm |
| 9219453-700 | Pinnacle II PAH 4um | 50 x 3.2mm with Trident |
| 9219455 | Pinnacle II PAH 4um | 50 x 4.6mm |
| 9219455-700 | Pinnacle II PAH 4um | 50 x 4.6mm with Trident |
| 9219462 | Pinnacle II PAH 4um | 150 x 2.1mm |
| 9219462-700 | Pinnacle II PAH 4um | 150 x 2.1mm with Trident |
| 9219463 | Pinnacle II PAH 4um | 150 x 3.2mm |
| 9219463-700 | Pinnacle II PAH 4um | 150 x 3.2mm with Trident |
| 9219465 | Pinnacle II PAH 4um | 150 x 4.6mm |
| 9219465-700 | Pinnacle II PAH 4um | 150 x 4.6mm with Trident |
| 9219472 | Pinnacle II PAH 4um | 250 x 2.1mm |
| 9219472-700 | Pinnacle II PAH 4um | 250 x 2.1mm with Trident |
| 9219473 | Pinnacle II PAH 4um | 250 x 3.2mm |
| 9219473-700 | Pinnacle II PAH 4um | 250 x 3.2mm with Trident |
| 9219475 | Pinnacle II PAH 4um | 250 x 4.6mm |
| 9219475-700 | Pinnacle II PAH 4um | 250 x 4.6mm with Trident |
| 921950210 | Pinnacle II PAH | 10 x 4.0mm 3-pk |
| 921950212 | Pinnacle II PAH | 10 x 2.1mm 3-pk |
| 921950220 | Pinnacle II PAH | 20 x 4.0mm 2-pk |
| 921950222 | Pinnacle II PAH | 20 x 2.1mm 2-pk |
| 9409212 | Pinnacle DB BiPh 1.9um | 100 x 2.1mm |
| 9409232 | Pinnacle DB BiPh 1.9um | 30 x 2.1mm |
| 9409252 | Pinnacle DB BiPh 1.9um | 50 x 2.1mm |
| 9409311 | Pinnacle DB BiPh 3um | 100 x 1.0mm |
| 9409312 | Pinnacle DB BiPh 3um | 100 x 2.1mm |
| 9409312-700 | Pinnacle DB BiPh 3um | 100 x 2.1mm with Trident |
| 9409313 | Pinnacle DB BiPh 3um | 100 x 3.2mm |
| 9409313-700 | Pinnacle DB BiPh 3um | 100 x 3.2mm with Trident |
| 9409315 | Pinnacle DB BiPh 3um | 100 x 4.6mm |
| 9409315-700 | Pinnacle DB BiPh 3um | 100 x 4.6mm with Trident |
| 9409331 | Pinnacle DB BiPh 3um | 30 x 1.0mm |
| 9409332 | Pinnacle DB BiPh 3um | 30 x 2.1mm |
| 9409332-700 | Pinnacle DB BiPh 3um | 30 x 2.1mm with Trident |
| 9409333 | Pinnacle DB BiPh 3um | 30 x 3.2mm |
| 9409333-700 | Pinnacle DB BiPh 3um | 30 x 3.2mm with Trident |
| 9409335 | Pinnacle DB BiPh 3um | 30 x 4.6mm |
| 9409335-700 | Pinnacle DB BiPh 3um | 30 x 4.6mm with Trident |
| 9409351 | Pinnacle DB BiPh 3um | 50 x 1.0mm |
| 9409352 | Pinnacle DB BiPh 3um | 50 x 2.1mm |
| 9409352-700 | Pinnacle DB BiPh 3um | 50 x 2.1mm with Trident |
| 9409353 | Pinnacle DB BiPh 3um | 50 x 3.2mm |
| 9409353-700 | Pinnacle DB BiPh 3um | 50 x 3.2mm with Trident |
| 9409355 | Pinnacle DB BiPh 3um | 50 x 4.6mm |
| 9409355-700 | Pinnacle DB BiPh 3um | 50 x 4.6mm with Trident |
| 9409361 | Pinnacle DB BiPh 3um | 150 x 1.0mm |
| 9409362 | Pinnacle DB BiPh 3um | 150 x 2.1mm |
| 9409362-700 | Pinnacle DB BiPh 3um | 150 x 2.1mm with Trident |
| 9409363 | Pinnacle DB BiPh 3um | 150 x 3.2mm |
| 9409363-700 | Pinnacle DB BiPh 3um | 150 x 3.2mm with Trident |
| 9409365 | Pinnacle DB BiPh 3um | 150 x 4.6mm |
| 9409365-700 | Pinnacle DB BiPh 3um | 150 x 4.6mm with Trident |

| | | |
|---|---|---|
| 940950210 | Pinnacle DB BiPh | 10 x 4.6mm 3-pk |
| 940950212 | Pinnacle DB BiPh | 10 x 2.1mm 3-pk |
| 940950220 | Pinnacle DB BiPh | 20 x 4.0mm 2-pk |
| 940950222 | Pinnacle DB BiPh | 20 x 2.1mmm 2-pk |
| 9409510 | Pinnacle DB BiPh 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9409511 | Pinnacle DB BiPh 5um | 100 x 1.0mm |
| 9409512 | Pinnacle DB BiPh 5um | 100 x 2.1mm |
| 9409512-700 | Pinnacle DB BiPh 5um | 100 x 2.1mm with Trident |
| 9409513 | Pinnacle DB BiPh 5um | 100 x 3.2mm |
| 9409513-700 | Pinnacle DB BiPh 5um | 100 x 3.2mm with Trident |
| 9409515 | Pinnacle DB BiPh 5um | 100 x 4.6mm |
| 9409515-700 | Pinnacle DB BiPh 5um | 100 x 4.6mm with Trident |
| 9409517 | Pinnacle DB BiPh 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9409518 | Pinnacle DB BiPh 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9409519 | Pinnacle DB BiPh 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9409521 | Pinnacle DB BiPh 5um | 200 x 1.0mm |
| 9409522 | Pinnacle DB BiPh 5um | 200 x 2.1mm |
| 9409522-700 | Pinnacle DB BiPh 5um | 200 x 2.1mm with Trident |
| 9409523 | Pinnacle DB BiPh 5um | 200 x 3.2mm |
| 9409523-700 | Pinnacle DB BiPh 5um | 200 x 3.2mm with Trident |
| 9409525 | Pinnacle DB BiPh 5um | 200 x 4.6mm |
| 9409525-700 | Pinnacle DB BiPh 5um | 200 x 4.6mm with Trident |
| 9409531 | Pinnacle DB BiPh 5um | 30 x 1.0mm |
| 9409532 | Pinnacle DB BiPh 5um | 30 x 2.1mm |
| 9409532-700 | Pinnacle DB BiPh 5um | 30 x 2.1mm with Trident |
| 9409533 | Pinnacle DB BiPh 5um | 30 x 3.2mm |
| 9409533-700 | Pinnacle DB BiPh 5um | 30 x 3.2mm with Trident |
| 9409535 | Pinnacle DB BiPh 5um | 30 x 4.6mm |
| 9409535-700 | Pinnacle DB BiPh 5um | 30 x 4.6mm with Trident |
| 9409550 | Pinnacle DB BiPh 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9409551 | Pinnacle DB BiPh 5um | 50 x 1.0mm |
| 9409552 | Pinnacle DB BiPh 5um | 50 x 2.1mm |
| 9409552-700 | Pinnacle DB BiPh 5um | 50 x 2.1mm with Trident |
| 9409553 | Pinnacle DB BiPh 5um | 50 x 3.2mm |
| 9409553-700 | Pinnacle DB BiPh 5um | 50 x 3.2mm with Trident |
| 9409555 | Pinnacle DB BiPh 5um | 50 x 4.6mm |
| 9409555-700 | Pinnacle DB BiPh 5um | 50 x 4.6mm with Trident |
| 9409557 | Pinnacle DB BiPh 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9409558 | Pinnacle DB BiPh 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9409559 | Pinnacle DB BiPh 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9409560 | Pinnacle DB BiPh 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9409561 | Pinnacle DB BiPh 5um | 150 x 1.0mm |
| 9409562 | Pinnacle DB BiPh 5um | 150 x 2.1mm |
| 9409562-700 | Pinnacle DB BiPh 5um | 150 x 2.1mm with Trident |
| 9409563 | Pinnacle DB BiPh 5um | 150 x 3.2mm |
| 9409563-700 | Pinnacle DB BiPh 5um | 150 x 3.2mm with Trident |
| 9409565 | Pinnacle DB BiPh 5um | 150 x 4.6mm |
| 9409565-700 | Pinnacle DB BiPh 5um | 150 x 4.6mm with Trident |
| 9409567 | Pinnacle DB BiPh 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9409568 | Pinnacle DB BiPh 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9409569 | Pinnacle DB BiPh 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9409570 | Pinnacle DB BiPh 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9409571 | Pinnacle DB BiPh 5um | 250 x 1.0mm |
| 9409572 | Pinnacle DB BiPh 5um | 250 x 2.1mm |
| 9409572-700 | Pinnacle DB BiPh 5um | 250 x 2.1mm with Trident |
| 9409573 | Pinnacle DB BiPh 5um | 250 x 3.2mm |
| 9409573-700 | Pinnacle DB BiPh 5um | 250 x 3.2mm with Trident |
| 9409575 | Pinnacle DB BiPh 5um | 250 x 4.6mm |
| 9409575-700 | Pinnacle DB BiPh 5um | 250 x 4.6mm with Trident |
| 9409577 | Pinnacle DB BiPh 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9409578 | Pinnacle DB BiPh 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9409579 | Pinnacle DB BiPh 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9410212 | Pinnacle DB Silica 1.9um | 100 x 2.1mm |
| 9410232 | Pinnacle DB Silica 1.9um | 30 x 2.1mm |
| 9410252 | Pinnacle DB Silica 1.9um | 50 x 2.1mm |
| 9410311 | Pinnacle DB Silica 3um | 100 x 1.0mm |

| | | |
|---|---|---|
| 9410312 | Pinnacle DB Silica 3um | 100 x 2.1mm |
| 9410312-700 | Pinnacle DB Silica 3um | 100 x 2.1mm with Trident |
| 9410313 | Pinnacle DB Silica 3um | 100 x 3.2mm |
| 9410313-700 | Pinnacle DB Silica 3um | 100 x 3.2mm with Trident |
| 9410315 | Pinnacle DB Silica 3um | 100 x 4.6mm |
| 9410315-700 | Pinnacle DB Silica 3um | 100 x 4.6mm with Trident |
| 9410331 | Pinnacle DB Silica 3um | 30 x 1.0mm |
| 9410332 | Pinnacle DB Silica 3um | 30 x 2.1mm |
| 9410332-700 | Pinnacle DB Silica 3um | 30 x 2.1mm with Trident |
| 9410333 | Pinnacle DB Silica 3um | 30 x 3.2mm |
| 9410333-700 | Pinnacle DB Silica 3um | 30 x 3.2mm with Trident |
| 9410335 | Pinnacle DB Silica 3um | 30 x 4.6mm |
| 9410335-700 | Pinnacle DB Silica 3um | 30 x 4.6mm with Trident |
| 9410351 | Pinnacle DB Silica 3um | 50 x 1.0mm |
| 9410352 | Pinnacle DB Silica 3um | 50 x 2.1mm |
| 9410352-700 | Pinnacle DB Silica 3um | 50 x 2.1mm with Trident |
| 9410353 | Pinnacle DB Silica 3um | 50 x 3.2mm |
| 9410353-700 | Pinnacle DB Silica 3um | 50 x 3.2mm with Trident |
| 9410355 | Pinnacle DB Silica 3um | 50 x 4.6mm |
| 9410355-700 | Pinnacle DB Silica 3um | 50 x 4.6mm with Trident |
| 9410361 | Pinnacle DB Silica 3um | 150 x 1.0mm |
| 9410362 | Pinnacle DB Silica 3um | 150 x 2.1mm |
| 9410362-700 | Pinnacle DB Silica 3um | 150 x 2.1mm with Trident |
| 9410363 | Pinnacle DB Silica 3um | 150 x 3.2mm |
| 9410363-700 | Pinnacle DB Silica 3um | 150 x 3.2mm with Trident |
| 9410365 | Pinnacle DB Silica 3um | 150 x 4.6mm |
| 9410365-700 | Pinnacle DB Silica 3um | 150 x 4.6mm with Trident |
| 94105 | Pinnacle DB Silica 5um | Bulk Packing Material |
| 94105 | Pinnacle DB Silica 5um | Bulk Packing Material |
| 94105 | Pinnacle DB Silica 5um | Bulk Packing Material |
| 94105 | Pinnacle DB Silica 5um | Bulk Packing Material |
| 941050210 | Pinnacle DB Silica | 10 x 4.0mm 3-pk |
| 941050212 | Pinnacle DB Silica | 10 x 2.1mm 3-pk |
| 941050220 | Pinnacle DB Silica | 20 x 4.0mm 2-pk |
| 941050222 | Pinnacle DB Silica | 20 x 2.1mm 2-pk |
| 9410510 | Pinnacle DB Silica 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9410511 | Pinnacle DB Silica 5um | 100 x 1.0mm |
| 9410512 | Pinnacle DB Silica 5um | 100 x 2.1mm |
| 9410512-700 | Pinnacle DB Silica 5um | 100 x 2.1mm with Trident |
| 9410513 | Pinnacle DB Silica 5um | 100 x 3.2mm |
| 9410513-700 | Pinnacle DB Silica 5um | 100 x 3.2mm with Trident |
| 9410515 | Pinnacle DB Silica 5um | 100 x 4.6mm |
| 9410515-700 | Pinnacle DB Silica 5um | 100 x 4.6mm with Trident |
| 9410517 | Pinnacle DB Silica 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9410518 | Pinnacle DB Silica 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9410519 | Pinnacle DB Silica 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9410521 | Pinnacle DB Silica 5um | 200 x 1.0mm |
| 9410522 | Pinnacle DB Silica 5um | 200 x 2.1mm |
| 9410522-700 | Pinnacle DB Silica 5um | 200 x 2.1mm with Trident |
| 9410523 | Pinnacle DB Silica 5um | 200 x 3.2mm |
| 9410523-700 | Pinnacle DB Silica 5um | 200 x 3.2mm with Trident |
| 9410525 | Pinnacle DB Silica 5um | 200 x 4.6mm |
| 9410525-700 | Pinnacle DB Silica 5um | 200 x 4.6mm with Trident |
| 9410531 | Pinnacle DB Silica 5um | 30 x 1.0mm |
| 9410532 | Pinnacle DB Silica 5um | 30 x 2.1mm |
| 9410532-700 | Pinnacle DB Silica 5um | 30 x 2.1mm with Trident |
| 9410533 | Pinnacle DB Silica 5um | 30 x 3.2mm |
| 9410533-700 | Pinnacle DB Silica 5um | 30 x 3.2mm with Trident |
| 9410535 | Pinnacle DB Silica 5um | 30 x 4.6mm |
| 9410535-700 | Pinnacle DB Silica 5um | 30 x 4.6mm with Trident |
| 9410550 | Pinnacle DB Silica 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9410551 | Pinnacle DB Silica 5um | 50 x 1.0mm |
| 9410552 | Pinnacle DB Silica 5um | 50 x 2.1mm |
| 9410552-700 | Pinnacle DB Silica 5um | 50 x 2.1mm with Trident |
| 9410553 | Pinnacle DB Silica 5um | 50 x 3.2mm |
| 9410553-700 | Pinnacle DB Silica 5um | 50 x 3.2mm with Trident |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9410555 | Pinnacle DB Silica 5um | 50 x 4.6mm |
| 9410555-700 | Pinnacle DB Silica 5um | 50 x 4.6mm with Trident |
| 9410557 | Pinnacle DB Silica 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9410558 | Pinnacle DB Silica 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9410559 | Pinnacle DB Silica 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9410560 | Pinnacle DB Silica 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9410561 | Pinnacle DB Silica 5um | 150 x 1.0mm |
| 9410562 | Pinnacle DB Silica 5um | 150 x 2.1mm |
| 9410562-700 | Pinnacle DB Silica 5um | 150 x 2.1mm with Trident |
| 9410563 | Pinnacle DB Silica 5um | 150 x 3.2mm |
| 9410563-700 | Pinnacle DB Silica 5um | 150 x 3.2mm with Trident |
| 9410565 | Pinnacle DB Silica 5um | 150 x 4.6mm |
| 9410565-700 | Pinnacle DB Silica 5um | 150 x 4.6mm with Trident |
| 9410567 | Pinnacle DB Silica 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9410568 | Pinnacle DB Silica 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9410569 | Pinnacle DB Silica 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9410570 | Pinnacle DB Silica 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9410571 | Pinnacle DB Silica 5um | 250 x 1.0mm |
| 9410572 | Pinnacle DB Silica 5um | 250 x 2.1mm |
| 9410572-700 | Pinnacle DB Silica 5um | 250 x 2.1mm with Trident |
| 9410573 | Pinnacle DB Silica 5um | 250 x 3.2mm |
| 9410573-700 | Pinnacle DB Silica 5um | 250 x 3.2mm with Trident |
| 9410575 | Pinnacle DB Silica 5um | 250 x 4.6mm |
| 9410575-700 | Pinnacle DB Silica 5um | 250 x 4.6mm with Trident |
| 9410577 | Pinnacle DB Silica 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9410578 | Pinnacle DB Silica 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9410579 | Pinnacle DB Silica 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9411212 | Pinnacle DB C1 1.9um | 100 x 2.1mm |
| 9411232 | Pinnacle DB C1 1.9um | 30 x 2.1mm |
| 9411252 | Pinnacle DB C1 1.9um | 50 x 2.1mm |
| 9413212 | Pinnacle DB C8 1.9um | 100 x 2.1mm |
| 9413232 | Pinnacle DB C8 1.9um | 30 x 2.1mm |
| 9413252 | Pinnacle DB C8 1.9um | 50 x 2.1mm |
| 9413311 | Pinnacle DB C8 3um | 100 x 1.0mm |
| 9413312 | Pinnacle DB C8 3um | 100 x 2.1mm |
| 9413312-700 | Pinnacle DB C8 3um | 100 x 2.1mm with Trident |
| 9413313 | Pinnacle DB C8 3um | 100 x 3.2mm |
| 9413313-700 | Pinnacle DB C8 3um | 100 x 3.2mm with Trident |
| 9413315 | Pinnacle DB C8 3um | 100 x 4.6mm |
| 9413315-700 | Pinnacle DB C8 3um | 100 x 4.6mm with Trident |
| 9413331 | Pinnacle DB C8 3um | 30 x 1.0mm |
| 9413332 | Pinnacle DB C8 3um | 30 x 2.1mm |
| 9413332-700 | Pinnacle DB C8 3um | 30 x 2.1mm with Trident |
| 9413333 | Pinnacle DB C8 3um | 30 x 3.2mm |
| 9413333-700 | Pinnacle DB C8 3um | 30 x 3.2mm with Trident |
| 9413335 | Pinnacle DB C8 3um | 30 x 4.6mm |
| 9413335-700 | Pinnacle DB C8 3um | 30 x 4.6mm with Trident |
| 9413351 | Pinnacle DB C8 3um | 50 x 1.0mm |
| 9413352 | Pinnacle DB C8 3um | 50 x 2.1mm |
| 9413352-700 | Pinnacle DB C8 3um | 50 x 2.1mm with Trident |
| 9413353 | Pinnacle DB C8 3um | 50 x 3.2mm |
| 9413353-700 | Pinnacle DB C8 3um | 50 x 3.2mm with Trident |
| 9413355 | Pinnacle DB C8 3um | 50 x 4.6mm |
| 9413355-700 | Pinnacle DB C8 3um | 50 x 4.6mm with Trident |
| 94135 | Pinnacle DB C8 5um | Bulk Packing Material |
| 94135 | Pinnacle DB C8 5um | Bulk Packing Material |
| 94135 | Pinnacle DB C8 5um | Bulk Packing Material |
| 94135 | Pinnacle DB C8 5um | Bulk Packing Material |
| 941350210 | Pinnacle DB C8 | 10 x 4.0mm 3-pk |
| 941350212 | Pinnacle DB C8 | 10 x 2.1mm 3-pk |
| 941350220 | Pinnacle DB C8 | 20 x 4.0mm 2-pk |
| 941350222 | Pinnacle DB C8 | 20 x 2.1mm 2-pk |
| 9413510 | Pinnacle DB C8 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9413511 | Pinnacle DB C8 5um | 100 x 1.0mm |
| 9413512 | Pinnacle DB C8 5um | 100 x 2.1mm |
| 9413512-700 | Pinnacle DB C8 5um | 100 x 2.1mm with Trident |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9413513 | Pinnacle DB C8 5um | 100 x 3.2mm |
| 9413513-700 | Pinnacle DB C8 5um | 100 x 3.2mm with Trident |
| 9413515 | Pinnacle DB C8 5um | 100 x 4.6mm |
| 9413515-700 | Pinnacle DB C8 5um | 100 x 4.6mm with Trident |
| 9413517 | Pinnacle DB C8 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9413518 | Pinnacle DB C8 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9413519 | Pinnacle DB C8 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9413521 | Pinnacle DB C8 5um | 200 x 1.0mm |
| 9413522 | Pinnacle DB C8 5um | 200 x 2.1mm |
| 9413522-700 | Pinnacle DB C8 5um | 200 x 2.1mm with Trident |
| 9413523 | Pinnacle DB C8 5um | 200 x 3.2mm |
| 9413523-700 | Pinnacle DB C8 5um | 200 x 3.2mm with Trident |
| 9413525 | Pinnacle DB C8 5um | 200 x 4.6 |
| 9413525-700 | Pinnacle DB C8 5um | 200 x 4.6 with Trident |
| 9413531 | Pinnacle DB C8 5um | 30 x 1.0mm |
| 9413532 | Pinnacle DB C8 5um | 30 x 2.1mm |
| 9413532-700 | Pinnacle DB C8 5um | 30 x 2.1mm with Trident |
| 9413533 | Pinnacle DB C8 5um | 30 x 3.2mm |
| 9413533-700 | Pinnacle DB C8 5um | 30 x 3.2mm with Trident |
| 9413535 | Pinnacle DB C8 5um | 30 x 4.6mm |
| 9413535-700 | Pinnacle DB C8 5um | 30 x 4.6mm with Trident |
| 9413550 | Pinnacle DB C8 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9413551 | Pinnacle DB C8 5um | 50 x 1.0mm |
| 9413552 | Pinnacle DB C8 5um | 50 x 2.1mm |
| 9413552-700 | Pinnacle DB C8 5um | 50 x 2.1mm with Trident |
| 9413553 | Pinnacle DB C8 5um | 50 x 3.2mm |
| 9413553-700 | Pinnacle DB C8 5um | 50 x 3.2mm with Trident |
| 9413555 | Pinnacle DB C8 5um | 50 x 4.6mm |
| 9413555-700 | Pinnacle DB C8 5um | 50 x 4.6mm with Trident |
| 9413557 | Pinnacle DB C8 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9413558 | Pinnacle DB C8 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9413559 | Pinnacle DB C8 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9413560 | Pinnacle DB C8 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9413561 | Pinnacle DB C8 5um | 150 x 1.0mm |
| 9413562 | Pinnacle DB C8 5um | 150 x 2.1mm |
| 9413562-700 | Pinnacle DB C8 5um | 150 x 2.1mm with Trident |
| 9413563 | Pinnacle DB C8 5um | 150 x 3.2mm |
| 9413563-700 | Pinnacle DB C8 5um | 150 x 3.2mm with Trident |
| 9413565 | Pinnacle DB C8 5um | 150 x 4.6mm |
| 9413565-700 | Pinnacle DB C8 5um | 150 x 4.6mm with Trident |
| 9413567 | Pinnacle DB C8 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9413568 | Pinnacle DB C8 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9413569 | Pinnacle DB C8 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9413570 | Pinnacle DB C8 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9413571 | Pinnacle DB C8 5um | 250 x 1.0mm |
| 9413572 | Pinnacle DB C8 5um | 250 x 2.1mm |
| 9413572-700 | Pinnacle DB C8 5um | 250 x 2.1mm with Trident |
| 9413573 | Pinnacle DB C8 5um | 250 x 3.2mm |
| 9413573-700 | Pinnacle DB C8 5um | 250 x 3.2mm with Trident |
| 9413575 | Pinnacle DB C8 5um | 250 x 4.6mm |
| 9413575-700 | Pinnacle DB C8 5um | 250 x 4.6mm with Trident |
| 9413577 | Pinnacle DB C8 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9413578 | Pinnacle DB C8 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9413579 | Pinnacle DB C8 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9414212 | Pinnacle DB C18 1.9um | 100 x 2.1mm |
| 9414232 | Pinnacle DB C18 1.9um | 30 x 2.1mm |
| 9414252 | Pinnacle DB C18 1.9um | 50 x 2.1mm |
| 9414311 | Pinnacle DB C18 3um | 100 x 1.0mm |
| 9414312 | Pinnacle DB C18 3um | 100 x 2.1mm |
| 9414312-700 | Pinnacle DB C18 3um | 100 x 2.1mm with Trident |
| 9414313 | Pinnacle DB C18 3um | 100 x 3.2mm |
| 9414313-700 | Pinnacle DB C18 3um | 100 x 3.2mm with Trident |
| 9414315 | Pinnacle DB C18 3um | 100 x 4.6mm |
| 9414315-700 | Pinnacle DB C18 3um | 100 x 4.6mm with Trident |
| 9414331 | Pinnacle DB C18 3um | 30 x 1.0mm |
| 9414332 | Pinnacle DB C18 3um | 30 x 2.1mm |

| | | |
|---|---|---|
| 9414332-700 | Pinnacle DB C18 3um | 30 x 2.1mm with Trident |
| 9414333 | Pinnacle DB C18 3um | 30 x 3.2mm |
| 9414333-700 | Pinnacle DB C18 3um | 30 x 3.2mm with Trident |
| 9414335 | Pinnacle DB C18 3um | 30 x 4.6mm |
| 9414335-700 | Pinnacle DB C18 3um | 30 x 4.6mm with Trident |
| 9414351 | Pinnacle DB C18 3um | 50 x 1.0mm |
| 9414352 | Pinnacle DB C18 3um | 50 x 2.1mm |
| 9414352-700 | Pinnacle DB C18 3um | 50 x 2.1mm with Trident |
| 9414353 | Pinnacle DB C18 3um | 50 x 3.2mm |
| 9414353-700 | Pinnacle DB C18 3um | 50 x 3.2mm with Trident |
| 9414355 | Pinnacle DB C18 3um | 50 x 4.6mm |
| 9414355-700 | Pinnacle DB C18 3um | 50 x 4.6mm with Trident |
| 94145 | Pinnacle DB C18 5um | Bulk Packing Material |
| 94145 | Pinnacle DB C18 5um | Bulk Packing Material |
| 94145 | Pinnacle DB C18 5um | Bulk Packing Material |
| 94145 | Pinnacle DB C18 5um | Bulk Packing Material |
| 941450210 | Pinnacle DB C18 | 10 x 4.0mm 3-pk |
| 941450212 | Pinnacle DB C18 | 10 x 2.1mm 3-pk |
| 941450220 | Pinnacle DB C18 | 20 x 4.0mm 2-pk |
| 941450222 | Pinnacle DB C18 | 20 x 2.1mm 2-pk |
| 9414510 | Pinnacle DB C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9414511 | Pinnacle DB C18 5um | 100 x 1.0mm |
| 9414512 | Pinnacle DB C18 5um | 100 x 2.1mm |
| 9414512-700 | Pinnacle DB C18 5um | 100 x 2.1mm with Trident |
| 9414513 | Pinnacle DB C18 5um | 100 x 3.2mm |
| 9414513-700 | Pinnacle DB C18 5um | 100 x 3.2mm with Trident |
| 9414515 | Pinnacle DB C18 5um | 100 x 4.6mm |
| 9414515-700 | Pinnacle DB C18 5um | 100 x 4.6mm with Trident |
| 9414517 | Pinnacle DB C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9414518 | Pinnacle DB C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9414519 | Pinnacle DB C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9414521 | Pinnacle DB C18 5um | 200 x 1.0mm |
| 9414522 | Pinnacle DB C18 5um | 200 x 2.1mm |
| 9414522-700 | Pinnacle DB C18 5um | 200 x 2.1mm with Trident |
| 9414523 | Pinnacle DB C18 5um | 200 x 3.2mm |
| 9414523-700 | Pinnacle DB C18 5um | 200 x 3.2mm with Trident |
| 9414525 | Pinnacle DB C18 5um | 200 x 4.6mm |
| 9414525-700 | Pinnacle DB C18 5um | 200 x 4.6mm with Trident |
| 9414531 | Pinnacle DB C18 5um | 30 x 1.0mm |
| 9414532 | Pinnacle DB C18 5um | 30 x 2.1mm |
| 9414532-700 | Pinnacle DB C18 5um | 30 x 2.1mm with Trident |
| 9414533 | Pinnacle DB C18 5um | 30 x 3.2mm |
| 9414533-700 | Pinnacle DB C18 5um | 30 x 3.2mm with Trident |
| 9414535 | Pinnacle DB C18 5um | 30 x 4.6mm |
| 9414535-700 | Pinnacle DB C18 5um | 30 x 4.6mm with Trident |
| 9414550 | Pinnacle DB C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9414551 | Pinnacle DB C18 5um | 50 x 1.0mm |
| 9414552 | Pinnacle DB C18 5um | 50 x 2.1mm |
| 9414552-700 | Pinnacle DB C18 5um | 50 x 2.1mm with Trident |
| 9414553 | Pinnacle DB C18 5um | 50 x 3.2mm |
| 9414553-700 | Pinnacle DB C18 5um | 50 x 3.2mm with Trident |
| 9414555 | Pinnacle DB C18 5um | 50 x 4.6mm |
| 9414555-700 | Pinnacle DB C18 5um | 50 x 4.6mm with Trident |
| 9414557 | Pinnacle DB C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9414558 | Pinnacle DB C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9414559 | Pinnacle DB C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9414560 | Pinnacle DB C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9414561 | Pinnacle DB C18 5um | 150 x 1.0mm |
| 9414562 | Pinnacle DB C18 5um | 150 x 2.1mm |
| 9414562-700 | Pinnacle DB C18 5um | 150 x 2.1mm with Trident |
| 9414563 | Pinnacle DB C18 5um | 150 x 3.2mm |
| 9414563-700 | Pinnacle DB C18 5um | 150 x 3.2mm with Trident |
| 9414565 | Pinnacle DB C18 5um | 150 x 4.6mm |
| 9414565-700 | Pinnacle DB C18 5um | 150 x 4.6mm with Trident |
| 9414567 | Pinnacle DB C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9414568 | Pinnacle DB C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9414569 | Pinnacle DB C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9414570 | Pinnacle DB C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9414571 | Pinnacle DB C18 5um | 250 x 1.0mm |
| 9414572 | Pinnacle DB C18 5um | 250 x 2.1mm |
| 9414572-700 | Pinnacle DB C18 5um | 250 x 2.1mm with Trident |
| 9414573 | Pinnacle DB C18 5um | 250 x 3.2mm |
| 9414573-700 | Pinnacle DB C18 5um | 250 x 3.2mm with Trident |
| 9414575 | Pinnacle DB C18 5um | 250 x 4.6mm |
| 9414575-700 | Pinnacle DB C18 5um | 250 x 4.6mm with Trident |
| 9414577 | Pinnacle DB C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9414578 | Pinnacle DB C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9414579 | Pinnacle DB C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9415212 | Pinnacle DB Phenyl 1.9um | 100 x 2.1mm |
| 9415232 | Pinnacle DB Phenyl 1.9um | 30 x 2.1mm |
| 9415252 | Pinnacle DB Phenyl 1.9um | 50 x 2.1mm |
| 941550210 | Pinnacle DB Phenyl | 10 x 4.0mm 3-pk |
| 941550212 | Pinnacle DB Phenyl | 10 x 2.1mm 3-pk |
| 941550220 | Pinnacle DB Phenyl | 20 x 4.0mm 2-pk |
| 941550222 | Pinnacle DB Phenyl | 20 x 2.1mm 2-pk |
| 9415511 | Pinnacle DB Phenyl 5um | 100 x 1.0mm |
| 9415512 | Pinnacle DB Phenyl 5um | 100 x 2.1mm |
| 9415512-700 | Pinnacle DB Phenyl 5um | 100 x 2.1mm with Trident |
| 9415513 | Pinnacle DB Phenyl 5um | 100 x 3.2mm |
| 9415513-700 | Pinnacle DB Phenyl 5um | 100 x 3.2mm with Trident |
| 9415515 | Pinnacle DB Phenyl 5um | 100 x 4.6mm |
| 9415515-700 | Pinnacle DB Phenyl 5um | 100 x 4.6mm with Trident |
| 9415521 | Pinnacle DB Phenyl 5um | 200 x 1.0mm |
| 9415522 | Pinnacle DB Phenyl 5um | 200 x 2.1mm |
| 9415522-700 | Pinnacle DB Phenyl 5um | 200 x 2.1mm with Trident |
| 9415523 | Pinnacle DB Phenyl 5um | 200 x 3.2mm |
| 9415523-700 | Pinnacle DB Phenyl 5um | 200 x 3.2mm with Trident |
| 9415525 | Pinnacle DB Phenyl 5um | 200 x 4.6mm |
| 9415525-700 | Pinnacle DB Phenyl 5um | 200 x 4.6mm with Trident |
| 9415531 | Pinnacle DB Phenyl 5um | 30 x 1.0mm |
| 9415532 | Pinnacle DB Phenyl 5um | 30 x 2.1mm |
| 9415532-700 | Pinnacle DB Phenyl 5um | 30 x 2.1mm with Trident |
| 9415533 | Pinnacle DB Phenyl 5um | 30 x 3.2mm |
| 9415533-700 | Pinnacle DB Phenyl 5um | 30 x 3.2mm with Trident |
| 9415535 | Pinnacle DB Phenyl 5um | 30 x 4.6mm |
| 9415535-700 | Pinnacle DB Phenyl 5um | 30 x 4.6mm with Trident |
| 9415551 | Pinnacle DB Phenyl 5um | 50 x 1.0mm |
| 9415552 | Pinnacle DB Phenyl 5um | 50 x 2.1mm |
| 9415552-700 | Pinnacle DB Phenyl 5um | 50 x 2.1mm with Trident |
| 9415553 | Pinnacle DB Phenyl 5um | 50 x 3.2mm |
| 9415553-700 | Pinnacle DB Phenyl 5um | 50 x 3.2mm with Trident |
| 9415555 | Pinnacle DB Phenyl 5um | 50 x 4.6mm |
| 9415555-700 | Pinnacle DB Phenyl 5um | 50 x 4.6mm with Trident |
| 9415561 | Pinnacle DB Phenyl 5um | 150 x 1.0mm |
| 9415562 | Pinnacle DB Phenyl 5um | 150 x 2.1mm |
| 9415562-700 | Pinnacle DB Phenyl 5um | 150 x 2.1mm with Trident |
| 9415563 | Pinnacle DB Phenyl 5um | 150 x 3.2mm |
| 9415563-700 | Pinnacle DB Phenyl 5um | 150 x 3.2mm with Trident |
| 9415565 | Pinnacle DB Phenyl 5um | 150 x 4.6mm |
| 9415565-700 | Pinnacle DB Phenyl 5um | 150 x 4.6mm with Trident |
| 9415571 | Pinnacle DB Phenyl 5um | 250 x 1.0mm |
| 9415572 | Pinnacle DB Phenyl 5um | 250 x 2.1mm |
| 9415572-700 | Pinnacle DB Phenyl 5um | 250 x 2.1mm with Trident |
| 9415573 | Pinnacle DB Phenyl 5um | 250 x 3.2mm |
| 9415573-700 | Pinnacle DB Phenyl 5um | 250 x 3.2mm with Trident |
| 9415575 | Pinnacle DB Phenyl 5um | 250 x 4.6mm |
| 9415575-700 | Pinnacle DB Phenyl 5um | 250 x 4.6mm with Trident |
| 9416212 | Pinnacle DB Cyano 1.9um | 100 x 2.1mm |
| 9416232 | Pinnacle DB Cyano 1.9um | 30 x 2.1mm |
| 9416252 | Pinnacle DB Cyano 1.9um | 50 x 2.1mm |
| 94165 | Pinnacle DB Cyano 5um | Bulk Packing Material |
| 94165 | Pinnacle DB Cyano 5um | Bulk Packing Material |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech WebCart SHOPPE NOW "PayPAL" Active

| | | |
|---|---|---|
| 94165 | Pinnacle DB Cyano 5um | Bulk Packing Material |
| 94165 | Pinnacle DB Cyano 5um | Bulk Packing Material |
| 941650210 | Pinnacle DB Cyano | 10 x 4.0mm 3-pk |
| 941650212 | Pinnacle DB Cyano | 10 x 2.1mm 3-pk |
| 941650220 | Pinnacle DB Cyano | 20 x 4.0mm 2-pk |
| 941650222 | Pinnacle DB Cyano | 20 x 2.1mm 2-pk |
| 9416510 | Pinnacle DB Cyano 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9416511 | Pinnacle DB Cyano 5um | 100 x 1.0mm |
| 9416512 | Pinnacle DB Cyano 5um | 100 x 2.1mm |
| 9416512-700 | Pinnacle DB Cyano 5um | 100 x 2.1mm with Trident |
| 9416513 | Pinnacle DB Cyano 5um | 100 x 3.2mm |
| 9416513-700 | Pinnacle DB Cyano 5um | 100 x 3.2mm with Trident |
| 9416515 | Pinnacle DB Cyano 5um | 100 x 4.6mm |
| 9416515-700 | Pinnacle DB Cyano 5um | 100 x 4.6mm with Trident |
| 9416517 | Pinnacle DB Cyano 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9416518 | Pinnacle DB Cyano 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9416519 | Pinnacle DB Cyano 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9416521 | Pinnacle DB Cyano 5um | 200 x 1.0mm |
| 9416522 | Pinnacle DB Cyano 5um | 200 x 2.1mm |
| 9416522-700 | Pinnacle DB Cyano 5um | 200 x 2.1mm with Trident |
| 9416523 | Pinnacle DB Cyano 5um | 200 x 3.2mm |
| 9416523-700 | Pinnacle DB Cyano 5um | 200 x 3.2mm with Trident |
| 9416525 | Pinnacle DB Cyano 5um | 200 x 4.6mm |
| 9416525-700 | Pinnacle DB Cyano 5um | 200 x 4.6mm with Trident |
| 9416531 | Pinnacle DB Cyano 5um | 30 x 1.0mm |
| 9416532 | Pinnacle DB Cyano 5um | 30 x 2.1mm |
| 9416532-700 | Pinnacle DB Cyano 5um | 30 x 2.1mm with Trident |
| 9416533 | Pinnacle DB Cyano 5um | 30 x 3.2mm |
| 9416533-700 | Pinnacle DB Cyano 5um | 30 x 3.2mm with Trident |
| 9416535 | Pinnacle DB Cyano 5um | 30 x 4.6mm |
| 9416535-700 | Pinnacle DB Cyano 5um | 30 x 4.6mm with Trident |
| 9416550 | Pinnacle DB Cyano 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9416551 | Pinnacle DB Cyano 5um | 50 x 1.0mm |
| 9416552 | Pinnacle DB Cyano 5um | 50 x 2.1mm |
| 9416552-700 | Pinnacle DB Cyano 5um | 50 x 2.1mm with Trident |
| 9416553 | Pinnacle DB Cyano 5um | 50 x 3.2mm |
| 9416553-700 | Pinnacle DB Cyano 5um | 50 x 3.2mm with Trident |
| 9416555 | Pinnacle DB Cyano 5um | 50 x 4.6mm |
| 9416555-700 | Pinnacle DB Cyano 5um | 50 x 4.6mm with Trident |
| 9416557 | Pinnacle DB Cyano 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9416558 | Pinnacle DB Cyano 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9416559 | Pinnacle DB Cyano 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9416560 | Pinnacle DB Cyano 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9416561 | Pinnacle DB Cyano 5um | 150 x 1.0mm |
| 9416562 | Pinnacle DB Cyano 5um | 150 x 2.1mm |
| 9416562-700 | Pinnacle DB Cyano 5um | 150 x 2.1mm with Trident |
| 9416563 | Pinnacle DB Cyano 5um | 150 x 3.2mm |
| 9416563-700 | Pinnacle DB Cyano 5um | 150 x 3.2mm with Trident |
| 9416565 | Pinnacle DB Cyano 5um | 150 x 4.6mm |
| 9416565-700 | Pinnacle DB Cyano 5um | 150 x 4.6mm with Trident |
| 9416567 | Pinnacle DB Cyano 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9416568 | Pinnacle DB Cyano 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9416569 | Pinnacle DB Cyano 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9416570 | Pinnacle DB Cyano 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9416571 | Pinnacle DB Cyano 5um | 250 x 1.0mm |
| 9416572 | Pinnacle DB Cyano 5um | 250 x 2.1mm |
| 9416572-700 | Pinnacle DB Cyano 5um | 250 x 2.1mm with Trident |
| 9416573 | Pinnacle DB Cyano 5um | 250 x 3.2mm |
| 9416573-700 | Pinnacle DB Cyano 5um | 250 x 3.2mm with Trident |
| 9416575 | Pinnacle DB Cyano 5um | 250 x 4.6mm |
| 9416575-700 | Pinnacle DB Cyano 5um | 250 x 4.6mm with Trident |
| 9416577 | Pinnacle DB Cyano 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9416578 | Pinnacle DB Cyano 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9416579 | Pinnacle DB Cyano 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9418212 | Pinnacle DB AQ C18 1.9um | 100 x 2.1mm |
| 9418232 | Pinnacle DB AQ C18 1.9um | 30 x 2.1mm |

| | | |
|---|---|---|
| 9418252 | Pinnacle DB AQ C18 1.9um | 50 x 2.1mm |
| 9418311 | Pinnacle DB AQ C18 3um | 100 x 1.0mm |
| 9418312 | Pinnacle DB AQ C18 3um | 100 x 2.1mm |
| 9418312-700 | Pinnacle DB AQ C18 3um | 100 x 2.1mm with Trident |
| 9418313 | Pinnacle DB AQ C18 3um | 100 x 3.2mm |
| 9418313-700 | Pinnacle DB AQ C18 3um | 100 x 3.2mm with Trident |
| 9418315 | Pinnacle DB AQ C18 3um | 100 x 4.6mm |
| 9418315-700 | Pinnacle DB AQ C18 3um | 100 x 4.6mm with Trident |
| 9418331 | Pinnacle DB AQ C18 3um | 30 x 1.0mm |
| 9418332 | Pinnacle DB AQ C18 3um | 30 x 2.1mm |
| 9418332-700 | Pinnacle DB AQ C18 3um | 30 x 2.1mm with Trident |
| 9418333 | Pinnacle DB AQ C18 3um | 30 x 3.2mm |
| 9418333-700 | Pinnacle DB AQ C18 3um | 30 x 3.2mm with Trident |
| 9418335 | Pinnacle DB AQ C18 3um | 30 x 4.6mm |
| 9418335-700 | Pinnacle DB AQ C18 3um | 30 x 4.6mm with Trident |
| 9418351 | Pinnacle DB AQ C18 3um | 50 x 1.0mm |
| 9418352 | Pinnacle DB AQ C18 3um | 50 x 2.1mm |
| 9418352-700 | Pinnacle DB AQ C18 3um | 50 x 2.1mm with Trident |
| 9418353 | Pinnacle DB AQ C18 3um | 50 x 3.2mm |
| 9418353-700 | Pinnacle DB AQ C18 3um | 50 x 3.2mm with Trident |
| 9418355 | Pinnacle DB AQ C18 3um | 50 x 4.6mm |
| 9418355-700 | Pinnacle DB AQ C18 3um | 50 x 4.6mm with Trident |
| 9418361 | Pinnacle DB AQ C18 3um | 150 x 1.0mm |
| 9418362 | Pinnacle DB AQ C18 3um | 150 x 2.1mm |
| 9418362-700 | Pinnacle DB AQ C18 3um | 150 x 2.1mm with Trident |
| 9418363 | Pinnacle DB AQ C18 3um | 150 x 3.2mm |
| 9418363-700 | Pinnacle DB AQ C18 3um | 150 x 3.2mm with Trident |
| 9418365 | Pinnacle DB AQ C18 3um | 150 x 4.6mm |
| 9418365-700 | Pinnacle DB AQ C18 3um | 150 x 4.6mm with Trident |
| 941850210 | Pinnacle DB AQ C18 | 10 x 4.0mm 3-pk |
| 941850212 | Pinnacle DB AQ C18 | 10 x 2.1mm 3-pk |
| 941850220 | Pinnacle DB AQ C18 | 20 x 4.0mm 2-pk |
| 941850222 | Pinnacle DB AQ C18 | 20 x 2.1mm 2-pk |
| 9418510 | Pinnacle DB AQ C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9418511 | Pinnacle DB AQ C18 5um | 100 x 1.0mm |
| 9418512 | Pinnacle DB AQ C18 5um | 100 x 2.1mm |
| 9418512-700 | Pinnacle DB AQ C18 5um | 100 x 2.1mm with Trident |
| 9418513 | Pinnacle DB AQ C18 5um | 100 x 3.2mm |
| 9418513-700 | Pinnacle DB AQ C18 5um | 100 x 3.2mm with Trident |
| 9418515 | Pinnacle DB AQ C18 5um | 100 x 4.6mm |
| 9418515-700 | Pinnacle DB AQ C18 5um | 100 x 4.6mm with Trident |
| 9418517 | Pinnacle DB AQ C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9418518 | Pinnacle DB AQ C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9418519 | Pinnacle DB AQ C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9418521 | Pinnacle DB AQ C18 5um | 200 x 1.0mm |
| 9418522 | Pinnacle DB AQ C18 5um | 200 x 2.1mm |
| 9418522-700 | Pinnacle DB AQ C18 5um | 200 x 2.1mm with Trident |
| 9418523 | Pinnacle DB AQ C18 5um | 200 x 3.2mm |
| 9418523-700 | Pinnacle DB AQ C18 5um | 200 x 3.2mm with Trident |
| 9418525 | Pinnacle DB AQ C18 5um | 200 x 4.6mm |
| 9418525-700 | Pinnacle DB AQ C18 5um | 200 x 4.6mm with Trident |
| 9418531 | Pinnacle DB AQ C18 5um | 30 x 1.0mm |
| 9418532 | Pinnacle DB AQ C18 5um | 30 x 2.1mm |
| 9418532-700 | Pinnacle DB AQ C18 5um | 30 x 2.1mm with Trident |
| 9418533 | Pinnacle DB AQ C18 5um | 30 x 3.2mm |
| 9418533-700 | Pinnacle DB AQ C18 5um | 30 x 3.2mm with Trident |
| 9418535 | Pinnacle DB AQ C18 5um | 30 x 4.6mm |
| 9418535-700 | Pinnacle DB AQ C18 5um | 30 x 4.6mm with Trident |
| 9418550 | Pinnacle DB AQ C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9418551 | Pinnacle DB AQ C18 5um | 50 x 1.0mm |
| 9418552 | Pinnacle DB AQ C18 5um | 50 x 2.1mm |
| 9418552-700 | Pinnacle DB AQ C18 5um | 50 x 2.1mm with Trident |
| 9418553 | Pinnacle DB AQ C18 5um | 50 x 3.2mm |
| 9418553-700 | Pinnacle DB AQ C18 5um | 50 x 3.2mm with Trident |
| 9418555 | Pinnacle DB AQ C18 5um | 50 x 4.6mm |
| 9418555-700 | Pinnacle DB AQ C18 5um | 50 x 4.6mm with Trident |

| | | |
|---|---|---|
| 9418557 | Pinnacle DB AQ C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9418558 | Pinnacle DB AQ C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9418559 | Pinnacle DB AQ C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9418560 | Pinnacle DB AQ C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9418561 | Pinnacle DB AQ C18 5um | 150 x 1.0mm |
| 9418562 | Pinnacle DB AQ C18 5um | 150 x 2.1mm |
| 9418562-700 | Pinnacle DB AQ C18 5um | 150 x 2.1mm with Trident |
| 9418563 | Pinnacle DB AQ C18 5um | 150 x 3.2mm |
| 9418563-700 | Pinnacle DB AQ C18 5um | 150 x 3.2mm with Trident |
| 9418565 | Pinnacle DB AQ C18 5um | 150 x 4.6mm |
| 9418565-700 | Pinnacle DB AQ C18 5um | 150 x 4.6mm with Trident |
| 9418567 | Pinnacle DB AQ C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9418568 | Pinnacle DB AQ C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9418569 | Pinnacle DB AQ C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9418570 | Pinnacle DB AQ C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9418571 | Pinnacle DB AQ C18 5um | 250 x 1.0mm |
| 9418572 | Pinnacle DB AQ C18 5um | 250 x 2.1mm |
| 9418572-700 | Pinnacle DB AQ C18 5um | 250 x 2.1mm with Trident |
| 9418573 | Pinnacle DB AQ C18 5um | 250 x 3.2mm |
| 9418573-700 | Pinnacle DB AQ C18 5um | 250 x 3.2mm with Trident |
| 9418575 | Pinnacle DB AQ C18 5um | 250 x 4.6mm |
| 9418575-700 | Pinnacle DB AQ C18 5um | 250 x 4.6mm with Trident |
| 9418577 | Pinnacle DB AQ C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9418578 | Pinnacle DB AQ C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9418579 | Pinnacle DB AQ C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9419212 | Pinnacle DB PFPP 1.9um | 100 x 2.1mm |
| 9419232 | Pinnacle DB PFPP 1.9um | 30 x 2.1mm |
| 9419252 | Pinnacle DB PFPP 1.9um | 50 x 2.1mm |
| 9419311 | Pinnacle DB PFPP 3um | 100 x 1.0mm |
| 9419312 | Pinnacle DB PFPP 3um | 100 x 2.1mm |
| 9419312-700 | Pinnacle DB PFPP 3um | 100 x 2.1mm with Trident |
| 9419313 | Pinnacle DB PFPP 3um | 100 x 3.2mm |
| 9419313-700 | Pinnacle DB PFPP 3um | 100 x 3.2mm with Trident |
| 9419315 | Pinnacle DB PFPP 3um | 100 x 4.6mm |
| 9419315-700 | Pinnacle DB PFPP 3um | 100 x 4.6mm with Trident |
| 9419331 | Pinnacle DB PFPP 3um | 30 x 1.0mm |
| 9419332 | Pinnacle DB PFPP 3um | 30 x 2.1mm |
| 9419332-700 | Pinnacle DB PFPP 3um | 30 x 2.1mm with Trident |
| 9419333 | Pinnacle DB PFPP 3um | 30 x 3.2mm |
| 9419333-700 | Pinnacle DB PFPP 3um | 30 x 3.2mm with Trident |
| 9419335 | Pinnacle DB PFPP 3um | 30 x 4.6mm |
| 9419335-700 | Pinnacle DB PFPP 3um | 30 x 4.6mm with Trident |
| 9419351 | Pinnacle DB PFPP 3um | 50 x 1.0mm |
| 9419352 | Pinnacle DB PFPP 3um | 50 x 2.1mm |
| 9419352-700 | Pinnacle DB PFPP 3um | 50 x 2.1mm with Trident |
| 9419353 | Pinnacle DB PFPP 3um | 50 x 3.2mm |
| 9419353-700 | Pinnacle DB PFPP 3um | 50 x 3.2mm with Trident |
| 9419355 | Pinnacle DB PFPP 3um | 50 x 4.6mm |
| 9419355-700 | Pinnacle DB PFPP 3um | 50 x 4.6mm with Trident |
| 9419361 | Pinnacle DB PFPP 3um | 150 x 1.0mm |
| 9419362 | Pinnacle DB PFPP 3um | 150 x 2.1mm |
| 9419362-700 | Pinnacle DB PFPP 3um | 150 x 2.1mm with Trident |
| 9419363 | Pinnacle DB PFPP 3um | 150 x 3.2mm |
| 9419363-700 | Pinnacle DB PFPP 3um | 150 x 3.2mm with Trident |
| 9419365 | Pinnacle DB PFPP 3um | 150 x 4.6mm |
| 9419365-700 | Pinnacle DB PFPP 3um | 150 x 4.6mm with Trident |
| 941950210 | Pinnacle DB PFPP | 10 x 4.0mm 3-pk |
| 941950212 | Pinnacle DB PFPP | 10 x 2.1mm 3-pk |
| 941950220 | Pinnacle DB PFPP | 20 x 4.0mm 2-pk |
| 941950222 | Pinnacle DB PFPP | 20 x 2.1mm 2-pk |
| 9419510 | Pinnacle DB PFPP 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9419511 | Pinnacle DB PFPP 5um | 100 x 1.0mm |
| 9419512 | Pinnacle DB PFPP 5um | 100 x 2.1mm |
| 9419512-700 | Pinnacle DB PFPP 5um | 100 x 2.1mm with Trident |
| 9419513 | Pinnacle DB PFPP 5um | 100 x 3.2mm |
| 9419513-700 | Pinnacle DB PFPP 5um | 100 x 3.2mm with Trident |

| | | |
|---|---|---|
| 9419515 | Pinnacle DB PFPP 5um | 100 x 4.6mm |
| 9419515-700 | Pinnacle DB PFPP 5um | 100 x 4.6mm with Trident |
| 9419517 | Pinnacle DB PFPP 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9419518 | Pinnacle DB PFPP 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9419519 | Pinnacle DB PFPP 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9419521 | Pinnacle DB PFPP 5um | 200 x 1.0mm |
| 9419522 | Pinnacle DB PFPP 5um | 200 x 2.1mm |
| 9419522-700 | Pinnacle DB PFPP 5um | 200 x 2.1mm with Trident |
| 9419523 | Pinnacle DB PFPP 5um | 200 x 3.2mm |
| 9419523-700 | Pinnacle DB PFPP 5um | 200 x 3.2mm with Trident |
| 9419525 | Pinnacle DB PFPP 5um | 200 x 4.6mm |
| 9419525-700 | Pinnacle DB PFPP 5um | 200 x 4.6mm with Trident |
| 9419531 | Pinnacle DB PFPP 5um | 30 x 1.0mm |
| 9419532 | Pinnacle DB PFPP 5um | 30 x 2.1mm |
| 9419532-700 | Pinnacle DB PFPP 5um | 30 x 2.1mm with Trident |
| 9419533 | Pinnacle DB PFPP 5um | 30 x 3.2mm |
| 9419533-700 | Pinnacle DB PFPP 5um | 30 x 3.2mm with Trident |
| 9419535 | Pinnacle DB PFPP 5um | 30 x 4.6mm |
| 9419535-700 | Pinnacle DB PFPP 5um | 30 x 4.6mm with Trident |
| 9419550 | Pinnacle DB PFPP 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9419551 | Pinnacle DB PFPP 5um | 50 x 1.0mm |
| 9419552 | Pinnacle DB PFPP 5um | 50 x 2.1mm |
| 9419552-700 | Pinnacle DB PFPP 5um | 50 x 2.1mm with Trident |
| 9419553 | Pinnacle DB PFPP 5um | 50 x 3.2mm |
| 9419553-700 | Pinnacle DB PFPP 5um | 50 x 3.2mm with Trident |
| 9419555 | Pinnacle DB PFPP 5um | 50 x 4.6mm |
| 9419555-700 | Pinnacle DB PFPP 5um | 50 x 4.6mm with Trident |
| 9419557 | Pinnacle DB PFPP 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9419558 | Pinnacle DB PFPP 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9419559 | Pinnacle DB PFPP 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9419560 | Pinnacle DB PFPP 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9419561 | Pinnacle DB PFPP 5um | 150 x 1.0mm |
| 9419562 | Pinnacle DB PFPP 5um | 150 x 2.1mm |
| 9419562-700 | Pinnacle DB PFPP 5um | 150 x 2.1mm with Trident |
| 9419563 | Pinnacle DB PFPP 5um | 150 x 3.2mm |
| 9419563-700 | Pinnacle DB PFPP 5um | 150 x 3.2mm with Trident |
| 9419565 | Pinnacle DB PFPP 5um | 150 x 4.6mm |
| 9419565-700 | Pinnacle DB PFPP 5um | 150 x 4.6mm with Trident |
| 9419567 | Pinnacle DB PFPP 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9419568 | Pinnacle DB PFPP 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9419569 | Pinnacle DB PFPP 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9419570 | Pinnacle DB PFPP 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9419571 | Pinnacle DB PFPP 5um | 250 x 1.0mm |
| 9419572 | Pinnacle DB PFPP 5um | 250 x 2.1mm |
| 9419572-700 | Pinnacle DB PFPP 5um | 250 x 2.1mm with Trident |
| 9419573 | Pinnacle DB PFPP 5um | 250 x 3.2mm |
| 9419573-700 | Pinnacle DB PFPP 5um | 250 x 3.2mm with Trident |
| 9419575 | Pinnacle DB PFPP 5um | 250 x 4.6mm |
| 9419575-700 | Pinnacle DB PFPP 5um | 250 x 4.6mm with Trident |
| 9419577 | Pinnacle DB PFPP 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9419578 | Pinnacle DB PFPP 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9419579 | Pinnacle DB PFPP 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9424212 | Pinnacle DB X3 C18 1.9um | 100 x 2.1mm |
| 9424232 | Pinnacle DB X3 C18 1.9um | 30 x 2.1mm |
| 9424252 | Pinnacle DB X3 C18 1.9um | 50 x 2.1mm |
| 9425212 | Pinnacle DB IBD 1.9um | 100 x 2.1mm |
| 9425232 | Pinnacle DB IBD 1.9um | 30 x 2.1mm |
| 9425252 | Pinnacle DB IBD 1.9um | 50 x 2.1mm |
| 9425510 | Pinnacle DB IBD 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9425517 | Pinnacle DB IBD 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9425518 | Pinnacle DB IBD 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9425519 | Pinnacle DB IBD 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9425550 | Pinnacle DB IBD 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9425557 | Pinnacle DB IBD 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9425558 | Pinnacle DB IBD 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9425559 | Pinnacle DB IBD 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9425560 | Pinnacle DB IBD 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9425567 | Pinnacle DB IBD 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9425568 | Pinnacle DB IBD 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9425569 | Pinnacle DB IBD 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9425570 | Pinnacle DB IBD 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9425577 | Pinnacle DB IBD 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9425578 | Pinnacle DB IBD 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9425579 | Pinnacle DB IBD 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9470212 | Pinnacle DB PAH 1.9um | 100 x 2.1mm |
| 9470232 | Pinnacle DB PAH 1.9um | 30 x 2.1mm |
| 9470252 | Pinnacle DB PAH 1.9um | 50 x 2.1mm |
| 951050210 | Viva Silica | 10 x 4.0mm 3-pk |
| 951050212 | Viva Silica | 10 x 2.1mm 3-pk |
| 951050220 | Viva Silica | 20 x 4.0mm 2-pk |
| 951050222 | Viva Silica | 20 x 2.1mm 2-pk |
| 9510511 | Viva Silica 5um | 100 x 1.0mm |
| 9510512 | Viva Silica 5um | 100 x 2.1mm |
| 9510512-700 | Viva Silica 5um | 100 x 2.1mm with Trident |
| 9510513 | Viva Silica 5um | 100 x 3.2mm |
| 9510513-700 | Viva Silica 5um | 100 x 3.2mm with Trident |
| 9510515 | Viva Silica 5um | 100 x 4.6mm |
| 9510515-700 | Viva Silica 5um | 100 x 4.6mm with Trident |
| 9510521 | Viva Silica 5um | 200 x 1.0mm |
| 9510522 | Viva Silica 5um | 200 x 2.1mm |
| 9510522-700 | Viva Silica 5um | 200 x 2.1mm with Trident |
| 9510523 | Viva Silica 5um | 200 x 3.2mm |
| 9510523-700 | Viva Silica 5um | 200 x 3.2mm with Trident |
| 9510525 | Viva Silica 5um | 200 x 4.6mm |
| 9510525-700 | Viva Silica 5um | 200 x 4.6mm with Trident |
| 9510531 | Viva Silica 5um | 30 x 1.0mm |
| 9510532 | Viva Silica 5um | 30 x 2.1mm |
| 9510532-700 | Viva Silica 5um | 30 x 2.1mm with Trident |
| 9510533 | Viva Silica 5um | 30 x 3.2mm |
| 9510533-700 | Viva Silica 5um | 30 x 3.2mm with Trident |
| 9510535 | Viva Silica 5um | 30 x 4.6mm |
| 9510535-700 | Viva Silica 5um | 30 x 4.6mm with Trident |
| 9510551 | Viva Silica 5um | 50 x 1.0mm |
| 9510552 | Viva Silica 5um | 50 x 2.1mm |
| 9510552-700 | Viva Silica 5um | 50 x 2.1mm with Trident |
| 9510553 | Viva Silica 5um | 50 x 3.2mm |
| 9510553-700 | Viva Silica 5um | 50 x 3.2mm with Trident |
| 9510555 | Viva Silica 5um | 50 x 4.6mm |
| 9510555-700 | Viva Silica 5um | 50 x 4.6mm with Trident |
| 9510561 | Viva Silica 5um | 150 x 1.0mm |
| 9510562 | Viva Silica 5um | 150 x 2.1mm |
| 9510562-700 | Viva Silica 5um | 150 x 2.1mm with Trident |
| 9510563 | Viva Silica 5um | 150 x 3.2mm |
| 9510563-700 | Viva Silica 5um | 150 x 3.2mm with Trident |
| 9510565 | Viva Silica 5um | 150 x 4.6mm |
| 9510565-700 | Viva Silica 5um | 150 x 4.6mm with Trident |
| 9510571 | Viva Silica 5um | 250 x 1.0mm |
| 9510572 | Viva Silica 5um | 250 x 2.1mm |
| 9510572-700 | Viva Silica 5um | 250 x 2.1mm with Trident |
| 9510573 | Viva Silica 5um | 250 x 3.2mm |
| 9510573-700 | Viva Silica 5um | 250 x 3.2mm with Trident |
| 9510575 | Viva Silica 5um | 250 x 4.6mm |
| 9510575-700 | Viva Silica 5um | 250 x 4.6mm with Trident |
| 951250210 | Viva C4 | 10 x 4.0mm 3-pk |
| 951250212 | Viva C4 | 10 x 2.1mm 3-pk |
| 951250220 | Viva C4 | 20 x 4.0mm 2-pk |
| 951250222 | Viva C4 | 20 x 2.1mm 2-pk |
| 9512510 | Viva C4 5um | 100 x 50mm |
| 9512511 | Viva C4 5um | 100 x 1.0mm |
| 9512512 | Viva C4 5um | 100 x 2.1mm |
| 9512512-700 | Viva C4 5um | 100 x 2.1mm with Trident |
| 9512513 | Viva C4 5um | 100 x 3.2mm |

| | | |
|---|---|---|
| 9512513-700 | Viva C4 5um | 100 x 3.2mm with Trident |
| 9512515 | Viva C4 5um | 100 x 4.6mm |
| 9512515-700 | Viva C4 5um | 100 x 4.6mm with Trident |
| 9512517 | Viva C4 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9512518 | Viva C4 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9512519 | Viva C4 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9512521 | Viva C4 5um | 200 x 1.0mm |
| 9512522 | Viva C4 5um | 200 x 2.1mm |
| 9512522-700 | Viva C4 5um | 200 x 2.1mm with Trident |
| 9512523 | Viva C4 5um | 200 x 3.2mm |
| 9512523-700 | Viva C4 5um | 200 x 3.2mm with Trident |
| 9512525 | Viva C4 5um | 200 x 4.6mm |
| 9512525-700 | Viva C4 5um | 200 x 4.6mm with Trident |
| 9512531 | Viva C4 5um | 30 x 1.0mm |
| 9512532 | Viva C4 5um | 30 x 2.1mm |
| 9512532-700 | Viva C4 5um | 30 x 2.1mm with Trident |
| 9512533 | Viva C4 5um | 30 x 3.2mm |
| 9512533-700 | Viva C4 5um | 30 x 3.2mm with Trident |
| 9512535 | Viva C4 5um | 30 x 4.6mm |
| 9512535-700 | Viva C4 5um | 30 x 4.6mm with Trident |
| 9512550 | Viva C4 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9512551 | Viva C4 5um | 50 x 1.0mm |
| 9512552 | Viva C4 5um | 50 x 2.1mm |
| 9512552-700 | Viva C4 5um | 50 x 2.1mm with Trident |
| 9512553 | Viva C4 5um | 50 x 3.2mm |
| 9512553-700 | Viva C4 5um | 50 x 3.2mm with Trident |
| 9512555 | Viva C4 5um | 50 x 4.6mm |
| 9512555-700 | Viva C4 5um | 50 x 4.6mm with Trident |
| 9512557 | Viva C4 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9512558 | Viva C4 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9512559 | Viva C4 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9512560 | Viva C4 5um | 150 x 50mm |
| 9512561 | Viva C4 5um | 150 x 1.0mm |
| 9512562 | Viva C4 5um | 150 x 2.1mm |
| 9512562-700 | Viva C4 5um | 150 x 2.1mm with Trident |
| 9512563 | Viva C4 5um | 150 x 3.2mm |
| 9512563-700 | Viva C4 5um | 150 x 3.2mm with Trident |
| 9512565 | Viva C4 5um | 150 x 4.6mm |
| 9512565-700 | Viva C4 5um | 150 x 4.6mm with Trident |
| 9512567 | Viva C4 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9512568 | Viva C4 5um | 150 x 21.2mm |
| 9512569 | Viva C4 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9512570 | Viva C4 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9512571 | Viva C4 5um | 250 x 1.0mm |
| 9512572 | Viva C4 5um | 250 x 2.1mm |
| 9512572-700 | Viva C4 5um | 250 x 2.1mm with Trident |
| 9512573 | Viva C4 5um | 250 x 3.2mm |
| 9512573-700 | Viva C4 5um | 250 x 3.2mm with Trident |
| 9512575 | Viva C4 5um | 250 x 4.6mm |
| 9512575-700 | Viva C4 5um | 250 x 4.6mm with Trident |
| 9512577 | Viva C4 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9512578 | Viva C4 5um | 250 x 21.2mm |
| 9512579 | Viva C4 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 951350210 | Viva C8 | 10 x 4.0mm 3-pk |
| 951350212 | Viva C8 | 10 x 2.1mm 3-pk |
| 951350220 | Viva C8 | 20 x 4.0mm 2-pk |
| 951350222 | Viva C8 | 20 x 2.1mm 2-pk |
| 9513510 | Viva C8 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9513511 | Viva C8 5um | 100 x 1.0mm |
| 9513512 | Viva C8 5um | 100 x 2.1mm |
| 9513512-700 | Viva C8 5um | 100 x 2.1mm with Trident |
| 9513513 | Viva C8 5um | 100 x 3.2mm |
| 9513513-700 | Viva C8 5um | 100 x 3.2mm with Trident |
| 9513515 | Viva C8 5um | 100 x 4.6mm |
| 9513515-700 | Viva C8 5um | 100 x 4.6mm with Trident |
| 9513517 | Viva C8 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9513518 | Viva C8 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9513519 | Viva C8 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9513521 | Viva C8 5um | 200 x 1.0mm |
| 9513522 | Viva C8 5um | 200 x 2.1mm |
| 9513522-700 | Viva C8 5um | 200 x 2.1mm with Trident |
| 9513523 | Viva C8 5um | 200 x 3.2mm |
| 9513523-700 | Viva C8 5um | 200 x 3.2 with Trident |
| 9513525 | Viva C8 5um | 200 x 4.6mm |
| 9513525-700 | Viva C8 5um | 200 x 4.6mm with Trident |
| 9513531 | Viva C8 5um | 30 x 1.0mm |
| 9513532 | Viva C8 5um | 30 x 2.1mm |
| 9513532-700 | Viva C8 5um | 30 x 2.1mm with Trident |
| 9513533 | Viva C8 5um | 30 x 3.2mm |
| 9513533-700 | Viva C8 5um | 30 x 3.2mm with Trident |
| 9513535 | Viva C8 5um | 30 x 4.6mm |
| 9513535-700 | Viva C8 5um | 30 x 4.6mm with Trident |
| 9513550 | Viva C8 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9513551 | Viva C8 5um | 50 x 1.0mm |
| 9513552 | Viva C8 5um | 50 x 2.1mm |
| 9513552-700 | Viva C8 5um | 50 x 2.1mm with Trident |
| 9513553 | Viva C8 5um | 50 x 3.2mm |
| 9513553-700 | Viva C8 5um | 50 x 3.2mm with Trident |
| 9513555 | Viva C8 5um | 50 x 4.6mm |
| 9513555-700 | Viva C8 5um | 50 x 4.6mm with Trident |
| 9513557 | Viva C8 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9513558 | Viva C8 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9513559 | Viva C8 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9513560 | Viva C8 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9513561 | Viva C8 5um | 150 x 1.0mm |
| 9513562 | Viva C8 5um | 150 x 2.1mm |
| 9513562-700 | Viva C8 5um | 150 x 2.1mm with Trident |
| 9513563 | Viva C8 5um | 150 x 3.2mm |
| 9513563-700 | Viva C8 5um | 150 x 3.2mm with Trident |
| 9513565 | Viva C8 5um | 150 x 4.6mm |
| 9513565-700 | Viva C8 5um | 150 x 4.6mm with Trident |
| 9513567 | Viva C8 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9513568 | Viva C8 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9513569 | Viva C8 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9513570 | Viva C8 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9513571 | Viva C8 5um | 250 x 1.0mm |
| 9513572 | Viva C8 5um | 250 x 2.1mm |
| 9513572-700 | Viva C8 5um | 250 x 2.1mm with Trident |
| 9513573 | Viva C8 5um | 250 x 3.2mm |
| 9513573-700 | Viva C8 5um | 250 x 3.2mm with Trident |
| 9513575 | Viva C8 5um | 250 x 4.6mm |
| 9513575-700 | Viva C8 5um | 250 x 4.6mm with Trident |
| 9513577 | Viva C8 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9513578 | Viva C8 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9513579 | Viva C8 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9514311 | Viva C18 3um | 100 x 1.0mm |
| 9514312 | Viva C18 3um | 100 x 2.1mm |
| 9514312-700 | Viva C18 3um | 100 x 2.1mm with Trident |
| 9514313 | Viva C18 3um | 100 x 3.2mm |
| 9514313-700 | Viva C18 3um | 100 x 3.2mm with Trident |
| 9514315 | Viva C18 3um | 100 x 4.6mm |
| 9514315-700 | Viva C18 3um | 100 x 4.6mm with Trident |
| 9514331 | Viva C18 3um | 30 x 1.0mm |
| 9514332 | Viva C18 3um | 30 x 2.1mm |
| 9514332-700 | Viva C18 3um | 30 x 2.1mm with Trident |
| 9514333 | Viva C18 3um | 30 x 3.2mm |
| 9514333-700 | Viva C18 3um | 30 x 3.2mm with Trident |
| 9514335 | Viva C18 3um | 30 x 4.6mm |
| 9514335-700 | Viva C18 3um | 30 x 4.6mm with Trident |
| 9514351 | Viva C18 3um | 50 x 1.0mm |
| 9514352 | Viva C18 3um | 50 x 2.1mm |
| 9514352-700 | Viva C18 3um | 50 x 2.1mm with Trident |

| | | |
|---|---|---|
| 9514353 | Viva C18 3um | 50 x 3.2mm |
| 9514353-700 | Viva C18 3um | 50 x 3.2mm with Trident |
| 9514355 | Viva C18 3um | 50 x 4.6mm |
| 9514355-700 | Viva C18 3um | 50 x 4.6mm with Trident |
| 951435B | Viva C18 3um | 50 x 0.3mm |
| 9514361 | Viva C18 3um | 150 x 1.0mm |
| 9514362 | Viva C18 3um | 150 x 2.1mm |
| 9514362-700 | Viva C18 3um | 150 x 2.1mm with Trident |
| 9514363 | Viva C18 3um | 150 x 3.2mm |
| 9514363-700 | Viva C18 3um | 150 x 3.2mm with Trident |
| 9514365 | Viva C18 3um | 150 x 4.6mm |
| 9514365-700 | Viva C18 3um | 150 x 4.6mm with Trident |
| 951436B | Viva C18 3um | 150 x 0.3mm |
| 951450210 | Viva C18 | 10 x 4.0mm 3-pk |
| 951450212 | Viva C18 | 10 x 2.1mm 3-pk |
| 951450220 | Viva C18 | 20 x 4.0mm 2-pk |
| 951450222 | Viva C18 | 20 x 2.1mm 2-pk |
| 9514510 | Viva C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9514511 | Viva C18 5um | 100 x 1.0mm |
| 9514512 | Viva C18 5um | 100 x 2.1mm |
| 9514512-700 | Viva C18 5um | 100 x 2.1mm with Trident |
| 9514513 | Viva C18 5um | 100 x 3.2mm |
| 9514513-700 | Viva C18 5um | 100 x 3.2mm with Trident |
| 9514515 | Viva C18 5um | 100 x 4.6mm |
| 9514515-700 | Viva C18 5um | 100 x 4.6mm with Trident |
| 9514517 | Viva C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9514518 | Viva C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9514519 | Viva C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9514521 | Viva C18 5um | 200 x 1.0mm |
| 9514522 | Viva C18 5um | 200 x 2.1mm |
| 9514522-700 | Viva C18 5um | 200 x 2.1mm with Trident |
| 9514523 | Viva C18 5um | 200 x 3.2mm |
| 9514523-700 | Viva C18 5um | 200 x 3.2mm with Trident |
| 9514525 | Viva C18 5um | 200 x 4.6mm |
| 9514525-700 | Viva C18 5um | 200 x 4.6mm with Trident |
| 9514531 | Viva C18 5um | 30 x 1.0mm |
| 9514532 | Viva C18 5um | 30 x 2.1mm |
| 9514532-700 | Viva C18 5um | 30 x 2.1mm with Trident |
| 9514533 | Viva C18 5um | 30 x 3.2mm |
| 9514533-700 | Viva C18 5um | 30 x 3.2mm with Trident |
| 9514535 | Viva C18 5um | 30 x 4.6mm |
| 9514535-700 | Viva C18 5um | 30 x 4.6mm with Trident |
| 9514550 | Viva C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9514551 | Viva C18 5um | 50 x 1.0mm |
| 9514552 | Viva C18 5um | 50 x 2.1mm |
| 9514552-700 | Viva C18 5um | 50 x 2.1mm with Trident |
| 9514553 | Viva C18 5um | 50 x 3.2mm |
| 9514553-700 | Viva C18 5um | 50 x 3.2mm with Trident |
| 9514555 | Viva C18 5um | 50 x 4.6mm |
| 9514555-700 | Viva C18 5um | 50 x 4.6mm with Trident |
| 9514557 | Viva C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9514558 | Viva C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9514559 | Viva C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9514560 | Viva C18 5um | 150 x 50mm |
| 9514561 | Viva C18 5um | 150 x 1.0mm |
| 9514561-700 | Viva C18 5um | 150 x 1.0mm with Trident |
| 9514562 | Viva C18 5um | 150 x 2.1mm |
| 9514562-700 | Viva C18 5um | 150 x 2.1mm with Trident |
| 9514563 | Viva C18 5um | 150 x 3.2mm |
| 9514563-700 | Viva C18 5um | 150 x 3.2mm with Trident |
| 9514564 | Viva C18 5um | 150 x 4.0mm |
| 9514565 | Viva C18 5um | 150 x 4.6mm |
| 9514565-700 | Viva C18 5um | 150 x 4.6mm with Trident |
| 9514567 | Viva C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9514568 | Viva C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9514569 | Viva C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9514570 | Viva C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9514571 | Viva C18 5um | 250 x 1.0mm |
| 9514571-700 | Viva C18 5um | 250 x 1.0mm with Trident |
| 9514572 | Viva C18 5um | 250 x 2.1mm |
| 9514572-700 | Viva C18 5um | 250 x 2.1mm with Trident |
| 9514573 | Viva C18 5um | 250 x 3.2mm |
| 9514573-700 | Viva C18 5um | 250 x 3.2mm with Trident |
| 9514575 | Viva C18 5um | 250 x 4.6mm |
| 9514575-700 | Viva C18 5um | 250 x 4.6mm with Trident |
| 9514577 | Viva C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9514578 | Viva C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9514579 | Viva C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 951650210 | Viva BiPh | 10 x 4.0mm 3-pk |
| 951650212 | Viva BiPh | 10 x 2.1mm 3-pk |
| 951650220 | Viva BiPh | 20 x 4.0mm 2-pk |
| 951650222 | Viva BiPh | 20 x 2.1mm 2-pk |
| 9516511 | Viva BiPh 5um | 100 x 1.0mm |
| 9516512 | Viva BiPh 5um | 100 x 2.1mm |
| 9516512-700 | Viva BiPh 5um | 100 x 2.1mm with Trident |
| 9516513 | Viva BiPh 5um | 100 x 3.2mm |
| 9516513-700 | Viva BiPh 5um | 100 x 3.2mm with Trident |
| 9516515 | Viva BiPh 5um | 100 x 4.6mm |
| 9516515-700 | Viva BiPh 5um | 100 x 4.6mm with Trident |
| 9516521 | Viva BiPh 5um | 200 x 1.0mm |
| 9516522 | Viva BiPh 5um | 200 x 2.1mm |
| 9516522-700 | Viva BiPh 5um | 200 x 2.1mm with Trident |
| 9516523 | Viva BiPh 5um | 200 x 3.2mm |
| 9516523-700 | Viva BiPh 5um | 200 x 3.2mm with Trident |
| 9516525 | Viva BiPh 5um | 200 x 4.6mm |
| 9516525-700 | Viva BiPh 5um | 200 x 4.6mm with Trident |
| 9516531 | Viva BiPh 5um | 30 x 1.0mm |
| 9516532 | Viva BiPh 5um | 30 x 2.1mm |
| 9516532-700 | Viva BiPh 5um | 30 x 2.1mm with Trident |
| 9516533 | Viva BiPh 5um | 30 x 3.2mm |
| 9516533-700 | Viva BiPh 5um | 30 x 3.2mm with Trident |
| 9516535 | Viva BiPh 5um | 30 x 4.6mm |
| 9516535-700 | Viva BiPh 5um | 30 x 4.6mm with Trident |
| 9516551 | Viva BiPh 5um | 50 x 1.0mm |
| 9516552 | Viva BiPh 5um | 50 x 2.1mm |
| 9516552-700 | Viva BiPh 5um | 50 x 2.1mm with Trident |
| 9516553 | Viva BiPh 5um | 50 x 3.2mm |
| 9516553-700 | Viva BiPh 5um | 50 x 3.2mm with Trident |
| 9516555 | Viva BiPh 5um | 50 x 4.6mm |
| 9516555-700 | Viva BiPh 5um | 50 x 4.6mm with Trident |
| 9516561 | Viva BiPh 5um | 150 x 1.0mm |
| 9516562 | Viva BiPh 5um | 150 x 2.1mm |
| 9516562-700 | Viva BiPh 5um | 150 x 2.1mm with Trident |
| 9516563 | Viva BiPh 5um | 150 x 3.2mm |
| 9516563-700 | Viva BiPh 5um | 150 x 3.2mm with Trident |
| 9516565 | Viva BiPh 5um | 150 x 4.6mm |
| 9516565-700 | Viva BiPh 5um | 150 x 4.6mm with Trident |
| 9516571 | Viva BiPh 5um | 250 x 1.0mm |
| 9516572 | Viva BiPh 5um | 250 x 2.1mm |
| 9516572-700 | Viva BiPh 5um | 250 x 2.1mm with Trident |
| 9516573 | Viva BiPh 5um | 250 x 3.2mm |
| 9516573-700 | Viva BiPh 5um | 250 x 3.2mm with Trident |
| 9516575 | Viva BiPh 5um | 250 x 4.6mm |
| 9516575-700 | Viva BiPh 5um | 250 x 4.6mm with Trident |
| 951950210 | Viva PFPP | 10 x 4.0mm 3-pk |
| 951950212 | Viva PFPP | 10 x 2.1mm 3-pk |
| 951950220 | Viva PFPP | 20 x 4.0mm 2-pk |
| 951950222 | Viva PFPP | 20 x 2.1mm 2-pk |
| 9519511 | Viva PFPP 5um | 100 x 1.0mm |
| 9519512 | Viva PFPP 5um | 100 x 2.1mm |
| 9519512-700 | Viva PFPP 5um | 100 x 2.1mm with Trident |
| 9519513 | Viva PFPP 5um | 100 x 3.2mm |

| | | |
|---|---|---|
| 9519513-700 | Viva PFPP 5um | 100 x 3.2mm with Trident |
| 9519515 | Viva PFPP 5um | 100 x 4.6mm |
| 9519515-700 | Viva PFPP 5um | 100 x 4.6mm with Trident |
| 9519521 | Viva PFPP 5um | 200 x 1.0mm |
| 9519522 | Viva PFPP 5um | 200 x 2.1mm |
| 9519522-700 | Viva PFPP 5um | 200 x 2.1mm with Trident |
| 9519523 | Viva PFPP 5um | 200 x 3.2mm |
| 9519523-700 | Viva PFPP 5um | 200 x 3.2mm with Trident |
| 9519525 | Viva PFPP 5um | 200 x 4.6mm |
| 9519525-700 | Viva PFPP 5um | 200 x 4.6mm with Trident |
| 9519531 | Viva PFPP 5um | 30 x 1.0mm |
| 9519532 | Viva PFPP 5um | 30 x 2.1mm |
| 9519532-700 | Viva PFPP 5um | 30 x 2.1mm with Trident |
| 9519533 | Viva PFPP 5um | 30 x 3.2mm |
| 9519533-700 | Viva PFPP 5um | 30 x 3.2mm with Trident |
| 9519535 | Viva PFPP 5um | 30 x 4.6mm |
| 9519535-700 | Viva PFPP 5um | 30 x 4.6mm with Trident |
| 9519551 | Viva PFPP 5um | 50 x 1.0mm |
| 9519552 | Viva PFPP 5um | 50 x 2.1mm |
| 9519552-700 | Viva PFPP 5um | 50 x 2.1mm with Trident |
| 9519553 | Viva PFPP 5um | 50 x 3.2mm |
| 9519553-700 | Viva PFPP 5um | 50 x 3.2mm with Trident |
| 9519555 | Viva PFPP 5um | 50 x 4.6mm |
| 9519555-700 | Viva PFPP 5um | 50 x 4.6mm with Trident |
| 9519561 | Viva PFPP 5um | 150 x 1.0mm |
| 9519562 | Viva PFPP 5um | 150 x 2.1mm |
| 9519562-700 | Viva PFPP 5um | 150 x 2.1mm with Trident |
| 9519563 | Viva PFPP 5um | 150 x 3.2mm |
| 9519563-700 | Viva PFPP 5um | 150 x 3.2mm with Trident |
| 9519565 | Viva PFPP 5um | 150 x 4.6mm |
| 9519565-700 | Viva PFPP 5um | 150 x 4.6mm with Trident |
| 9519571 | Viva PFPP 5um | 250 x 1.0mm |
| 9519572 | Viva PFPP 5um | 250 x 2.1mm |
| 9519572-700 | Viva PFPP 5um | 250 x 2.1mm with Trident |
| 9519573 | Viva PFPP 5um | 250 x 3.2mm |
| 9519573-700 | Viva PFPP 5um | 250 x 3.2mm with Trident |
| 9519575 | Viva PFPP 5um | 250 x 4.6mm |
| 9519575-700 | Viva PFPP 5um | 250 x 4.6mm with Trident |
| 9600010 | Ultra II Silica 10um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9600017 | Ultra II Silica 10um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9600018 | Ultra II Silica 10um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600019 | Ultra II Silica 10um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 9600050 | Ultra II Silica 10um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9600057 | Ultra II Silica 10um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9600058 | Ultra II Silica 10um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600059 | Ultra II Silica 10um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 9600060 | Ultra II Silica 10um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9600067 | Ultra II Silica 10um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9600068 | Ultra II Silica 10um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600069 | Ultra II Silica 10um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 9600070 | Ultra II Silica 10um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9600077 | Ultra II Silica 10um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9600078 | Ultra II Silica 10um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600079 | Ultra II Silica 10um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 9600212 | Ultra II Silica 1.9um | 100 x 2.1mm |
| 960021E | Ultra II Silica 1.9um | 100 x 3.0mm |
| 9600232 | Ultra II Silica 1.9um | 30 x 2.1mm |
| 960023E | Ultra II Silica 1.9um | 30 x 3.0mm |
| 9600252 | Ultra II Silica 1.9um | 50 x 2.1mm |
| 960025E | Ultra II Silica 1.9um | 50 x 3.0mm |
| 96003 | Ultra II Silica 3um | Bulk Packing Material |
| 96003 | Ultra II Silica 3um | Bulk Packing Material |
| 96003 | Ultra II Silica 3um | Bulk Packing Material |
| 96003 | Ultra II Silica 3um | Bulk Packing Material |
| 9600311 | Ultra II Silica 3um | 100 x 1.0mm |
| 9600312 | Ultra II Silica 3um | 100 x 2.1mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9600312-700 | Ultra II Silica 3um | 100 x 2.1mm With Trident |
| 9600313 | Ultra II Silica 3um | 100 x 3.2mm |
| 9600313-700 | Ultra II Silica 3um | 100 x 3.2mm With Trident |
| 9600315 | Ultra II Silica 3um | 100 x 4.6mm |
| 9600315-700 | Ultra II Silica 3um | 100 x 4.6mm With Trident |
| 960031E | Ultra II Silica 3um | 100 x 3.0mm |
| 9600331 | Ultra II Silica 3um | 30 x 1.0mm |
| 9600332 | Ultra II Silica 3um | 30 x 2.1mm |
| 9600332-700 | Ultra II Silica 3um | 30 x 2.1mm With Trident |
| 9600333 | Ultra II Silica 3um | 30 x 3.2mm |
| 9600333-700 | Ultra II Silica 3um | 30 x 3.2mm With Trident |
| 9600335 | Ultra II Silica 3um | 30 x 4.6mm |
| 9600335-700 | Ultra II Silica 3um | 30 x 4.6mm With Trident |
| 960033E | Ultra II Silica 3um | 30 x 3.0mm |
| 9600351 | Ultra II Silica 3um | 50 x 1.0mm |
| 9600352 | Ultra II Silica 3um | 50 x 2.1mm |
| 9600352-700 | Ultra II Silica 3um | 50 x 2.1mm With Trident |
| 9600353 | Ultra II Silica 3um | 50 x 3.2mm |
| 9600353-700 | Ultra II Silica 3um | 50 x 3.2mm With Trident |
| 9600355 | Ultra II Silica 3um | 50 x 4.6mm |
| 9600355-700 | Ultra II Silica 3um | 50 x 4.6mm With Trident |
| 960035E | Ultra II Silica 3um | 50 x 3.0mm |
| 9600361 | Ultra II Silica 3um | 150 x 1.0mm |
| 9600362 | Ultra II Silica 3um | 150 x 2.1mm |
| 9600362-700 | Ultra II Silica 3um | 150 x 2.1mm With Trident |
| 9600363 | Ultra II Silica 3um | 150 x 3.2mm |
| 9600363-700 | Ultra II Silica 3um | 150 x 3.2mm With Trident |
| 9600365 | Ultra II Silica 3um | 150 x 4.6mm |
| 9600365-700 | Ultra II Silica 3um | 150 x 4.6mm With Trident |
| 960036E | Ultra II Silica 3um | 150 x 3.0mm |
| 96005 | Ultra II Silica 5um | Bulk Packing Material |
| 96005 | Ultra II Silica 5um | Bulk Packing Material |
| 96005 | Ultra II Silica 5um | Bulk Packing Material |
| 96005 | Ultra II Silica 5um | Bulk Packing Material |
| 960050210 | Ultra II Silica | 10 x 4.0mm 3-pk |
| 960050212 | Ultra II Silica | 10 x 2.1mm 3-pk |
| 960050220 | Ultra II Silica | 20 x 4.0mm 2-pk |
| 960050222 | Ultra II Silica | 20 x 2.1mm 2-pk |
| 9600510 | Ultra II Silica 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9600511 | Ultra II Silica 5um | 100 x 1.0mm |
| 9600512 | Ultra II Silica 5um | 100 x 2.1mm |
| 9600512-700 | Ultra II Silica 5um | 100 x 2.1mm With Trident |
| 9600513 | Ultra II Silica 5um | 100 x 3.2mm |
| 9600513-700 | Ultra II Silica 5um | 100 x 3.2mm With Trident |
| 9600515 | Ultra II Silica 5um | 100 x 4.6mm |
| 9600515-700 | Ultra II Silica 5um | 100 x 4.6mm With Trident |
| 9600517 | Ultra II Silica 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9600518 | Ultra II Silica 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600519 | Ultra II Silica 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960051E | Ultra II Silica 5um | 100 x 3.0mm |
| 9600521 | Ultra II Silica 5um | 200 x 1.0mm |
| 9600522 | Ultra II Silica 5um | 200 x 2.1mm |
| 9600522-700 | Ultra II Silica 5um | 200 x 2.1mm With Trident |
| 9600523 | Ultra II Silica 5um | 200 x 3.2mm |
| 9600523-700 | Ultra II Silica 5um | 200 x 3.2mm With Trident |
| 9600525 | Ultra II Silica 5um | 200 x 4.6mm |
| 9600525-700 | Ultra II Silica 5um | 200 x 4.6mm With Trident |
| 960052E | Ultra II Silica 5um | 200 x 3.0mm |
| 9600531 | Ultra II Silica 5um | 30 x 1.0mm |
| 9600532 | Ultra II Silica 5um | 30 x 2.1mm |
| 9600532-700 | Ultra II Silica 5um | 30 x 2.1mm With Trident |
| 9600533 | Ultra II Silica 5um | 30 x 3.2mm |
| 9600533-700 | Ultra II Silica 5um | 30 x 3.2mm With Trident |
| 9600535 | Ultra II Silica 5um | 30 x 4.6mm |
| 9600535-700 | Ultra II Silica 5um | 30 x 4.6mm With Trident |
| 960053E | Ultra II Silica 5um | 30 x 3.0mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9600550 | Ultra II Silica 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9600551 | Ultra II Silica 5um | 50 x 1.0mm |
| 9600552 | Ultra II Silica 5um | 50 x 2.1mm |
| 9600552-700 | Ultra II Silica 5um | 50 x 2.1mm With Trident |
| 9600553 | Ultra II Silica 5um | 50 x 3.2mm |
| 9600553-700 | Ultra II Silica 5um | 50 x 3.2mm With Trident |
| 9600555 | Ultra II Silica 5um | 50 x 4.6mm |
| 9600555-700 | Ultra II Silica 5um | 50 x 4.6mm With Trident |
| 9600557 | Ultra II Silica 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9600558 | Ultra II Silica 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600559 | Ultra II Silica 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960055E | Ultra II Silica 5um | 50 x 3.0mm |
| 9600560 | Ultra II Silica 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9600561 | Ultra II Silica 5um | 150 x 1.0mm |
| 9600562 | Ultra II Silica 5um | 150 x 2.1mm |
| 9600562-700 | Ultra II Silica 5um | 150 x 2.1mm With Trident |
| 9600563 | Ultra II Silica 5um | 150 x 3.2mm |
| 9600563-700 | Ultra II Silica 5um | 150 x 3.2mm With Trident |
| 9600565 | Ultra II Silica 5um | 150 x 4.6mm |
| 9600565-700 | Ultra II Silica 5um | 150 x 4.6mm With Trident |
| 9600567 | Ultra II Silica 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9600568 | Ultra II Silica 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600569 | Ultra II Silica 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960056E | Ultra II Silica 5um | 150 x 3.0mm |
| 9600570 | Ultra II Silica 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9600571 | Ultra II Silica 5um | 250 x 1.0mm |
| 9600572 | Ultra II Silica 5um | 250 x 2.1mm |
| 9600572-700 | Ultra II Silica 5um | 250 x 2.1mm With Trident |
| 9600573 | Ultra II Silica 5um | 250 x 3.2mm |
| 9600573-700 | Ultra II Silica 5um | 250 x 3.2mm With Trident |
| 9600575 | Ultra II Silica 5um | 250 x 4.6mm |
| 9600575-700 | Ultra II Silica 5um | 250 x 4.6mm With Trident |
| 9600577 | Ultra II Silica 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9600578 | Ultra II Silica 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9600579 | Ultra II Silica 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960057E | Ultra II Silica 5um | 250 x 3.0mm |
| 96033 | Ultra II C8 3um | Bulk Packing Material |
| 96033 | Ultra II C8 3um | Bulk Packing Material |
| 96033 | Ultra II C8 3um | Bulk Packing Material |
| 96033 | Ultra II C8 3um | Bulk Packing Material |
| 9603311 | Ultra II C8 3um | 100 x 1.0mm |
| 9603312 | Ultra II C8 3um | 100 x 2.1mm |
| 9603312-700 | Ultra II C8 3um | 100 x 2.1mm With Trident |
| 9603313 | Ultra II C8 3um | 100 x 3.2mm |
| 9603313-700 | Ultra II C8 3um | 100 x 3.2mm With Trident |
| 9603315 | Ultra II C8 3um | 100 x 4.6mm |
| 9603315-700 | Ultra II C8 3um | 100 x 4.6mm With Trident |
| 960331E | Ultra II C8 3um | 100 x 3.0mm |
| 9603331 | Ultra II C8 3um | 30 x 1.0mm |
| 9603332 | Ultra II C8 3um | 30 x 2.1mm |
| 9603332-700 | Ultra II C8 3um | 30 x 2.1mm With Trident |
| 9603333 | Ultra II C8 3um | 30 x 3.2mm |
| 9603333-700 | Ultra II C8 3um | 30 x 3.2mm With Trident |
| 9603335 | Ultra II C8 3um | 30 x 4.6mm |
| 9603335-700 | Ultra II C8 3um | 30 x 4.6mm With Trident |
| 960333E | Ultra II C8 3um | 30 x 3.0mm |
| 9603351 | Ultra II C8 3um | 50 x 1.0mm |
| 9603352 | Ultra II C8 3um | 50 x 2.1mm |
| 9603352-700 | Ultra II C8 3um | 50 x 2.1mm With Trident |
| 9603353 | Ultra II C8 3um | 50 x 3.2mm |
| 9603353-700 | Ultra II C8 3um | 50 x 3.2mm With Trident |
| 9603355 | Ultra II C8 3um | 50 x 4.6mm |
| 9603355-700 | Ultra II C8 3um | 50 x 4.6mm With Trident |
| 960335E | Ultra II C8 3um | 50 x 3.0mm |
| 9603361 | Ultra II C8 3um | 150 x 1.0mm |
| 9603362 | Ultra II C8 3um | 150 x 2.1mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9603362-700 | Ultra II C8 3um | 150 x 2.1mm With Trident |
| 9603363 | Ultra II C8 3um | 150 x 3.2mm |
| 9603363-700 | Ultra II C8 3um | 150 x 3.2mm With Trident |
| 9603365 | Ultra II C8 3um | 150 x 4.6mm |
| 9603365-700 | Ultra II C8 3um | 150 x 4.6mm With Trident |
| 960336E | Ultra II C8 3um | 150 x 3.0mm |
| 96035 | Ultra II C8 5um | Bulk Packing Material |
| 96035 | Ultra II C8 5um | Bulk Packing Material |
| 96035 | Ultra II C8 5um | Bulk Packing Material |
| 96035 | Ultra II C8 5um | Bulk Packing Material |
| 960350210 | Ultra II C8 | 10 x 4.0mm 3-pk |
| 960350212 | Ultra II C8 | 10 x 2.1mm 3-pk |
| 960350220 | Ultra II C8 | 20 x 4.0mm 2-pk |
| 960350222 | Ultra II C8 | 20 x 2.1mm 2-pk |
| 9603510 | Ultra II C8 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9603511 | Ultra II C8 5um | 100 x 1.0mm |
| 9603512 | Ultra II C8 5um | 100 x 2.1mm |
| 9603512-700 | Ultra II C8 5um | 100 x 2.1mm With Trident |
| 9603513 | Ultra II C8 5um | 100 x 3.2mm |
| 9603513-700 | Ultra II C8 5um | 100 x 3.2mm With Trident |
| 9603515 | Ultra II C8 5um | 100 x 4.6mm |
| 9603515-700 | Ultra II C8 5um | 100 x 4.6mm With Trident |
| 9603517 | Ultra II C8 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9603518 | Ultra II C8 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9603519 | Ultra II C8 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960351E | Ultra II C8 5um | 100 x 3.0mm |
| 9603521 | Ultra II C8 5um | 200 x 1.0mm |
| 9603522 | Ultra II C8 5um | 200 x 2.1mm |
| 9603522-700 | Ultra II C8 5um | 200 x 2.1mm With Trident |
| 9603523 | Ultra II C8 5um | 200 x 3.2mm |
| 9603523-700 | Ultra II C8 5um | 200 x 3.2mm With Trident |
| 9603525 | Ultra II C8 5um | 200 x 4.6mm |
| 9603525-700 | Ultra II C8 5um | 200 x 4.6mm With Trident |
| 960352E | Ultra II C8 5um | 200 x 3.0mm |
| 9603531 | Ultra II C8 5um | 30 x 1.0mm |
| 9603532 | Ultra II C8 5um | 30 x 2.1mm |
| 9603532-700 | Ultra II C8 5um | 30 x 2.1mm With Trident |
| 9603533 | Ultra II C8 5um | 30 x 3.2mm |
| 9603533-700 | Ultra II C8 5um | 30 x 3.2mm With Trident |
| 9603535 | Ultra II C8 5um | 30 x 4.6mm |
| 9603535-700 | Ultra II C8 5um | 30 x 4.6mm With Trident |
| 960353E | Ultra II C8 5um | 30 x 3.0mm |
| 9603550 | Ultra II C8 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9603551 | Ultra II C8 5um | 50 x 1.0mm |
| 9603552 | Ultra II C8 5um | 50 x 2.1mm |
| 9603552-700 | Ultra II C8 5um | 50 x 2.1mm With Trident |
| 9603553 | Ultra II C8 5um | 50 x 3.2mm |
| 9603553-700 | Ultra II C8 5um | 50 x 3.2mm With Trident |
| 9603555 | Ultra II C8 5um | 50 x 4.6mm |
| 9603555-700 | Ultra II C8 5um | 50 x 4.6mm With Trident |
| 9603557 | Ultra II C8 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9603558 | Ultra II C8 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9603559 | Ultra II C8 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960355E | Ultra II C8 5um | 50 x 3.0mm |
| 9603560 | Ultra II C8 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9603561 | Ultra II C8 5um | 150 x 1.0mm |
| 9603562 | Ultra II C8 5um | 150 x 2.1mm |
| 9603562-700 | Ultra II C8 5um | 150 x 2.1mm With Trident |
| 9603563 | Ultra II C8 5um | 150 x 3.2mm |
| 9603563-700 | Ultra II C8 5um | 150 x 3.2mm With Trident |
| 9603565 | Ultra II C8 5um | 150 x 4.6mm |
| 9603565-700 | Ultra II C8 5um | 150 x 4.6mm With Trident |
| 9603567 | Ultra II C8 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9603568 | Ultra II C8 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9603569 | Ultra II C8 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960356E | Ultra II C8 5um | 150 x 3.0mm |

| | | |
|---|---|---|
| 9603570 | Ultra II C8 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9603571 | Ultra II C8 5um | 250 x 1.0mm |
| 9603572 | Ultra II C8 5um | 250 x 2.1mm |
| 9603572-700 | Ultra II C8 5um | 250 x 2.1mm With Trident |
| 9603573 | Ultra II C8 5um | 250 x 3.2mm |
| 9603573-700 | Ultra II C8 5um | 250 x 3.2mm With Trident |
| 9603575 | Ultra II C8 5um | 250 x 4.6mm |
| 9603575-700 | Ultra II C8 5um | 250 x 4.6mm With Trident |
| 9603577 | Ultra II C8 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9603578 | Ultra II C8 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9603579 | Ultra II C8 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960357E | Ultra II C8 5um | 250 x 3.0mm |
| 9604077 | Ultra II C18 10um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9604212 | Ultra II C18 1.9um | 100 x 2.1mm |
| 960421E | Ultra II C18 1.9um | 100 x 3.0mm |
| 9604232 | Ultra II C18 1.9um | 30 x 2.1mm |
| 960423E | Ultra II C18 1.9um | 30 x 3.0mm |
| 9604252 | Ultra II C18 1.9um | 50 x 2.1mm |
| 960425E | Ultra II C18 1.9um | 50 x 3.0mm |
| 96043 | Ultra II C18 3um | Bulk Packing Material |
| 96043 | Ultra II C18 3um | Bulk Packing Material |
| 96043 | Ultra II C18 3um | Bulk Packing Material |
| 96043 | Ultra II C18 3um | Bulk Packing Material |
| 9604311 | Ultra II C18 3um | 100 x 1.0mm |
| 9604312 | Ultra II C18 3um | 100 x 2.1mm |
| 9604312-700 | Ultra II C18 3um | 100 x 2.1mm With Trident |
| 9604313 | Ultra II C18 3um | 100 x 3.2mm |
| 9604313-700 | Ultra II C18 3um | 100 x 3.2mm With Trident |
| 9604315 | Ultra II C18 3um | 100 x 4.6mm |
| 9604315-700 | Ultra II C18 3um | 100 x 4.6mm With Trident |
| 960431E | Ultra II C18 3um | 100 x 3.0mm |
| 9604331 | Ultra II C18 3um | 30 x 1.0mm |
| 9604332 | Ultra II C18 3um | 30 x 2.1mm |
| 9604332-700 | Ultra II C18 3um | 30 x 2.1mm With Trident |
| 9604333 | Ultra II C18 3um | 30 x 3.2mm |
| 9604333-700 | Ultra II C18 3um | 30 x 3.2mm With Trident |
| 9604335 | Ultra II C18 3um | 30 x 4.6mm |
| 9604335-700 | Ultra II C18 3um | 30 x 4.6mm With Trident |
| 960433E | Ultra II C18 3um | 30 x 3.0mm |
| 9604351 | Ultra II C18 3um | 50 x 1.0mm |
| 9604352 | Ultra II C18 3um | 50 x 2.1mm |
| 9604352-700 | Ultra II C18 3um | 50 x 2.1mm With Trident |
| 9604353 | Ultra II C18 3um | 50 x 3.2mm |
| 9604353-700 | Ultra II C18 3um | 50 x 3.2mm With Trident |
| 9604355 | Ultra II C18 3um | 50 x 4.6mm |
| 9604355-700 | Ultra II C18 3um | 50 x 4.6mm With Trident |
| 960435E | Ultra II C18 3um | 50 x 3.0mm |
| 9604361 | Ultra II C18 3um | 150 x 1.0mm |
| 9604362 | Ultra II C18 3um | 150 x 2.1mm |
| 9604362-700 | Ultra II C18 3um | 150 x 2.1mm With Trident |
| 9604363 | Ultra II C18 3um | 150 x 3.2mm |
| 9604363-700 | Ultra II C18 3um | 150 x 3.2mm With Trident |
| 9604365 | Ultra II C18 3um | 150 x 4.6mm |
| 9604365-700 | Ultra II C18 3um | 150 x 4.6mm With Trident |
| 960436E | Ultra II C18 3um | 150 x 3.0mm |
| 96045 | Ultra II C18 5um | Bulk Packing Material |
| 96045 | Ultra II C18 5um | Bulk Packing Material |
| 96045 | Ultra II C18 5um | Bulk Packing Material |
| 96045 | Ultra II C18 5um | Bulk Packing Material |
| 960450210 | Ultra II C18 | 10 x 4.0mm 3-pk |
| 960450212 | Ultra II C18 | 10 x 2.1mm 3-pk |
| 960450220 | Ultra II C18 | 20 x 4.0mm 2-pk |
| 960450222 | Ultra II C18 | 20 x 2.1mm 2-pk |
| 9604510 | Ultra II C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9604511 | Ultra II C18 5um | 100 x 1.0mm |
| 9604512 | Ultra II C18 5um | 100 x 2.1mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9604512-700 | Ultra II C18 5um | 100 x 2.1mm With Trident |
| 9604513 | Ultra II C18 5um | 100 x 3.2mm |
| 9604513-700 | Ultra II C18 5um | 100 x 3.2mm With Trident |
| 9604515 | Ultra II C18 5um | 100 x 4.6mm |
| 9604515-700 | Ultra II C18 5um | 100 x 4.6mm With Trident |
| 9604517 | Ultra II C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9604518 | Ultra II C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9604519 | Ultra II C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960451E | Ultra II C18 5um | 100 x 3.0mm |
| 9604521 | Ultra II C18 5um | 200 x 1.0mm |
| 9604522 | Ultra II C18 5um | 200 x 2.1mm |
| 9604522-700 | Ultra II C18 5um | 200 x 2.1mm With Trident |
| 9604523 | Ultra II C18 5um | 200 x 3.2mm |
| 9604523-700 | Ultra II C18 5um | 200 x 3.2mm With Trident |
| 9604525 | Ultra II C18 5um | 200 x 4.6mm |
| 9604525-700 | Ultra II C18 5um | 200 x 4.6mm With Trident |
| 960452E | Ultra II C18 5um | 200 x 3.0mm |
| 9604531 | Ultra II C18 5um | 30 x 1.0mm |
| 9604532 | Ultra II C18 5um | 30 x 2.1mm |
| 9604532-700 | Ultra II C18 5um | 30 x 2.1mm With Trident |
| 9604533 | Ultra II C18 5um | 30 x 3.2mm |
| 9604533-700 | Ultra II C18 5um | 30 x 3.2mm With Trident |
| 9604535 | Ultra II C18 5um | 30 x 4.6mm |
| 9604535-700 | Ultra II C18 5um | 30 x 4.6mm With Trident |
| 960453E | Ultra II C18 5um | 30 x 3.0mm |
| 9604550 | Ultra II C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9604551 | Ultra II C18 5um | 50 x 1.0mm |
| 9604552 | Ultra II C18 5um | 50 x 2.1mm |
| 9604552-700 | Ultra II C18 5um | 50 x 2.1mm With Trident |
| 9604553 | Ultra II C18 5um | 50 x 3.2mm |
| 9604553-700 | Ultra II C18 5um | 50 x 3.2mm With Trident |
| 9604555 | Ultra II C18 5um | 50 x 4.6mm |
| 9604555-700 | Ultra II C18 5um | 50 x 4.6mm With Trident |
| 9604557 | Ultra II C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9604558 | Ultra II C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9604559 | Ultra II C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960455E | Ultra II C18 5um | 50 x 3.0mm |
| 9604560 | Ultra II C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9604561 | Ultra II C18 5um | 150 x 1.0mm |
| 9604562 | Ultra II C18 5um | 150 x 2.1mm |
| 9604562-700 | Ultra II C18 5um | 150 x 2.1mm With Trident |
| 9604563 | Ultra II C18 5um | 150 x 3.2mm |
| 9604563-700 | Ultra II C18 5um | 150 x 3.2mm With Trident |
| 9604565 | Ultra II C18 5um | 150 x 4.6mm |
| 9604565-700 | Ultra II C18 5um | 150 x 4.6mm With Trident |
| 9604567 | Ultra II C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9604568 | Ultra II C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9604569 | Ultra II C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960456E | Ultra II C18 5um | 150 x 3.0mm |
| 9604570 | Ultra II C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9604571 | Ultra II C18 5um | 250 x 1.0mm |
| 9604572 | Ultra II C18 5um | 250 x 2.1mm |
| 9604572-700 | Ultra II C18 5um | 250 x 2.1mm With Trident |
| 9604573 | Ultra II C18 5um | 250 x 3.2mm |
| 9604573-700 | Ultra II C18 5um | 250 x 3.2mm With Trident |
| 9604575 | Ultra II C18 5um | 250 x 4.6mm |
| 9604575-700 | Ultra II C18 5um | 250 x 4.6mm With Trident |
| 9604577 | Ultra II C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9604578 | Ultra II C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9604579 | Ultra II C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960457E | Ultra II C18 5um | 250 x 3.0mm |
| 9605311 | Ultra II IBD 3um | 100 x 1.0mm |
| 9605312 | Ultra II IBD 3um | 100 x 2.1mm |
| 9605312-700 | Ultra II IBD 3um | 100 x 2.1mm With Trident |
| 9605313 | Ultra II IBD 3um | 100 x 3.2mm |
| 9605313-700 | Ultra II IBD 3um | 100 x 3.2mm With Trident |

| | | |
|---|---|---|
| 9605315 | Ultra II IBD 3um | 100 x 4.6mm |
| 9605315-700 | Ultra II IBD 3um | 100 x 4.6mm With Trident |
| 960531E | Ultra II IBD 3um | 100 x 3.0mm |
| 9605331 | Ultra II IBD 3um | 30 x 1.0mm |
| 9605332 | Ultra II IBD 3um | 30 x 2.1mm |
| 9605332-700 | Ultra II IBD 3um | 30 x 2.1mm With Trident |
| 9605333 | Ultra II IBD 3um | 30 x 3.2mm |
| 9605333-700 | Ultra II IBD 3um | 30 x 3.2mm With Trident |
| 9605335 | Ultra II IBD 3um | 30 x 4.6mm |
| 9605335-700 | Ultra II IBD 3um | 30 x 4.6mm With Trident |
| 960533E | Ultra II IBD 3um | 30 x 3.0mm |
| 9605351 | Ultra II IBD 3um | 50 x 1.0mm |
| 9605352 | Ultra II IBD 3um | 50 x 2.1mm |
| 9605352-700 | Ultra II IBD 3um | 50 x 2.1mm With Trident |
| 9605353 | Ultra II IBD 3um | 50 x 3.2mm |
| 9605353-700 | Ultra II IBD 3um | 50 x 3.2mm With Trident |
| 9605355 | Ultra II IBD 3um | 50 x 4.6mm |
| 9605355-700 | Ultra II IBD 3um | 50 x 4.6mm With Trident |
| 960535E | Ultra II IBD 3um | 50 x 3.0mm |
| 9605361 | Ultra II IBD 3um | 150 x 1.0mm |
| 9605362 | Ultra II IBD 3um | 150 x 2.1mm |
| 9605362-700 | Ultra II IBD 3um | 150 x 2.1mm With Trident |
| 9605363 | Ultra II IBD 3um | 150 x 3.2mm |
| 9605363-700 | Ultra II IBD 3um | 150 x 3.2mm With Trident |
| 9605365 | Ultra II IBD 3um | 150 x 4.6mm |
| 9605365-700 | Ultra II IBD 3um | 150 x 4.6mm With Trident |
| 960536E | Ultra II IBD 3um | 150 x 3.0mm |
| 960550210 | Ultra II IBD | 10 x 4.0mm 3-pk |
| 960550212 | Ultra II IBD | 10 x 2.1mm 3-pk |
| 960550220 | Ultra II IBD | 20 x 4.0mm 2-pk |
| 960550222 | Ultra II IBD | 20 x 2.1mm 2-pk |
| 9605510 | Ultra II IBD 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9605511 | Ultra II IBD 5um | 100 x 1.0mm |
| 9605512 | Ultra II IBD 5um | 100 x 2.1mm |
| 9605512-700 | Ultra II IBD 5um | 100 x 2.1mm With Trident |
| 9605513 | Ultra II IBD 5um | 100 x 3.2mm |
| 9605513-700 | Ultra II IBD 5um | 100 x 3.2mm With Trident |
| 9605515 | Ultra II IBD 5um | 100 x 4.6mm |
| 9605515-700 | Ultra II IBD 5um | 100 x 4.6mm With Trident |
| 9605517 | Ultra II IBD 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9605518 | Ultra II IBD 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9605519 | Ultra II IBD 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960551E | Ultra II IBD 5um | 100 x 3.0mm |
| 9605521 | Ultra II IBD 5um | 200 x 1.0mm |
| 9605522 | Ultra II IBD 5um | 200 x 2.1mm |
| 9605522-700 | Ultra II IBD 5um | 200 x 2.1mm With Trident |
| 9605523 | Ultra II IBD 5um | 200 x 3.2mm |
| 9605523-700 | Ultra II IBD 5um | 200 x 3.2mm With Trident |
| 9605525 | Ultra II IBD 5um | 200 x 4.6mm |
| 9605525-700 | Ultra II IBD 5um | 200 x 4.6mm With Trident |
| 960552E | Ultra II IBD 5um | 200 x 3.0mm |
| 9605531 | Ultra II IBD 5um | 30 x 1.0mm |
| 9605532 | Ultra II IBD 5um | 30 x 2.1mm |
| 9605532-700 | Ultra II IBD 5um | 30 x 2.1mm With Trident |
| 9605533 | Ultra II IBD 5um | 30 x 3.2mm |
| 9605533-700 | Ultra II IBD 5um | 30 x 3.2mm With Trident |
| 9605535 | Ultra II IBD 5um | 30 x 4.6mm |
| 9605535-700 | Ultra II IBD 5um | 30 x 4.6mm With Trident |
| 960553E | Ultra II IBD 5um | 30 x 3.0mm |
| 9605550 | Ultra II IBD 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9605551 | Ultra II IBD 5um | 50 x 1.0mm |
| 9605552 | Ultra II IBD 5um | 50 x 2.1mm |
| 9605552-700 | Ultra II IBD 5um | 50 x 2.1mm With Trident |
| 9605553 | Ultra II IBD 5um | 50 x 3.2mm |
| 9605553-700 | Ultra II IBD 5um | 50 x 3.2mm With Trident |
| 9605555 | Ultra II IBD 5um | 50 x 4.6mm |

| | | |
|---|---|---|
| 9605555-700 | Ultra II IBD 5um | 50 x 4.6mm With Trident |
| 9605557 | Ultra II IBD 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9605558 | Ultra II IBD 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9605559 | Ultra II IBD 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960555E | Ultra II IBD 5um | 50 x 3.0mm |
| 9605560 | Ultra II IBD 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9605561 | Ultra II IBD 5um | 150 x 1.0mm |
| 9605562 | Ultra II IBD 5um | 150 x 2.1mm |
| 9605562-700 | Ultra II IBD 5um | 150 x 2.1mm With Trident |
| 9605563 | Ultra II IBD 5um | 150 x 3.2mm |
| 9605563-700 | Ultra II IBD 5um | 150 x 3.2mm With Trident |
| 9605565 | Ultra II IBD 5um | 150 x 4.6mm |
| 9605565-700 | Ultra II IBD 5um | 150 x 4.6mm With Trident |
| 9605567 | Ultra II IBD 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9605568 | Ultra II IBD 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9605569 | Ultra II IBD 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960556E | Ultra II IBD 5um | 150 x 3.0mm |
| 9605570 | Ultra II IBD 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9605571 | Ultra II IBD 5um | 250 x 1.0mm |
| 9605572 | Ultra II IBD 5um | 250 x 2.1mm |
| 9605572-700 | Ultra II IBD 5um | 250 x 2.1mm With Trident |
| 9605573 | Ultra II IBD 5um | 250 x 3.2mm |
| 9605573-700 | Ultra II IBD 5um | 250 x 3.2mm With Trident |
| 9605575 | Ultra II IBD 5um | 250 x 4.6mm |
| 9605575-700 | Ultra II IBD 5um | 250 x 4.6mm With Trident |
| 9605577 | Ultra II IBD 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9605578 | Ultra II IBD 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9605579 | Ultra II IBD 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960557E | Ultra II IBD 5um | 250 x 3.0mm |
| 9606212 | Ultra II PFPP 1.9um | 100 x 2.1mm |
| 960621E | Ultra II PFPP 1.9um | 100 x 3.0mm |
| 9606232 | Ultra II PFPP 1.9um | 30 x 2.1mm |
| 960623E | Ultra II PFPP 1.9um | 30 x 3.0mm |
| 9606252 | Ultra II PFPP 1.9um | 50 x 2.1mm |
| 960625E | Ultra II PFPP 1.9um | 50 x 3.0mm |
| 9606311 | Ultra II PFPP 3um | 100 x 1.0mm |
| 9606312 | Ultra II PFPP 3um | 100 x 2.1mm |
| 9606312-700 | Ultra II PFPP 3um | 100 x 2.1mm With Trident |
| 9606313 | Ultra II PFPP 3um | 100 x 3.2mm |
| 9606313-700 | Ultra II PFPP 3um | 100 x 3.2mm With Trident |
| 9606315 | Ultra II PFPP 3um | 100 x 4.6mm |
| 9606315-700 | Ultra II PFPP 3um | 100 x 4.6mm With Trident |
| 960631E | Ultra II PFPP 3um | 100 x 3.0mm |
| 9606331 | Ultra II PFPP 3um | 30 x 1.0mm |
| 9606332 | Ultra II PFPP 3um | 30 x 2.1mm |
| 9606332-700 | Ultra II PFPP 3um | 30 x 2.1mm With Trident |
| 9606333 | Ultra II PFPP 3um | 30 x 3.2mm |
| 9606333-700 | Ultra II PFPP 3um | 30 x 3.2mm With Trident |
| 9606335 | Ultra II PFPP 3um | 30 x 4.6mm |
| 9606335-700 | Ultra II PFPP 3um | 30 x 4.6mm With Trident |
| 960633E | Ultra II PFPP 3um | 30 x 3.0mm |
| 9606351 | Ultra II PFPP 3um | 50 x 1.0mm |
| 9606352 | Ultra II PFPP 3um | 50 x 2.1mm |
| 9606352-700 | Ultra II PFPP 3um | 50 x 2.1mm With Trident |
| 9606353 | Ultra II PFPP 3um | 50 x 3.2mm |
| 9606353-700 | Ultra II PFPP 3um | 50 x 3.2mm With Trident |
| 9606355 | Ultra II PFPP 3um | 50 x 4.6mm |
| 9606355-700 | Ultra II PFPP 3um | 50 x 4.6mm With Trident |
| 960635E | Ultra II PFPP 3um | 50 x 3.0mm |
| 9606361 | Ultra II PFPP 3um | 150 x 1.0mm |
| 9606362 | Ultra II PFPP 3um | 150 x 2.1mm |
| 9606362-700 | Ultra II PFPP 3um | 150 x 2.1mm With Trident |
| 9606363 | Ultra II PFPP 3um | 150 x 3.2mm |
| 9606363-700 | Ultra II PFPP 3um | 150 x 3.2mm With Trident |
| 9606365 | Ultra II PFPP 3um | 150 x 4.6mm |
| 9606365-700 | Ultra II PFPP 3um | 150 x 4.6mm With Trident |

| | | |
|---|---|---|
| 960636E | Ultra II PFPP 3um | 150 x 3.0mm |
| 960650210 | Ultra II PFPP | 10 x 4.0mm 3-pk |
| 960650212 | Ultra II PFPP | 10 x 2.1mm 3-pk |
| 960650220 | Ultra II PFPP | 20 x 4.0mm 2-pk |
| 960650222 | Ultra II PFPP | 20 x 2.1mm 2-pk |
| 9606510 | Ultra II PFPP 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9606511 | Ultra II PFPP 5um | 100 x 1.0mm |
| 9606512 | Ultra II PFPP 5um | 100 x 2.1mm |
| 9606512-700 | Ultra II PFPP 5um | 100 x 2.1mm With Trident |
| 9606513 | Ultra II PFPP 5um | 100 x 3.2mm |
| 9606513-700 | Ultra II PFPP 5um | 100 x 3.2mm With Trident |
| 9606515 | Ultra II PFPP 5um | 100 x 4.6mm |
| 9606515-700 | Ultra II PFPP 5um | 100 x 4.6mm With Trident |
| 9606517 | Ultra II PFPP 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9606518 | Ultra II PFPP 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9606519 | Ultra II PFPP 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960651E | Ultra II PFPP 5um | 100 x 3.0mm |
| 9606521 | Ultra II PFPP 5um | 200 x 1.0mm |
| 9606522 | Ultra II PFPP 5um | 200 x 2.1mm |
| 9606522-700 | Ultra II PFPP 5um | 200 x 2.1mm With Trident |
| 9606523 | Ultra II PFPP 5um | 200 x 3.2mm |
| 9606523-700 | Ultra II PFPP 5um | 200 x 3.2mm With Trident |
| 9606525 | Ultra II PFPP 5um | 200 x 4.6mm |
| 9606525-700 | Ultra II PFPP 5um | 200 x 4.6mm With Trident |
| 960652E | Ultra II PFPP 5um | 200 x 3.0mm |
| 9606531 | Ultra II PFPP 5um | 30 x 1.0mm |
| 9606532 | Ultra II PFPP 5um | 30 x 2.1mm |
| 9606532-700 | Ultra II PFPP 5um | 30 x 2.1mm With Trident |
| 9606533 | Ultra II PFPP 5um | 30 x 3.2mm |
| 9606533-700 | Ultra II PFPP 5um | 30 x 3.2mm With Trident |
| 9606535 | Ultra II PFPP 5um | 30 x 4.6mm |
| 9606535-700 | Ultra II PFPP 5um | 30 x 4.6mm With Trident |
| 960653E | Ultra II PFPP 5um | 30 x 3.0mm |
| 9606550 | Ultra II PFPP 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9606551 | Ultra II PFPP 5um | 50 x 1.0mm |
| 9606552 | Ultra II PFPP 5um | 50 x 2.1mm |
| 9606552-700 | Ultra II PFPP 5um | 50 x 2.1mm With Trident |
| 9606553 | Ultra II PFPP 5um | 50 x 3.2mm |
| 9606553-700 | Ultra II PFPP 5um | 50 x 3.2mm With Trident |
| 9606555 | Ultra II PFPP 5um | 50 x 4.6mm |
| 9606555-700 | Ultra II PFPP 5um | 50 x 4.6mm With Trident |
| 9606557 | Ultra II PFPP 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9606558 | Ultra II PFPP 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9606559 | Ultra II PFPP 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960655E | Ultra II PFPP 5um | 50 x 3.0mm |
| 9606560 | Ultra II PFPP 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9606561 | Ultra II PFPP 5um | 150 x 1.0mm |
| 9606562 | Ultra II PFPP 5um | 150 x 2.1mm |
| 9606562-700 | Ultra II PFPP 5um | 150 x 2.1mm With Trident |
| 9606563 | Ultra II PFPP 5um | 150 x 3.2mm |
| 9606563-700 | Ultra II PFPP 5um | 150 x 3.2mm With Trident |
| 9606565 | Ultra II PFPP 5um | 150 x 4.6mm |
| 9606565-700 | Ultra II PFPP 5um | 150 x 4.6mm With Trident |
| 9606567 | Ultra II PFPP 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9606568 | Ultra II PFPP 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9606569 | Ultra II PFPP 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960656E | Ultra II PFPP 5um | 150 x 3.0mm |
| 9606570 | Ultra II PFPP 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9606571 | Ultra II PFPP 5um | 250 x 1.0mm |
| 9606572 | Ultra II PFPP 5um | 250 x 2.1mm |
| 9606572-700 | Ultra II PFPP 5um | 250 x 2.1mm With Trident |
| 9606573 | Ultra II PFPP 5um | 250 x 3.2mm |
| 9606573-700 | Ultra II PFPP 5um | 250 x 3.2mm With Trident |
| 9606575 | Ultra II PFPP 5um | 250 x 4.6mm |
| 9606575-700 | Ultra II PFPP 5um | 250 x 4.6mm With Trident |
| 9606577 | Ultra II PFPP 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9606578 | Ultra II PFPP 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9606579 | Ultra II PFPP 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960657E | Ultra II PFPP 5um | 250 x 3.0mm |
| 9607212 | Ultra II Aromax 1.9um | 100 x 2.1mm |
| 960721E | Ultra II Aromax 1.9um | 100 x 3.0mm |
| 9607232 | Ultra II Aromax 1.9um | 30 x 2.1mm |
| 960723E | Ultra II Aromax 1.9um | 30 x 3.0mm |
| 9607252 | Ultra II Aromax 1.9um | 50 x 2.1mm |
| 960725E | Ultra II Aromax 1.9um | 50 x 3.0mm |
| 9607311 | Ultra II Aromax 3um | 100 x 1.0mm |
| 9607312 | Ultra II Aromax 3um | 100 x 2.1mm |
| 9607312-700 | Ultra II Aromax 3um | 100 x 2.1mm With Trident |
| 9607313 | Ultra II Aromax 3um | 100 x 3.2mm |
| 9607313-700 | Ultra II Aromax 3um | 100 x 3.2mm With Trident |
| 9607315 | Ultra II Aromax 3um | 100 x 4.6mm |
| 9607315-700 | Ultra II Aromax 3um | 100 x 4.6mm With Trident |
| 960731E | Ultra II Aromax 3um | 100 x 3.0mm |
| 9607331 | Ultra II Aromax 3um | 30 x 1.0mm |
| 9607332 | Ultra II Aromax 3um | 30 x 2.1mm |
| 9607332-700 | Ultra II Aromax 3um | 30 x 2.1mm With Trident |
| 9607333 | Ultra II Aromax 3um | 30 x 3.2mm |
| 9607333-700 | Ultra II Aromax 3um | 30 x 3.2mm With Trident |
| 9607335 | Ultra II Aromax 3um | 30 x 4.6mm |
| 9607335-700 | Ultra II Aromax 3um | 30 x 4.6mm With Trident |
| 960733E | Ultra II Aromax 3um | 30 x 3.0mm |
| 9607351 | Ultra II Aromax 3um | 50 x 1.0mm |
| 9607352 | Ultra II Aromax 3um | 50 x 2.1mm |
| 9607352-700 | Ultra II Aromax 3um | 50 x 2.1mm With Trident |
| 9607353 | Ultra II Aromax 3um | 50 x 3.2mm |
| 9607353-700 | Ultra II Aromax 3um | 50 x 3.2mm With Trident |
| 9607355 | Ultra II Aromax 3um | 50 x 4.6mm |
| 9607355-700 | Ultra II Aromax 3um | 50 x 4.6mm With Trident |
| 960735E | Ultra II Aromax 3um | 50 x 3.0mm |
| 9607361 | Ultra II Aromax 3um | 150 x 1.0mm |
| 9607362 | Ultra II Aromax 3um | 150 x 2.1mm |
| 9607362-700 | Ultra II Aromax 3um | 150 x 2.1mm With Trident |
| 9607363 | Ultra II Aromax 3um | 150 x 3.2mm |
| 9607363-700 | Ultra II Aromax 3um | 150 x 302mm With Trident |
| 9607365 | Ultra II Aromax 3um | 150 x 4.6mm |
| 9607365-700 | Ultra II Aromax 3um | 150 x 4.6mm With Trident |
| 960736E | Ultra II Aromax 3um | 150 x 3.0mm |
| 960750210 | Ultra II Aromax | 10 x 4.0mm 3-pk |
| 960750212 | Ultra II Aromax | 10 x 2.1mm 3-pk |
| 960750220 | Ultra II Aromax | 20 x 4.0mm 2-pk |
| 960750222 | Ultra II Aromax | 20 x 2.1mm 2-pk |
| 9607510 | Ultra II Aromax 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9607511 | Ultra II Aromax 5um | 100 x 1.0mm |
| 9607512 | Ultra II Aromax 5um | 100 x 2.1mm |
| 9607512-700 | Ultra II Aromax 5um | 100 x 2.1mm With Trident |
| 9607513 | Ultra II Aromax 5um | 100 x 3.2mm |
| 9607513-700 | Ultra II Aromax 5um | 100 x 3.2mm With Trident |
| 9607515 | Ultra II Aromax 5um | 100 x 4.6mm |
| 9607515-700 | Ultra II Aromax 5um | 100 x 4.6mm With Trident |
| 9607517 | Ultra II Aromax 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9607518 | Ultra II Aromax 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9607519 | Ultra II Aromax 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960751E | Ultra II Aromax 5um | 100 x 3.0mm |
| 9607521 | Ultra II Aromax 5um | 200 x 1.0mm |
| 9607522 | Ultra II Aromax 5um | 200 x 2.1mm |
| 9607522-700 | Ultra II Aromax 5um | 200 x 2.1mm With Trident |
| 9607523 | Ultra II Aromax 5um | 200 x 3.2mm |
| 9607523-700 | Ultra II Aromax 5um | 200 x 3.2mm With Trident |
| 9607525 | Ultra II Aromax 5um | 200 x 4.6mm |
| 9607525-700 | Ultra II Aromax 5um | 200 x 4.6mm With Trident |
| 960752E | Ultra II Aromax 5um | 200 x 3.0mm |
| 9607531 | Ultra II Aromax 5um | 30 x 1.0mm |

| | | |
|---|---|---|
| 9607532 | Ultra II Aromax 5um | 30 x 2.1mm |
| 9607532-700 | Ultra II Aromax 5um | 30 x 2.1mm With Trident |
| 9607533 | Ultra II Aromax 5um | 30 x 3.2mm |
| 9607533-700 | Ultra II Aromax 5um | 30 x 3.2mm With Trident |
| 9607535 | Ultra II Aromax 5um | 30 x 4.6mm |
| 9607535-700 | Ultra II Aromax 5um | 30 x 4.6mm With Trident |
| 960753E | Ultra II Aromax 5um | 30 x 3.0mm |
| 9607550 | Ultra II Aromax 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9607551 | Ultra II Aromax 5um | 50 x 1.0mm |
| 9607552 | Ultra II Aromax 5um | 50 x 2.1mm |
| 9607552-700 | Ultra II Aromax 5um | 50 x 2.1mm With Trident |
| 9607553 | Ultra II Aromax 5um | 50 x 3.2mm |
| 9607553-700 | Ultra II Aromax 5um | 50 x 3.2mm With Trident |
| 9607555 | Ultra II Aromax 5um | 50 x 4.6mm |
| 9607555-700 | Ultra II Aromax 5um | 50 x 4.6mm With Trident |
| 9607557 | Ultra II Aromax 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9607558 | Ultra II Aromax 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9607559 | Ultra II Aromax 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960755E | Ultra II Aromax 5um | 50 x 3.0mm |
| 9607560 | Ultra II Aromax 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9607561 | Ultra II Aromax 5um | 150 x 1.0mm |
| 9607562 | Ultra II Aromax 5um | 150 x 2.1mm |
| 9607562-700 | Ultra II Aromax 5um | 150 x 2.1mm With Trident |
| 9607563 | Ultra II Aromax 5um | 150 x 3.2mm |
| 9607563-700 | Ultra II Aromax 5um | 150 x 3.2mm With Trident |
| 9607565 | Ultra II Aromax 5um | 150 x 4.6mm |
| 9607565-700 | Ultra II Aromax 5um | 150 x 4.6mm With Trident |
| 9607567 | Ultra II Aromax 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9607568 | Ultra II Aromax 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9607569 | Ultra II Aromax 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960756E | Ultra II Aromax 5um | 150 x 3.0mm |
| 9607570 | Ultra II Aromax 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9607571 | Ultra II Aromax 5um | 250 x 1.0mm |
| 9607572 | Ultra II Aromax 5um | 250 x 2.1mm |
| 9607572-700 | Ultra II Aromax 5um | 250 x 2.1mm With Trident |
| 9607573 | Ultra II Aromax 5um | 250 x 3.2mm |
| 9607573-700 | Ultra II Aromax 5um | 250 x 3.2mm With Trident |
| 9607575 | Ultra II Aromax 5um | 250 x 4.6mm |
| 9607575-700 | Ultra II Aromax 5um | 250 x 4.6mm With Trident |
| 9607577 | Ultra II Aromax 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9607578 | Ultra II Aromax 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9607579 | Ultra II Aromax 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960757E | Ultra II Aromax 5um | 250 x 3.0mm |
| 9608311 | Ultra II AQ C18 3um | 100 x 1.0mm |
| 9608312 | Ultra II AQ C18 3um | 100 x 2.1mm |
| 9608312-700 | Ultra II AQ C18 3um | 100 x 2.1mm With Trident |
| 9608313 | Ultra II AQ C18 3um | 100 x 3.2mm |
| 9608313-700 | Ultra II AQ C18 3um | 100 x 3.2mm With Trident |
| 9608315 | Ultra II AQ C18 3um | 100 x 4.6mm |
| 9608315-700 | Ultra II AQ C18 3um | 100 x 4.6mm With Trident |
| 960831E | Ultra II AQ C18 3um | 100 x 3.0mm |
| 9608331 | Ultra II AQ C18 3um | 30 x 1.0mm |
| 9608332 | Ultra II AQ C18 3um | 30 x 2.1mm |
| 9608332-700 | Ultra II AQ C18 3um | 30 x 2.1mm With Trident |
| 9608333 | Ultra II AQ C18 3um | 30 x 3.2mm |
| 9608333-700 | Ultra II AQ C18 3um | 30 x 3.2mm With Trident |
| 9608335 | Ultra II AQ C18 3um | 30 x 4.6mm |
| 9608335-700 | Ultra II AQ C18 3um | 30 x 4.6mm With Trident |
| 960833E | Ultra II AQ C18 3um | 30 x 3.0mm |
| 9608351 | Ultra II AQ C18 3um | 50 x 1.0mm |
| 9608352 | Ultra II AQ C18 3um | 50 x 2.1mm |
| 9608352-700 | Ultra II AQ C18 3um | 50 x 2.1mm With Trident |
| 9608353 | Ultra II AQ C18 3um | 50 x 3.2mm |
| 9608353-700 | Ultra II AQ C18 3um | 50 x 3.2mm With Trident |
| 9608355 | Ultra II AQ C18 3um | 50 x 4.6mm |
| 9608355-700 | Ultra II AQ C18 3um | 50 x 4.6mm With Trident |

| | | |
|---|---|---|
| 960835E | Ultra II AQ C18 3um | 50 x 3.0mm |
| 9608361 | Ultra II AQ C18 3um | 150 x 1.0mm |
| 9608362 | Ultra II AQ C18 3um | 150 x 2.1mm |
| 9608362-700 | Ultra II AQ C18 3um | 150 x 2.1mm With Trident |
| 9608363 | Ultra II AQ C18 3um | 150 x 3.2mm |
| 9608363-700 | Ultra II AQ C18 3um | 150 x 3.2mm With Trident |
| 9608365 | Ultra II AQ C18 3um | 150 x 4.6mm |
| 9608365-700 | Ultra II AQ C18 3um | 150 x 4.6mm With Trident |
| 960836E | Ultra II AQ C18 3um | 150 x 3.0mm |
| 960850210 | Ultra II AQ C18 | 10 x 4.0mm 3-pk |
| 960850212 | Ultra II AQ C18 | 10 x 2.1mm 3-pk |
| 960850220 | Ultra II AQ C18 | 20 x 4.0mm 2-pk |
| 960850222 | Ultra II AQ C18 | 20 x 2.1mm 2-pk |
| 9608510 | Ultra II AQ C18 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9608511 | Ultra II AQ C18 5um | 100 x 1.0mm |
| 9608512 | Ultra II AQ C18 5um | 100 x 2.1mm |
| 9608512-700 | Ultra II AQ C18 5um | 100 x 2.1mm With Trident |
| 9608513 | Ultra II AQ C18 5um | 100 x 3.2mm |
| 9608513-700 | Ultra II AQ C18 5um | 100 x 3.2mm With Trident |
| 9608515 | Ultra II AQ C18 5um | 100 x 4.6mm |
| 9608515-700 | Ultra II AQ C18 5um | 100 x 4.6mm With Trident |
| 9608517 | Ultra II AQ C18 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9608518 | Ultra II AQ C18 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9608519 | Ultra II AQ C18 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960851E | Ultra II AQ C18 5um | 100 x 3.0mm |
| 9608521 | Ultra II AQ C18 5um | 200 x 1.0mm |
| 9608522 | Ultra II AQ C18 5um | 200 x 2.1mm |
| 9608522-700 | Ultra II AQ C18 5um | 200 x 2.1mm With Trident |
| 9608523 | Ultra II AQ C18 5um | 200 x 3.2mm |
| 9608523-700 | Ultra II AQ C18 5um | 200 x 3.2mm With Trident |
| 9608525 | Ultra II AQ C18 5um | 200 x 4.6mm |
| 9608525-700 | Ultra II AQ C18 5um | 200 x 4.6mm With Trident |
| 960852E | Ultra II AQ C18 5um | 200 x 3.0mm |
| 9608531 | Ultra II AQ C18 5um | 30 x 1.0mm |
| 9608532 | Ultra II AQ C18 5um | 30 x 2.1mm |
| 9608532-700 | Ultra II AQ C18 5um | 30 x 2.1mm With Trident |
| 9608533 | Ultra II AQ C18 5um | 30 x 3.2mm |
| 9608533-700 | Ultra II AQ C18 5um | 30 x 3.2mm With Trident |
| 9608535 | Ultra II AQ C18 5um | 30 x 4.6mm |
| 9608535-700 | Ultra II AQ C18 5um | 30 x 4.6mm With Trident |
| 960853E | Ultra II AQ C18 5um | 30 x 3.0mm |
| 9608550 | Ultra II AQ C18 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9608551 | Ultra II AQ C18 5um | 50 x 1.0mm |
| 9608552 | Ultra II AQ C18 5um | 50 x 2.1mm |
| 9608552-700 | Ultra II AQ C18 5um | 50 x 2.1mm With Trident |
| 9608553 | Ultra II AQ C18 5um | 50 x 3.2mm |
| 9608553-700 | Ultra II AQ C18 5um | 50 x 3.2mm With Trident |
| 9608555 | Ultra II AQ C18 5um | 50 x 4.6mm |
| 9608555-700 | Ultra II AQ C18 5um | 50 x 4.6mm With Trident |
| 9608557 | Ultra II AQ C18 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9608558 | Ultra II AQ C18 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9608559 | Ultra II AQ C18 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960855E | Ultra II AQ C18 5um | 50 x 3.0mm |
| 9608560 | Ultra II AQ C18 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9608561 | Ultra II AQ C18 5um | 150 x 1.0mm |
| 9608562 | Ultra II AQ C18 5um | 150 x 2.1mm |
| 9608562-700 | Ultra II AQ C18 5um | 150 x 2.1mm With Trident |
| 9608563 | Ultra II AQ C18 5um | 150 x 3.2mm |
| 9608563-700 | Ultra II AQ C18 5um | 150 x 3.2mm With Trident |
| 9608565 | Ultra II AQ C18 5um | 150 x 4.6mm |
| 9608565-700 | Ultra II AQ C18 5um | 150 x 4.6mm With Trident |
| 9608567 | Ultra II AQ C18 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9608568 | Ultra II AQ C18 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9608569 | Ultra II AQ C18 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960856E | Ultra II AQ C18 5um | 150 x 3.0mm |
| 9608570 | Ultra II AQ C18 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |

| | | |
|---|---|---|
| 9608571 | Ultra II AQ C18 5um | 250 x 1.0mm |
| 9608572 | Ultra II AQ C18 5um | 250 x 2.1mm |
| 9608572-700 | Ultra II AQ C18 5um | 250 x 2.1mm With Trident |
| 9608573 | Ultra II AQ C18 5um | 250 x 3.2mm |
| 9608573-700 | Ultra II AQ C18 5um | 250 x 3.2mm With Trident |
| 9608575 | Ultra II AQ C18 5um | 250 x 4.6mm |
| 9608575-700 | Ultra II AQ C18 5um | 250 x 4.6mm With Trident |
| 9608577 | Ultra II AQ C18 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9608578 | Ultra II AQ C18 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9608579 | Ultra II AQ C18 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960857E | Ultra II AQ C18 5um | 250 x 3.0mm |
| 9609212 | Ultra II BiPh 1.9um | 100 x 2.1mm |
| 960921E | Ultra II BiPh 1.9um | 100 x 3.0mm |
| 9609232 | Ultra II BiPh 1.9um | 30 x 2.1mm |
| 960923E | Ultra II BiPh 1.9um | 30 x 3.0mm |
| 9609252 | Ultra II BiPh 1.9um | 50 x 2.1mm |
| 960925E | Ultra II BiPh 1.9um | 50 x 3.0mm |
| 9609311 | Ultra II BiPh 3um | 100 x 1.0mm |
| 9609312 | Ultra II BiPh 3um | 100 x 2.1mm |
| 9609312-700 | Ultra II BiPh 3um | 100 x 2.1mm with Trident |
| 9609313 | Ultra II BiPh 3um | 100 x 3.2mm |
| 9609313-700 | Ultra II BiPh 3um | 100 x 3.2mm with Trident |
| 9609315 | Ultra II BiPh 3um | 100 x 4.6mm |
| 9609315-700 | Ultra II BiPh 3um | 100 x 4.6mm with Trident |
| 960931E | Ultra II BiPh 3um | 100 x 3.0mm |
| 9609331 | Ultra II BiPh 3um | 30 x 1.0mm |
| 9609332 | Ultra II BiPh 3um | 30 x 2.1mm |
| 9609332-700 | Ultra II BiPh 3um | 30 x 2.1mm with Trident |
| 9609333 | Ultra II BiPh 3um | 30 x 3.2mm |
| 9609333-700 | Ultra II BiPh 3um | 30 x 3.2mm with Trident |
| 9609335 | Ultra II BiPh 3um | 30 x 4.6mm |
| 9609335-700 | Ultra II BiPh 3um | 30 x 4.6mm with Trident |
| 960933E | Ultra II BiPh 3um | 30 x 3.0mm |
| 9609351 | Ultra II BiPh 3um | 50 x 1.0mm |
| 9609352 | Ultra II BiPh 3um | 50 x 2.1mm |
| 9609352-700 | Ultra II BiPh 3um | 50 x 2.1mm with Trident |
| 9609353 | Ultra II BiPh 3um | 50 x 3.2mm |
| 9609353-700 | Ultra II BiPh 3um | 50 x 3.2mm with Trident |
| 9609355 | Ultra II BiPh 3um | 50 x 4.6mm |
| 9609355-700 | Ultra II BiPh 3um | 50 x 4.6mm with Trident |
| 960935E | Ultra II BiPh 3um | 50 x 3.0mm |
| 9609361 | Ultra II BiPh 3um | 150 x 1.0mm |
| 9609362 | Ultra II BiPh 3um | 150 x 2.1mm |
| 9609362-700 | Ultra II BiPh 3um | 150 x 2.1mm with Trident |
| 9609363 | Ultra II BiPh 3um | 150 x 3.2mm |
| 9609363-700 | Ultra II BiPh 3um | 150 x 3.2mm with Trident |
| 9609365 | Ultra II BiPh 3um | 150 x 4.6mm |
| 9609365-700 | Ultra II BiPh 3um | 150 x 4.6mm with Trident |
| 960936E | Ultra II BiPh 3um | 150 x 3.0mm |
| 960950210 | Ultra II BiPh | 10 x 4.0mm 3-pk |
| 960950212 | Ultra II BiPh | 10 x 2.1mm 3-pk |
| 960950220 | Ultra II BiPh | 20 x 4.0mm 2-pk |
| 960950222 | Ultra II BiPh | 20 x 2.1mm 2-pk |
| 9609510 | Ultra II BiPh 5um | 100 x 50mm Confirm customer has evaluated an analytical size column |
| 9609511 | Ultra II BiPh 5um | 100 x 1.0mm |
| 9609512 | Ultra II BiPh 5um | 100 x 2.1mm |
| 9609512-700 | Ultra II BiPh 5um | 100 x 2.1mm with Trident |
| 9609513 | Ultra II BiPh 5um | 100 x 3.2mm |
| 9609513-700 | Ultra II BiPh 5um | 100 x 3.2mm with Trident |
| 9609515 | Ultra II BiPh 5um | 100 x 4.6mm |
| 9609515-700 | Ultra II BiPh 5um | 100 x 4.6mm with Trident |
| 9609517 | Ultra II BiPh 5um | 100 x 10mm Confirm customer has evaluated an analytical size column |
| 9609518 | Ultra II BiPh 5um | 100 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9609519 | Ultra II BiPh 5um | 100 x 30mm Confirm customer has evaluated an analytical size column |
| 960951E | Ultra II BiPh 5um | 100 x 3.0mm |
| 9609521 | Ultra II BiPh 5um | 200 x 1.0mm |

| | | |
|---|---|---|
| 9609522 | Ultra II BiPh 5um | 200 x 2.1mm |
| 9609522-700 | Ultra II BiPh 5um | 200 x 2.1mm with Trident |
| 9609523 | Ultra II BiPh 5um | 200 x 3.2mm |
| 9609523-700 | Ultra II BiPh 5um | 200 x 3.2mm with Trident |
| 9609525 | Ultra II BiPh 5um | 200 x 4.6mm |
| 9609525-700 | Ultra II BiPh 5um | 200 x 4.6mm with Trident |
| 960952E | Ultra II BiPh 5um | 200 x 3.0mm |
| 9609531 | Ultra II BiPh 5um | 30 x 1.0mm |
| 9609532 | Ultra II BiPh 5um | 30 x 2.1mm |
| 9609532-700 | Ultra II BiPh 5um | 30 x 2.1mm with Trident |
| 9609533 | Ultra II BiPh 5um | 30 x 3.2mm |
| 9609533-700 | Ultra II BiPh 5um | 30 x 3.2mm with Trident |
| 9609535 | Ultra II BiPh 5um | 30 x 4.6mm |
| 9609535-700 | Ultra II BiPh 5um | 30 x 4.6mm with Trident |
| 960953E | Ultra II BiPh 5um | 30 x 3.0mm |
| 9609550 | Ultra II BiPh 5um | 50 x 50mm Confirm customer has evaluated an analytical size column |
| 9609551 | Ultra II BiPh 5um | 50 x 1.0mm |
| 9609552 | Ultra II BiPh 5um | 50 x 2.1mm |
| 9609552-700 | Ultra II BiPh 5um | 50 x 2.1mm with Trident |
| 9609553 | Ultra II BiPh 5um | 50 x 3.2mm |
| 9609553-700 | Ultra II BiPh 5um | 50 x 3.2mm with Trident |
| 9609555 | Ultra II BiPh 5um | 50 x 4.6mm |
| 9609555-700 | Ultra II BiPh 5um | 50 x 4.6mm with Trident |
| 9609557 | Ultra II BiPh 5um | 50 x 10mm Confirm customer has evaluated an analytical size column |
| 9609558 | Ultra II BiPh 5um | 50 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9609559 | Ultra II BiPh 5um | 50 x 30mm Confirm customer has evaluated an analytical size column |
| 960955E | Ultra II BiPh 5um | 50 x 3.0mm |
| 9609560 | Ultra II BiPh 5um | 150 x 50mm Confirm customer has evaluated an analytical size column |
| 9609561 | Ultra II BiPh 5um | 150 x 1.0mm |
| 9609562 | Ultra II BiPh 5um | 150 x 2.1mm |
| 9609562-700 | Ultra II BiPh 5um | 150 x 2.1mm with Trident |
| 9609563 | Ultra II BiPh 5um | 150 x 3.2mm |
| 9609563-700 | Ultra II BiPh 5um | 150 x 3.2mm with Trident |
| 9609565 | Ultra II BiPh 5um | 150 x 4.6mm |
| 9609565-700 | Ultra II BiPh 5um | 150 x 4.6mm with Trident |
| 9609567 | Ultra II BiPh 5um | 150 x 10mm Confirm customer has evaluated an analytical size column |
| 9609568 | Ultra II BiPh 5um | 150 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9609569 | Ultra II BiPh 5um | 150 x 30mm Confirm customer has evaluated an analytical size column |
| 960956E | Ultra II BiPh 5um | 150 x 3.0mm |
| 9609570 | Ultra II BiPh 5um | 250 x 50mm Confirm customer has evaluated an analytical size column |
| 9609571 | Ultra II BiPh 5um | 250 x 1.0mm |
| 9609572 | Ultra II BiPh 5um | 250 x 2.1mm |
| 9609572-700 | Ultra II BiPh 5um | 250 x 2.1mm with Trident |
| 9609573 | Ultra II BiPh 5um | 250 x 3.2mm |
| 9609573-700 | Ultra II BiPh 5um | 250 x 3.2mm with Trident |
| 9609575 | Ultra II BiPh 5um | 250 x 4.6mm |
| 9609575-700 | Ultra II BiPh 5um | 250 x 4.6mm with Trident |
| 9609577 | Ultra II BiPh 5um | 250 x 10mm Confirm customer has evaluated an analytical size column |
| 9609578 | Ultra II BiPh 5um | 250 x 21.2mm Confirm customer has evaluated an analytical size column |
| 9609579 | Ultra II BiPh 5um | 250 x 30mm Confirm customer has evaluated an analytical size column |
| 960957E | Ultra II BiPh 5um | 250 x 3.0mm |
| 9609852 | Ultra II Biphenyl 2.2um | 50x2.1mm |
| 9611311 | Ultra II Carbamate 3um | 100 x 1.0mm |
| 9611312 | Ultra II Carbamate 3um | 100 x 2.1mm |
| 9611312-700 | Ultra II Carbamate 3um | 100 x 2.1mm With Trident |
| 9611313 | Ultra II Carbamate 3um | 100 x 3.2mm |
| 9611313-700 | Ultra II Carbamate 3um | 100 x 3.2mm With Trident |
| 9611315 | Ultra II Carbamate 3um | 100 x 4.6mm |
| 9611315-700 | Ultra II Carbamate 3um | 100 x 4.6mm With Trident |
| 961131E | Ultra II Carbamate 3um | 100 x 3.0mm |
| 9611331 | Ultra II Carbamate 3um | 30 x 1.0mm |
| 9611332 | Ultra II Carbamate 3um | 30 x 2.1mm |
| 9611332-700 | Ultra II Carbamate 3um | 30 x 2.1mm With Trident |
| 9611333 | Ultra II Carbamate 3um | 30 x 3.2mm |
| 9611333-700 | Ultra II Carbamate 3um | 30 x 3.2mm With Trident |
| 9611335 | Ultra II Carbamate 3um | 30 x 4.6mm |


Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | | |
|---|---|---|
| 9611335-700 | Ultra II Carbamate 3um | 30 x 4.6mm With Trident |
| 961133E | Ultra II Carbamate 3um | 30 x 3.0mm |
| 9611351 | Ultra II Carbamate 3um | 50 x 1.0mm |
| 9611352 | Ultra II Carbamate 3um | 50 x 2.1mm |
| 9611352-700 | Ultra II Carbamate 3um | 50 x 2.1mm With Trident |
| 9611353 | Ultra II Carbamate 3um | 50 x 3.2mm |
| 9611353-700 | Ultra II Carbamate 3um | 50 x 3.2mm With Trident |
| 9611355 | Ultra II Carbamate 3um | 50 x 4.6mm |
| 9611355-700 | Ultra II Carbamate 3um | 50 x 4.6mm With Trident |
| 961135E | Ultra II Carbamate 3um | 50 x 3.0mm |
| 9611361 | Ultra II Carbamate 3um | 150 x 1.0mm |
| 9611362 | Ultra II Carbamate 3um | 150 x 2.1mm |
| 9611362-700 | Ultra II Carbamate 3um | 150 x 2.1mm With Trident |
| 9611363 | Ultra II Carbamate 3um | 150 x 3.2mm |
| 9611363-700 | Ultra II Carbamate 3um | 150 x 3.2mm With Trident |
| 9611365 | Ultra II Carbamate 3um | 150 x 4.6mm |
| 9611365-700 | Ultra II Carbamate 3um | 150 x 4.6mm With Trident |
| 961136E | Ultra II Carbamate 3um | 150 x 3.0mm |
| 961150210 | Ultra II Carbamate | 10 x 4.0mm 3-pk |
| 961150212 | Ultra II Carbamate | 10 x 2.1mm 3-pk |
| 961150220 | Ultra II Carbamate | 20 x 4.0mm 2-pk |
| 961150222 | Ultra II Carbamate | 20 x 2.1mm 2-pk |
| 9611511 | Ultra II Carbamate 5um | 100 x 1.0mm |
| 9611512 | Ultra II Carbamate 5um | 100 x 2.1mm |
| 9611512-700 | Ultra II Carbamate 5um | 100 x 2.1mm With Trident |
| 9611513 | Ultra II Carbamate 5um | 100 x 3.2mm |
| 9611513-700 | Ultra II Carbamate 5um | 100 x 3.2mm With Trident |
| 9611515 | Ultra II Carbamate 5um | 100 x 4.6mm |
| 9611515-700 | Ultra II Carbamate 5um | 100 x 4.6mm With Trident |
| 961151E | Ultra II Carbamate 5um | 100 x 3.0mm |
| 9611521 | Ultra II Carbamate 5um | 200 x 1.0mm |
| 9611522 | Ultra II Carbamate 5um | 200 x 2.1mm |
| 9611522-700 | Ultra II Carbamate 5um | 200 x 2.1mm With Trident |
| 9611523 | Ultra II Carbamate 5um | 200 x 3.2mm |
| 9611523-700 | Ultra II Carbamate 5um | 200 x 3.2mm With Trident |
| 9611525 | Ultra II Carbamate 5um | 200 x 4.6mm |
| 9611525-700 | Ultra II Carbamate 5um | 200 x 4.6mm With Trident |
| 961152E | Ultra II Carbamate 5um | 200 x 3.0mm |
| 9611531 | Ultra II Carbamate 5um | 30 x 1.0mm |
| 9611532 | Ultra II Carbamate 5um | 30 x 2.1mm |
| 9611532-700 | Ultra II Carbamate 5um | 30 x 2.1mm With Trident |
| 9611533 | Ultra II Carbamate 5um | 30 x 3.2mm |
| 9611533-700 | Ultra II Carbamate 5um | 30 x 3.2mm With Trident |
| 9611535 | Ultra II Carbamate 5um | 30 x 4.6mm |
| 9611535-700 | Ultra II Carbamate 5um | 30 x 4.6mm With Trident |
| 961153E | Ultra II Carbamate 5um | 30 x 3.0mm |
| 9611551 | Ultra II Carbamate 5um | 50 x 1.0mm |
| 9611552 | Ultra II Carbamate 5um | 50 x 2.1mm |
| 9611552-700 | Ultra II Carbamate 5um | 50 x 2.1mm With Trident |
| 9611553 | Ultra II Carbamate 5um | 50 x 3.2mm |
| 9611553-700 | Ultra II Carbamate 5um | 50 x 3.2mm With Trident |
| 9611555 | Ultra II Carbamate 5um | 50 x 4.6mm |
| 9611555-700 | Ultra II Carbamate 5um | 50 x 4.6mm With Trident |
| 961155E | Ultra II Carbamate 5um | 50 x 3.0mm |
| 9611561 | Ultra II Carbamate 5um | 150 x 1.0mm |
| 9611562 | Ultra II Carbamate 5um | 150 x 2.1mm |
| 9611562-700 | Ultra II Carbamate 5um | 150 x 2.1mm With Trident |
| 9611563 | Ultra II Carbamate 5um | 150 x 3.2mm |
| 9611563-700 | Ultra II Carbamate 5um | 150 x 3.2mm With Trident |
| 9611565 | Ultra II Carbamate 5um | 150 x 4.6mm |
| 9611565-700 | Ultra II Carbamate 5um | 150 x 4.6mm With Trident |
| 961156E | Ultra II Carbamate 5um | 150 x 3.0mm |
| 9611571 | Ultra II Carbamate 5um | 250 x 1.0mm |
| 9611572 | Ultra II Carbamate 5um | 250 x 2.1mm |
| 9611572-700 | Ultra II Carbamate 5um | 250 x 2.1mm With Trident |
| 9611573 | Ultra II Carbamate 5um | 250 x 3.2mm |

| | | |
|---|---|---|
| 9611573-700 | Ultra II Carbamate 5um | 250 x 3.2mm With Trident |
| 9611575 | Ultra II Carbamate 5um | 250 x 4.6mm |
| 9611575-700 | Ultra II Carbamate 5um | 250 x 4.6mm With Trident |
| 961157E | Ultra II Carbamate 5um | 250 x 3.0mm |
| 9612565 | Ultra II Quat 5um | 150 x 4.6mm |
| KT676001-40 | Glassware | 40/35 PTFE Joint Sleeve, 6pk For Microfiltration Apparatus |
| KT953751-00 | Glassware | Glass Funnel 47mm 300ml For Microfiltration Apparatus |
| KT953753-00 | Glassware | Aluminum Clamp, 47mm For Microfiltration Apparatus |
| KT953761-00 | Glassware | Glass Funnel, 47mm, 100ml For Microfiltration Apparatus |
| KT953771-00 | Glassware | Glass Funnel 47mm 500ml For Microfiltration Apparatus |
| KT953781-00 | Glassware | Glass Funnel 47mm 1000ml For Microfiltration Apparatus |
| KT953825-00 | Glassware | 300ml Funnel, 1000ml Flask All-Glass Microfiltration Apparatus |
| KT953826-00 | Glassware | Fritted Glass Support 47mm, 40/35 Joint For Microfiltration Apparatus |
| KT953827-00 | Glassware | Flask 1000ml 40/35 Joint For Microfiltration Apparatus |
| KT953828-00 | Glassware | Flask 2000ml 40/35 Joint For Microfiltration Apparatus |
| KT953829-00 | Glassware | Flask 4000ml 40/35 Joint For Microfiltration Apparatus |
| KT953830-00 | Glassware | Flask Cap, 40/35 Outer Joint For Microfiltration Apparatus |
| KT953835-00 | Glassware | 500ml Funnel, 2000ml Flask All-Glass Microfiltration Apparatus |

# Filtration Equipment /Accessories : our webLINKs

## PRODUCT LIST short form List

### Plastic Syringes

Norm-Ject

### Syringe Filters

### Membrane Filters

Membrane Solutions

### Glass Filtration Systems



### BottleTop Filtration

### Vac-uFill

### Vacu-CAP /FAST Caps

### Pumps : Vacuum Pumps

### Hand Vac Pump

### Motorised Vac Pump

### Dispensing Syringe & Peristaltic Pumps

New Era

### Syringe Heater Kit

### Syringe Dispensers

MicroLIT

### Double Check Valves



ValuePlastics

### Single-Step MicroFILTRATION

Thomson > RESTEK

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| Glass Filtration Equipment | Syringe Pump + Barrel heater | Syringe Dispenser |
|---|---|---|
| Oils (???) :<br>Thin Oils or Aqueous-based | Oils : 60ccSyringe 0.45um SF<br>Syringe Heater @ 55degC | 10ml Only Extra leverage helps<br>Thin Oils or Solvents/Aqueous |
| Motorised pumps run continuosly<br>0.45um 1ml/min<br>Use internal collection Test Tube | 0.45um 25mm > 5ml/min<br>New 33mm SFs 1.75x faster 8cc/min<br>Heat to 55degC 2x faster 16cc/Min | See Double CheckValve (can be problematic with sticky oils ???) |

Hand VAC Pump
- OK for quick filtration
- a leak-free system is necessary
- can be a bit tedious
*250mm Vac but 350 typical observed*




OR ?

Vac-U-Fill
250mmHG
0.2um / 0.45um
47mmMembrane
1ml/min
**new** 90mlDiam 500ml

**Oils** : some tend to soften polystyrene containers
- can crack or tend to "implode"/squash under Vac

preferred for aqueous based mixes, more polar solvents

*for OILS the BEST Filtration Answer*
*for speed thru'put*

Olive Oil; Canola, Palm oil, Cottonseed
- all approx the same viscosity at 25degC 40-60cps at 25C 20-25cps at 55C

PVDF preferred for "polyester" Oils

multi-Layer SF and pre-filters help preserver main and can improve flow

for auto-filling from sample reservoir - fast for thin low viscosity liquids

for thin aqueous Solutions
- Syringe Filter on Outlet of BTD
- Auto-filling
- extra pressure can be applied by palm of hand to increase speed
- with CARE as device is more delicate

# BottleTop Filtration

2 Systems . . .

## PALL Vacu-Cap and Nalgene FastCap

**Similsr specs**
**Availability . . .**
**both from Chromtech**
**depends on Supplier Availability**

The PALL **VacuCap Filter** is used for sterilization or clarification of a wide variety of fluids. use for cell culture and serum-containing media liquids

have a Supor (hydrophilic PES polyethersulfone) membrane which provides fast flow rates.
can draw directly from mix vessel and filters directly into the desired containers, minimizing transfer steps.
accepts a variety of collection vessels.
VacuCap 90 Filter which is designed for volumes of 1–5L
have built-in prefilter that increases throughput of viscous or particulate solutions, such as serum-containing media.
Polyester membrane support. Acrylic housing.
VacuCap Filters are Sterile.
come with one piece of tubing per ten filter devices.
The feedline accessory kit includes tubing and a glass sinker.

### How They WORK

| use with Hand Vacuum Pump MityVac 12-MV8010 $135 | | use with Motorised Vacuum Pump VPJ0332 $535 | |
|---|---|---|---|
| VacuCap 90<br>90mm Diam Cap | VC-4621 | 0.1um for critical sterilisation | $375 |
| 10-pk | VC-4622 | 0.2umfor sterilisation | $350 |
| Sterile/Fast | VC-4623 | 0.45um | $350 |
| 1-5Liter volumes . . . Simple Glassware Accessory use | | | |

The Nalgene **Fastcap Filter** works on any bottle that has a neck opening of up to 53mm. The Nalgene FastCap Filter eliminates the need to use threaded glass media bottles.

Place a Nalgene FastCap filter on bottle mouth, attach a vacuum line to the larger center vaccum hose link and your liquid media tube to the smaller tube link and start filtering.

The Nalgene FastCap. . .

filters up to 5 liters of liquid.
Housing is blue polystyrene; the 90mm filter is made of PES (polyetheresulfone)
with a 0.2um pore diameter.
Each filter is packaged in individual hermetically sealed plastic bags.
Nalgene FastCap filters are STERILE (gamma radiation sterilized).
Nalgene
FastCap filters are sold in individual units or a case of 10

VacuCap and Fast C Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active n Stock at any time)

# Filtration Accessories : Filtration Hints

| | Vac-u-Fill Bottles VacuCap fastFiltration(PALL) FastCap(Nalgene) | Liquid Dispensers Syringe Pump | Hand Vacuum Pump |
|---|---|---|---|
| Selection of Filter Media : by size<br>Flow propl to (Diam) sqrd | 0.45um : 0.22um<br>1.00 : 0.25 x speed | Syringe Filter : max Pressure 72psi (PP body ) | on top of main filter |
| Pre Filter : protects main filter from blocking extends lifetime and can improve speed | use coarser Glass Fibre | some have Class Fibre Multi-Layer | on top of main filter |
| Relative speed based on Surface Area of Pore Size um | 13 : 25 : 33mm<br>0.27 : 1.0 : 1.75 x speed | | |
| Measured | Syringe Pump : Olive Oil 25C 30psi (PressGauge)<br>20ml 19mmID Syringe 0.5sqin > 1.0ml/min<br>0.45um PVDF | 50ml syringe 29mmID > 2.3ml/min | |
| Vacuum vs Pressure 0.45um PVDF | HandPump Vacuum 350mm = -7.0psi max developed Vac Flask Filtration<br><br>Syringe Filter 25mmD<br>Thumb Force ~10lb max<br>= 20psi ( but RSI problems ???) | 47mm<br><br>25mm | 47mm MF Calculated Flow=0,66ml/min x { 47/25 }sqd = x 3.5<br>-= 2.30ml/min<br>Measured 20ml/6.0min = 3.3ml/min |
| Olive Oil | Viscosity<br>43cps 37C<br>24cps 54C | Flow is propl to 1/ viscosity | heating speeds up flow |

ALL filters tend to block up depending on particulates that actually tend to fill the filter pores
- use of coarser pre-filter (glass Fibre) helps speed and the total sample throughput
for best results - match the polarity of the Membrane material with the polarity of the liquid
hydrophillic : PES > Nylon > PVDF > PTFE Hydrophobic
water-based polar solvents polyester Oils Hydrocarbon-based Oils
these are but generalisations - & it's very much "trial and error" for each application




# Typical Filtration PRODUCT LIST

prices as per June 2014
XR AUD/USD=0.94

| | | AUD |
|---|---|---|
| **Norm-Ject Syringes** Plastic Syringes All PP; Robust : LuerLok and Slip in 1ml, 3ml, 5ml, 10ml, 20ml, 30,ml, 50ml | | |
| 22766 | Normject Plastic Syringes 1ml Tuberculin; Slip; 100-pk | 48.00 |
| 22773 | Normject Plastic Syringes 3ml; LuerLok; 100-pk | 56.00 |
| 22775 | Normject Plastic Syringes 5ml; LuerLok; 100-pk | 88.00 |
| 22776 | Normject Plastic Syringes 10ml; LuerLok; 100-pk | 56.00 |
| 22777 | Normject Plastic Syringes 30ml; LuerLok; 50-pk | 78.00 |
| 22778 | Normject Plastic Syringes 50ml; LuerLok; 30-pk | 78.00 |
| **Syringe Filters** SF/MAT/Diam/PoreuM MAT = PTFE, PVDF, PolyProp, Nylon, PES, 25mmD ;100-pk (also 13mm) | | |
| SFPVFD025022N | 0.22um (or 0.45um, non-sterile) | 96.00 |
| SFPVDF025022NG | Nonsterile PVDF Syringe Filters 0.22(um) 25(mm) GF prefilter | 169.00 |
| SFPVDF025045SM | Sterile G-MP Multi Layer PVDF 25mm 0.45um 1-/7/1/0.45um | 195.00 |
| 6900-2502 | Whatman GD/X : Sterile PVDF 0.22um multilayer. 25mm | 420.00 |
| 6900-2504 | Whatman GD/X : Sterile PVDF 0.45um multilayer, 25mm | 420.00 |
| **Membrane Filters** MF/MAT/Diam/PoreuM MAT = PVDF, PolyProp, Nylon, PES; GlassFiber | | |
| MFPVDF047022N | 0.22um or 0.45um; 47mmDiam; 200-pk | 139.00 |
| MFGF047100B | Glass Fiber Membrane Filter With Binder 1.00(um) 47(mm) | 48.00 |
| 12-MV8010 | Vacuum Pump : Hand Pump MityVAC | 135.00 |
| VPJ0332 | Vacuum Pump /Motorised : Diaphram 220VAC; 300mmHg 20L/Min | 535.00 |
| **Filtration Systems** : use separate MFs on top as needed | | |
| VFG030010 | GlassFiltration System 47mm MF, Frit, Clamp, 300mlFunnel; 000ccBottle | 295.00 |
| | PES, PVDF (also MCE, CA, Nylon) | |
| VFPPVDF145250 | Vac-uFill 47mmD, 250mlFunnel/250ml Bottle;10-pk | 198.00 |
| VFPPVDF222500 | Vac-uFill 90mmD, 1.8umGF preFlter; 500mlFunnel/500ml Bottle, 10-pk | 360.00 |
| **Cap Filtration** | Vac-uCap, = Nalgene FAST Cap | |
| CT-4622 | VacuCAP;Pall; Filter 90mm/10pk Hydrophillic PES 0.2um; 10-pk | 368.00 |
| **Liquid Pumps** | | |
| NE-300AS | SyringePump Infusion Only NE-300AS | 465.00 |
| NE-1000AS | Syringe Pump Programmable NE-1000AS | 825.00 |
| Heater-Kit-1LG | Syringe Heater Kit ; PAD/controller & 120V 33W heating; inc transformer | 545.00 |
| NE-9000AS | Peristaltic Pump ( Low Pressure Dispensing) NE-9000AS | 725.00 |
| **Bottle Top Dispensers** : also.5, 5.9. 10. 50, 50ml Max | | |
| BTDR-3 | Microlit BottleTop Dispense 0.5to10ml Research Grade | 215.00 |
| **Syringe Dispenser** | | |
| CT-FDS-10 | 10ml SyringeDispenser Gun (Sterile) | 45.00 |
| C-4004 | 10ml Spring-loaded Syringe | 18.00 |
| DCV115-001 | DoubleCheck Valve, Tubing Chimney Port RLL Exit CP2-5 | 3.95 |
| **Microfiltration** : SingleStep Filtration; 200-pk Nylon; PES, PVDF, PTFE 0.2um, 0.45um | | |
| 23964 | 0.45um PES | 648.00 |
| 23960 | | 648.00 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# Filtration Accessories : Filtration Hints

| | Vac-u-Fill Bottles VacuCap fastFiltration(PALL) FastCap(Nalgene) | Liquid Dispensers Syringe Pump | Hand Vacuum Pump |
|---|---|---|---|
| Selection of Filter Media : by size<br>Flow propl to (Diam) sqrd | 0.45um : 0.22um<br>1.00 : 0.25 x speed | Syringe Filter : max Pressure 72psi (PP body ) | on top of main filter |
| Pre Filter : protects main filter from blocking extends lifetime and can improve speed | use coarser Glass Fibre | some have Class Fibre Multi-Layer | on top of main filter |
| Relative speed based on Surface Area of Pore Size um | 13 : 25 : 33mm<br>0.27 : 1.0 : 1.75 x speed | | |
| Measured | Syringe Pump : Olive Oil 25C 30psi (PressGauge)<br>20ml 19mmID Syringe 0.5sqin > 1.0ml/min<br>0.45um PVDF | 50ml syringe 29mmID > 2.3ml/min | |
| Vacuum vs Pressure 0.45um PVDF | HandPump Vacuum 350mm = -7.0psi max developed Vac Flask Filtration<br><br>Syringe Filter 25mmD<br>Thumb Force ~10lb max<br>= 20psi ( but RSI problems ???) | 47mm<br><br>25mm | 47mm MF Calculated Flow=0,66ml/min x { 47/25 }sqd = x 3.5<br>-= 2.30ml/min<br>Measured 20ml/6.0min = 3.3ml/min |
| Olive Oil | Viscosity<br>43cps 37C<br>24cps 54C | Flow is propl to 1/ viscosity | heating speeds up flow |

ALL filters tend to block up depending on particulates that actually tend to fill the filter pores
- use of coarser pre-filter (glass Fibre) helps speed and the total sample throughput
for best results - match the polarity of the Membrane material with the polarity of the liquid
hydrophillic : PES > Nylon > PVDF > PTFE Hydrophobic
water-based polar solvents polyester Oils Hydrocarbon-based Oils
these are but generalisations - & it's very much "trial and error" for each application



| Glass Filtration Equipment | Syringe Pump + Barrel heater | Syringe Dispenser |
|---|---|---|
| Oils (???) :<br>Thin Oils or Aqueous-based | Oils : 60ccSyringe 0.45um SF<br>Syringe Heater @ 55degC | 10ml Only Extra leverage helps<br>Thin Oils or Solvents/Aqueous |
| Motorised pump run continuosly<br>0.45um 1ml/min<br>Use internal collection Test Tube | 0.45um 25mm > 5ml/min<br>New 33mm SFs 1.75x faster 8cc/min<br>Heat to 55degC 2x faster 16cc/Min | See Double CheckValve (can be problematic with sticky oils ???) |

## Filtration Equipment

Hand VAC Pump
- OK for quick filtration
- a leak-free system is necessary
- can be a bit tedious

*250mm Vac but 350 typical observed*




OR ?

**Vac-U-Fill**
250mmHG
0.2um / 0.45um
47mmMembrane
1ml/min
**new** 90mlDiam 500ml

**Oils** : some tend to soften polystyrene containers
- can crack or tend to "implode"/squash under Vac

preferred for aqueous based mixes, more polar solvents

**Breakthrough PRICING!**
***Syringe Barrel Heater***

***for OILS the BEST Filtration Answer***
*for speed thru'put*

Olive Oil; Canola, Palm oil, Cottonseed
- all approx the same viscosity at 25degC 40-60cps at 25C 20-25cps at 55C

PVDF preferred for "polyester" Oils

multi-Layer SF and pre-filters help preserver main and can improve flow

for auto-filling from sample reservoir - fast for thin low viscosity liquids

for thin aqueous Solutions
- Syringe Filter on Outlet of BTD
- Auto-filling
- extra pressure can be applied by palm of hand to increase speed
- with CARE as device is more delicate

## Syringe Dispensing

Step 1: Clean fluid drawn into syringe

# BottleTop Filtration

2 Systems . . .

## PALL Vacu-Cap and Nalgene FastCap

**Similsr specs**
**Availability . . .**
**both from Chromtech**
**depends on Supplier Availability**

The PALL **VacuCap Filter** is used for sterilization or clarification of a wide variety of fluids. use for cell culture and serum-containing media liquids

have a Supor (hydrophilic PES polyethersulfone) membrane which provides fast flow rates.
can draw directly from mix vessel and filters directly into the desired containers, minimizing transfer steps.
accepts a variety of collection vessels.
VacuCap 90 Filter which is designed for volumes of 1–5L
have built-in prefilter that increases throughput of viscous or particulate solutions, such as serum-containing media.
Polyester membrane support. Acrylic housing.
VacuCap Filters are Sterile.
come with one piece of tubing per ten filter devices.
The feedline accessory kit includes tubing and a glass sinker.

### How They WORK

| use with Hand Vacuum Pump MityVac 12-MV8010 $135 | | use with Motorised Vacuum Pump VPJ0332 $535 | |
|---|---|---|---|
| VacuCap 90<br>90mm Diam Cap | VC-4621 | 0.1um for critical sterilisation | $375 |
| 10-pk | VC-4622 | 0.2umfor sterilisation | $350 |
| Sterile/Fast | VC-4623 | 0.45um | $350 |
| 1-5Liter volumes . . . Simple Glassware Accessory use | | | |

The Nalgene **Fastcap Filter** works on any bottle that has a neck opening of up to 53mm. The Nalgene FastCap Filter eliminates the need to use threaded glass media bottles.

Place a Nalgene FastCap filter on bottle mouth, attach a vacuum line to the larger center vaccum hose link and your liquid media tube to the smaller tube link and start filtering.

The Nalgene FastCap. . .

filters up to 5 liters of liquid.
Housing is blue polystyrene; the 90mm filter is made of PES (polyetheresulfone)
with a 0.2um pore diameter.
Each filter is packaged in individual hermetically sealed plastic bags.
Nalgene FastCap filters are STERILE (gamma radiation sterilized).
Nalgene
FastCap filters are sold in individual units or a case of 10

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

VacuCap and Fast C n Stock at any time)

Accessory Glassware also available from Chromalytic Enquire! See Glassware

# Typical Filtration PRODUCT LIST

| **Norm-Ject Syringes** Plastic Syringes All PP; Robust : LuerLok and Slip<br>in 1ml, 3ml, 5ml, 10ml, 20ml, 30,ml, 50ml | | **AUD** |
|---|---|---|
| 22766 | Normject Plastic Syringes 1ml Tuberculin; Slip; 100-pk | 48.00 |
| 22773 | Normject Plastic Syringes 3ml; LuerLok; 100-pk | 56.00 |
| 22775 | Normject Plastic Syringes 5ml; LuerLok; 100-pk | 88.00 |
| 22776 | Normject Plastic Syringes 10ml; LuerLok; 100-pk | 56.00 |
| 22777 | Normject Plastic Syringes 30ml; LuerLok; 50-pk | 78.00 |
| 22778 | Normject Plastic Syringes 50ml; LuerLok; 30-pk | 78.00 |
| **Syringe Filters**<br>SF/MAT/Diam/PoreuM MAT = PTFE, PVDF, PolyProp, Nylon, PES, 25mmD ;100-pk (also 13mm) | | |
| SFPVFD025022N | 0.22um (or 0.45um, non-sterile) | 96.00 |
| SFPVDF025022NG | Nonsterile PVDF Syringe Filters 0.22(um) 25(mm) GF prefilter | 169.00 |
| SFPVDF025045SM | Sterile G-MP Multi Layer PVDF 25mm 0.45um 1-/7/1/0.45um | 195.00 |
| 6900-2502 | Whatman GD/X : Sterile PVDF 0.22um multilayer. 25mm | 420.00 |
| 6900-2504 | Whatman GD/X : Sterile PVDF 0.45um multilayer, 25mm | 420.00 |
| **Membrane Filters**<br>MF/MAT/Diam/PoreuM MAT = PVDF, PolyProp, Nylon, PES; GlassFiber | | |
| MFPVDF047022N | 0.22um or 0.45um; 47mmDiam; 200-pk | 139.00 |
| MFGF047100B | Glass Fiber Membrane Filter With Binder 1.00(um) 47(mm) | 48.00 |
| 12-MV8010 | Vacuum Pump : Hand Pump MityVAC | 135.00 |
| VPJ0332 | Vacuum Pump /Motorised : Diaphram 220VAC; 300mmHg 20L/Min | 535.00 |
| **Filtration Systems** : use separate MFs on top as needed | | |
| VFG030010 | GlassFiltration System 47mm MF, Frit, Clamp, 300mlFunnel; 000ccBottle | 295.00 |
| | **PES, PVDF** (also MCE, CA, Nylon) | |
| VFPPVDF145250 | Vac-uFill 47mmD, 250mlFunnel/250ml Bottle;10-pk | 198.00 |
| VFPPVDF222500 | Vac-uFill 90mmD, 1.8umGF preFlter; 500mlFunnel/500ml Bottle, 10-pk | 360.00 |
| **Cap Filtration** | **Vac-uCap, = Nalgene FAST Cap** | |
| CT-4622 | VacuCAP;Pall; Filter 90mm/10pk Hydrophillic PES 0.2um; 10-pk | 368.00 |
| **Liquid Pumps** | | |
| NE-300AS | SyringePump Infusion Only NE-300AS | 465.00 |
| NE-1000AS | Syringe Pump Programmable NE-1000AS | 825.00 |
| Heater-Kit-1LG | Syringe Heater Kit ; PAD/controller & 120V 33W heating; inc transformer | 545.00 |
| NE-9000AS | Peristaltic Pump ( Low Pressure Dispensing) NE-9000AS | 725.00 |
| **Bottle Top Dispensers** : also.5, 5.9. 10. 50, 50ml Max | | |
| BTDR-3 | Microlit BottleTop Dispense 0.5to10ml Research Grade | 215.00 |
| **Syringe Dispenser** | | |
| CT-FDS-10 | 10ml SyringeDispenser Gun (Sterile) | 45.00 |
| C-4004 | 10ml Spring-loaded Syringe | 18.00 |
| DCV115-001 | DoubleCheck Valve, Tubing Chimney Port RLL Exit CP2-5 | 3.95 |
| **Microfiltration** : SingleStep Filtration; 200-pk Nylon; PES, PVDF, PTFE 0.2um, 0.45um | | |
| 23964 | | 648.00 |
| 23960 | | 648.00 |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# Typical Vial & Accessories PRODUCT LIST

exGST prices as per June 2014
XR AUD/USD=0.94

## Serum Pharma Vials CLEAR; 13mm or 20mm CrimpTop

| | | | AUD |
|---|---|---|---|
| CTSC-2V-13T-15D32H | 2ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 371 | 0.39 |
| CTSC-4V-13T-16D38H | 4ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 425 | 0.39 |
| CTSC-7V-20T-22D38H | 7ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 150 | 0.55 |
| CTSC-10V-13T-22D45H | 10ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 198 | 0.66 |
| CTSC-10V-20T-22D45H | 10ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top * | 324 | 0.56 |
| CTSC-13V-20T-24D49H | 13ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 155 | 0.66 |
| CTSC-13V-13T-24D49H | 13ml Clear Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 155 | 0.66 |
| CTSC-20V-20T-26D66H | 20ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 145 | 0.66 |
| CTSC-30V-20T-29D72H | 30ml Clear Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 113 | 0.77 |
| CTSMCW-50V-20T-43D73H | 50ml Clear Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 113 | 0.85 |
| CTSMCW-100V-20T-52D95H | 50ml Clear Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 81 | 0.95 |

## Serum Pharma Vials AMBER; 13mm or 20mm CrimpTop

| | | | |
|---|---|---|---|
| CTSA-2V-13T-15D32H | 2ml Amber Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 371 | 0.39 |
| CTSA-3V-13T-15D35H | 3ml Amber Neutral/Schott Borosilicate Type I Glass Vial 13mm Crimp Top | 425 | 0.39 |
| CTSA-7V-20T-22D38H | 7ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 210 | 0.55 |
| CTSA-10V-20T-22D48H | 10ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 155 | 0.77 |
| CTSA-13V-20T-24D50HTP | 13ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top | 155 | 0.77 |
| CTSA-23V-20T-29D60HTP | 23ml Amber Neutral/Schott Borosilicate Type I Glass Vial 20mm Crimp Top * | 113 | 0.77 |
| CTSMAW-30V-20T-36D63H | 30ml Amber Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 92 | 0.89 |
| CTSMAW-50V-20T-43D73H | 50ml Amber Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 84 | 0.95 |
| CTSMAW-100V-20T-52D95H | 100ml Amber Moulded Type II Glass Vial Sulphur Treated and Washed 20mm Crimp Top | 66 | 0.95 |

## Serum Stoppers; 13mm or 20mm Crimp Top . . . also 32mm

| | | |
|---|---|---|
| CT-20BNRB-C | 20mm Chlorobutyl Rubber Stopper | 0.20 |
| CT-20BNRB-FD2 | 20mm Grey Butyl Lyophilization Freeze Drying Rubber Stopper(2-Leg) | 0.24 |
| CT-13BNRB-C | 13mm Chlorobutyl Rubber Stopper | 0.20 |
| CT-13BNRB-FD2 | 13mm Grey Butyl Lyophilization Freeze Drying Rubber Stopper(2-Leg) | 0.24 |
| CT-20BNRB | 20mm Grey butyl rubber stopper (softer Light Gray type) | 0.20 |
| CT-20BNRB-R | 20mm Butyl Rubber Stoppers - Red | 0.20 |

## CrimpTop Caps
### Plain Aluminium -X




0.16

| | | |
|---|---|---|
| CT-20CTO-Crimp-X | Aluminum Vial Seals 20mm Centre Tear-out : Color-X | 0.24 |
| CT-13CTO-Crimp-X | Aluminum Vial Seals 13mm Centre Tear-out : Color-X | 0.24 |

## Plastic FlipOff / WPFO –X
### "FLIP OFF" writing

## Plastic FlipOff / KFO –X
### (plain Finish)




0.20
0.20

## Hand Crimpers; Air, BenchPress, Hand Pneumatic Crimper with detachable Head . . . also available

| | | |
|---|---|---|
| CT-Crimp-20S & -13S | HandCrimper 20mm (&13mm) Standard Plain AlumCaps | 259.00 |
| CT-Crimp-2OFO & -13FO | HandCrimper 20mm (&13mm) FlipOff Caps | 259.00 |
| CT-Decap-20 & -13 | Hand Decapper 20mm (&13mm) both Plain and FO Cpas | 259.00 |

## Chromatography Vials 2ml 12x32ml : Autosampler; 8mm Universal : 9mm Agilent

**ScrewCap**

| | |
|---|---|
| LBSV012CSS | Red PTFE/white silicone septa + Black screw cap with hole, /2ml 8-425 screw top vial,100-pk |
| LBSV012C | 2ml Clear vial, 8-425 screw top,100-pk |
| LBSV032C | 2ml Clear vial, 8-425 screw top, graduated with writing area,100-pk * |
| LBSV012A | 2ml Amber vial, 8-425 screw top,100-pk |
| LBSV032A | 2ml Amber vial, 8-425 screw top, graduated with writing area,100-pk |
| LBSV002C | 2ml Clear vial, 9-425 screw top,100-pk |
| LBSV022C | 2ml Clear vial, 9-425 screw top, graduated with writing area,100-pk * |
| LBSV002A | 2ml Amber vial, 9-425 screw top,100-pk |
| LBSV022A | 2ml Amber vial, 9-425 screw top, graduated with writing area,100-pk |
| LBSV102CSS | Red PTFE/white silicone septa + Blue screw cap with hole, /2ml 9-425 screw top vial,100-pk |

**CrimpTop**

| | |
|---|---|
| LBSV042C | 2ml Clear vial, crimp top,100-pk |
| LBSV062C | 2ml Clear vial, crimp top, graduated with writing area,100-pk * |
| LBSV042A | 2ml Amber vial, crimp top,100-pk |
| LBSV062A | |
| LBSV112CRS | |



**ASK for current prices**

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

*Ask for current prices - Only part of complete range of Vial Products see .chromtech.-vials*

# Typical Vial & Accessories PRODUCT LIST

exGST prices as per June 2014
XR AUD/USD=0.94

| | | AUD |
|---|---|---|
| **Limited Volume Inserts for Chromatography Autosampler Vials**<br>Style : Shell or Conical with Bottom Spring Size : 100ul to 300ul<br>Microvolume glass inserts for chromatography autosampler Vials ;<br>Microvolume conical polypropylene insert with bottom spring for autosampler Vials | | |
| V0401100<br>V0402100<br>V0403100<br>V0404100<br>V0405100<br>V0411100<br>V0413100<br>V0507100<br>V0421100 | 250ul,5.8×31mm,conical glass insert<br>200ul,5.8×28.5mm,conical glass insert w/bottom polypropylene spring<br>200ul,5.0×31mm,conical glass insert<br>150ul,5.0×28.5mm,conical glass insert,w/bottom polypropylene spring<br>100ul,4.6×28.5mm,conical glass insert ,w/bottom polypropylene spring<br>300ul,5.8×31mm,shell style glass insert<br>250ul,5.0×31mm,shell style glass insert<br>200ul,5.0×31mm,conical glass insert w/bottom spring for 1ml shell vials<br>250ul,5.8×28.5mm,conical polypropylene insert w/bottom polypropylene spring | ASK |
| **4ml 13-425 Chromatography Autosampler Vials; 15x45mm**<br>4ml, 15x45mm, 13-425 screw top vials for Autosampler, clear glass or amber glass, with marking spot or without marking spot, PP Screw top caps, PTFE/silicone septa, for chromatography autosampler, 100pcs/pk. | | |
| V0501100<br>V0503100<br>V0521100<br>V0511100<br>V0512100<br>V0513100<br>V0514100<br>V0515100<br>V0516100 | Vials only,4ml ,15×45mm,13-425 Clear Screw top ; 100-pk<br>Vials only,4ml ,15×45mm,13-425 Amber Screw top; 100-pk<br>Septa,Red PTFE/White Silicone，12mm for 13-425 Caps ,0.06″thick; 100-pk<br>Solid top caps,Black,with silicone Septa for 13-425 Screw Vials; 100-pk<br>Solid top caps,white,with PP Septa for 13-425 Screw Vials; 100-pk<br>Open top caps,Black,for 13-425 Screw Vials; 100-pk<br>Solid top caps,with pre-assembled Red PTFE/White Silicone Septa; 100-pk<br>Open top caps,Black, with pre-assembled Red PTFE/White Silicone Septa; 100-pk<br>Solid top caps,with pre-assembled white PTFE Septa; 100-pk | 26.00<br>26.00<br>15.00<br>20.00<br>15.00<br>13.00<br>10.50<br>24.00<br>ASK |
| **Screw Top Headspace Vials**<br>Volume : 10ml, 20ml<br>Size : 23*46mm, 23*75mm<br>Screw Top Headspace vials for chromatography autosampler. 20ml, 23*75mm, 10ml, 23*46mm, round bottom, clear glass, 18mm magnetic screw top caps with PTFE/silicone septa, 100pcs/pk | | |
| V0901100<br>V0902100<br>V0911100<br>V0921100<br>V0912100 | Vials only,20ml,23×75mm,Screw top , round bottom, clear glass;100-pk<br>Vials only,10ml,23×46mm,Screw top, round bottom, clear glass;100-pk<br>Open top Screw Magnetic cap;100-pk<br>Septa, Blue PTFE/white silicone，17.5mm ,0.06″thickness;100-pk<br>Open top Screw magnetic caps with pre-assembled Septa;100-pk | ASK |
| **Crimp Top Headspace Vials**<br>20ml,23*75mm, 10ml, 23*46mm, flat bottom, clear glass, 20mm aluminum seals with PTFE/silicone septa or 20mm Bimetal magnetic seals with PTFE/silicone septa, 100pcs/pk | | |
| V0801100<br>V0802100<br>V0811100<br>V0813100<br>V0821100<br>V0822100<br>V0814100<br>V0815100<br>V0816100<br>V0817100<br><br>V1101001 | Vials only,Crimp top ,20ml,23×75mm,flat bottom,clear glass;100-pk<br>Vials only,Crimp top ,10ml,23×46mm,flat bottom,clear glass;100-pk<br>20mm open top,Silver Aluminum Seals;100-pk<br>Magnetic Bimetal cap ,silver color ,20mm,8mm hole;100-pk<br>Septa, Transparent PTFE/Transparent silicone，20mm ,0.125″thickness;100-pk<br>Septa, Tan PTFE/white silicone，20mm ,0.125″thickness;100-pk<br>20mm Silver aluminum Seal w/Transparent PTFE/Transparent silicone septa;100-pk<br>20mm Silver Aluminum Seal w/Tan PTFE/white silicone Septa;100-pk<br>20mm magnetic Bimetal seal w/Transparent PTFE/Transparent silicone Septa;100-pk<br>20mm magnetic Bimetal seal w/Tan PTFE/white silicone Septa;100-pk<br>20mm hand crimper; CT-CRIMP_20S | ASK |
| **Pre-Cleaned Volatile Organic Analyte (VOA) Sampling Vials**<br>• Container, liner, and closure cleaned and assembled. • Clear or amber.<br>• Open top caps. • Teflon® faced 0.125" silicone septa. • Each case lot numbered. | | |
| 21798<br>21799<br>21796<br>21797<br>26121<br>26122 | Precleaned VOA Vials 20mL Clear Glass 24mm/400 72-pk.<br>Precleaned VOA Vials 20mL Amber Glass 24mm/400 72-pk.<br>Precleaned VOA Vials 40mL Clear Glass 24mm/400 72-pk.<br>ecleaned VOA Vials 40mL Amber Glass 24mm/400 72-pk.<br>Collection Vials for ASE 200 60mL Clear Glass 24mm/400 72-pk.<br>Collection Vials for ASE 200 60mL Amber Glass 24mm/400 72-pk. | ASK |
| **ClearBorosilicateType1glassvials, 24mmScrewFinish** | | |
| CT-24RS-SCR-WH<br>CT-24RS-SCR-BLK<br>CT502105B<br>CT40MA | 24mm Ring Seal Screw Cap White, ea<br>24mm Ring Seal Screw Cap White, ea<br>20ml 24mm Screw Cap Vial Clear, ea | ASK |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMTECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# VALUE PLASTICS : 2014 PRODUCT LIST v.016

~~see FlipPAGE Catalog . . .~~
www.chromtech.net.au/flip/catalogs/valueplastics/

p10

**DESIGN CENTER CUSTOM LUERS:**

| | |
|---|---|
| CF104 (-6005) | Male Luer Integral Lock Ring Plug, O.033 Orifice at Luer Tip |
| CF210 (-6005) | Male Luer to Female Luer Thread Style Coupler (O.125 Center Bond-in Port) |
| CF213 (-3) | Male Luer Integral Lock Ring Plug, Closed at Grip (O.055 to O.060 Core) |
| CF224 (-9) | Male Luer Integral Lock Ring to 500 Series Barb, 5/32" (4 mm) ID Tubing (O.076 bore) |
| CF233 (-6005) | Female Extended Luer Thread Style to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| CF235 (-9 -91) | Male Luer to Female Luer Thread Style Coupler (O.023 Thru Bore with O.033 Male Side Bond-in Port) |
| CF239 (-6005) | Male Luer Integral Lock Ring to Female Luer Thread Style Extended Coupler |
| CF322 (-1) | Female Luer Lug Style Flare to 1/4-32 UNF Thread |
| CF226 (-6005) | High Flow Connector to 500 Series Barb, 1/4" (6.4 mm) ID Tubing (May be used with separate rotating lock ring |
| CF015 (-1) | Female Luer Lug Style Flare to M6x.75 Thread |
| CF131 (-1) | Male Luer Integral Lock Ring Plug, Closed at Grip (Short Luer) |
| CF141 (-9) | Male Luer to Female Luer Thread Style Coupler (O.045 Thru Bore with O.055 Male Side Bond-in Port) |
| CF148 (-9002) | Male Luer to Female Luer Thread Style Coupler (O.045 Thru Bore with O.080 Male Side Bond-in Port) |

p11

**DESIGN CENTER**

**CUSTOM TUBE-TO-TUBE FITTINGS: CUSTOM THREADED:**

| | |
|---|---|
| CF001 (-6005) | Bottom Sealing 1/4-28 UNF Thread To Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| CF165 (-6005) | 1/4-28 UNF Thread with O-Ring Seal and 5/16" Hex to Classic Series Barb 1/16" (1.6 mm) ID Tubing |
| CF166 (-6005) | 1/4-28 UNF Thread Plug with O-Ring Seal and 5/16" Hex |
| CF173 (-6005) | Bottom Sealing 1/4-28 UNF To 200 Series Barb, 3/16" (4.8 mm) ID Tubing |
| CF202 (-J1A) | 10-32 UNF To Tube Elbow With Custom Thread Orientation and 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| CF079 (-1) | 1/8" Tee With Blank Single Leg to 200 Series Barb, for 1/8" (3.2 mm) ID Tubing |
| CF128 (-1) | Straight Through Connector for Orifice Insert, 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| CF302 (-1) | Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 3/32" (2.4 mm) ID Tubing |

**CUSTOM ASSEMBLIES:**

| | |
|---|---|
| CA072 | Custom Assembly LE230 and FSLLR |
| CA210 | Custom Assembly FTL220-9, MTLL220-9 and UR00-2047 Tube |

**QUICK CONNECTS**

p13

| | |
|---|---|
| MQCF230 (-1 -2 -3 -4 -5 -8) | Dual Latch Quick Connect Female 200 Series Barb 1/8" (3.2 mm) ID Tubing |
| MQCF240 (-1 -2 -3 -4 -5 -8) | Dual Latch Quick Connect Female 200 Series Barb 5/32" (4.0 mm) ID Tubing |
| MQCF250 (-1 -2 -3 -4 -5 -8) | Dual Latch Quick Connect Female 200 Series Barb 3/16" (4.8 mm) ID Tubing |

MQCRM230 (-001 -002 -003 -0( Nylon, Buna-N O-Ring Dual Latch Quick Connect Male 200 Series Barb 1/8" (3.2 mm) ID Tubing
MQCRM240 (-001 -002 -003 -0( Nylon, Buna-N O-Ring Dual Latch Quick Connect Male 200 Series Barb 5/32" (4.0 mm) ID Tubing
MQCRM250 (-001 -002 -003 -004 -005 -08B) Nylon, Buna-N O-Ring Dual Latch Quick Connect Male 200 Series Barb 3/16" (4.8 mm) ID Tubing
-001 White Nylon,-005 Blue Nylon,-001 White Nylon,-005 Blue Nylon,-001 White Nylon,-005 Blue Nylon
MQC SERIES:
Male Open Flow }

| | |
|---|---|
| MQCMF230-901 | Bag of 50 Dual Latch Quick Connect Male and Female Sets, 200 Series Barb 1/8" (3.2 mm) ID Tubing, Blue Female and White Male |
| MQCMF240-901 | Bag of 50 Dual Latch Quick Connect Male and Female Sets, 200 Series Barb 5/32" (4.0 mm) ID Tubing, Blue Female and White Male |
| MQCMF250-901 | Bag of 50 Dual Latch Quick Connect Male and Female Sets, 200 Series Barb 3/16" (4.8 mm) ID Tubing, Blue Female and White Male |

MQC SERIES:
Male and Female Sets
MQC SERIES: Female Open Flow
Quick Connect Series SBL
Quick Connect Series XQ

**QUICK CONNECTS**

p14

| | |
|---|---|
| SBLF013 (-1 -2 -8B -CM030) | Side Latch Quick Connect Female 500 Series Barb, 1/8" (3.2 mm) ID Tubing |
| SBLF035 (-1 -2 -8B -CM030) | Side Latch Quick Connect Female 500 Series Barb, 3/16" (4.8 mm) ID Tubing |

SBL SERIES:
Female Open Flow
SBLM013 (-001 -002 -004 -005) Side Latch Quick Connect Male 500 Series Barb, 1/8" (3.2 mm) ID Tubing
SBL SERIES:
Male Open Flow
-001 Gray Nylon
-002 Blue Nylon
SBLM035 (-001 -002 -004 -005) Side Latch Quick Connect Male 500 Series Barb, 3/16" (4.8 mm) ID Tubing
-001 Gray Nylon
-002 Blue Nylon
SBLMFBG013 (-002)
SBL SERIES:

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

Male and Female Sets
SBLMFBG035 (-004)
SBLMFGB013 (-001)
SBLMFGB035 (-003) Bag of 50 Side Latch Quick Connect Male and Female Sets, 500 Series Barb 1/8" (3.2 mm) ID Tubing, Blue Male and Grey Fema

**QUICK CONNECTS**

p15

XQ SERIES:Female Open Flow Straight
XQSF755 (-1006) XQ Series Female Open Flow Connector, 700 Series Barb, 1/4" (6.4 mm) ID Tubing
XQSF770 (-1006 -1007) XQ Series Female Open Flow Connector, 700 Series Barb, 3/8" (9.5 mm) ID Tubing
XQ SERIES:Female Valved Straight
XQSVF755 (-1006-B -1007-B -6 XQ Series Female Valved Connector, 700 Series Barb, 1/4" (6.4 mm) ID Tubing
XQSVF765 (-1006-B -1007-B) XQ Series Female Valved Connector, 700 Series Barb, 5/16" (8.0 mm) ID Tubing
XQSVF770 (-1006-B -1007-B -6 XQ Series Female Valved Connector, 700 Series Barb, 3/8" (9.5 mm) ID Tubing
XQSBF755 (-1006) XQ Series Female Open Flow Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 1/4" (6.4 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQSBF770 (-1006) XQ Series Female Open Flow Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 3/8" (9.5 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQ SERIES:Female Open Flow Panel Mount
XQSVBF755 (-1006-B) XQ Series Female Valved Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 1/4" (6.4 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQSVBF770 (-1006-B) XQ Series Female Valved Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 3/8" (9.5 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQ SERIES:Female Valved Panel Mount

**QUICK CONNECTS**

p16

XQCVM770 (-1006-B -1007-B -( XQ Series Male Valved Connector, 700 Series Barb, 3/8" (9.5 mm) ID Tubing
XQCM755 (-1006-B) XQ Series Male Open Flow Connector, 700 Series Barb, 1/4" (6.4 mm) ID Tubing
XQCM770 (-1006-B) XQ Series Male Open Flow Connector, 700 Series Barb, 3/8" (9.5 mm) ID Tubing
XQCVM755 (-1006-B -6006-EP) XQ Series Male Valved Connector, 700 Series Barb, 1/4" (6.4 mm) ID Tubing
XQCVM765 (-1006-B -1007-B) XQ Series Male Valved Connector, 700 Series Barb, 5/16" (7.9 mm) ID Tubing
XQ SERIES:
Male Open Flow Straight
XQ SERIES:
Male Valved Straight

**QUICK CONNECTS**

XQCLM755 (-1006-B) XQ Series Male Open Flow Elbow Connector, 700 Series Barb, 1/4" (6.4 mm) ID Tubing
XQCLM770 (-1006-B) XQ Series Male Open Flow Elbow Connector, 700 Series Barb, 3/8" (9.5 mm) ID Tubing
XQ SERIES:
Male Open Flow Elbow
XQCVLM755 (-1006-B) XQ Series Elbow Male Valved Connector, 700 Series Barbs, 1/4" (6.4 mm) ID Tubing
XQ SERIES:
Male Valved Elbow
PM4N (Nickel-Plated Brass) XQ Series 11/16-24 UNEF Panel Mount Nut
XQ SERIES:
Panel Mount Nut
XQCBM755 (-1006-B) XQ Series Male Open Flow Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 1/4" (6.4 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQCVBM755 (-1006-B) XQ Series Male Valved Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb,1/4" (6.4 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQCVBM770 (-1006-B) XQ Series Male Valved Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 3/8" (9.5 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQCBM770 (-1006-B) XQ Series Male Open Flow Panel Mount Connector with 11/16-24 UNEF Thread, 700 Series Barb, 3/8" (9.5 mm) ID Tubing, Nickel-Plated Brass Hex Nut (included)
XQ SERIES:
Male Valved Panel Mount
XQ SERIES:Male Open Flow Panel Mount

**CHECK VALVES**

SCV03052: (Clear and Blue MABS w/Silicone Diaphragm)Check Valve, Pocket for .165" (4.2 mm) OD Tubing to Socket Fitting .122" (3.1 mm) ID x .165" (4.2 mm) OD Tubing Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 304.579 psig, max 30 sec.Flow Rate: max 200 ml/min Flow Direction: Left to right
SCV04052 (Clear and Blue SAN w/Silicone Diaphragm) Check Valve, Female Locking Luer to Male Locking Luer Cracking Pressure: 1.450-4.351 psig
Max. Back Pressure: 304.579 psig, max 30 sec.Flow Rate: max 200 ml/min Flow Direction: Left to right
SCV05052 (Blue SAN and Clear MABS w/Silicone Diaphragm) Check Valve, Pocket for .165" (4.2 mm) OD Tubing to Male Locking Luer Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 304.579 psig, max 30 sec.Flow Rate: max 200 ml/min Flow Direction: Left to right

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
BLUE PLASTICS, INC.
A NORDSON COMPANY

SCV06052 (Clear and Blue MABS w/Silicone Diaphragm) Check Valve, Female Locking Luer to Socket for .122" (3.1 mm) ID to .165" (4.2 mm) OD Tubing

Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 304.579 psig, max 30 sec. Flow Rate: max 200 ml/min Flow Direction: Left to right

SCV07052

(Clear MABS and Blue SAN w/Silicone Diaphragm) Check Valve, Pocket for .122" (3.1 mm) OD Tubing to Male Locking Luer Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 87.023 psig Flow Rate: max 200 ml/min Flow Direction: Left to right

SCV09093 (Clear and White Polycarbonate w/Silicone Diaphragm) Check Valve, Female Locking Luer to Pocket for .118" (3.0 mm) OD Tubing Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 87.023 psig Flow Rate: max 200 ml/min Flow Direction: Left to right

SCV11095 (Clear and Green Polycarbonate w/Silicone Diaphragm) Check Valve, Female Locking Luer to Pocket for .098" (2.5 mm) OD Tubing Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 87.023 psig Flow Rate: max 200 ml/min Flow Direction: Left to right

SCV12052

(White and Blue SAN w/Silicone Diaphragm) Check Valve, Female Locking Luer to Male Locking Luer Cracking Pressure: 1.450 4.351 psig Max. Back Pressure: 87.023 psig Flow Rate: max 200 ml/min Flow Direction: Left to right

SCV15050

(Clear MABS and Clear SAN w/Silicone Diaphragm) Check Valve, Pocket for .165" (4.2 mm) OD Tubing to Male Locking Luer Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 87.023 psig Flow Rate: max 200 ml/min Flow Direction: Left to right

SCV16090

(Clear Polycarbonate w/Silicone Diaphragm) Check Valve, Female Locking Luer to Pocket for .118" (3.0 mm) OD Tubing Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 87.023 psig Flow Rate: max 200 ml/min Flow Direction: Left to right

**SCV SERIES:Anti-Siphon Check Valve**

SCV06248 Blue SAN and Clear MABS w/Silicone Diaphragm) Check Valve, Pocket for .161" (4.0 mm) OD Tubing to Male Locking Luer Cracking Pressure: 2.176-3.626 psig Max. Back Pressure: 304.579 psig, max 30 sec. Flow Rate: 170 ml/min Flow Direction: Left to right

SCV06272 (Clear and Blue SAN w/Silicone Diaphragm) Check Valve, Pocket for .161" (4.0 mm) OD Tubing to Female Locking Luer Cracking Pressure: 2.176-3.626 psig Max. Back Pressure: 304.579 psig, max 30 sec. Flow Rate: 170 ml/min Flow Direction: Left to right

SCV06329 (Clear and Blue SAN w/Silicone Diaphragm) Check Valve, Female Locking Luer Linden Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 304.579 psig, max 30 sec. Flow Rate: 200 ml/min Flow Direction: Left to right

SCV06264 (Clear and Blue MABS w/Silicone Diaphragm) Check Valve, Pocket for .161" (4.0 mm) OD Tubing to .161" (4.0 mm) OD Tubing Cracking Pressure: 1.450-4.351 psig Max. Back Pressure: 304.579 psig, max 30 sec. Flow Rate: 200 ml/min Flow Direction: Left to right

**CHECK VALVES**

20 SCV SERIES:One-Way Check Valve

SCV08053:

(White SAN w/Silicone Diaphragm w/Natural LDPE) Check Valve, Female Locking Luer to Male Locking Luer w/Cap SCV10090 (Clear Polycarbonate w/Silicone Diaphragm) Check Valve, Female Locking Luer to Pocket for .118" (3.0 mm) OD Tubing

SCV17090 (Clear Polycarbonate w/Silicone Diaphragm) Check Valve, Female Locking Luer to Socket for .118" (3.0 mm) ID x .161" (4.1 mm) OD Tubing

SCV22050 (Clear SAN and Clear MABS w/Silicone Diaphragm) Check Valve, Socket for .118" (3.0 mm) ID x .161" (4.1 mm) OD to Male Locking Luer

SCV23050

(Clear SAN w/Silicone Diaphragm) Check Valve, Female Locking Luer to Male Locking Luer SCV25052 (Clear MABS and Blue SAN w/Silicone Diaphragm) Air Pressure Relief Valve, Stem for .157" (4.0 mm) ID Tubing to Stem for .118" (3.0 mm) ID Tubing

SCV21053 (Clear and White MABS w/Silicone Diaphragm) Check Valve, Socket for .118" (3.0 mm) ID x .161" (4.1 mm) OD Tubing x 2Cracking Pressure: = .174 psig Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right Cracking Pressure: = .174 psig

Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right

Cracking Pressure: = .174 psig Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right

Cracking Pressure: = .174 psig Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right

Cracking Pressure: = .174 psig Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right

Cracking Pressure: = .174 psig Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right

Cracking Pressure: = .174 psig Max. Back Pressure: 87.023 psig Flow Rate: = 90 ml/min Flow Direction: Left to right

**SCV SERIES:**

**Barbed Check Valve**

SCV67220 (MABS w/Silicone Diaphragm) Check Valve, Socket for 3/32" (2.4 mm) x 3/32" (2.4 mm) ID Tubing

SCV67230 (MABS w/Silicone Diaphragm) Check Valve, Socket for 1/8" (3.2 mm) x 1/8" (3.2 mm) ID Tubing

SCV67220/230 (MABS w/Silicone Diaphragm)Check Valve, Socket for 3/32" (2.4 mm) x 1/8" (3.2 mm) ID Tubing

SCV67230/220 (MABS w/Silicone Diaphragm) Check Valve, Socket for 1/8" (3.2 mm) x 3/32" (2.4 mm) ID Tubing

SCV67FL/230 (SAN and MABS w/Silicone Diaphragm) Check Valve, Female Locking Luer to Barb for 1/8" (3.2 mm) ID Tubing

SCV67220/ML: (SAN and MABS w/Silicone Diaphragm) Check Valve, Socket for 3/32" (2.4 mm) ID Tubing to Male Locking Luer

SCV67230/ML (SAN and MABS w/Silicone Diaphragm) Check Valve, Socket for 1/8" (3.2 mm) ID Tubing to Male Locking Luer

SCV67FL/220 (SAN and MABS w/Silicone Diaphragm) Check Valve, Female Locking Luer to Barb for 3/32" (2.4 mm) ID Tubing

Cracking Pressure: = .087 psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

Cracking Pressure: = .087 psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

Cracking Pressure: = .087 psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

Cracking Pressure: = .087 psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

Cracking Pressure: = .087 psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

Cracking Pressure: = .087psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

Cracking Pressure: = .

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

Cracking Pressure: = .087 psig Max. Back Pressure: 116.030 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

SCV06265 (Blue and Clear Polycarbonate w/Silicone Diaphragm) Check Valve, Autoclavable, Socket for .122" (3.1 mm) ID x .165" (4.2 mm) OD Tubing x 2

Cracking Pressure: = .087 psig Max. Back Pressure: 87.023 psig Flow Rate: = 150 ml/min Flow Direction: Left to right

**CHECK VALVES**

Check Valve Series DCV

DCV114 (-001) Radiation-Stable Polycarbonate Double Check Valve, Tubing Pocket Chimney Port Cracking Pressure: 2-5 psi

DCV118 (-001) Radiation-Stable Polycarbonate Double Check Valve, Female Luer Chimney Port Cracking Pressure: 2-5 psi

DCV125 (-001) Radiation-Stable Polycarbonate Double Check Valve, Female Luer Chimney Port, Rotating Luer Lock Exit Port Cracking Pressure: 2-5 psi

DCV115 (-001) Radiation-Stable Polycarbonate Double Check Valve, Tubing Pocket Chimney Port, Rotating Luer Lock Exit PortCracking Pressure: 2-5 psi

DCV SERIES:

**Double Check Valve, Female Luer Chimney Port**

**LUER FITTINGS MALE LUER: Integral Lock Ring**

MTLL004 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 500 Series Barb, 1/16" (1.6 mm) ID Tubing

MTLL210 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 200 Series Barb, 1/16" (1.6 mm) ID Tubing

MTLL410 (-1 -6005 -9 -9002 -J1 Male Luer Integral Lock Ring to 400 Series Barb, 1/16" (1.6 mm) ID Tubing

MTLL007 (-1 -2 -3 -4 -5 -6005 -( Male Luer Integral Lock Ring to 500 Series Barb, 3/32" (2.4 mm) ID Tubing

MTLL220 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 200 Series Barb, 3/32" (2.4 mm) ID Tubing

MTLL420 (-1 -6005 -9 -9002 -J1 Male Luer Integral Lock Ring to 400 Series Barb, 3/32" (2.4 mm) ID Tubing

MTLL013 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

MTLL230 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

MTLL430 (-1 -3 -6005 -9 -9002 · Male Luer Integral Lock Ring to 400 Series Barb, 1/8" (3.2 mm) ID Tubing

MTLL025 (-1 -2 -3 -4 -5 -6005 -( Male Luer Integral Lock Ring to 500 Series Barb, 5/32" (4.0 mm) ID Tubing

MTLL240 (-1 -2 -3 -4 -5 -6005 -( Male Luer Integral Lock Ring to 200 Series Barb, 5/32" (4.0 mm) ID Tubing

MTLL445 (-1 -6005 -9 -9002 -J1 Male Luer Integral Lock Ring to 400 Series Barb, .170" (4.3 mm) ID Tubing

MTLL035 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

MTLL250 (-1 -2 -3 -4 -5 -06 -60( Male Luer Integral Lock Ring to 200 Series Barb, 3/16" (4.8 mm) ID Tubing

MTLL450 (-1 -6005 -9 -9002 -J1 Male Luer Integral Lock Ring to 400 Series Barb, 3/16" (4.8 mm) ID Tubing

MTLL055 (-1 -2 -3 -4 -06 -6005 · Male Luer Integral Lock Ring to 500 Series Barb, 1/4" (6.4 mm) ID Tubing

MTLL360 (-1 -2 -6005 -9 -9002 · Male Luer Integral Lock Ring to 300 Series Barb, 1/4" (6.4 mm) ID Tubing

p36

LUER FITTINGS

MLRL004 (-1 -6005 -9) Male Luer to 500 Series Barb, 1/16" (1.6 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

MLRL007 (-1 -6005 -9) Male Luer to 500 Series Barb, 3/32" (2.4 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

MLRL013 (-1 -6005 -9) Male Luer to 500 Series Barb, 1/8" (3.2 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

MLRL025 (-1 -6005 -9) Male Luer to 500 Series Barb, 5/32" (4.0 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

MLRL035 (-1 -6005 -9 -9002) Male Luer to 500 Series Barb, 3/16" (4.8 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

MLRL055 (-1 -6005 -9) Male Luer to 500 Series Barb, 1/4" (6.4 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

MLSL004 (-1 -6005 -9) Male Luer to 500 Series Barb, 1/16" (1.6 mm) ID Tubing (May be used with separate stationary lock ring FSLLR)

MLSL007 (-1 -6005 -9) Male Luer to 500 Series Barb, 3/32" (2.4 mm) ID Tubing (May be used with separate stationary lock ring FSLLR)

MLSL013 (-1 -6005 -9) Male Luer to 500 Series Barb, 1/8" (3.2 mm) ID Tubing (May be used with separate stationary lock ring FSLLR)

MLSL025 (-1 -6005 -9) Male Luer to 500 Series Barb, 5/32" (4.0 mm) ID Tubing (May be used with separate stationary lock ring FSLLR)

MLSL035 (-1 -6005 -9) Male Luer to 500 Series Barb, 3/16" (4.8 mm) ID Tubing (May be used with separate stationary lock ring FSLLR)

MLSL055 (-1 -6005 -9) Male Luer to 500 Series Barb, 1/4" (6.4 mm) ID Tubing (May be used with separate stationary lock ring FSLLR)

FSLLR (-1 -2 -3 -4 -5 -06 -6005 -9 -9002) Finger Snap Luer Lock Ring

p37

**MALE LUER:**

p37**DCV SERIES:**

MTLS210 (-1 -6005 -9 -J1A) Male Luer Slip to 200 Series Barb, 1/16" (1.6 mm) ID Tubing

MSL004 (-1 -6005 -9 -9002) Male Luer Slip to 500 Series Barb, 1/16" (1.6 mm) ID Tubing

MTLS220 (-1 -3 -5 -6005 -81 -9 Male Luer Slip to 200 Series Barb, 3/32" (2.4 mm) ID Tubing

MSL007 (-1 -6005 -9 -9002) Male Luer Slip to 500 Series Barb, 3/32" (2.4 mm) ID Tubing

MTLS230 (-1 -3 -5 -6005 -81 -9 Male Luer Slip to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

MSL013 (-1 -6005 -9 -9002) Male Luer Slip to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

MTLS240 (-1 -2 -5 -6005 -81 -9 Male Luer Slip to 200 Series Barb, 5/32" (4.0 mm) ID Tubing

MSL025 (-1 -6005 -9 -9002) Male Luer Slip to 500 Series Barb, 5/32" (4.0 mm) ID Tubing

MSL035 (-1 -6005 -9 -9002 -J1A Male Luer Slip to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

MSL055 (-1 -6005 -9 -9002) Male Luer Slip to 500 Series Barb, 1/4" (6.4 mm) ID Tubing

**MALE LUER: Slip**

**FEMALE LUER:Thread Style**

FTLL004 (-1 -2 -3 -4 -5 -06 -600 Female Luer Thread Style to 500 Series Barb, 1/16" (1.6 mm) ID Tubing

FTLL210 (-1 -2 -3 -4 -5 -6005 -9 Female Luer Thread Style to 200 Series Barb, 1/16" (1.6 mm) ID Tubing

FTLL410 (-1 -6005 -9 -9002 -J1 Female Luer Thread Style to 400 Series Barb, 1/16" (1.6 mm) ID Tubing

FTLL007 (-1 -2 -3 -4 -5 -06 -600 Female Luer Thread Style to 500 Series Barb, 3/32" (2.4 mm) ID Tubing

FTLL013 (-1 -2 -3 -4 -5 -06 -600 Female Luer Thread Style to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

FTLL420 (-1 -6005 -9 -9002 -J1 Female Luer Thread Style to 400 Series Barb, 3/32" (2.4 mm) ID Tubing

FTLL230 (-1 -2 -3 -5 -6

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMALYTIC TECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

FTLL220 (-1 -2 -3 -5 -6005 -9 -9 Female Luer Thread Style to 200 Series Barb, 3/32" (2.4 mm) ID Tubing
FTLL430 (-1 -6005 -9 -9002 -J1, Female Luer Thread Style to 400 Series Barb, 1/8" (3.2 mm) ID Tubing

p38

**LUER FITTINGS**
**FEMALE LUER: Thread Style**
**FEMALE LUER: Smooth Bore Thread Style**

FTLL025 (-1 -2 -3 -4 -5 -06 -600 Female Luer Thread Style to 500 Series Barb, 5/32" (4.0 mm) ID Tubing
FTLL240 (-1 -2 -3 -5 -6005 -9 -9 Female Luer Thread Style to 200 Series Barb, 5/32" (4.0 mm) ID Tubing
FTLL445 (-1 -6005 -9 -9002 -J1, Female Luer Thread Style to 400 Series Barb, .170" (4.3 mm) ID Tubing
FTLL035 (-1 -2 -3 -4 -5 -06 -600 Female Luer Thread Style to 500 Series Barb, 3/16" (4.8 mm) ID Tubing
FTLL250 (-1 -3 -5 -6005 -9 -900 Female Luer Thread Style to 200 Series Barb, 3/16" (4.8 mm) ID Tubing
FTLL450 (-1 -6005 -9 -9002 -J1, Female Luer Thread Style to 400 Series Barb, 3/16" (4.8 mm) ID Tubing
FTLL055 (-1 -2 -3 -4 -5 -06 -600 Female Luer Thread Style to 500 Series Barb, 1/4" (6.4 mm) ID Tubing
FTLL360 (-1 -3 -5 -6005 -9 -900 Female Luer Thread Style to 300 Series Barb, 1/4" (6.4 mm) ID Tubing
FTLLSB004 (-1 -6005 -9) Female Luer Thread Style Smooth Bore to 500 Series Barb, 1/16" (1.6 mm) ID Tubing
FTLLSB007 (-1 -4 -6005 -9) Female Luer Thread Style Smooth Bore to 500 Series Barb, 3/32" (2.4 mm) ID Tubing
FTLLSB013 (-1 -6005 -9) Female Luer Thread Style Smooth Bore to 500 Series Barb, 1/8" (3.2 mm) ID Tubing
FTL210 (-1 -6005 -9 -J1A) Female Luer Lug Style to 200 Series Barb, 1/16" (1.6 mm) ID Tubing
FTL20 (-1 -6005 -07 -81 -9 -J1A Female Luer Lug Style to Classic Series Barb, 3/32" (2.4 mm) ID Tubing
FTL220 (-1 -3 -5 -6005 -9 -J1A) Female Luer Lug Style to 200 Series Barb, 3/32" (2.4 mm) ID Tubing
FTL30 (-1 -6005 -9 -J1A) Female Luer Lug Style to Classic Series Barb, 1/8" (3.2 mm) ID Tubing
FTL10 (-1 -6005 -9 -J1A) Female Luer Lug Style to Classic Series Barb, 1/16" (1.6 mm) ID Tubing

**FEMALE LUER:**

p39

**LUER FITTINGS**
**FEMALE LUER:Lug Style**

FTL230 (-1 -3 -5 -6005 -9 -J1A) Female Luer Lug Style to 200 Series Barb, 1/8" (3.2 mm) ID Tubing
FTL240 (-1 -6005 -9 -J1A) Female Luer Lug Style to 200 Series Barb, 5/32" (4.0 mm) ID Tubing
MLRLC (-1 -6005 -9) Male Luer Coupler (May be used with separate rotating lock rings FSLLR)
MTLCS (-1 -6005 -9 -J1A) Male Luer Slip Coupler
FTLLC (-1 -6005 -9 -9002 -J1A) Female Luer Thread Style Coupler
LUER: Adapters, Couplers, and Lock Rings
FSLLR (-1 -2 -3 -4 -5 -06 -6005 Finger Snap Luer Lock Ring
LT878 (-1 -6005 -9 -9002) Female Luer Thread Style (2) to Male Luer Tee (May be used with separate rotating lock ring FSLLR)
FTLC (-1 -6005 -9 -9002 -J1A) Female Luer Lug Style Coupler
LC34 (-1 -6005 -9 -9002 -J1A) Male Luer Integral Lock Ring to Female Luer Thread Style Coupler
LT787 (-1 -6005 -8012 -9 -9002 Male Luer (2) to Female Luer Thread Style Tee (May be used with separate rotating lock ring FSLLR)
FTLT (-1 -6005 -9 -J1A) Female Luer Lug Style Tee
FTLLE (-1 -6005 -9 -J1A) Female Luer Thread Style Elbow
LC78 (-1 -6005 -9 -9002 -J1A) Male Luer to Female Luer Thread Style Coupler (May be used with separate rotating lock ring FSLLR)
FTLE (-1 -6005 -9 -J1A) Female Luer Lug Style Elbow
LE87 (-1 -6005 -8003 -9 -9002) Male Luer to Female Luer Thread Style Elbow (May be used with separate rotating lock ring FSLLR)
LE7220 (-1 -2 -9) Male Luer to 200 Series Barb Elbow, 3/32" (2.4 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)

p40

**LUERFITTINGS**
**LUER: Adapters, Couplers, and Lock Rings**
**LUER: Plugs and Caps**

LE7230 (-1 -2 -6005 -9 -9010) Male Luer to 200 Series Barb Elbow 1/8" (3.2 mm) ID Tubing (May be used with separate rotating lock ring FSLLR)
CA091 (-001) Gamma Stable P Male Luer Elbow to 3/16" Classic Series Barb, (CF361-9002) with Rotating Lock Ring (FSLLR-9002)
MTLLP (-1 -2 -3 -6005 -07 -9 -J Male Luer Integral Lock Ring Plug, Closed at Luer Tip
LP4 (-1 -2 -3 -4 -5 -6005 -9 -900 Male Luer Integral Lock Ring Plug, Closed at Grip
VLP4 (-1 -3 -6005 -81 -J1A) Male Luer Integral Lock Ring Vented Plug, Closed at Grip
MLRLP (-1 -6005 -9) Male Luer Plug (May be used with separate rotating lock ring FSLLR)
MLSLP (-1 -6005 -9) Male Luer Plug (May be used with separate stationary lock ring FSLLR)
MTLP (-1 -6005 -9 -J1A) Male Luer Plug, Closed at Tether Loop (May be used with separate stationary lock ring FSLLR)
MTLSP (-1 -6005 -81 -9 -J1A) Male Luer Slip Plug, Closed at Grip
FTLP (-1 -6005 -9 -J1A) Female Luer Lug Style Cap with Tether Loop
FTLLP (-1 -2 -3 -5 -6005 -07 -81 Female Luer Thread Style Cap
LP34 (-1 -3 -5 -6005 -9 -9002 -J1A)

p41

**LUER FITTINGS LUER TO THREAD:**
Male

XMLRL (-1 -6005 -9 -9002) Male Luer with 1/4" Hex to 10-32 Special Tapered Thread (May be used with separate rotating lock ring FSLLR)
SMLRL (-1 -6005 -9 -J1A) Male Luer with 5/16" Hex to 1/4-28 UNF Thread (May be used with separate rotating lock ring FSLLR)
BSMLRL (-6005 -J1A)

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
NUE PLASTICS, INC.
A NORDSON COMPANY

| | |
|---|---|
| rotating lock ring | FSLLR) |
| ABSML-6005 UNDER (-1 -2 -3 - | Male Luer with Rotating Lock Ring and 5/16" Hex to 1/4-28 UNF Bottom Sealing Thread |
| ABSML-J1A UNDER (-1 -2 -3 -4 | Male Luer with Rotating Lock Ring and 5/16" Hex to 1/4-28 UNF Bottom Sealing Thread |
| XMTLL (-1 -6005 -9 -J1A) | Male Luer Integral Lock Ring to 10-32 Special Tapered Thread |
| SMTLL (-1 -6005 -9 -J1A) | Male Luer Integral Lock Ring to 1/4-28 UNF Thread |
| 18MTLL (-1 -2 -6005 -J1A) | Male Luer Integral Lock Ring with 7/16" Hex to 1/8-27 NPT Thread |
| 14MTLL (-1 -2 -6005) | Male Luer Integral Lock Ring with 9/16" Hex to 1/4-18 NPT Thread |

p42

**LUER FITTINGS**

| | |
|---|---|
| FTLLBMLRL (-1 -6005) | Female Luer Thread Style Panel Mount 1/4-28 UNF to Male Luer (May be used with separate rotating lock ring FSLLR) |

PANEL MOUNTS:
Female Thread Style
LUER TO THREAD:Female

| | |
|---|---|
| KFTL (-1 -6005 -9 -J1A) | Female Luer Lug Style with 1/4" Hex to 10-32 UNF Thread |
| 18FTLL (-1 -6005 -J1A) | Female Luer Thread Style with 7/16" Hex to 1/8-27 NPT Thread |
| SFTL (-1 -6005 -9) | Female Luer Lug Style with 5/16" Hex to 1/4-28 UNF Thread |
| 18LFTLL (-1 -4 -5 -6005 -J1A) | Female Luer Thread Style Elbow with 7/16" Hex to 1/8-27 NPT Thread |
| FTLLB210 (-1 -2 -6005 -9 -J1A) | Female Luer Thread Style Panel Mount 1/4-28 UNF to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| FTLLB230 (-1 -2 -6005 -9 -J1A) | Female Luer Thread Style Panel Mount 1/4-28 UNF to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| FTLLB220 (-1 -2 -6005 -9 -J1A) | Female Luer Thread Style Panel Mount 1/4-28 UNF to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| BSFTLL (-1 -6005 -J1A) | Female Luer Thread Style with 5/16" Hex to 1/4-28 UNF Bottom Sealing Thread |
| KFTLL (-1 -6005 -9 -J1A) | Female Luer Thread Style with 1/4" Hex to 10-32 UNF Thread |
| XFTLL (-1 -6005 -9 -J1A) | Female Luer Thread Style with 1/4" Hex to 10-32 Special Tapered Thread |
| SFTLL (-1 -2 -4 -06 -6005 -9 -J1 | Female Luer Thread Style with 5/16" Hex to 1/4-28 UNF Thread |
| XFTL (-1 -6005 -9 -J1A) | Female Luer Lug Style with 1/4" Hex to 10-32 Special Tapered Thread |

p43

**LUER FITTINGS PANEL MOUNTS:**
**Female Lug Style and Male Luer**
**PANEL MOUNT ACCESSORIES: Lock Nuts and Color Coding Rings**

| | |
|---|---|
| FTLB210 (-1 -6005 -9 -J1A) | Female Luer Lug Style Panel Mount 1/4-28 UNF to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| CCR (-1 -2 -3 -4 -5 -06 -07) | Color Coded Ring (For use with PMS, PMK, FTLLB or FTLB panel mount fittings) |
| CCLR (-1 -2 -3 -4 -5 -06 -07) | Color Coded Lock Ring (For use with PMS, PMK, FTLLB or FTLB panel mount fittings) |
| PMKN (-XO) | Panel Mount Nut 10-32 UNF with 3/8" Hex (For use with PMK panel mount fittings) |
| PMSN (-XO) | Panel Mount Nut 1/4-28 UNF with 7/16" Hex (For use with PMS, FTLB, and FTLLB panel mount fittings) |
| LNS (-1 -2 -3 -4 -5 -06 -07 -600 | 1/4-28 UNF Panel Mount Lock Nut (For use with PMS, FTLLB or FTLB panel mount fittings) |
| FTLB220 (-1 -6005 -9 -J1A) | Female Luer Lug Style Panel Mount 1/4-28 UNF to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| FTLB230 (-1 -6005 -9 -J1A) | Female Luer Lug Style Panel Mount 1/4-28 UNF to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| MLRLB210 (-1 -6005) | Male Luer Panel Mount 10-32 UNF to 200 Series Barb, 1/16" (1.6 mm) ID Tubing, (May be usedwith separate rotating lock ring FSLLR) |
| MLRLB220 (-1 -6005) | Male Luer Panel Mount 10-32 UNF to 200 Series Barb, 3/32" (2.4 mm) ID Tubing, (May beused with separate rotating lock ring FSLLR) |
| MLRLB230 (-1 -6005) | Male Luer Panel Mount 1/4-28 UNF to 200 Series Barb, 1/8" (3.2 mm) ID Tubing, (May be usedwith separate rotating lock ring FSLLR) |

**PRESSURE**

| | |
|---|---|
| BPLF230 (-8012) | Quarter-turn Female Blood Pressure Cuff Connector to 200 Series Barb, 1/8" (3.2 mm) Tubing ID |
| BPLF240 (-8012) | Quarter-turn Female Blood Pressure Cuff Connector to 200 Series Barb, 5/32" (4.0 mm) Tubing ID |

BPL SERIES:1/4 Turn Cuff Connectors

| | |
|---|---|
| BPLM230 (-001) | White ABS, White Acetal, Buna-N O-Ring Quarter-turn Male Blood Pressure Cuff Connector to 200 Series Barb, 1/8" (3.2 mm) Tubing ID |
| BPLM240 (-001) | White ABS, White Acetal, Buna-N O-Ring Quarter-turn Male Blood Pressure Cuff Connector to 200 Series Barb, 5/32" (4.0 mm) Tubing ID |

**BPF SERIES:Female Bayonet Style Quick Connect**

| | |
|---|---|
| BPF220 (-001) | Black ABS Housing Bayonet-Style Female Quick Connect Fitting, 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| BPF230 (-001) | Black ABS Housing Bayonet-Style Female Quick Connect Fitting, 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| BPF240 (-001) | Black ABS Housing Bayonet-Style Female Quick Connect Fitting, 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| BPF250 (-001) | Black ABS HousingBayonet-Style Female Quick Connect Fitting, 200 Series Barb, 3/16" (4.8 mm) ID Tubing |

p46

**BLOOD PRESSURE**
**BLOOD PRESSURE: Panel Mount Nuts**

| | |
|---|---|
| BPA035 (-001) | Black Nylon over White Nylon Blood Pressure Adapter with Internal 5/16-24 UNF Thread and O-Ring to 500 Series Barb, 3/16" (4.8 mm) ID Tubing |
| BPA055 (-001) | Black Nylon over White Nylon Blood Pressure Adapter with Internal 5/16-24 UNF Thread and O-Ring to 500 Series Barb, 1/4" (6.4 mm) ID Tubing |
| BPA013 (-001) | Black Nylon over White Nylon Blood Pressure Adapter with Internal 5/16-24 UNF Thread and O-Ring to 500 Series Barb, 1/8" (3.2 mm) ID Tubing |
| BPA025 (-001) | to 500 Series Barb, 5/32" |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
NUE PLASTICS, INC.
A NORDSON COMPANY

works with...BPAM (-001) Black Nylon over White Nylon

**Blood Pressure Monitor Bayonet Connector to Internal 5/16-24 UNF Thread and O-Ring**

PMSN (-XO) Panel Mount Nut 1/4-28 UNF with 7/16" Hex (For use with BPMB230)

**BLOOD PRESSURE:Dinamapr Monitor Adapters**

PM3N (-XO) Panel Mount Nut 5/16-24 UNF Zinc-Plated Class 2 Steel Nut (For use with BPMB240)

PM2N (-XO) Panel Mount Nut 3/8-24 UNF Zinc-Plated Class 2 Steel Nut (For Use with BPMB250)

BLOOD PRESSURE:Bayonet Male Cuff Connectors

BPM013 (-1) Blood Pressure Monitor Bayonet Connector to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

BPM240 (-1) Blood Pressure Monitor Bayonet Connector to 200 Series Barb, 5/32" (4.0 mm) ID Tubing

BPM025 (-1) Blood Pressure Monitor Bayonet Connector to 500 Series Barb, 5/32" (4.0 mm) ID Tubing

BPM035 (-1) Blood Pressure Monitor Bayonet Connector to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

BPMMTLL (-1 -5) Blood Pressure Monitor Bayonet Connector to Male Luer Integral Lock Ring

BPMB230 (-1) Blood Pressure Monitor Bayonet Panel Mount Connector to 200 Series Barb, 1/4-28 UNF Thread, 1/8" (3.2 mm) ID Tubing

**BLOOD PRESSURE:**

**Bayonet Panel Mount Connectors**

BPMB240 (-1)

Blood Pressure Monitor Bayonet Panel Mount Connector to 200 Series Barb, 5/16-24 UNF Thread, 5/32" (4.0 mm) ID Tubing

BPMB250 (-1)

Blood Pressure Monitor Bayonet Panel Mount Connector to 200 Series Barb, 3/8-24 UNF Thread, 3/16" (4.8 mm) ID Tubing

p47

**BLOOD PRESSURE**

**BLOOD PRESSURE: Dinamapr Cuff Connectors**

BPCL220 (-10 -81) Blood Pressure Adapter with 5/16-24 UNF Thread and 6% Taper to 200 Series Barb, 3/32" (2.4 mm) ID Tubing

BPC220 (-10) Blood Pressure Adapter with 5/16-24 UNF Thread to 200 Series Barb, 3/32" (2.4 mm) ID Tubing

BPCL230 (-10 -81) Blood Pressure Adapter with 5/16-24 UNF Thread and 6% Internal Taper to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

BPC230 (-10) Blood Pressure Adapter with 5/16-24 UNF Thread to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

BPCL025 (-10) Blood Pressure Adapter with 5/16-24 UNF Thread 6% Internal Taper to 500 Series Barb,5/32" (4.0 mm) ID Tubing

BPC025 (-10) Blood Pressure Adapter with 5/16-24 UNF Thread to 500 Series Barb, 5/32" (4.0 mm) ID Tubing

BPCL240 (-10 -81) Blood Pressure Adapter with 5/16-24 UNF Thread and 6% Internal Taper to 200 Series Barb,5/32" (4.0 mm) ID Tubing

BPC240 (-10) Blood Pressure Adapter with 5/16-24 UNF Thread to 200 Series Barb, 5/32" (4.0 mm) ID Tubing

BPCL250 (-10 -81) Blood Pressure Adapter with 5/16-24 UNF Thread and 6% Internal Taper to 200 Series Barb, 3/16" (4.8 mm) ID Tubing

BPC250 (-10) Blood Pressure Adapter with 5/16-24 UNF Thread to 200 Series Barb, 3/16" (4.8 mm) ID Tubing

CF229 (-1) Neonatal Blood Pressure Slip Fit (non luer) with 200 Series Barb, 3/32" (2.4 mm) ID Tubing

CF230 (-1) Neonatal Blood Pressure Slip Fit (non luer) with 200 Series Barb, 5/32" (4.0 mm) ID Tubing

p49

**TAPERED SEAL**

TSC2F007 (-6005) Female Taper Seal Non-Luer Connector to 500 Series Barb, 3/32" (2.4 mm) ID Tubing

TSC2F013 (-6005) Female Taper Seal Non-Luer Connector to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

TSC2F035 (-6005) Female Taper Seal Non-Luer Connector to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

TSC2F210 (-6005) Female Taper Seal Non-Luer Connector to 200 Series Barb, 1/16" (1.6 mm) ID Tubing

MLB035 (-1 -8012 -9) Male Large Bore Non-Luer Connector to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

FLB035 (-1 -8012 -9) Female Large Bore Non-Luer Connector to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

FLB055 (-1 -2 -8012 -9) Female Large Bore Non-Luer Connector to 500 Series Barb, 1/4" (6.4 mm) ID Tubing

FLB065 (-1 -8012 -9) Female Large Bore Non-Luer Connector to 500 Series Barb, 5/16" (8.0 mm) ID Tubing

FLBP (-1 -8012 -9) Female Large Bore Non-Luer Cap

MLBP (-1 -2 -8012 -9 -9002) Male Large Bore Non-Luer Plug

MLB055 (-1 -8012 -9)p Male Large Bore Non-Luer Connector to 500 Series Barb, 1/4" (6.4 mm) ID Tubing

MLB065 (-1 -8012 -9) Male Large Bore Non-Luer Connector to 500 Series Barb, 5/16" (8.0 mm) ID Tubing

MLBC7 (-9002) Male Large Bore Non-Luer Connector with Integral Lock Ring to Male Slip Luer (May be Used with Separate Rotating Lock Rir FSLLR)

MLBC8 (-9002) Male Large Bore Non-Luer Connector with Integral Lock Ring to Female Thread-Style Locking Luer

TSC2FB230 (-6005) Female Taper Seal Non-Luer with 1/4-28 UNF Panel Mount to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

TSC2MP (-6005) 1,000 piece minimum

p51

**TUBE-TO-TUBE FITTINGS**

**TUBE-TO-TUBE: Straight Through**

N004 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 500 Series Barbs, 1/16" (1.6 mm) ID Tubing

CC (-1 -2 -6005 -9 -J1A) Straight Through Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing

N025 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 500 Series Barbs, 5/32" (4.0 mm) ID Tubing

N210 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing

N410 (-1 -2 -6005 -J1A) Straight Through Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing

AA (-1 -2 -6005 -9 -J1A) Straight Through Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing

N007 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 500 Series Barbs, 3/32" (2.4 mm) ID Tubing

N220 (-1 -2 -6005 -9 -9002 -J1A Straight Through Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing

N420 (-1 -2 -6005 -J1A

DD (-1 -2 -6005 -9 -J1

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
UE PLASTICS, INC.
A NORDSON COMPANY

N013 (-1 -2 -6005 -9 -J1A -9002 Straight Through Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing
N230 (-1 -2 -3 -5 -6005 -9 -J1A) Straight Through Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing
N430 (-1 -2 -6005 -J1A) Straight Through Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing
N440 (-1 -2 -5 -6005 -9 -J1A) Straight Through Connector with 400 Series Barbs, 5/32" (4.0 mm) ID Tubing
4040 (-1 -2 -6005 -9 -J1A) Straight Through Connector with Classic Series Barbs, 5/32" (4.0 mm) ID Tubing

p52

**TUBE-TO-TUBE FITTINGS**

**LARGE TUBE-TO-TUBE:Straight Through**

N070 (-0 -6005 -9) Straight Through Connector with 500 Series Barbs, 3/8" (9.5 mm) ID Tubing
N670 (-6005 -9 -J1A) Straight Through Connector with 600 Series Barbs, 3/8" (9.5 mm) ID Tubing
N970 (-9) Straight Through Connector with 900 Series Barbs, 3/8" (9.5 mm) ID Tubing
N080 (-0 -6005 -9) Straight Through Connector with 500 Series Barbs, 1/2" (12.7 mm) ID Tubing
N680 (-6005 -9 -J1A) Straight Through Connector with 600 Series Barbs, 1/2" (12.7 mm) ID Tubing
N975 (-9) Straight Through Connector with 900 Series Barbs, 1/2" (12.7 mm) ID Tubing
N090 (-0 -6005 -9) Straight Through Connector with 500 Series Barbs, 5/8" (16.0 mm) ID Tubing
N690 (-0 -6005 -9) Straight Through Connector with 600 Series Barbs, 5/8" (16.0 mm) ID Tubing
N100 (-0 -6005) Straight Through Connector with 500 Series Barbs, 3/4" (19.0 mm) ID Tubing
N110 (-0 -6005) Straight Through Connector with 500 Series Barbs, 1" (25.4 mm) ID Tubing
N035 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 500 Series Barbs, 3/16" (4.8 mm) ID Tubing
5050 (-1 -2 -6005 -9 -9002 -J1A Straight Through Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing
N055 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing
6060 (-1 -2 -6005 -9 -9002 -J1A Straight Through Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing
N065 (-1 -2 -6005 -9 -J1A) Straight Through Connector with 500 Series Barbs, 5/16" (8 mm) ID Tubing

**TUBE-TO-TUBE: Straight Through**

p53

**TUBE-TO-TUBE FITTINGS**

**TUBE-TO-TUBE: Straight Through Reducer**

N007/004 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing
N220/210 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing
N420/410 (-1 -2 -6005 -10 -J1A) Straight Through Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing
AD (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing
N013/004 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing
N230/210 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing
N430/410 (-1 -2 -6005 -J1A) Straight Through Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing
AC (-0 -1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing
N025/004 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 1/16" (1.6 mm) ID Tubing
1040 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 1/16" (1.6 mm) ID Tubing
1050 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 1/16" (1.6 mm) ID Tubing
N013/007 (-1 -2 -6005 -9 -9002 Straight Through Reduction Connector with 500 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing
N230/220 (-1 -2 -6005 -07 -9 -J1 Straight Through Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing
N430/420 (-1 -2 -6005 -J1A) Straight Through Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing
DC (-1 -2 -6005 -9) Straight Through Reduction Connector with Classic Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing

p54

**TUBE-TO-TUBE FITTINGS**

N055/025 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 5/32" (4.0 mm) ID Tubing

**TUBE-TO-TUBE:Straight Through Reducer**

N025/007 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 3/32" (2.4 mm) ID Tubing
2040 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 3/32" (2.4 mm) ID Tubing
N035/007 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 3/32" (2.4 mm) ID Tubing
2050 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 3/32" (2.4 mm) ID Tubing
N025/013 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 1/8" (3.2 mm) ID Tubing
3040 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 1/8" (3.2 mm) ID Tubing
N035/013 (-1 -2 -6005 -81 -9 -J1 Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 1/8" (3.2 mm) ID Tubing
3050 (-1 -2 -5 -6005 -81 -9 -900 Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 1/8" (3.2 mm) ID Tubing
N055/013 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing
3060 (-1 -2 -6005 -9 -J1A -J1A2 Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing
N035/025 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 5/32" (4.0 mm) ID Tubing
4050 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 5/32" (4.0 mm) ID Tubing

p55

**TUBE-TO-TUBE FITTINGS**

N070/013 (-0 -6005 -9 -9002 -J1 Straight Through Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/8"(3.2 mm) ID Tubing
4060 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 5/32" (4.0 mm) ID Tubing
N065/025 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 5/32" (4.0 mm) ID Tubing
N055/035 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing
5060 (-1 -2 -6005 -9 -9002 -J1A Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing
N065/035 (-1 -2 -6005 -9 -J1A) Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 3/16" (4.8 mm) ID Tubing

**TUBE-TO-TUBE:Straight Through Reducer**

**LARGE TUBE-TO-TU**

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
NORDSON MEDICAL
NUE PLASTICS, INC.
A NORDSON COMPANY

| | |
|---|---|
| N065/055 (-1 -2 -6005 -9 -J1A) | Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 1/4" (6.4 mm) ID Tubing |
| N670/655 (-6005 -9 -J1A) | Straight Through Reduction Connector with 600 Series Barbs, 3/8" (9.5 mm) and 1/4" (6.4 mm) ID Tubing |
| N680/655 (-6005 -9 -J1A) | Straight Through Reduction Connector with 600 Series Barbs, 1/2" (12.7 mm) and 1/4"(6.4 mm) ID Tubing |
| N680/670 (-6005 -9) | Straight Through Reduction Connector with 600 Series Barbs, 1/2" (12.7 mm) and 3/8" (9.5 mm) ID Tubing |
| N690/655 (-6005 -9) | Straight Through Reduction Connector with 600 Series Barbs, 5/8" (16.0 mm) and 1/4"(6.4 mm) ID Tubing |
| N690/670 (-6005 -9) | Straight Through Reduction Connector with 600 Series Barbs, 5/8" (16.0 mm) and 3/8" (9.5 mm) ID Tubing |
| N6110/6100 (-6005 -9) | Straight Through Reduction Connector with 600 Series Barbs, 1" (25.4 mm) and 3/4" (19.0 mm) ID Tubing |
| N070/055 (-0 -6005 -9) | Straight Through Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/4" (6.4 mm) ID Tubing |
| N080/055 (-0 -6005 -9) | Straight Through Reduction Connector with 500 Series Barbs, 1/2" (12.7 mm) and 1/4" (6.4 mm) ID Tubing |
| N090/055 (-0 -6005) | Straight Through Reduction Connector with 500 Series Barbs, 5/8" (16.0 mm) and 1/4" (6.4 mm) ID Tubing |
| N080/070 (-0 -6005 -9) | Straight Through Reduction Connector with 500 Series Barbs, 1/2" (12.7 mm) and 3/8" (9.5 mm) ID Tubing |
| N090/070 (-0 -6005) | Straight Through Reduction Connector with 500 Series Barbs, 5/8" (16.0 mm) and 3/8"(9.5 mm) ID Tubing |
| N100/080 (-0 -6005) | Straight Through Reduction Connector with 500 Series Barbs, 3/4" (19.0 mm) and 1/2" (12.7 mm) ID Tubing |
| N110/100 (-0 -6005) | Straight Through Reduction Connector with 500 Series Barbs, 1" (25.4 mm) and 3/4" (19.0 mm) ID Tubing |

Reference part shown: N070/013

p56

**TUBE-TO-TUBE FITTINGS**

**TUBE-TO-TUBE: Elbow**

| | |
|---|---|
| L410 (-1 -2 -6005 -J1A) | Elbow Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| L10 (-1 -2 -6005 -J1A) | Elbow Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing |
| L220 (-1 -2 -6005 -9 -9002 -J1A | Elbow Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| L420 (-1 -2 -6005 -J1A) | Elbow Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| L210 (-1 -2 -6005 -9 -J1A) | Elbow Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| L20 (-1 -2 -6005 -J1A) | Elbow Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing |
| L230 (-1 -2 -6005 -9 -J1A) | Elbow Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| L430 (-1 -2 -6005 -J1A) | Elbow Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| L30 (-1 -2 -6005 -J1A) | Elbow Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing |
| L40 (-1 -2 -6005 -J1A) | Elbow Connector with Classic Series Barbs, 5/32" (4.0 mm) ID Tubing |
| L440 (-2) | Elbow Connector with 400 Series Barbs, 5/32" (4.0 mm) ID Tubing |
| L50 (-1 -2 -6005 -J1A) | Elbow Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing |
| L60 (-1 -2 -6005 -J1A) | Elbow Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing |

p57

**TUBE-TO-TUBE FITTINGS**

| | |
|---|---|
| L220/210 (-1 -2 -6005 -9 -J1A) | Elbow Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| L420/410 (-1 -2 -6005 -J1A) | Elbow Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| L230/210 (-1 -2 -6005 -9 -J1A) | Elbow Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| L430/410 (-1 -2 -6005 -J1A) | Elbow Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| L430/420 (-1 -2 -6005 -J1A) | Elbow Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing |
| L430/220 (-9002) | Elbow Reduction Connector with a 400 Series Barb, 1/8" (3.2 mm) and a 200 Series Barb, 3/32" (2.4 mm) ID Tubing |

**LARGE TUBE-TO-TUBE: Elbow**

**TUBE-TO-TUBE: Elbow Reducer**

| | |
|---|---|
| L970 (-9) | Elbow Connector with 900 Series Barbs, 3/8" (9.5 mm) ID Tubing |
| L080 (-0 -6005) | Elbow Connector with 500 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| L975 (-9) | Elbow Connector with 900 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| L090 (-0 -6005) | Elbow Connector with 500 Series Barbs, 5/8" (16.0 mm) ID Tubing |
| L100 (-0 -6005) | Elbow Connector with 500 Series Barbs, 3/4" (19.0 mm) ID Tubing |
| L110 (-0 -6005) | Elbow Connector with 500 Series Barbs, 1" (25.4 mm) ID Tubing |
| L6110 (-6005) | Elbow Connector with 600 Series Barbs, 1" (25.4 mm) ID Tubing |
| CF494 (-6 -6005) | Low-profile Elbow Connector with Custom 600 Series Barbs, 1" (25.4 mm) ID Tubing |
| L070 (-0 -6005) | Elbow Connector with 500 Series Barbs, 3/8" (9.5 mm) ID Tubing |

Reference part shown: L070

| | |
|---|---|
| L230/220 (-1 -2 -6005 -9 -J1A) | Elbow Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing |

p58

**TUBE-TO-TUBE FITTINGS**

| | |
|---|---|
| T250 (-1 -2 -6005 -9 -J1A) | Tee Connector with 200 Series Barbs, 3/16" (4.8 mm) ID Tubing |

LARGE TUBE-TO-TUBE: Elbow Reducer

TUBE-TO-TUBE: Tee

| | |
|---|---|
| L080/070 (-0 -6005) | Elbow Reduction Connector with 500 Series Barbs, 1/2" (12.7 mm) and 3/8" (9.5 mm) ID Tubing |
| L100/080 (-0 -6005) | Elbow Reduction Connector with 500 Series Barbs, 3/4" (19.0 mm) and 1/2" (12.7 mm) ID Tubing |
| L110/100 (-0 -6005) | Elbow Reduction Connector with 500 Series Barbs, 1" (25.4 mm) and 3/4" (19.0 mm) ID Tubing |
| L070/055 (-0 -6005) | Elbow Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/4" (6.4 mm) ID Tubing |

| | |
|---|---|
| T410 (-1 -2 -6005 -J1A) | Tee Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| T10 (-1 -2 -6005 -J1A) | Tee Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing |
| T220 (-1 -2 -6005 -9 -J1A) | Tee Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| T420 (-1 -2 -6005 -J1A) | Tee Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| T20 (-1 -2 -6005 -J1A) | Tee Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing |
| T210 (-1 -2 -6005 -9 -J1A) | |

TUBE-TO-TUBE:Tee

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
PLASTICS, INC.
A NORDSON COMPANY

| | |
|---|---|
| T230 (-1 -2 -5 -6005 -9 -J1A) | Tee Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| T430 (-1 -2 -6005 -9002 -J1A) | Tee Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| T013 (-6005) | Tee Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| T30 (-1 -2 -6005 -9 -J1A) | Tee Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing |
| T40 (-1 -2 -6005 -J1A) | Tee Connector with Classic Series Barbs, 5/32" (4 mm) ID Tubing |
| T055 (-6005) | Tee Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing |

p59

**TUBE-TO-TUBE FITTINGS**

**TUBE-TO-TUBE: Tee**

TUBE-TO-TUBE: Tee Reducer

| | |
|---|---|
| T210/220 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| T410/420 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 3/32" (2.4 mm) ID Tubing |
| T420/410 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| T220/210 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| T220R210 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| T420R410 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| T430/410 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| T230/210 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| T60 (-1 -2 -6005 -9 -J1A) | Tee Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing |
| T210/230 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 1/16" (1.6 mm) and 1/8" (3.2 mm) ID Tubing |
| T410/430 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 1/8" (3.2 mm) ID Tubing |
| T070 (-0 -6005 -9) | Tee Connector with 500 Series Barbs, 3/8" (9.5 mm) ID Tubing |
| T670 (-1 -6005 -9 -J1A) | Tee Connector with 600 Series Barbs, 3/8" (9.5 mm) ID Tubing |
| T970 (-9) | Tee Connector with 900 Series Barbs, 3/8" (9.5 mm) ID Tubing |
| T080 (-0 -6005 -9) | Tee Connector with 500 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| T680 (-6005 -9 -J1A) | Tee Connector with 600 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| T975 (-9) | Tee Connector with 900 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| T690 (-6005 -9) | Tee Connector with 600 Series Barbs, 5/8" (16.0 mm) ID Tubing |
| T100 (-0 -6005 -9) | Tee Connector with 500 Series Barbs, 3/4" (19.0 mm) ID Tubing |
| T110 (-0 -6005) | Tee Connector with 500 Series Barbs, 1" (25.4 mm) ID Tubing |

p60

**TUBE-TO-TUBE FITTINGS**

TUBE-TO-TUBE: Tee Reducer

| | |
|---|---|
| T430/420 (-1 -2 -3 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing |
| T230R220 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing |
| T430R420 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing |
| T070/055 (-0 -6005 -9) | Tee Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/4" (6.4 mm) ID Tubing |
| T080/055 (-0 -6005 -9) | Tee Reduction Connector with 500 Series Barbs, 1/2" (12.7 mm) and 1/4" (6.4 mm) ID Tubing |
| T080/070 (-0 -6005 -9) | Tee Reduction Connector with 500 Series Barbs, 1/2" (12.7 mm) and 3/8" (9.5 mm) ID Tubing |
| T100/080 (-0 -6005 -9) | Tee Reduction Connector with 500 Series Barbs, 3/4" (19.0 mm) and 1/2" (12.7 mm) ID Tubing |
| T110/100 (-0 -6005) | Tee Reduction Connector with 500 Series Barbs, 1" (25.4 mm) and 3/4" (19.0 mm) ID Tubing |
| T360/220 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 3/32" (2.4 mm) ID Tubing |
| T360/230 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing |
| T360/250 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing |
| T230R210 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| T430R410 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| T220/230 (-1 -2 -6005 -9 -J1A) | Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/8" (3.2 mm) ID Tubing |
| T420/430 (-1 -2 -6005 -J1A) | Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/8" (3.2 mm) ID Tubing |
| T230/220 (-1 -2 -6005 -9 -J1A) | |

Reference part shown: T070/055

**LARGE TUBE-TO-TUBE: Tee**

**TUBE-TO-TUBE FITTINGS**

**TUBE-TO-TUBE: Y**

| | |
|---|---|
| Y210 (-1 -2 -6005 -9 -J1A) | Y Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| Y250 (-1 -2 -6005 -9 -9002 -J1A | Y Connector with 200 Series Barbs, 3/16" (4.8 mm) ID Tubing |
| Y450 (-1 -2 -6005 -J1A) | Y Connector with 400 Series Barbs, 3/16" (4.8 mm) ID Tubing |
| Y260 (-1 -2 -6005 -9 -9002 -J1A | Y Connector with 200 Series Barbs, 1/4" (6.4 mm) ID Tubing |
| Y460 (-1 -2 -6005 -9 -J1A) | Y Connector with 400 Series Barbs, 1/4" (6.4 mm) ID Tubing |
| Y410 (-1 -2 -6005 -J1A) | Y Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| Y220 (-1 -2 -6005 -9 -J1A) | Y Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| Y420 (-1 -2 -6005 -J1A) | Y Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| Y230 (-1 -2 -3 -6005 -9 -9002 -9 | Y Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| Y430 (-1 -2 -6005 -J1A) | Y Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| Y013 (-6005) | Y Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| Y240 (-1 -2 -6005 -9 -J1A) | Y Connector with 200 Series Barbs, 5/32" (4.0 mm) ID Tubing |

p62

**TUBE-TO-TUBE FITTINGS**

**TUBE-TO-TUBE: Mul**

3PF210 (-1 -6005)

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
NORDSON MEDICAL
NORDSON CORPORATION

| | |
|---|---|
| 3PF220 (-1 -6005) | Three-Port F Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing |
| 3PF230 (-1 -6005) | Three-Port F Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing |
| 4PX210 (-1 -6005) | Four-Port Cross Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing |
| 4PX220 (-1 -6005) | Four-Port Cross Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing |
| 4PX230 (-1 -6005) | Four-Port Cross Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing |
| 4PDL210 (-1 -6005) | Four-Port Double Elbow Style Manifold with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| TUBE-TO-TUBE:Y | |
| Y055 (-6005) | Y Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing |
| Y070 (-0 -6005 -9) | Y Connector with 500 Series Barbs, 3/8" (9.5 mm) ID Tubing |
| Y670 (-6005 -9 -J1A) | Y Connector with 600 Series Barbs, 3/8" (9.5 mm) ID Tubing |
| Y080 (-0 -6005 -9) | Y Connector with 500 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| Y680 (-6005 -9 -J1A) | Y Connector with 600 Series Barbs, 1/2" (12.7 mm) ID Tubing |
| Y090 (-0 -6005 -J1A) | Y Connector with 500 Series Barbs, 5/8" (16.0 mm) ID Tubing |
| Y100 (-0 -6005 -J1A) | Y Connector with 500 Series Barbs, 3/4" (19.0 mm) ID Tubing |
| Y110 (-0 -6005 ) | Y Connector with 500 Series Barbs, 1" (25.4 mm) ID Tubing |

Reference part shown: Y070

**LARGE TUBE-TO-TUBE: Y**

p63

**TUBE-TO-TUBE FITTINGS Multiport**

| | |
|---|---|
| 6PDT230 (-1 -6005) | Six-Port Double T Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing |
| 6PTT210 (-1 -6005) | Six-Port Thru Flow Double T Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing |
| 6PTT220 (-1 -6005) | Six-Port Thru Flow Double T Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing |
| 6PTT230 (-1 -6005) | Six-Port Thru Flow Double T Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing |
| 4PDL220 (-1 -6005) | Four-Port Double Elbow Style Manifold with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| 4PDL230 (-1 -6005) | Four-Port Double Elbow Style Manifold with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| 4PLL210 (-1 -6005) | Four-Port Thru Flow Double Elbow Style Manifold with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing |
| 4PLL220 (-1 -6005 -9) | Four-Port Thru Flow Double Elbow Style Manifold with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| 4PLL230 (-1 -2 -6005) | Four-Port Thru Flow Double Elbow Style Manifold with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| 6PDT210 (-1 -6005) | Six-Port Double T Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing |
| 6PDT220 (-1 -6005) | Six-Port Double T Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing |

p64

**TUBE-TO-TUBE FITTINGS Press-In Plugs**

| | |
|---|---|
| PIP230 (-1 -2 -6005 -J1A) | Press-In Plug with 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| PIP30 (-1 -2 -6005 -J1A) | Press-In Plug with Classic Series Barb, 1/8" (3.2 mm) ID Tubing |
| PIP240 (-1 -2 -6005 -J1A) | Press-In Plug with 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| PIP40 (-1 -2 -6005 -J1A) | Press-In Plug with Classic Series Barb, 5/32" (4.0 mm) ID Tubing |
| PIP50 (-1 -2 -6005 -J1A) | Press-In Plug with Classic Series Barb, 3/16" (4.8 mm) ID Tubing |
| PIP60 (-1 -2 -6005 -J1A) | Press-In Plug with Classic Series Barb, 1/4" (6.4 mm) ID Tubing |
| PIP670 (-6005) | Press-In Plug with 600 Series Barb, 3/8" (9.5 mm) ID Tubing |
| PIP680 (-6005) | Press-In Plug with 600 Series Barb, 1/2" (12.7 mm) ID Tubing |
| PIP070 (-0 -6005) | Press-In Plug with 500 Series Barb, 3/8" (9.5 mm) ID Tubing |
| PIP080 (-6005) | Press-In Plug with 500 Series Barb, 1/2" (12.7 mm) ID tubing |
| PIP20 (-1 -2 -6005 -J1A) | Press-In Plug with Classic Series Barb, 3/32" (2.4 mm) ID Tubing |
| PIP10 (-1 -2 -6005 -J1A) | Press-In Plug with Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| PIP210 (-1 -2 -6005 -J1A) | Press-In Plug with 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| PIP220 (-1 -2 -6005 -J1A) | Press-In Plug with 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| PIP090 (-6005) | Press-In Plug with 500 Series Barb, 5/8" (16.0 mm) ID Tubing |
| PIP6100 (-6005) | Press-In Plug with 600 Series Barb, 3/4" (19.0 mm) ID Tubing |

p65

**TUBE-TO-TUBEFITTINGS**

**TUBE-TO-TUBE PANEL MOUNT ACESSORIES:**

**Lock Nuts and Color Coding Rings**

**TUBE-TO-TUBE: Ultrasonically Weldable Barb**

| | |
|---|---|
| CCR (-1 -2 -3 -4 -5 -06 -07) | Color Coded Ring (For use with PMS, PMK, FTLLB or FTLB panel mount fittings) |
| CCLR (-1 -2 -3 -4 -5 -06 -07) | Color Coded Lock Ring (For use with PMS, PMK, FTLLB or FTLB panel mount fittings) |
| PMKN (-XO) | Panel Mount Nut 10-32 UNF with 3/8" Hex (For use with PMK panel mount fittings) |
| PMSN (-XO) | Panel Mount Nut 1/4-28 UNF with 7/16" Hex (For use with PMS, FTLB, and FTLLB panel mount fittings) |
| LNS (-1 -2 -3 -4 -5 -06 -6005 -07 | 1/4-28 UNF Panel Mount Lock Nut (For use with PMS, FTLLB or FTLB panel mount fittings) |
| PMK220 (-1 -6005) | Panel Mount Connector 10-32 UNF to 200 Series Barbs, 3/32" (2.4 mm) ID Tubing |
| PMS230 (-1 -6005) | Panel Mount Connector 1/4-28 UNF to 200 Series Barbs, 1/8" (3.2 mm) ID Tubing |
| PMK220-210 (-1 -6005) | Panel Mount Reduction Connector 10-32 UNF to 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing |
| PMS230-210 (-1 -6005 -J1A) | Panel Mount Reduction Connector 1/4-28 UNF to 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing |
| PMS230-220 (-1 -6005) | Panel Mount Reduction Connector 1/4-28 UNF to 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing |
| PMK210 (-1 -6005) | Panel Mount Connector 10-32 UNF to 200 Series Barbs, 1/16" (1.6 mm) ID Tubing |

**TUBE-TO-TUBE PANEL MOUNTS:Straight Through and Reducer**

| | |
|---|---|
| U10 (-1 -2 -7 -9) | Ultrasonically Weldable Fitting to Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| U20 (-1 -2 -7) | Ultrasonically Weldable Fitting to Classic Series Barb, 3/32" (2.4 mm) ID Tubing |
| U30 (-1 -2 -7) | Ultrasonically Weldable Fitting to Classic Series Barb, 1/8" (3.2 mm) ID Tubing |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

p67

**THREADED FITTINGS**

| | |
|---|---|
| X210 (-1 -2 -3 -5 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| X230 (-1 -2 -3 -5 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| K230 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| X430 (-1 -2 -3 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| K430 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| B (-1 -2 -3 -4 -5 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to Classic Series Barb, 1/8" (3.2 mm) ID Tubing |
| C (-1 -2 -3 -4 -5 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to Classic Series Barb, Short Neck, 1/8" (3.2 mm) ID Tubing |
| K240 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| X240 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| X445 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 400 Series Barb, .170" (4.3 mm) ID Tubing |
| K445 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 400 Series Barb, .170" (4.3 mm) ID Tubing |
| K210 (-1 -2 -3 -5 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| X410 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| K410 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| X10 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| K10 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| X220 (-1 -2 -3 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| K220 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| X420 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread with 1/4" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| K420 (-1 -2 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| D (-1 -2 -3 -4 -5 -6005 -J1A) | 10-32 UNF Thread with 1/4" Hex to Classic Series Barb, 3/32" (2.4 mm) ID Tubing |

**THREAD:10-32 UNF, Special Tapered Thread**

p68

**THREADED FITTINGS**

**THREAD:10-32 UNF, Special Tapered Thread Elbow**

| | |
|---|---|
| XL210 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Elbow with 1/4" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| KL210 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Elbow with 1/4" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| XL410 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Elbow with 1/4" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| KL410 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Elbow with 1/4" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| XL220 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Elbow with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| KL220 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Elbow with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| XL420 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Elbow with 1/4" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| KL420 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Elbow with 1/4" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| XL230 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Elbow with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| KL230 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Elbow with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| XL430 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Elbow with 1/4" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| KL430 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Elbow with 1/4" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |

p69

**THREADEDFITTINGS**

THREAD:10-32 UNF, Special Tapered Thread Tee

| | |
|---|---|
| XT210 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Tee with 1/4" Hex to 200 Series Barb, 1/16"(1.6 mm) ID Tubing |
| XT410 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Tee with 1/4" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| XT230 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Tee with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| XT430 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Tee with 1/4" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| XT220 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Tee with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| XT420 (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Tee with 1/4" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| KT210 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Tee with 1/4" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| KT420 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Tee with 1/4" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| KT230 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Tee with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| KT430 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Tee with 1/4" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| KT410 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Tee with 1/4" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| KT220 (-1 -2 -6005 -J1A) | 10-32 UNF Thread Tee with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |

p70

**THREADED FITTINGS THREAD:10-32 UNF, Special Tapered Thread Couplers and Plugs**

| | |
|---|---|
| XN (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Coupler with 1/4" Hex |
| S210 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| S410 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| S10 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| S220 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| S420 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| S20 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to Classic Series Barb, 3/32" (2.4 mm) ID Tubing |
| S230 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| S430 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| KN (-1 -2 -6005 -J1A) | 10-32 UNF Thread Coupler with 1/4" Hex |
| XP (-1 -2 -6005 -J1A) | 10-32 Special Tapered Thread Plug with 1/4" Hex |
| KP (-1 -2 -6005 -J1A) | |

**THREAD:1/4-28 UNF**

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active
NORDSON MEDICAL
NOVEO PLASTICS, INC.
A NORDSON COMPANY

p71

**THREADED FITTINGS**

| | |
|---|---|
| S30 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to Classic Series Barb, 1/8" (3.2 mm) ID Tubing |
| ABR004-6005 UNDER (-1 -2 -3 | 1/4-28 UNF Bottom Sealing Rotating Thread with 5/16" Hex to 500 Series Barb, 1/16" (1.6 mm) ID Tubing |
| ABR004-J1A UNDER (-1 -2 -3 - | 1/4-28 UNF Bottom Sealing Rotating Thread with 5/16" Hex to 500 Series Barb, 1/16" (1.6 mm) IDTubing |
| ABR007-6005 UNDER (-1 -2 -3 | 1/4-28 UNF Bottom Sealing Rotating Thread with 5/16" Hex to 500 Series Barb, 3/32" (2.4 mm) ID Tubing |
| ABR007-J1A UNDER (-1 -2 -3 - | 1/4-28 UNF Bottom Sealing Rotating Thread with 5/16" Hex to 500 Series Barb, 3/32" (2.4 mm)ID Tubing |
| ABR013-6005 UNDER (-1 -2 -3 | 1/4-28 UNF Bottom Sealing Rotating Thread with 5/16" Hex to 500 Series Barb, 1/8" (3.2 mm) ID Tubing |
| ABR013-J1A UNDER (-1 -2 -3 -4 -5 -8 -J1A) | 1/4-28 UNF Bottom Sealing Rotating Thread with 5/16" Hex to 500 Series Barb, 1/8" (3.2 mm) ID Tubing |
| TECS116 (-6005 -J1A) | 1/4-28 UNF Bottom Sealing Thread Tube End Coupler with 5/16" Hex, 1/16" (1.6 mm) OD Tubing |
| TECS118 (-6005 -J1A) | 1/4-28 UNF Bottom Sealing Thread Tube End Coupler with 5/16" Hex, 1/8" (3.2 mm) OD Tubing |
| S240 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| S40 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to Classic Series Barb, 5/32" (4.0 mm) ID Tubing |
| S445 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 400 Series Barb, .170" (4.3 mm) ID Tubing |
| S250 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 200 Series Barb, 3/16" (4.8 mm) ID Tubing |
| S450 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to 400 Series Barb, 3/16" (4.8 mm) ID Tubing |
| S50 (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread with 5/16" Hex to Classic Series Barb, 3/16" (4.8 mm) ID Tubing |
| SP (-1 -2 -6005 -J1A) | 1/4-28 UNF Thread Plug with 5/16" Hex |

**THREAD:1/4-28 UNF**

**THREAD:1/4-28 UNF Bottom Sealing**

p72

**THREADED FITTINGS**

| | |
|---|---|
| M6210 (-1 -2 -6005) | M6x1 Thread with 5/16" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| M6250 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 200 Series Barb, 3/16" (4.8 mm) ID Tubing |
| M6450 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 400 Series Barb, 3/16" (4.8 mm) ID Tubing |
| M6P (-1 -2 -6005 -J1A) | M6x1 Thread Plug with 5/16" Hex |
| M5220 (-1 -2 -6005) | M5x.8 Thread with 1/4" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| M5230 (-1 -2 -6005) | M5x.8 Thread with 1/4" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| M5240 (-1 -2 -6005) | M5x.8 Thread with 1/4" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| M6410 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| M6220 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| M6420 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| M6230 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| M6430 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| M6240 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| M5210 (-1 -2 -6005) | M5x.8 Thread with 1/4" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |

**THREAD:M5x.8**

| | |
|---|---|
| M6445 (-1 -2 -6005 -J1A) | M6x1 Thread with 5/16" Hex to 400 Series Barb, .170" (4.3 mm) ID Tubing |

p73

**THREADED FITTINGS**

**THREAD:1/16-27 NPT**

| | |
|---|---|
| 16210 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| 1630 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to Classic Series Barb, 1/8" (3.2 mm) ID Tubing |
| 16240 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| 1640 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to Classic Series Barb, 5/32" (4.0 mm) ID Tubing |
| 16445 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 400 Series Barb, .170" (4.3 mm) ID Tubing |
| 16250 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 200 Series Barb, 3/16" (4.8 mm) ID Tubing |
| 16450 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 400 Series Barb, 3/16" (4.8 mm) ID Tubing |
| 1650 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to Classic Series Barb, 3/16" (4.8 mm) ID Tubing |
| 1600 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread Plug with 5/16" Hex |
| 16410 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| 1610 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| 16220 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| 16420 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| 1620 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to Classic Series Barb, 3/32" (2.4 mm) ID Tubing |
| 16230 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| 16430 (-1 -2 -6005 -J1A) | 1/16-27 NPT Thread with 5/16" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |

p74

**THREADED FITTINGS**

**THREAD:1/8-27 NPT**

| | |
|---|---|
| 18210 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 200 Series Barb, 1/16" (1.6 mm) ID Tubing |
| 18430 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 400 Series Barb, 1/8" (3.2 mm) ID Tubing |
| 1830 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to Classic Series Barb, 1/8" (3.2 mm) ID Tubing |
| 18240 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 200 Series Barb, 5/32" (4.0 mm) ID Tubing |
| 1840 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to Classic Series Barb, 5/32" (4.0 mm) ID Tubing |
| 18445 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 400 Series Barb, .170" (4.3 mm) ID Tubing |
| 1850 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to Classic Series Barb, 3/16" (4.8 mm) ID Tubing |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| | |
|---|---|
| 1860 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to Classic Series Barb, 1/4" (6.4 mm) ID Tubing |
| 18410 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 400 Series Barb, 1/16" (1.6 mm) ID Tubing |
| 1810 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to Classic Series Barb, 1/16" (1.6 mm) ID Tubing |
| 18220 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 200 Series Barb, 3/32" (2.4 mm) ID Tubing |
| 18420 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 400 Series Barb, 3/32" (2.4 mm) ID Tubing |
| 1820 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to Classic Series Barb, 3/32" (2.4 mm) ID Tubing |
| 18230 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread with 7/16" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |

p75

**THREADED FITTINGS**

**THREAD:1/8-27 NPT Elbows**

**THREAD:1/8-27 NPT Plugs**

| | |
|---|---|
| 18L230 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread Elbow with 7/16" Hex to 200 Series Barb, 1/8" (3.2 mm) ID Tubing |
| 1800 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread Plug with 7/16" Hex |
| 18L250 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread Elbow with 7/16" Hex to 200 Series Barb, 3/16" (4.8 mm) ID Tubing |
| 18L260 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread Elbow with 7/16" Hex to 200 Series Barb, 1/4" (6.4 mm) ID Tubing |
| 18T260 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread Tee with 7/16" Hex to 200 Series Barb, 1/4" (6.4 mm) ID Tubing |
| 18T250 (-1 -2 -6005 -J1A) | 1/8-27 NPT Thread Tee with 7/16" Hex to 200 Series Barb, 3/16" (4.8 mm) ID Tubing |

THREAD:1/8-27 NPT Tees

| | |
|---|---|
| 1801 (-1 -2 -6005 -J1A) | Reducer with 1/8-27 NPT Male Thread and 7/16" Hex to 10-32 UNF Female Thread |
| 1802 (-1 -2 -6005 -J1A) | Reducer with 1/8-27 NPT Male Thread and 7/16" Hex to 1/4-28 UNF Female Thread |

THREAD:1/8-27 NPT Reducers

| | |
|---|---|
| 1402 (-1 -2 -6005 -J1A) | Reducer with 1/4-18 NPT Male Thread and 9/16" Hex to 1/4-28 UNF Female Thread |
| 1401 (-1 -2 -6005 -J1A) | Reducer with 1/4-18 NPT Male Thread and 9/16" Hex to 10-32 UNF Female Thread |

THREAD:1/4-18 NPT Reducers

p81

| | |
|---|---|
| VPB1000079N | Polycarbonate Body with Polyethylene Handle,Three Way Stopcock, (2) Capped Female Luer Thread Style and Capped Male uer Lock |
| VPB1000062N | Polycarbonate Body with Polyethylene HandleThree Way Stopcock, (2) Female Luer Thread Style and Male Slip Luer |
| VPS3901074N | Polyisoprene with ABS Acrylic Body, IN-4000 Intermittent Injection Site to Male Luer Lock |
| VPM1060200N | (Clear Low Density Polyethylene),Long Spike Guard Closed at Tip |
| VPM0480201N | White Polyethylene,Luer Tip Syringe Cap |
| VPB0850400N | Clear ABS,Female Luer Thread Style Coupler |
| VPM1080303N | Blue Polyethylene,Male Luer Integral Lock Ring Plug |
| VPB1000055N | Polycarbonate Body with Polyethylene Handle,One way Stopcock, Male Slip Luer to Capped Female Luer Thread Style |
| VPB1000050N | Polycarbonate Body with Polyethylene Handle,One Way Stopcock, Capped Male Luer Lock to Capped Female Luer Thread Style |
| VPB1000099N | Polycarbonate Body with Polyethylene Handle,Four Way Stopcock, (2)Capped Female Luer Thread Style and Male Slip Luer |
| VPB1000110N | Polycarbonate Body with Polyethylene Handle,Four Way Stopcock, (2)Capped Female Luer Thread Style & Capped Male Luer Lock |

VPS5069200N:White ABS Spike with Clear LDPE Guard,Bag Spike with Vented Guard (Replaces VPS5069700N)

Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# HPLC Detector & Spectrometer UV Lamps 2014

| ABI (APPLIED BIOSYSTEMS) | | |
|---|---|---|
| ANALYST | LH-13 | D2 |
| ANALYST | LH-13X2 | D2 |
| ANALYST | L-850 | W |
| BIOCAD 20, 60, 250, 700E, SPRINT, VISION | LH-40 | D2 |
| INTEGRAL 700E, 250 | LH-40 | D2 |
| 120A, 130A | LH-98 | D2 |
| 270A-HT, 1000S | LH-98 | D2 |
| FS970, FS980 | LH-98 | D2 |
| PEPTIDE SYNTHESIZER 433A | LH-98 | D2 |
| PROSICE HT, C, CLC, 492, 494 | LH-98 | D2 |
| 785 | LH-98 | D2 |
| SF757, 773, 783, 759A,783A, 785A | LH-98 | D2 |
| SF759A, 785A | LH-98 | D2 |
| SF769, SF770 | LH-98 | D2 |
| **AGILENT/HEWLETT-PACKARD** | | |
| 1037, 1047A | L-610 | W |
| 1046 | L-890 | PXE |
| *SPECTROPHOTOMETERS* | | |
| 8450A | LH-16 | D2 |
| 8451A | LH-11 | D2 |
| 8452A | LH-12 | D2 |
| 8453A, 8453E | LH-15 | D2 |
| 8453A, 8453E | LH-15X2 | D2 |
| 8453A, 8453E | LH-13X2 | D2 |
| 8453A, 8453E | L-850 | W |
| *1040 SERIES* | | |
| 1040A, 1040M, 79881A | LH-10 | D2 |
| *1050 SERIES* | | |
| 79853A | L-295 | D2 |
| 79853C, 79854A | LH-10 | D2 |
| G1306A | LH-10 | D2 |
| *1090 SERIES* | | |
| 79880A, 79881A | LH-10 | D2 |
| SERIES I & II | LH-10 | D2 |
| *1100 SERIES* | | |
| G1314A, G1314B | LH-14 | D2 |
| G1315A, G1315B, G1365A, G1365B | LH-13 | D2 |
| G1315A, G1315B, G1365A, G1365B | LH-13X2 | D2 |
| G1315A, G1315B | L-850 | W |
| G1321A | L-870 | P/XE |
| HP3D/CE | LH-14 | D2 |
| *1120/1200 SERIES (contact for free tech support)* | | |
| G1314 B, C, D, E, F | LH-14 | D2 |
| G1315 C, D, G1365 C, D | LH-13 x2 | D2 |
| *1220 SERIES (contact for free tech support)* | | |
| G1314 C, D, E, F | LH-14 | D2 |
| *1260, 1290 INFINITY SERIES (contact for free tech support)* | | |
| G4212 A/B | LH-19X2 | D2 |
| G1315A, G1315B, G1365A, G1365B | LH-13 | D2 |
| G1315A, G1315B, G1365A, G1365B | LH-13X2 | D2 |
| G1315A, G1315B | L-850 | W |
| G1315 C, D, G1365 C, D | LH-13 x2 | D2 |
| G1315 C, D, G1365 C, D | | D2 |
| G7100A | | W |

| ALLTECH/GRACE | | | |
|---|---|---|---|
| 200, 201, 205 | LH-40 | D2 | $460 |
| 200 | LH-760 | W | $275 |
| 305 | LH-910 | P/XE | $550 |
| **AMERSHAM /SEE G/E HEALTHCARE** | | | |
| **AMINCO/ATI/SEE THERMO SCIENTIFIC** | | | |
| **AVIV/ PROTERION/RHEOMETRIC SCIENTIFIC/WYATT TECH** | | | |
| 14D | | | INQUIRE |
| 62DS, 202, 215 (CD) | L-995 | XE | |
| **BAS** | | | |
| FL45 | LH-910 | P/XE | |
| UV116A, UV200 | LH-40 | D2 | |
| **BAUSCH & LOMB (B&L) /SEE THERMO SCIENTIFIC** | | | |
| **BECKMAN/ALTEX** | | | |
| 20,24,25,26,34,35,36 | L-250 | D2 | |
| 20,24,25,26,34,35,36 | L-860 | W | |
| 25 | L-200 | D2 | |
| 153 | L-885 | HG | |
| 160 | L-710 | HG | |
| 163 | L-205 | D2 | |
| 166 | LHA-70 | D2 Lamp Ass'y | |
| 166 | LH-70 | Cartridge Only | |
| 168 | LHA-75 | D2 Lamp Ass'y | |
| 168 | LH-75 | Cartridge Only | |
| 5200, ACTA | L-250 | D2 | |
| 5200, ACTA | L-865 | W | |
| AD340 | L-275 | W | |
| 5240 | L-840 | W | |
| DB, DBG, DBGT, DK, DU | L-305 | D2 | |
| DB, DBG, DK-2A | L-860 | W | |
| DU2 | L-860 | W | |
| DU-6, 7, 8, 20, 30, 37, 40, 50 | L-250 | D2 | |
| DU-6, 7, 8, 20, 30, 40, 50 | L-840 | W | |
| DU-60, 62, 63, 64, 65, 68, 70 | L-835 | W | |
| DU-70 | LH-73 | D2 | |
| DU-500, 520, 530 | LH-110 | D2 | |
| DU-500, 520, 530 | L-730 | W | |
| DU-600, 640, 650, 800 | LH-72 | D2 | |
| DU-600, 640, 650, 800 | L-835 | W | |
| DU-700, 720, 730 | LH-78 | D2 | |
| DU-700, 720, 730 | L-780 | W | |
| DU-7000, 7400, 7500 | LH-72 | D2 | |
| DU-7000, 7400, 7500 | L-835 | W | |
| P/ACE 2000, 2050, 2100, 2200, 2210 | LH-77 | D2 | |
| P/ACE 5000/477170, 5010/477171 | LH-76 | D2 | |
| P/ACE 5500/477172, 5510/477173 | LH-76 | D2 | |
| P/ACE MDQ | LH-76 | D2 | |
| P/ACE 800 | LH-76 | D2 | |
| **BEIJING PURKINJE GENERAL INSTRUMENT CO/ GENTECH** | | | |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| BIOCHROM/HARVARD BIOSCIENCE/GE/PHARMACIA | | | |
|---|---|---|---|
| LIBRA S21, S22 | L-990 | P/XE | |
| ULTROSPEC 1000 E, I | LH-975 | D2/W | INQUIRE |
| **BIO-RAD** | | | |
| BIOLOGIC DUAL FLOW | | | |
| 760-1300 | LH-25 | D2 | |
| 760-1300 | LHA-23 | W | Lamp Ass'y |
| 750-0216 | | HG | |
| 1706, 1806A | L-295 | D2 | |
| 1790, 1801, BIO-DIMENSION | LH-40 | D2 | |
| BIOFOCUS | LH-41 | D2 | |
| MICROSAMPLER 100 | LH-41 | D2 | |
| REMEDI | LH-115 | D2 | |
| SMARTSPEC 3000 | L-60 | P/XE | |
| **BIOTAGE/DYAX/ARGONAUT** | | | |
| HORIZON | L-735 | HG | |
| *ISOLERA SYSTEMS* | | | |
| KILOPREP(100G) | LH-40 | D2 | |
| SP1, SP4, SPX | LH-60 | D2 | |
| FLASHMASTER II | LH-22 | D2 | |
| ISO-1SF, 1EF, 4SF, 4EF | L-735 | HG | |
| ISO-1SV, 1SW, 1EV, 1EW | LH-60 | D2 | |
| ISO-4SV, 4SW, 4EV, 4EW | LH-60 | D2 | |
| **BIOTEK INSTRUMENTS, INC** | | | |
| EL-311 | INQUIRE | W | |
| ELX-800 UV | L-1035 | W | |
| ELX-808 | INQUIRE | W | |
| FLX-800, 800T, 800TBI, 800TBID | | W | |
| FLX-800TBX, 800 TC, 808/IU | | W | |
| SYNERGY 2/AB, 2/FI/FP | | W | |
| SYNERGY H4, HI/FI | | W | |
| **BISCHOFF** | | | |
| LAMBDA 1000, 1010 | | | INQUIRE |
| SP6, VISI-6 | | | INQUIRE |
| **BUCHI** | | | |
| 28062, 28063, 28067, 28068 | LH-22 | D2 | |
| C-640 | | | INQUIRE |
| **BUCK** | | | |
| BLC-20 | LH-94 | D2 | |
| **CAMAG** | | | |
| TLC II SCANNER | L-285 | D2 | |
| **CARLO ERBA/THERMO SCIENTIFIC** | | | |
| | L-280 | D2 | |
| **CARY/VARIAN** | | | |
| 1, 3, 4, 5, 100, 300, 400, 500 | L-230 | D2 | |
| 1, 3, 100, 300 | L-930 | W | |
| 500 | L-1015 | W | |
| 400 | L-110 | W | |
| 50 | L-1045 | P/XE | |
| 219 | L-205 | D2 | |
| 219 | | | |

| CECIL | | | |
|---|---|---|---|
| CE 1200, 1220 | LH-20 | D2 | |
| CE 1020, 2020, 2040, 2041 | L-115 | D2 | |
| CE 4000 thru 9000 SERIES | L-115 | D2 | |
| CE 2501, 2502, 7250 | L-115 | D2 | |
| **COLE -PALMER** | | | |
| 01953-00 | LH-40 | D2 | |
| **DIONEX/LC PACKING/GYNKOTEK** | | | |
| AD20, PDA20 | LH-5 | D2 | |
| AD25, PDA100, PDA2996 | LH-3 | D2 | |
| PDA20 | | W | INQUIRE |
| PDA100 | | W | |
| CES I | | | INQUIRE |
| DSA-1 | LH-40 | D2 | |
| FDM-2 | | P/XE | INQUIRE |
| RF1002/2000 | L-800 | XE | |
| UDM-170S, 340S | | | INQUIRE |
| UDM-37182 | | | INQUIRE |
| UVD 160, 170S, 170U, 320, 340S, 340U | LH-91 | D2 | |
| VDM-2 | L-235 | D2 | |
| DAD 3000, MWD 3000 | LH-45 | D2 | |
| VWD 064377, MWD 064654 | LH-45 | D2 | |
| VWD 3000 | LH-45 | D2 | |
| **D-STAR** | | | |
| DDW-10, DLC-20, DVW-10 | LH-94 | D2 | |
| **ECOM** | | | |
| LCD 2073A | LH-60 | D2 | |
| LCD 2071.2, LCD 2071.3 | L-735 | HG | |
| SAPPHIRE, OPAL, TOPAZ | LH-60 | D2 | |
| FLASH 06 | LH-60 | D2 | |
| **DYAX/SEE BIOTAGE** | | | |
| **EM SCIENCE/SEE HITACHI** | | | |
| **ERMA/ERC** | | | |
| 7511, 7512, 7515, 7522, 7530, 7535 | L-610 | W | |
| **ESA** | | | |
| 520, 522 | LH-40 | D2 | |
| **FISHER /SEE THERMO SCIENTIFIC** | | | |
| **GBC** | | | |
| AA | L-200 | D2 | |
| CINTRA 906, 908, 911 | L-200 | D2 | |
| CINTRA 916 | | W | INQUIRE |
| CINTRA 1155, 1255 | LH-910 | P/XE | |
| CINTRA 1200 | L-280 | D2 | |
| CINTRA 1205, 1206, 1210 | LH-40 | D2 | |
| CINTRA 5100 | LH-82 | D2 | |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| GE HEALTHCARE/AMERSHAM/BIOSCIENCE/PHARMACIA/LKB | | | |
|---|---|---|---|
| 2138, 2140, 2141 | | | INQUIRE |
| 2151 | LH-20 | D2 | |
| 4050, 4051, 4053, 4054 | L-210 | D2 | |
| 4050, 4060 | L-835 | W | |
| *AKTA SERIES* | | | |
| BASIC, EXPLORER, PILOT, PURIFIER | LH-990 | P/XE | |
| AKTA MICROSYSTEM | LH-990 | P/XE | |
| AKTA PRINME PLUS, PROCESS | LH-990 | P/XE | |
| FPLC, AKTA PURIFIER 10, 100 | L-1010 *** | HG | |
| ETAN LC 18-5050-50 | LH-990 | P/XE | |
| GENEQUANT II | LH-975 | D2/W | INQUIRE |
| GENQUANT PRO | | | INQUIRE |
| RNA/DNA CALCULATOR | | | INQUIRE |
| NOVA SPEC II | L-835 | W | |
| *ULTROSPEC SERIES* | | | |
| ULTROSPEC II, III, PLUS | L-210 | D2 | |
| ULTROSPEC II, III, PLUS | L-835 | W | |
| ULTROSPEC 500 PRO | LH-125 | D2/W | |
| ULTROSPEC 500 PRO | L-935 | W | |
| ULTROSPEC 1000 e, 1000 i | LH-975 | D2/W | INQUIRE |
| ULTROSPEC 2000, 3000, 4000 | LH-125 | D2/W | |
| ULTROSPEC 2000, 3000, 4000 | L-935 | W | |
| ULTROSPEC 3000 PRO | LH-125 | D2/W | |
| ULTROSPEC 3000 PRO | L-935 | W | |
| ULTROSPEC 1100 PRO | LH-975 | D2/W | INQUIRE |
| ULTROSPEC 1100 PRO | L-935 | W | |
| ULTROSPEC 2100 PRO, 3100 PRO | L-640 | P/XE | |
| ULTROSPEC 3300, 4300 | LH-125 | D2/W | |
| ULTROSPEC 3300, 4300 | L-935 | W | |
| ULTROSPEC 5300 PRO, 6300 PRO | LH-125 | D2/W | |
| UV-1 | L-1030 | HG | INQUIRE |
| UPC 900 | L-1010 *** | HG | |
| UV 900 | LH-990 | P/XE | |
| | | | |
| ***MUST RETURN SPENT LAMP AND HOUSING | | | |
| | | | |
| GENTECH/SEE BEIJING RALEIGH | | | |
| | | | |
| GILFORD | | | |
| 200, 220, 222, 230, 240, 250, 252, 260 | L-205 | D2 | |
| 200, 220, 222, 230, 240, 250, 252, 260 | L-875 | W | |
| 2000, 2400, 2600 | L-205 | D2 | |
| 2000, 2400, 2600 | L-875 | W | |
| FLUORO IV | L-801 | XE | |
| RESPONSE I | L-210 | D2 | |
| RESPONSE I | L-900 | W | |
| STASAR I, II, III | | W | |
| SYVA S-3 | | W | |

| GILSON | | | |
|---|---|---|---|
| 115, 116, 117 | LH-150 | D2 | |
| 118, 119, 151, 152, 155, 156 | LH-151 | D2 | |
| 122 | L-800 | XE | |
| | | | |
| GRACE/ALLTECH | | | |
| 200, 201, 205 | LH-40 | D2 | |
| 200, 201, 205 | LH-760 | W | |
| 305 | LH-910 | P/XE | |
| REVELERIS UV1, UV2 | LH-40 | D2 | |
| | | | |
| GROTON | | | |
| FD100 | L-890 | P/XE | |
| | | | |
| GYNKOTEK/SEE DIONEX | | | |
| | | | |
| HACH | | | |
| DR/4000U | LH-110 | D2 | |
| DR/4000U, 4000V | L-730 | W | |
| DR/5000, DR/6000 | LH-78 | D2 | |
| DR/5000, DR/6000 | L-780 | W | |
| 48000, 48100 | L-730 | W | |
| HEWLETT-PACKARD/SEE AGILENT | | | |
| | | | |
| HITACHI | | | |
| 100-10, 20, 30, 40, 60, 80 | L-280 | D2 | |
| | | | |
| 101, 102 | L-430 | D2 | |
| 101, 102, 111, 124 | L-805 | W | INQUIRE |
| 124 | L-210 | D2 | |
| 181, 191 | L-805 | W | INQUIRE |
| 150-20 | LH-51 | D2 | |
| 150-20 | L-805 | W | INQUIRE |
| 200, 300, 330, 340 | LH-51 | D2 | |
| 655A-22, 23 | LH-51 | D2 | |
| F-1000 THRU F-7000 | L-800 | XE | |
| GENESPEC III | LH-58 | D2 | |
| GENESPEC III | | W | INQUIRE |
| L-2400, 2420, 2450, 2455 | LH-56 | D2 | |
| L-2420, 2450, 2455 | L-835 | W | |
| L-2480, 2485 | L-800 | XE | |
| L-2500 | LH-51 | D2 | |
| L-3000, 3100, 3200, 4200, 4250 | LH-51 | D2 | |
| L-4000, 4500 | LH-56 | D2 | |
| L-4200, 4250 | L-815 | W | |
| L-7000, 7300, 7400, 7420, 7450A, 7455 | LH-56 | D2 | |
| L-7420 | L-815 | W | |
| L-7480, 7485, 7490 | L-800 | XE | |
| SERIES 100 | L-805 | W | INQUIRE |
| U-0080D | LH-56 | D2 | |
| U-1100, 1500 | LH-51 | D2 | |
| U-1100 | L-815 | W | |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| HITACHI (CONTINUED) | | |
|---|---|---|
| U-1800, 1900, 2800, 2810 | LH-57 | D2 |
| U-1800, 2800, 2810 | L-935 | W |
| U-2900, 2910 | LH-57 | D2 |
| U-1900, 2900, 2910 | L-815 | W |
| U-2000, 2001, 2010 | LH-51 | D2 |
| U-2000, 2001, 2010 | L-815 | W |
| U-3000, 3010, 3110, 3210, 3300 | LH-51 | D2 |
| U-3000, 3010, 3110, 3300 | L-815 | W |
| | | |
| U-3310, 3400, 3410, 3501, 4100 | LH-51 | D2 |
| U-3310, 4100 | L-815 | W |
| U-3410, 3501 | LH-55 | W |
| U-3500 | LH-56 | D2 |
| U-4001, 4100 | LH-51 | D2 |

| HORIBA JOBIN YVON/SEE JY |
|---|

| IBM | | |
|---|---|---|
| 9420 | L-200 | D2 |
| 9523, 9563, 9565 | L-205 | D2 |

| ISCO/TELEDYNE | | |
|---|---|---|
| 205 | LH-40 | D2 |
| 205 | LH-760 | W |
| 3850 | L-205 | D2 |
| COMBIFLASH COMPANION, TS, 4X, XL | LH-61 | D2 |
| COMBIFLASH RF 75, RF 200 | LH-62 | D2 |
| COMBIFLASH SYSTEM SQ16X | L-205 | D2 |
| V4/1840 | L-205 | D2 |

## HPLC Detector & Spectrometer UV Lamps 2014

| JASCO | | |
|---|---|---|
| 870, 875 | L-295 | D2 |
| FP-750, 777, 820, 821, 920, 921 | L-800 | XE |
| FP-1520, 1570, 1575, 2020, 3120 | L-800 | XE |
| FP-6200, 6300, 6500, 6600 | L-800 | XE |
| J-810 CD, J-815 CD | L-960 | XE |
| CD-995, 2095, OR-2090 | L-790 | XE-HG |
| UVIDEC 100 THRU UVIDEC 100-VI | L-200 | D2 |
| UVIDEC 320, 340, 420, 430, 505 | L-200 | D2 |
| UVIDEC 510, 610, 650, 710 | L-200 | D2 |
| V-530, V-560 | L-265 | D2 |
| V-530, V-550, V-560 | L-835 | W |
| UV-970A, UV975A | L-295 | D2 |
| V-650, V-660, V-7100 | L-265 | D2 |

| JENWAY | | |
|---|---|---|
| 6105, 6405, 6505 | LH-650 | D2 |
| 6105, 6300, 6400 | L-835 | W |
| 6405, 6500, 6505 | L-835 | W |

| JY(JOBIN YVON/SPEX/HORIBA | | |
|---|---|---|
| FLUOROLOG-2/F111XI, 112XI, F1T11I | L-855 | XE |
| FLUOROLOG-2/F212I, F222I | L-855 | XE |
| FLUOROLOG-3, TAU-3 | L-855 | XE |
| FLUOROMAX-2, 3, 4 | L-955 | XE |
| SYSTEM 5000 | L-60 | P/XE |

| KNAUER/SONNTEK | | | |
|---|---|---|---|
| AZURA SERIES | | | |
| UVD 2.1S, 2.1L | A5193 | D2 | INQUIRE |
| *BLUE SHADOW SERIES* | | | |
| 40D, 50D | A5193 | D2 | INQUIRE |
| *SMARTLINE SERIES* | | | |
| 200 | A4142 | HG | INQUIRE |
| 2500, 2600 | A4071 | D2 | INQUIRE |
| 2500 | A4073 | W | INQUIRE |
| 2520, 2550 | A5193 | D2 | INQUIRE |
| 2550 | A5195 | W | INQUIRE |
| 2800 | A4447 | D2 | INQUIRE |
| 2800 | A4448 | W | INQUIRE |
| *WELLCHROM SERIES* | | | |
| 200 | A4142 | HG | INQUIRE |
| 2000, 2001, 2500, 2501, 2600, 2650 | A4071 | D2 | INQUIRE |
| 2001, 2500, 2501, 2600 | A4073 | W | INQUIRE |
| 6700, 8700, 9700, D871 | A0877 | D2 | INQUIRE |

| KONTRON/BIOTEK/NORTH STAR SCIENTIFIC | | | |
|---|---|---|---|
| 440 | LHA-34 | W | |
| 720, 810, 820, 860, 900, 930, 940 | L-205 | D2 | |
| 820, 860, 900, 930, 940 | L-110 | W | |
| UVIKON | L-205 | D2 | |
| UVIKON XL, XS | | | INQUIRE |
| ALL SPECTROPHOTOMETERS | L-205 | D2 | |

| KRATOS/SEE ABI, PERKIN-ELMER |
|---|

| LABALLIANCE/SCIENTIFIC SYSTEMS (SSI) | | |
|---|---|---|
| 200,201, 500, 504, 506, V520, 525 | LH-40 | D2 |
| 200,201, 500, 504, 506, V520, 525 | LH-760 | W |
| *1200 SERIES* | | |
| AGG1314B | LH-14 | D2 |
| AGG1315D | LH-13 | D2 |
| AGG1321A | L-870 | P/XE |

| LC PACKINGS/DIONEX | | |
|---|---|---|
| ULT-UVD, UVD-3000 | LH-25 | D2 |
| ULT-UVD | LHA-23 | W |

| LDC/SEE THERMO SCIENTIFIC |
|---|

| LKB/SEE GE HEALTHCARE |
|---|

| MCPHERSON | | |
|---|---|---|
| FL-750/A & B | LH-101 | XE |
| FL-750/A & B | LH-100 | D2 |
| | 02 | XE-HG |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| MERCK/SEE HITACHI | | | |
|---|---|---|---|
| | | | |
| **MICHROM BIORESOURCES/BRUKER** | | | |
| UV-200 | LH-40 | D2 | |
| MD1-MD4 | LH-25 | D2 | |
| | | | |
| **MICROTECH SCIENTIFIC, INC** | | | |
| LINEAR MT200/200CE | LH-40 | D2 | |
| LINEAR MT201, 205 | LH-40 | D2 | |
| | | | |
| **MILTON ROY/SEE THERMO SCIENTIFIC/BAUSCH & LOMB** | | | |
| | | | |
| **MOLECULAR DEVICES** | | | |
| SPECTRA MAX 340 | L-65 | P/XE | |
| SPECTRA MAX 340 PC, 190, PLUS, 384 | L-60 | P/XE | |
| SPECTRAMAX M2/M2E, M3, M4, M5/M5E | L-775 | P/XE | |
| SPECTRAMAX ANALYST GT | L-760 | P/XE | |
| SPECTRAMAX GEMINI , XPS, XS, EM | L-760 | P/XE | |
| SPECTRAMAX 250 | L-760 | P/XE | |
| FLEX STATION, I, II, II 384 | L-760 | P/XE | |
| **NICOLET/SEE THERMO SCIENTIFIC/ATI** | | | |
| | | | |
| **OLIS** | | | |
| RSM-1000 | L-1000 | XE | |
| | | | |
| **PERKIN-ELMER/EG&G** | | | |
| **HPLC UV DETECTORS** | | | |
| 785A | LH-98 | D2 | |
| INTEGRAL 4000 | L-210 | D2 | |
| LC-55, 55B, 65, 75, 85B, 95, 135 | L-210 | D2 | |
| LC-200 | LH-98 | D2 | |
| LC-200 | | W | INQUIRE |
| LC-235 | L-210 | D2 | |
| LC-480 | LH-92 | D2 | |
| SERIES 200/DAD, PHASE I & 2 | LH-97 | D2 | |
| SERIES 200/DAD | L-725 | W | |
| SERIES 200/FLUORO | L-800 | XE | |
| SERIES 200/UV-VIS/785A | LH-98 | D2 | |
| **FLUOROMETERS** | | | |
| SERIES 200, 203, 204, 512, 650 | L-800 | XE | |
| MPF-2A, 3, 4, 43, 43A, 44, 44A, 44B | L-800 | XE | |
| **SPECTROPHOTOMETERS** | | | |
| 46, 55, 57 | L-200 | D2 | |
| 220, 320, 330, 340 | LH-51 | D2 | |
| 550, 551, 552, 555 | L-240 | D2 | |
| 552A, 553, 559A | L-200 | D2 | |
| 570, 571, 572, 575, 576 | L-200 | D2 | |
| 3840 | L-200 | D2 | |
| BIO | LH-92 | D2 | |
| BIO | LH-845 | W | |
| EZ150, 201, 210 | LH-51 | D2 | |
| EZ150, 201, 210 | L-840 | W | |
| | | | |

| PERKIN-ELMER (CONTINUED) | | |
|---|---|---|
| LAMBDA 1, 3, 3B | L-280 | D2 |
| LAMBDA 1, 3B | LH-845 | W |
| LAMBDA 2, 5, 7, 9, 10, 11, 12 | LH-92 | D2 |
| LAMBDA 2, 5, 7, 9, 10, 11, 12 | LH-845 | W |
| LAMBDA 4, 6 | LH-93 | D2 |
| LAMBDA 4, 6 | LH-845 | W |
| LAMBDA 14 THRU 19 | LH-92 | D2 |
| LAMBDA 14 THRU 19 | LH-845 | W |
| LAMBDA 20, 25, 35, 40, 45 | LH-92 | D2 |
| LAMBDA 20, 25, 35, 40, 45 | LH-845 | W |
| LAMBDA 650,750,800,850,900,950,1050 | LH-92 | D2 |
| LAMBDA 650,750,800,850,900,950,1050 | LH-845 | W |
| **ATOMIC ABSORPTION SPECTROMETERS** | | |
| 100, 300 ANALYSIS | L-335 | D2 |
| 200, 400 ANALYSIS | | D2 |
| 272, 280, 360, 370, 372, 373, 380 | L-310 | D2 |
| 380, 460, 560 | L-310 | D2 |
| 410, 420, 430 | | D2 |
| 600, 700, 800 ANALYSIS | L-405 | D2 |
| 1100, 1100B, 2100, 4100 | L-405 | D2 |
| 2280, 2380, 3030B | L-310 | D2 |
| 3100, 3110, 3300 ANALYSIS | L-335 | D2 |
| 4000 ANALYSIS | L-310 | D2 |
| 5000, 5100 | L-310 | D2 |
| | | |
| | | |
| | | |
| **PERSEPTIVE BIOSYSTEMS/SEE ABI** | | |
| **PHARMACIA/SEE GE HEALTHCARE** | | |
| **PHOTON TECHNOLOGY INT'L (PTI)** | | |
| QM-2/2005, QM-4/2005, QM-6/2005 | L-970 | XE |
| QM-7/2005, QM-8/2005, QM-14/2005 | L-970 | XE |
| **POSTNOVA** | | |
| S3210, 3240 | LH-13 | D2 |
| **PYE UNICAM/SEE THERMO SCIENTIFIC** | | |
| **RAININ/SEE VARIAN** | | |
| | | |
| **ROCHE/APPLIED SCIENCE** | | |
| LIGHT CYCLE | L-1040 | XE/R |
| | | |
| | | |
| **ROSEMONT ANALYTICAL** | | |
| 890 | L-330 | D2 |
| **SCHOEFFEL/ SEE ABI, PERKIN-ELMER** | | |
| | | |
| **SCIENTIFIC COMPUTING INTERNATIONAL** | | |
| FILMTEK | | |
| 4000, 4000-EM-DUV | | |
| **SCINCO** | | |
| S-3100, S-4100 | | |
| **SEDEX** | | |
| 55, 65, 75, 75C | L-935 | W |
| | | |
| | | W |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| SHIMADZU | | | |
|---|---|---|---|
| **HPLC UV DETECTORS** | | | |
| LC2010, LC2010AHT, LC2010CHT | LH-84 | D2 | |
| SP-4 | L-305 | D2 | |
| SPD-2A, 2AV, 6A, 6AV, 7A | L-305 | D2 | |
| SPD-6AV | | W | INQUIRE |
| SPD-10A, 10AV, 10AVP, 10AVVP | LH-82 | D2 | |
| SPD-10AV, 10AVP, 10AVVP | L-830 | W | |
| SPD-20A, 20AV | LH-82 | D2 | |
| SPD-20AV, SPD-M20AV | L-830 | W | |
| SPD-M6A, M10A, M10AV | | D2 | INQUIRE |
| SPD-M6A, M10A, | L-935 | W | |
| SPD-M10AV, M10AVP | L-245 | W | |
| SPD-M10AVP | LH-88 | D2 | |
| SPD-M20A, M20AV | LH-87 | D2 | |
| SPD-M20A | L-245 | W | |
| **FLUOROMETERS** | | | |
| RF-10A, 10AXL | L-800 | XE | |
| RF-20A, 20AXS | L-795 | XE | $1350 |
| RF- 535, 540, 551 | L-800 | XE | |
| RF-1501, 5000, 5301 | L-800 | XE | |
| **SPECTROPHOTOMETERS** | | | |
| BIOSPEC 1601 | L-265 | D2 | |
| BIOSPEC 1601 | L-110 | W | |
| CS-920, 930,, | L-265 | D2 | |
| MULTISPEC 1501 | L-265 | D2 | |
| MULTISPEC 1501 | L-935 | W | |
| UV-120, 120-01, 120-02, 140-02 | L-265 | D2 | |
| UV-120 | L-110 | W | |
| UV-120-01, 120-02, | | W | INQUIRE |
| UV-150, 150-02, 160A, 160U, 163 | L-265 | D2 | |
| UV-160A, 160U | L-110 | W | |
| UV-240, 250, 260, 265, | L-265 | D2 | |
| UV-240, 260, 265 | L-110 | W | |
| UV-1200, 1201, 1201PC, 1203 | L-265 | D2 | |
| UV-1200, 1201, 1203 | L-245 | W | |
| UV-1240, 1501, 1600, 1601, 1601PC | L-265 | D2 | |
| UV-1240, 1240V, 1700, 1800 | L-245 | W | |
| UV-1501, 1600, 1601, 1601PC | L-110 | W | |
| UV-1603, 1650, 1700, 1800, 2100 | L-265 | D2 | |
| UV-1603, 1650 | L-110 | W | |
| 2101, 2401PC, 2450, 2600, 2700 | L-265 | D2 | |
| UV-2101PC, 2401, 2450, 2600, 2700 | L-110 | W | |
| UV-2501PC, 2550, 3100, 3100PC | L-265 | D2 | |
| UV-2501PC, 2550, | L-110 | W | |
| UV-3101PC, 3600, 3700 | L-265 | D2 | |
| UV-3101PC, 3600 | L-110 | W | |
| **ATOMIC ABSORPTION SPECTROMETERS** | | | |
| AA-625, 630, 640, 660, 670, 680U | L-265 | D2 | |
| AA-6200 | L-265 | D2 | |

| SHODEX | | | |
|---|---|---|---|
| RI 73, 74, 101 | | W | |
| **SIEVERS/IONICS INSTR. BUS.GROUP/GE ANALYT .INST.** | | | |
| 400, 800 | L-700 | HG | |
| 900, 5310C, PPT | L-605 | HG | |
| **SKALAR** | | | |
| 6750 | LH-22 | | |
| **SPECTRA-PHYSICS/SEE THERMO SCIENTIFIC** | | | |
| **SPECTRONICS/SEE THERMO SCIENTIFIC** | | | |
| **SPEX/SEE JY (JOBIN YVON)** | | | |
| **TECAN** | | | |
| SPECTRO FLUOR PLUS | L-1025 | P/XE | $1095 |
| GENIOS | L-1025 | P/XE | $1095 |
| INFINITE F200, M200 NANQUANT | L-1025 | P/XE | $1095 |
| INFINITE F200 PRO, M200 PRO | L-1025 | P/XE | $1095 |
| **THERMO SCIENTIFIC** | | | |
| ***AMINCO*** | | | |
| AB-2 (SERIES 2) | | | INQUIRE |
| SLM 2000 | L-280 | D2 | |
| SLM 3000 | L-270 | D2 | |
| SLM 4800, 8000, 8100 | L-855 | XE | |
| ***ATI*** | | | |
| ATI/240, 250 | LHA-34 | Lamp Ass'y | |
| | LH-34 | Cartridge Only | |
| ***BAUSCH & LOMB*** | | | |
| AQUAMATE, AQUAMATE UV | L-910 | W | |
| AQUAMATE UV | LH-54 | D2 | |
| BIOMATE 3 | | P/XE | INQUIRE |
| BIOMATE 5 | L-910 | W | |
| DE 50 | L-225 | D2 | |
| EPSILON | L-915 | W | |
| GENESYS 2, 5 | | D2 | INQUIRE |
| GENESYS 2, 5 | L-915 | W | |
| GENESYS 6, 60, 10 BIO, 10 UV | | P/XE | INQUIRE |
| GENESYS 8 | LH-54 | D2 | |
| GENESYS 8 | L-910 | W | |
| GENESYS 10, 20 | L-915 | W | |
| EVOLUTION 60 | | P/XE | INQUIRE |
| EVOLUTION 60 S | | | INQUIRE |
| SPECTRONIC 20 | | | INQUIRE |
| SPECTRONIC 21, -DV, MV, UVD, UVM | L-945 | W | |
| SPECTRONIC 21D, 21 DUV | L-225 | D2 | |
| SPECTRONIC 200, 601, 700, 701, 710 | L-225 | D2 | |
| SPECTRONIC 70, 100, 700, 701, 710 | L-920 | W | |
| SPECTRONIC 301, 401 | L-915 | W | |
| SPECTRONIC 501, 601 ROUND TOP | L-615 | W | |
| SPECTRONIC 501, 601 POINTED TOP | L-915 | W | |
| SPECTRONIC 1001, 1201, 2000 | L-225 | D2 | |
| SPECTRONIC 1001, 1201 | L-810 | W | |
| SPECTRONIC 2000 | L-920 | W | |
| ***ENVIRONMENTAL INSTRUMENTS/SO2 ANALYZER*** | | | |
| 43A, 43CT, 43CH | L-40 | P/XE | |
| | | | |
| | 40 | D2 | |



Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| THERMO SCIENTIFIC (CONTINUED) | | | |
|---|---|---|---|
| *LDC* | | | |
| SC100-234 | LH-40 | D2 | |
| SC100-234 | LH-760 | W | |
| SM I, II, III, D | L-205 | D2 | |
| SM 3000, 3100, 4000 | L-205 | D2 | |
| SM 3100X, 4100 | LH-42 | D2 | |
| SM 5000 | LH-47 | D2 | |
| UV100-411, UV150-511 | LH-40 | D2 | |
| UV100-411, UV150-511 | LH-760 | W | |
| *LINEAR* | | | |
| 100, 200, 203, 204, 205, 206PHD | LH-40 | D2 | |
| 100, 200, 201, 203, 204, 205 | LH-760 | W | |
| 304, 305 | LH-910 | P/XE | |
| *NICOLET* | | | |
| EVOLUTION 100, 500, 600 | LH-54 | D2 | |
| EVOLUTION 100 | L-910 | W | |
| EVOLUTION 500, 600 | L-940 | W | |
| *SPECTRA-PHYSICS/FINNIGAN* | | | |
| CE500, 1000, 2000 | LH-40 | D2 | |
| CE500, 1000, 2000 | LH-760 | W | |
| FL2000, 3000 | LH-910 | P/XE | |
| SC100, 200, SF100, 200 | LH-40 | D2 | |
| SC100, 200, SF100, 200 | LH-760 | W | |
| SF770, 970 | LHA-1 | D2 Lamp Ass'y | |
| | LH-1 | Cartridge Only | |
| SP8400, 8440, 8440XR, SP8450, 8490 | L-215 | D2 | |
| SP8480XR | LHA-3 | D2 Lamp D2 | |
| | LH-1 | Cartridge Only | |
| SP8773XR | LH-1 | Cartridge Only | |
| | | | |
| UV100, 150, 1000, 2000, 3000 | LH-40 | D2 | |
| UV100, 150, 1000, 2000, 3000 | LH-760 | W | |
| UV3000HR | LH-40 | D2 | |
| *SURVEYOR* | | | |
| UV6000LP, 6057-60030, 60040 | LH-46 | D2 | |
| UV6000LP, 6057-60030, 60040 | L-765 | W | |
| PDA1P, 5P, UV1P, 5P | LH-46 | D2 | |
| PDA1P, 5P, UV1P, 5P | L-765 | W | |
| FL PLUS DETECTOR | L-800 | XE | |
| *TURNER/BARNSTEAD* | | | |
| 110, 111, 112 | L-185 | HG | |
| SP-830 PLUS, 850, 870 PLUS | | W | INQUIRE |
| *UNICAM* | | | |
| UV 1-100 | LH-54 | D2 | |
| UV 1-100 | L-910 | W | |
| UV 2-100, 200, 300, 400 | LH-54 | D2 | |
| UV 2-100, 200, 300, 400 | L-940 | W | |
| UV 3-100, 200, UV 4-100, 200 | LH-54 | D2 | |
| UV 3-100, 200, UV 4-100, 200, 500 | L-940 | W | |
| UV 300, 500, 550 | LH-54 | D2 | |
| UV 300, 500, 550 | L-940 | W | |
| 4225 | LH-40 | D2 | |
| HELIOS ALPHA, BETA, D | | | XE |
| HELIOS ALPHA BETA, DI | | | W |

| THERMO SCIENTIFIC (CONTINUED) | | | |
|---|---|---|---|
| HELIOS EPSILON | L-915 | W | |
| HELIOS GAMMA | LH-54 | D2 | |
| HELIOS GAMMA | L-910 | W | |
| *TRANSGENOMIC* | | | |
| FDX-99-2100 | L-800 | XE | |
| WAVE 3500, 3500A, 3500HT | LH-56 | D2 | |
| WAVE 4500, 4500 HT, HT-HS | LH-56 | D2 | |
| WAVE HS, 4500, HT-HS | L-800 | XE | |
| WAVE OLIGO, DNS | LH-56 | D2 | |
| TURNER/BARNSTEAD /UNICAM | SEE THERMO SCIENTIFIC | | |
| | | | |
| **VARIAN/CARY/RAININ/AGILENT** | | | |
| 1, 3, 5, 14, 15, 16, 17 | L-230 | D2 | |
| 1, 3, 14, 15, 16, 17 | L-930 | W | |
| 50 | L-1045 | P/XE | |
| 87/8700, 8700 | LH-20 | D2 | |
| 100, 210, 219, 220, 300, 400, 500 | L-230 | D2 | |
| 100, 210, 219, 220, 300 | L-930 | W | |
| 400 | L-110 | W | |
| 500 | L-1015 | W | |
| 2050 | L-290 | D2 | INQUIRE |
| 2200, 2300, 2400, | L-205 | D2 | |
| 2550 | L-295 | D2 | |
| 9070, 9075 | LH-910 | P/XE | |
| AA200, 240, 275, 280,300, 400 | L-230 | D2 | |
| AA600, 640, 775, 800, 875 | L-230 | D2 | |
| AA975, 1275, 1475, 3000 | L-230 | D2 | |
| DMS 70 THRU DMS 300 | L-230 | D2 | |
| FL-1, 2 | LH-910 | P/XE | |
| LC-5000, 5500 | L-305 | D2 | |
| PDA-1 | | D2 | INQUIRE |
| PDA-2 | LH-82 | D2 | |
| PRO-STAR, PRO-STAR 320 | LH-950 | P/XE | |
| PRO STAR 310 | L-305 | D2 | |
| PRO STAR 325, 335 | LH-325 | D2 | |
| PRO STAR 330 | LH-56 | D2 | |
| PRO STAR 340, 345 | LH-40 | D2 | |
| PRO STAR 340, 345 | LH-760 | W | |
| PRO STAR 360 | LH-910 | P/XE | |
| PRO STAR 363 | L800 | XE | |
| SPECTRA A10, A20, A30, A40 | L-230 | D2 | |
| SPECTRA A640, A880 | L-230 | D2 | |
| STAR 9050 | L-305 | D2 | |
| UV-1, UV-1A | LH-950 | P/XE | |
| UV 50, 100, 200 | L-305 | D2 | |
| UV- C, DII, M | LH-40 | D2 | |
| VISTA 5000, 5500 | L-305 | D2 | |
| **WATERS** | | | |
| 420 | L-770 | HG | |
| 440, 441 | L-820 | HG | |
| 450 | LHA-1 | D2 Lamp Ass'y | |
| | LH-1 | Cartridge Only | |

Tel : +61 3 9762 2034 . . . in AUSTRALIA
CHROMATECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

| WATERS (CONTINUED) | | | |
|---|---|---|---|
| 480, 481 | L-205 | D2 | |
| 484 | LH-30 | D2 | |
| 486 | LH-31 | D2 | |
| 490E | | P/XE | INQUIRE |
| 990, 991, 994 | LHA-34 | D2 Lamp Ass'y | |
| | LH-34 | D2 Replacement | |
| 996, 2996 | LH-33 | D2 | |
| 2475 | LH-925 | XE | |
| 2487, 2488 | LH-36X2 | D2 | |
| LC MODULE 1/34551 SYSTEM | LH-31 | D2 | |
| | | | |
| | | | |

# HPLC Detector & Spectrometer UV Lamps 2014

## LEGEND

| | | | |
|---|---|---|---|
| **CD** | CADIUM | **NA** | SODIUM |
| **D2** | DEUTERIUM | **P/XE** | PULSED XENON |
| **HG** | MERCURY | **W** | TUNGSTEN |
| **L** | LAMP ONLY | **XE** | XENON |
| **LH** | LAMP & HOLDER | **X2** | SUFFIX DESIGNATES LONG LIFE |
| **LHA** | LAMP HOLDER ASSEMBLY | **ZN** | ZINC |

**Lamp types and prices subject to change without prior notice. LampSuppliers assume no liability for representations made herein. iAll nformation is accurate to the best of our knowledge. Majority of light sources listed are genuine Sonntek parts made to meet or exceed original equipment manufacturer's specifications. Chromtec and its' SupplierSonntek is not affiliated with any companies mentioned; Company and/or product names may be trademarks of their respective owners. 01/01/2014**



Tel : +61 3 9762 2034 . . . in AUSTRALIA
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active

# A list of current "Spectro" Instrument Suppliers / OEMs present and defunct & who owns who ?

1 ABI, Agilent/Hewlett-Packard( Spectrophotometers, 1040 Series; 1050 Series; 1100 Series; 1120/1200 Series (contact For Free Tech Support); 1220 Series (contact For Free Tech Support) ; 1260, 1290 Infinity Series (contact For Free Tech Support) : Alltech/Grace Amersham /see GE Healthcare : Aviv/ Proterion/Rheometric Scientific/wyatt Tech : Bas : Bausch&lomb ( See Thermo); Beckman/Altex; Eijing Purkinje General Instrument Co/ Gentech

2 BioChrom/Harvard; Bioscience/Pharmacie : Biorad; Biotage/ Dyax/ Argonaut : Biotek Instruments : Bischoff : Buchi : BUCK : CAMAG ; Carlo Erba / ThermoScientific : Cary /Varian : CECIL : ColePalmer : Dionex /LC Packings / Gynkotek : ECOM : DYAX see Biotage ; EM Science see Hitachi : ERMA / ERC : ESA : FISHER see Thermo : GBC

3 GE Healthcare /Amersham/ Bioscience /Pharmacia /lkb : Akta Series : Ultrospec Series : Gentech/see Beijing Raleigh : Gilford : Gilson : Grace /Alltech : Groton : Gynkotek/see Dionex : Hach : Hewlett-Packard /see Agilent

4 HITACHI (continued; Horiba Jobin Yvon/see Jy : IBM : ISCO /Teledyne : Jasco : Jenway : Jy(jobin Yvon/Spex/Horiba : Knauer/Sonntek : Kontron/biotek/north Star Scientific : Kratos/see Abi, Perkin-elmer : LabAlliance/Scientific Systems (SSI) : LC Packings/dionex : LDC /see Thermo Scientific : LKB /see GE Healthcare : Mcpherson

5 Merck/see Hitachi : Michrom Bioresources/bruker : Microtech Scientific, Inc : Milton Roy /see Thermo Scientific /Bausch & Lomb : Molecular Devices : Nicolet /see Thermo Scientific/ ATI : Olis : Perkin-elmer /eg&g (: HPLC UV Detectors : Fluorometers, Spectrophotometers, Atomic Absorption Spectrometers ) : Perseptive Biosystems/see ABIi : Pharmacia /see Ge Healthcare : Photon Technology Int'l (pti) : Postnova : Pye Unicam /see Thermo Scientific : Rainin /see Varian : Roche/applied Science : Rosemont Analytical : Schoeffel/ See ABI, Perkin-Elmer: Scientific Computing International : Scinco : Sedex : Sequoia Turner

6 Shimadzu (HPLC Detectors UV Detectors, Fluorometers , Spectrophotometers, Atomic Absorption Spectrometers ) : Shodex : Sievers/ionics Instr. Bus.group/ GE Analyt .Inst. : Skalar : Spectra-Physics/see Thermo Scientific : Spectronics /see Thermo Scientific : SPEX /see Jy (jobin Yvon) : Tecan : Thermo Scientific (AMINCO, ATI, Bausch & Lomb, Environmental Instruments/ SO2 Analyzer , Fisher

7 (Thermo Scientific : (continued)) (LDC; Linear; Nicolet ; Spectra-Physics/Finnigan; Surveyor; Turner/Barnstead: Unicam : Transgenomic; Turner/Barnstead /unicam See Thermo Scientific; Varian/Cary/Rainin/Agilent; Waters

8

Tel : +61 3 9762 2034 . . . in AUSTRALIA
HROM ECH
www.chromalytic.net.au
Chromalytic Tech
WebCart
SHOPPE NOW
"PayPAL" Active