

What's **NEW!** in 2009



GC Columns

- GCxGC Selectivity Kit, *page 34*
- Rxi[®]-35Sil MS, *page 44*
- Rxi[®]-5HT, *page 44*
- Rxi[®]-17, *page 45*
- Stabilwax[®] (new manufacturing procedure), *page 57*
- Rtx[®]-1PONA (new dimensions), *page 68*
- MXT[®]-1HT Sim Dist (new dimension), *pages 70, 107*
- MXT[®]-Biodiesel (new dimensions), *pages 72, 107*
- Rtx[®]-Biodiesel (new dimensions), *page 72*
- Rtx[®]-1614, *page 83*
- Tubing Scorer for MXT[®] Columns, *pages 105, 204*

PLOT Columns

- Rt[®]-Alumina-BOND, *page 98*
- MXT[®]-Msieve 5A, *page 99*
- Rt[®]-Q-BOND, *page 100*
- Rt[®]-S-BOND, *page 100*
- Rt[®]-U-BOND, *page 100*
- PLOT Column Particle Trap, *page 100*



HPLC Columns

Prep Columns

- Allure[®] Biphenyl, *page 324*
- Allure[®] PFP Propyl, *page 324*
- Viva C18, *page 325*
- Viva C8, *page 325*
- Viva C4, *page 325*
- Pinnacle[®] DB Aqueous C18, *page 325*
- Pinnacle[®] DB Biphenyl, *page 325*
- Pinnacle[®] DB PFP Propyl, *page 325*
- Pinnacle[®] DB IBD, *page 325*

UHPLC Columns

- Pinnacle[®] DB C8, 1.9 μ m, *page 298*
- Pinnacle[®] DB PAH, 1.9 μ m, *pages 298, 305*
- Pinnacle[®] DB X3 C18, 1.9 μ m, *pages 298, 305*
- Pinnacle[®] DB IBD, 1.9 μ m, *pages 298, 305*

