



31668	SV Stock Solution	1,3,5-Trinitrobenzene Std 1ml, acetone
31669	SV Stock Solution	2,4,6-Trinitrotoluene Std 1ml, acetone
31670	SV Stock Solution	2-Amino-4,6-dinitrotoluene Std 1ml, acetone
31671	SV Stock Solution	4-Amino-2,6-dinitrotoluene Std 1ml, acetone
31672	UST Stock Solution	Octacosane Std, 1mL 10,000ug/mL, CH <sub>2</sub> CL <sub>2</sub>
31673	UST Stock Solution	Certified PAH in diesel 1ml, Methylene Chloride
31674	SV Mix, ASTM Method	ASTM D2887-01 Calibration Mix 1% w/w, 1ml, Carbon Disulfide
31675	SV Mix, ASTM Method	ASTM D2887-01 Calibration Mix 5% w/w, 1g, Neat
31676	ISO/DIS 9377-4 & H53	Diesel #2/Mineral Oil in Hexane, 1ml
31677	ISO/DIS 9377-4 & H53	Florisil Cartridge Quality Control Std. Mixture, Rev.2 10ml, Hexane
31678	ISO/DIS 9377-4 & H53	System Performance Test Std.Mixture of n-Alkanes in Hexane, 1ml
31679	ISO/DIS 9377-4 & H53	Extraction Solvent Stock Solution #1 in Hexane 5ml
31680	ISO/DIS 9377-4 & H53	Extraction Solvent Stock Solution #2 in Hexane 20ml
31681	ISO/DIS 9377-4 & H53	Stearyl Stearate Test Solution in Hexane 10ml
31682	ISO/DIS 9377-4 & H53	Diesel #2/Motor Oil in Hexane, 1ml
31684	CCME PHC Calibration Mix	1ml, Toluene
31685	Pentacontane (C50)	Retention and Response Std 1ml, Toluene
31687	8270 SV Mix	8270 Matrix Spike Mix 5ml, Methanol,Methylene Chloride (80:20)
31687.15	8270 SV Mix	Matrix Spike Mix, 5mL, 200ug/mL Methanol, CH <sub>2</sub> CL <sub>2</sub> (80:20), 15-pk
31687.25	8270 SV Mix	Matrix Spike Mix, 5mL, 200ug/mL Methanol, CH <sub>2</sub> CL <sub>2</sub> (80:20), 25-pk
31688	SV Mix	8270 Benzinides Mix 1ml, Methanol
31689	Semivolatle Mix	SV System Performance Check Mix (SPCC) methylene chloride, 1ml
31692	SV Internal Std Mix	DISCONTINUE WHEN STOCK IS DEPLETED EPA 526, 1ml, 500ug/ml acetone
31693	SV Surrogate Std Mix	DISCONTINUE WHEN STOCK IS DEPLETED EPA 526, 1ml, 500ug/ml acetone
31694	Phenol Calibration Mix	EPA 528, 1ml, 2000ug/ml Methylene Chloride
31695	Phenols Fortification Mix	EPA 528, 1ml, 100-500ug/ml Methanol
31696	SV Internal Std Mix	EPA 528, 1ml, 1000-2000ug/ml Methylene Chloride
31697	Surrogate Std Mix	EPA 528, 1ml, 1000-2000ug/ml Methanol
31698	UST Mix	TNRCC 1005 Retention Time Markers Mix, 1ml, 200ug/mL Pentane
31699	HPLC Performance Test Mix	1ml, Methanol
31800	SV Stock Standard	Caffeine, 1mL, 500ug/mL H <sub>2</sub> O
31801	SV Stock Standard	Caffeine, 1mL, 250ug/mL H <sub>2</sub> O
31802	SV Stock Standard	Caffeine, 1mL, 125ug/mL H <sub>2</sub> O
31803	SV Stock Standard	Caffeine, 1mL, 25ug/mL H <sub>2</sub> O
31804	SV Stock Standard	Caffeine, 1mL, 5ug/mL H <sub>2</sub> O
31805	Test Mix Kit	HPLC OQ Linearity Test Mix Kit, H <sub>2</sub> O
31806	SV Stock Solution	Appendix IX Mix #2, 1ml 1000 ug/mL, Methylene *PG I BOX REQUIRED*
31807	Fragrance Matls Test Mix	Fragrance Materials Test Mix, 0.5ml, Neat
31808	SV Mix	Aldehyde-Ketone-DNPH TO-11A Calibration Mix 1ml, 15ug/mL, Acetonitrile
31809	Performance Check Mix	Carbohydrate HPLC Performance Check Mix, 1ml, dry-neat
31810	SV Mix	OLC 03.2 SVOA Deuterated Monitoring Compounds, 1ml 2000ug/mL, Methylene
31811	SV Stock Solution	Hexachlorophene 1ml,2000ug/ml,Methylene Chloride
31813	SV Mix	OLC 03.2 SVOA Fortification Mix 1ml,2000ug/ml,Methylene Chloride
31814	UST Mix	TNRCC 1006 Retention Time Marker Mix 1ml, 200ug/ml, Pentane
31815	8270/Appendix IX Kit	Includes 1mL of each: 31850, 31834, 31625, 31806 *PGI BOX REQUIRED*
31816	UST Stock Std	n-Triacontane d62 Standard, 1ml 500ug/mL Methylene Chloride
31817	UST Stock Std	Residual Range Calib Std (RCS) 1ml 50,000ug/mL Methylene Chloride
31818	UST Stock Std	Residual Range Calibration Verification Std (CVS) 1ml 25,000ug/mL Methylene Cl
31819	UST Stock Std	Retention Time Marker -Alaska 1ml 1,000ug/mL Methylene Chloride
31820	UST Stock Std	Diesel Range Calibration Std (DCS) 1ml 50,000ug/mL Methylene Chloride
31821	SV Stock Solution	PGDN, 1000ug/mL, Methanol 1ml
31822	VOA Stock Neat	Antifoaming Agent for Purge and Trap, 1mL
31823	SV Stock Standard	Bank Dye Std (MAAQ) 1mL CH <sub>2</sub> CL <sub>2</sub> , 100ug/mL
31825	SV Mixture	Method 525.2 Internal Std Mix 1mL 1000ug/mL Acetone
31826	SV Mixture	Method 525.2 Surrogate Std Mix 1mL 1000ug/mL Acetone
31827	SV Mixture, Method 525.2	GC/MS Performance Check Mix 1mL 1000ug/mL Acetone
31828	SV Stock Standard	Method 525.2 Fortification Recovery Std 1ml 1000ug/mL CH <sub>2</sub> CL <sub>2</sub>
31829	SV Stock Mixture	MegaMix, EPA Method 625, 1mL CH <sub>2</sub> CL <sub>2</sub> , 1000ug/mL
31830	UST Stock Standard	Extraction Retention Time Std CH <sub>2</sub> CL <sub>2</sub> 2000ug/mL 1mL
31831	UST Stock Standard	DRO/GRO Calibration Std 1mL CH <sub>2</sub> CL <sub>2</sub> 25000ug/mL
31832	UST Stock Solution	DRO/GRO Range Calibration Std 2000ug/mL, CH <sub>2</sub> CL <sub>2</sub> , 1mL
31833	SV Stock Standard	Epsilon-caprolactam Std, 1mL 2000ug/mL CH <sub>2</sub> CL <sub>2</sub> (methanol free)
31834	Pesticide Stock Mixture	Benzidine 1mL 2000ug/mL Methylene Chloride (methanol free)
31835	SV Stock Standard	3,3'-dichlorobenzidine 1mL 2000ug/mL CH <sub>2</sub> CL <sub>2</sub> (methanol free)
31836	SV Stock Standard	Carbazole 1mL 1000ug/mL CH <sub>2</sub> CL <sub>2</sub> (methanol free)
31837	SV Stock Mixture	Formaldehyde-DNPH Mix 1mL, 500ug/mL, Acetonitrile

Chromalytic Technology Pty Ltd

AUSTRALIAN Distributors

03 9762 2034



**HROMalytic** +61(0)3 9762 2034  
ECHnology Pty Ltd

**Australian Distributors**  
Importers & Manufacturers  
www.chromtech.net.au

Website NEW : [www.chromalytic.net.au](http://www.chromalytic.net.au) E-mail : [info@chromtech.net.au](mailto:info@chromtech.net.au) Tel: 03 9762 2034 . . . in AUSTRALIA