

Supplies for Varian Instruments: Inlet Liners

Splitless Liners for Varian 1075/1077 GCs	Benefits/Uses:	ID*/OD & Length (mm)	Similar to Varian part #	ea.	cat.# 5-pk.	25-pk.
	trace samples <2µL	2.0 ID 6.3 OD x 74	190010905	20721	20722	20723
2mm Splitless						
	trace samples >2µL	4.0 ID 6.3 OD x 74	—	20904	20905	20906
4mm Splitless						
	trace, active samples up to 4µL	4.0 ID 6.3 OD x 74	—	20847	20848	20849
Double Gooseneck						
	trace, dirty, active samples up to 4µL	4.0 ID 6.3 OD x 74	—	20897	20898	—
Cyclo Double Gooseneck						

Split Liners for Varian 1075/1077 GCs	Benefits/Uses:	ID*/OD & Length (mm)	Similar to Varian part #	ea.	cat.# 5-pk.	25-pk.
	purge & trap inlet splitting or samples <1µL	1.0 ID 6.3 OD x 72	—	20970	20971	—
1mm Split						
	universal, use with rapid autosamplers	4.0 ID 6.3 OD x 72	190010901	20792	20793	20794
Splitter w/ Wool						
	high MW compounds	4.0 ID 6.3 OD x 72	190010902	20803	20804	—
Laminar Cup Splitter						
	high & low MW compounds	4.0 ID 6.3 OD x 72	—	20724	20725	—
Cup Splitter						
	dirty samples, many injections before cleaning required	4.0 ID 6.3 OD x 72	—	20727	20728	—
Cyclosplitter®						
	dirty samples, non-active compounds	4.0 ID 6.3 OD x 72	190010903	20715	20716	20717
Frit Splitter						
	compounds with close boiling points	4.0 ID 6.3 OD x 72	190010904	20718	20719	20720
Baffle Splitter						
	dirty samples, active samples	4.0 ID 6.3 OD x 72	—	21030	21031	—
Split Precision™ Liner w/ Wool						

DI Liners for Varian 1075/1077 GCs (0.32/0.53mm ID)	Benefits/Uses:	ID*/OD & Length (mm)	Similar to Varian part #	ea.	cat.# 5-pk.	25-pk.
	trace, active samples, high recovery & linearity	4.0 ID 6.3 OD x 72	—	20345	20346	—
Uniliner®						
	trace, dirty, high MW, active samples, linearity	4.0 ID 6.3 OD x 72	—	20347	20348	—
Cyclo-Uniliner®						
	trace, dirty, active samples, high recovery & linearity	4.0 ID 6.3 OD x 72	—	20845	20846	—
Open-top Uniliner® w/ Wool						

SPME Liners for Varian 1075/1077 GCs	Benefits/Uses:	ID*/OD & Length (mm)	Similar to Varian part #	ea.	cat.# 5-pk.	25-pk.
	ideal for low-volume SPME applications	0.75 ID 6.30 OD x 74	—	21112	21113	—
SPME Liner						

*Nominal ID at syringe needle expulsion point.

All liners are
100%
deactivated

All liners are shipped intermediate polarity (IP) deactivated unless otherwise requested.

ordering note

For descriptions of liner deactivations, packings, and tools, see pages 141-143.