



# SilcoTek® 101

A comprehensive overview of SilcoTek® Corporation  
and its patented CVD coating process.

- History, vision and core values
- Coating solutions, applications and benefits
- Process overview
- More

## Introduction

SilcoTek® is a coating service company focused on applying its variety of proprietary chemical vapor deposition (CVD) coating solutions to customer-supplied parts. While SilcoTek doesn't actually sell any products, companies worldwide send anything from small tubes and fittings to custom reactors, sampling equipment and rocket components to the coating facility in Bellefonte, Pennsylvania for treatment.

Invented in 1987 as a solution for making metal chromatography columns chemically inert, Silcosteel® (now known as SilcoNert® 1000) became a hit with customers who embraced the technology and adopted the coating into the complete chromatography sample pathway. Over the years, new product developments based off of the original amorphous silicon (Si) layer such as SilcoNert® 2000, Dursan®, Silcolloy® and SilcoKlean® have made their way into the refining, petrochemical, semiconductor, aerospace and biomedical manufacturing industries, to name a few. From durable corrosion resistance to ultra-high purity protection, SilcoTek's coatings are critical in processes everywhere.

This guide will summarize the history of SilcoTek's coating solutions, how customer-supplied parts are processed, and the applications for which the coatings offer benefits. Please contact the SilcoTek team at [SilcoD@SilcoTek.com](mailto:SilcoD@SilcoTek.com) or 814-353-1778 for technical support, sales, or any other questions you may have.

## Table of Contents (Click to navigate)

- History and development
- The SilcoTek difference
- From receipt to shipping: a graphic
- Coating solutions overview
- Main applications and benefits
- Resources: links to data, white papers, and more



## History and Development




**1985**

Paul Silvis opened Restek® for business in one room of an elementary-school-turned-business incubator.



**1987**

Restek® invents Silcosteel® coating and successfully applies it to instruments for the analytical industry.



**1993**

Restek® develops an approach for treating both the outside and inside of mass spectrometer components.





## 1998

Restek® is awarded the first of several patents for surface treatments.




## 1999

Silcosteel®- treated air monitoring system components installed in the space shuttle Discovery.



## 2002

Restek® Performance Coatings develops into its own division of Restek®, expanding into a state-of-the art treatment facility.




**2003**

Silcosteel®-AC (SilcoKlean®) and Silcosteel®-CR (Silcolloy®) developed.



**2004**

R&D magazine recognizes Silcosteel®-UHV (SilcoGuard®) as one of the 100 most technologically significant products of the year.



**2004**

Silcosteel®-treated components enter orbit on the Cassini-Huygens Mission to Saturn.



## 2006

Silcosteel® high-performance automotive coatings awarded 2 “Best New Product” awards at SEMA 2006.



## 2009

SilcoTek® is formed. The world's largest provider of silicon CVD treatment services.



## 2013

SilcoTek® completes construction of a new ultra-modern coating facility. More than tripling coating capacity.

**Mission: Innovate coating solutions that boost material performance.**


**Vision: • 100 patents by 2020 • 100 off-site oven installations by 2020 • \$100 million in revenue by 2020**

**SilcoTek's ZIP Code: Zero Disappointments, Integrity in all we do, Plus 1 Service**

## The SilcoTek Difference

### • *Better [Coatings](#)*

SilcoTek's chemical vapor deposition (CVD) is unlike other coating technologies because we use a proprietary blend of gas that chemically reacts and grows **into** (not just onto) the substrate. This means that even the smallest orifices or tricky openings will be coated, leaving customers confident in the performance of their Silco'd parts. Our R&D and Sales/Marketing teams work closely on a job-by-job basis to ensure that SilcoTek's coatings are the most effective solution to the challenges you face.



The [material properties](#) of our coatings are unique, too. We coat your parts at temperatures as high as 450° celsius which means they stay strong in hot environments where other coatings fail. Our thickest coating bonds at less than 2 microns, so even the tightest tolerances aren't affected. Since the treatment bonds into the substrate, SilcoTek's coatings can be bent, flexed and shaped to fit complex engineering geometries.

### • *Better Process*

You likely haven't experienced a buying process like SilcoTek's. As soon as you [request a quote](#) online or by emailing SilcoD@SilcoTek.com, one of our technical sales representatives is evaluating your information along with any drawings and details you provided about the parts. While we guarantee a response within 1 business day, don't be surprised if you get your quote within 1 hour.

Our [ISO 9001:2008-certified](#) process begins with SilcoTek technicians photographing all received parts and verifying their quantities to your quote and/or purchase order. If



there are any discrepancies, part damage, or other red flags, our Customer Advocate will contact you. Once the parts enter the process, they are cleaned in ultra-high purity aqueous baths, inspected, and loaded into SilcoTek's CVD processing chambers. A rigorous visual inspection follows post-coat cleaning, and once approved by a Quality Technician, your parts are packed, shipped, and ready to perform at a higher standard than you've ever seen before.

• *Better Service*


SilcoTek's core values and vision revolve around how we treat each other and our customers. Our ZIP Code drives the beliefs that we live every single day:

- **Z**ero disappointments
- **I**ntegrity in all we do
- **P**lus 1 customer service

Our entire process – from answering your preliminary questions to shipping your Silco'd parts back – involves a partnership where our experts talk to you, ask questions, and learn what we need to do to meet your needs without any disappointments. You will see SilcoTek's core values (FISHING) at work when you partner with us:

- **F**ast failure – not slow and stupid
- **I**n the light – we believe in integrity and don't hide anything
- **S**ervant leadership – management helps everyone succeed
- **H**onesty – the root of our success
- **I**nnovation – how we grow
- **N**ever stop learning – every employee is always improving and getting smarter
- **G**ive it all you got – the essence of who we are and why we're here


# The Silco'd Process



## Silco'd Solutions

### SilcoNert.2000

Also widely known as Sulfinert®, [SilcoNert® 2000](#) is the ultimate surface treatment for chemical inertness and compatibility. This coating is required on metal and glass components when analyzing trace levels (as low as parts-per-trillion) of compounds, especially sulfurs (e.g. H<sub>2</sub>S), mercury and ammonia. SilcoNert® 2000 is a functionalized layer of [amorphous silicon](#) (Si).



### Dursan®


[Dursan®](#) is our most versatile coating with key properties like hydrophobicity, durability and corrosion resistance along with the inertness and purity that SilcoNert® offers. Developed to withstand the rigors of down-hole oil and gas sampling, Dursan® prevents adsorption while acting as a physically tough layer against corrosion and abrasion commonly found in a variety of applications. Dursan's ceramic-like surface is amorphous silicon, oxygen and carbon, so it is suitable for the full pH range.





## Silcolloy®

Ideal for extending the life of systems and components in acidic and corrosive environments, [Silcolloy®](#) is a cost-effective alternative to expensive exotic materials and super alloys. Just like all of our current coating solutions, Silcolloy® begins as a layer of amorphous silicon which is then repeated for improved corrosion resistance.



## SilcoKlean®

[SilcoKlean®](#) was developed in 2003 as a solution for carbon fouling a.k.a. coking in combustion-related components. Carbon buildup on these parts leads to engine failures, shorter maintenance cycles, and unplanned repairs. SilcoKlean® can be infused onto existing equipment as a protective layer from coking and will withstand extreme (1000° C+) temperatures. This surface treatment is a specially functionalized version of the original amorphous silicon layer.



## SilcoGuard®

SilcoGuard® is designed to minimize outgassing in ultra-high vacuum (UHV) systems where rapid and efficient evacuations are crucial. This coating maintains a vacuum environment with little to no pre-cleaning or bake-out. SilcoGuard® is a multi-layered barrier of amorphous silicon.



SilcoTek's variety of coating solutions were developed to address the needs of both existing customers and new markets alike. There may be more than one Silco'd solution for your problem and, often times, choosing the right one is difficult. Our support team consists of the people who can answer your questions, make recommendations, and develop the surface you need. Whether you need a PhD materials scientist to understand more about how our coatings affect your system or a technical sales rep to visit your facility and make recommendations, we have the people here to help you overcome whatever challenge you face.






# Applications, Industries and Benefits

SilcoTek's coating solutions are found in a diverse variety of applications and industry segments across the world. Since 1987, customers have relied on SilcoTek® to improve the performance of their products, exceed their capabilities and increase revenue.

We serve a long and unique list of [industries](#), but they all have one thing in common: a need to improve how their equipment performs. SilcoTek's solutions expand the material limitations of your products and processes.

## Current Industries Served:

- Aerospace
- Semiconductor
- Oil and gas exploration/production
- Refining and petrochemical
- Alternative energy
- Analytical instrumentation
- Bio/pharmaceutical
- Power generation





## Aerospace

### SilcoTek® customers:

Engine manufacturers, engine service firms, airline maintenance firms, NASA, instrument manufacturers, propulsion/engine manufacturers.

#### SilcoKlean® 1000 Features

- Anti-coking, Non-stick, non-reactive coating
- Durable & high temperature capable

#### SilcoKlean® 1000 Benefits

- Extend jet engine maintenance intervals
- Improved durability over ceramics

#### Silcolloy® 1000 Features

- Corrosion resistant silicon treatment

#### Silcolloy® 1000 Benefits


- Improved engine corrosion resistance

#### Dursan® Features

- Wear resistant, high lubricity surface
- Superior corrosion resistance

#### Dursan® Benefits

- Improved rolling and wear resistance
- Improved component durability



## Semiconductor

### SilcoTek® customers:

Gas system equipment manufacturers, FAB design firms, process/environmental monitoring departments, FAB equipment manufacturers, ultra high purity component manufacturers, wafer process/ handling equipment manufacturers, doping processes, lithography applications, valve and fitting manufacturers.

### Silcolloy® 1000 Features

- High purity silicon deposition
- Moisture repelling
- Improved corrosion resistance
- Reduced contamination

### Silcolloy® 1000 Benefits

- Reduced metal ion contamination
- Reduced moisture contamination
- Reduced maintenance cost
- Improved process yields

### SilcoNert® 1000 Features

- Decreased equipment burn-in

### SilcoNert® 1000 Benefits


- Improved productivity

### SilcoGuard® 1000 Features

- Rapid chamber pump-down

### SilcoGuard® 1000 Benefits

- Reduced cycle times/higher throughput



## Oil & Gas Production/Exploration

### SilcoTek® customers:

Natural gas research consortiums, research facilities, oil services firms, engineering firms, field/well testing services, oil and gas exploration companies.

### SilcoNert® 2000 Features

- Inert sample pathways
- Proven to low part-per-billion sensitivity
- High repeatability
- High sample stability over time
- Allows accurate grading of feedstock
- Low level mercury sensitivity
- Precise mercury sampling

### SilcoNert® 2000 Benefits

- Eliminate false negatives
- Identify wells <50PPM Sulfur
- Faster/lower cost sampling
- Allows for remote/delayed testing
- Saves significant \$ in processing costs
- Eliminate pump damage
- Allows accurate grading of feedstock
- Precise mercury sampling
- Allows mercury monitoring in the field

### Dursan® Features

- Corrosion prevention
- Chemical inertness
- High temperature
- Wear resistant

### Dursan® Benefits

- Reduces maintenance costs
- Reduce material cost, avoid using superalloys
- Prolong component life, reduce maintenance



## Refining & Petrochemical

### SilcoTek® customers:

Refineries, chemical plants, petro chemical plants, research laboratories, quality control labs, engineering and service firms, environmental and process monitoring departments.

### SilcoNert® 2000 Features

- Precise low level sulfur sensitivity
- Part-per-billion sensitivity
- Improves instrument sulfur sensitivity
- Coated containers keeps sample stable for weeks
- Reduced water retention
- Reduces water in sampling systems

### SilcoNert® 2000 Benefits

- Quantify feedstock sulfur levels
- Helps to prevent catalyst loss/poisoning
- Prevent instrument/process upsets
- Allows for remote or delayed testing of product without loss
- Reduces catalyst moisture contamination
- Reduced plant downtime and upset

### Dursan® Features

- Improves corrosion resistance in full (0-14) pH range
- Tough and durable

### Dursan® Benefits

- Reduced maintenance/downtime costs
- Reduced material costs, avoid use of superalloys





## Alternative Energy

### SilcoTek® customers:

University/research, fuel cell manufacturers, natural gas suppliers/fuel cell, coal gasification plants.

### SilcoNert® 2000 Features

- Low level sulfur detection
- Inert silicon treatment

### SilcoNert® 2000 Benefits

- Prevents catalyst damage
- Enables precise pollutant testing (NO<sub>x</sub>, SO<sub>x</sub>)

### Silcolloy® 1000 Features

- Improved corrosion resistance
- High temperature capable
- May reduce hydrogen permeation & embrittlement
- Moisture resistant

### Silcolloy® 1000 Benefits

- Reduced maintenance cost
- Reduced oxidation, reduced cost
- Prolong component life reduce maintenance
- Improved catalyst life

### SilcoKlean® 1000 Features

- Resists carbon fouling/coking

### SilcoKlean® 1000 Benefits

- Reduced maintenance increased productivity



## Analytical Instrumentation

### SilcoTek® customers:

Analytical instrument manufacturers, testing laboratories, research facilities, detection system manufacturers, environmental labs, universities.

### SilcoNert® 2000 Features

- Inert sample pathway
- High temperature capability
- Unmatched high purity inertness
- Easy clean, non-stick surface
- Low moisture retention

### SilcoNert® 2000 Benefits

- Low level detection & reproducibility
- Durable/low maintenance cost
- High productivity, low sample loss
- Low maintenance cost
- High test yield/lower cost



## Bio/Pharmaceutical

SilcoTek® customers:

Pharmaceuticals, health care products companies, device manufacturers, universities.

### Dursan® Features

- Prevents adsorption
- High temperature capability
- Unmatched high purity inertness
- Easy clean, non-stick surface
- Low moisture retention
- High release

### Dursan® Benefits

- Low friction
- Durable/low maintenance cost
- Extended component life
- Low maintenance cost
- High test yield/lower cost



## Power Generation

### SilcoTek® customers:

Coal fired electric utilities, emissions monitor instrument manufacturers, mercury emission monitor manufacturers, emission systems installers and integrators, stack testing firms, engineering firms, consumable suppliers of stack probe equipment.

### SilcoNert® 2000 Features

- Inert silicon treatment
- High purity, non reactive, moisture repelling surface

### SilcoNert® 2000 Benefits

- Insure accurate NOx, SOx, Mercury emissions monitoring
- Reliable sample transfer, improved CEMS performance

### Silcolloy® 1000 Features

- High temperature inert treatment
- High temperature corrosion resistance
- May resist hydrogen permeation/embrittlement

### Silcolloy® 1000 Benefits

- Durable, reliable sample transfer
- Improved stack probe and filter life
- Increased component life, lower costs

### SilcoKlean® 1000 Features

- Reduces carbon fouling/coking

### SilcoKlean® 1000 Benefits

- Reduce de-coking frequency, lower plant costs

# Resources

Most Popular:

- White paper – [\*Improve Sample Reliability\*](#)
- [Application Guide](#)
- Material comparison – [Dursan vs. SilcoNert](#)
- [Blog](#)

[White papers](#)

[Application Notes](#)

[FAQ](#)

[Free Test Coupon](#)



We hope you enjoyed SilcoTek® 101.

Let us know your thoughts: \_\_\_\_\_

Lit. Cat. ST-012